



State of Oregon
 Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900

Application for Groundwater Registration Modification

Part 1 of 5 – Minimum Requirements Checklist

This Groundwater Registration Modification application will be returned if Parts 1 through 4 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

JUN 24 2020

OWRD

Check all included with this application (N/A = Not Applicable)

- Part 1 – Completed Minimum Requirements Checklist.
- Part 2 – Completed Application Map Checklist.
- Part 3 – Completed Applicant Information and Signature.
- Part 4 – Completed Groundwater Registration Modification Application – Groundwater Registration Information. (Only one Groundwater registration per application, unless the Groundwater registrations to be modified are layered).
- Completed Groundwater Registration Modification Application Map (Does not have to be prepared by a Certified Water Right Examiner).
- Groundwater registration modification fees – Amount enclosed: \$ **1,250**. (\$875.00 for a place of use change only; \$1,250.00 for any other change or combination).

Attachments:

- N/A Request for Assignment Form and statutory fee. This form needs to be completed if the applicant owns the land to which the registration is appurtenant and is **not** the registration certificate holder of record. The Request for Assignment Form is available at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>.
 Assignment is not needed for any person or entity who can demonstrate authorization to request recognition of a modification (e.g. legal representative, power of attorney, agent, etc.) **or** the applicant is named on the certificate of registration, or has been assigned to the certificate of registration.
- N/A Oregon Water Resources Department’s Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

- | | |
|--|--|
| <input type="checkbox"/> Application fee not enclosed/insufficient | <input type="checkbox"/> Map not included or incomplete |
| <input type="checkbox"/> Land Use Form not enclosed or incomplete | <input type="checkbox"/> Assignment Form and fee not enclosed/insufficient |
| <input type="checkbox"/> Additional signature(s) required | <input type="checkbox"/> Part _____ is incomplete |

Other/Explanation _____

Staff: _____ 503-986-0 _____ Date: ____ / ____ / ____

Your Groundwater Registration Modification application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

- Permanent quality printed with dark ink on good quality paper.
- The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- A north arrow, a legend, and scale.
- The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads and railroads.
- Major water delivery system features from the point(s) of appropriation such as main pipelines, canals, and ditches.
- Existing place of use that includes hachuring, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the registration is being changed, a separate hachuring is needed for the portion of the registration left unchanged.
- N/A If you are proposing a modification in place of use, show the proposed place of use with hachuring including priority date and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- Existing point(s) of appropriation with distance and bearing or coordinates from a recognized survey corner.
- N/A If you are proposing a modification in point(s) of appropriation, show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

13477 -

Part 3 of 4 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME Stauffer Farm Inc. and CNR Farms Inc. c/o Jeff Bizon			PHONE NO. (503) 476-4712	ADDITIONAL CONTACT NO.
ADDRESS 13851 Stauffer Road NE			FAX NO.	
CITY Hubbard	STATE OR	ZIP 97032	E-MAIL	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

RECEIVED
JUN 24 2020
OWRD

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME Doann Hamilton/Pacific Hydro-Geology, Inc.			PHONE NO. (503) 632-5016	ADDITIONAL CONTACT NO. (503) 349-6946 (cell)
ADDRESS 18487 S. Valley Vista Road			FAX NO. (503) 632-5983	
CITY Mulino	STATE OR	ZIP 97042	E-MAIL phgdmh@gmail.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Explain in your own words what you propose to accomplish with this modification; and why:
We wish to drill a new well and tie all of our water rights through a common irrigation system to create a well field and allow the use of any of our wells individually or in any combination to irrigate over the entire farm property.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

(Check one box)

- By signing this application, I (we) understand that, upon receipt of the draft preliminary determination and prior to Department approval of the Groundwater modification, I (we) will be required to provide landownership information and evidence that I am authorized to pursue the modification as identified in OAR 690-382-0400(16)(a);
OR
- I (we) affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor: **OR**
- I (we) affirm that the applicant is an entity with the authority to condemn property and is acquiring the property to which the Groundwater registration proposed for modification is appurtenant by condemnation and have attached supporting documentation.

I understand that prior to Department approval of the groundwater registration modification, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the groundwater registration is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following paper: Woodburn Independent.

I (we) affirm that the information contained in this application is true and accurate.



Applicant Signature
Print Name and title if applicable
Date

Applicant Signature
Print Name and title if applicable
Date

Is the applicant the sole owner of the land on which the Groundwater registration modification or portion thereof, is located? Yes No *If NO, include signatures of all deeded landowners (and mailing*

and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the Groundwater registration has been conveyed.

Check the appropriate box, if applicable:

- Check here if the Groundwater registration proposed for modification is or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME NA	ADDRESS	
CITY	STATE	ZIP

- Check here if water for the Groundwater registration is supplied under a water service agreement or other contract with a federal agency or other entity.

ENTITY NAME NA	ADDRESS	
CITY	STATE	ZIP

To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Marion County Planning Division	ADDRESS 5155 Silverton Road NE	
CITY Salem	STATE Oregon	ZIP 97305

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

RECEIVED

JUN 24 2020

OWRD

and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the Groundwater registration has been conveyed.

Check the appropriate box, if applicable:

- Check here if the Groundwater registration proposed for modification is or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME NA	ADDRESS	
CITY	STATE	ZIP

- Check here if water for the Groundwater registration is supplied under a water service agreement or other contract with a federal agency or other entity.

ENTITY NAME NA	ADDRESS	
CITY	STATE	ZIP

To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Marion County Planning Division	ADDRESS 5155 Silverton Road NE	
CITY Salem	STATE Oregon	ZIP 97305

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

RECEIVED
JUN 24 2020
OWRD

13477 - -

JUN 24 2020

OWRD

Part 4 of 4 – Groundwater Registration Information

Please use a separate Part 4 for each registration being modified. See instructions on page 5, to copy and paste additional Part 4s, or to add additional rows to tables within the form.

Table 1. Location of Authorized and Proposed Point(s) of Appropriation (POA)
 (Note: If the POA name is not specified in the registration, assign it a name or number here.)

POA Name or Number	Is this POA Authorized by the registration or is it Proposed?	OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Authorized Well	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	MARI 1016	4	S	1	W	35	NW	NW	DLC 63	1,442 feet north and 1,504 feet east from the SW corner, DLC 63.
Well 1	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	MARI 765	4	S	1	W	26	SW	NW	DLC 63	25 feet south and 1,960 feet east from the NW corner, DLC 63.
Well 2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	MARI 63689	4	S	1	W	26	SW	NW	DLC 63	40 feet south and 1,860 feet east from the NW corner, DLC 63.
Well 3	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	MARI 767	4	S	1	W	26	NW	SW	DLC 63	1,470 feet south and 860 feet east from the NW corner, DLC 63.
Well 4	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	MARI 764	4	S	1	W	26	SW	SW	DLC 63	220 feet north and 70 feet east from the SW corner, Section 26.
Well 5	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	NA	4	S	1	W	35	NW	NW	DLC 63	1,030 feet south and 555 feet east from the NW corner, Section 35.
Well 6	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	MARI 1013	4	S	1	W	26	SE	SW	DLC 63	30 feet north and 1,360 feet west from the NW corner, DLC 53.

Check all type(s) of modifications(s) proposed below (modification "CODES" are provided in parentheses):

- Place of Use (POU)
- Point of Appropriation (well) (POA)
- Character of Use (USE)
- Additional Point of Appropriation (APOA)

Will all of the proposed changes affect the entire Groundwater registration?

- Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the registration to be changed.

13477 -

Please use and attach additional pages of Table 2 as needed.
See page 5 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer

Table 2. Description of Modifications to Registration GR-751 (Certificate # GR-727)

List only the part of the registration that will be modified. For the acreage in each ¼ ¼, list the modification proposed. If more than one modification, specify the acreage associated with each modification. If more than one POA, specify the acreage associated with each POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears in the registration BEFORE PROPOSED CHANGES List only that part or portion of the groundwater registration that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.														
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POA(s) to be used (from Table 1)	Priority Date				
4	S	1	W	34	NE	NE	100, 600	DLC 63	25.0	IR	Authorized Well	10-31- 46	POA	4	S	1	W	34	NE	NE	100, 600	DLC 63	25.0	IR	Wells 1, 2,3,4,5, & 6	10-31- 46
4	S	1	W	34	SE	NE	600	DLC 63	22.5	IR	Authorized Well	10-31- 46	POA	4	S	1	W	34	SE	NE	600	DLC 63	22.5	IR	Wells 1, 2,3,4,5, & 6	10-31- 46
4	S	1	W	35	NW	NW	600	DLC 63	3.98	IR	Authorized Well	10-31- 46	POA	4	S	1	W	35	NW	NW	600	DLC 63	3.98	IR	Wells 1, 2,3,4,5, & 6	10-31- 46
4	S	1	W	35	SW	NW	600	DLC 63	23.0	IR	Authorized Well	10-31- 46	POA	4	S	1	W	35	SW	NW	600	DLC 63	23.0	IR	Wells 1, 2,3,4,5, & 6	10-31- 46
TOTAL ACRES							74.48	TOTAL ACRES							74.48											

Additional remarks: None.

RECEIVED

JUN 24 2020

OWRD

13477

Groundwater Registration # GR-751 (Certificate # GR-727)

For a modification in place of use or character of use:

Are there other water right certificates, water use permits, or Groundwater registrations associated with the “from” or “to” lands? Yes No

If YES, list the other certificate, water use permit, or other Groundwater registration numbers:

CERTIFICATE 56269

Pursuant to OAR 690-382-0200, any “layered” water use, such as an irrigation right that is supplemental to a primary irrigation right proposed for transfer, must be concurrently transferred with the registration or be cancelled. Any change to a water right must be filed separately in a transfer application. Any change to a water use permit must be filed separately with a permit amendment. Any modification to a Groundwater registration on the “to” lands must be filed separately with a Groundwater registration modification.

For modifications in point(s) of appropriation (well(s) or additional point(s) of appropriation:

- Well log(s) are attached for each well that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department’s web page at: http://apps.wrd.state.or.us/apps/gw/well_log/)

RECEIVED
JUN 24 2020

OWRD

AND/OR

- Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide “a best estimate” for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide adequate information is likely to delay the processing of your modification application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-___	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right	
Authorized Well	YES	MARI 1016	See Well Log MARI 1016								
Well 1	YES	MARI 765	See Well Log MARI 765								250 gpm
Well 2	YES	MARI 63689	See Well Log MARI 63689								
Well 3	YES	MARI 767	See Well Log MARI 767								
Well 4	YES	MARI 764	See Well Log MARI 764								
Well 5	NO	NA	300 feet	16 inch	150	0 to 50 feet	TBD	NA	Alluvium		
Well 6	YES	MARI 1013	See Well Log MARI 1013								

Application for Water Right Transfer

Consent by Deeded Landowner



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

State of Oregon)
County of Marion)ss
)

RECEIVED
SEP 10 2019
OWRD

I Jeff Bizon of CNR Farms Inc. in my/our capacity as owner,

mailing address 13851 Stauffer Rd NE, Hubbard, OR 97032,

telephone number 503-474-4712, duly sworn depose and say that I

consent to the proposed change(s) to Water Right Certificate Number GR-751

described in a Transfer Application (T-NA) submitted by Stauffer Farms Inc.,
(transfer number, if known)

on the property in tax lot number(s) 100, Section 34, Township 4 South, Range 1 West, W.M.,
located at no site address - near southwest corner of TL 041W27, lot 1200, address 13851
Stauffer Rd NE, Hubbard, OR 97032.

(site address)

RECEIVED
JUN 24 2020
OWRD


Jeff Bizon
Signature of Affiant

8-15-19
Date

Signature of Affiant

Date

Subscribed and Sworn to before me this 15 day of August, 2019.



Tanya Ann McCall
Notary Public for Oregon

My commission expires May 22, 2023

STATE ENGINEER
Salem, Oregon

MAR 10 1916

Well Record

STATE WELL NO. 4/1W-35D(1)
COUNTY Marion
APPLICATION NO. GR-751

OWNER: Boyd E. Brown

MAILING ADDRESS: Route 1

LOCATION OF WELL: Owner's No. 1

CITY AND STATE: Hubbard, Oregon

NE 1/4 NE 1/4 Sec. 35 T. 4 N. S. R. 1 W., W.M.

Bearing and distance from section or subdivision corner 1504' E. & 1442' N. from SW cor. Wm. Vanderwacker DLC

D(1)			
⊙			

Section 35

Altitude at well 160' Interpolated

TYPE OF WELL: Drilled Date Constructed Oct. 46

Depth drilled 210' Depth cased 210'

CASING RECORD:

12 inch steel casing 0 to 210 feet

RECEIVED

JUN 24 2020

OWRD

FINISH:

Perforated 100 to 110' 200 to 210'

AQUIFERS:

WATER LEVEL:

60 feet

PUMPING EQUIPMENT: Type Elec. turbine H.P. 15

Capacity 300 G.P.M.

WELL TESTS:

Drawdown 40 ft. after 250 hours G.P.M.

Drawdown ft. after hours G.P.M.

USE OF WATER Irrigation Temp. °F. 19

SOURCE OF INFORMATION GR-751

DRILLER or DIGGER Strasser, Portland

ADDITIONAL DATA:

Log None Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

13477 -

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

RECEIVED

MAR 20 1978

WATER RESOURCES DEPT.
SALEM, OREGON

State Well No.

4511W-26

State Permit No.

G-8085

Appl. G-8774

(1) OWNER:

Name Stauffer Bros.
Address Hubbard, Oregon 97032

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
18" Diam. from 0 ft. to 20 ft. Gage 1/4"
12" Diam. from +2 ft. to 197 ft. Gage 1/4"
" Diam. from " ft. to " ft. Gage "

PERFORATIONS:

Perforated? Yes No.

Type of perforator used Pre-perforated pipe
Size of perforations 1/4 in. by 2 in.
960 perforations from 112 ft. to 132 ft.
480 perforations from 168 ft. to 178 ft.
perforations from " ft. to " ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level -41

Was a pump test made? Yes No If yes, by whom? driller
Yield: 700 gal./min. with 35 ft. drawdown after 8 hrs.
1000 " " 49 " " 8 "
" 1500 " " 60 " " 8 "
" 2000 " " 75 " " 8 "
Baller test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow _____ g.p.m.

(9) CONSTRUCTION:

Well seal—Material used Cement
Well sealed from land surface to 20 ft.
Diameter of well bore to bottom of seal 24 in.
Diameter of well bore below seal 24 in.
Number of sacks of cement used in well seal 30 sacks
How was cement grout placed? _____
Pressure grout pump

Was a drive shoe used? Yes No Plus _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No

Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: 3/4"
Gravel placed from 20 ft. to 197 ft.

(10) LOCATION OF WELL:

County Marian Driller's well number _____
1/4 1/4 Section 26 T.4S R. 1W W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 85 ft.
Static level 41 ft. below land surface. Date 3/14/78
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing _____
Depth drilled 197 ft. Depth of completed well 197 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Surface	0	3	
Brown clay	3	44	
Blue clay	44	85	
Red sand & gravel	85	91	
Blue sandy clay	91	99	
Black sand	99	105	
Sand & gravel	105	134	
Blue clay	134	164	
Black sand & gravel	164	179	
Blue clay	179	197	

RECEIVED

JUN 24 2020

OWRD

Work started Dec 16 1977 Completed Mar. 14 1978
Date well drilling machine moved off of well Mar 17 1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] John T. Miller Date Mar 17, 1978
(Drilling Machine Operator)
Drilling Machine Operator's License No. 26

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name John T. Miller (Type or print)
(Person, firm or corporation)
Address 1780 Tomlin Ave. Woodburn, Ore 97071
[Signed] John T. Miller
(Water Well Contractor)
Contractor's License No. 277 Date Mar 17, 1978

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

WELL LABEL # L 105628

START CARD # 201752

OWRD

(1) LAND OWNER Owner Well I.D.

First Name Last Name
Company Stauffer Farms INC.
Address 13851 Stauffer Rd. NE
City Hubbard State OR Zip 97032

(2) TYPE OF WORK
New Well Deepening Conversion
Alteration (repair/recondition) Abandonment

(3) DRILL METHOD
Rotary Air Rotary Mud Cable Auger Cable Mud
Reverse Rotary Other

(4) PROPOSED USE
Domestic Irrigation Community
Industrial/ Commercial Livestock Dewatering
Thermal Injection Other

(5) BORE HOLE CONSTRUCTION Special Standard Attach copy
Depth of Completed Well 301 ft.

Table with columns: Dia, From, To, Material, SEAL, Amt, lbs. Rows include Bentonite from 0 to 48 ft.

How was seal placed: Method A B C D E

Other OAR 690-210-0340

Backfill placed from ft. to ft. Material
Filter pack from 141.75 ft. to 301 ft. Material gravel Size 4/12

Explosives used: Yes Type Amount

(6) CASING/LINER

Table with columns: Casing/Liner, Dia, From, To, Gauge, Std, Plstc, Wld, Thrd. Rows show casing details for 12 and 16 inch diameters.

Shoe Inside Outside Other Location of shoe(s) 141.75

Temp casing Yes Dia From To

(7) PERFORATIONS/SCREENS

Table with columns: Perf/Screen, Casing/Liner, Dia, From, To, Scrn/slot width, Slot length, # of slots, Tel/pipe size. Includes perforation details for various depths.

(8) WELL TESTS: Minimum testing time is 1 hour

Table with columns: Pump/Bailer/Air/Flowing Artesian, Yield gal/min, Drawdown, Drill stem/Pump depth, Duration (hr). Shows test results at 600 gpm.

Temperature 53 °F Lab analysis Yes By

Water quality concerns? Yes (describe below)

Table with columns: From, To, Description, Amount, Units. For water quality concerns.

(9) LOCATION OF WELL (legal description)

County MARION Twp 4 S N/S Range 1 W E/W WM
Sec 26 SW 1/4 of the NW 1/4 Tax Lot 00500
Tax Map Number Lot
Lat or DMS or DD
Long or DMS or DD
Street address of well Nearest address

19328 Hwy 99E NE Hubbard, OR 97032

(10) STATIC WATER LEVEL

Table with columns: Existing Well / Predeepening, Completed Well, Date, SWL(psi), SWL(ft). Shows 55 ft static water level on 05-03-2011.

WATER BEARING ZONES Depth water was first found 94

Table with columns: SWL Date, From, To, Est Flow, SWL(psi), SWL(ft). Shows water bearing zones from 94 to 279 ft.

(11) WELL LOG

Table with columns: Material, From, To, Ground Elevation. Detailed log of well contents from topsoil to clay gray & blue.

Date Started 11-05-2010 Completed 05-03-2011

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number 1704 Date
Password: (if filing electronically)
Signed

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 783 Date 6/2/11
Password: (if filing electronically)
Signed
Contact Info (optional) Cressen Well Drilling P.O. Box 526 Woodburn, OR 97071

ORIGINAL WATER RESOURCES DEPARTMENT

THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK

Form Version: 0.88

JUN 06 2011

WATER RESOURCES DEPT
SALEM, OREGON

13477 -

**WATER SUPPLY WELL REPORT -
continuation page**

MARI 63689

WELL I.D. # L 105628

START CARD # 201752

RECEIVED

JUN 24 2020

OWRD

(5) BORE HOLE CONSTRUCTION

BORE HOLE			SEAL			sacks/ lbs
Dia	From	To	Material	From	To	

FILTER PACK

From	To	Material	Size

(6) CASING/LINER

Casing Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd

(7) PERFORATIONS/SCREENS

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Scr/slot width	Slot length	# of slots	Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

Water Quality Concerns

From	To	Description	Amount	Units

(10) STATIC WATER LEVEL

Water Bearing Zones

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)

(11) WELL LOG

Material	From	To
Clay blue sticky	183	193
Clay gray sandy	193	198
Clay dark green silty	198	209
Clay blue-green hard	209	211
Gravel & basalt	211	213
Clay green & gravel	213	219
Clay green sticky	219	224
Clay green hard	224	234
Clay green hard & gravel	234	243
Gravel cemented w/some clay gray	243	244.5
Clay sticky gray	244.5	246
Clay green & gray sticky	246	249
Clay soft green & clay gray sandy, small gravel	249	252
Clay green, gray, brown & gravel	252	254
Clay green, brown, soft	254	258
Clay green, gray, sticky	258	259
Clay gray sticky hard	259	267
Clay green, gray, sticky w/seams of fine black sand	267	270
Clay green sandy & gravel	270	272
Clay gray sticky	272	278
Clay gray, sand & gravel	278	279
Clay blue sticky hard	279	292
Clay black hard	292	299
Clay blue sticky hard	299	301

Comments/Remarks

RECEIVED

JUN 06 2011

WATER RESOURCES DEPT
SALEM, OREGON

13477 -

(1) OWNER:

Name Stauffer Bros.
 Address Hubbard, Oregon

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
 If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
 Cable Jetted
 Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
 Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
 2" Diam. from 0 ft. to 80 ft. Gage $\frac{1}{4}$ "
 12" Diam. from 0 ft. to 146 ft. Gage $\frac{1}{4}$ "

PERFORATIONS:

Perforated? Yes No.
 of perforator used Millknife
 Size of perforations $\frac{3}{8}$ in. by 5 in.
 360 perforations from 104 ft. to 130 ft.
 perforations from _____ ft. to _____ ft.
 perforations from _____ ft. to _____ ft.
 perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No
 Manufacturer's Name _____
 Type _____ Model No. _____
 Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
 Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WATER LEVEL: Completed well.

Static level 49 ft. below land surface Date 7/15/70
 an pressure _____ lbs. per square inch Date _____

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If Yes, by whom? driller
 Yield: 1050 gal./min. with 25 ft. drawdown after 4 hrs.
 1700 " " 49 " " 4 " "
 Baller test _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ g.p.m. Date _____
 Temperature of water _____ Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used Well Gel Bentonite
 Depth of seal 80 ft.
 Diameter of well bore to bottom of seal 25 in.
 Were any loose strata cemented off? Yes No Depth _____
 Was a drive shoe used? Yes No
 Did any strata contain unusable water? Yes No
 Type of water? _____ depth of strata _____
 Method of sealing strata off _____
 Was well gravel packed? Yes No Size of gravel: 1/4" round
 Gravel placed from 70 ft. to 146 ft.

(11) LOCATION OF WELL:

County Marian Driller's well number _____
 Section 26 T. 4S R. 1W W.M.
 Bearing and distance from section or subdivision corner _____

(12) WELL LOG:

Diameter of well below casing _____
 Depth drilled 146 ft. Depth of completed well 146 ft.
 Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
Surface	0	3	
Brown sandy clay	3	45	
Blue sandy clay	45	81	
Broken sand & gravel	81	86	
Blue sandy clay	86	89	
Sand	89	102	
Sand & gravel	102	139	
Blueclay	139	146	

RECEIVED

JUN 24 2020

OWRD

Work started June 10 1970 Completed July 15 1970
 Date well drilling machine moved off of well July 15 1970

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
 [Signed] John T. Miller Date July 20, 1970
 (Drilling Machine Operator)

Drilling Machine Operator's License No. 26

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME John Truman Miller (Type or print)

Address P.O. Box 342 Hubbard, Oregon

[Signed] John T. Miller (Water Well Contractor)

Contractor's License No. 277 Date July 20, 1970

1013
MAR 11 1965

35 C

NOTICE TO WATER WELL CONTRACTORS
The original and first copy
of this report are to be
filed with the
STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

RECEIVED
JUL 14 1965
STATE ENGINEER
SALEM OREGON

WATER WELL REPORT
STATE OF OREGON
(Please type or print)

State Well No. 4/100-~~26~~
State Permit No. G-3722

(1) OWNER:

Name Stauffer Bros.
Address Hubbard, Oregon

(2) LOCATION OF WELL:

County Marian Driller's well number
1/4 1/4 Section 26 T. 4S R. 1W W.M.
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

Well Deepening Reconditioning Abandon
Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(6) CASING INSTALLED:

Threaded Welded
12 " Diam. from 0 ft. to 120 ft. Gage 1/4"
8 " Diam. from 0 ft. to 80 ft. Gage 1/4"
" Diam. from " ft. to " ft. Gage "

(7) PERFORATIONS:

Perforated? Yes No
Type of perforator used Millknife
Size of perforations 1/2 in. by 2 1/2 in.
315 perforations from 83 ft. to 112 ft.
perforations from " ft. to " ft.
perforations from " ft. to " ft.
perforations from " ft. to " ft.
perforations from " ft. to " ft.

(8) SCREENS:

Well screen installed? Yes No
Manufacturer's Name _____ Model No. _____
Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Puddled mud
Depth of seal 18 ft. Was a packer used? no
Diameter of well bore to bottom of seal 24 in.
Were any loose strata cemented off? Yes No Depth _____
Was a drive shoe used? Yes No
Was well gravel packed? Yes No Size of gravel: 1/4
Gravel placed from 80 ft. to 105 ft.
Did any strata contain unusuable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____

(10) WATER LEVELS:

Static level 34 ft. below land surface Date 7/2/65
Artesian pressure _____ lbs. per square inch Date _____

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? driller
Yield: 400 gal./min. with 81 ft. drawdown after 6 hrs.
" 250 " " 51 " " 6 "
" " " " " " "
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes No

(12) WELL LOG:

Diameter of well below casing 12
Depth drilled 136 ft. Depth of completed well 136 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Surface	0	3
Brown sandy clay	3	43
Blue sandy clay	43	82
Broken sand and gravel	82	86
Blue sandy clay	86	92
Red sand	92	97
Black sand	97	102
Broken gravel	102	112
Blue clay	112	136

RECEIVED

JUN 24 2020

OWRD

Work started June 2 19 65 Completed July 2 19 65
Date well drilling machine moved off of well July 2 19 65

(13) PUMP:

Manufacturer's Name _____
Type: _____ H.P. _____

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME John Truman Miller
(Person, firm or corporation) (Type or print)
Address P O Box 42 Hubbard, Oregon

Drilling Machine Operator's License No. 277
[Signed] John T. Miller
(Water Well Contractor)
Contractor's License No. 26 Date July 10 1965

134797