



State of Oregon
 Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900

Application for Permit Amendment

Part 1 of 5 – Minimum Requirements Checklist

This permit amendment application will be returned if Parts 1 through 5 and all required attachments are not completed and included.
 For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

Check all items included with this application. (N/A = Not Applicable)

FEB 24 2021

- Part 1 – Completed Minimum Requirements Checklist.
- Part 2 – Completed Application Map Checklist. OWRD
- Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator. If you have questions, call Customer Service at (503) 986-0801.
- Part 4 – Completed Applicant Information and Signature.
- Part 5 – Information about Permits to be Amended: **Number of permits to be amended: 2**
List the Permits here: G-13083, G-15661
 Please include a separate Part 5 for each permit. (See instructions on page 6)
- Completed Permit Amendment Application Map (Does not have to be prepared by a Certified Water Right Examiner).
- N/A Request for Assignment Form and statutory fee. The request for assignment form has to be completed if the applicant is **not** the permit holder of record and needs to be assigned to the permit; **or** the landowner of the proposed place of use is **not** the permit holder of record and needs to be assigned to the permit (the Request for Assignment Form is available online at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>). Assignment is not needed if the applicant is the permit holder of record.
- N/A Affidavit(s) of Consent are required from all permit holder(s) of record if the permit is not assigned to the applicant **or** other permit holders of record that are not listed as applicants.
- N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.
- N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500 feet from the surface water source and more than 1000 feet upstream or downstream from the point of diversion. (ORS 540.531(2) or (3)).

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

___ Application fee not enclosed/insufficient	___ Map not included or incomplete
___ Land Use Form not enclosed or incomplete	___ Part ___ is incomplete
Other/Explanation _____	
Staff: _____ 503-986-0 _____	Date: ____/____/____

Part 2 of 5 – Permit Amendment Map Checklist

Your permit amendment application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

RECEIVED

FEB 24 2021

QWRD

- N/A If more than three permits are involved, separate maps for each permit.
- Permanent quality printed with dark ink on good quality paper.
- The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- A north arrow, a legend, and scale.
- The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- Existing place of use that includes separate hachuring for each water use permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the permit is being changed, a separate hachuring is needed for the portion of the permit left unchanged.
- N/A If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water use permit.
- N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Part 3 of 5 – Fee Worksheet

FEE WORKSHEET for PERMIT AMENDMENT			
1	Base Fee (includes one type of change to one permit for up to 1 cfs)	1	\$1,160
2	Types of change proposed: <input type="checkbox"/> Place of Use <input checked="" type="checkbox"/> Point of Diversion/Appropriation Number of above boxes checked = <u>1</u> (2a) Subtract 1 from the number in line 2a = <u>0</u> (2b) <i>If only one change, this will be 0</i> Multiply line 2b by \$930 and enter » » » » » » » » » » » » » » » »	2	RECEIVED FEB 24 2021 OWRD 0
3	Number of permits included in Permit Amendment <u>2</u> (3a) Subtract 1 from the number in 3a: <u>1</u> (3b) <i>If only one permit this will be 0</i> Multiply line 3b by \$520 and enter » » » » » » » » » » » » » » » »	3	520
4	Do you propose to add or change a well, or change from a surface water POD to a well? <input type="checkbox"/> No: enter 0 » » » » » » » » » » » » » » » » » » » » » » <input checked="" type="checkbox"/> Yes: enter \$410 » » » » » » » » » » » » » » » » » » » » » »	4	410
5	Do you propose to change the place of use? <input checked="" type="checkbox"/> No: enter 0 on line 5 » » » » » » » » » » » » » » » » » » » » » » <input type="checkbox"/> Yes: enter the cfs for the portions of the permits to be amended (see example below*): _____ (5a) Subtract 1.0 from the number in 5a above: _____ (5b) If 5b is 0, enter 0 on line 5 » » » » » » » » » » » » » » » » » » » » » » If 5b is greater than 0, round up to the nearest whole number: _____ (5c) and multiply 5c by \$350, then enter on line 5 » » » » » » » » » »	5	0
6	Add entries on lines 1 through 5 above » » » » » » » » » » Subtotal:	6	2,090
7	Is this permit amendment: <input type="checkbox"/> necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? <input type="checkbox"/> endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 » If no box is applicable, enter 0 on line 7 » » » » » » » » » » » » » » » » » » » » » »	7	0
8	Subtract line 7 from line 6 » » » » » » » » » » Permit Amendment Fee:	8	\$2,090

*Example for Line 5a calculation to transfer 45.0 acres of Primary Permit S-12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Permit S-87654 (1/80 cfs per acre) on the same land:

1. For irrigation calculate cfs for each permit involved as follows:
 - a. Divide total authorized cfs by total acres in the permit (*for S-12345, 1.25 cfs ÷ 100 ac*); then multiply by the number of acres to be changed to get the application cfs (*x 45 ac = 0.56 cfs*).
 - b. If the water right permit does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (*For S-87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs*)
2. Add cfs for the portions of permits on all the land included in the application; however **do not count cfs for supplemental permits on acreage for which you have already calculated the cfs fee for the primary permit on the same land**. The fee should be assessed only once for each “on the ground” acre included in the application. (*In this example, blank 5a would be only 0.56 cfs, since both permits serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0*).

RECEIVED

FEB 24 2021 Part 4 of 5 – Applicant Information and Signature

Applicant Information

OWRD

APPLICANT/BUSINESS NAME William H. Stoller / Red Hills Farm LLC			PHONE NO. (503) 864-3404	ADDITIONAL CONTACT NO.
ADDRESS 15505 NE Stoller Rd.				FAX NO.
CITY Dayton	STATE OR	ZIP 97114	E-MAIL	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME Will McGill Surveying LLC			PHONE NO. (503) 510-3026	ADDITIONAL CONTACT NO. (503) 931-0210
ADDRESS 15333 Pletzer Rd. SE				FAX NO.
CITY Turner	STATE OR	ZIP 97392	E-MAIL willmcgill.surveying@gmail.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Explain in your own words what you propose to accomplish with this permit amendment; and why:
The intent of this permit amendment is to authorize the industrial use (winery) permitted under G-13083 to be appropriated from Wells 6A and 8. It will also be proposed to make Wells 2, 3, 4, 5, 6, and 7 additional POAs for the deficiency in rate permitted under G-15661.

Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Is the applicant the permit holder of record? Yes No (see attached authorization document for Red Hills Farm LLC)

If NO, include either:

- A completed assignment form (with required statutory assignment fee), assigning all or a portion of the permit to the applicant(s), OR
- An affidavit of consent from the permit holder(s) of record that gives permission for the applicant to amend the permit.

Has the Completion (“C”) Date of the permit(s) in this application expired? Yes No

If YES, this application will not be accepted by the Department.

If NO, what are the completion dates of the permit(s)? 10/1/2021

- If the permit completion date expires while the Permit Amendment Application is pending, the Department will not approve the Permit Amendment Application until an Extension of Time Application is approved for the permit.
- You may consider using the Reimbursement Authority process to expedite the processing of this Permit Amendment Application if the completion date of the permit expires within 6 months of the date of filing this application.

By my signature below, I confirm that I understand:

- Prior to Department approval of the permit amendment, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the permit is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: The Newberg Graphic, Newberg.



I (we) affirm that the information contained in this application is true and accurate.

W. Marshall
Applicant Signature

Applicant Signature

Wayne Marschall
Print Name (and Title if applicable)

Red Hills Farm, Manager
Print Name (and Title if applicable)

2/16/21
Date

Date

RECEIVED

FEB 24 2021

OWRD

Check one of the following:

- The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- The permit holder(s) of record will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to the permit holder(s) of record.

Check the appropriate box, if applicable:

- Check here if any of the permits proposed for amendment are or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME	ADDRESS	
CITY	STATE	ZIP

- Check here if water for any of the permits supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP



To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Yamhill County	ADDRESS 525 NE 4th St.	
CITY McMinnville	STATE OR	ZIP 97128

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

RECEIVED

FEB 24 2021

OWRD

RECEIVED

FEB 24 2021

Part 5 of 5 – Water Use Permit Information

OWRD

PERMIT # G-13083

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 2	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	YAMH 5249	4 S	3 W	8	NW NE	100	150' S and 2010' W from NE Corner of Section 8
Well 3	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	YAMH 50307	4 S	3 W	5	NE SE	100	1560' N and 175' W from SE Corner of Section 5
Well 4	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	YAMH 456	4 S	3 W	5	SE SE	100	480' N and 70' W from SE Corner of Section 5
Well 5	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	YAMH 5250	4 S	3 W	8	NE NE	100	1075' S and 30' W from NE Corner of Section 8
Well 6	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	YAMH 5278	4 S	3 W	9	NW NW	100	1070' S and 500' E from NW Corner of Section 9
Well 7	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	YAMH 50281	4 S	3 W	9	NW NW	100	415' S and 1140' E from NW Corner of Section 9
Well 6A	<input checked="" type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	YAMH 53886	4 S	3 W	9	NW NW	100	1030' S and 497' E from the NW Corner of Section 9
Well 8	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	YAMH 53274	4 S	3 W	9	NW NW	100	540' S and 680' E from NW Corner of Section 9

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- Place of Use (POU)
- Point of Appropriation/Well (POA)
- Point of Diversion (POD)
- Additional Point of Appropriation (APOA)
- Additional Point of Diversion (APOD)
- Surface water POD to Ground Water POA (SW/GW)

Will all of the proposed changes affect the entire water use permit?

- Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the permit to be changed.

For a change in place of use:

Does the permit holder of record own or control the land TO which the place of use is being moved?

- Yes No

If NO, the landowner of the land TO which the place of use is being moved **must be assigned to the permit as a permit holder of record** by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

Is the proposed place of use contiguous to the authorized place of use? Yes No

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use **unless** the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

RECEIVED

FEB 24 2021

OWRD

OWRD

Table 2. Description of Changes to Water Use Permit # G-13083

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.										Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.																								
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) to be used (from Table 1)	Priority Date															
4	S	3	W	4	NW	SW	100	8, 41	30.1	Well 2, 3, 4, 5, 6, 7, 6A	1994												4	S	3	W	4	NW	SW	100	8, 41	30.1	Well 2, 3, 4, 5, 6, 7, 6A	1994	
4	S	3	W	4	SW	SW	100	9, 41	36.4	Well 2, 3, 4, 5, 6, 7, 6A	1994													4	S	3	W	4	SW	SW	100	9, 41	36.4	Well 2, 3, 4, 5, 6, 7, 6A	1994
4	S	3	W	5	SW	NE	100	40	1.8	Well 2, 3, 4, 5, 6, 7, 6A	1994													4	S	3	W	5	SW	NE	100	40	1.8	Well 2, 3, 4, 5, 6, 7, 6A	1994
4	S	3	W	5	NE	SW	100	40	0.4	Well 2, 3, 4, 5, 6, 7, 6A	1994													4	S	3	W	5	NE	SW	100	40	0.4	Well 2, 3, 4, 5, 6, 7, 6A	1994
4	S	3	W	5	SE	SW	100	40	7.3	Well 2, 3, 4, 5, 6, 7, 6A	1994													4	S	3	W	5	SE	SW	100	40	7.3	Well 2, 3, 4, 5, 6, 7, 6A	1994
4	S	3	W	5	NE	SE	100	40, 41	29.8	Well 2, 3, 4, 5, 6, 7, 6A	1994													4	S	3	W	5	NE	SE	100	40, 41	29.8	Well 2, 3, 4, 5, 6, 7, 6A	1994
4	S	3	W	5	NW	SE	100	40	27.0	Well 2, 3, 4, 5, 6, 7, 6A	1994													4	S	3	W	5	NW	SE	100	40	27.0	Well 2, 3, 4, 5, 6, 7, 6A	1994
4	S	3	W	5	SW	SE	100	40	40.9	Well 2, 3, 4, 5, 6, 7, 6A	1994													4	S	3	W	5	SW	SE	100	40	40.9	Well 2, 3, 4, 5, 6, 7, 6A	1994
4	S	3	W	5	SE	SE	100	40, 41	40.5	Well 2, 3, 4, 5, 6, 7, 6A	1994													4	S	3	W	5	SE	SE	100	40, 41	40.5	Well 2, 3, 4, 5, 6, 7, 6A	1994
4	S	3	W	8	NE	NE	100	1, 41	40.6	Well 2, 3, 4, 5, 6, 7, 6A	1994													4	S	3	W	8	NE	NE	100	1, 41	40.6	Well 2, 3, 4, 5, 6, 7, 6A	1994

4	S	3	W	8	NW	NE	100	40, 41	16.8	Well 2, 3, 4, 5, 6, 7, 6A	1994		4	S	3	W	8	NW	NE	100	40, 41	16.8	Well 2, 3, 4, 5, 6, 7, 6A	1994	
4	S	3	W	8	SW	NE	100	41	2.7	Well 2, 3, 4, 5, 6, 7, 6A	1994		4	S	3	W	8	SW	NE	100	41	2.7	Well 2, 3, 4, 5, 6, 7, 6A	1994	
4	S	3	W	8	SE	NE	100	1, 41	14.7	Well 2, 3, 4, 5, 6, 7, 6A	1994		4	S	3	W	8	SE	NE	100	1, 41	14.7	Well 2, 3, 4, 5, 6, 7, 6A	1994	
4	S	3	W	9	NW	NW	100	1, 41	38.7	Well 2, 3, 4, 5, 6, 7, 6A	1994		4	S	3	W	9	NW	NW	100	1, 41	38.7	Well 2, 3, 4, 5, 6, 7, 6A	1994	
4	S	3	W	9	SW	NW	100	2	21.5	Well 2, 3, 4, 5, 6, 7, 6A	1994		4	S	3	W	9	SW	NW	100	2	21.5	Well 2, 3, 4, 5, 6, 7, 6A	1994	
4	S	3	W	4	NW	SW	100	8		Industrial Use (Winery)	Well 4	1994	POA	4	S	3	W	4	NW	SW	100	8	Industrial Use (Winery)	Well 6A, 8	1994
4	S	3	W	5	SE	SE	100	41		Industrial Use (Winery)	Well 4	1994	POA	4	S	3	W	5	SE	SE	100	41	Industrial Use (Winery)	Well 6A, 8	1994
TOTAL ACRES									349.2	TOTAL ACRES									349.2						

Additional remarks: **The only changes intended by the amendment to Permit G-13083 is in pertinence to the Industrial Use (Winery) by removing Well 4 and authorizing Wells 6A and 8. Authorized POAs for Irrigation should remain unchanged.**

RECEIVED

FEB 24 2021

OWRD

Are there other water rights certificates, water use permits or ground water registrations associated with the “from” or “to” lands? Yes No

If YES, list the other certificate, permit, or ground water registration numbers: Permit G-15661, Permit S-54076



If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department’s web page at: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

AND/OR

- Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide “a best estimate” for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L- _____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right

RECEIVED

FEB 24 2021

OWRD

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Drain Tile (DT)	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed		4 S	3 W	8	NW NE	101	85' S and 60' E from N1/4 Corner of Section 8
Well 8	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	YAMH 53274	4 S	3 W	9	NW NW	100	540' S and 680' E from NW Corner of Section 9
Well 2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	YAMH 5249	4 S	3 W	8	NW NE	100	150' S and 2010' W from NE Corner of Section 8
Well 3	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	YAMH 50307	4 S	3 W	5	NE SE	100	1560' N and 175' W from SE Corner of Section 5
Well 4	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	YAMH 456	4 S	3 W	5	SE SE	100	480' N and 70' W from SE Corner of Section 5
Well 5	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	YAMH 5250	4 S	3 W	8	NE NE	100	1075' S and 30' W from NE Corner of Section 8
Well 6	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	YAMH 5278	4 S	3 W	9	NW NW	100	1070' S and 500' E from NW Corner of Section 9
Well 7	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	YAMH 50281	4 S	3 W	9	NW NW	100	415' S and 1140' E from NW Corner of Section 9

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- Place of Use (POU)
- Point of Appropriation/Well (POA)
- Point of Diversion (POD)
- Additional Point of Appropriation (APOA)
- Additional Point of Diversion (APOD)
- Surface water POD to Ground Water POA (SW/GW)

Will all of the proposed changes affect the entire water use permit?

- Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the permit to be changed.

For a change in place of use:

Does the permit holder of record own or control the land TO which the place of use is being moved?

Yes No

If NO, the landowner of the land TO which the place of use is being moved **must be assigned to the permit as a permit holder of record** by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

Is the proposed place of use contiguous to the authorized place of use? Yes No

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use **unless** the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

RECEIVED

FEB 24 2021

OWRD

Table 2. Description of Changes to Water Use Permit # G-15661

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.									Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.											
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acre (if applicable)	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acre (if applicable)	POD(s) or POA(s) to be used (from Table 1)	Priority Date			
									APOA	4	S	3	W	4	NW	SW	100	8, 41	30.1	Well 8, 2, 3, 4, 5, 6, 7, DT	2003
									APOA	4	S	3	W	4	SW	SW	100	9, 41	36.4	Well 8, 2, 3, 4, 5, 6, 7, DT	2003
									APOA	4	S	3	W	5	SW	NE	100	40	1.8	Well 8, 2, 3, 4, 5, 6, 7, DT	2003
									APOA	4	S	3	W	5	NE	SW	100	40	0.4	Well 8, 2, 3, 4, 5, 6, 7, DT	2003
									APOA	4	S	3	W	5	SE	SW	100	40	7.3	Well 8, 2, 3, 4, 5, 6, 7, DT	2003
									APOA	4	S	3	W	5	NE	SE	100	40, 41	29.8	Well 8, 2, 3, 4, 5, 6, 7, DT	2003
									APOA	4	S	3	W	5	NW	SE	100	40	27.0	Well 8, 2, 3, 4, 5, 6, 7, DT	2003
									APOA	4	S	3	W	5	SW	SE	100	40	40.9	Well 8, 2, 3, 4, 5, 6, 7, DT	2003
									APOA	4	S	3	W	5	SE	SE	100	40, 41	40.5	Well 8, 2, 3, 4, 5, 6, 7, DT	2003

RECEIVED

											APOA	4	S	3	W	8	NE	NE	100	1, 41	40.6	Well 8, 2, 3, 4, 5, 6, 7, DT	2003
											APOA	4	S	3	W	8	NW	NE	100	40, 41	16.8	Well 8, 2, 3, 4, 5, 6, 7, DT	2003
											APOA	4	S	3	W	8	SW	NE	100	41	2.7	Well 8, 2, 3, 4, 5, 6, 7, DT	2003
											APOA	4	S	3	W	8	SE	NE	100	1, 41	14.7	Well 8, 2, 3, 4, 5, 6, 7, DT	2003
											APOA	4	S	3	W	9	NW	NW	100	1, 41	38.7	Well 8, 2, 3, 4, 5, 6, 7, DT	2003
											APOA	4	S	3	W	9	SW	NW	100	2	21.5	Well 8, 2, 3, 4, 5, 6, 7, DT	2003
TOTAL ACRES												TOTAL ACRES									349.2		

Additional remarks: It is proposed to add Wells 2, 3, 4, 5, 6, and 7 as APOAs for the authorized 0.14 cfs of irrigation to make up a deficiency in rate. It is requested that the 0.14 cfs can be pumped from any of these APOAs, but appropriation will not exceed 0.14 cfs at one time under this right.

RECEIVED

FEB 24 2021

OWRD

OWRD

Are there other water rights certificates, water use permits or ground water registrations associated with the "from" or "to" lands? Yes No

If YES, list the other certificate, permit, or ground water registration numbers: Permit G-13083, Permit S-54076



If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

AND/OR

- Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right

STATE OF OREGON
WATER WELL REPORT
 (as required by ORS 537.765)

well 2
 YAMH
 5249

RECEIVED
 OCT 16 1985
 WATER RESOURCES DEPT
 SALEM, OREGON
 899
 45/3W-8
 (for official use only)

(1) OWNER:

Name John Stoller
 Address RT 2
 City DAYTON State OR

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
 If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air Driven
 Rotary Mud Dug
 Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
 Thermal Withdrawal ReInjection
 Other: Irrigation
 Piezometric Grounding Test

(5) CASING INSTALLED:

Steel Plastic
 Threaded Welded
 6" Diam. from ti ft. to 38 ft. Gauge 160#
 " Diam. from _____ ft. to _____ ft. Gauge _____

LINER INSTALLED:

Steel Plastic
 Threaded Welded
 4" Diam. from 0 ft. to 290 ft. Gauge 160#

(6) PERFORATIONS:

Perforated? Yes No
 Size of perforations 1/4 in. by 6 in.
150 perforations from 190 ft. to 290 ft.
 perforations from _____ ft. to _____ ft.
 perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No
 Manufacturer's Name _____
 Type _____ Model No. _____
 Diam. _____ Slot Size _____ Set from _____ ft. to _____ ft.
 Diam. _____ Slot Size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom?
 _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Air test 13 1/2 gal./min. with drill stem at 290 ft. 1 hrs.
 Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ g.p.m.
 _____ ft. temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Special standards: Yes No
 Well seal—Material used Cement Grout
 Well sealed from land surface to 38 ft.
 Diameter of well bore to bottom of seal 8 1/2 in.
 Diameter of well bore below seal 6 in.
 Amount of sealing material 7 sacks pounds
 How was cement grout placed? pumped
 Was pump installed? no Type _____ HP _____ Depth _____ ft.
 Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
 Did any strata contain unusable water? Yes No
 Type of Water? _____ depth of strata _____
 Method of sealing strata off _____
 Was well gravel packed? Yes No Size of gravel: _____
 Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL by legal description:

County Yamhill 1/4 _____ 1/4 of Section 8 of _____
 Township 45 (Township is North or South) Range 3W (Range is East or West) WM. _____
 Tax Lot _____ Lot _____ Block _____ Subdivision _____
 MAILING ADDRESS OF WELL (or nearest address) _____

(11) WATER LEVEL of COMPLETED WELL:

Depth at which water was first found 201 ft.
 Static level 65 ft. below land surface. Date 10-7-85
 Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 6 ft.
 Depth drilled 290 ft. Depth of completed well 290 ft.
 Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top Soil	0	1	
Bottom Clay	1	19	
Blue shale	19	183	
Gray shale	183	271	
Water bearing zone	271	278	
Blue shale	278	290	

RECEIVED

FEB 24 2021

OWRD

Date work started 10-4-85 /completed 10-7-85
 Date well drilling machine moved off of well 10-7 1985

(unbonded) Water Well Constructor Certification (if applicable):

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] _____ Date _____, 19 _____

(bonded) Water Well Constructor Certification:

Bond 505167 Issued by: OREGON AUTO
 (number) (Surety Company Name)
 On behalf of Robert Shelburne
 (type or print name of Water Well Constructor)

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

(Signed) Robert Shelburne
 (Water Well Constructor)

(Dated) _____

NOTICE TO WATER WELL CONSTRUCTOR
 The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,
 SALEM, OREGON 97310
 within 30 days from the date of well completion.

SP*46868-690

YamH
50307

WELL ID 3190

Well 3

RECEIVED

SEP 17 1996

WATER RESOURCES DEPT.
SALEM, OREGON

(1) OWNER: Well No. 1632
Name RED HILLS FARM
Address 523 ASH ST
City DAYTON St OR Zip 97114

(2) TYPE OF WORK: NEW WELL
(3) DRILL METHOD: ROTARY AIR
(4) PROPOSED USE: DOMESTIC

(5) BORE HOLE CONSTRUCTION:
Special Construction Approval: NO Depth of Compl. Well 247 ft
Explosives used NO Type Amount
HOLE SEAL
Diam. From To Material From To Amount
10 0 178 BENTONITE 0 38 14 SAX
6 178 247 CEMENT W/GEL 38 178 31 SAX

Seal placement method C
Backfill: from ft to ft Material
Gravel: from ft to ft Size

(6) CASING/LINER:
Casing Diam. From To Gauge Material Connection
6 +2 178 .25 STEEL WELDED
Liner 4 0 247 SDR26 PLASTIC WELDED
Final Location of shoe(s) 178

(7) PERFORATIONS/SCREENS:
 Perforations Method ELECTRIC SAW
 Screens Type Material
Slot Tele/pipe
From To Size Number Diam. size Casing/liner
207 247 6" 72 LINER

(8) WELL TESTS: Minimum testing time is 1 hour
Test type AIR
Yield GPM Draw-down Drill stem Time
20 247 1 hr.
20 227 1
Temperature of water 52 Depth Artesian Flow Found
Was water analysis done? NO By whom
Reason for water not suitable for use
Depth of strata 0

(9) LOCATION OF WELL by legal description:
County YAMHILL Lat. ' ' ' Long. ' ' '
Township 4 S Range 3 W W. N.
Section 8 NE 1/4 NE 1/4
Tax Lot 4308 Lot 0100 Block Subdivision
Street Address of Well (or nearest Address)
15909 NE MCDUGAL RD DAYTON, OR

(10) STATIC WATER LEVEL:
145 ft. below land surface. Date 09/12/96
Artesian pressure lb per square in. Date

(11) WATER BEARING ZONES:
Depth at which water was first found 185
From To Est Flow Rate SWL
185 245 20 145

(12) WELL LOG:
Material Ground elevation From To SWL
TOP SOIL 0 3
RED CLAY 3 21
BROWN CLAY 21 61
RED CLAY 61 88
BROWN CLAY 88 105
DECAYED BASALT W/CLAY 105 159
HARD GRAY BASALT 159 185
DECAYED BASALT, VESICULAR/UNSTABLE 185 245 145
SOFT CLAY W/SOME ROCK 245 247

DAVE PAYSINGER, BLUE WATER DRILLING CO.
DAYTON, OR. 97114
Date started 09/11/96 Completed 09/12/96

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to my best knowledge and belief.
Signed _____ WWC Number _____
Date _____

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
Signed *David S. Paysinger* WWC Number 1438
Date 09/12/96

RECEIVED

FEB 24 2021

OWRD

STATE OF OREGON
WATER WELL REPORT
 (as required by ORS 537.765)

RECEIVED

JAN 29 1985

PLEASE TYPE or PRINT IN INK

WATER RESOURCES DEPT

Yambi
 456

865
 43/3W
 Well 4
 (for official use only)

(1) OWNER: SALEM, OREGON

Name John Stoller
 Address RT2
 City DAYTON State OR

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
 If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: (4) **PROPOSED USE (check):**

Rotary Air Driven Domestic Industrial Municipal
 Rotary Mud Dug Irrigation Thermal Withdrawal Reinjection
 Cable Bored Other: Piezometric Grounding Test

(5) CASING INSTALLED: Steel Plastic
 Threaded Welded
 6" Diam. from +1 ft. to 80 ft. Gauge 1.60 H
 " Diam. from ft. to ft. Gauge

LINER INSTALLED: Steel Plastic
 Threaded Welded
 4" Diam. from 0 ft. to 245 ft. Gauge 1.60 H

(6) PERFORATIONS: Perforated? Yes No
 Size of perforations 1/4 in. by 6 in.
150 perforations from ft. to ft.
125 perforations from ft. to 245 ft.
 perforations from ft. to ft.

(7) SCREENS: Well screen installed? Yes No
 Manufacturer's Name _____ Model No. _____
 Type _____ Diam. _____ Slot Size _____ Set from _____ ft. to _____ ft.
 Diam. _____ Slot Size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom?
 l: _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Air test 30 gal./min. with drill stem at 245 ft. 1 1/2 hrs.
 Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Artesian flow _____ g.p.m.
 perature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION: Special standards: Yes No
 Well seal—Material used Cement grout
 Well sealed from land surface to 80 ft.
 Diameter of well bore to bottom of seal 8 1/2 in.
 Diameter of well bore below seal 6 in.
 Amount of sealing material 13 sacks pounds
 How was cement grout placed? pumped
 Was pump installed? no Type _____ HP _____ Depth _____ ft.
 Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
 Did any strata contain unusable water? Yes No
 Type of Water? _____ depth of strata _____
 Method of sealing strata off _____
 Was well gravel packed? Yes No Size of gravel: _____
 Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL by legal description:

County Yambi 1/4 of Section 4 of Township 43 Range 3W WM.
 (Township is North or South) (Range is East or West)
 Tax Lot _____ Lot _____ Block _____ Subdivision _____
 MAILING ADDRESS OF WELL (or nearest address) _____

(11) WATER LEVEL of COMPLETED WELL:

Depth at which water was first found 125 ft.
 Static level 48 ft. below land surface. Date 1-21-85
 Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG: Diameter of well below casing 6
 Depth drilled 245 ft. Depth of completed well 245 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top Soil	0	1	
Brown Clay	1	45	
Brown Clay & Tone	4	75	
Soft Brown rock	75	245	

RECEIVED

FEB 24 2021

OWRD

Date work started 1-18-85 /completed 1-21-85
 Date well drilling machine moved off of well 1-21 19 85

(unbonded) Water Well Constructor Certification (if applicable):
 This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] _____ Date _____, 19 _____

(bonded) Water Well Constructor Certification:
 Bond 50,5167 Issued by: Oregon AGTO
 (number) (Surety Company Name)
 On behalf of Robert Shelburne
 (type or print name of Water Well Constructor)

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief:

(Signed) Robert Shelburne
 (Water Well Constructor)

(Dated) 1-22-85

NOTICE TO WATER WELL CONSTRUCTOR
 The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,
 SALEM, OREGON 97310
 within 30 days from the date of well completion.

SP*46866-690

RECEIVED

OCT 16 1985

STATE OF OREGON
WATER WELL REPORT
(as required by ORS 537.765)

YAMH
5250

PLEASE TYPE or PRINT IN INK WATER RESOURCES DEPT SALEM, OREGON (for official use only)

900
45/3W-8
well 5

(1) OWNER:

Name John Stoller
Address 112
City Dayton State OR

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: (4) PROPOSED USE (check):

Rotary Air Driven Domestic Industrial Municipal
Rotary Mud Dug Irrigation Thermal Withdrawal ReInjection
Cable Bored Piezometric Grounding Test

(5) CASING INSTALLED: Steel Plastic
Threaded Welded

6" Diam. from 1.5 ft. to 38 ft. Gauge 1.60 #

LINER INSTALLED: Steel Plastic
Threaded Welded

4" Diam. from 0 ft. to 245 ft. Gauge 1.60 #

(6) PERFORATIONS: Perforated? Yes No

Size of perforations 1/4 in. by 6 in.
120 perforations from 165 ft. to 245 ft.

(7) SCREENS: Well screen installed? Yes No

Manufacturer's Name _____ Type _____ Model No. _____
Diam. _____ Slot Size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot Size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom? _____
Air test 55 gal./min. with drill stem at 245 ft. 1 hrs.
Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow _____ g.p.m.
Temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION: Special standards: Yes No

Well seal—Material used Cement grout
Well sealed from land surface to 38 ft.
Diameter of well bore to bottom of seal 8.5 in.
Diameter of well bore below seal 6 in.
Amount of sealing material 7 sacks pounds
How was cement grout placed? pumped
Was pump installed? no Type _____ HP _____ Depth _____ ft.
Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of Water? _____ depth of strata _____

Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL by legal description:

County Yamhill 1/4 of Section 8 of Township 45 Range 3W WM.
(Township is North or South) (Range is East or West)
Tax Lot _____ Lot _____ Block _____ Subdivision _____

MAILING ADDRESS OF WELL (or nearest address) _____

(11) WATER LEVEL of COMPLETED WELL:

Depth at which water was first found 190 ft.
Static level 60 ft. below land surface. Date 10-9-85
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG: Diameter of well below casing 6
Depth drilled 245 ft. Depth of completed well 245 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top soil	0	1	
Brown Clay	1	21	
Blue shale	21	168	
Gray shale	168	245	

Date work started 10-7-85 /completed 10-9-85
Date well drilling machine moved off of well 10-9 1985

(unbonded) Water Well Constructor Certification (if applicable):
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] _____ Date _____, 19 _____

(bonded) Water Well Constructor Certification:
Bond 565167 Issued by: OREGON AUTO
(number) (Surety Company Name)
On behalf of Robert Shelburne
(type or print name of Water Well Constructor)

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief:

(Signed) Robert Shelburne
(Water Well Constructor)
(Dated) 10-10-85

NOTICE TO WATER WELL CONSTRUCTOR
The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date of well completion.

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print) (Do not write above this line)

STATE ENGINEER SALEM, OREGON

State Well No. 4/3w-9

State Permit No. _____

Well 6

(1) OWNER:

Name Wilbur Stoller
Address Rt 2, Dayton

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded

6 5/8" Diam. from 0 ft. to 165 ft. Gage 250
5 9/16" Diam. from 165 ft. to 200 ft. Gage 10

PERFORATIONS:

Perforated? Yes No.

Type of perforator used cutting torch
Size of perforations 1/4 in. by 12 in.
50 perforations from 60 ft. to 163 ft.
20 perforations from 165 ft. to 200 ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WATER LEVEL: Completed well.

Static level 57 ft. below land surface Date NOV 27-67
Static pressure _____ lbs. per square inch Date _____

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?
Flow rate: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Ball test 40 gal./min. with 40 ft. drawdown after 1 hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used bentonite
Depth of seal 45 ft.
Diameter of well bore to bottom of seal 10 in. at 20 ft.
Were any loose strata cemented off? Yes No Depth _____
Was a drive shoe used? Yes No
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: 1/4 to 1/2
Gravel placed from 163 ft. to 45 ft.

(11) LOCATION OF WELL:

County Yamhill Driller's well number _____
1/4 Section 9 T. 11S R. 3 W.M.
Bearing and distance from section or subdivision corner _____

(12) WELL LOG:

Diameter of well below casing 5 in.

Depth drilled 202 ft. Depth of completed well 202 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
brown top soil	0	3	
clay, red	3	15	
rock, brown, soft	15	87	28 ft
rock, brown, soft, broken	87	117	
rock, gray, med soft, broken	117	147	
rock, gray, med hard 17-18gpm	147	175	48 ft
rock, gray, hard, broken 27gpm	175	192	
rock, gray, brown, very hard			
broken & caving 40gpm	192	202	57 ft

RECEIVED

FEB 24 2021

OWRD

Work started Nov 20 1967 Completed Nov 27 1967

Date well drilling machine moved off of well Nov 27 1967

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Donald Brown Date Nov 27, 1967.
(Drilling Machine Operator)

Drilling Machine Operator's License No. 453

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME JOHN MEEKER WELLDRILLING
(Person, firm or corporation) (Type or print)

Address 2902 Hoover Blvd, Newberg, Ore 97132

[Signed] John R Meeker
(Water Well Contractor)

Contractor's License No. 111 Date Nov 27, 1967.

RECEIVED

SEP 20 2004

WATER RESOURCES DEPT
SALEM, OREGON

(1) OWNER: Well No. 2316
Name STOLLER VINEYARDS
Address 15909 NE MCDUGALL RD
City DAYTON St OR Zip 97114

(9) LOCATION OF WELL by legal description:
County YAMHILL Lat. ' ' ' Long. ' ' '
Township 4 S Range 3 W WM.
Section 9 SW 1/4 NW 1/4
Tax Lot 100 Lot Block Subdivision
Street Address of Well (or nearest Address)
15909 NE MCDUGALL RD DAYTON, OR

(2) TYPE OF WORK: NEW WELL
(3) DRILL METHOD: ROTARY AIR
(4) PROPOSED USE: DOMESTIC

(10) STATIC WATER LEVEL:
117 ft. below land surface. Date 08/31/04
Artesian pressure _____ lb per square in. Date _____

(5) BORE HOLE CONSTRUCTION:
Special Construction Approval NO Depth of Compl. Well 314 ft
Explosives used NO Type _____ Amount _____
HOLE SEAL
Diam. From To Material From To Amount
10 0 118 BENTONITE CHIP 0 32 18 SAX
6 118 314 CEMENT 32 118 32 SAX

(11) WATER BEARING ZONES:
Depth at which water was first found 166
From To Est Flow Rate SWL
166 306 32 117

Seal placement method C AND POURED
Backfill: from _____ ft to _____ ft Material _____
Gravel: from _____ ft to _____ ft Size _____

(12) WELL LOG:
Ground elevation _____
Material From To SWL
TOP SOIL W/COBBLES AND DECAYED ROCK 0 6
BASALT, DECAYED W/CLAY, ALL BROWN 6 20
BASALT, MED GRAY W/BROWN DECAY 20 45
BASALT, MED GRAY W/RED DECAY 45 61
BASALT, SOFT GRAY 61 90
BASALT, MED GRAY 90 112
BASALT, HARD BROWN/GRAY 112 155
BASALT, MED GRAY W/OCC BROWN 155 222 117
BASALT, MED GRAY 222 255 117
BASALT, MED/HARD GRAY 255 306 117
BASALT, MED GRAY MIXED W/MARINE CLAY 306 309
CLAY, GRAY MARINE 309 314

(6) CASING/LINER:
Diam. From To Gauge Material Connection
Casing 6 +2 118 .25 STEEL WELDED

Liner 4 0 314 SDR26 PLASTIC WELDED
Final Location of shoe(s) 118

(7) PERFORATIONS/SCREENS:
 Perf. Method CIRCULAR SAW
 Screens Type _____ Material _____
Slot Tele/pipe
From To Size Number Dian. Size Casing/liner
274 294 .1X7" 38 _____ LINER
304 314 .1X7" 20 _____ LINER

(8) WELL TESTS: Minimum testing time is 1 hour
Test type AIR
Yield GPM Draw-down Drill stea Time
32 _____ 314 1 hr.
32 _____ 300 1

Temperature of water 53F Depth Artesian Flow Found _____
Was water analysis done? YES By whom BLUE
Reason for water not suitable for use _____
Depth of strata _____

DAVE PAYSINGER, BLUE WATER DRILLING CO.
(503) 868-7878

Date started 08/30/04 Completed 08/31/04

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to my best knowledge and belief.

Signed _____ WWC Number _____
Date _____

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed *David A. Paysinger* WWC Number 1438
Date 09/01/04

RECEIVED

FEB 24 2021

OWRD

RECEIVED
YAMH 50281

045(03W) (08AD)
Well ID LO3213 Well 7

State of Oregon
WATER WELL REPORT (as required by ORS 537.765)
AUG 28 1996
Page 1 of 1
yamh
50281

Start Card # 85840

WATER RESOURCES DEPT.
SALEM, OREGON

(1) OWNER:
Name RED HILLS FARM
Address 523 ASH ST
City DAYTON St OR Zip 97114

(9) LOCATION OF WELL by legal description:
County YAMHILL Lat. ' " Long. ' "
Township 4 S Range 3 W WM.
Section 8 SE 1/4 NE 1/4
Tax Lot 4308 Lot 0100 Block Subdivision
Street Address of Well (or nearest Address)
15909 SE MCDUGAL RD DAYTON, OR

RECEIVED
FEB 24 2021

(2) TYPE OF WORK: NEW WELL
(3) DRILL METHOD: ROTARY AIR
(4) PROPOSED USE: FARM

(10) STATIC WATER LEVEL:
91 ft. below land surface. Date 08/22/96
Artesian pressure lb per square in. Date

OWRD

(5) BORE HOLE CONSTRUCTION:
Special Construction Approval: NO
Explosives used NO Type
Depth of Compl. Well 265 ft
Amount

(11) WATER BEARING ZONES:
Depth at which water was first found 141
From To Est Flow Rate SWL
141 181 22 91
241 263 33 91

Seal placement method C
Backfill: from ft to ft Material
Gravel: from ft to ft Size

(12) WELL LOG:
Material Ground elevation
From To SWL
TOP SOIL 0 4
BROWN CLAY 4 17
DECAYED CLAY/SANDY DECAYED ROCK 17 108
MEDIUM TO HARD GRAY BASALT 108 141
DECAYED BASALT 141 181 91
MEDIUM GRAY BASALT 181 210
DECAYED BASALT, VESICULAR 210 241 91
DECAYED BASALT 241 263
LIGHT GRAY MUDSTONE, SOFT/STICKY 263 265

DAVE PAYSINGER, BLUE WATER DRILLING CO.
DAYTON, OR. 97114

Date started 08/21/96 Completed 08/22/96

(6) CASING/LINER:
Diam. From To Gauge Material Connection
Casing 6 +2 118 .25 STEEL WELDED

Liner 4 0 265 SDR26 PLASTIC WELDED
Final Location of shoe(s) NO SHOE

(7) PERFORATIONS/SCREENS:
 Perforations Method ELECTRIC SAW
 Screens Type Material
Slot Tele/pipe
From To Size Number Diam. size Casing/liner
225 265 6" 72 LINER

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to my best knowledge and belief.
Signed _____ WWC Number _____
Date _____

(8) WELL TESTS: Minimum testing time is 1 hour
Test type AIR
Yield GPN Draw-down Drill stem at Time
55 _____ 265 1 hr.
55 _____ 245 1

Temperature of water 52 Depth Artesian Flow Found
Was water analysis done? NO By whom _____
Reason for water not suitable for use
Depth of strata 0

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
Signed David S. Paysinger WWC Number 1438
Date 08/22/96

State of Oregon
WATER WELL REPORT (as required by ORS 537.765)

Page 1 of 1

State Well ID L60255
Start Card # 151253

RECEIVED

FEB 28 2003
WATER RESOURCES DEPT.
SALEM, OREGON

(1) OWNER: Well No. 2187
Name STOLLER VINEYARDS
Address 15909 NE MCDUGALL RD
City DAYTON St OR Zip 97114

(9) LOCATION OF WELL by legal description:
County YAMHILL Lat. Long. . . .
Township 4 S Range 3 W. W. N.
Section 9 NW 1/4 SW 1/4
Tax Lot 100 Lot Block Subdivision
Street Address of Well (or nearest Address)
15909 NE MCDUGALL RD DAYTON, OR

(2) TYPE OF WORK: NEW WELL

(10) STATIC WATER LEVEL:
62 ft. below land surface. Date 02/05/03
Artesian pressure ___ lb per square in. Date ___

RECEIVED

FEB 24 2021

(3) DRILL METHOD: ROTARY AIR

(4) PROPOSED USE: FARM

(5) BORE HOLE CONSTRUCTION:
Special Construction Approval NO Depth of Compl. Well 264 ft
Explosives used NO Type Amount
HOLE SEAL
Dian. From To Material From To Amount
10 0 80 BENTONITE CHIP 0 39 26 SAK
8 80 260 CEMENT-W/GEL 39 80 12 SAK
6 260 264

(11) WATER BEARING ZONES:
Depth at which water was first found 169
From To Est Flow Rate SWL
169 259 60 62

OWRD

Seal placement method C AND POURED
Backfill: from ___ ft to ___ ft Material
Gravel: from ___ ft to ___ ft Size

(12) WELL LOG:
Material Ground elevation
From To SWL
TOP SOIL 0 6
CLAY, RED 6 29
CLAY, BROWN 29 34
SANDSTONE BROWN, STYEMED W/BASALT, DECAYED 34 71
BASALT, MEDIUM GRAY 71 169
BASALT, VESICULAR DECAY AND MEDIUM GRAY 169 259 62
CLAY, GRAY MARINE 259 264

(6) CASING/LINER:
Dian. From To Gauge Material Connection
Casing 6 +2 260 .25 STEEL WELDED

Liner

Final Location of shoe(s) 6X10 TRAP @ 80'

DAVE PAYSINGER, BLUE WATER DRILLING CO.
(503) 868-7878
Date started 01/31/03 Completed 02/05/03

(7) PERFORATIONS/SCREENS:
 Perf. Method DR PERFORATOR
 Screens Type Material
Slot Tele/pipe
From To Size Number Dian. Size Casing/liner
240 255 .2X1" 198 _____ CASING

(8) WELL TESTS: Minimum testing time is 1 hour
Test type AIR
Yield GPM Draw-down Drill stem at Time
60 _____ 255 1 hr.
60 _____ 235 1
Temperature of water 53F Depth Artesian Flow Found _____
Was water analysis done? YES By whom BWD
Reason for water not suitable for use _____
Depth of strata _____

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to my best knowledge and belief.

Signed _____ WWC Number _____
Date _____

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed *David P. Paysinger* WWC Number 1438
Date 02/05/03

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

RECEIVED

FEB 24 2021

NOTE TO APPLICANTS

OWRD

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; **OR**
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and **all** of the following apply:
 - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
 - b) The application involves a change in place of use only;
 - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; **and**
 - d) The application involves irrigation water uses only.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

Land Use Information Form



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900
 www.wrd.state.or.us

RECEIVED

FEB 24 2021

Applicant(s): William H. Stoller / Red Hills Farm LLC

Mailing Address: 15505 NE Stoller Rd.

City: Dayton

State: OR

Zip Code: 97114

Daytime Phone: (503) 864-3400 WRD

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:	Proposed Land Use:
<u>4S</u>	<u>3W</u>	<u>4</u>	<u>NWSW</u> <u>SWSW</u>	<u>100</u>	<u>EFU</u>	<input type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input checked="" type="checkbox"/> Used	<u>farming/</u> <u>winery</u>
<u>4S</u>	<u>3W</u>	<u>5</u>	<u>SWNE</u> <u>NESW</u> <u>SESW</u> <u>NWSE</u> <u>SWSE</u>	<u>100</u>	<u>EFU</u>	<input type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input checked="" type="checkbox"/> Used	<u>farming</u>
<u>4S</u>	<u>3W</u>	<u>5</u>	<u>NESE</u> <u>SESE</u>	<u>100</u>	<u>EFU</u>	<input checked="" type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input checked="" type="checkbox"/> Used	<u>farming/</u> <u>winery</u>
<u>4S</u>	<u>3W</u>	<u>8</u>	<u>NENE</u> <u>NWNE</u>	<u>100</u>	<u>EFU</u>	<input checked="" type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input checked="" type="checkbox"/> Used	<u>farming</u>
<u>4S</u>	<u>3W</u>	<u>8</u>	<u>SWNE</u> <u>SENE</u>	<u>100</u>	<u>EFU</u>	<input type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input checked="" type="checkbox"/> Used	<u>farming</u>
<u>4S</u>	<u>3W</u>	<u>8</u>	<u>NWNE</u>	<u>101</u>	<u>EFU</u>	<input checked="" type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input type="checkbox"/> Used	<u>farming</u>
<u>4S</u>	<u>3W</u>	<u>9</u>	<u>NWNW</u>	<u>100</u>	<u>EFU</u>	<input checked="" type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input checked="" type="checkbox"/> Used	<u>farming</u>
<u>4S</u>	<u>3W</u>	<u>9</u>	<u>SWNW</u>	<u>100</u>	<u>EFU</u>	<input type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input checked="" type="checkbox"/> Used	<u>farming</u>

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Yamhill County

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- Permit to Use or Store Water
 Water Right Transfer
 Permit Amendment or Ground Water Registration Modification
 Limited Water Use License
 Allocation of Conserved Water
 Exchange of Water

Source of water: Reservoir/Pond Ground Water Surface Water (name) _____

Estimated quantity of water needed: 0.719 cubic feet per second gallons per minute acre-feet

Intended use of water:
 Irrigation
 Commercial
 Industrial
 Domestic for _____ household(s)
 Municipal
 Quasi-Municipal
 Instream
 Other _____

Briefly describe:

It is intended to authorize all irrigation uses on Wells 2, 3, 4, 5, 6, 7, 8, and drain tile. The industrial use is proposed to be pumped from Wells 6A and 8. The involved permits are G-13083 and G-15661.

RECEIVED

FEB 24 2021

OWRD

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s):
- Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being pursued."

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
Conditional Use/site Design Review - Winery	C-15-11/SDR-14.11 YCO Section 402 P1101	<input checked="" type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: Desiree Lundeen Title: Assistant Planner
 Signature: [Signature] Phone: (503) 434-7516 Date: 1/4/2021
 Government Entity: Yamhill County Planning

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: William Staller / Red Hills Farm LLC
 City or County: Yamhill County Staff contact: Desiree Lundeen
 Signature: [Signature] Phone: (503) 434-7516 Date: 1/4/2021

AMENDED ANNUAL REPORT



Corporation Division
www.filinginoregon.com

E-FILED
Jan 14, 2021
OREGON SECRETARY OF STATE

REGISTRY NUMBER

44340982

REGISTRATION DATE

02/16/1995

BUSINESS NAME

RED HILLS FARM, L.L.C.

BUSINESS ACTIVITY

DOMESTIC LIMITED LIABILITY COMPANY

MAILING ADDRESS

7401 SW WASHO CT STE 200
TUALATIN OR 97062 USA

TYPE

DOMESTIC LIMITED LIABILITY COMPANY

PRIMARY PLACE OF BUSINESS

16161 NE MCDOUGALL RD
DAYTON OR 97114 USA

JURISDICTION

OREGON

REGISTERED AGENT

17198011 - THE STOLLER GROUP, INC.

7401 SW WASHO CT STE 200
TUALATIN OR 97062 USA

If the Registered Agent has changed, the new agent has consented to the appointment.

MEMBER

17198011 - THE STOLLER GROUP, INC.

7401 SW WASHO CT STE 200
TUALATIN OR 97062 USA

MEMBER

WILLIAM H. STOLLER TRUST

7401 SW WASHO CT STE 200
TUALATIN OR 97062 USA

RECEIVED

FEB 24 2021

OWRD



MANAGER

WAYNE MARSCHALL

7401 SW WASHO CT STE 200

TUALATIN OR 97062 USA

RECEIVED

FEB 24 2021

OWRD

I declare, under penalty of perjury, that this document does not fraudulently conceal, fraudulently obscure, fraudulently alter or otherwise misrepresent the identity of the person or any officers, managers, members or agents of the limited liability company on behalf of which the person signs. This filing has been examined by me and is, to the best of my knowledge and belief, true, correct, and complete. Making false statements in this document is against the law and may be penalized by fines, imprisonment, or both.

By typing my name in the electronic signature field, I am agreeing to conduct business electronically with the State of Oregon. I understand that transactions and/or signatures in records may not be denied legal effect solely because they are conducted, executed, or prepared in electronic form and that if a law requires a record or signature to be in writing, an electronic record or signature satisfies that requirement.

ELECTRONIC SIGNATURE

NAME

WAYNE MARSCHALL

TITLE

AUTHORIZED AGENT

DATE SIGNED

01-14-2021

RECEIVED

FEB 24 2021

DURABLE SPECIAL POWER OF ATTORNEY

OWRD

I, **William H. Stoller, Trustee of the William H. Stoller Trust created on July 26, 1990 and amended and restated on July 21, 2015** (the "Trust), and pursuant to Section 8.2 and 8.11 of the Trust, do hereby make, constitute and appoint **Wayne Marschall**, President and Chief Financial Officer of **The Stoller Group, Inc.**, as my Agent and attorney in fact (my "Agent"), with full power and authority for me and in my behalf and on behalf of the Trust established by me and for my benefit, to take any actions reasonably necessary relating to assets of the Trust as I might do if personally present, whether such acts are expressly hereinabove enumerated or not, and I hereby ratify and confirm each and every act and thing which my said Agent may do by virtue of this power of attorney.

This power of attorney and authorization shall continue in full force and effect, notwithstanding that I may become legally disabled or incompetent, until revocation thereof signed by me has been recorded in the county where this power of attorney has been recorded.

I have signed this power of attorney this 20th day of November, 2020.


**WILLIAM H. STOLLER TRUST
DATED JULY 21, 2015**

By: *William H. Stoller*
William H. Stoller, Trustee

STATE OF OREGON)
) ss.
County of Washington)

On this 20th day of November, 2020, before me personally appeared **William H. Stoller, Trustee of the William H. Stoller Trust as amended and restated July 21, 2015** and acknowledged to me that he executed this power of attorney freely and voluntarily.

Robin Aleen Bohn *Robin Aleen Bohn*
Notary Public for Oregon
My commission expires: June 16, 2024



RECEIVED

FEB 24 2021

OWRD

SIGNATURE OF AGENT


Agent acknowledges that the following is Agent's signature:

W. Marschall

Wayne Marschall

STATE OF OREGON)
) ss.
County of Washington)

On this 20th day of November, 2020, **Wayne Marschall**, personally appeared before me and acknowledged to me that he executed this power of attorney, freely and voluntarily, as the above-named Agent.



Robin Aleen Bohn *Robin Aleen Bohn*
Notary Public for Oregon
My commission expires: June 16, 2024

RECEIVED

FEB 24 2021

OWRD

DURABLE SPECIAL POWER OF ATTORNEY

I, **William H. Stoller**, do hereby make, constitute and appoint **Wayne Marschall**, President of **The Stoller Group, Inc.**, as my Agent and attorney in fact (my "Agent"), with full power and authority for me and in my behalf, to take any actions reasonably necessary as I might do if personally present, whether such acts are expressly hereinabove enumerated or not, and I hereby ratify and confirm each and every act and thing which my said Agent may do by virtue of this power of attorney.

This power of attorney and authorization shall continue in full force and effect, notwithstanding that I may become legally disabled or incompetent, until revocation thereof signed by me has been delivered to my Agent.


I have signed this power of attorney this 8th day of October, 2018.

WHS
William H. Stoller

STATE OF Oregon)
) ss.
County of Washington)

On this 8th day of October, 2018, before me personally appeared **William H. Stoller**, and acknowledged to me that he executed this power of attorney freely and voluntarily.

Robin Aleen Bohn
Notary Public of *Washington County*
My commission expires: *Sept. 05, 2020*



SIGNATURE OF AGENT

RECEIVED

FEB 24 2021

Agent acknowledges that the following is Agent's signature:

OWRD

Wayne Marschall
Wayne Marschall

STATE OF OREGON)
) ss.
County of Washington)

On this 5th day of October, 2018, **Wayne Marschall**, personally appeared before me and acknowledged to me that he executed this power of attorney, freely and voluntarily, as the above-named Agent.

Robin Aleen Bohn
Notary Public of Oregon
My commission expires: Sept. 05, 2020

