

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Groundwater)	PRELIMINARY DETERMINATION
Registration Modification Application)	PROPOSING APPROVAL OF
T-13316, Marion, Polk County)	RECOGNITION OF ADDITIONAL
)	POINTS OF APPROPRIATION AND
)	MODIFICATION IN PLACE OF USE

Authority

Oregon Revised Statutes (ORS) 537.610, 537.705 and 540.505 to 540.580 establish the process in which the holder of a certificate of registration may submit a request for recognition of modifications to the place of use, character of use or point of appropriation under a groundwater certificate of registration.

Oregon Administrative Rules (OAR) Chapter 690, Divisions 382 and 380 implement the statutes and provide the Department's procedures and criteria for evaluating groundwater registration modification applications.

Applicant

CITY OF SALEM
ATTN: JASON PULLEY
555 LIBERTY ST SE ROOM 325
SALEM, OR 97301

Findings of Fact

1. On December 17, 2019, CITY OF SALEM filed a groundwater registration modification application for additional points of appropriation and to modify the place of use under Registration Application GR-3507 (Certificate of Registration GR-3227). The Department assigned the application number T-13316.
2. Notice of the application for groundwater registration modification was published on December 24, 2019, pursuant to OAR 690-382-0600. No comments were filed in response to the notice.
3. On January 15, 2021, the Department sent a copy of the draft Preliminary Determination proposing to approve Groundwater Registration Modification Application T-13316 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of February 14, 2021, for the applicant to respond. The applicant requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the Groundwater Registration Modification.

Pursuant to OAR 690-380-4030, any person may file a protest or standing statement within 30 days after the last date of publication of notice of this preliminary determination.
--

4. The groundwater registration to be modified is as follows:

Registration: Registration Application GR-3507 (Certificate of Registration GR-3227), in the name of CITY WATER DEPARTMENT

Use: MUNICIPAL WATER SUPPLY

Tentative

Priority Date: 1940

Quantity: 1550 GALLONS PER MINUTE

Source: PUMP WELL within the NORTH SANTIAM RIVER BASIN

Original Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
9 S	1 W	WM	13	NW NW	830 FEET SOUTH AND 540 FEET EAST FROM THE NW CORNER OF SECTION 13

Original Place of Use:

MUNICIPAL WATER SUPPLY				
Twp	Rng	Mer	Sec	Q-Q
7 S	3 W	WM	22	E 1/2
7 S	3 W	WM	23	W 1/2
7 S	3 W	WM	24	ALL
7 S	3 W	WM	27	ALL
7 S	3 W	WM	28	ALL
7 S	3 W	WM	34	N 1/2
7 S	3 W	WM	35	N 1/2

5. Groundwater Registration Modification Application T-13316 proposes additional points of appropriation approximately 0.2 mile, 0.4 mile and 0.5 mile from the original well to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
9 S	1 W	WM	11	SE SE	COLLECTOR WELL 2 - 705 FEET NORTH AND 1200 FEET WEST FROM THE NW CORNER OF SECTION 13
9 S	1 W	WM	13	NE NW	COLLECTOR WELL 1 - 980 FEET SOUTH AND 1450 FEET EAST FROM THE NW CORNER OF SECTION 13
9 S	1 W	WM	13	SW NE	COLLECTOR WELL 3 - 1815 FEET SOUTH AND 3155 FEET EAST FROM THE NW CORNER OF SECTION 13

6. Groundwater Registration Modification Application T-13316 proposes to modify the place of use under the groundwater registration to:

MUNICIPAL WATER SUPPLY
CITY OF SALEM SERVICE AREA

Review Criteria for Groundwater Registration Modification Applications [OAR 690-382-0700(2)]

7. The proposed modifications would not result in enlargement of the groundwater registration.

8. The proposed modifications would not result in a state Scenic Waterway not receiving previously available water during periods in which streamflows are less than the quantities determined by the Department to be necessary to meet the requirements of ORS 390.835.
9. The proposed modifications would not result in injury to other water rights.

Determination and Proposed Action

The additional points of appropriation and modification in place of use proposed in Groundwater Registration Modification T-13316 appear to be consistent with the requirements of ORS 537.610, 537.705, 540.505 to 540.580 and OAR 690-382-1000. If protests are not filed pursuant to OAR 690-382-0900, the modification will be approved.

If Groundwater Registration Modification T-13316 is approved, the final order will include the following:

1. *The modifications to Registration GR-3507 (Certificate of Registration GR-3227) proposed in Groundwater Registration Modification Application T-13316 are recognized. Recognition of the modifications shall not be construed as a final determination of the right to appropriate groundwater under the certificate of registration or modification. Such a determination will occur in an adjudication proceeding under ORS 537.670 to 537.695.*
2. *The use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Registration Application GR-3507 (Certificate of Registration GR-3227) and any related decree.*
3. *Water shall be acquired from the same aquifer (water source) as the original point of appropriation.*

4. *The quantity of water diverted at the proposed additional points of appropriation (Collector Well 1, 2 and 3), together with that diverted at the original point of appropriation (Pump Well), shall not exceed the quantity of water lawfully available at the original point of appropriation (Pump Well).*

Dated in Salem, Oregon on

MAR 17 2021


Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department

This Preliminary Determination was prepared by Scott Grew. If you have questions about the information in this document, you may reach him at scott.a.grew@oregon.gov or 503-986-0890.

Protests should be addressed to the attention of Water Rights Services Division, Water Resources Department, 725 Summer St. NE, Suite A, Salem, OR 97301-1266.

IMPORTANT: Due to COVID-19, the Department's office is closed to walk-in services. The Department encourages the submission of protests by U.S. Mail. Please consider mailing early to ensure the Department receives the protest by the deadline specified above.

Notice Regarding Service Members: Active duty servicemembers have a right to stay these proceedings under the federal Servicemembers Civil Relief Act. For more information contact the Oregon State Bar at 800-452-8260, the Oregon Military Department at 503-584-3571, or the nearest United States Armed Forces Legal Assistance Office through <http://legalassistance.law.af.mil>. The Oregon Military Department does not have a toll free number.



Oregon

Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

March 17, 2021

Applicant

CITY OF SALEM
ATTN: JASON PULLEY
555 LIBERTY ST SE ROOM 325
SALEM, OR 97301

SUBJECT: Water Right Transfer Application T-13316

Please find enclosed the Preliminary Determination indicating that, based on the information available, the Department intends to approve application T-13316. This document is an intermediate step in the approval process; water may not be used legally as proposed in the transfer application until a Final Order has been issued by the Department. Please read this entire letter carefully to determine your responsibility for additional action.

A public notice is being published in the Department's weekly publication and in the Statesman Journal newspaper, simultaneously with issuance of the Preliminary Determination. The notice initiates a period in which any person may file either a protest opposing the decision proposed by the Department in the Preliminary Determination or a standing statement supporting the Department's decision. The protest period will end 30 days after the last date of newspaper publication.

If no protest is filed, the Department will issue a Final Order consistent with the Preliminary Determination. You should receive a copy of the Final Order about 30 days after the close of the protest period.

If a protest is filed, the application may be referred to a contested case proceeding. A contested case provides an opportunity for the proponents and opponents of the decision proposed in the Preliminary Determination to present information and arguments supporting their position in a quasi-judicial proceeding.

IMPORTANT: Due to COVID-19, the Department's office is closed to walk-in services. The Department encourages the submission of protests by U.S. Mail. Please consider mailing early to ensure the Department receives the protest by the deadline specified above.

Please contact me at scott.a.grew@oregon.gov or 503-986-0890 if I may be of assistance.

Sincerely,

Scott Grew

Transfer Specialist

cc: GR Modification T-13316
Gregory J. Wacker, District 16 Watermaster (*via e-mail*)
GSI Water Solutions, Adam Sussman, agent for the applicant (*via e-mail*)

enc