



State of Oregon  
 Water Resources Department  
 725 Summer Street NE, Suite A  
 Salem, Oregon 97301-1266  
 (503) 986-0900

# Application for Groundwater Registration Modification

## Part 1 of 5 – Minimum Requirements Checklist

**This Groundwater Registration Modification application will be returned if Parts 1 through 4 and all required attachments are not completed and included.**  
 For questions, please call (503) 986-0900, and ask for Transfer Section.

Check all included with this application (N/A = Not Applicable)

RECEIVED

- Part 1 – Completed Minimum Requirements Checklist.
- Part 2 – Completed Application Map Checklist.
- Part 3 – Completed Applicant Information and Signature.
- Part 4 – Completed Groundwater Registration Modification Application – Groundwater Registration Information. (Only one Groundwater registration per application, unless the Groundwater registrations to be modified are layered).
- Completed Groundwater Registration Modification Application Map (Does not have to be prepared by a Certified Water Right Examiner).
- Groundwater registration modification fees – Amount enclosed: \$ 1,250. (\$875.00 for a place of use change only; \$1,250.00 for any other change or combination).

OCT 29 2021

OWRD

**Attachments:**

- N/A Request for Assignment Form and statutory fee. This form needs to be completed if the applicant owns the land to which the registration is appurtenant and is **not** the registration certificate holder of record. The Request for Assignment Form is available at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>.  
 Assignment is not needed for any person or entity who can demonstrate authorization to request recognition of a modification (e.g. legal representative, power of attorney, agent, etc.) or the applicant is named on the certificate of registration, or has been assigned to the certificate of registration.
- N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if all of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.

(For Staff Use Only)

**WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):**

<input type="checkbox"/> Application fee not enclosed/insufficient	<input type="checkbox"/> Map not included or incomplete
<input type="checkbox"/> Land Use Form not enclosed or incomplete	<input type="checkbox"/> Assignment Form and fee not enclosed/insufficient
<input type="checkbox"/> Additional signature(s) required	<input type="checkbox"/> Part _____ is incomplete

Other/Explanation \_\_\_\_\_

Staff: \_\_\_\_\_ 503-986-0 \_\_\_\_\_ Date: / /

## Part 2 of 4 – Groundwater Registration Modification Map Checklist

**Your Groundwater Registration Modification application will be returned if any of the map requirements listed below are not met.**

**Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.**

- Permanent quality printed with dark ink on good quality paper.
- The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- A north arrow, a legend, and scale.
- The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads and railroads.
- Major water delivery system features from the point(s) of appropriation such as main pipelines, canals, and ditches.
- Existing place of use that includes hachuring, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the registration is being changed, a separate hachuring is needed for the portion of the registration left unchanged.
- N/A If you are proposing a modification in place of use, show the proposed place of use with hachuring including priority date and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- Existing point(s) of appropriation with distance and bearing or coordinates from a recognized survey corner.
- N/A If you are proposing a modification in point(s) of appropriation, show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

RECEIVED

OCT 29 2021

## Part 3 of 4 – Applicant Information and Signature

### Applicant Information

APPLICANT/BUSINESS NAME <b>Stauffer Farm Inc. c/o Jeff Bizon</b> <i>LEK Sheryl Stauffer</i>		PHONE NO. <b>(503) 476-4712</b>	ADDITIONAL CONTACT NO.
ADDRESS <b>13851 Stauffer Road NE</b>			FAX NO.
CITY <b>Hubbard</b>	STATE <b>OR</b>	ZIP <b>97032</b>	E-MAIL
<b>BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.</b>			

**Agent Information** – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME <b>Doann Hamilton/Pacific Hydro-Geology, Inc.</b>		PHONE NO. <b>(503) 632-5016</b>	ADDITIONAL CONTACT NO. <b>(503) 349-6946 (cell)</b>
ADDRESS <b>18487 S. Valley Vista Road</b>			FAX NO. <b>(503) 632-5983</b>
CITY <b>Mulino</b>	STATE <b>OR</b>	ZIP <b>97042</b>	E-MAIL <b>phgdmh@gmail.com</b>
<b>BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.</b>			

Explain in your own words what you propose to accomplish with this modification; and why:  
**We wish to add several existing wells to this GR in order to create a well field and allow the use of our wells individually or in any combination for irrigation at any location on the farm.**

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

(Check one box)

By signing this application, I (we) understand that, upon receipt of the draft preliminary determination and prior to Department approval of the Groundwater modification, I (we) will be required to provide landownership information and evidence that I am authorized to pursue the modification as identified in OAR 690-382-0400(16)(a);  
**OR**

I (we) affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; **OR**

I (we) affirm that the applicant is an entity with the authority to condemn property and is acquiring the property to which the Groundwater registration proposed for modification is appurtenant by condemnation and have attached supporting documentation.

**RECEIVED**

**OCT 29 2021**

**OWRD**

I understand that prior to Department approval of the groundwater registration modification, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the groundwater registration is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following paper: Woodburn Independent.

**I (we) affirm that the information contained in this application is true and accurate.**



*Sheryl A. Stauffer*  
 Applicant Signature

SHERYL A. STAUFFER, Sec.  
 Print Name and title if applicable

09/27/2021  
 Date

Applicant Signature

Print Name and title if applicable

Date

Is the applicant the sole owner of the land on which the Groundwater registration modification or portion thereof, is located?  Yes  No *If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the Groundwater registration has been conveyed.*

**Check the appropriate box, if applicable:**

- Check here if the Groundwater registration proposed for modification is or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME <b>NA</b>	ADDRESS	
CITY	STATE	ZIP

- Check here if water for the Groundwater registration is supplied under a water service agreement or other contract with a federal agency or other entity.

ENTITY NAME <b>NA</b>	ADDRESS	
CITY	STATE	ZIP

To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME <b>Marion County Planning Division</b>	ADDRESS <b>5155 Silverton Road NE</b>	
CITY <b>Salem</b>	STATE <b>Oregon</b>	ZIP <b>97305</b>

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

**RECEIVED**

**OCT 29 2021**

**OWRD**

## Part 4 of 4 – Groundwater Registration Information

Please use a separate Part 4 for each registration being modified. See instructions on page 5, to copy and paste additional Part 4s, or to add additional rows to tables within the form.

**RECEIVED**

OCT 29 2021

**Table 1. Location of Authorized and Proposed Point(s) of Appropriation (POA)**  
 (Note: If the POA name is not specified in the registration, assign it a name or number here.)

POA Name or Number	Is this POA Authorized by the registration or is it Proposed?	OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Authorized Well	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	MARI 772	4	S	1	W	26	SW	NW	DLC 52	2,250 feet south and 200 feet east from the NW corner, Section 26.
Well 1	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	MARI 765	4	S	1	W	26	SW	NW	DLC 63	25 feet south and 1,960 feet east from the NW corner, DLC 63. (Referenced in T-1153 as 40 feet south and 2,020 feet east from the NW corner, DLC 63.)
Well 2	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	MARI 63689	4	S	1	W	26	SW	NW	DLC 63	40 feet south and 1,860 feet east from the NW corner, DLC 63. (Referenced in T-1153 as 70 feet south and 1,770 feet east from the NW corner, DLC 63.)
Well 3	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	ND	4	S	1	W	26	NW	SW	DLC 63	550 feet south and 1,820 feet east from the NW corner, DLC 63.
Well 4	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	ND	4	S	1	W	26	SE	NW	DLC 63	50 feet south and 2,420 feet east from the NW corner, DLC 63.
Well 3	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	MARI 767	4	S	1	W	26	NW	SW	DLC 63	1,470 feet south and 860 feet east from the NW corner, DLC 63.
Well 4	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	MARI 764	4	S	1	W	26	SW	SW	DLC 63	220 feet north and 70 feet east from the SW corner, Section 26.
Well 5	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	MARI 69905	4	S	1	W	35	NW	NW	DLC 63	1,030 feet south and 555 feet east from the NW corner, Section 35.
Well 6	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	MARI 1013	4	S	1	W	26	SE	SW	DLC 63	30 feet north and 1,360 feet west from the NW corner, DLC 53.

OWRD

**Check all type(s) of modifications(s) proposed below (modification “CODES” are provided in parentheses):**

- |   |  |
|---|--|
| <input type="checkbox"/> Place of Use (POU)     | <input checked="" type="checkbox"/> Point of Appropriation (well) (POA)      |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Additional Point of Appropriation (APOA) |

**Will all of the proposed changes affect the entire Groundwater registration?**

- Yes Complete only the proposed (“to” lands) section of Table 2 on the next page. Use the “CODES” listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the registration to be changed.

RECEIVED

OCT 29 2021

OWRD

RECEIVED

OCT 29 2021

OWRD

Please use and attach additional pages of Table 2 as needed.  
See page 5 for instructions.

Do you have questions about how to fill-out the tables?  
Contact the Department at 503-986-0900 and ask for Transfer

**Table 2. Description of Modifications to Registration GR-785 (Certificate # GR-759)**

List only the part of the registration that will be modified. For the acreage in each 1/4 1/4, list the modification proposed. If more than one modification, specify the acreage associated with each modification. If more than one POA, specify the acreage associated with each POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears in the registration BEFORE PROPOSED CHANGES List only that part or portion of the groundwater registration that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.														
Twp	Rng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POA(s) to be used (from Table 1)	Priority Date				
4	S	1	W	26	SW	NW	1100, 1900	See below	14.1	IR	Authorized Well and Authorized Wells 1,2,3,4	3-31-1953	POA, APOA	4	S	1	W	26	SW	NW	1900	DLC 63	3.0	IR	Authorized Wells 1,2 and Proposed Wells 3,4,5,6	3-31-1953
4	S	1	W	27	SE	NW	100	See below	16.3	IR	Authorized Well and Authorized Wells 1,2,3,4	3-31-1953	POA, APOA	4	S	1	W	26	SW	NW	1100	DLC 52	11.1	IR	Authorized Wells 1,2 and Proposed Wells 3,4,5,6	3-31-1953
													POA, APOA	4	S	1	W	27	SE	NE	1100	Lot 1	1.1	IR	Authorized Wells 1,2 and Proposed Wells 3,4,5,6	3-31-1953
													POA, APOA	4	S	1	W	27	SE	NE	1100	DLC 63	7.1	IR	Authorized Wells 1,2 and Proposed Wells 3,4,5,6	3-31-1953
													POA, APOA	4	S	1	W	27	SE	NE	1100	DLC 52	8.1	IR	Authorized Wells 1,2 and Proposed Wells 3,4,5,6	3-31-1953
TOTAL ACRES									30.4	TOTAL ACRES											30.4					

**Additional remarks: The place of use for GR 785 was re-described in the Final Order for T-11153 to be consistent with the place of use for layered right certificate 55411 (subsequently modified by transfer T-11152, with confirming certificate 89385), but was not broken out per DLC or Government Lots. The place of use as described in the right side of Table 2, above, reflects the re-described location of GR 785, broken out by DLC and Government Lots. (POA is the removal of MARI 772, and APOA is the addition of the other wells)**

13860

**Groundwater Registration # GR-785 (Certificate # GR-759)**

**For a modification in place of use or character of use:**

**Are there other water right certificates, water use permits, or Groundwater registrations associated with the “from” or “to” lands?  Yes  No**

If YES, list the other certificate, water use permit, or other Groundwater registration numbers:

**CERTIFICATE 89385**

Pursuant to OAR 690-382-0200, any “layered” water use, such as an irrigation right that is supplemental to a primary irrigation right proposed for transfer, must be concurrently transferred with the registration or be cancelled. Any change to a water right must be filed separately in a transfer application. Any change to a water use permit must be filed separately with a permit amendment. Any modification to a Groundwater registration on the “to” lands must be filed separately with a Groundwater registration modification.

**For modifications in point(s) of appropriation (well(s) or additional point(s) of appropriation:**

- Well log(s) are attached for each well that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.  
(Tip: You may search for well logs on the Department’s web page at:  
[http://apps.wrd.state.or.us/apps/gw/well\\_log/](http://apps.wrd.state.or.us/apps/gw/well_log/))

**AND/OR**

- Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide “a best estimate” for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

RECEIVED

OCT 29 2021

OWRD



**Table 3. Construction of Point(s) of Appropriation**

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide adequate information is likely to delay the processing of your modification application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right	
Authorized Well	YES	MARI 772	See Well Log MARI 772								
Authorized Well 1	YES	MARI 765	See Well Log MARI 765								Not less than full rate
Authorized Well 2	YES	MARI 63689	See Well Log MARI 63689								
Proposed Well 3	YES	MARI 767	See Well Log MARI 767								
Proposed Well 4	YES	MARI 764	See Well Log MARI 764								
Proposed Well 5	NO	MARI 69905	See Well Log MARI 69905								
Authorized Well 3	NO	Not being drilled	Not being drilled								
Authorized Well 4	NO	Not being drilled	Not being drilled								
Proposed Well 6	YES	MARI 1013	See Well Log MARI 1013								

RECEIVED

OCT 29 2021

OWRD

**Application for Water Right  
Transfer  
Consent by Deeded Landowner**



Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266  
(503) 986-0900  
www.wrd.state.or.us

RECEIVED

OCT 29 2021

OWRD

State of Oregon )  
 )ss  
County of Marion )

I, Gloria Will in my capacity as owner,

mailing address 19318 Highway 99E, Hubbard, OR 97032,

telephone number (503) 981-0098, duly sworn depose and say that I

consent to the proposed change(s) to Water Right Certificate Number GR-785

described in a Transfer Application (T-NA) submitted by Stauffer Farms Inc.,  
*(transfer number, if known)*

on the property in tax lot number(s) 1100, Section 27, Township 4 South, Range 1 West, W.M.,  
located at 19318 Highway 99E, Hubbard, OR 97032.  
*(site address)*


Gloria Will  
Signature of Affiant

7/15/21  
Date

Signature of Affiant

Date

Subscribed and Sworn to before me this 15<sup>th</sup> day of July, 2021.



Yolanda Cantu  
Notary Public for Oregon

My commission expires 4-1-2025

**Application for Water Right  
Transfer  
Consent by Deeded Landowner**



**Oregon Water Resources Department**  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266  
(503) 986-0900  
www.wrd.state.or.us

State of Oregon )  
 )ss  
County of Marion )

**RECEIVED**

**OCT 29 2021**

I, Eleanor Will in my capacity as owner,

mailing address 13601 Stauffer Rd NE, Hubbard, OR 97032,

**OWRD**

telephone number (503) 982-9336, duly sworn depose and say that I

consent to the proposed change(s) to Water Right Certificate Number GR-785

described in a Transfer Application (T-NA) submitted by Stauffer Farms Inc.,  
*(transfer number, if known)*

on the property in tax lot number(s) 1900, Section 26, Township 4 South, Range 1 West, W.M.,  
located at 13601 Stauffer Rd NE, Hubbard, OR 97032.  
*(site address)*


Eleanor A. Will  
Signature of Affiant

July 16, 2021  
Date

\_\_\_\_\_  
Signature of Affiant

\_\_\_\_\_  
Date

Subscribed and Sworn to before me this 16<sup>th</sup> day of July, 202~~1~~<sup>1</sup>.



Elisabeth G Bennett  
Notary Public for Oregon

My commission expires July 16, 2022

STATE ENGINEER  
Salem, Oregon

MAR 17 1972  
Lester Will

# Well Record

STATE WELL NO. 4/1W-26E(1)  
COUNTY Marion  
APPLICATION NO. GR-785

OWNER: \_\_\_\_\_

MAILING ADDRESS: \_\_\_\_\_

Route 1, Box 38


LOCATION OF WELL: Owner's No. #1

CITY AND STATE: \_\_\_\_\_

Hubbard, Oregon

SW 1/4 NW 1/4 Sec. 26 T. 4 N. S., R. 1 E. W., W.M.

Bearing and distance from section or subdivision corner 2250' S. & 200' E. from NW cor. Sec. 26



Section 26

Altitude at well 178'

TYPE OF WELL: Drilled Date Constructed Apr. '53

Depth drilled 100' Depth cased 100'

### CASING RECORD:

10 inch

RECEIVED

OCT 29 2021

FINISH:

OWRD

### AQUIFERS:

### WATER LEVEL:

34 feet

PUMPING EQUIPMENT: Type Turbine H.P. 10  
Capacity 250 G.P.M.

### WELL TESTS:

Drawdown \_\_\_\_\_ ft. after \_\_\_\_\_ hours \_\_\_\_\_ G.P.M.  
Drawdown \_\_\_\_\_ ft. after \_\_\_\_\_ hours \_\_\_\_\_ G.P.M.

USE OF WATER Irrigation 32 acres Temp. \_\_\_\_\_ °F. \_\_\_\_\_, 19.

SOURCE OF INFORMATION GR-785

DRILLER or DIGGER J. T. Miller

### ADDITIONAL DATA:

Log \_\_\_\_\_ Water Level Measurements \_\_\_\_\_ Chemical Analysis \_\_\_\_\_ Aquifer Test \_\_\_\_\_

### REMARKS:

13860

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy of this report are to be filed with the  
WATER RESOURCES DEPARTMENT,  
SALEM, OREGON 97310  
within 30 days from the date  
of well completion.

**RECEIVED**

**WATER WELL REPORT**

STATE OF OREGON  
(Please type or print)  
(Do not write above this line)

State Well No. 43/1w-26  
State Permit No. 6-8085  
SALEM, OREGON  
Date MAR 20 1978  
Appl. G-8774

MARI...  
765

**(1) OWNER:**  
Name Stauffer Bros.  
Address Hubbard, Oregon 97032

**(2) TYPE OF WORK (check):**  
New Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 12.

**(3) TYPE OF WELL:** (4) **PROPOSED USE (check):**  
Rotary  Driven  Domestic  Industrial  Municipal   
Cable  Jetted  Irrigation  Test Well  Other   
Dug  Bored

**CASING INSTALLED:** Threaded  Welded   
18" Diam. from 0 ft. to 20 ft. Gage 1/4"  
12" Diam. from +2 ft. to 197 ft. Gage 1/4"  
" Diam. from " ft. to " ft. Gage "

**PERFORATIONS:** Perforated?  Yes  No.  
Type of perforator used Pre-perforated pipe  
Size of perforations 1/4 in. by 2 in.  
960 perforations from 112 ft. to 132 ft.  
480 perforations from 168 ft. to 178 ft.  
perforations from " ft. to " ft.

**(7) SCREENS:** Well screen installed?  Yes  No  
Manufacturer's Name \_\_\_\_\_  
Type \_\_\_\_\_ Model No. \_\_\_\_\_  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**(8) WELL TESTS:** Drawdown is amount water level is lowered below static level -41'  
Was a pump test made?  Yes  No If yes, by whom? driller  
Yield: 700 gal./min. with 35 ft. drawdown after 8 hrs.  
1000 " " 49 " " 8 "  
1500 " " 60 " " 8 "  
2000 " " 75 " " 8 "  
Bailer test gal./min. with 75 ft. drawdown after hrs.  
Artesian flow g.p.m.  
Temperature of water \_\_\_\_\_ Depth artesian flow encountered \_\_\_\_\_ ft.

**(9) CONSTRUCTION:**  
Well seal—Material used Cement  
Well sealed from land surface to 20 ft.  
Diameter of well bore to bottom of seal 24 in.  
Diameter of well bore below seal 24 in.  
Number of sacks of cement used in well seal 30 sacks  
How was cement grout placed?  
Pressure grout pump

Was a drive shoe used?  Yes  No Plugs \_\_\_\_\_ Size: location \_\_\_\_\_ ft.  
Did any strata contain unusable water?  Yes  No  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_  
Was well gravel packed?  Yes  No Size of gravel: 1/4  
Gravel placed from 20 ft. to 197 ft.

**(10) LOCATION OF WELL:**  
County Marian Driller's well number \_\_\_\_\_  
1/4 Section 26 T. 4S R. 1W W.M. \_\_\_\_\_  
Bearing and distance from section or subdivision corner \_\_\_\_\_

**(11) WATER LEVEL: Completed well.**  
Depth at which water was first found 85 ft.  
Static level 41 ft. below land surface. Date 3/14/78  
Artesian pressure \_\_\_\_\_ lbs. per square inch. Date \_\_\_\_\_

**(12) WELL LOG:** Diameter of well below casing \_\_\_\_\_  
Depth drilled 197 ft. Depth of completed well 197 ft.  
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Surface	0	3	
Brown clay	3	44	
Blue clay	44	85	
Red sand & gravel	85	91	
Blue sandy clay	91	99	
Black sand	99	105	
Sand & gravel	105	134	
Blue clay	134	164	
Black sand & gravel	164	179	
Blue clay	179	197	

Work started Dec 16 19 77 Completed Mar. 14 19 78  
Date well drilling machine moved off of well Mar 17 19 78

**Drilling Machine Operator's Certification:**  
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.  
[Signed] John T. Miller Date Mar 17, 1978  
(Drilling Machine Operator)  
Drilling Machine Operator's License No. 26

**Water Well Contractor's Certification:**  
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  
Name John T. Miller (Type or print)  
(Person, firm or corporation)  
Address 1780 Tomlin Ave. Woodburn, Ore 97071  
[Signed] John T. Miller  
(Water Well Contractor)  
Contractor's License No. 270 Date Mar 17, 19 78

STATE OF OREGON  
 WATER SUPPLY WELL REPORT  
 (as required by ORS 537.765 & OAR 690-205-0210)

WELL LABEL # 1 105628  
 START CARD # 201752

(1) LAND OWNER Owner Well I.D. \_\_\_\_\_  
 First Name \_\_\_\_\_ Last Name \_\_\_\_\_  
 Company Stauffer Farms INC.  
 Address 13851 Stauffer Rd. NE  
 City Hubbard State OR Zip 97032

(2) TYPE OF WORK  New Well  Deepening  Conversion  
 Alteration (repair/recondition)  Abandonment

(3) DRILL METHOD  
 Rotary Air  Rotary Mud  Cable  Auger  Cable Mud  
 Reverse Rotary  Other \_\_\_\_\_

(4) PROPOSED USE  Domestic  Irrigation  Community  
 Industrial/ Commercial  Livestock  Dewatering  
 Thermal  Injection  Other \_\_\_\_\_

(5) BORE HOLE CONSTRUCTION Special Standard  Attach copy  
 Depth of Completed Well 301 ft.

BORE HOLE			SEAL			Amt	sacks/ lbs
Dia	From	To	Material	From	To		
20	0	48	Bentonite	0	48	86	5
16	48	301					

How was seal placed: Method  A  B  C  D  E  
 Other OAR 690-210-0340  
 Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
 Filter pack from 141.75 ft. to 301 ft. Material gravel Size 4/12  
 Explosives used:  Yes Type \_\_\_\_\_ Amount \_\_\_\_\_

(6) CASING/LINER  
 Casing Liner Dia + From To Gauge Stil Plstc Wld Thrd  

12	2	301	.250				
16	1	141.75	.375				

 Shoe  Inside  Outside  Other Location of shoe(s) 141.75  
 Temp casing  Yes Dia \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

(7) PERFORATIONS/SCREENS  
 Perforations Method torch  
 Screens Type v-wire Material stainless

Perf/ Screen	Casing/ Screen Liner Dia	From	To	Scr/slot width	Slot length	# of slots	Tele/ pipe size
Screen	12	142	147.36	.085			
Screen	12	158.69	173	.085			
Perf	12	247.83	252.83	.125	6	112	
Perf	12	265.83	272.83	.125	6	144	
Perf	12	276.83	279.83	.125	6	54	

(8) WELL TESTS: Minimum testing time is 1 hour  
 Pump  Bailer  Air  Flowing Artesian  

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
600	77.2		1
600	85.5		3
600	86.2		4

 Temperature 53 °F Lab analysis  Yes By \_\_\_\_\_  
 Water quality concerns?  Yes (describe below)

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)  
 County MARION Twp 4 S N/S Range 1 W E/W WM  
 Sec 26 SW 1/4 of the NW 1/4 Tax Lot 00500  
 Tax Map Number \_\_\_\_\_ Lot \_\_\_\_\_  
 Lat \_\_\_\_\_ or \_\_\_\_\_ DMS or DD  
 Long \_\_\_\_\_ or \_\_\_\_\_ DMS or DD  
 Street address of well \_\_\_\_\_ Nearest address \_\_\_\_\_

19328 Hwy 99E NE Hubbard, OR 97032

(10) STATIC WATER LEVEL Date \_\_\_\_\_ SWL(psi) + SWL(ft)  

Existing Well / Predeepening			
Completed Well	<u>05-03-2011</u>		<u>55</u>

 Flowing Artesian?  Dry Hole?   
 Depth water was first found 94

WATER BEARING ZONES

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)
11-29-2010	94	122	350		49
12-09-2010	143	173	600		55
01-27-2011	252	279	40		55

(11) WELL LOG Ground Elevation \_\_\_\_\_

Material	From	To
Topsoil	0	1
Clay brown silty	1	73
Sand brown fine & silt	73	83
Sand fine & silt gray	83	84
Sand black	84	85
Clay gray & sand	85	89
Clay green sticky	89	94
Sand black	94	111
Sand 60% & gravel to 4"	111	122
Clay green, sand & gravel	122	126
Clay green	126	134
Clay gray silty	134	137
Clay sand & gravel	137	143
Sand black	143	147
Clay green & gray sticky	147	159
Sand black med. fine	159	164
Sand & gravel	164	173
Clay gray	173	177
Clay gray & blue	177	183

Date Started 11-05-2010 Completed 05-03-2011

(unbonded) Water Well Constructor Certification  
 I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.  
 License Number 1704 Date \_\_\_\_\_  
 Password: (if filing electronically) \_\_\_\_\_  
 Signed \_\_\_\_\_

(bonded) Water Well Constructor Certification  
 I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.  
 License Number 783 Date 6/2/11  
 Password: (if filing electronically) \_\_\_\_\_  
 Signed Don G. Rossen  
 Contact Info (optional) Crossen Well Drilling P.O. Box 526 Woodburn, OR 97071

THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: 0.88



JUN 06 2011

WATER RESOURCES DEPT  
 SALEM, OREGON

13860

**WATER SUPPLY WELL REPORT -**  
continuation page

START CARD # 201752

**(5) BORE HOLE CONSTRUCTION**

BORE HOLE			SEAL		sacks/ lbs
Dia	From	To	Material	From	

**FILTER PACK**

From	To	Material	Size

**(6) CASING/LINER**

Casing Liner	Dia	+	From	To	Gauge	St	Plstc	Wld	Thrd

**(7) PERFORATIONS/SCREENS**

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ pipe size

**(8) WELL TESTS: Minimum testing time is 1 hour**

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

**Water Quality Concerns**

From	To	Description	Amount	Units

**(10) STATIC WATER LEVEL**

Water Bearing Zones

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)

**RECEIVED**  
OCT 29 2021  
OWRD

**(11) WELL LOG**

Material	From	To
Clay blue sticky	183	193
Clay gray sandy	193	198
Clay dark green silty	198	209
Clay blue-green hard	209	211
Gravel & basalt	211	213
Clay green & gravel	213	219
Clay green sticky	219	224
Clay green hard	224	234
Clay green hard & gravel	234	243
Gravel cemented w/some clay gray	243	244.5
Clay sticky gray	244.5	246
Clay green & gray sticky	246	249
Clay soft green & clay gray sandy, small gravel	249	252
Clay green, gray, brown & gravel	252	254
Clay green, brown, soft	254	258
Clay green, gray, sticky	258	259
Clay gray sticky hard	259	267
Clay green, gray, sticky w/seams of fine black sand	267	270
Clay green sandy & gravel	270	272
Clay gray sticky	272	278
Clay gray, sand & gravel	278	279
Clay blue sticky hard	279	292
Clay black hard	292	299
Clay blue sticky hard	299	301

**Comments/Remarks**

**RECEIVED**

JUN 06 2011

13860

WATER RESOURCES DEPT  
SALEM, OREGON

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

**RECEIVED** WATER WELL REPORT  
AUG 28 1970 DATE OF OREGON STATE ENGINEER SALEM, OREGON 6-6406  
**RECEIVED** STATE ENGINEER SALEM, OREGON  
MARI. 767  
SEP 16 1970 State Well No. 4/LW-26

**(1) OWNER:**

Name Stauffer Bros.  
Address Hubbard, Oregon

**(2) TYPE OF WORK (check):**

New Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 12.

**(3) TYPE OF WELL:**

Rotary  Cable  Dug   
Driven  Jetted  Bored

**(4) PROPOSED USE (check):**

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

**CASING INSTALLED:**

Threaded  Welded   
22" Diam. from 0 ft. to 80 ft. Gage 1/4"  
12" Diam. from 0 ft. to 146 ft. Gage 1/4"  
" Diam. from " ft. to " ft. Gage "

**(6) PERFORATIONS:**

Perforated?  Yes  No.  
Type of perforator used Millknife  
Size of perforations 3/8 in. by 5 in.  
360 perforations from 104 ft. to 130 ft.  
perforations from " ft. to " ft.  
perforations from " ft. to " ft.  
perforations from " ft. to " ft.  
perforations from " ft. to " ft.

**(7) SCREENS:**

Well screen installed?  Yes  No.  
Manufacturer's Name \_\_\_\_\_ Model No. \_\_\_\_\_  
Type \_\_\_\_\_  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**(8) WATER LEVEL: Completed well.**

Static level 49 ft. below land surface Date 7/15/70  
Man pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_

**(9) WELL TESTS:**

Drawdown is amount water level is lowered below static level  
Was a pump test made?  Yes  No. If yes, by whom? driller  
Yield: 1050 gal./min. with 23 ft. drawdown after 4 hrs.  
1700 " " 49 " " 4 " "  
" " " " " " "  
" " " " " " "  
Bailer test \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made?  Yes  No

**(10) CONSTRUCTION:**

Well seal—Material used Well Gel Bentonite  
Depth of seal 80 ft.  
Diameter of well bore to bottom of seal 25 in.  
Were any loose strata cemented off?  Yes  No Depth \_\_\_\_\_  
Was a drive shoe used?  Yes  No  
Did any strata contain unusable water?  Yes  No  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_  
Was well gravel packed?  Yes  No Size of gravel: 1/4-round  
Gravel placed from 70 ft. to 146 ft.

**(11) LOCATION OF WELL:**

County Marian Driller's well number \_\_\_\_\_  
1/4 Section 26 T. 4S R. 1W W.M. \_\_\_\_\_  
Bearing and distance from section or subdivision corner \_\_\_\_\_

**(12) WELL LOG:**

Diameter of well below casing \_\_\_\_\_  
Depth drilled 146 ft. Depth of completed well 146 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
Surface	0	3	
Brown sandy clay	3	45	
Blue sandy clay	45	81	
Broken sand & gravel	81	86	
Blue sandy clay	86	89	
Sand	89	102	
Sand & gravel	102	139	
Blueclay	139	146	

**RECEIVED**

OCT 29 2021

**OWRD**

Work started June 10 1970 Completed July 15 1970

Date well drilling machine moved off of well July 15 1970

**Drilling Machine Operator's Certification:**

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] John T. Miller Date July 20, 1970  
(Drilling Machine Operator)

Drilling Machine Operator's License No. 26

**Water Well Contractor's Certification:**

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME John Truman Miller (Type or print)  
(Person, firm or corporation)

Address P.O. Box 342 Hubbard, Oregon

[Signed] John T. Miller (Water Well Contractor)

Contractor's License No. 277 Date July 20, 1970

13860





STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

MARI 69905

WELL I.D. LABEL# I 132871
START CARD # 1049510
ORIGINAL LOG #

6/11/2021

(1) LAND OWNER Owner Well I.D.
First Name JEFF Last Name BIZON
Company STAFFER FARM INC.
Address 13851 STAUFFER RD. NE
City HUBBARD State OR Zip 97032

(2) TYPE OF WORK [X] New Well [ ] Deepening [ ] Conversion
[ ] Alteration (complete 2a & 10) [ ] Abandonment (complete 5a)

(2a) PRE-ALTERATION
Dia + From To Gauge Stl Plstc Wld Thrd
Casing: [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]
Material From To Amt sacks/lbs
Seal: [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]

(3) DRILL METHOD
[ ] Rotary Air [ ] Rotary Mud [X] Cable [ ] Auger [ ] Cable Mud
[ ] Reverse Rotary [ ] Other

(4) PROPOSED USE [ ] Domestic [X] Irrigation [ ] Community
[ ] Industrial/ Commercial [ ] Livestock [ ] Dewatering
[ ] Thermal [ ] Injection [ ] Other

(5) BORE HOLE CONSTRUCTION Special Standard [ ] (Attach copy)
Depth of Completed Well 247.40 ft.

Table with columns: Dia, From, To, Material, From, To, Amt, lbs. Row 1: 20, 0, 38, Bentonite Chips, 0, 38, 2350, P. Row 2: 16, 38, 292, Calculated, 2350.

How was seal placed: Method [ ] A [ ] B [ ] C [ ] D [ ] E
[X] Other OAR 690-210-0340
Backfill placed from 247.4 ft. to 292 ft. Material CEMENT
Filter pack from 195 ft. to 200 ft. Material GRAVEL Size 6/9
Explosives used: [ ] Yes Type Amount

(5a) ABANDONMENT USING UNHYDRATED BENTONITE
Proposed Amount Actual Amount

(6) CASING/LINER
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd
[ ] [ ] 12 [X] 2.5 247.4 .250 [ ] [ ] [X] [ ]
[ ] [ ] 16 [X] 1.3 194.3 .375 [ ] [ ] [X] [ ]
Shoe [ ] Inside [X] Outside [ ] Other Location of shoe(s) 194.3
Temp casing [ ] Yes Dia From + [ ] To

(7) PERFORATIONS/SCREENS
Perforations Method
Screens Type v wire Material Stainless
Perf/ Casing/ Screen Dia From To Scrn/slot Slot # of Telc/
Screen Liner Dia From To width length slots pipe size
Screen Casing 12 195 209.3 .065
Screen Casing 12 209.3 226.5 .25

(8) WELL TESTS: Minimum testing time is 1 hour
[ ] Pump [ ] Bailer [ ] Air [ ] Flowing Artesian
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)
1075 107 186 5
Temperature 54 °F Lab analysis [ ] Yes By
Water quality concerns? [ ] Yes (describe below) TDS amount 144 ppm
From To Description Amount Units

(9) LOCATION OF WELL (legal description)
County MARION Twp 4.00 S N/S Range 1.00 W E/W WM
Sec 35 NW 1/4 of the NW 1/4 Tax Lot 600
Tax Map Number Lot
Lat " or " DMS or DD
Long " or " DMS or DD
[ ] Street address of well [ ] Nearest address
13617 WHISKEY HILL RD. NE
HUBBARD OR

(10) STATIC WATER LEVEL
Date SWL(psi) + SWL(ft)
Existing Well / Pre-Alteration
Completed Well 1/20/2021 59.6
Flowing Artesian? [ ] Dry Hole? [ ]

WATER BEARING ZONES Depth water was first found 117.00
SWL Date From To Est Flow SWL(psi) + SWL(ft)
10/30/2020 117 128 100 58
11/9/2020 174 183 80 58
11/11/2020 195 226 1250 59

(11) WELL LOG
Ground Elevation
Material From To
Top soil 0 1
Clay, brown, hard 1 7
Clay, brown, hard 7 13
Clay, brown, sandy, hard 13 18
Clay, brown, med. 18 36
clay, light yellowish brown, 36 42
Clay, greenish gray, soft 42 61
Silt, dark gray, med. 61 70
Silt and sand, dark gray, hard 70 78
Silt, dark brown, soft 78 82
Clay, gray, hard, sticky 82 84
Clay, dark gray, soft 84 89
Sand and dark gray silt, hard 89 103
Clay, dark gray, hard, sticky 103 108
Clay, dark greenish gray, hard 108 114
Sand and gravel, claybound 114 117
Gravel and sand, black, loose 117 128
Clay, dark greenish gray, med, sticky 128 144
Clay, dark greenish gray, hard, sticky 144 156

Date Started 10/21/2020 Completed 1/20/2021

(unbonded) Water Well Constructor Certification
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.
License Number Date
Signed

(bonded) Water Well Constructor Certification
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
License Number 783 Date 6/11/2021
Signed IVAN GROSSEN (E-filed)
Contact Info (optional)

**WATER SUPPLY WELL REPORT - continuation page**

MARI 69905

6/11/2021

WELL I.D. LABEL# L

132871

START CARD #

1049510

ORIGINAL LOG #

**(2a) PRE-ALTERATION**

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Material	From	To	Amt	sacks/lbs

**(5) BORE HOLE CONSTRUCTION**

BORE HOLE			SEAL		sacks/	
Dia	From	To	Material	From	To	lbs
					Calculated	
					Calculated	
					Calculated	
					Calculated	

**FILTER PACK**

From	To	Material	Size
200	247	GRAVEL	1/4"

**(6) CASING/LINER**

Casing Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**(7) PERFORATIONS/SCREENS**

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Sern/slot width	Slot length	# of slots	Tele/ pipe size

**(8) WELL TESTS: Minimum testing time is 1 hour**

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

**Water Quality Concerns**

From	To	Description	Amount	Units

**(10) STATIC WATER LEVEL**

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)

**(11) WELL LOG**

Material	From	To
Dark green and gray silt, bedded	156	165
Dark green and gray silt, bedded, hard	165	167
Sand, black, fine, silt bound, hard	167	174
Sand, black, dark gray silt, bedded	174	183
Silt, greenish gray, hard, dry	183	185
Silt, gray, hard, dry	185	187
Clay, greenish gray, hard, sticky	187	195
Sand, black, pumpace, greenish gray silt	195	201
Sand and gravel, black	201	226
Clay, dark gray, med, sticky	226	228
Clay, greenish gray, hard, sticky	228	256
Clay, light brown, hard, sticky	256	262
Clay, gray, med, sticky	262	267
Clay, greenish gray, hard, sticky	267	292

RECEIVED

OCT 29 2021

OWRD

**Comments/Remarks**

Bottom plate 247.4'  
Lift bar 1.5' from bottom

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

**RECEIVED**

JUL 14 1965

STATE ENGINEER SALEM OREGON

WATER WELL REPORT

STATE OF OREGON (Please type or print)

G-3722

State Well No. 4/100-36

State Permit No. \_\_\_\_\_

35 C

MARI... 10/13

(1) OWNER:

Name Stauffer Bros.  
Address Hubbard, Oregon

(2) LOCATION OF WELL:

County Marian Driller's well number \_\_\_\_\_  
1/4 Section 26 T. 4S R. 1W W.M.  
Bearing and distance from section or subdivision corner \_\_\_\_\_

(3) TYPE OF WORK (check):

New Well  Deepening  Reconditioning  Abandon   
Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

(5) TYPE OF WELL:

Rotary  Driven   
Cable  Jetted   
Dug  Bored

(6) CASING INSTALLED:

Threaded  Welded   
12 " Diam. from 0 ft. to 120 ft. Gage 1/4"  
8 " Diam. from 0 ft. to 80 ft. Gage 1/4"  
" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_

(7) PERFORATIONS:

Perforated?  Yes  No  
Type of perforator used Millknife  
Size of perforations 1/2 in. by 2 1/2 in.  
315 perforations from 83 ft. to 112 ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(8) SCREENS:

Well screen installed?  Yes  No  
Manufacturer's Name \_\_\_\_\_ Model No. \_\_\_\_\_  
Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Puddled mud  
Depth of seal 18 ft. Was a packer used? no  
Diameter of well bore to bottom of seal 24 in.  
Were any loose strata cemented off?  Yes  No Depth \_\_\_\_\_  
Was a drive shoe used?  Yes  No  
Was well gravel packed?  Yes  No Size of gravel: 1/4  
Gravel placed from 80 ft. to 105 ft.  
Did any strata contain unusuable water?  Yes  No  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(10) WATER LEVELS:

Static level 34 ft. below land surface Date 7/2/65  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level  
Was a pump test made?  Yes  No If yes, by whom? driller  
Yield: 400 gal./min. with 81 ft. drawdown after 6 hrs.  
" 250 " " 51 " " 6 "  
" " " " " " "  
Bailer test gal./min. with ft. drawdown after hrs.  
Artesian flow g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made?  Yes  No

(12) WELL LOG:

Diameter of well below casing 12  
Depth drilled 136 ft. Depth of completed well 136 ft.  
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Surface	0	3
Brown sandy clay	3	43
Blue sandy clay	43	82
Broken sand and gravel	82	86
Blue sandy clay	86	92
Red sand	92	97
Black sand	97	102
Broken gravel	102	112
Blue clay	112	136

**RECEIVED**

OCT 29 2021

OWRD

Work started June 2 19 65 Completed July 2 19 65  
Date well drilling machine moved off of well July 2 19 65

(13) PUMP:

Manufacturer's Name \_\_\_\_\_ Type: \_\_\_\_\_ H.P. \_\_\_\_\_  
Water Well Contractor's Certification:  
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  
NAME John Truman Miller (Type or print)  
Address P O Box 42 Hubbard, Oregon  
Drilling Machine Operator's License No. 277  
[Signed] John T. Miller (Water Well Contractor)  
Contractor's License No. 26 Date July 10 19 65  
13860  
277