

Application for Permanent Water Right Transfer

Part 1 of 5 – Minimum Requirements Checklist



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

JAN 05 2022

OWRD

Check all items included with this application. (N/A = Not Applicable)

- ☐ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Transfer Application Map Checklist.
- ☒ Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator. If you have questions, call Customer Service at (503) 986-0801.
- ☒ Part 4 – Completed Applicant Information and Signature.
- ☒ Part 5 – Information about Water Rights to be Transferred: **How many water rights are to be transferred? 1 List them here: 44837**

Please include a separate Part 5 for each water right. (See instructions on page 6)

Attachments:

- ☒ Completed Transfer Application Map.
- ☒ Completed Evidence of Use Affidavit and supporting documentation.
- ☐ ☒ N/A Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the land the water right is on.)
- ☐ ☒ N/A Supplemental Form D – For water rights served by or issued in the name of an irrigation district. Complete when the transfer applicant is not the irrigation district.
- ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if all of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.
- ☐ ☒ N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500' from the surface water source and more than 1000' upstream or downstream from the point of diversion. See OAR 690-380-2130 for requirements and applicability.

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

- | | |
|--|--|
| ☐ Application fee not enclosed/insufficient | ☐ Map not included or incomplete |
| ☐ Land Use Form not enclosed or incomplete | ☐ Evidence of Use Form not enclosed or incomplete |
| ☐ Additional signature(s) required | ☐ Part _____ is incomplete |

Other/Explanation _____

Staff: _____ 503-986-0 _____

Date: ____/____/____

13888

Part 2 of 5 – Transfer Application Map

Your transfer application will be returned if any of the map requirements listed below are not met.

Please be sure that the transfer application map you submit includes all the required items and matches the existing water right map. Check all boxes that apply.

- ☒ ☐ N/A Certified Water Right Examiner (CWRE) Stamp and Original Signature. For a list of CWREs, see http://apps.wrd.state.or.us/apps/wr/cwre_license_view/. CWRE stamp and signature are not required for substitutions.
- ☐ ☒ N/A If **more than three** water rights are involved, separate maps are needed for each water right.
- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- ☒ Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
- ☐ ☒ N/A Proposed place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.
- ☒ ☐ N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees decimal with five or more digits after the decimal (example – 42.53764°).

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME City of Coburg, Oregon		PHONE NO. 541-682-7850	ADDITIONAL CONTACT NO. RECEIVED
ADDRESS 91136 N. Willamette Street (PO Box 8316)		FAX NO. JAN 05 2022	
CITY Coburg	STATE OR	ZIP 97408	E-MAIL OWRD
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.			

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME 4B Engineering & Consulting, LLC		PHONE NO. 503-580-8152	ADDITIONAL CONTACT NO.
ADDRESS 4454 71st Ave SE		FAX NO.	
CITY Salem	STATE OR	ZIP 97317	E-MAIL brooke.4b@outlook.com
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.			

Explain in your own words what you propose to accomplish with this transfer application, and why:
Transfer of water right from abandoned Well #1 to new Wells #1-3.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".


Check One Box

- ☐ By signing this application, I understand that, upon receipt of the draft preliminary determination and prior to Department approval of the transfer, I will be required to provide landownership information and evidence that I am authorized to pursue the transfer as identified in OAR 690-380-4010(5); **OR**
- ☒ I affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; **OR**
- ☐ I affirm the applicant is an entity with the authority to condemn property and is acquiring by condemnation the property to which the water right proposed for transfer is appurtenant and have supporting documentation.

By my signature below, I confirm that I understand:

- Prior to Department approval of the transfer application, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: The Register Guard.
- Amendments to the application may only be made in response to the Department's Draft Preliminary Determination (DPD). The applicant will have a period of at least 30 days to amend the application to address any issues identified by the Department in the DPD, or to withdraw the application. Note that amendments may be subject to additional fees, pursuant to ORS 536.050.
- Failure to complete an approved change in place of use and/or change in character of use, will result in loss of the water right (OAR 690-380-6010).

I (we) affirm that the information contained in this application is true and accurate.


Applicant signature

Anne Heath
Print Name (and Title if applicable)

December 20, 2020
Date

Applicant signature

Print Name (and Title if applicable)

Date

Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located? ☒ Yes ☐ No If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the water right(s) were conveyed.

Check the following boxes that apply:

- ☒ The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- ☐ The receiving landowner will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to this landowner.
- ☐ Both the receiving landowner and applicant will be responsible for completion of change(s). Copies of notices and correspondence should be sent to this landowner and the applicant.

At this time, are the lands in this transfer application in the process of being sold? ☐ Yes ☒ No

If YES, and you know who the new landowner will be, please complete the receiving landowner information table below. If you do not know who the new landowner will be, then a request for assignment will have to be filed for at a later date.

If a property sells, the certificated water right(s) located on the land belong to the new owner, unless a sale agreement or other document states otherwise. For more information see:

https://www.oregon.gov/owrd/WRDFormsPDF/Transfer_Property_Transactions.pdf

RECEIVING LANDOWNER NAME			PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS				FAX NO.
CITY	STATE	ZIP	E-MAIL	

RECEIVED

JAN 05 2022

Describe any special ownership circumstances here: _____

- ☐ Check here if any of the water rights proposed for transfer are or will be located within or served by an irrigation or other water district. (Tip: Complete and attach Supplemental Form D.)

OWRD

IRRIGATION DISTRICT NAME	ADDRESS		
CITY	STATE	ZIP	

- ☐ Check here if water for any of the rights supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME	ADDRESS		
CITY	STATE	ZIP	

 To meet State Land Use Consistency Requirements, you must list all county, city, municipal corporation, or tribal governments within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Lane County, Oregon	ADDRESS 3050 N. Delta Hwy		
CITY Eugene	STATE OR	ZIP 97408	

ENTITY NAME	ADDRESS		
CITY	STATE	ZIP	

13888

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # **44837**

RECEIVED

Description of Water Delivery System

JAN 05 2022

System capacity: **0.10** cubic feet per second (cfs) OR

_____ gallons per minute (gpm)

OWRD

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. **Municipal water is delivered through waterlines within the service limits.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-_____)	Twp	Rng	Sec	1/4	1/4	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Abandoned Well #1	☒ Authorized ☐ Proposed	LANE 7456	16	S	3	W	29	NE NE	351'-0" South and 1,080'-7" West from the NE corner of Section 29.
New Well #1	☐ Authorized ☒ Proposed	LANE 68362	16	S	3	W	32	NE SE	1,746'-8" North and 1,080'-1" West from the SE corner of Section 32.
New Well #2	☐ Authorized ☒ Proposed	LANE 7553	16	S	3	W	32	NE SE	1,937'-7" North and 1,030'-3" West from the SE corner of Section 32.
New Well #3	☐ Authorized ☒ Proposed	TBD-NOT DRILLED YET	16	S	3	W	29	NE SW	1,910'-10" North and 3,002'-8" West from the SE corner of Section 29.

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| ☐ Place of Use (POU) | ☐ Supplemental Use to Primary Use (S to P) |
| ☐ Character of Use (USE) | ☒ Point of Appropriation/Well (POA) |
| ☐ Point of Diversion (POD) | ☐ Additional Point of Appropriation (APOA) |
| ☐ Additional Point of Diversion (APOD) | ☐ Substitution (SUB) |
| ☐ Surface Water POD to Ground Water POA (SW/GW) | ☐ Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

☒ Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.

☐ No Complete all of Table 2 to describe the portion of the water right to be changed.

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 44837

List the change proposed for the acreage in each ¼. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.															
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date					
EXAMPLE																											
2	S	9	E	15	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POD/POD	2	S	9	E	1	NW	NW	500	1	10.0		POD #5	1901	
														2	S	9	E	2	SW	NW	500		5.0		POD #6	1901	
16	S	3	W	29	NE	NE				MUNI	ABANDON WELL #1	1968	POA	16	S	3	W	32	NE	SE	2002				MUNI	NEW WELL #1	1968
													POA	16	S	3	W	32	NE	SE					MUNI	NEW WELL #2	1968
													POA	16	S	3	W	29	NE	SW	3100				MUNI	NEW WELL #3	1968
TOTAL ACRES:												TOTAL ACRES:															

Additional remarks: _____.

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? ☒ Yes ☐ No

If YES, list the certificate, water use permit, or ground water registration numbers: **37211**.



Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # _____;

Surface water primary Certificate # _____.

RECEIVED**JAN 05 2022****For a change from Supplemental Irrigation Use to Primary Irrigation Use**

Identify the primary certificate to be cancelled. Certificate # _____

OWRD**For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:**

- ☒ Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:

http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

- ☒ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No.	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right
Abandon Well #1	Yes	LANE 7456	201'	12"	0'-201.4'	30'	35'-94'	5'-4"	Sand and gravel	300 GPM
New Well #1	Yes	LANE 68362	194'	12"	0'-194'		110'-167'	9.5	Sand and gravel	475 GPM
New Well #2	Yes	LANE 7553	200'	10"	+2'-84' 101'-122' 167'-200'	74'	85'-99' 120'-167'	23'	Sand and gravel	475 GPM

13888

New Well #3	No	N/A	Unknown	12"	Unknown	60'	Unknown	Unknown	Sand and gravel	Unknown
----------------	----	-----	---------	-----	---------	-----	---------	---------	--------------------	---------

RECEIVED

JAN 05 2022

OWRD

13888



Oregon Water Resources Department
Water Rights Information Query

Cert:44837 OR

- [Main](#)
- [Help](#)
- [Return](#)
- [Contact Us](#)

Contact Information (Click to Collapse...)

Current contact information

OWNER:
CITY OF COBURG
BOX 328 CITY HALL
COBURG, OR 97401

Water Right Information (Click to Collapse...)

Status: Non-Cancelled
County: Lane
File Folder Location: Salem
Watermaster District: 2

Scanned Documents (Click to Expand...)

Point(s) of Diversion (Click to Collapse...)

POD 1 - WELL NO 4 > MCKENZIE RIVER

Place(s) of Use (Click to Collapse...)

Use - MUNICIPAL USES
(Primary); Priority Date: 3/18/1968

Water Right Genealogy (Click to Collapse...)

No genealogy records available for this water right, try the family link below instead.

[View Water Rights in same Family](#) [Report Errors with Water Right Data](#)

Workflow (Click to Collapse...)

- Application: G 4283
- Permit: G 4032 document , paper map
- Certificate: 44837 document , paper map
 - Signature: 10/17/1977
 - Type: Original
- [View right with Web Mapping](#)
- [View Places of Use from Water Rights in the Same Area](#)
- [View Reported Water Use](#)

RECEIVED

JAN 05 2022

OWRD

[Add TRS grouping](#)

13888

RECEIVED
DEC 11 1967
STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 44837

Permit No. G- G 4032

APPLICATION FOR A PERMIT

RECEIVED
JAN 18 1968
STATE ENGINEER
SALEM, OREGON

To Appropriate the Ground Waters of the State of Oregon

I, City of Coburg
(Name of applicant)
of City Hall, Coburg
(Postoffice Address), county of Lane
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

June 1906, Coburg, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated McKenzie River
(Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.67 cubic
feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is municipal

4. The well or other source is located 77 ft. N and 74 ft. E from the SW
(N. or S.) (E. or W.)
corner of the H. A. Davis DLC No. 111 (the well is approximately
(Section or subdivision)
351 feet South and 1121 feet West of the N. E. corner of Section 29
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of the NE 1/4 of Sec. 29, Twp. 16S, R. 3W,
W. M., in the county of Lane

5. The Pipeline to be 0.05 miles
(Canal or pipe line)
in length, terminating in the NE 1/4 of the NE 1/4 of Sec. 29, Twp. 16S,
(Smallest legal subdivision)
R. 3W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Coburg Well No. 3 (Sears)

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of one drilled well having a
(Give number of wells, tunnels, etc.)
diameter of 12 inches and an estimated depth of 201 feet. It is estimated that 201
feet of the well will require 0.25 inch steeldrilling. Depth to water table is estimated 6 feet.
(Kind) (Feet)
on November 4, 1963

RECEIVED

JAN 05 2022

OWRD

13888

MUNICIPAL SUPPLY—

13. To supply the city of Coburg

in Lane county, having a present population of 900

and an estimated population of 6850 in 1975

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 10,000

15. Construction work will begin on or before October 8, 1963

16. Construction work will be completed on or before JULY 1, 1964

17. The water will be completely applied to the proposed use on or before JULY 1, 1964

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Certificates GR-1197 and GR-1198, Permit G-1580, and application

for permit for Coburg Well No. 4.

CITY OF COBURG

Robert E. Manley
Robert E. Manley, Mayor

Remarks:

The well was drilled, the pump installed and the water appropriated in

1963 and 1964.

RECEIVED

JAN 05 2022

OWRD

This is to certify that I have examined the foregoing application, together with the accompanying

maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-

tions on or before

19

WITNESS my hand this

19

STATE ENGINEER

By

198888

ASSISTANT

Application No. G-4283
Permit No. G-4032

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 18th day of March
1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

October 23, 1968

Recorded in book No. _____ of _____

Ground Water Permits on page G 4032

CHRIS L. WHELAN, STATE ENGINEER

Drainage Basin No. 2, page 162

State Printing

\$25.00

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The well shall be cased as necessary in accordance with good practice and if the flow is artesian
the works shall include proper capping and control valve to prevent the waste of ground water.
The works constructed shall include an air line and pressure gauge or an access port for measuring
line, adequate to determine water level elevation in the well at all times.
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall
keep a complete record of the amount of ground water withdrawn.
The priority date of this permit is March 18, 1968
Actual construction work shall begin on or before October 23, 1969 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970
Complete application of the water to the proposed use shall be made on or before October 1, 1971
WITNESS my hand this 23rd day of October, 1968

OWRD

JAN 05 2022

RECEIVED

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:
The right herein granted is limited to the amount of water which can be applied to beneficial use and
shall not exceed 0.67 cubic feet per second measured at the point of diversion from the well or
source of appropriation, or its equivalent in case of rotation with other water users, from Well No. 3
The use to which this water is to be applied is irrigation
If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed _____
acre feet per acre for each acre irrigated during the irrigation season of each year.

PERMIT

STATE OF OREGON,

County of Marion,

STATE OF OREGON

RECEIVED

COUNTY OF LANE

JAN 05 2022

CERTIFICATE OF WATER RIGHT

OWRD

This Is to Certify, That CITY OF COBURG

of Box 328, City Hall, Coburg, State of Oregon, 97401, has made proof to the satisfaction of the Water Resources Director, of a right to the use of the waters of Well No. 4

a tributary of McKenzie River for the purpose of municipal

under Permit No. G-4032 and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from March 18, 1968 that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 0.10 cubic foot per second

or its equivalent in case of rotation, measured at the point of diversion from the stream. The point of diversion is located in the NE $\frac{1}{4}$ NE $\frac{1}{4}$, as projected within H. A. Davis DLC 41, Section 29, T. 16 S., R. 3 W., W. M., 77 feet North and 74 feet East from the SW Corner, H. A. Davis DLC 41

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ----- of one cubic foot per second per acre,

and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

NW $\frac{1}{4}$ NW $\frac{1}{4}$
As projected within H. A. Davis DLC 41 & Robert B. Cochran DLC 42
Section 28

NE $\frac{1}{4}$ NE $\frac{1}{4}$
As projected within H. A. Davis DLC 41, Robert B. Cochran
DLC 42, John James Brown DLC 56, & Mannawether Brown DLC 58
Section 29
T. 16 S., R. 3 W., W. M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described, and is subject to the existing minimum flow policies established by the Water Policy Review Board.

WITNESS the signature of the Water Resources Director, affixed

this date, October 17, 1977

James E. Saxson

Water Resources Director

Recorded in State Record of Water Right Certificates, Volume 36, page 44837

13888

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

RECEIVED

JAN

WATER WELL REPORT

STATE OF OREGON (Please type or print)

G-4283

State Well No.

State Permit No.

Existing
Seal
LANE
7456

16/3W-29 A

(1) OWNER:

Name

Address

(2) LOCATION OF WELL:

County

Driller's well number

1/4

1/4 Section

29

T.

16

R.

3

W.M.

Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

New Well ☒

Deepening ☐

Reconditioning ☐

Abandon ☐

abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic ☒

Industrial ☐

Municipal ☒

Irrigation ☐

Test Well ☐

Other ☐

(5) TYPE OF WELL:

Rotary ☐

Driven ☐

Cable ☐

Jetted ☐

Dug ☒

Bored ☐

(6) CASING INSTALLED:

Threaded ☐

Welded ☒

12" Diam. from 0 ft. to 201.4 ft. Gage 1/4

" Diam. from ft. to ft. Gage

" Diam. from ft. to ft. Gage

(7) PERFORATIONS:

Perforated? ☒ Yes ☐ No

Type of perforator used

Size of perforations 1/2 in. by 3 in.

472 perforations from 35 ft. to 94 ft.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

(8) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name

Model No.

m. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal BENTONITE

Depth of seal 30 ft. Was a packer used?

Diameter of well bore to bottom of seal 16 in.

Were any loose strata cemented off? ☐ Yes ☒ No Depth

Was a drive shoe used? ☒ Yes ☐ No

Was well gravel packed? ☐ Yes ☐ No Size of gravel:

Gravel placed from ft. to ft.

Did any strata contain unusable water? ☐ Yes ☐ No

Type of water? Depth of strata

Method of sealing strata off

(10) WATER LEVELS:

Static level 5' 4" ft. below land surface Date 11-4-63

Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? ☐ Yes ☐ No If yes, by whom?

Yield: 300 gal./min. with 59 ft. drawdown after 5 hrs.

" " " "

" " " "

Bailer test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m. Date

Temperature of water Was a chemical analysis made? ☐ Yes ☒ No

(12) WELL LOG:

Diameter of well below casing 12

Depth drilled 201 ft. Depth of completed well 200 ft.

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
TOP SOIL	0	4
GRAVEL SEALED WITH BENTONITE	4	30
SAND & GRAVEL	30	33
SAND & GRAVEL BROWN SAND	33	35
SAND & GRAVEL	35	50
BAILED 200GPM @ 39'		
CLAY SAND & GRAVEL	50	51
SAND & GRAVEL CEMENTED	51	66
SAND & SMALL GRAVEL	66	94
SAND & CLAY	94	106
TAN CLAY	106	120
BLUE CLAY	120	166
BLUE CLAY WITH BROWN CLAY	166	201

RECEIVED

JAN 05 2022

OWRD

Work started 10-8 1963 Completed 11-5 1963

Date well drilling machine moved off of well 11-5 1963

(13) PUMP:

Manufacturer's Name

Type: H.P.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME MARK CHRISTENSEN (Person, firm or corporation) (Type or print)

Address 3550 W 18th FURBER

Drilling Machine Operator's License No. 97

[Signed] Mark W. Christensen (Water Well Contractor)

Contractor's License No. 97 Date 11-10 1963

(USE ADDITIONAL SHEETS IF NECESSARY)

13888

Oregon Water Resources Department
Groundwater Information System

Groundwater Site: LANE 7456


- [Main](#)
- [Help](#)
- [Return](#)
- [Contact Us](#)

Site Identification (Click to Collapse...)

GW LogID: LANE 7456 [Well Log Database](#)
GW Well Tag Number:
Tag Verified on Well: No
Site Type: WELL
Primary Use: PUBLIC SUPPLY
Unused Status:
Site Source Organization:
Site Source OWRD:
Established By: KARL WOZNIAK
Established Date: 11/21/2001
Bonded Company:
Stage: COMPLETE

Location (Click to Collapse...)

Latitude/Longitude
Latitude: 44.15560500 Horiz. Error: 25.00 ft.
Longitude: -123.07161900 Datum: WGS1984
Lat/Long Source: MAP 24K
Location
TRSQQ: WM 16.00S3.00W29NENE
Tax Map:
Taxlot:
24 Quad: COBURG
Basin: 2 - Willamette
County: Lane
WM District: 2
WM Region: NW
LSD Elev: 385.00 Accy: 10.00 Datum: NGVD1929
Elev Source:
[Groundwater Mapping Tool](#)



USDA FSA, GeoEye, Maxar | Oregon Water Resources Departm... Powered by Esri

Water Rights (Click to Collapse...)

Water Right PODs

POD	WRIS Details	Application	Permit	Cert	Transfers	Claim	supplemental	priority_date	Season of Use	max_rate_cfs	rate_cfs	rate_cfs_est	TRSQQ
POD 1 - WELL NO 4 > MCKENZIE RIVER	WRIS	G 4283	G 4032	44837				3/18/1968	1/1 ~ 12/31	0.100	0.100		WM16.00S3.00W29NENE

Well Construction History (Click to Collapse...)

Well Construction History

Well Log Id	Well Log	Work Type	Startcard	Well Tag	Owner Name	First Water	Max Case. Diam.	Max Case. Depth.	Max Seal Depth.	Max Depth	Completed Depth	Complete Date
LANE 7456	Log	NEW			CITY OF COBURG		12	201.40	80.00	201.00	200.00	11/5/1963

Well Log	Aquifer	Aq at Max Depth	System Aquifer	Regional USGS Aquifer	Local USGS Aquifer
LANE 7456	Quaternary-Late Tertiary sediment Aq	Quaternary-Late Tertiary sediment Aq	Quaternary-Late Tertiary Sediment Aquifers		

Well Test

Well Log	Test Type	Yield(gpm)	Drawdown	Duration (hr)	Calculated Specific Capacity (gpm/ft)
LANE 7456	Pump	300.0	59.0	5.0	5.08

Lithology (Click to Collapse...)

Lithology

Start Depth	End Depth	Prim. Lithology	Lithology Desc.	Water Bearing Zone	Water Bearing Zone Wt.
0.00	4.00	Soil	Soil		
4.00	30.00	Gravel	Gravel & Clay		
30.00	33.00	Sand	Sand & Gravel		
33.00	35.00	Sand	Sand & Gravel		

[Download Diagram](#)

RECEIVED


JAN 05 2022

OWRD

LANE0007456

https://apps.wrd.state.or.us/apps/gw/gw_info/gw_info_report/gw_details.aspx?gw_site_i...

35.00	50.00	Sand	Sand & Gravel		
50.00	51.00	Clay	Clay & Sand		
51.00	66.00	Gravel	Cemented Gravel		
66.00	94.00	Sand	Sand & Gravel		
94.00	106.00	Sand	Sand & Clay		
106.00	120.00	Clay	Yellow Clay		
120.00	166.00	Clay	Blue Clay		
166.00	201.00	Clay	Clay		



13888

Measured Water Level

(Click to Collapse...)

Records/Page: 20 Find

Measured Water Level

Date	Time	Water Level (BLSD)	WL Elev (ft AMSL)	Organization	OWRD	Method	Status	MP Height
11/4/1963		5.33	379.67	DRILLER	WELL LOG	REPORTED	STATIC	

Available Data

(Click to Collapse...)

Aquifer Test Completed: Water Chemistry: OWRD Recorder:
Geophysical Log Completed: Flowing Well: Other OWRD Recorder:
Saline:
Rock Geochemistry:

RECEIVED
JAN 05 2022
OWRD

LANE0007456

https://apps.wrd.state.or.us/apps/gw/gw_info/gw_info_report/gw_details.aspx?gw_site_i...

Other Identifiers (Click to Collapse...)

Other Identifiers				
Identiv Name	Identiv	Is Duplicate	Description	Link
OWRD GWR 014	165/03W-29AAB		Frank, J.F. and Johnson, N.A., 1970, Selected ground-water data in the Eugene-Springfield area, southern Willamette Valley, Oregon, State of Oregon, Ground Water Report No. 14.	
USGS SITE ID	440921123041001		U.S. Geological Survey Siteid	Report

13888

RECEIVED
JAN 05 2022
OWRD

New
Well #1

(1) LAND OWNER _____ Well Number W-1121
Name City of Colura
Address P.O. Box 8826
City Colura State OR Zip 97408

(7) LOCATION OF WELL by legal description:
County LANC. Latitude _____ Longitude _____
Township 16S N of 8 Range 3E W of 14 Wd.
Section 32 NE 1/4 SE 1/4
Tax Lot _____ Lot _____ Block _____ Subdivision _____
Street Address of Well (or nearest address) 32401 Colony Loop Rd.

(10) STATIC WATER LEVEL:
9.5 ft. below land surface. Date 3/25/09

Anesth pressure _____ lb. per square inch Date _____

(11) WATER BEARING ZONES:

Depth at which water was first found[illegible]

(12) WELL LOG: _____
Ground Elevation 390

[illegible]

Date started	Completed
--------------	-----------

SOURCE OF DATA INFO Department
Files, Willow LANE 7E73 Re will #2
and down hole video

COMPILED BY: Marc A Norton

DATE: Aug 24, 2009

WELL INFORMATION REPORT

11/16/2000

From		To	Stat size	Number	Diameter	Telephone size	Casting	Laser
110	167						☒	☐
							☐	☐
							☐	☐
							☐	☐

(D) WELL TESTS: Minimum testing time is 1 hour

[illegible]

Temperature of water _____ Depth Artesian Flow Found _____

Was a water analysis done? ☐ Yes By whom _____

Did any strata contain water not suitable for intended use? ☐ The little

☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other

Death of strike:

T 11252

13888

LANE 7553



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Application for
Well ID Number

L 94516

4-4-08 by MM

Log Lane 7553

Do not complete if the well already has a Well I.D. Number.

I. OWNER INFORMATION

Current Owner Name (please print): City of Coburg Public Works
Mailing Address: PO Box 8316
City, State, Zip: Coburg OR 97408
Mailing Address (to send Well I.D.): _____
City, State, Zip: _____

RECEIVED

JAN 05 2022

OWRD

II. WELL INFORMATION (Do not complete this section if the well report is attached.)

Township: 16 S (North/South) Range: 7 W (East/West) Section: 32
Tax Lot: 2002 County: Lane NE 1/4 SE 1/4
Street Address of Well, City: Flunk Rd.
Owner at time the well was constructed, (if known): City
If the property had a different street address in the past: _____

III. GENERAL WELL INFORMATION (Do not complete this section if the well report is attached)

Use of Well (domestic, irrigation, commercial, industrial, monitoring): _____
Date Well Constructed: _____ Total Well Depth: _____ Casing Diameter: _____
Other Information: 44.13284, -123.07029 by M. Norton
2nd casing at above cement floor @ GL

SUBMITTED BY (please print): Michael Mattick
PHONE: _____ District 2 Watermaster
220 5th St.
Springfield, Oregon 97477

Send application to Oregon Water Resources Department, Suite A, Salem, Oregon 97301-1266;
fax (503) 986-0902. Applications are processed and Well I.D. Numbers are mailed every Tuesday.



RECEIVED

Last Updated: 8/21/2007

Well I.D. Number/1

APR 15 2008

WCC

WATER RESOURCES DEPT
SALEM OREGON

13888

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT LANE
LANE 7553
STATE OF OREGON
Type or print

RECEIVED

(Do not write above this line)

State Well No.

State Permit No.

New
Well #2

16s/3W-32-d

AUG 25 1977

(1) OWNER:

Name CITY OF COBURG WATER RESOURCES DEPT.
Address COBURG, OREGON SALEM, OREGON

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☐ Driven ☐
Cable ☐ Jotted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☒
Irrigation ☐ Test Well ☐ Other ☐

CASING INSTALLED:

Threaded ☐ Welded ☒
10" Diam. from 42 ft. to 85 ft. Gage .365
10" Diam. from 75 ft. to 84 ft. Gage .365
10" Diam. from 101 ft. to 122 ft. Gage .365
10" Diam. from 127 ft. to 200 ft. Gage .365

PERFORATIONS:

Perforated? ☐ Yes ☒ No.

Type of perforator used

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☒ Yes ☐ No

Manufacturer's Name JOHNSON WELL SCREEN

Type TELESCOPE Model No. S. STEEL

Diam. 10 Slot size 130 Set from 85 ft. to 99 ft.

Diam. 10 Slot size 50-160 Set from 120 ft. to 167 ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? ☒ Yes ☐ No If yes, by whom? CARTER'S

Yield: 475 gal./min. with 57 ft. drawdown after 12 hrs.

Ballist test gal./min. with ft. drawdown

Artesian flow g.p.m.

Temperature of water 52° Depth artesian flow encountered 5-10 ft.

CONSTRUCTION:

Well seal-Material used CEMENT

Well sealed from land surface to 74 ft.

Diameter of well bore to bottom of seal 14 in.

Diameter of well bore below seal 10 in.

Number of sacks of cement used in well seal 91

How was cement grout placed? GROUT PUMP

BOTTOM UP

Was a drive shoe used? ☒ Yes ☐ No Flugs

Did any strata contain unconsolidated water? ☐ Yes ☒ No

Type of water? Depth of strata

Method of sealing strata off

Was well gravel packed? ☐ Yes ☒ No Size of gravel:

Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County LANE Driller's well number 2960-22W
1/4 SE 1/4 Section 32 T. 16S R. 3W W.M.

Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 14 ft.

Static level 23 ft. below land surface. Date 4-29-77

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 10"

Depth drilled 200 ft. Depth of completed well 200 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
CLAY, GRAVEL & COBBLES	0	4	
COBBLES, GRAVEL & SAND	4	26	
COARSE SAND	26	32	
GRAVEL, SAND, BROWN CLAY	32	38	
GRAVEL, SAND	38	74	
BROWN CLAY, SAND & GRAVEL	74	85	
GRAVEL - MEDIUM	85	92	23
GRAVEL, SAND, SMALL COBBLES	92	99	
BROWN CLAY, SAND & GRAVEL	99	103	
BLUE & BLACK CLAY, SAND & GRAV.	103	119	
GRAVEL, SAND	119	133	
WELL GRADED SAND	133	137	
GRAVEL, SAND & BLUE CLAY	137	142	
BLUE CLAY, SAND & GRAVEL	142	154	
GRAVEL, SAND & BLUE CLAY	154	167	
BLUE CLAY, SAND & GRAVEL	167	189	
CEMENTED SAND & GRAVEL	189	198	23
CRUMBLY SHALE	198	200	

Work started 4-4-77 10 Completed JULY 22 1977

Date well drilling machine moved off of well JUNE 22, 1977

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

(Signed) *Chas. M. Carter* Date JULY 22, 1977

(Drilling Machine Operator) 972

Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

(Person, firm or corporation) (Type or print)

Address 330 S. 3RD STREET, SPRINGFIELD, OREGON

(Signed) *James J. Carter*

(Water Well Contractor)

Contractor's License No. 126 Date JULY 22, 1977

(USE ADDITIONAL SHEETS IF NECESSARY)

SP-0000-119

111252

13888

Application for Water Right Transfer Evidence of Use Affidavit



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing.
Supporting documentation must be attached.

State of Oregon)
County of LANE) ss

RECEIVED

JAN 05 2022

OWRD

I, ANNE HEATH, in my capacity as CITY ADMINISTATOR FOR CITY OF COBURG,
mailing address 91136 N. WILLAMETTE STREET (PO BOX 8316) COBURG, OREGON 97408
telephone number (541)682-7850, being first duly sworn depose and say:

1. My knowledge of the exercise or status of the water right is based on (check one):

☒ Personal observation ☐ Professional expertise

2. I attest that:

☐ Water was used during the previous five years on the **entire** place of use for
Certificate # ____; **OR**

☐ My knowledge is specific to the use of water at the following locations within the last five years:

Certificate #	Township	Range	Mer	Sec	1/4 1/4	Gov't Lot or DLC	Acres (if applicable)

OR

- ☐ Confirming Certificate # ____ has been issued within the past five years; **OR**
- ☐ Part or all of the water right was leased instream at some time within the last five years. The instream lease number is: ____ (Note: If the entire right proposed for transfer was not leased, additional evidence of use is needed for the portion not leased instream.); **OR**
- ☐ The water right is not subject to forfeiture and documentation that a presumption of forfeiture for non-use would be rebutted under ORS 540.610(2) is attached.
- ☒ Water has been used at the actual current point of diversion or appropriation for more than 10 years for Certificate # 44837 (For Historic POD/POA Transfers)

(continues on reverse side)

13888

3. The water right was used for: (e.g., crops, pasture, etc.): MUNICIPAL WATER USE

4. I understand that if I do not attach one or more of the documents shown in the table below to support the above statements, my application will be considered incomplete.

RECEIVED

JAN 05 2022



Signature of Affiant

DECEMBER 11, 2020

Date

OWRD

Signed and sworn to (or affirmed) before me this 11 day of Dec, 2021.




Notary Public for Oregon

My Commission Expires: April 1, 2023

Supporting Documents	Examples
☐ Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of confirming water right certificate that shows issue date
☐ Copies of receipts from sales of irrigated crops or for expenditures related to use of water	• Power usage records for pumps associated with irrigation use • Fertilizer or seed bills related to irrigated crops • Farmers Co-op sales receipt
☐ Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	• District assessment records for water delivered • Crop reports submitted under a federal loan agreement • Beneficial use reports from district • IRS Farm Usage Deduction Report • Agricultural Stabilization Plan • CREP Report
☐ Aerial photos containing sufficient detail to establish location and date of photograph	Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added. Sources for aerial photos: OSU – www.oregonexplorer.info/imagery OWRD – www.wrd.state.or.us Google Earth – earth.google.com TerraServer – www.terraserver.com
☐ Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number

13888