

Application for Permit Amendment

Part 1 of 5 – Minimum Requirements Checklist



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

This permit amendment application will be returned if Parts 1 through 5 and all required attachments are not completed and included.
For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

JAN 14 2022

OWRD

Check all items included with this application. (N/A = Not Applicable)

- Part 1 – Completed Minimum Requirements Checklist.
- Part 2 – Completed Application Map Checklist.
- Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at:
http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator.
- Part 4 – Completed Applicant Information and Signature.
- Part 5 – Information about Permits to be Amended: **Number of permits to be amended: 1**
List the Permits here: G-18689 (Attachment A)
Please include a separate Part 5 for each permit. (See instructions on page 6)
- Completed Permit Amendment Application Map (Does not have to be prepared by a Certified Water Right Examiner). (Attachment B)
- N/A Request for Assignment Form and statutory fee. The request for assignment form has to be completed if the applicant is **not** the permit holder of record and needs to be assigned to the permit; **or** the landowner of the proposed place of use is **not** the permit holder of record and needs to be assigned to the permit (the Request for Assignment Form is available online at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>). Assignment is not needed if the applicant is the permit holder of record.
- N/A Affidavit(s) of Consent are required from all permit holder(s) of record if the permit is not assigned to the applicant **or** other permit holders of record that are not listed as applicants.
- N/A Oregon Water Resources Department’s Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone. (Attachment C)
- N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation. (Attachment D)
- N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500 feet from the surface water source and more than 1000 feet upstream or downstream from the point of diversion. (ORS 540.531(2) or (3)).

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

___ Application fee not enclosed/insufficient	___ Map not included or incomplete
___ Land Use Form not enclosed or incomplete	___ Part ___ is incomplete
___ Additional signature(s) required	Other/Explanation _____
Staff: _____	Date: ___/___/___

503-_____

Part 2 of 5 – Permit Amendment Map Checklist

Your permit amendment application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

RECEIVED

JAN 14 2022

OWRD

- N/A If **more than three** permits are involved, separate maps for each permit.
- Permanent quality printed with dark ink on good quality paper.
- The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- A north arrow, a legend, and scale.
- The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department. *A map waiver has been approved by the Department (Attachment B)*
- Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- Existing place of use that includes separate hachuring for each water use permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the permit is being changed, a separate hachuring is needed for the portion of the permit left unchanged.
- N/A If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water use permit.
- N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Part 3 of 5 – Fee Worksheet

FEE WORKSHEET for PERMIT AMENDMENT			
1	Base Fee (includes one type of change to one permit for up to 1 cfs)	RECEIVED JAN 14 2022 OWRD	1 \$1,360
2	Types of change proposed: <input type="checkbox"/> Place of Use <input checked="" type="checkbox"/> Point of Diversion/Appropriation Number of above boxes checked = <u>1 (2a)</u> Subtract 1 from the number in line 2a = <u>0 (2b)</u> <i>If only one change, this will be 0</i> Multiply line 2b by \$1090 and enter »		2 \$0
3	Number of permits included in Permit Amendment <u>1 (3a)</u> Subtract 1 from the number in 3a: <u>0 (3b)</u> <i>If only one permit this will be 0</i> Multiply line 3b by \$610 and enter »		3 \$0
4	Do you propose to add or change a well, or change from a surface water POD to a well? <input type="checkbox"/> No: enter 0 <input checked="" type="checkbox"/> Yes: enter \$480 for the 1 st well to be added or changed <u>\$480 (4a)</u> Do you propose to add or change additional wells? <input type="checkbox"/> No: enter 0 <input checked="" type="checkbox"/> Yes: multiply the number of additional wells by \$410 <u>\$4,510 (4b)</u> Add line 4a to line 4b and enter »		4 \$4,990
5	Do you propose to change the place of use? <input checked="" type="checkbox"/> No: enter 0 on line 5 <input type="checkbox"/> Yes: enter the cfs for the portions of the permits to be amended (see below*): _____ (5a) Subtract 1.0 from the number in 5a above: _____ (5b) If 5b is 0, enter 0 on line 5 » If 5b is greater than 0, round up to the nearest whole number: _____ (5c) and multiply 5c by \$350, then enter on line 5 »		5 \$0
6	Add entries on lines 1 through 5 above » » » » » » » » » » Subtotal:		6 \$6,350
7	Is this permit amendment: <input type="checkbox"/> necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? <input type="checkbox"/> endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 If no box is applicable, enter 0 on line 7 »		7 \$0
8	Subtract line 7 from line 6 » Permit Amendment Fee:		8 \$6,350

*Example for Line 5a calculation to transfer 45.0 acres of Primary Permit S-12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Permit S-87654 (1/80 cfs per acre) on the same land:

1. For irrigation calculate cfs for each permit involved as follows:
 - a. Divide total authorized cfs by total acres in the permit (for S-12345, 1.25 cfs ÷ 100 ac); then multiply by the number of acres to be changed to get the application cfs (x 45 ac = 0.56 cfs).
 - b. If the water right permit does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For S-87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs)
2. Add cfs for the portions of permits on all the land included in the application; however **do not count cfs for supplemental permits on acreage for which you have already calculated the cfs fee for the primary permit on the same land.** The fee should be assessed only once for each “on the ground” acre included in the application. (In this example, blank 5a would be only 0.56 cfs, since both permits serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0).

13893

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME Madison Ranches, Inc.			PHONE NO. 541-376-8107	ADDITIONAL CONTACT NO.
ADDRESS				FAX NO.
CITY	STATE	ZIP	E-MAIL	
			Jake@MadisonRanches.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

APPLICANT/BUSINESS NAME Northwest Farm Credit Services, FLCA			PHONE NO. 509-571-7936	ADDITIONAL CONTACT NO.
ADDRESS 12 SW Nye Ave				FAX NO.
CITY	STATE	ZIP	E-MAIL	
Pendleton	OR	97201-4103	Brandon.Nickels@northwestfcs.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

APPLICANT/BUSINESS NAME Equitable Financial Life Insurance Co., C/O Equitable Agrifinance LLC			PHONE NO. 319-355-8063	ADDITIONAL CONTACT NO.
ADDRESS 6300 C Street SW MS 3B-CR				FAX NO.
CITY	STATE	ZIP	E-MAIL	
Cedar Rapids	IA	52499	AWMartin@AEGONUSA.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

RECEIVED
JAN 14 2022
OWRD

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME GSI Water Solutions, Inc. Attn: Robyn Cook, RG, CWRE			PHONE NO. 503-239-8799	ADDITIONAL CONTACT NO.
ADDRESS 55 SW Yamhill Street, Ste. 300				FAX NO.
CITY	STATE	ZIP	E-MAIL	
Portland	OR	97204	rcook@gsiws.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Explain in your own words what you propose to accomplish with this permit amendment; and why:
 The purpose of this amendment application is to add additional points of appropriation (POAs). Since the original permit (G-17354) was issued, construction and land acquisitions have made some of the original POA locations inaccessible. While multiple POAs are proposed in this amendment application, only the number of wells necessary to obtain the permitted rate of 22.3 cfs will be constructed. Additional locations are included to provide flexibility, as this area is undergoing rapid development
 If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Is the applicant the permit holder of record? Yes No

If NO, include either:

A completed assignment form (with required statutory assignment fee), assigning all or a portion of the permit to the applicant(s), **OR**

An affidavit of consent from the permit holder(s) of record that gives permission for the applicant to amend the permit.

Has the Completion ("C") Date of the permit(s) in this application expired? Yes No

If YES, this application will not be accepted by the Department.

If NO, what are the completion dates of the permit(s)? 10/1/2025


- If the permit completion date expires while the Permit Amendment Application is pending, the Department will not approve the Permit Amendment Application until an Extension of Time Application is approved for the permit.
- You may consider using the Reimbursement Authority process to expedite the processing of this Permit Amendment Application if the completion date of the permit expires within 6 months of the date of filing this application.

By my signature below, I confirm that I understand:

- Prior to Department approval of the permit amendment, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the permit is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: Hermiston Herald

I (we) affirm that the information contained in this application is true and accurate.




Applicant Signature


Jake Madison, President
Print Name (and Title if applicable)

12-21-21
Date


Applicant Signature

Bram Schweiger, Authorized Agent
Print Name (and Title if applicable)

12/21/21
Date


Applicant Signature

James A. Boone
Investment Officer of Equitable
Financial Life Insurance Company

01/11/2022
Date

Applicant Signature

Print Name (and Title if applicable)

Date

RECEIVED

JAN 14 2022

OWRD

13893

JAN 14 2022

Check one of the following:

OWRD

- The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- The permit holder(s) of record will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to the permit holder(s) of record.

Check the appropriate box, if applicable:

- Check here if any of the permits proposed for amendment are or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME Westland Irrigation District	ADDRESS 77096 Highway 207	
CITY Echo	STATE OR	ZIP 97826

- Check here if water for any of the permits supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP



To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Morrow County	ADDRESS PO Box 40	
CITY Irrigon	STATE OR	ZIP 97844

ENTITY NAME Umatilla County	ADDRESS 216 SE Fourth Street	
CITY Pendleton	STATE OR	ZIP 97801

INSTRUCTIONS for editing the Application Form

To add additional lines to tables within the forms or to copy and paste additional Part 5 pages, please **save the application form to your computer**. Unlock the document by using one of the following instructions for your Microsoft Word software version:

RECEIVED

JAN 14 2022

Microsoft Word 2003

Unlock the document by one of the following:

OWRD

- Using the **Tools** menu => click **Unprotect Document**;
- OR
- Using the **Forms** toolbar => click on the **Protect/Unprotect** icon.

To relock the document to enable the checkboxes to work, you will need to:

- Using the **Tools** menu => click **Protect Document**;
- OR
- Using the **Forms** toolbar => click on the **Protect/Unprotect** icon.

Microsoft Word 2007

- Unlock the document by clicking the **Review** tab, then click **Protect Document**, then click **Stop Protect**
- To relock the document, click **Editing Restrictions**, then click **Allow Only This Type of Editing**, select **Filling In Forms** from the drop-down menu, then check **Yes, Start Enforcing Protection**.

Microsoft Word 2010

- Unlock the document by clicking the **Review** tab, toggle the **Restrict Editing** icon at the upper right, then click **Stop Protect** at the bottom right. Then uncheck the "**Allow only this type of editing in the document: Filling in forms**" in the "Editing restrictions" section on the right-hand list of options.
- To relock the document, check the **Editing Restrictions/Allow Only This Type of Editing/Filling In Forms** box from the drop-down menu, then check **Yes, Start Enforcing Protection**. You do not need to assign a password for the editing restrictions.

Other Alternatives:

- Photocopy pages or tables in Part 5, ~~mark through~~ any non-applicable information, insert/attach photocopied pages to document in the appropriate location, and manually amend page numbers as necessary (e.g. Page 5 of 9 10).
- You may refer to additional attachments that you may include, such as separately produced tables or spreadsheets to convey large numbers of rows of place of use listings, owner/property parcels, etc. You may contact the Department at 503-986-0900 and ask for Transfer Staff if you have questions.

Once the application has been unlocked, you may:

- add additional rows to tables using the Table tools, and
- select and copy the pages of Part 5 and paste as many additional sets of Part 5 pages as needed at the end of the application.

After editing, re-lock the document to enable checkboxes to work.

Part 5 of 5 – Water Use Permit Information

Please use a separate Part 5 for each permit being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

RECEIVED

PERMIT # G-18689

JAN 14 2022

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

OWRD

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼	¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 1	<input checked="" type="checkbox"/> Authorized Location <input type="checkbox"/> Proposed	NA	4	N	25	E	1	NW SW	1230 ft North and 1330 ft East from SW corner, Section 1
Well 2	<input checked="" type="checkbox"/> Authorized Location <input type="checkbox"/> Proposed	NA	4	N	25	E	1	SE SW	120 ft North and 2500 ft East from SW corner, Section 1
Well 3	<input checked="" type="checkbox"/> Authorized Location <input type="checkbox"/> Proposed	NA	4	N	25	E	1	NE SW	1500 ft North and 2660 ft East from SW corner, Section 1
Well 4	<input checked="" type="checkbox"/> Authorized Location <input type="checkbox"/> Proposed	MORR 52512	4	N	25	E	1	SW NE	2878 ft North and 3120 ft East from SW corner, Section 1
Well 5	<input checked="" type="checkbox"/> Authorized Location <input type="checkbox"/> Proposed	NA	4	N	25	E	12	NW NE	740 ft South and 1860 ft West from NE corner, Section 12
Well 6	<input checked="" type="checkbox"/> Authorized Location <input type="checkbox"/> Proposed	NA	4	N	25	E	12	NW NE	150 ft South and 1780 ft West from NE corner, Section 12
Well 7	<input checked="" type="checkbox"/> Authorized Location <input type="checkbox"/> Proposed	NA	4	N	25	E	1	NE SE	2500 ft North and 100 ft West from SE corner, Section 1
Well A	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed Location	NA	4	N	26	E	6	NE NW	101; GL-3 340 ft South and 2500 ft East from NW corner, Section 6
Well B	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed Location	NA	4	N	26	E	6	NW NE	101; GL-2 35 ft South and 3140 ft East from NW corner, Section 6
Well C	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed Location	NA	4	N	26	E	6	NW NE	101; GL-2 5 ft South and 3500 ft Est from the NW corner, Section 6
Well D	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed Location	NA	4	N	26	E	6	NW NE	101; GL-2 475 ft South and 3540 ft East from NW corner, Section 6
Well E	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed Location	NA	4	N	26	E	6	NW NE	101; GL-2 830 ft South and 3535 ft East from NW corner, Section 6
Well F	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed Location	NA	4	N	26	E	6	SW NE	101 1295 ft South and 3420 ft East from NW corner, Section 6

Well G	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed Location	NA	4	N	26	E	6	SW	NE	101	1880 ft South and 3410 ft East from NW corner, Section 6
Well H	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed Location	NA	4	N	26	E	6	SW	NE	101	2525 ft South and 3400 ft East from NW corner, Section 6
Well I	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed Location	NA	4	N	26	E	6	NW	SE	101	2730 ft South and 2850 ft East from NW corner, Section 6
Well J	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed Location	NA	4	N	26	E	6	NW	SE	101	3680 ft South and 2820 ft East from the NW corner, Section 6
Well K	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed Location	NA	4	N	25	E	1	NW	NE	100	45 ft South and 1610 ft West from the NE corner, Section 1
Well L	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed Location	NA	4	N	25	E	1	SE	SW	100	4360 ft South and 3940 ft West from the NE corner, Section 1

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|---|--|
| <input type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input checked="" type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Surface water POD to Ground Water POA (SW/GW) |

Will all of the proposed changes affect the entire water use permit?

- Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the permit to be changed.

For a change in place of use: *(Not Applicable)*

Does the permit holder of record own or control the land TO which the place of use is being moved?

Yes No

If NO, the landowner of the land TO which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

Is the proposed place of use contiguous to the authorized place of use? Yes No

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use **unless** the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

RECEIVED

JAN 14 2022

13893

OWRD

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer

Table 2. Description of Changes to Water Use Permit # G-18689

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.										Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.												
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) to be used (from Table 1)	Priority Date			
EXAMPLE																							
2	S	9	E	15	NE	NW	100		15.0	POD #1													
"	"	"	"	"	"	"	"	"	EXAMPLE	"													
Entire Place of Use											Entire Place of Use												
											Well 1 Well 2 Well 3 Well 4 Well 5 Well 6 Well 7	11/19/2013	APOA										
											Well 1, Well 2, Well 3, Well 4, Well 5, Well 6, Well 7 Well A, Well B, Well C, Well D, Well E, Well F, Well G, Well H, Well I, Well J, Well K, Well L										11/19/2013		
TOTAL ACRES											9142.4	TOTAL ACRES										9142.4	

Additional remarks: The POAs on the "from" side of the table represent the points authorized under permit G-17354 and the POAs listed on "to" side of the table represent proposed well locations in addition to the authorized POAs. Only the wells needed to achieve the permitted rate will be constructed (additional locations are being included to provide the permit holder with flexibility in siting the wells).

RECEIVED

JAN 14 2022

TACS

OWRD

Are there other water rights certificates, water use permits or ground water registrations associated with the "from" or "to" lands? Yes No

If YES, list the other certificate, permit, or ground water registration numbers: S-55323, S-55324, 83694, 2690, 75107, 20259, 2687, 2696, 61697, 75260, 76784



If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

AND/OR

- Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-_____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
Well 1	No	NA	100	20-in	0-100	0-25	70-95	25 (est.)	Alluvial	
Well 2	No	NA	100	20-in	0-100	0-25	70-95	25 (est.)	Alluvial	
Well 3	No	NA	100	20-in	0-100	0-25	70-95	25 (est.)	Alluvial	
Well 4	Yes	MORR 52512	101	8-in	0-101	0-18	N/A	48	Alluvial	
Well 5	No	NA	100	20-in	0-100	0-25	70-95	25 (est.)	Alluvial	
Well 6	No	NA	100	20-in	0-100	0-25	70-95	25 (est.)	Alluvial	
Well 7	No	NA	100	20-in	0-100	0-25	70-95	25 (est.)	Alluvial	

RECEIVED

JAN 14 2022

OWRD

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
Well A	No	NA	120	20-in	0-120	0-25	80-115	50 (est.)	Alluvial	
Well B	No	NA	120	20-in	0-120	0-25	80-115	50 (est.)	Alluvial	
Well C	No	NA	120	20-in	0-120	0-25	80-115	50 (est.)	Alluvial	
Well D	No	NA	120	20-in	0-120	0-25	80-115	50 (est.)	Alluvial	
Well E	No	NA	120	20-in	0-120	0-25	80-115	50 (est.)	Alluvial	
Well F	No	NA	120	20-in	0-120	0-25	80-115	50 (est.)	Alluvial	
Well G	No	NA	120	16-in	0-120	0-25	80-115	50 (est.)	Alluvial	
Well H	No	NA	120	16-in	0-120	0-25	80-115	50 (est.)	Alluvial	
Well I	No	NA	120	16-in	0-120	0-25	80-115	50 (est.)	Alluvial	
Well J	No	NA	120	16-in	0-120	0-25	80-115	50 (est.)	Alluvial	
Well K	No	NA	100	20-in	0-100	0-25	70-95	50 (est.)	Alluvial	4.99 cfs
Well L	No	NA	100	16-in	0-100	0-25	70-95	50 (est.)	Alluvial	

RECEIVED

JAN 14 2022

OWRD

ATTACHMENT A
WATER RIGHT INFORMATION

RECEIVED

JAN 14 2022

OWRD

13893

STATE OF OREGON

COUNTY OF UMATILLA

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

MADISON RANCHES INC.
29299 MADISON RD
ECHO, OR 97826

NORTHWEST FARM CREDIT SERVICES, FLCA
12 SW NYE AVE
PENDLETON, OR 97801-4103

AXA EQUITABLE LIFE INSURANCE CO.
C/O AXA EQUITABLE AGRIFINANCE, LLC
4333 EDGEWOOD ROAD NE
CEDAR RAPIDS, IA 52499-5223

This superseding permit is issued to describe an amendment for a change in place of use proposed under Permit Amendment Application T-13683 and approved by Special Order Vol. 121, Page 110 entered July 28, 2021, and to describe an extension of time for complete application of water approved June 19, 2020, and partial assignments approved April 12, 2016, and March 6, 2017. This permit supersedes Permit G-17354.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-17738

SOURCE OF WATER: WELL 1 THROUGH WELL 7 IN COLUMBIA RIVER BASIN

PURPOSE OR USE: PRIMARY IRRIGATION OF 1128.9 ACRES AND SUPPLEMENTAL IRRIGATION OF 8013.5 ACRES

MAXIMUM RATE: 22.3 CUBIC FEET PER SECOND

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: NOVEMBER 19, 2013

RECEIVED

JAN 14 2022

OWRD

Application G-17738/T-13683.cc

Water Resources Department

Permit G-18689

13893

WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
4 N	25 E	WM	1	SW NE	WELL 4 - 2878 FEET NORTH AND 3120 FEET EAST FROM THE SW CORNER OF SECTION 1
4 N	25 E	WM	1	SE SW	WELL 1 - 1230 FEET NORTH AND 1330 FEET EAST FROM THE SW CORNER OF SECTION 1
4 N	25 E	WM	1	SE SW	WELL 2 - 120 FEET NORTH AND 2500 FEET EAST FROM THE SW CORNER OF SECTION 1
4 N	25 E	WM	1	NE SE	WELL 7 - 2500 FEET NORTH AND 100 FEET WEST FROM THE SE CORNER OF SECTION 1
4 N	25 E	WM	1	NW SE	WELL 3 - 1500 FEET NORTH AND 2660 FEET EAST FROM THE SW CORNER OF SECTION 1
4 N	25 E	WM	12	NW NE	WELL 5 - 740 FEET SOUTH AND 1860 FEET WEST FROM THE NE CORNER OF SECTION 12
4 N	25 E	WM	12	NW NE	WELL 6 - 150 FEET SOUTH AND 1780 FEET WEST FROM THE NE CORNER OF SECTION 12

The amount of water used for nursery use under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-FORTIETH of one cubic foot per second and 4.5 acre feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

PRIMARY IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
3 N	26 E	WM	25	NE SE		18.2
3 N	26 E	WM	25	SE SE		16.8
3 N	27 E	WM	19	SE SW		30.8
3 N	27 E	WM	20	NW NE		28.3
3 N	27 E	WM	20	SW NE		9.5
3 N	27 E	WM	20	NE NW		22.5
3 N	27 E	WM	20	SE NW		1.4
3 N	27 E	WM	20	NE SW		3.2
3 N	27 E	WM	20	SE SW		26.2
3 N	27 E	WM	20	NE SE		0.4
3 N	27 E	WM	20	NW SE		12.6
3 N	27 E	WM	20	SW SE		34.8
3 N	27 E	WM	20	SE SE		0.7
3 N	27 E	WM	23	NE SE		33.9
3 N	27 E	WM	23	NW SE		9.0
3 N	27 E	WM	23	SW SE		11.9
3 N	27 E	WM	23	SE SE		24.6
3 N	27 E	WM	26	NE NE		31.3
3 N	27 E	WM	26	NW NE		21.7
3 N	27 E	WM	29	NE NE		10.4
3 N	27 E	WM	29	NW NE		39.3
3 N	27 E	WM	29	SW NE		36.8
3 N	27 E	WM	29	SE NE		9.1
3 N	27 E	WM	29	NE NW		18.5
3 N	27 E	WM	29	NW NW		25.1
3 N	27 E	WM	29	SW NW		36.7
3 N	27 E	WM	29	SE NW		23.9
3 N	27 E	WM	29	NE SW		23.2

RECEIVED

JAN 14 2022

OWRD

PRIMARY IRRIGATION						
Twp	Range	Mer	Sec	Q. Q.	Gl. lot	Acres
3 N	27 E	W/M	29	NW/SW		37.8
3 N	27 E	W/M	29	SW/SW		37.4
3 N	27 E	W/M	29	SE/SW		23.4
3 N	27 E	W/M	29	NE/SE		14.9
3 N	27 E	W/M	29	NW/SE		38.3
3 N	27 E	W/M	29	SW/SE		38.6
3 N	27 E	W/M	29	SE/SE		15.5
3 N	27 E	W/M	30	NE/NE		26.1
3 N	27 E	W/M	30	NW/NE		34.7
3 N	27 E	W/M	30	SW/NE		32.2
3 N	27 E	W/M	30	SE/NE		30.9
3 N	27 E	W/M	30	NE/NW		1.4
3 N	27 E	W/M	30	SE/NW		1.1
3 N	27 E	W/M	30	NW/SW		12.9
3 N	27 E	W/M	30	SW/SW	3	45.8
3 N	27 E	W/M	30	SW/SW	4	43.4
3 N	27 E	W/M	30	SE/SW		11.5
3 N	27 E	W/M	30	NE/SE		24.0
3 N	27 E	W/M	30	NW/SE		38.9
3 N	27 E	W/M	30	SW/SE		37.0
3 N	27 E	W/M	30	SE/SE		22.3
Total						1128.9

SUPPLEMENTAL IRRIGATION						
Twp	Range	Mer	Sec	Q. Q.	Gl. lot	Acres
2 N	27 E	W/M	1	NE/NE	1	30.2
2 N	27 E	W/M	1	NW/NE	2	39.6
2 N	27 E	W/M	1	NE/NW	3	39.6
2 N	27 E	W/M	1	NW/NW	4	32.8
3 N	26 E	W/M	23	NE/NE		0.3
3 N	26 E	W/M	23	SE/NE		0.3
3 N	26 E	W/M	24	NE/NE		31.8
3 N	26 E	W/M	24	NW/NE		31.2
3 N	26 E	W/M	24	SW/NE		32.1
3 N	26 E	W/M	24	SE/NE		33.0
3 N	26 E	W/M	24	NE/NW		31.4
3 N	26 E	W/M	24	NW/NW		32.9
3 N	26 E	W/M	24	SW/NW		32.9
3 N	26 E	W/M	24	SE/NW		30.5
3 N	26 E	W/M	24	NE/SW		7.2
3 N	26 E	W/M	24	NW/SW		6.9
3 N	26 E	W/M	24	SW/SW		37.4
3 N	26 E	W/M	24	SE/SW		37.7
3 N	26 E	W/M	24	NE/SE		39.4
3 N	26 E	W/M	24	NW/SE		13.3
3 N	26 E	W/M	24	SW/SE		11.5
3 N	26 E	W/M	24	SE/SE		36.5
3 N	26 E	W/M	25	NE/NE		11.2
3 N	26 E	W/M	25	SE/NE		11.6
3 N	26 E	W/M	25	NE/NW		17.5
3 N	26 E	W/M	25	NW/NW		32.3

RECEIVED
 JAN 14 2022
 OWRPD

13893

SUPPLEMENTAL IRRIGATION							Acres
Twp	Rng	Mer	Sec	Q	Lot		
3 N	26 E	WM	25	SW	NW	38.8	
3 N	26 E	WM	25	SE	NW	0.2	
3 N	26 E	WM	25	NE	SW	38.2	
3 N	26 E	WM	25	NW	SW	29.7	
3 N	26 E	WM	25	SW	SW	14.5	
3 N	26 E	WM	25	SE	SW	38.1	
3 N	26 E	WM	25	NW	SE	10.4	
3 N	26 E	WM	25	SW	SE	10.3	
3 N	26 E	WM	26	NE	NE	1.3	
3 N	26 E	WM	26	SE	NE	2.1	
3 N	27 E	WM	1	NE	NE	1.3	
3 N	27 E	WM	1	SW	NE	13.7	
3 N	27 E	WM	1	SE	NE	14.9	
3 N	27 E	WM	1	NE	SW	30.3	
3 N	27 E	WM	1	NW	SW	28.2	
3 N	27 E	WM	1	SE	SW	34.6	
3 N	27 E	WM	1	SE	SW	34.8	
3 N	27 E	WM	1	NE	SE	34.4	
3 N	27 E	WM	1	NW	SE	40.3	
3 N	27 E	WM	1	SE	SE	28.6	
3 N	27 E	WM	2	SE	SE	34.0	
3 N	27 E	WM	2	SW	SE	25.4	
3 N	27 E	WM	2	SW	SE	24.1	
3 N	27 E	WM	2	SE	SE	0.1	
3 N	27 E	WM	11	NE	NE	36.7	
3 N	27 E	WM	11	NW	NE	37.2	
3 N	27 E	WM	11	SW	NE	12.9	
3 N	27 E	WM	11	SE	NE	39.3	
3 N	27 E	WM	11	NE	NW	36.9	
3 N	27 E	WM	11	NW	NW	2.1	
3 N	27 E	WM	11	SW	NW	36.2	
3 N	27 E	WM	11	SE	NW	35.3	
3 N	27 E	WM	11	NE	SW	32.8	
3 N	27 E	WM	11	NW	SW	27.2	
3 N	27 E	WM	11	SW	SW	30.8	
3 N	27 E	WM	11	SE	SW	39.6	
3 N	27 E	WM	11	NE	SE	33.2	
3 N	27 E	WM	11	NW	SE	39.9	
3 N	27 E	WM	11	SW	SE	33.8	
3 N	27 E	WM	11	SE	SE	19.3	
3 N	27 E	WM	12	NE	NE	23.7	
3 N	27 E	WM	12	NW	NE	31.8	
3 N	27 E	WM	12	SW	NE	33.0	
3 N	27 E	WM	12	SE	NE	38.4	
3 N	27 E	WM	12	NE	NW	36.7	
3 N	27 E	WM	12	NW	NW	28.1	
3 N	27 E	WM	12	SW	NW	33.8	
3 N	27 E	WM	12	SE	NW	39.0	
3 N	27 E	WM	12	NE	SW	26.8	
3 N	27 E	WM	12	NW	SW	39.9	

RECEIVED
 JAN 14 2022
 OWRD

SUPPLEMENTAL IRRIGATION							Acres
Twp	Range	Mer	Sec	Q. Q.	Gl. Lot		
3 N	27 E	WM	12	SW/SW			30.1
3 N	27 E	WM	12	SE/SW			19.4
3 N	27 E	WM	12	NE/SE			37.6
3 N	27 E	WM	12	NW/SE			12.0
3 N	27 E	WM	13	NE/NE			33.3
3 N	27 E	WM	13	NW/NE			31.3
3 N	27 E	WM	13	SE/NE			29.2
3 N	27 E	WM	13	NE/NW			35.8
3 N	27 E	WM	13	NW/NW			38.9
3 N	27 E	WM	13	SW/NW			34.0
3 N	27 E	WM	13	SE/NW			32.9
3 N	27 E	WM	13	NE/SW			19.5
3 N	27 E	WM	13	NW/SW			0.3
3 N	27 E	WM	13	SW/SW			36.9
3 N	27 E	WM	13	SE/SW			5.9
3 N	27 E	WM	13	NE/SE			0.1
3 N	27 E	WM	13	NW/SE			35.7
3 N	27 E	WM	13	SW/SE			34.0
3 N	27 E	WM	13	SE/SE			30.2
3 N	27 E	WM	14	NE/NE			28.3
3 N	27 E	WM	14	NW/NE			44.4
3 N	27 E	WM	14	SW/NE			40.2
3 N	27 E	WM	14	SE/NE			31.3
3 N	27 E	WM	14	NE/NW			33.6
3 N	27 E	WM	14	NW/NW			30.6
3 N	27 E	WM	14	SW/NW			21.5
3 N	27 E	WM	14	SE/NW			12.5
3 N	27 E	WM	14	NW/SW			39.4
3 N	27 E	WM	14	SE/SW			13.2
3 N	27 E	WM	14	NE/SE			0.1
3 N	27 E	WM	14	NE/SE			37.0
3 N	27 E	WM	14	NW/SE			10.7
3 N	27 E	WM	14	SE/SE			6.0
3 N	27 E	WM	15	NW/NW			16.4
3 N	27 E	WM	15	SW/NW			36.9
3 N	27 E	WM	15	NW/SW			7.9
3 N	27 E	WM	16	NE/NE			17.2
3 N	27 E	WM	16	NW/NE			16.6
3 N	27 E	WM	16	SW/NE			15.3
3 N	27 E	WM	16	SE/NE			38.6
3 N	27 E	WM	16	NE/NW			38.6
3 N	27 E	WM	16	NW/NW			13.3
3 N	27 E	WM	16	SW/NW			14.6
3 N	27 E	WM	16	SE/NW			38.6
3 N	27 E	WM	16	NE/SW			34.2
3 N	27 E	WM	16	NW/SW			36.1
3 N	27 E	WM	16	SW/SW			28.0
3 N	27 E	WM	16	SE/SW			26.0
3 N	27 E	WM	16	NE/SE			8.6
3 N	27 E	WM	17	NE/NE			36.4




RECEIVED
 JAN 14 2022
 OWRD

SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
3 N	27 E	WM	17	NW NE		22.3
3 N	27 E	WM	17	SW NE		24.5
3 N	27 E	WM	17	SE NE		35.9
3 N	27 E	WM	17	NE NW		34.2
3 N	27 E	WM	17	NW NW		26.9
3 N	27 E	WM	17	SW NW		34.5
3 N	27 E	WM	17	SE NW		39.7
3 N	27 E	WM	17	NE SW		5.5
3 N	27 E	WM	17	NW SW		3.0
3 N	27 E	WM	17	NE SE		0.2
3 N	27 E	WM	17	SE SE		0.1
3 N	27 E	WM	19	NE NW		22.3
3 N	27 E	WM	19	NW NW	1	39.0
3 N	27 E	WM	19	SW NW	2	40.0
3 N	27 E	WM	19	SE NW		22.8
3 N	27 E	WM	19	NW SW	3	13.5
3 N	27 E	WM	19	SW SW	4	11.7
3 N	27 E	WM	19	NE SE		34.0
3 N	27 E	WM	19	NW SE		29.0
3 N	27 E	WM	19	SW SE		29.2
3 N	27 E	WM	19	SE SE		38.3
3 N	27 E	WM	20	NE NE		1.2
3 N	27 E	WM	20	NW NE		2.6
3 N	27 E	WM	20	SW NE		27.1
3 N	27 E	WM	20	SE NE		2.1
3 N	27 E	WM	20	NE NW		0.7
3 N	27 E	WM	20	SE NW		27.4
3 N	27 E	WM	20	NE SW		20.5
3 N	27 E	WM	20	NW SW		0.8
3 N	27 E	WM	20	SW SW		23.1
3 N	27 E	WM	20	SE SW		1.6
3 N	27 E	WM	20	NW SE		19.0
3 N	27 E	WM	23	NE NE		2.6
3 N	27 E	WM	23	NW NE		27.6
3 N	27 E	WM	23	SE NE		40.1
3 N	27 E	WM	23	NE NW		7.8
3 N	27 E	WM	23	NE NW		14.2
3 N	27 E	WM	23	SE NW		26.5
3 N	27 E	WM	23	NE SW		2.1
3 N	27 E	WM	23	NW SE		7.3
3 N	27 E	WM	24	NE NE		39.1
3 N	27 E	WM	24	NW NE		6.2
3 N	27 E	WM	24	SW NE		15.0
3 N	27 E	WM	24	SE NE		33.8
3 N	27 E	WM	24	NE SW		4.9
3 N	27 E	WM	24	SE SW		0.5
3 N	27 E	WM	24	NE SE		32.4
3 N	27 E	WM	24	NW SE		40.2
3 N	27 E	WM	24	SW SE		21.4
3 N	27 E	WM	24	SE SE		26.4
3 N	27 E	WM	25	NE NE		33.3

RECEIVED
 JAN 14 2022
 OWRD

SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
3 N	27 E	WM	25	NW NE		28.5
3 N	27 E	WM	25	SW NE		15.8
3 N	27 E	WM	25	SE NE		1.9
3 N	27 E	WM	25	NE NW		39.5
3 N	27 E	WM	25	NW NW		9.6
3 N	27 E	WM	25	SW NW		34.5
3 N	27 E	WM	25	SE NW		36.8
3 N	27 E	WM	25	NE SW		20.7
3 N	27 E	WM	25	NW SW		36.2
3 N	27 E	WM	25	SW SW		40.4
3 N	27 E	WM	25	SE SW		30.8
3 N	27 E	WM	25	NE SE		24.9
3 N	27 E	WM	25	NW SE		5.5
3 N	27 E	WM	25	SW SE		22.8
3 N	27 E	WM	26	NE NE		1.0
3 N	27 E	WM	26	SE NE		23.3
3 N	27 E	WM	26	NE NW		10.2
3 N	27 E	WM	26	NW NW		24.2
3 N	27 E	WM	26	SW NW		29.3
3 N	27 E	WM	26	SE NW		14.2
3 N	27 E	WM	26	NE SW		34.7
3 N	27 E	WM	26	NW SW		38.3
3 N	27 E	WM	26	SW SW		25.3
3 N	27 E	WM	26	SE SW		24.2
3 N	27 E	WM	26	NE SE		7.2
3 N	27 E	WM	26	SE SE		8.6
3 N	27 E	WM	27	NW NW		21.0
3 N	27 E	WM	27	SW NW		21.4
3 N	27 E	WM	27	NE SW		8.2
3 N	27 E	WM	27	NW SW		20.4
3 N	27 E	WM	27	SW SW		21.1
3 N	27 E	WM	27	SE SW		8.3
3 N	27 E	WM	27	NE SE		13.6
3 N	27 E	WM	27	NW SE		36.4
3 N	27 E	WM	27	SW SE		37.0
3 N	27 E	WM	27	SE SE		14.0
3 N	27 E	WM	28	NE NE		35.3
3 N	27 E	WM	28	NW NE		3.5
3 N	27 E	WM	28	SW NE		3.4
3 N	27 E	WM	28	SE NE		35.5
3 N	27 E	WM	28	NE SE		36.6
3 N	27 E	WM	28	NW SE		5.2
3 N	27 E	WM	28	SW SE		5.3
3 N	27 E	WM	28	SE SE		37.4
3 N	27 E	WM	29	NE NW		3.2
3 N	27 E	WM	29	NW NW		11.4
3 N	27 E	WM	29	SE NW		9.3
3 N	27 E	WM	30	NE NE		7.0
3 N	27 E	WM	30	NE NW		5.9
3 N	27 E	WM	30	NW NW	1	47.7



RECEIVED
 JAN 14 2022
 OWRD

SUPPLEMENTAL IRRIGATION							Acres
Twp	Range	Mer	Sec	Q-Q	Gl. lot		
3 N	27 E	WM	30	SW/NW	2	48.5	
3 N	27 E	WM	30	SE/NW		6.2	
3 N	27 E	WM	34	NE/NE		34.4	
3 N	27 E	WM	34	NW/NE		14.9	
3 N	27 E	WM	34	SW/NE		9.2	
3 N	27 E	WM	34	SE/NE		34.1	
3 N	27 E	WM	34	SW/NW		6.7	
3 N	27 E	WM	34	SE/NW		12.6	
3 N	27 E	WM	34	NE/SW		40.2	
3 N	27 E	WM	34	NW/SW		36.2	
3 N	27 E	WM	34	SW/SW		25.0	
3 N	27 E	WM	34	SE/SW		34.6	
3 N	27 E	WM	34	NE/SE		40.2	
3 N	27 E	WM	34	NW/SE		33.6	
3 N	27 E	WM	34	SW/SE		18.7	
3 N	27 E	WM	34	SE/SE		37.3	
3 N	27 E	WM	35	NW/NE		1.2	
3 N	27 E	WM	35	NE/NW		39.6	
3 N	27 E	WM	35	NW/NW		36.7	
3 N	27 E	WM	35	SW/NW		18.7	
3 N	27 E	WM	35	SE/NW		18.6	
3 N	27 E	WM	35	NW/SW		26.9	
3 N	27 E	WM	35	SW/SW		17.6	
3 N	27 E	WM	36	NE/NE		29.0	
3 N	27 E	WM	36	NW/NE		39.9	
3 N	27 E	WM	36	SW/NE		38.8	
3 N	27 E	WM	36	SE/NE		27.8	
3 N	27 E	WM	36	NE/NW		26.4	
3 N	27 E	WM	36	NW/NW		7.4	
3 N	27 E	WM	36	SW/NW		4.5	
3 N	27 E	WM	36	SE/NW		34.6	
3 N	27 E	WM	36	NE/SW		35.8	
3 N	27 E	WM	36	NW/SW		20.1	
3 N	27 E	WM	36	SW/SW		21.8	
3 N	27 E	WM	36	SE/SW		37.2	
3 N	27 E	WM	36	NE/SE		33.2	
3 N	27 E	WM	36	NW/SE		39.7	
3 N	27 E	WM	36	SW/SE		35.0	
3 N	27 E	WM	36	SE/SE		39.6	
3 N	28 E	WM	6	NE/NW		19.8	
3 N	28 E	WM	6	NW/NW	4	19.4	
3 N	28 E	WM	6	SW/NW	5	32.6	
3 N	28 E	WM	6	SE/NW		35.3	
3 N	28 E	WM	6	NE/SW		25.8	
3 N	28 E	WM	6	NW/SW	6	25.8	
3 N	28 E	WM	6	SW/SW	7	32.0	
3 N	28 E	WM	6	SE/SW		35.2	
3 N	28 E	WM	7	NE/NW		32.3	
3 N	28 E	WM	7	NW/NW	1	33.5	
3 N	28 E	WM	7	SW/NW	2	28.3	
3 N	28 E	WM	7	SE/NW		24.2	

RECEIVED
 JAN 14 2022
 OWRD

SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
3 N	28 E	WM	7	NE SW		34.0
3 N	28 E	WM	7	NW SW	3	21.6
3 N	28 E	WM	7	SW SW	4	23.9
3 N	28 E	WM	7	SE SW		33.5
3 N	28 E	WM	7	SW SE		1.3
3 N	28 E	WM	17	NE SW		4.4
3 N	28 E	WM	17	NW SW		38.5
3 N	28 E	WM	17	SW SW		39.7
3 N	28 E	WM	17	SE SW		5.0
3 N	28 E	WM	18	NW NE		1.7
3 N	28 E	WM	18	NE NW		36.1
3 N	28 E	WM	18	NW NW	1	28.4
3 N	28 E	WM	18	SW NW	2	30.3
3 N	28 E	WM	18	SE NW		23.8
3 N	28 E	WM	18	NE SW		24.7
3 N	28 E	WM	18	NW SW	3	32.2
3 N	28 E	WM	18	SE SW		22.3
3 N	28 E	WM	18	NE SE		2.4
3 N	28 E	WM	18	SW SE		29.0
3 N	28 E	WM	18	SE SE		35.7
3 N	28 E	WM	19	NE NE		40.3
3 N	28 E	WM	19	NW NE		29.5
3 N	28 E	WM	19	SW NE		23.9
3 N	28 E	WM	19	SE NE		35.1
3 N	28 E	WM	19	NE NW		24.4
3 N	28 E	WM	19	NW NW	1	15.4
3 N	28 E	WM	19	SW NW	2	8.1
3 N	28 E	WM	19	SE NW		0.2
3 N	28 E	WM	19	NE SW		11.0
3 N	28 E	WM	19	NW SW	3	15.4
3 N	28 E	WM	19	SW SW	4	28.2
3 N	28 E	WM	19	SE SW		0.3
3 N	28 E	WM	19	NE SE		4.2
3 N	28 E	WM	19	NW SE		33.2
3 N	28 E	WM	20	NW NW		12.9
3 N	28 E	WM	20	SW NW		6.5
3 N	28 E	WM	30	NE NW		0.5
3 N	28 E	WM	30	NW NW	1	13.8
3 N	28 E	WM	30	SW NW	2	32.8
3 N	28 E	WM	30	SE NW		36.9
3 N	28 E	WM	30	NE SW		39.1
3 N	28 E	WM	30	NW SW	3	36.3
3 N	28 E	WM	30	SW SW	4	36.7
3 N	28 E	WM	30	SE SW		39.2
3 N	28 E	WM	30	NE SE		17.3
3 N	28 E	WM	30	NW SE		15.0
3 N	28 E	WM	30	SW SE		21.6
3 N	28 E	WM	30	SE SE		33.7
3 N	28 E	WM	31	NE NW		20.0
3 N	28 E	WM	31	NW NW	1	36.7
3 N	28 E	WM	31	SW NW	2	36.0

RECEIVED
 JAN 14 2022
 OWRD

SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
3 N	28 E	WM	31	SE NW		4.3
3 N	28 E	WM	31	NW SW	3	22.0
3 N	28 E	WM	31	SW SW	4	8.4
					Total	8013.5

Permit Amendment T-13683 Conditions:

Water use measurement conditions:

- a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation.
- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

The former place of use shall no longer be irrigated as part of this permit.

Extension of Time Conditions:

Checkpoint Condition

The permit holder must submit a completed Progress Report Form to the Department by **October 1, 2024**. *A form will be enclosed with your Final Order.*

- (a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;
- (b) The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.

RECEIVED

JAN 14 2022

OWRD

Existing Permit Conditions:**Measurement devices, and recording/reporting of annual water use conditions:**

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The permittee shall maintain the device in good working order.
- B. The permittee shall allow the watermaster access to the device; provided however, where any device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The permittee shall keep a complete record of the volume of water diverted each month, and shall submit a report which includes water-use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

Dedicated Measuring Tube: Wells with pumps shall be equipped with a minimum 3/4-inch diameter, unobstructed, dedicated measuring tube pursuant to figure 200-5 in OAR 690-200. If a pump has been installed prior to the issuance of this permit, and if static water levels and pumping levels can be measured using an electrical tape, the installation of the measuring tube can be delayed until such time that water levels cannot be measured or the pump is repaired or replaced.

The wells shall allow ground water production only from the alluvial ground water reservoir above the Columbia River Basalts.

The permittee shall construct two minimum six-inch diameter observation wells to penetrate the same aquifer as the production wells. The wells shall meet the Department's minimum well-construction standards, and shall be cased and sealed to the same depth as the production wells. The wells shall be constructed at a location approved by the Department for the purpose of instrumentation with continuous water-level monitoring equipment. The landowner or permittee shall provide access to Department staff to install and maintain the monitoring equipment. The wells shall not be used for any other purpose while the Department is monitoring water levels. The wells shall be completed and the monitoring equipment installed prior to water use.

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

RECEIVED

JAN 14 2022

OWRD

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with surface water or a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port adequate to determine water-level elevation in the well at all times.

If the riparian area is disturbed in the process of developing a point of appropriation, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

Prior to receiving a certificate of water right, the permit holder shall submit to the Water Resources Department the results of a pump test meeting the Department's standards for each point of appropriation (well), unless an exemption has been obtained in writing under OAR 690-217. The Director may require water-level or pump-test results every ten years thereafter.


This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

Complete application of the water to the use was to be made on or before February 9, 2020. By Extension of Time Final Order dated June 19, 2020, complete application of the water to the use is to be made on or before October 1, 2025. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Signed _____ JUL 28 2021 _____;




Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M. BYLER, DIRECTOR
Oregon Water Resources Department

RECEIVED

JAN 14 2022

OWRD



Robyn Cook

From: STARNES Patrick K * WRD <Patrick.K.Starnes@oregon.gov>
Sent: Monday, October 4, 2021 2:08 PM
To: Robyn Cook
Subject: Re: Map scale waiver?

Hi Robyn,

I apologize for the delay.

The Department grants a map scale waiver for the attached permit amendment application map. Please include a copy of this email in the permit amendment application when it is submitted.

Sincerely,

Kelly

Kelly Starnes, Transfer Program Analyst
Oregon Water Resources Department
725 Summer St NE, Suite A
Salem OR 97301-1271
Cellphone: 503-979-3511 Fax: 503-986-0903
E-mail: patrick.k.starnes@oregon.gov

RECEIVED

JAN 14 2022

OWRD

Please Note: Under Oregon Law, messages to and from this e-mail address may be available to the public.

From: Robyn Cook <rcook@gsiws.com>
Sent: Tuesday, September 21, 2021 10:33:05 PM
To: STARNES Patrick K * WRD <Patrick.K.Starnes@oregon.gov>
Subject: Map scale waiver?

Hello Kelly,

We are getting the materials together to submit a permit amendment to add POAs to G-18689. The POA map and the POU mas will be submitted at the required scale, but the attached map shows the conveyance from the POAs to the POU. Given the distance between the POAs and POU, would it be possible to get a waiver for the scale on this map?

Thank you,
Robyn



Robyn Cook, RG, PG, CWRE
Managing Hydrogeologist
direct: 971.200.8505 | mobile: 503.930.3382
55 SW Yamhill Street, Suite 300, Portland, OR 97204
GSI Water Solutions, Inc. | www.gsiws.com

13893

Robyn Cook

From: HACKETT Joshua A * WRD <Joshua.A.Hackett@oregon.gov>
Sent: Wednesday, April 21, 2021 2:16 PM
To: Robyn Cook; IVERSON Justin T * WRD
Subject: RE: Observation well locations?

Robyn,

TH #1 should work as a substitute for TH #2.

Cheers,
Josh Hackett, RG
Hydrogeologist
725 Summer St NE Suite A | Salem OR 97301 | Phone 503-437-5242



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking



RECEIVED

JAN 14 2022

OWRD

From: Robyn Cook <rcook@gsiws.com>
Sent: Wednesday, April 21, 2021 1:11 PM
To: HACKETT Joshua A * WRD <Joshua.A.Hackett@oregon.gov>; IVERSON Justin T * WRD <Justin.T.Iverson@oregon.gov>
Subject: RE: Observation well locations?

Hi Josh,

I apologize, I was just informed that the #2 location did not have casing installed because the driller didn't think it would be productive as they were drilling that location. Would TH#1 or TH#6 be acceptable substitutions for #2?

Thanks,
Robyn

Please note: GSI is open for business, although most of us are working remotely. I'm available by phone or email, as always. I appreciate your patience. Be well.

Robyn Cook, RG, PG, CWRE
Managing Hydrogeologist
direct: 971.200.8505 | mobile: 503.930.3382
55 SW Yamhill St., Suite 300, Portland, OR 97204
GSI Water Solutions, Inc. | www.gsiws.com

13893

From: HACKETT Joshua A * WRD <Joshua.A.Hackett@oregon.gov>
Sent: Wednesday, April 21, 2021 11:00 AM
To: Robyn Cook <rcook@gsiws.com>; IVERSON Justin T * WRD <Justin.T.Iverson@oregon.gov>
Subject: RE: Observation well locations?

Hi Robyn,

We recommend using TH #2 and TH #3 as monitoring wells for permit G-17354. These wells are located at considerable distance from each other and TH #2 appears to be far from pumping centers. I don't know if its possible, but it would be great to monitor TH #5 also, as it would provide an upgradient dataset. Let me know if you have any questions or concerns.

Cheers,

Josh Hackett, RG

Hydrogeologist

725 Summer St NE Suite A | Salem OR 97301 | Phone 503-437-5242



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking



RECEIVED

JAN 14 2022

OWRD

From: HACKETT Joshua A * WRD <Joshua.A.Hackett@oregon.gov>

Sent: Tuesday, April 20, 2021 8:45 AM

To: Robyn Cook <rcook@gsiws.com>; IVERSON Justin T * WRD <Justin.T.Iverson@oregon.gov>

Subject: Re: Observation well locations?

Hi Robyn,

I'll look into this today and provide a response this afternoon or tomorrow.

Cheers,

Josh

Josh Hackett, RG

Hydrogeologist

725 Summer St NE Suite A, Salem OR 97301

Phone 503-437-5242

From: Robyn Cook <rcook@gsiws.com>

Sent: Thursday, April 15, 2021 11:57:52 AM

To: IVERSON Justin T * WRD <Justin.T.Iverson@oregon.gov>

Cc: HACKETT Joshua A * WRD <Joshua.A.Hackett@oregon.gov>

Subject: RE: Observation well locations?

Hi Justin and Josh,

Thanks for taking a look. Jake would like to abandon the wells before he needs to pay the \$300/well fee. So, the sooner, the better!

Thanks,

Robyn

Please note: GSI is open for business, although most of us are working remotely. I'm available by phone or email, as always. I appreciate your patience. Be well.

Robyn Cook, RG, PG, CWRE

Managing Hydrogeologist

direct: 971.200.8505 | mobile: 503.930.3382

55 SW Yamhill St., Suite 300, Portland, OR 97204

GSI Water Solutions, Inc. | www.gsiws.com

RECEIVED

JAN 14 2022

OWRD

From: IVERSON Justin T * WRD <Justin.T.Iverson@oregon.gov>

Sent: Thursday, April 15, 2021 10:43 AM

To: Robyn Cook <rcook@gsiws.com>

Cc: HACKETT Joshua A * WRD <Joshua.A.Hackett@oregon.gov>

Subject: FW: Observation well locations?

Hi Robyn,

I've asked Josh to take a look and provide you with a response. He'll contact you if he has any questions.

I believe when we spoke you mentioned you'd like to abandon any test wells not used as obs wells. Do you have timing concerns with your driller mobilization or other time constraints we should be aware of?

Regards,

Justin Iverson, RG

GROUNDWATER SECTION MANAGER

Oregon Water Resources Department

Cell: 503-302-9728

From: Robyn Cook <rcook@gsiws.com>

Sent: Thursday, April 15, 2021 9:18 AM

To: IVERSON Justin T * WRD <Justin.T.Iverson@oregon.gov>

Cc: Jake (Jake@MadisonRanches.com) <Jake@MadisonRanches.com>; Jason Melady <jmelady@gsiws.com>

Subject: Observation well locations?

Hello Justin,

As we discussed a while back, permit G-17354 has a condition that requires OWRD to approve two monitoring well locations. Attached is a map showing the proposed POAs, and the test holes that Madison recently completed. (For clarification, there are 12 proposed locations shown due to the uncertainty of construction and development activities in this area. Additional locations were added as proposed wells to provide flexibility in constructing the production wells. The highest priority locations are 1, 3, 5, 7, 9, and 11.) The Port of Morrow is interested in utilizing TH #5 for monitoring that they are required to perform for DEQ. Could you please let us know which of these test well locations are approved as monitoring well locations, given the updated layout of the proposed production wells?

Thank you, and feel free to give me a call if you have any questions or would like to discuss this further.

Robyn



Robyn Cook, RG, PG, CWRE

Managing Hydrogeologist

direct: 971.200.8505 | mobile: 503.930.3382

55 SW Yamhill Street, Suite 300, Portland, OR 97204

GSI Water Solutions, Inc. | www.gsiws.com

Please note: GSI is open for business, although most of us are working remotely. I'm available by phone or email, as always. I appreciate your patience. Be well.

This email contains information that may be confidential and/or a privileged work product prepared in anticipation of litigation. The information is intended to be for the use of the individual or entity named above. If you are not the intended recipient, please be aware that any disclosure, copying, distribution, or use of the contents of this information is prohibited. If you have received this communication in error, please notify me by phone or email.

RECEIVED

JAN 14 2022

OWRD