

# Application for Permit Amendment

## Part 1 of 5 – Minimum Requirements Checklist



Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266  
(503) 986-0900  
www.oregon.gov/OWRD

**This permit amendment application will be returned if Parts 1 through 5 and all required attachments are not completed and included.**  
For questions, please call (503) 986-0900, and ask for Transfer Section.

**RECEIVED**

**JAN 27 2022**

Check all items included with this application. (N/A = Not Applicable)

**OWRD**

- Part 1 – Completed Minimum Requirements Checklist.
- Part 2 – Completed Application Map Checklist.
- Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at:  
[http://apps.wrd.state.or.us/apps/misc/wrd\\_fee\\_calculator](http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator).
- Part 4 – Completed Applicant Information and Signature.
- Part 5 – Information about Permits to be Amended: **Number of permits to be amended: 1**  
**List the Permits here: G-16352**  
Please include a separate Part 5 for each permit. (See instructions on page 6)
- Completed Permit Amendment Application Map (Does not have to be prepared by a Certified Water Right Examiner).
- N/A Request for Assignment Form and statutory fee. The request for assignment form has to be completed if the applicant is **not** the permit holder of record and needs to be assigned to the permit; **or** the landowner of the proposed place of use is **not** the permit holder of record and needs to be assigned to the permit (the Request for Assignment Form is available online at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>). Assignment is not needed if the applicant is the permit holder of record. **ASSIGNMENTS HAVE BEEN MADE AND ARE RECORDED FOR PERMIT G-16352 (SUBJECT OF THIS APPLICATION) AND FOR PERMIT R-15047 (UNRELATED TO THIS APPLICATION). OWRD LETTER OF RECORDING ACCOMPANIES THIS APPLICATION**
- N/A Affidavit(s) of Consent are required from all permit holder(s) of record if the permit is not assigned to the applicant **or** other permit holders of record that are not listed as applicants.
- N/A Oregon Water Resources Department’s Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.
- N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500 feet from the surface water source and more than 1000 feet upstream or downstream from the point of diversion. (ORS 540.531(2) or (3)).

**(For Staff Use Only)**

**WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):**

<input type="checkbox"/> Application fee not enclosed/insufficient <input type="checkbox"/> Land Use Form not enclosed or incomplete <input type="checkbox"/> Additional signature(s) required Other/Explanation _____	<input type="checkbox"/> Map not included or incomplete <input type="checkbox"/> Part _____ is incomplete
---	--

13905

Staff: \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

Revised 7/

503-

Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

Your permit amendment application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

RECEIVED

JAN 27 2022

OWRD

- N/A If **more than three** permits are involved, separate maps for each permit.
- Permanent quality printed with dark ink on good quality paper.
- The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- A north arrow, a legend, and scale.
- The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- Existing place of use that includes separate hachuring for each water use permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the permit is being changed, a separate hachuring is needed for the portion of the permit left unchanged.
- N/A If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water use permit.
- N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32’15.5”) or degrees-decimal with five or more digits after the decimal (example – 42.53764°).



**Applicant Information**

JAN 27 2022

APPLICANT/BUSINESS NAME JASPER COUNTY LLC		PHONE NO. (541) 480-2662	ADDITIONAL CONTACT NO.
ADDRESS 2544 NW OVERTON STREET		FAX NO.	
CITY PORTLAND	STATE OR	ZIP 97210	E-MAIL DANETOMSETH@GMAIL.COM
<p><b>By providing an e-mail address, consent is given to receive all correspondence from the Department electronically. Copies of the final order documents will also be mailed.</b></p>			

**Agent Information** – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME DAVID NEWTON/H.A. MCCOY ENGINEERING & SURVEYING, LLC		PHONE NO. (541) 325-3905	ADDITIONAL CONTACT NO.
ADDRESS 1180 SW LAKE ROAD		FAX NO.	
CITY REDMOND	STATE OREGON	ZIP 97756	E-MAIL DNEWTON@NEWTONCONSULTANTS.COM
<p><b>By providing an e-mail address, consent is given to receive all correspondence from the Department electronically. Copies of the final order documents will also be mailed.</b></p>			

Explain in your own words what you propose to accomplish with this permit amendment; and why: Replace three existing wells #1, #3 and #4 authorized as Points of Appropriation (POA's) under Permit G-16352 with new constructed wells #7, #8 and #9 as replacement POA's. New replacement wells were constructed with seal depths approved by the OWRD groundwater section staff based on geologic and groundwater reviews and related consultations between Agent and OWRD groundwater section staff. Groundwater section staff also concluded new wells pump from the same aquifer as the original wells. The new wells replace original wells authorized as POA's under permit G-16352 and the permit must be amended to show the new wells #7, #8 and #9 as authorized POA's under the permit.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Is the applicant the permit holder of record?  Yes  No

If NO, include either:

- A completed assignment form (with required statutory assignment fee), assigning all or a portion of the permit to the applicant(s), OR
- An affidavit of consent from the permit holder(s) of record that gives permission for the applicant to amend the permit.

**ASSIGNMENTS ARE RECORDED FOR PERMIT G-16352 (SUBJECT OF THIS APPLICATION) AND FOR PERMIT R-15047 (UNRELATED TO THIS APPLICATION) AS EVIDENCED BY ENCLOSED OWRD LETTER DATED NOVEMBER 9, 2021**

Has the Completion ("C") Date of the permit(s) in this application expired?  Yes  No


If YES, this application will not be accepted by the Department.

If NO, what are the completion dates of the permit(s)? **OCTOBER 1, 2027 (APPROVED TIME EXTENSION BY FINAL ORDER DATED FEBRUARY 7, 2019, ATTACHED HERETO).**

- If the permit completion date expires while the Permit Amendment Application is pending, the Department will not approve the Permit Amendment Application until an Extension of Time Application is approved for the permit.
- You may consider using the Reimbursement Authority process to expedite the processing of this Permit Amendment Application if the completion date of the permit expires within 6 months of the date of filing this application.

By my signature below, I confirm that I understand:

- Prior to Department approval of the permit amendment, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the permit is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: Blue Mountain Eagle, 195 N. Canyon Blvd., John Day, Oregon 97845



I (we) affirm that the information contained in this application is true and accurate.

Dane Tomseth

Applicant Signature

DANE TOMSETH  
Print Name (and Title if applicable)

11/2/2021  
Date

\_\_\_\_\_  
Applicant Signature

\_\_\_\_\_  
Print Name (and Title if applicable)

\_\_\_\_\_  
Date

RECEIVED

JAN 27 2022

OWRD

**Check one of the following:**

- The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- The permit holder(s) of record will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to the permit holder(s) of record.

**Check the appropriate box, if applicable: NA**

- Check here if any of the permits proposed for amendment are or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME	ADDRESS	<b>RECEIVED</b>	
CITY	STATE	ZIP	<b>JAN 27 2022</b>

- Check here if water for any of the permits supplied under a water service agreement <sup>QWRD</sup> or other contract for stored water with a federal agency or other entity.

ENTITY NAME	ADDRESS		
CITY	STATE	ZIP	



To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME WHEELER COUNTY	ADDRESS 701 ADAMS STREET, SUITE 203		
CITY FOSSIL	STATE OREGON	ZIP 97830	

ENTITY NAME	ADDRESS		
CITY	STATE	ZIP	

ENTITY NAME	ADDRESS		
CITY	STATE	ZIP	

**Part 5 of 5 – Water Use Permit Information**

Please use a separate Part 5 for each permit being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

**RECEIVED**

**PERMIT # G-16352**

**JAN 27 2022**

**Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)**  
(Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

**OWRD**

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
1	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	WHEE 50331	11	S	24	E	16	NE	SW	501	2491 FEET NORTH, 2367 FEET EAST OF SW CORNER SECTION 16
2	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	WHEE 50335	11	S	24	E	17	NE	SE	501	2214 FEET NORTH, 1116 FEET WEST OF SE CORNER SECTION 17
3	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	WHEE 50328	11	S	24	E	23	SE	NW	501	2167 FEET SOUTH, 2427 FEET EAST OF NW CORNER SECTION 23
4	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	WHEE 50337	11	S	24	E	13	NE	SW	501	1342 FEET NORTH, 2638 FEET EAST OF SW CORNER SECTION 17
5	AUTHORIZED	WHEE 50530	11	S	24	E	13	SE	SW	501	964 FEET NORTH, 2498 FEET EAST OF SW CORNER SECTION 13
6	AUTHORIZED	WHEE 50334	11	S	24	E	15	NE	NW	501	1092 FEET SOUTH, 1849 FEET EAST OF NW CORNER SECTION 15
7	PROPOSED REPLACEMENT, POA #1 (CORRECTED SEAL)	WHEE 50495	11	S	24	E	16	SE	NW	501	44.61575 DEGREES N -119.84825 DEGREES W
8	PROPOSED REPLACEMENT, POA #3 (CORRECTED SEAL)	WHEE 50519	11	S	24	E	23	SW	NE	501	44.60256 DEGREES N -119.80578 DEGREES W
9	PROPOSED REPLACEMENT, POA #4 & #5	WHEE 50500	11	S	24	E	13	NW	SE	501	44.61200 DEGREES N -119.78564 DEGREES W

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- Place of Use (POU)
- Point of Appropriation/Well (POA)
- Point of Diversion (POD)
- Additional Point of Appropriation (APOA)
- Additional Point of Diversion (APOD)
- Surface water POD to Ground Water POA (SW/GW)

Will all of the proposed changes affect the entire water use permit?

- Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the permit to be changed.

**For a change in place of use:**

**Does the permit holder of record own or control the land TO which the place of use is being moved?**

Yes  No **NA – NO CHANGE IN PLACE OF USE**

If NO, the landowner of the land TO which the place of use is being moved **must be assigned to the permit as a permit holder of record** by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

**Is the proposed place of use contiguous to the authorized place of use?**  Yes  No **NA – NO CHANGE IN PLACE OF USE**

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use **unless** the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

**RECEIVED**

**JAN 27 2022**

**OWRD**



Please use and attach additional pages of Table 2 as needed.  
See page 6 for instructions.

Do you have questions about how to fill-out the tables?  
Contact the Department at 503-986-0900 and ask for Transfer

**Table 2. Description of Changes to Water Use Permit # G-16352**

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.										Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.													
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) to be used (from Table 1)	Priority Date				
<b>EXAMPLE</b>																								
2	S	9	E	15	NE	NW	100		15.0	POD #1 POD #2		POU/POD	2	S	9	E	15	NW	NW	100	1	10.0	POD #5	
"	"	"	"	"	"	"	"	"	EXAMPLE	"		"	2	S	9	E	15	SW	NW	200		5.0	POD #6	
										POA #1 (WHEE 50331)	10/1/2007	POA	11	S	24	E	16	NE	SW	501			POA #7 (WHEE 50495)	10/1/2007
										POA #3 (WHEE 50328)	10/1/2007	POA	11	S	24	E	23	SE	NW	501			POA #8 (WHEE 50519)	10/1/2007
										POA #4 (WHEE 50337)	10/1/2007	POA	11	S	24	E	13	NE	SW	501			POA #9 (WHEE 50500)	10/1/2007
										POA #5 (WHEE 50330)	10/1/2007	POA	11	S	24	E	13	SE	SW	501			POA #9 (WHEE 50500)	10/1/2007
TOTAL ACRES										TOTAL ACRES														

RECEIVED

JAN 27 2022

OWRD

Additional remarks: **AMENDMENT IS TO REPLACE EXISTING POINTS OF APPROPRIATION (POA'S) 1, 3, 4 & 5 WITH NEW CONSTRUCTED WELLS (POA's 7, 8 & 9) WITH SEAL DEPTHS APPROVED BY OWRD GROUNDWATER SECTION STAFF AND FOUND BY STAFF TO WITHDRAW WATER FROM THE SAME AQUIFER, AND APPROVED BY THE OWRD WELL CONSTRUCTION STAFF. NO CHANGE IN PLACE OF USE IS BEING MADE. POA's ARE AUTHORIZED TO SUPPLY WATER TO ANY LOCATION WITHIN TOTAL PLACE OF USE ACREAGE OF 800 ACRES.**


**RECEIVED**

**JAN 27 2022**

**OWRD**

Are there other water rights certificates, water use permits or ground water registrations associated with the "from" or "to" lands?  Yes  No

If YES, list the other certificate, permit, or ground water registration numbers: \_\_\_\_\_

 If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

**For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:**

- Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: [http://apps.wrd.state.or.us/apps/gw/well\\_log/Default.aspx](http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx))

**WELL LOGS FOR CURRENTLY AUTHORIZED POA WELLS #1 (WHEE 50331), #3 (50328), #4 (WHEE 50337) & #5 (50330), AND FOR NEW CONSTRUCTED POA WELLS #7 (WHEE 50495), #8 (WHEE 50519) AND #9 (WHEE 50500) ARE INCLUDED WITH THIS APPLICATION**

**AND/OR**

- Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

**Table 3. Construction of Point(s) of Appropriation**

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

PROPOSED or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
POA #7 WHEE 50495 (REPLACES POA #1)	YES	L-135223	456 FT	10 INCHES	+2' TO 456'	0' TO 456'	396' TO 456'	131'	CLAYSTONE, FRACTURED CLAYSTONE	400 GPM
POA #8 WHEE 50519 (REPLACES POA #3)	YES	L-135221	435 FT	10 INCHES	+3' TO 435'	0' TO 140'	180' TO 200' 220' to 240' 240' to 260' 280' to 320' 360' to 420'	12'	CLAYSTONE, BROKEN CLAYSTONE	120 GPM

RECEIVED

JAN 27 2022

PROPOSED or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-___	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
POA #9 WHEE 50500 (REPLACES POA #4 & #5)	YES	L-135286	456 FT	8 INCHES	+1.5' TO 38.5'	0' TO 38.5'	NONE	74'	FRACTURED CLAYSTONE	45 GPM

**NOTE: THESE ARE NEW CONSTRUCTED WELLS THAT WERE SEALED ACCORDING TO A WELL SEAL PLAN PREPARED BY AGENT, AND THROUGH CONSULTATIONS WITH OWRD HYDROGEOLOGIST BASED ON WELL SEAL PLAN THAT IS RESPONSIBLE FOR WHEELER COUNTY GROUNDWATER ISSUES. THE NEW CONSTRUCTED WELLS WERE ALSO CONCLUDED TO WITHDRAW WATER FROM THE SAME AQUIFER AS THE ORIGINAL WELLS**

**RECEIVED**

**JAN 27 2022**

**OWRD**

# Land Use Information Form



Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266  
(503) 986-0900  
www.oregon.gov/OWRD

RECEIVED

JAN 27 2022

## NOTE TO APPLICANTS

OWRD

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

**This form is NOT required if:**

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; **OR**
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and **all** of the following apply:
  - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
  - b) The application involves a change in place of use only;
  - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; and
  - d) The application involves irrigation water uses only.

## NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

# Land Use Information Form



Oregon Water Resources Department  
 725 Summer Street NE, Suite A  
 Salem, Oregon 97301-1266  
 (503) 986-0900  
 www.oregon.gov/OWRD

RECEIVED

JAN 27 2022

Applicant(s): JASPER COUNTY, LLC

Mailing Address: 2544 OVERTON STREET

City: PORTLAND

State: OREGON Zip Code: 97210

Daytime Phone: (541) 480-2662

OWRD

**A. Land and Location** SEE ATTACHED TABLE "LAND AND LOCATION" PAGES 1 AND 2

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	AGRICULTURAL
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	AGRICULTURAL
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	AGRICULTURAL
_____	_____	_____	_____	_____	_____	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	_____

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

WHEELER

**B. Description of Proposed Use**

Type of application to be filed with the Water Resources Department:

- Permit to Use or Store Water  
  Water Right Transfer  
  Permit Amendment or Ground Water Registration Modification  
 Limited Water Use License  
  Allocation of Conserved Water  
  Exchange of Water

Source of water:  Reservoir/Pond  
 Ground Water  
 Surface Water (name) \_\_\_\_\_

Estimated quantity of water needed: 10  
 cubic feet per second  
 gallons per minute  
 acre-fee

Intended use of water:  Irrigation  
 Commercial  
 Industrial  
 Domestic for \_\_\_\_\_ household(s)  
 Municipal  
 Quasi-Municipal  
 Instream  
 Other \_\_\_\_\_

Briefly describe:

Three new constructed wells replace three improperly sealed wells to continue supplying irrigation water for irrigation use under an existing groundwater permit issued by the Oregon Water Resources Dept. on July 10, 2008.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

RECEIVED

JAN 27 2022

For Local Government Use Only

OWRD

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

[X] Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): Ordinance NO. 80-02, § 3 (h); WCZO § 3.1 (a)

[ ] Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being pursued."

Table with 3 columns: Type of Land-Use Approval Needed, Cite Most Significant, Applicable Plan Policies & Ordinance Section References, and Land-Use Approval (Obtained, Denied, Being Pursued, Not Being Pursued).

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Empty rectangular box for local government comments.

Name: Matt Davis Title: Planning Director

Signature: [Handwritten Signature] Phone: 541-763-2126 Date: 01-12-2022

Government Entity: Wheeler County Planning Department

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.



Receipt for Request for Land Use Information

Applicant name: \_\_\_\_\_

City or County: \_\_\_\_\_ Staff contact: \_\_\_\_\_

Signature: \_\_\_\_\_ Phone: \_\_\_\_\_ Date: \_\_\_\_\_



# Oregon

Kate Brown, Governor

Water Resources Department  
North Mall Office Building  
725 Summer St NE, Ste A  
Salem, OR 97301  
Phone: 503-986-0900  
Fax: 503-986-0904  
[www.Oregon.gov/OWRD](http://www.Oregon.gov/OWRD)

November 9, 2021

Dane Matthew Tomseth  
Jasper County, LLC  
2544 NW Overton St  
Portland, OR 97210

Reference: Application G-16936, Permit G-16352  
Reference: Application R-87490, Permit R-15407

The assignments from 4 DSD, LLC to Jasper County, LLC have been recorded in the records of the Water Resources Department.

The Departments records will now show Jasper County, LLC as the permit of record.

Our records have been changed accordingly and the original requests are enclosed. Receipt numbers 136560 and 136664 covering the recording fees is also enclosed.

A permit is not a perfected water right, and has conditions and timelines that must be satisfied prior to a Certificate of Water Right being issued. Please review the permits to be familiar with the conditions and timelines contained in the permits.

Please note that these permits require complete application of water to the proposed use by October 1, 2027, for Application G-16936, Permit G-16352, and August 28, 2024, for Application R-87490, Permit R-15407, and within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Sincerely,

Mary F. Bjork  
Water Rights Program Analyst  
Water Right Services Division

Enclosure: Original Request and Receipt #136560

cc: 4 DSD, LLC – 1380 East Ave 124-181, Chico, CA 95926  
Data Center, OWRD (cover letter & request)  
File

RECEIVED

JAN 27 2022

OWRD

13905





# Request for Assignment



Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266  
(503) 986-0900  
www.oregon.gov/owrd

If the Department determines that the application is incomplete, fees have not been paid, or the required documents are not acceptable, the application and all fees submitted will be returned to the applicant.

If for multiple rights, a separate form and fee for each right will be required.

I, 4030 LLC  
(Name of Current Holder of Record)  
1520 East Ave 124-181 CHIC CA 95926 530-223-1100  
(Mailing Address) (City) (State) (Zip) (Phone #)

hereby assign all my interest in and to the entire application/permit/transfer order/limited license/groundwater statement; (example, sold all the land authorized under the right)

hereby assign all my interest in and to a portion of application/permit/transfer order/limited license/groundwater statement; (You must include a map showing the portion of the application/permit/transfer order/limited license/groundwater statement to be assigned. Example, sold a portion of the land authorized under the right)

hereby assign a portion of my interest in and to the entire application/permit/transfer order/limited license/groundwater statement; (example, adding an additional person)

Application # G-16936 ; Permit # G-16352 ; Transfer Order # \_\_\_\_\_

Limited License # \_\_\_\_\_ ; Groundwater Statement # \_\_\_\_\_

as filed in the office of the Water Resources Director, to:

Jasper County, LLC  
(Name of New Owner)  
2544 NW Overton St Portland, OR 97210 541-480-2662  
(Mailing Address) (City) (State) (Zip) (Phone #)

Note: If there are other owners of the property described in the application, permit, transfer order, limited license, or groundwater statement, you must provide a list of all other owners' names and mailing addresses and attach it to this form. Write the initials (first letters) of your first and last names at the spot indicated below.

I hereby certify that I have notified all other owners of the property described in this application, permit, transfer order, limited license, or groundwater statement of this Request of Assignment.

Witness my hand this 13 day of Jan, 2021  
(Day) (Month) (Year)

Signature of Current Holder of Record 4030 LLC

Failure to provide any of the required information will result in the return of your application.

This certifies assignment and record change at Oregon Water Resources Department effective 8:00 a.m. on date of receipt at Salem, Oregon.

Fee receipt # 136500  
For Director by Mary F. Bjork, Program Analyst in Water Rights Division. MFB

The completed "Request for Assignment" form must be submitted to the Department along with the recording fee of \$120.

RECEIVED

OCT 21 2021

OWRD

1202-02-01 BSM  
Dreddy - M.F. 1554

New Message

New Message

13905

RECEIVED

JAN 27 2022

OWRD

# Request for Assignment



Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266  
(503) 986-0900  
[www.oregon.gov/owrd](http://www.oregon.gov/owrd)

If the Department determines that the application is incomplete, fees have not been paid, or the required documents are not acceptable, the application and all fees submitted will be returned to the applicant.

If for multiple rights, a separate form and fee for each right will be required.

I, YDSO LLC  
(Name of Current Holder of Record)  
1510 East Main 124-111 CHICO CA 95926 530-223-1100  
(Mailing Address) (City) (State) (Zip) (Phone #)

- hereby assign all my interest in and to the entire application/permit/transfer order/limited license/groundwater statement; (example, sold all the land authorized under the right)
- hereby assign all my interest in and to a portion of application/permit/transfer order/limited license/groundwater statement; (You must include a map showing the portion of the application/permit/transfer order/limited license/groundwater statement to be assigned. Example, sold a portion of the land authorized under the right)
- hereby assign a portion of my interest in and to the entire application/permit/transfer order/limited license/groundwater statement; (example, adding an additional person)

Application # R-87440; Permit # R-15407; Transfer Order # \_\_\_\_\_  
Limited License # \_\_\_\_\_; Groundwater Statement # \_\_\_\_\_

as filed in the office of the Water Resources Director, to:

Jasper County LLC  
(Name of New Owner)  
2544 NW Overton St Portland, OR 97210 541-480-2662  
(Mailing Address) (City) (State) (Zip) (Phone #)

Note: If there are other owners of the property described in the application, permit, transfer order, limited license, or groundwater statement, you must provide a list of all other owners' names and mailing addresses and attach it to this form. Write the initials (first letters) of your first and last names at the spot indicated below.

\_\_\_\_\_ I hereby certify that I have notified all other owners of the property described in this application, permit, transfer order, limited license, or groundwater statement of this Request of Assignment.

Witness my hand this 13 day of Jan, 2021  
(Day) (Month) (Year)

Signature of Current Holder of Record YDSO LLC

Failure to provide any of the required information will result in the return of your application.

Assign - Approve  
YBB 11-9-2021

RECEIVED  
NOV 08 2021  
OWRD  
RECEIVED  
JAN 27 2022  
OWRD

This certifies assignment and record change at Oregon Water Resources Department effective 8:00 a.m. on date of receipt at Salem, Oregon.

Fee receipt # 136664  
For Director by Mary F. Bjork, Program Analyst in Water Rights Division. MFB

The completed "Request for Assignment" form must be submitted to the Department along with the recording fee of \$120.

New Message

New Message

13905

**STATE OF OREGON  
WATER RESOURCES DEPARTMENT**

RECEIPT # **136560**

725 Summer St. N.E. Ste. A  
SALEM, OR 97301-4172  
(503) 986-0900 / (503) 986-0904 (fax)

INVOICE # \_\_\_\_\_

RECEIVED FROM: Dave Matthew Tomseth

APPLICATION	G 110936
PERMIT	
TRANSFER	

BY: \_\_\_\_\_

CASH:  CHECK:#  1084 OTHER: (IDENTIFY)  \_\_\_\_\_

TOTAL REC'D \$ 120.00

**1083 TREASURY 4170 WRD MISC CASH ACCT**

0407 COPIES \$ \_\_\_\_\_  
 \_\_\_\_\_ OTHER: (IDENTIFY) \$ \_\_\_\_\_  
 0243 I/S Lease \_\_\_\_\_ 0244 Muni Water Mgmt. Plan \_\_\_\_\_ 0245 Cons. Water \_\_\_\_\_

**4270 WRD OPERATING ACCT**

**MISCELLANEOUS**  
 0407 COPY & TAPE FEES  
 0410 RESEARCH FEES  
 0408 MISC REVENUE: (IDENTIFY)  
 TC162 DEPOSIT LIAB. (IDENTIFY)  
 0240 EXTENSION OF TIME  
**WATER RIGHTS:**  
 0201 SURFACE WATER  
 0203 GROUND WATER  
 0205 TRANSFER  
**WELL CONSTRUCTION**  
 0218 WELL DRILL CONSTRUCTOR  
 LANDOWNER'S PERMIT

**41611 RECEIVED  
 JAN 27 2022**

<b>EXAM FEE</b>	
\$	
\$	
\$	
<b>EXAM FEE</b>	
\$	

\$
\$
\$
\$
\$
<b>RECORD FEE</b>
\$
\$
<b>LICENSE FEE</b>
\$
\$

0250 OTHER (IDENTIFY) Assignment \$ 120.00

**0536 TREASURY 0437 WELL CONST. START FEE**

0211 WELL CONST START FEE \$ \_\_\_\_\_ CARD# \_\_\_\_\_  
 0210 MONITORING WELLS \$ \_\_\_\_\_ CARD# \_\_\_\_\_  
 \_\_\_\_\_ OTHER (IDENTIFY) \_\_\_\_\_

**STATE OF OREGON  
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A  
SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **136664**

INVOICE # \_\_\_\_\_

RECEIVED FROM: Dave Matthew Tomseth

BY: \_\_\_\_\_

APPLICATION	R-87410
PERMIT	
TRANSFER	

CASH:  CHECK:#  1089 OTHER: (IDENTIFY)  \_\_\_\_\_

TOTAL REC'D	\$ 120.00
-------------	-----------

**1083 TREASURY 4170 WRD MISC CASH ACCT**

0407 COPIES \$ \_\_\_\_\_  
 \_\_\_\_\_ OTHER: (IDENTIFY) \_\_\_\_\_ \$ \_\_\_\_\_  
 0243 I/S Lease \_\_\_\_\_ 0244 Muni Water Mgmt. Plan \_\_\_\_\_ 0245 Cons. Water \_\_\_\_\_

**4270 WRD OPERATING ACCT**

**MISCELLANEOUS** 46111

0407 COPY & TAPE FEES RECEIVED \$ \_\_\_\_\_  
 0410 RESEARCH FEES JAN 27 2028 \$ \_\_\_\_\_  
 0408 MISC REVENUE: (IDENTIFY) \_\_\_\_\_ OWRD \$ \_\_\_\_\_  
 TC162 DEPOSIT LIAB... (IDENTIFY) \_\_\_\_\_ \$ \_\_\_\_\_  
 0240 EXTENSION OF TIME \_\_\_\_\_ \$ \_\_\_\_\_

**WATER RIGHTS:**

EXAM FEE	\$ _____
0202 SURFACE WATER	\$ _____
0203 GROUND WATER	\$ _____
0205 TRANSFER	\$ _____
EXAM FEE	\$ _____
0219 WELL DRILL CONSTRUCTOR	\$ _____
0220 LANDOWNER'S PERMIT	\$ _____

0201 SURFACE WATER \$ \_\_\_\_\_  
 0203 GROUND WATER \$ \_\_\_\_\_  
 0205 TRANSFER \$ \_\_\_\_\_

**WELL CONSTRUCTION**

0218 WELL DRILL CONSTRUCTOR \$ \_\_\_\_\_  
 LANDOWNER'S PERMIT \$ \_\_\_\_\_

0220 OTHER (IDENTIFY) Assignment \$120.00

**0536 TREASURY 0437 WELL CONST. START FEE**

0211 WELL CONST START FEE \$ \_\_\_\_\_ CARD# \_\_\_\_\_  
 0210 MONITORING WELLS \$ \_\_\_\_\_ CARD# \_\_\_\_\_  
 \_\_\_\_\_ OTHER (IDENTIFY) \_\_\_\_\_

RECEIVED

JAN 27 2022

OWRD

**Oregon Water Resources Department  
Water Right Services Division**

**Application for Extension of Time**

In the Matter of the Application for an Extension of Time )  
for Permit G-16352, Water Right Application G-16936, in )  
the name of 4-DSD, LLC ) **FINAL  
ORDER**

---

Permit Information

Application: G-16936  
Permit: G-16352  
Basin: 6 – John Day / Watermaster District 4  
Date of Priority: October 1, 2007  
Source of Water: Well 1 (WHEE 50331), Well 2 (WHEE 50335) and Well 6 (WHEE 50334) in Willow Creek Basin; Well 3 (WHEE 50328) in Tubb Creek Basin; and Well 4 (WHEE 50337) and Well 5 (WHEE 50330) in Indian Creek Basin  
Purpose or Use: Irrigation use on 800.0 acres  
Maximum Rate: 10.0 cubic feet per second (cfs)

---

This Extension of Time request is being processed in accordance with Oregon Revised Statute 537.630 and 539.010(5), and Oregon Administrative Rule Chapter 690, Division 315.

Appeal Rights

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Application History

Permit G-16352 was issued by the Department on July 10, 2008. The permit specified completion of construction by October 1, 2012, and complete application of water to beneficial use by October 1, 2012. The most recent extension authorized completion of construction and complete application of water to beneficial use by October 1, 2019. On October 23, 2019, 4-DSD, LLC submitted an Application for Extension of Time for Permit G-16352. In accordance with OAR 690-315-0050(2), on December 3, 2019, the Department issued a Proposed Final Order proposing to extend the time to complete construction to October 1, 2027, and the time to fully apply water to beneficial use to October 1, 2027. The protest period closed January 19, 2020, in accordance with OAR 690-315-0060(1). No protest was filed.

RECEIVED

JAN 27 2022

OWRD

## FINDINGS OF FACT

The Department adopts and incorporates by reference the findings of fact in the Proposed Final Order dated December 3, 2019.

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, any comments received, and information within the file, the permit may be extended subject to the following condition:

### LIMITATIONS AND CONDITIONS

1. **Permit Amendment Condition**

The use of water from under Permit G-16352 is subject to this Condition.

The permit holder shall submit a Permit Amendment Application, requesting authorization of wells constructed as replacement for the well specified in Permit G-16352. No water may be appropriated from the replacement wells unless approved.

2. **Checkpoint Condition**

The permit holder must submit a completed Progress Report Form to the Department by **October 1, 2025**. *A form will be enclosed with your Final Order.*

- (a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;
- (b) The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.

### CONCLUSION OF LAW

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.630, 539.010(5) and OAR 690-315-0040(2).

RECEIVED

JAN 27 2022

**ORDER**

**OWRD**

The extension of time for Application G-16936, Permit G-16352, therefore, is approved subject to conditions contained herein. The deadline for completing construction is extended from October 1, 2019, to October 1, 2027. The deadline for applying water to full beneficial use within the terms and conditions of the permit is extended from October 1, 2019, to October 1, 2027.

DATED: February 7, 2019



Dwight French  
Water Right Services Division Administrator, for  
Thomas M. Byler, Director  
Oregon Water Resources Department

- 
- If you have any questions about statements contained in this document, please contact the Permit Extension Specialist at 986-0802.
  - If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at (503) 986-0900
-

JAN 27 2022



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Extension of Time
Progress Report Form
For Checkpoints

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT

Permit Holder: 4-DSD, LLC

Application G-16936

Permit G-16352

Progress Report for 2025

Report Due no later than October 1, 2025

DO NOT SUBMIT PRIOR TO 30 DAYS BEFORE DUE DATE

As authorized in ORS 690-315-0050(6), this progress report is required in order to ensure diligence is exercised in the development and perfections of Permit G-16352.

Table with 3 columns: DATES, LIST ALL WORK ACCOMPLISHED and FINANCIAL INVESTMENTS For the period of time between October 23, 2019 and October 1, 2025, FINANCIAL INVESTMENT

Use back of form if needed

2. Identify the date compliance with the following conditions have been satisfied for each well authorized by the permit or an approved permit amendment.

Table with 8 columns: Well 1, Well 2, Well 3, Well 4, Well 5, Well 6, and two empty columns. Rows include: Authorized by permit or permit amendment, 350' casing and seal, Meter installed, March static water level measured.

If conditions have not been complied with, please provide an explanation and a date when compliance will be achieved.

3. Total number of acres irrigated to date: \_\_\_\_\_

Total acres irrigated per well,

Well 1 \_\_\_\_\_ Well 2 \_\_\_\_\_ Well 3 \_\_\_\_\_ Well 4 \_\_\_\_\_ Well 5 \_\_\_\_\_ Well 6 \_\_\_\_\_

continued on following page

13905

Diligence Shown [ ] Yes [ ] No Date Public Noticed: \_\_\_\_\_ For OWRD use only Reviewed by: \_\_\_\_\_ Date: \_\_\_\_\_



4. Provide the maximum rate, or duty if applicable, of water diverted for beneficial use under this permit, if any, to date.

Maximum rate used to date = \_\_\_\_\_ cfs

Maximum Rate per well:

Well 1 \_\_\_\_\_ Well 2 \_\_\_\_\_ Well 3 \_\_\_\_\_ Well 4 \_\_\_\_\_ Well 5 \_\_\_\_\_ Well 6 \_\_\_\_\_

*Report the rate in the same units of measurement as specified in the permit, being cfs (cubic feet per second), gpm (gallons per minute) or AF (acre-feet). Do not provide daily, monthly, or annual water volume totals.*

**INCOMPLETE REPORTS WILL BE RETURNED. AN ANSWER IS REQUIRED IN EACH ITEM. FAILURE TO SUBMIT THIS REPORT WILL MOST LIKELY RESULT IN ANY FUTURE EXTENSION BEING DENIED.**

Signature \_\_\_\_\_ Date \_\_\_\_\_

Printed Name/Title \_\_\_\_\_

RECEIVED  
JAN 27 2022  
OWRD

13905

Diligence Shown  Yes  No Date Public Noticed: \_\_\_\_\_  
*For OWRD use only*  
Reviewed by: \_\_\_\_\_ Date: \_\_\_\_\_

Mailing List for Extension FO Copies

FO Date: February 7, 2019

Copies Mailed

Application: G-16936

By: \_\_\_\_\_

Permit: G-16352

On: \_\_\_\_\_

Original mailed to permit holder

4-DSD, LLC  
175 Phillips Rd.  
Woodside, CA 94062

RECEIVED

JAN 27 2022

OWRD

Copies sent to:

1. WRD - App. File G-16936/ Permit G-16352
2. David Newton  
H.A. McCoy Engineering and Surveying  
1180 SW Lake Rd.  
Redmond, OR 97756

Fee paid as specified under ORS 536.050 to receive copy:

3. None

Receiving notification via e-mail - FO available in WRIS for review  
(DONE BY EXTENSION SPECIALIST)

4. WRD - Watermaster District 4, Eric Julsrud

CASEWORKER: JDP

13905

REPLACED BY WHEE 50495 WITH APPROVED SEAL

AUTHORIZED ORIGINAL POA #1

WHEE 50331

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

07-24-2007

WELL LABEL # L 91166

START CARD # 1001414

(1) LAND OWNER Owner Well I.D. 1 First Name CASEY Last Name SAFRENO Company 4DSD,LLC Address 175 PHILLIP RD City WOODSIDE State CA Zip 94062

(2) TYPE OF WORK [X] New Well [ ] Deepening [ ] Conversion [ ] Alteration (repair/recondition) [ ] Abandonment

(3) DRILL METHOD [X] Rotary Air [ ] Rotary Mud [ ] Cable [ ] Auger [ ] Cable Mud [ ] Reverse Rotary [ ] Other

(4) PROPOSED USE [X] Domestic [ ] Irrigation [ ] Community [ ] Industrial/ Commercial [ ] Livestock [ ] Dewatering [ ] Thermal [ ] Injection [ ] Other

(5) BORE HOLE CONSTRUCTION Special Standard [ ] Attach copy Depth of Completed Well 395.00 ft.

Table with columns: Dia, From, To, Material, From, To, Amt, Sacks/lbs. Row 1: 12, 0, 19, Bentonite Chips, 0, 19, 10, S

How was seal placed: Method [ ] A [ ] B [ ] C [ ] D [ ] E

[X] Other POURED DRY

Backfill placed from ft. to ft. Material

Filter pack from ft. to ft. Material Size

Explosives used: [ ] Yes Type Amount

(6) CASING/LINER

Table with columns: Casing, Liner, Dia, From, To, Gauge, Stl, Plstc, Wld, Thrd. Row 1: 8, 1, 19, .250

Shoe [ ] Inside [ ] Outside [ ] Other Location of shoe(s)

Temp casing [ ] Yes Dia From To

(7) PERFORATIONS/SCREENS

Perforations Method

Screens Type Material

Table with columns: Perf/ Screen, Casing/ Liner, Dia, From, To, Scrn/slot width, Slot length, # of slots, Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

[ ] Pump [ ] Bailer [X] Air [ ] Flowing Artesian

Table with columns: Yield gal/min, Drawdown, Drill stem/Pump depth, Duration (hr). Row 1: 400, 395, 1

Temperature 65 °F Lab analysis [ ] Yes By

Water quality concerns? [ ] Yes (describe below)

Table with columns: From, To, Description, Amount, Units

(9) LOCATION OF WELL (legal description)

County Wheeler Twp 11.00 S N/S Range 24.00 E E/W WM Sec 16 SW 1/4 of the SW 1/4 Tax Lot 501

NON ASSIGNED WELL #1

(10) STATIC WATER LEVEL

Table with columns: Existing Well / Predeepening, Date, SWL (psi), SWL (ft). Row 1: Completed Well, 07-11-2007, 6, 13.9

Flowing Artesian? [X] Dry Hole? [ ]

WATER BEARING ZONES

Depth water was first found 375

Table with columns: SWL Date, From, To, Est Flow, SWL (psi), SWL (ft). Row 1: 07-11-2007, 375, 395, 400, 6, 13.9

(11) WELL LOG

Ground Elevation

Table with columns: Material, From, To. Rows include Claystone Brown, Claystone Green, Claystone Gray, Claystone Red, Claystone Gray Fractured

Date Started 07-10-2007 Completed 07-11-2007

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number 1831 Date 07-24-2007

Electronically Filed Signed ALLEN R PECK (E-filed)

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 1720 Date 07-24-2007

Electronically Filed Signed JACK ABBAS (E-filed)

Contact Info (optional)

13905

REPAIRED BY WHEEL 50328  
WITH APPROVED SEAL

AUTHORIZED ORIGINAL  
FOA # 3

WHEEL 50328

STATE OF OREGON  
WATER SUPPLY WELL REPORT  
(as required by ORS 537.765 & OAR 690-205-0210)

07-24-2007

WELL LABEL # L 91175  
START CARD # 1001418

(1) LAND OWNER Owner Well I.D. 5  
First Name CASEY Last Name SAFRENO  
Company 4DSD,LLC  
Address 175 PHILLIP RD  
City WOODSIDE State CA Zip 94062

(2) TYPE OF WORK  New Well  Deepening  Conversion  
 Alteration (repair/recondition)  Abandonment

(3) DRILL METHOD  
 Rotary Air  Rotary Mud  Cable  Auger  Cable Mud  
 Reverse Rotary  Other

(4) PROPOSED USE  Domestic  Irrigation  Community  
 Industrial/ Commercial  Livestock  Dewatering  
 Thermal  Injection  Other

(5) BORE HOLE CONSTRUCTION Special Standard  (Attach copy)  
Depth of Completed Well 450.00 ft.

BORE HOLE			SEAL			sacks/	
Dia	From	To	Material	From	To	Amt	lbs
12	0	49	Bentonite Chips	0	49	28	S
8	49	450					

How was seal placed: Method  A  B  C  D  E

Other POURED DRY

Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_

Filter pack from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_ Size \_\_\_\_\_

Explosives used:  Yes Type \_\_\_\_\_ Amount \_\_\_\_\_

(6) CASING/LINER

Casing	Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	8	<input checked="" type="checkbox"/>	2	49	.250	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Shoe  Inside  Outside  Other Location of shoe(s) \_\_\_\_\_

Temp casing  Yes Dia \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

(7) PERFORATIONS/SCREENS

Perforations Method \_\_\_\_\_

Screens Type \_\_\_\_\_ Material \_\_\_\_\_

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Scm/slot width	Slot length	# of slots	Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

<input type="radio"/> Pump	<input type="radio"/> Bailor	<input checked="" type="radio"/> Air	<input type="radio"/> Flowing Artesian
Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
300		450	1

Temperature 65 °F Lab analysis  Yes By \_\_\_\_\_

Water quality concerns?  Yes (describe below)

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)

County Wheeler Twp 11.00 S N/S Range 24.00 E E/W WM  
Sec 23 SE 1/4 of the SE 1/4 Tax Lot 501  
Tax Map Number \_\_\_\_\_ Lot \_\_\_\_\_  
Lat 44 °36 '144 " or 44.64000000 DMS or DD  
Long -119 °48 '358 " or -119.89944444 DMS or DD  
 Street address of well  Nearest address

NON ASSIGNED WELL#5

(10) STATIC WATER LEVEL

Existing Well / Predeepening	Date	SWL(psi)	+	SWL(ft)
Completed Well	07-18-2007	15	<input checked="" type="checkbox"/>	34.6

Flowing Artesian?  Dry Hole?

WATER BEARING ZONES Depth water was first found 420

SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)
07-18-2007	420	450	60	15	<input checked="" type="checkbox"/>	34.6

(11) WELL LOG

Ground Elevation \_\_\_\_\_

Material	From	To
Clay Brown	0	6
Clay Green	6	40
Claystone Gray	40	56
Claystone Brown	56	78
Claystone Green	78	107
Claystone Brown	107	136
Claystone Green	136	205
Claystone Gray	205	238
Claystone Green	238	293
Claystone Gray Fractured	293	338
Claystone Green	338	346
Claystone Green Fractured	346	450

RECEIVED

JAN 27 2022

OWRD

Date Started 07-17-2007 Completed 07-18-2007

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number 1852 Date 07-24-2007

Electronically Filed  
Signed JEB W ABBAS (E-filed)

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1720 Date 07-24-2007

Electronically Filed  
Signed JACK ABBAS (E-filed)

Contact Info (optional)

13905



REPLACED BY WHEEL 50330  
WITH APPROVED SEAL

WHEEL 50330  
07-24-2007

AUTHORIZED ORIGINAL POA #5

STATE OF OREGON  
WATER SUPPLY WELL REPORT  
(as required by ORS 537.765 & OAR 690-205-0210)

WELL LABEL # L 91169

START CARD # 1001417

(1) LAND OWNER Owner Well I.D. 4  
First Name CASEY Last Name SAFRENO  
Company 4DSD,LLC  
Address 175 PHILLIP RD  
City WOODSIDE State CA Zip 94062

(2) TYPE OF WORK  New Well  Deepening  Conversion  
 Alteration (repair/recondition)  Abandonment

(3) DRILL METHOD  
 Rotary Air  Rotary Mud  Cable  Auger  Cable Mud  
 Reverse Rotary  Other

(4) PROPOSED USE  Domestic  Irrigation  Community  
 Industrial/ Commercial  Livestock  Dewatering  
 Thermal  Injection  Other

(5) BORE HOLE CONSTRUCTION Special Standard  (Attach copy)  
Depth of Completed Well 450.00 ft.

BORE HOLE			SEAL				
Dia	From	To	Material	From	To	Amount	Units
12	0	19	Bentonite Chips	0	19	11	S
8	19	450					

How was seal placed: Method  A  B  C  D  E

Other POURED DRY

Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_

Filter pack from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_ Size \_\_\_\_\_

Explosives used:  Yes Type \_\_\_\_\_ Amount \_\_\_\_\_

(6) CASING/LINER

Casing Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
<input checked="" type="checkbox"/>	8		1	19	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Shoe  Inside  Outside  Other Location of shoe(s) \_\_\_\_\_

Temp casing  Yes Dia \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

(7) PERFORATIONS/SCREENS

Perforations Method \_\_\_\_\_

Screens Type \_\_\_\_\_ Material \_\_\_\_\_

Perf/ Screen	Casing/ Liner	Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Pump  Bailer  Air  Flowing Artesian

Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)

25		450	1
----	--	-----	---

Temperature 65 °F Lab analysis  Yes By \_\_\_\_\_

Water quality concerns?  Yes (describe below)

From To Description Amount Units


(9) LOCATION OF WELL (legal description)

County Wheeler Twp 11.00 S N/S Range 24.00 E E/W WM

Sec 24 NW 1/4 of the SE 1/4 Tax Lot 501

Tax Map Number \_\_\_\_\_ Lot \_\_\_\_\_

Lat 44 °36 '647 " or 44.77972222 DMS or DD

Long -119 °47 '135 " or -119.82083333 DMS or DD

Street address of well  Nearest address

NON ASSIGNED WELL #4

(10) STATIC WATER LEVEL

Existing Well / Predeepening	Date	SWL(psi)	+	SWL(ft)
Completed Well	07-19-2007			26

Flowing Artesian?  Dry Hole?

WATER BEARING ZONES Depth water was first found 97

SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)
07-18-2007	97	104	25			26

(11) WELL LOG

Ground Elevation \_\_\_\_\_

Material	From	To
Clay Brown	0	6
Clay Green	6	12
Claystone Green	12	25
Claystone Gray	25	40
Claystone Brown	40	43
Claystone Gray	43	97
Claystone Gray Fractured	97	104
Claystone Gray	104	232
Claystone Green	232	285
Claystone Gray	285	300
Claystone Green Fractured	300	376
Claystone Gray Fractured	376	450

RECEIVED

JAN 27 2022

OWRD

Date Started 07-18-2007 Completed 07-19-2007

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number 1852 Date 07-24-2007

Electronically Filed

Signed JEB W ABBAS (E-filed)

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1720 Date 07-24-2007

Electronically Filed

Signed JACK ABBAS (E-filed)

Contact Info (optional)

ORIGINAL - WATER RESOURCES DEPARTMENT

THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK

REPLACEMENT WELL (PDA) EA ORIGINAL  
PDA No. 1  
WHEEL 50495

STATE OF OREGON  
WATER SUPPLY WELL REPORT  
(as required by ORS 537.765 & OAR 690-205-0210)

9/19/2019

WELL I.D. LABEL# 135223  
START CARD # 1044452  
ORIGINAL LOG #

(1) LAND OWNER Owner Well I.D. 1  
First Name CASEY Last Name SAFRENO  
Company 4DSD LLC  
Address 1380 E AVE SUITE 124 PMB 181  
City CHICO State CA Zip 95926

(2) TYPE OF WORK  New Well  Deepening  Conversion  
 Alteration (complete 2a & 10)  Abandonment (complete 5a)

(2a) PRE-ALTERATION  
Dia + From To Gauge Stil Plstc Wld Thrd  
Casing:          
Material From To Amt sacks/lbs  
Seal:

(3) DRILL METHOD  
 Rotary Air  Rotary Mud  Cable  Auger  Cable Mud  
 Reverse Rotary  Other

(4) PROPOSED USE  Domestic  Irrigation  Community  
 Industrial/ Commercial  Livestock  Dewatering  
 Thermal  Injection  Other

(5) BORE HOLE CONSTRUCTION Special Standard  (Attach copy)  
Depth of Completed Well 456.00 ft.

BORE HOLE			SEAL				
Dia	From	To	Material	From	To	Amt	sacks/lbs
14	0	456	Bentonite Chips	0	2	2	S
						Calculated	1.5
			Cement	2	350	132	S
						Calculated	130

How was seal placed: Method  A  B  C  D  E  
 Other POURED DRY

Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_

Filter pack from 350 ft. to 456 ft. Material PEA GRAV Size pea gravel

Explosives used:  Yes Type \_\_\_\_\_ Amount \_\_\_\_\_

(5a) ABANDONMENT USING UNHYDRATED BENTONITE  
Proposed Amount \_\_\_\_\_ Actual Amount \_\_\_\_\_

(6) CASING/LINER  
Casing Liner Dia + From To Gauge Stil Plstc Wld Thrd  
  10  2 456 .250

Shoe  Inside  Outside  Other Location of shoe(s) \_\_\_\_\_

Temp casing  Yes Dia 16 From +  1 To 9

(7) PERFORATIONS/SCREENS  
Perforations Method MACHINE  
Screens Type \_\_\_\_\_ Material \_\_\_\_\_

Perf/ Screen	Casing/ Liner	Dia	From	To	Scm/slot width	Slot length	# of slots	Tele/ pipe size
Perf	Casing	10	396	456	.125	3	1050	

(8) WELL TESTS: Minimum testing time is 1 hour  
 Pump  Bailer  Air  Flowing Artesian

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
400		450	1

Temperature 65 °F Lab analysis  Yes By \_\_\_\_\_

Water quality concerns?  Yes (describe below) TDS amount 350 ppm

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)  
County WHEELER Twp 11.00 S N/S Range 24.00 E E/W WM  
Sec 16 SE 1/4 of the NW 1/4 Tax Lot 1700  
Tax Map Number \_\_\_\_\_ Lot \_\_\_\_\_  
Lat \_\_\_\_\_ " or 44.61575000 DMS or DD  
Long \_\_\_\_\_ " or -119.84825000 DMS or DD  
 Street address of well  Nearest address  
NON ASSIGNED, WATERMAN #2 REPLACEMENT WELL

(10) STATIC WATER LEVEL  
Date SWL (psi) + SWL (ft)  
Existing Well / Pre-Alteration \_\_\_\_\_  
Completed Well 9/16/2019 \_\_\_\_\_ 131  
Flowing Artesian?  Dry Hole?

WATER BEARING ZONES Depth water was first found 190.00

SWL Date	From	To	Est Flow	SWL (psi)	+ SWL (ft)
9/4/2019	190	195	15		140
9/5/2019	410	450	400		131

(11) WELL LOG Ground Elevation 3975.00

Material	From	To
CLAY BROWN	0	25
CLAYSTONE GRAY	25	38
CLAYSTONE BROWN	38	45
CLAYSTONE GRAY	45	50
CLAYSTONE BROWN	50	59
CLAYSTONE GRAY	59	99
CLAYSTONE BROWN	99	110
CLAYSTONE GRAY	110	121
CLAYSTONE BROWN RED	121	155
CLAYSTONE BROWN	155	255
CLAYSTONE RED	255	315
CLAYSTONE GRAY HARD FRACTURED LAYER	315	456

RECEIVED  
JAN 27 2022

Date Started 9/4/2019 Completed 9/16/2019

(unbonded) Water Well Constructor Certification  
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number 758 Date 9/19/2019  
Signed THOMAS PECK (E-filed)

(bonded) Water Well Constructor Certification  
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1720 Date 9/19/2019  
Signed JACK ABBAS (E-filed)  
Contact Info (optional)





TEST WELL FINISHED AS WHEEL 50499 FOR NEW PDA NO. 3

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

WHEEL 50499

WELL I.D. LABEL# L 135221 START CARD # 1044933 ORIGINAL LOG #

10/16/2019

(1) LAND OWNER Casey Safreno 4DSD, LLC 1380 E AVE SUITE 124 PMB 181 Chico CA 95926

(2) TYPE OF WORK New Well

(2a) PRE-ALTERATION Casing Seal

(3) DRILL METHOD Rotary Air

(4) PROPOSED USE Irrigation

(5) BORE HOLE CONSTRUCTION Table with columns: Dia, From, To, Material, From, To, Amt, lbs

How was seal placed: Other POURED DRY

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

(6) CASING/LINER Table with columns: Casing, Liner, Dia, From, To, Gauge, Stl, Plstc, Wld, Thrd

(7) PERFORATIONS/SCREENS Table with columns: Perf/Screen, Casing/Liner, Dia, From, To, Scrn/slot width, Slot length, # of slots, Tele/pipe size

(8) WELL TESTS: Minimum testing time is 1 hour. Pump, Bailer, Air, Flowing Artesian. Yield gal/min, Drawdown, Drill stem/Pump depth, Duration (hr). Temperature 59 F. Lab analysis Yes. Water quality concerns? Yes (describe below) TDS amount 289 ppm

(9) LOCATION OF WELL (legal description) County WHEELER Twp 11.00 S N/S Range 24.00 E E/W WM Sec 23 SW 1/4 of the NE 1/4 Tax Lot 501

(10) STATIC WATER LEVEL Table with columns: Date, SWL(psi), SWL(ft)

WATER BEARING ZONES Table with columns: SWL Date, From, To, Est Flow, SWL(psi), SWL(ft)

(11) WELL LOG Table with columns: Material, From, To

Date Started 9/24/2019 Completed 9/27/2019

(unbonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

Signed THOMAS PECK (E-filed) Date 10/16/2019

(bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

Signed JACK ABBAS (E-filed) Date 10/16/2019

RECEIVED

JAN 27 2022

OWRD

Amended 4/2/2020

DEPARTMENT OF WATER RESOURCES WELL (PDA) ORIGINAL  
DOA NO. 4 AND 5

STATE OF OREGON  
WATER SUPPLY WELL REPORT  
(as required by ORS 537.765 & OAR 690-205-0210)

WHEEL 50500

WELL I.D. LABEL# L

135286

START CARD #

1045286

10/20/2019

ORIGINAL LOG #

(1) LAND OWNER

Owner Well I.D. \_\_\_\_\_

First Name CASEY Last Name SAFRENO  
Company 4SDS LLC  
Address 1380 E AVE PMB 181 SUITE 124  
City CHICO State CA Zip 95926

(2) TYPE OF WORK

New Well  Deepening  Conversion

Alteration (complete 2a & 10)  Abandonment (complete 5a)

(2a) PRE-ALTERATION

Casing: Dia + From To Gauge Stl Plstc Wld Thrd  
Material From To Amt sacks/lbs  
Seal: \_\_\_\_\_

(3) DRILL METHOD

Rotary Air  Rotary Mud  Cable  Auger  Cable Mud  
 Reverse Rotary  Other \_\_\_\_\_

(4) PROPOSED USE

Domestic  Irrigation  Community  
 Industrial/ Commercial  Livestock  Dewatering  
 Thermal  Injection  Other \_\_\_\_\_

(5) BORE HOLE CONSTRUCTION

Special Standard  (Attach copy)

Depth of Completed Well 456.00 ft.

BORE HOLE			SEAL			Amt	sacks/ lbs
Dia	From	To	Material	From	To		
12	0	38.5	Bentonite Chips	0	38.5	20	S
8	38.5	456			Calculated	20	
					Calculated		

How was seal placed: Method  A  B  C  D  E  
 Other POURED DRY

Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_

Filter pack from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_ Size \_\_\_\_\_

Explosives used:  Yes Type \_\_\_\_\_ Amount \_\_\_\_\_

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount \_\_\_\_\_ Actual Amount \_\_\_\_\_

(6) CASING/LINER

Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd  
 8  1.5 38.5 .250

Shoe  Inside  Outside  Other Location of shoe(s) \_\_\_\_\_

Temp casing  Yes Dia \_\_\_\_\_ From + \_\_\_\_\_ To \_\_\_\_\_

(7) PERFORATIONS/SCREENS

Perforations Method \_\_\_\_\_

Perf/ Screen	Casing/ Liner	Screen Dia	Screen Type	Material	Scrn/slot width	Slot length	# of slots	Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Pump  Bailer  Air  Flowing Artesian

Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)

45		450	1

Temperature 59 °F Lab analysis  Yes By \_\_\_\_\_

Water quality concerns?  Yes (describe below) TDS amount 345 ppm

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)

County WHEELER Twp 11.00 S N/S Range 24.00 E E/W WM

Sec 13 NW 1/4 of the SE 1/4 Tax Lot 1700

Tax Map Number \_\_\_\_\_ Lot \_\_\_\_\_

Lat \_\_\_\_\_ " or 44.61200000 DMS or DD

Long \_\_\_\_\_ " or -119.78563889 DMS or DD

Street address of well  Nearest address

NON ASSIGNED INDIAN CREEK #2

(10) STATIC WATER LEVEL

Existing Well / Pre-Alteration	Date	SWL(psi)	+ SWL(ft)
Completed Well	10/2/2019		74

Flowing Artesian?  Dry Hole?

WATER BEARING ZONES

Depth water was first found 125.00

SWL Date From To Est Flow SWL(psi) + SWL(ft)

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)
10/1/2019	125	130	45		74

(11) WELL LOG

Ground Elevation 4451.00

Material	From	To
CLAY COBBLES	0	10
CLAY BROWN	10	32
CLAYSTONE GRAY	32	61
CLAYSTONE BROWN	61	72
CLAYSTONE GRAY	72	94
CLAYSTONE BROWN	94	117
CLAYSTONE GRAY GREEN FRACTURED	117	130
CLAYSTONE GRAY GREEN	130	317
CLAYSTONE GRAY HARD SOFT LAYERS	317	456

RECEIVED

JAN 27 2022

OWRD

Date Started 10/1/2019

Completed 10/2/2019

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number 758

Date 10/20/2019

Signed THOMAS PECK (E-filed)

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1720

Date 10/20/2019

Signed JACK ABBAS (E-filed)

Contact Info (optional) \_\_\_\_\_

ORIGINAL - WATER RESOURCES DEPARTMENT

THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: \_\_\_\_\_

13905



**H.A. McCOY**  
ENGINEERING & SURVEYING, LLC

1180 SW Lake Road, Redmond, OR 541-923-7554 www.ham-engr.com

January 21, 2022

RECEIVED

JAN 27 2022

Mr. Jeffrey Pierceall  
Water Rights Services Section  
Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266

OWRD

**PERMIT AMENDMENT APPLICATION; PERMIT G-16352; 4DSD, LLC RANCH (NOW OWNERSHIP OF JASPER COUNTY, LLC), WHEELER COUNTY, OREGON**

Dear Jeffrey,

You will recall the 4 DSD, LLC Ranch, the time extension that was granted and need to construct new wells (new points of appropriation) to replace existing wells (existing points of appropriation) that were not sealed properly. Three new wells were constructed with seals approved by the OWRD Ground Water Section to replace four of the original wells. Two of the original wells were in close proximity to each other and one new well was constructed to replace both. Accordingly, the permit must be amended to reflect the well (and point of appropriation changes). Enclosed herewith is an Application for Permanent Amendment applicable to the Permit G-16352. This permit authorizes use of groundwater for irrigation on the ranch. The enclosed permit amendment maps show the original wells and the new constructed wells.

Ownership of the ranch has changed. The new owner and applicant is Jasper County, LLC. The water rights on the ranch, including Permit G-16352, have been assigned to Jasper County, LLC. The letter of recording for the assignments is included with the accompany permit amendment application.

Enclosed are the following items:


1. Application for Permanent Amendment, signed by applicant;
2. Permit amendment maps (3); Drawing No.'s WR1.0, WR2.0 and WR3.0;
3. Land Use Information form signed by Wheeler County Planning Director;
4. OWRD letter noting recording of assigned water rights;
5. Final Order approving time extension for G-163152; and
6. Check in the amount of \$2,660.00 for the application fee, payable to the Oregon Water Resources Department.

Please contact me if you have any questions regarding this application at (541) 325-3905, or by e-mail at [dnewton@newtonconsultants.com](mailto:dnewton@newtonconsultants.com) for H. A. McCoy Engineering & Surveying, LLC.

Thank you, Jeffrey for all your assistance with this project and in processing this application.

Sincerely,

H. A. MCCOY ENGINEERING & SURVEYING, LLC



David J. Newton, P.E., C.E.G., C.W.R.E.  
Principal Engineer and Engineering Geologist

Enclosures

RECEIVED

JAN 27 2022

OWRD