



State of Oregon
 Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900

Application for Permit Amendment

Part 1 of 5 – Minimum Requirements Checklist

This permit amendment application will be returned if Parts 1 through 5 and all required attachments are not completed and included.
 For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

FEB 16 2021

Check all items included with this application. (N/A = Not Applicable)

- Part 1 – Completed Minimum Requirements Checklist.
- Part 2 – Completed Application Map Checklist.
- Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: **Fee enclosed in amount of \$1,570**
- Part 4 – Completed Applicant Information and Signature.
- Part 5 – Information about Permits to be Amended: **Number of permits to be amended: 1**
List the Permits here: G-18154 (Attachment A)
 Please include a separate Part 5 for each permit. (See instructions on page 6)
- Completed Permit Amendment Application Map (Does not have to be prepared by a Certified Water Right Examiner). **(Attachment B)**
- N/A Request for Assignment Form and statutory fee. The request for assignment form has to be completed if the applicant is **not** the permit holder of record and needs to be assigned to the permit; **or** the landowner of the proposed place of use is **not** the permit holder of record and needs to be assigned to the permit (the Request for Assignment Form is available online at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>). Assignment is not needed if the applicant is the permit holder of record.
- N/A Affidavit(s) of Consent are required from all permit holder(s) of record if the permit is not assigned to the applicant **or** other permit holders of record that are not listed as applicants.
- N/A Oregon Water Resources Department’s Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone. **(Attachment C)**
- N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation. **(Attachment D)**
- N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500 feet from the surface water source and more than 1000 feet upstream or downstream from the point of diversion. (ORS 540.531(2) or (3)).

OWRD

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

| | |
|--|---|
| <input type="checkbox"/> Application fee not enclosed/insufficient | <input type="checkbox"/> Map not included or incomplete |
| <input type="checkbox"/> Land Use Form not enclosed or incomplete | <input type="checkbox"/> Part _____ is incomplete |
| <input type="checkbox"/> Additional signature(s) required | |
| Other/Explanation _____ | |
| Staff: _____ | Date: ____/____/____ |

13621 -

Part 2 of 5 – Permit Amendment Map Checklist

Your permit amendment application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

RECEIVED

FEB 16 2021

OWRD

- N/A If **more than three** permits are involved, separate maps for each permit.
- Permanent quality printed with dark ink on good quality paper.
- The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- A north arrow, a legend, and scale.
- The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- Existing place of use that includes separate hachuring for each water use permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the permit is being changed, a separate hachuring is needed for the portion of the permit left unchanged.
- N/A If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water use permit.
- N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Part 3 of 5 – Fee Worksheet

| FEE WORKSHEET for PERMIT AMENDMENT | | | |
|------------------------------------|---|---|----------------|
| 1 | Base Fee (includes one type of change to one permit for up to 1 cfs) | 1 | \$1,160 |
| 2 | Types of change proposed: <input type="checkbox"/> Place of Use <input checked="" type="checkbox"/> Point of Diversion/Appropriation Number of above boxes checked = <u>1 (2a)</u> Subtract 1 from the number in line 2a = <u>0 (2b)</u> <i>If only one change, this will be 0</i> Multiply line 2b by \$930 and enter » » » » » » » » » » » » » » » » | 2 | 0 |
| 3 | Number of permits included in Permit Amendment <u>1 (3a)</u> Subtract 1 from the number in 3a: <u>0 (3b)</u> <i>If only one permit this will be 0</i> Multiply line 3b by \$520 and enter » » » » » » » » » » » » » » » » | 3 | 0 |
| 4 | Do you propose to add or change a well, or change from a surface water POD to a well? <input type="checkbox"/> No: enter 0 » <input checked="" type="checkbox"/> Yes: enter \$410 » | 4 | \$410 |
| 5 | Do you propose to change the place of use? <input checked="" type="checkbox"/> No: enter 0 on line 5 » <input type="checkbox"/> Yes: enter the cfs for the portions of the permits to be amended (see example below*): _____ (5a) Subtract 1.0 from the number in 5a above: _____ (5b) If 5b is 0, enter 0 on line 5 » If 5b is greater than 0, round up to the nearest whole number: _____ (5c) and multiply 5c by \$350, then enter on line 5 » » » » » » » » » » | 5 | 0 |
| 6 | Add entries on lines 1 through 5 above » » » » » » » » » » Subtotal: | 6 | \$1,570 |
| 7 | Is this permit amendment: <input type="checkbox"/> necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? <input type="checkbox"/> endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 » If no box is applicable, enter 0 on line 7 » » » » » » » » » » » » » » » » | 7 | 0 |
| 8 | Subtract line 7 from line 6 » » » » » » » » » » Permit Amendment Fee: | 8 | \$1,570 |

*Example for Line 5a calculation to transfer 45.0 acres of Primary Permit S-12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Permit S-87654 (1/80 cfs per acre) on the same land:

1. For irrigation calculate cfs for each permit involved as follows:
 - a. Divide total authorized cfs by total acres in the permit (*for S-12345, 1.25 cfs ÷ 100 ac*); then multiply by the number of acres to be changed to get the application cfs (*x 45 ac = 0.56 cfs*).
 - b. If the water right permit does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (*For S-87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs*)
2. Add cfs for the portions of permits on all the land included in the application; however **do not count cfs for supplemental permits on acreage for which you have already calculated the cfs fee for the primary permit on the same land**. The fee should be assessed only once for each “on the ground” acre included in the application. (*In this example, blank 5a would be only 0.56 cfs, since both permits serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0*).

Part 4 of 5 – Applicant Information and Signature

Applicant Information

| | | | | |
|--|--------------------|---------------------|----------------------------------|------------------------|
| APPLICANT/BUSINESS NAME City of Prineville, ATTN: Eric Klann | | | PHONE NO. 541-447-2357 | ADDITIONAL CONTACT NO. |
| ADDRESS 387 NE 3rd St. | | | | FAX NO. |
| CITY Prineville | STATE OR | ZIP 97754 | E-MAIL | |
| BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED. | | | | |

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

| | | | | |
|--|--------------------|---------------------|------------------------------------|------------------------|
| AGENT/BUSINESS NAME GSI Water Solutions, Inc. ATTN: Bruce Brody-Heine | | | PHONE NO. 971-200-8519 | ADDITIONAL CONTACT NO. |
| ADDRESS 147 SW Shevlin Hixon Dr. Suite 201 | | | | FAX NO. |
| CITY Bend | STATE OR | ZIP 97702 | E-MAIL BBheine@gsiws.com | |
| BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED. | | | | |

Explain in your own words what you propose to accomplish with this permit amendment; and why:
The Applicant is proposing to re-describe the location of 17 of the 25 wells authorized by Permit G-18154 and add 9 additional wells to the Permit.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Is the applicant the permit holder of record? Yes No

If NO, include either:

- A completed assignment form (with required statutory assignment fee), assigning all or a portion of the permit to the applicant(s), **OR**
- An affidavit of consent from the permit holder(s) of record that gives permission for the applicant to amend the permit.

Has the Completion ("C") Date of the permit(s) in this application expired? Yes No

If YES, this application will not be accepted by the Department.

If NO, what are the completion dates of the permit(s)? **12/26/2038**

- If the permit completion date expires while the Permit Amendment Application is pending, the Department will not approve the Permit Amendment Application until an Extension of Time Application is approved for the permit.
- You may consider using the Reimbursement Authority process to expedite the processing of this Permit Amendment Application if the completion date of the permit expires within 6 months of the date of filing this application.

By my signature below, I confirm that I understand:

- Prior to Department approval of the permit amendment, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the permit is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: **Central Oregonian.**

RECEIVED
MAR 03 2022

OWRD

Check one of the following:

- The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- The permit holder(s) of record will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to the permit holder(s) of record.

Check the appropriate box, if applicable:


- Check here if any of the permits proposed for amendment are or will be located within or served by an irrigation or other water district. **Water under Permit G-18154 is served by the City of Prineville, not by any irrigation district.**

| | | |
|---|------------------------------------|---------------------|
| IRRIGATION DISTRICT NAME Ochoco Irrigation District | ADDRESS 1001 NW Deer St. | |
| CITY Prineville | STATE OR | ZIP 97754 |

| | | |
|--|---|---------------------|
| IRRIGATION DISTRICT NAME People's Irrigation Company, Ltd. | ADDRESS 4923 Northwest O'Neil Highway | |
| CITY Prineville | STATE OR | ZIP 97754 |

- Check here if water for any of the permits supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

| | | |
|-------------|---------|-----|
| ENTITY NAME | ADDRESS | |
| CITY | STATE | ZIP |



To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

| | | |
|--|------------------------------------|---------------------|
| ENTITY NAME City of Prineville Planning Department | ADDRESS 387 NE Third St. | |
| CITY Prineville | STATE OR | ZIP 97754 |

| | | |
|--|----------------------------------|---------------------|
| ENTITY NAME Crook County Planning Department | ADDRESS 300 NE 3rd St. | |
| CITY Prineville | STATE OR | ZIP 97754 |

RECEIVED

FEB 16 2021

OWRD

13621-

Eric Klann
Applicant Signature

ERIC KLANN
Applicant Signature

Eric Klann
Print Name (and Title if applicable)

PUBLIC WORKS DIRECTOR/CITY ENGINEER
Print Name (and Title if applicable)

2/5/2021
Date

2-5-
Date

RECEIVED
FEB 16 2021
OWRD

Part 5 of 5 – Water Use Permit Information

Please use a separate Part 5 for each permit being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

RECEIVED

PERMIT # G-18154

FEB 16 2021

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

In the table below authorized wells that the Applicant is proposing to rename and/or change the point of appropriation of are shown in black. New proposed names and POA locations are shown in blue in the rows below these authorized POAs. Additional POAs that the Applicant is proposing to add to the Permit are shown in green. Remaining authorized wells that the Applicant is not proposing to change are shown in purple.

| POD/POA Name or Number | Is this POD/POA Authorized by the permit or is it Proposed? | If POA, OWRD Well Log ID# (or Well ID Tag # L-___) | Twp | Rng | Sec | ¼ ¼ | Tax Lot, DLC or Gov' t Lot | Measured Distances (from a recognized survey corner) |
|------------------------|---|--|------|------|-----|-------|----------------------------|--|
| D1 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | CROO 54593 | 15 S | 16 E | 8 | NW NW | 201 | 422 feet South and 400 feet East from the NW corner of Section 8 |
| 3 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54593 | 15 S | 16 E | 8 | NW NW | 201 | 422 feet South and 400 feet East from the NW corner of Section 8 |
| S1 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | CROO 54587 | 15 S | 16 E | 8 | NW NW | 201 | 471 feet South and 406 feet East from the NW corner of Section 8 |
| 4 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54587 | 15 S | 16 E | 8 | NW NW | 201 | 471 feet South and 406 feet East from the NW corner of Section 8 |
| D2 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | CROO 54592 | 15 S | 16 E | 8 | NW NW | 201 | 585 feet South and 793 feet East from the NW corner of Section 8 |
| 8 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54592 | 15 S | 16 E | 8 | NW NW | 201 | 585 feet South and 793 feet East from the NW corner of Section 8 |
| D3 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 S | 16 E | 8 | NW NW | 201 | 516 feet South and 438 feet East from the NW corner of Section 8 |
| 6 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54785 | 15 S | 16 E | 8 | NW NW | 201 | 540 feet South and 435 feet East from the NW corner of Section 8 |
| D4 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 S | 16 E | 8 | NW NW | 201 | 601 feet South and 509 feet East from NW the corner of Section 8 |
| 7 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54792 | 15 S | 16 E | 8 | NW NW | 201 | 590 feet South and 510 feet East from the NW corner of Section 8 |
| D5 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 S | 16 E | 8 | NW NW | 201 | 657 feet South and 611 feet East from the NW corner of Section 8 |
| 9 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54834 | 15 S | 16 E | 8 | NW NW | 201 | 660 feet South and 590 feet East from the NW corner of Section 8 |
| D6 | <input checked="" type="checkbox"/> Authorized | | 15 S | 16 E | 8 | NW NW | 201 | 717 feet South and 700 |

| | | | | | | | | | | | |
|-----|---|---------------|----|---|----|---|---|----|----|-----|--|
| | <input type="checkbox"/> Proposed | | | | | | | | | | feet East from the NW corner of Section 8 |
| 10 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54832 | 15 | S | 16 | E | 8 | NW | NW | 201 | 725 feet South and 670 feet East from the NW corner of Section 8 |
| D7 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | NW | NW | 201 | 840 feet South and 759 feet East from the NW corner of Section 8 |
| 11 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54833 | 15 | S | 16 | E | 8 | NW | NW | 201 | 825 feet South and 735 feet East from the NW corner of Section 8 |
| S6 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | NW | NW | 201 | 888 feet South and 784 feet East from NW corner of Section 8 |
| 12 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54828 | 15 | S | 16 | E | 8 | NW | NW | 201 | 875 feet South and 755 feet East from the NW corner of Section 8 |
| D8 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | NW | NW | 201 | 952 feet South and 799 feet East from the NW corner of Section 8 |
| 13 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54830 | 15 | S | 16 | E | 8 | NW | NW | 201 | 920 feet South and 775 feet East from the NW corner of Section 8 |
| S7 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | NW | NW | 201 | 1004 feet South and 809 feet East from the NW corner of Section 8 |
| 14 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54827 | 15 | S | 16 | E | 8 | NW | NW | 201 | 970 feet South and 800 feet East from the NW corner of Section 8 |
| D9 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | NW | NW | 201 | 1061 feet South and 815 feet East from the NW corner of Section 8 |
| 15 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54831 | 15 | S | 16 | E | 8 | NW | NW | 201 | 1,020 feet South and 790 feet East from the NW corner of Section 8 |
| D10 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | NW | NW | 201 | 1179 feet South and 796 feet East from the NW corner of Section 8 |
| 16 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54829 | 15 | S | 16 | E | 8 | NW | NW | 201 | 1,130 feet South and 800 feet East from the NW corner of Section 8 |
| D11 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | NW | NW | 201 | 1267 feet South and 836 feet East from the NW corner of Section 8 |
| 17 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54810 | 15 | S | 16 | E | 8 | NW | NW | 201 | 1,240 feet South and 815 feet East from the NW corner of Section 8 |
| D12 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | SW | NW | 201 | 1372 feet South and 879 feet East from the NW corner of Section 8 |
| 18 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54789 | 15 | S | 16 | E | 8 | SW | NW | 201 | 1,325 feet South and 865 feet East from the NW corner of Section 8 |
| D13 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | SW | NW | 201 | 1479 feet South and 909 feet East from the NW corner of Section 8 |
| 19 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54869 | 15 | S | 16 | E | 8 | SW | NW | 201 | 1,425 feet South and 890 feet East from the NW corner of Section 8 |
| S12 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | SW | NW | 201 | 1527 feet South and 949 feet East from the NW corner of Section 8 |

RECEIVED
FEB 16 2021

| | | | | | | | | | | | |
|-----|---|---------------|----|---|----|---|---|----|----|-----|--|
| H1 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | SW | NW | 201 | 1,565 feet South and 930 feet East from the NW corner of Section 8 |
| H2 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | SW | NW | 201 | 1,575 feet South and 940 feet East from the NW corner of Section 8 |
| H3 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | SW | NW | 201 | 1,585 feet South and 950 feet East from the NW corner of Section 8 |
| 2 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54589 | 15 | S | 16 | E | 8 | NW | NW | 201 | 370 feet South and 396 feet East from the NW corner of Section 8 |
| 22 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54750 | 15 | S | 16 | E | 8 | SW | NW | 201 | 1,535 feet South and 940 feet East from the NW corner of Section 8 |
| 24 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 54588 | 15 | S | 16 | E | 8 | NE | NW | 203 | 510 feet South and 1,330 feet East from the NW corner of Section 8 |
| 25 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | L-136756 | 15 | S | 16 | E | 8 | NE | NW | 203 | 485 feet South and 1,620 feet East from the NW corner of Section 8 |
| 26 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | CROO 53215 | 15 | S | 16 | E | 8 | NW | NW | 203 | 105 feet South and 1,080 feet East from the NW corner of Section 8 |
| 27 | <input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | NE | NW | 203 | 170 feet South and 1,500 feet East from the NW corner of Section 8 |
| S2 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | NW | NW | 201 | 561 feet South and 466 feet East from the NW corner of Section 8 |
| S3 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | NW | NW | 201 | 621 feet South and 564 feet East from the NW corner of Section 8 |
| S4 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | NW | NW | 201 | 694 feet South and 654 feet East from the NW corner of Section 8 |
| S5 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | NW | NW | 201 | 789 feet South and 731 feet East from the NW corner of Section 8 |
| S8 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | NW | NW | 201 | 1116 feet South and 808 feet East from the NW corner of Section 8 |
| S9 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | NW | NW | 201 | 1232 feet South and 800 feet East from the NW corner of Section 8 |
| S10 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | NW | NW | 201 | 1320 feet South and 869 feet East from the NW corner of Section 8 |
| S11 | <input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed | | 15 | S | 16 | E | 8 | SW | NW | 201 | 1420 feet South and 869 feet East from the NW corner of Section 8 |

RECEIVED

MAR 03 2022

OWRD

SUPERSEDING

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|---|--|
| <input type="checkbox"/> Place of Use (POU) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input checked="" type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Surface water POD to Ground Water POA (SW/GW) |

Will all of the proposed changes affect the entire water use permit?

- Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the permit to be changed.

For a change in place of use: N/A

Does the permit holder of record own or control the land TO which the place of use is being moved?

Yes No

If NO, the landowner of the land TO which the place of use is being **moved must be assigned to the permit as a permit holder of record** by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

Is the proposed place of use contiguous to the authorized place of use? Yes No

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use **unless** the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

RECEIVED

MAR 03 2022

OWRD

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Use Permit # G-18154

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

| AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed. | | | | | | | | | | Proposed Changes (see "CODES" from previous page) | PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made. | | | | | | | | | | | |
|--|-----|-----|---|----|---------|----------------|-----------------------|--|------------------|---|--|-----|-----|---|----|---------|----------------|-----------------------|--|---------------|---|-----------|
| Twp | Rng | Sec | ¼ | ¼ | Tax Lot | Gvt Lot or DLC | Acres (if applicable) | POD(s) or POA(s) (name or number from Table 1) | Priority Date | | Twp | Rng | Sec | ¼ | ¼ | Tax Lot | Gvt Lot or DLC | Acres (if applicable) | POD(s) or POA(s) to be used (from Table 1) | Priority Date | | |
| EXAMPLE | | | | | | | | | | | | | | | | | | | | | | |
| 2 | S | 9 | E | 15 | NE | NW | 100 | 15.0 | POD #1 POD #2 | POU/POD | 2 | S | 9 | E | 15 | NW | NW | 100 | 1 | 10.0 | POD #5 | |
| " | " | " | " | " | " | " | " | EXAMPLE | " | " | 2 | S | 9 | E | 15 | SW | NW | 200 | | 5.0 | POD #6 | |
| | | | | | | | | | | POA/APOA | City of Prineville Service Area (See map provided in Attachment B) | | | | | | | | | | 3, 4, 8, 6, 7, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 2, 22, 24, 25, 26, 27, S2, S3, S4, S5, S8, S9, S10, S11, H1, H2, H3 | 4/25/2018 |
| TOTAL ACRES | | | | | | | | | | | TOTAL ACRES | | | | | | | | N/A | | | |

Additional remarks: _____.

RECEIVED

MAR 03 2022

Are there other water rights certificates, water use permits or ground water registrations associated with the “from” or “to” lands? Yes No -N/A – Permit G-18154 is for municipal use so water rights are not “layered”.

If YES, list the other certificate, permit, or ground water registration numbers: _____

➔ If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department’s web page at: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

AND/OR

- Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide “a best estimate” for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

| Proposed or Authorized POA Name or Number | Is well already built? (Yes or No) | If an existing well, OWRD Well ID Tag No. L-_____ | Total well depth | Casing Diameter | Casing Intervals (feet) | Seal depth(s) (intervals) | Perforated or screened intervals (in feet) | Static water level of completed well (in feet) | Source aquifer (sand, gravel, basalt, etc.) | Well - specific rate (cfs or gpm). If less than full rate of water right |
|---|------------------------------------|---|------------------|-----------------|-------------------------|---------------------------|--|--|---|--|
| 25 | Yes | L-136756 | ~200' | 10-inch | +1-100' | 0-70' | 100-200' | ~10-20' bgs | Confined S&G | 100-200 gpm est. |
| 27 | No | N/A | ~200' | 10-inch | +1-100' | 0-70' | 100-200' | ~10-20' bgs | Confined S&G | 100-200 gpm est. |
| *H1 | No | N/A | 40' (est) | 16" | 0-30' | 0-18' | 18'-40' (est) | 15' | Alluvium | 1,000 gpm est. |
| *H2 | No | N/A | 40' (est) | 16" | 0-30' | 0-18' | 18'-40' (est) | 15' | Alluvium | 1,000 gpm est. |
| *H3 | No | N/A | 40' (est) | 16" | 0-30' | 0-18' | 18'-40' (est) | 15' | Alluvium | 1,000 gpm est. |

RECEIVED

MAR 08 2022

TACS

*Proposed wells are intended to be installed with a vertical casing located at the indicated coordinates for the expressed surface casing, with a horizontally installed well screen installed with a southwest trending horizontal orientation. Horizontal well screens will be installed below the estimated well seal to allow for proper groundwater production below an OWRD approved well screen. It is assumed that the well driller, City's representative geologist and OWRD well inspector will work collaboratively if special well construction conditions are required.

RECEIVED

MAR 03 2022

OWRD

SUPERSEDING