

## Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 90019

### Description of Water Delivery System

System capacity: 2.0 cubic feet per second (cfs) OR  
 \_\_\_\_\_ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Water is pumped from the well into the Port's municipal water distribution system.

**Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)**  
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-_____)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Port Well 3	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	MORR 757	4	N	25	E	10	NE	NW	Road	1073 feet South and 1348 feet East from NW corner of Section 10
Port Well 2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	MORR 756	4	N	25	E	10	NE	NW	Road	1069 feet South and 1378 feet East from NW corner of Section 10
Well A1	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	N/A	4	N	25	E	10	NE	NE	100	1,230 feet South and 1,170 feet West from the NE Corner of Section 10
Well B1	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	N/A	4	N	25	E	2	SW	SW	100	855 feet North and 65 feet East from the SW Corner of Section 2
Well C1	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	N/A	4	N	25	E	9	NE	NE	101	235 feet South and 670 feet West from the NE Corner of Section 9,
Well D1	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	N/A	4	N	25	E	3	SW	SE	101	475 feet North and 2,640 feet East from the SW Corner of Section 3

**NOTE:** Certificate 90019 was issued to supersede Certificate 47191 following transfer T-6965. The point of appropriation for Certificate 47191 was Port Well 2 (MORR 756), which is completed in the Umatilla Member of the Columbia River Basalt Group (CRBG). Due to an error introduced during the transfer T-6965 certification process, the point of appropriation location description on Certificate 90019 pointed to Port Well 3 (MORR 757) (inside the same building) instead of Port Well 2.

This transfer corrects the point of appropriation location description and well name to be Port Well 2 (MORR 756) as originally intended, as well as adding four proposed additional points of appropriation. Proposed Wells A1, B1, C1, and D1 would all be completed in the Umatilla Member of the CRBG, the same aquifer as Port Well 2. Please see Attachment F for a review of the basalt geology associated with the wells in the vicinity of the Port of Morrow.

RECEIVED  
 APR 27 2022  
 OWRD

13552

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- |   |  |
|---|--|
| <input type="checkbox"/> Place of Use (POU)                               | <input type="checkbox"/> Supplemental Use to Primary Use (S to P)            |
| <input type="checkbox"/> Character of Use (USE)                           | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA)        |
| <input type="checkbox"/> Point of Diversion (POD)                         | <input checked="" type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD)             | <input type="checkbox"/> Substitution (SUB)                                  |
| <input type="checkbox"/> Surface Water POD to Ground Water<br>POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV)                         |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED  
APR 27 2022  
OWRD