## Application for Permanent Water Right Transfer



**Oregon Water Resources Department** 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900

Part 1 of 5 - Minimum Requirements Checklist

#### This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

hec	k all it	ems included with this application. (N/A = Not Applicable)	MAY 1 1 202
$\boxtimes$		Part 1 – Completed Minimum Requirements Checklist.	OWRD
$\boxtimes$		Part 2 – Completed Transfer Application Map Checklist.	OWND
$\boxtimes$		Part 3 – Application Fee, payable by check to the Oregon Water Resources completed Fee Worksheet, page 3. Try the new online fee calculator at: <a href="http://apps.wrd.state.or.us/apps/misc/wrd">http://apps.wrd.state.or.us/apps/misc/wrd</a> fee calculator.	Department, and
$\times$		Part 4 – Completed Applicant Information and Signature.	
		Part 5 – Information about Water Rights to be Transferred: <b>How many was be transferred? 9 List them here:</b> 95656, 95738, 95739, 95740, 95741, 95742, 95 Please include a separate Part 5 for each water right. (See instructions <b>NOTE:</b> A separate transfer application is required for each water right criteria in OAR 690-380-3220 are met.	on page 6)
		Attachments:	
$\boxtimes$		Completed Transfer Application Map.	
$\boxtimes$		Completed Evidence of Use Affidavit and supporting documentation.	
	⊠ N/	A Affidavit(s) of Consent from Landowner(s) (if the applicant does not own t right is on.)	he land the water
	⊠ N/	A Supplemental Form D – For water rights served by or issued in the name of district. Complete when the transfer applicant is not the irrigation district.	•
	□ N/	Oregon Water Resources Department's Land Use Information Form with a signature (or signed land use form receipt stub) from each local land use a water is to be diverted, conveyed, and/or used. Not required if water is to conveyed, and/or used only on federal lands or if <b>all</b> of the following apply place of use only, b) no structural changes, c) the use of water is for irrigat the use is located within an irrigation district or an exclusive farm use zone	uthority in which be diverted, c: a) a change in ion only, and d)
$\boxtimes$	N//	Water Well Report/Well Log for changes in point(s) of appropriation (well point(s) of appropriation.	(s)) or additional
	N/		he surface water
		(For Staff Use Only)	
		WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):	
		Application fee not enclosed/insufficient Map not included or incomplete Evidence of Use Form not enclosed or Additional signature(s) required Part is incomplete Other/Explanation	incomplete
		Staff: 503 Date: //	

### Part 2 of 5 - Transfer Application Map

Your transfer application will be returned if any of the map requirements listed below are not met.

	es the existing water right map. Check all boxes that apply.
⊠ □N	/A Certified Water Right Examiner (CWRE) Stamp and Original Signature. For a list of CWREs, see <a href="http://apps.wrd.state.or.us/apps/wr/cwre_license_view/">http://apps.wrd.state.or.us/apps/wr/cwre_license_view/</a> . CWRE stamp and signature are not required for substitutions.
⊠ □ N	A If more than three water rights are involved, separate maps are needed for each water right
$\boxtimes$	Permanent quality printed with dark ink on good quality paper.
$\boxtimes$	The size of the map can be $8\% \times 11$ inches, $8\% \times 14$ inches, $11 \times 17$ inches, or up to $30 \times 30$ inches. For $30 \times 30$ inch maps, one extra copy is required.
$\boxtimes$	A north arrow, a legend, and scale.
	The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
	Township, Range, Section, $\frac{1}{4}$ , DLC, Government Lot, and other recognized public land survey lines.
$\boxtimes$	Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
$\boxtimes$	Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
	Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
	Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
	I/A Proposed place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
	Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.
	A/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32′15.5″) or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

#### Part 3 of 5 - Fee Worksheet

FEE WORKSHEET for PERMANENT TRANSFER (except Substitution)											
1	Base Fee (includes one type of change to one water right for up to 1 cfs)	1	\$1,360								
	Types of change proposed:    Place of Use										
2	Subtract 1 from the number in line $2a = \frac{1(2b)}{f}$ only one change, this will be 0 Multiply line 2b by \$1090 and enter $x = x + y + y + y + y + y + y + y + y + y +$	2	\$1,090								
3	Number of water rights included in transfer <u>9 (3a)</u> Subtract 1 from the number in 3a above: <u>8 (3b)</u> If only one water right this will be 0 Multiply line 3b by \$610 and enter » » » » » » » » » » » » » » » » » » »	3	\$4,880								
	Do you propose to add or change a well, or change from a surface water POD to a well?  No: enter 0 Yes: enter \$480 for the $1^{st}$ well to be added or changed $480$ (4a)										
4	Do you propose to add or change additional wells?  No: enter 0 Yes: multiply the number of additional wells by \$410 820 (4b)  Add line 4a to line 4b and enter » » » » » » » » » » » » » » » » »	4	\$1,300								
	Do you propose to change the place of use or character of use?  No: enter 0 on line 5  Yes: enter the cfs for the portions of the rights to be transferred (see below*):2.28 (5a)  Subtract 1.0 from the number in 5a above: 1.28 (5b)  If 5b is 0 or less, enter 0 on line 5 » » » » » » » » » » » » » » » » » »										
5	5c by \$410, then enter on line 5 » » » » » » » » » » » » » » » » » »	5	\$820								
6	Add entries on lines 1 through 5 above » » » » » » » » » Subtotal:	6	\$9,450								
	Is this transfer:  necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat?										
	If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 »										
7 8	If no box is applicable, enter 0 on line 7 » » » » » » » » » » » » » » » » » »	7	¢0.450								
0	Subtract line 7 from line 6 » » » » » » » » » » » » » » » » Transfer Fee:	8	\$9,450								

\*Example for Line 5a calculation to transfer 45.0 acres of Primary Certificate 12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Certificate 87654 (1/80 cfs per acre) on the same land:

- 1. For irrigation calculate cfs for each water right involved as follows:
  - a. Divide total authorized cfs by total acres in the water right (for C12345, 1.25 cfs  $\div$ 100 ac); then multiply by the number of acres to be transferred to get the transfer cfs (x 45 ac= 0.56 cfs).
  - b. If the water right certificate does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For C87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs)
- 2. Add cfs for the portions of water rights on all the land included in the transfer; however do not count cfs for supplemental rights on acreage for which you have already calculated the cfs fee for the primary right on the same land. The fee should be assessed only once for each "on the ground" acre included in the transfer. (In this example, blank 5a would be only 0.56 cfs, since both rights serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0).

	FEE WORKSHEET for SUBSTITUTION			
1	Base Fee (includes change to one well)	1	\$990.00	
	Number of wells included in substitution(2a) Subtract 1 from the number in 2a above:(2b) If only one well this will be 0		RECEN	/ED
2	Multiply line 2b by \$480 and enter » » » » » » » » » » » » » »	2	MAY 11	2022
3	Add entries on lines 1 through 2 above » » » » » Fee for Substitution:	3		

## Part 4 of 5 – Applicant Information and Signature

Applicant Information					Tauaus
APPLICANT/BUSINESS NAME  APPLICANT/BUSINESS NAME  Silver Sage Farms, LLC, c/o Ben K	ern. Farm	Managr	PHONE NO. 559-202-7294	ADDITIONAL CONTACT NO.	PHONE NO.
ADDRESS 18555 SW Teton Ave				FAX NO.	
CITY	STATE	ZIP	E-MAIL		
Tualatin	OR	97062	ALL CORRESPONDENCE FO	DOMA THE DEPARTMENT	
BY PROVIDING AN E-MAIL ADDRESS ELECTRONICALLY. COPIES OF THE F	•			ROW THE DEPARTMENT	
ELECTRONICALLY. COPIES OF THE P	INAL ORDE	R DOCOIVIENTS WILL A	ALSO BE WAILED.		
Agent Information – The agent	is author	ized to represent t	the applicant in all ma	tters relating to this	
application.				jko jet	
AGENT/BUSINESS NAME			PHONE NO.	ADDITIONAL CONTACT NO.	
All Points Engr & Surveying, Inc			541-548-5833	541-420-0401	
ADDRESS PO Box 767				FAX NO.	
CITY	STATE	ZIP	E-MAIL		
Terrebonne	OR	97760	scott@apeands.com		
Agent Information – The agent Explain in your own words what Propose to move end gun area f sprinklers and replace wells tha	you prop rom 32 ce	ose to accomplish enter pivot sprinkle	with this transfer applers to 3 & part of a 4 <sup>th</sup>	lication, and why:	
If you need additional space, contin	ue on a se	parate piece of pape	er and attach to the appl	ication as "Attachment 1".	
		Check One	Вох		
By signing this application, I und Department approval of the traduction authorized to pursue the transfer I affirm the applicant is a municipality or a predecessor;  I affirm the applicant is an entity property to which the water right.	ansfer, I wi fer as ident cipality as o <b>OR</b> y with the	nat, upon receipt of Il be required to pro- tified in OAR 690-380 lefined in ORS 540.5 authority to conden	the draft preliminary derivide landownership info 0-4010(5); <b>OR</b> 10(3)(b) and that the rig	rmation and evidence that I am  ht is in the name of the  ring by condemnation the	
				RECEIVED	

OWRD

MAY 1 1 2022

#### By my signature below, I confirm that I understand:

- Prior to Department approval of the transfer application, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: Burns Herald.
- Amendments to the application may only be made in response to the Department's Draft Preliminary Determination (DPD). The applicant will have a period of at least 30 days to amend the application to address any issues identified by the Department in the DPD, or to withdraw the application. Note that amendments may be subject to additional fees, pursuant to ORS 536.050.
- Failure to complete an approved change in place of use and/or change in character of use, will result in loss of the water right (OAR 690-380-6010).
- Refunds may only be granted upon request and, as set forth in ORS 536.050(4)(a), if the Director determines that a

refund of all or part of a fee is of the Department.	appropria	te in the interests o	of fairness to the pul	olic or neces	sary to correct an error
I (we) affirm that the informati	on contain		on is true and accur  W. Eggert, Managin		4/26/22
Applicant signature			Name (and Title if a	7	Date
Applicant signature		Print	Name (and Title if a	pplicable)	Date
Is the applicant the sole owner of located? $\square$ Yes $\square$ No*	of the land	on which the wate	r right, or portion th	nereof, prop	osed for transfer is
*If NO, include signatures of all de attach affidavits of consent (and i water right(s) were conveyed.	eeded lando mailing and	owners (and mailing d/or e-mail addresse	and/or e-mail addre s) from all landowner	sses if differe rs or individu	nt than the applicant's) or als/entities to which the
Check the following boxes that o					
The applicant is response sent to the applicant.	sible for co	empletion of change	e(s). Notices and cor	respondenc	e should continue to be
The receiving landowner issued. Copies of notice					fter the final order is
<ul><li>Both the receiving land and correspondence sh</li></ul>					inge(s). Copies of notices
At this time, are the lands in this	s transfer a	application in the p	rocess of being sold?	? 🗌 Yes 🛚	No
If YES, and you know who the below. If you do not know wat a later date.	ne new lan vho the ne	downer will be, ple w landowner will b	ase complete the re e, then a request fo	ceiving land r assignmen	owner information table t will have to be filed for
If a property sells, the certifunless a sale agreement or					

IRRIGATION DISTRICT NAME	ADDRESS		
CITY	STATE	ZIP	
Check here if water for any of contract for stored water with	the rights supplied under a wan a federal agency or other ent		her
			her
contract for stored water with	n a federal agency or other ent		her



To meet State Land Use Consistency Requirements, you must list all county, city, municipal corporation, or tribal governments within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME	ADDRESS										
Harney County	360 N Alvord										
CITY	STATE	ZIP									
Burns	OR 97720										

RECEIVED

MAY 1 1 2022

OWRD

#### Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

# CERTIFICATE # 95656 Description of Water Delivery System System capacity: 4.92 cubic feet per second (cfs) OR \_\_\_\_\_ gallons per minute (gpm) CWAD

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Water is pumped from authorized wells and conveyed by buried pipe to 3 center pivot sprinklers that irrigate the POU.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

	-										
POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	Т	wp	R	ng	Sec	1/4	14	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#7	Authorized Proposed	HARN 51272	25	s	30	E	34	SE	sw	2002	4725'S & 1877'E from NW cor, Sec 34
#10	Authorized Proposed	HARN 51765	26	s	30	E	3	NW	NW	800	6310'S & 415'E from NW cor, Sec 34
#11	Authorized Proposed	HARN 51760	25	s	30	E	3	NW	NW	800	6340'S & 330'E from NW cor, Sec 34
#12	Authorized Proposed	HARN 51817	25	s	30	E	33	SE	NW	2500	2690'S & 2890'W from NE cor, Sec 33
#13	Authorized Proposed	HARN 51445	26	s	30	E	4	NE	NW	900	6415'S & 2745'W from NE cor, Sec 33
#14	Authorized Proposed	HARN 51871	25	s	30	E	33	SE	SE	3600	4314'S & 870'W from NE cor, Sec 33
#15	Authorized Proposed	HARN 51970	25	s	30	E	33	SE	SE	3600	4314'S & 920'W from NE cor, Sec 33
#16	Authorized Proposed	HARN 52121	25	S	30	E	29	sw	SE	2600	735'N & 7025'W from SE cor, Sec 28
#17	Authorized Proposed	HARN 52154	26	S	30	E	3	NW	NW	800	6300'S & 440'E from NW cor, Sec 34
#18	Authorized Proposed	HARN 52170	25	S	30	E	29	sw	SE	2600	735'N & 6970'W from SE cor, Sec 28
#21	☐ Authorized ☐ Proposed	HARN 52590	25	s	30	E	29	SE	SE	2600	75'N & 6590'W from SE cor, Sec 28
#22	☐ Authorized ☐ Proposed	HARN 52591	25	s	30	E	29	sw	SE	2600	850'N & 6975'W from SE cor, Sec 28

#23	☐ Authorized ☐ Proposed	HARN 52674 25 S 30		E	33	SE	NW	2500	2690'S & 2870'W from NE cor, Sec 33							
Chec	k all type(s) of cl	hange(s) prop	ose	d be	low	(cha	nge "(	CODES	" are p	orovide	d in parentheses):					
	Place of Use (POU)  Supplemental Use to Primary Use (S to															
	Character of	Use (USE)		$\boxtimes$	Point of Appropriation/Well (POA)											
	Point of Dive	ersion (POD)						Additional Point of Appropriation (APOA)								
	Additional P	oint of Divers	ion (	APC	)D)			Substitution (SUB)								
	Surface Wat POA (SW/GV	er POD to Gro V)	ound	Wa	ter			Government Action POD (GOV)								
Will a	II of the propos	ed changes a	ffect	the	enti	re w	ater r	ight?								
☐ Ye		nly the Propos ed above to d	,							able 2 c	on the next page. Use the					
⊠ No	o Complete all	of Table 2 to	des	cribe	e the	por	tion o	f the w	ater r	ght to	be changed.					

RECEIVED
MAY 1 1 2022
OWRD



Please use and attach additional pages of Table 2 as needed. See page 6 for instructions.

MAY 1 1 2022

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

## Table 2. Description of Changes to Water Right Certificate # 95656

List the change proposed for the acreage in each  $\frac{1}{4}$   $\frac{1}{4}$ . If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands)  The listing that appears on the certificate BEFORE PROPOSED CHANGE.  List only that part or portion of the water right that will be changed.													Proposed Changes (see	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.												
Tw	ďρ	Rn	g	Sec	7/2	1 1/4	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	"CODES" from previous page)	Tv	Twp Rng		Rng Se		<b>¼</b> ¼		Tax Lot	Gvt	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date
25	s	30	E	28	NW	sw	2700		30.8	IR	7,10-18	1995	POA/POU	25	s	30	E	5	NW	NE	1300	2	4.6	IR	10,14- 18,21-23	1995
25	s	30	E	28	sw	sw	2700		33.6	IR	7,10-18	1995	POA/POU	26	s	30	E	5	NE	NW	1300	3	6.3	IR	2,4,10,14 -18,20- 23	1995
25	s	30	E	29	NE	SE	2600		33.6	IR	7,10-18	1995	POA	25	s	30	E	28	NW	SW	2700		29.9	IR	10,14- 18,21-23	1995
25	s	30	E	29	NW	SE	2600		2.6	IR	7,10-18	1995	POA	25	s	30	E	28	sw	SW	2700		32.9	IR	2,4,10,14 -18,20- 23	1995
25	s	30	E	29	sw	SE	2600		3.5	IR	7,10-18	1995	POA	25	s	30	E	29	NE	SE	2600		32.9	IR	10,14- 18,21-23	1995
25	s	30	E	29	SE	SE	2600		38.0	IR	7,10-18	1995	POA	25	s	30	E	29	NW	SE	2600		2.2	IR	2,4,10,14 -18,20- 23	1995
25	s	30	E	32	NE	NE	3300		34.9	IR	7,10-18	1995	POA	25	s	30	E	29	sw	SE	2600		3.0	IR	10,14- 18,21-23	1995
25	s	30	E	32	NW	NE	3300		31.1	IR	7,10-18	1995	POA	25	s	30	E	29	SE	SE	2600		37.8	IR	10,14- 18,21-23	1995
25	s	30	E	32	sw	NE	2500		31.0	IR	7,10-18	1995	POA	25	s	30	E	32	NE	NE	3300		33.7	IR	10,14- 18,21-23	1995
25	s	30	E	32	SE	NE	2500		31.2	IR	7,10-18	1995	POA	25	s	30	E	32	NW	NE	3300		30.4	IR	10,14- 18,21-23	1995
25	s	30	E	33	NE	NW	2600		30.0	IR	7,10-18	1995	POA	25	s	30	E	32	sw	NE	2500		30.2	IR	10,14- 18,21-23	1995
25	s	30	E	33	NW	NW	2600		32.9	IR	7,10-18	1995	POA	25	S	30	E	32	SE	NE	2500		30.4	IR	10,14- 18,21-23	1995

RECEIVED

MAY 1 1 2022

## Additional remarks: Well 23 replaces Well 12 & 13. Well 22 replaces Well 11 Well 21 replaces Well 7



25	s	30	E	33	sv	v	NW	2600		30.2	IR	7,10-18	1995	POA	25	s	30	Ε	33	NE	NW	2600	30.1	IR	10,14- 18,21-23	1995
25	s	30	E	33	SE	E	NW	2500		30.1	IR	7,10-18	1995	POA	25	s	30	E	33	NW	NW	2600	31.6	IR	10,14- 18,21-23	1995
														POA	25	s	30	E	33	sw	NW	2600	29.3	IR	10,14- 18,21-23	1995
					7.2									POA	25	s	30	E	33	SE	NW	2600	29.2	IR	10,14- 18,21-23	1995
							TOT	AL ACE	RES:	393.5											TO	TAL ACRES:	393.5			

#### For Place of Use or Character of Use Changes

To Frace of Ose of Character of Ose Changes	
Are there other water right certificates, water use permits or ground water registrati with the "from" or the "to" lands? $\square$ Yes $\boxtimes$ No	ons associated
If YES, list the certificate, water use permit, or ground water registration numbers:	<u>.</u>
Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is so a primary right proposed for transfer must be included in the transfer or be cancelled to a ground water registration must be filed separately in a ground water registration application.	d. Any change
<b>For Substitution</b> (ground water supplemental irrigation will be substituted for surface virrigation)	
Ground water supplemental Permit or Certificate #;	RECEIVED
Surface water primary Certificate #	MAY 1 1 2022
For a change from Supplemental Irrigation Use to Primary Irrigation Use	OWRD
Identify the primary certificate to be cancelled. Certificate #	OKAMD
For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriati	on:
Well log(s) are attached for each authorized and proposed well(s) that are clear associated with the corresponding well(s) in Table 1 above and on the accompanient.  Tip: You may search for well logs on the Department's web page at:	
http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx	
AND/OR	
Describe the construction of the authorized and proposed well(s) in Table 3 for a do not have a well log. For proposed wells not yet constructed or built, provide "estimate" for each requested information element in the table. The Department you consult a licensed well driller, geologist, or certified water right examiner to assembling the information necessary to complete Table 3.	a best t recommends
ble 3. Construction of Point(s) of Appropriation	

#### Tal

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

#### **CERTIFICATE # 95738**

RE	CE		VE	D
MAY	1	1	202	2

#### **Description of Water Delivery System**

System capacity:	5.41 cubic feet per second (cfs) OR	OWAD
	gallons per minute (gpm)	

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Water is pumped from authorized wells & conveyed by buried conduit to 4 center pivot sprinklers that irrigate the POU

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	T	wp	R	ng	Sec	1/4	1/4	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#2	Authorized Proposed	MALH 2324	26	s	30	E	9	sw	NW	1200	1330'S & 65'E from NW cor, Sec 9
#4	Authorized Proposed	HARN 1331	26	s	30	E	9	sw	NE	1200	2407'S & 1732'W from NI cor, Sec 9
#10	☐ Authorized ☐ Proposed	HARN 51765	26	s	30	E	3	NW	NW	800	6310'S & 415'E from NW cor, Sec 34
#14	☐ Authorized ☐ Proposed	HARN 51871	25	s	30	E	33	SE	SE	3600	4314'S & 870'W from NE cor, Sec 33
#15	☐ Authorized ☐ Proposed	HARN 51970	25	s	30	E	33	SE	SE	3600	4314'S & 920'W from NE cor, Sec 33
#16	☐ Authorized ☐ Proposed	HARN 52121	25	s	30	E	29	sw	SE	2600	735'N & 7025'W from SE cor, Sec 28
#17	☐ Authorized ☐ Proposed	HARN 52154	26	s	30	E	3	NW	NW	800	6300'S & 440'E from NW cor, Sec 34
#18	☐ Authorized ☐ Proposed	HARN 52170	25	S	30	E	29	sw	SE	2600	735'N & 6970'W from SE cor, Sec 28
#20	Authorized Proposed	HARN 52457	26	S	30	E	9	sw	NE	1200	1975'S & 1525'W from Ni cor, Sec 9
#21	☐ Authorized ☐ Proposed	HARN 52590	25	S	30	E	29	SE	SE	2600	75'N & 6590'W from SE cor, Sec 28
#22	☐ Authorized ☐ Proposed	HARN 52591	25	S	30	E	29	sw	SE	2600	850'N & 6975'W from SE cor, Sec 28
#23	☐ Authorized ☐ Proposed	HARN 52674	25	S	30	E	33	SE	NW	2500	2690'S & 2870'W from Ni cor, Sec 33
#11B	☐ Authorized ☐ Proposed	HARN 52774	26	S	30	E	9	sw	NBE	1200	2605'S & 1410'W from NI cor, Sec 9

Check al	i type(s) of change(s) proposed below (ch	ange	"CODES" are provided in parentneses):
$\boxtimes$	Place of Use (POU)		Supplemental Use to Primary Use (S to P)
	Character of Use (USE)	$\boxtimes$	Point of Appropriation/Well (POA)
	Point of Diversion (POD)		Additional Point of Appropriation (APOA)
	Additional Point of Diversion (APOD)		Substitution (SUB)
	Surface Water POD to Ground Water POA (SW/GW)		Government Action POD (GOV)
Will all o	of the proposed changes affect the entire	water	right?
Yes	Complete only the Proposed ("to" or "on" "CODES" listed above to describe the prop		s) section of Table 2 on the next page. Use the changes.
⊠ No	Complete all of Table 2 to describe the po	rtion	of the water right to be changed.

RECEIVED

MAY 11 2022

OWAD

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

#### Table 2. Description of Changes to Water Right Certificate # 95738

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

	AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGE. List only that part or portion of the water right that will be changed.											Proposed Changes (see															
Tv	vр	Rn		Sec		1/4		Tax Lot	Gvt	11	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)		Changes (see "CODES" from previous page)	Tv	wp	Rı	ng	Sec	1/4	1/4	Tay Lot	Gvt Lot		New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date
26	S	30	E	8	N	E	NE	1200		29.9	IR	2,4 & 20	1981	POA/POU	26	s	30	E	5	NE	NE	1300	1	2.5	IR		1981
26	s	30	E	8	SI	E	NE	1200		30.3	IR	2,4 & 20	1981	POA/POU	26	s	30	E	5	NW	NE	1300	2	7.5 IR 3.8 IS	IR/IS		1981
26	S	30	E	9	sv	v I	NE	1200		22.7	IR	2,4 & 20	1981	POA	26	s	30	E	8	NE	NE	1200		28.8	IR		1981
26	s	30	E	9	SI	E	NE	1200		0.1	IR	2,4 & 20	1981	POA	26	s	30	E	8	SE	NE	1200		29.3	IR		1981
26	s	30	E	9	N۱	N	NW	1200		32.8	IR	2,4 & 20	1981	POA	26	s	30	E	9	sw	NE	1200		21.7	IR		1981
26	S	30	E	9	sv	V	NW	1200		33.9	IR	2,4 & 20	1981	POA	26	s	30	E	9	NW	NW	1200		31.9	IR		1981
26	S	30	E	9	SI	E	NW	1200		24.3	IR	2,4 & 20	1981	POA	26	s	30	E	9	sw	NW	1200		33.0	IR		1981
26	S	30	E	9	N	E	sw	1200		29.1	IR	2,4 & 20	1981	POA	26	s	30	E	9	SE	NW	1200		23.5	IR		1981
26	S	30	E	9	N	N	SW	1200		33.7	IR	2,4 & 20	1981	POA	26	s	30	E	9	NE	sw	1200		27.7	IR		1981
26	s	30	E	9	sv	V	sw	1200		32.6	IR	2,4 & 20	1981	POA	26	s	30	Ε	9	NW	sw	1200		32.8	IR		1981
26	S	30	E	9	SI	E	sw	1200		27.5	IR	2,4 & 20	1981	POA	26	s	30	E	9	sw	sw	1200		31.7	IR	7	1981
26	s	30	E	9	N	E	SE	1200		28.1 IS 1.8 IR	IR/IS	2,4 & 20	1981	POA	26	s	30	E	9	SE	sw	1200		26.6	IR		1981

RECEIVED

MAY 1 1 2022

		1	porter l	R R	191			
к	Е		-			-	D	ı
	_	$\smile$	1.778		- 1		_	,

## MAY 1 1 2022

Additional remarks:\_\_\_\_\_.

OWAD

2	6 S	3	0	E	9	NW	SE	1200	37	.6	IS	2,4 & 20	1981	POA	26	s s	30	E	9	NE	SE	1200	27.5 IS 1.5 IR	IS/IR	1981
2	6 S	3	0	E	9	sw	SE	1200	33	.2	IS	2,4 & 20	1981	POA	26	s s	30	E	9	NW	SE	1200	36.2	IS	1981
2	6 S	3	0	E	9	SE	SE	1200	29	.2	IS	2,4 & 20	1981	POA	26	s s	30	E	9	sw	SE	1200	32.3	IS	1981
														POA	26	s s	30	E	9	SE	SE	1200	28.3	IS	1981
							TO <sup>-</sup>	TAL ACI	304. 128.	6 IR 1 IS					TOTAL ACRES						то	TAL ACRE	304.6 IR 128.1 IS	1	

#### For Place of Use or Character of Use Changes

	there other water right certificates, water use permits or ground water registrat the "from" or the "to" lands? $igtigtigtigtigtigtigtigtarrow$ Yes $\hfilligtigtigtigtigtigtigtarrow$ No	ions associated
If YE	S, list the certificate, water use permit, or ground water registration numbers: ${f c}$	# <u>95739.</u>
a pr to a	suant to ORS 540.510, any "layered" water use such as an irrigation right that is simary right proposed for transfer must be included in the transfer or be cancelle ground water registration must be filed separately in a ground water registratio lication.	d. Any change
For Su	<b>Ibstitution</b> (ground water supplemental irrigation will be substituted for surface irrigation)	, ,
Gro	und water supplemental Permit or Certificate #;	RECEIVED
Surf	ace water primary Certificate #	MAY 1 1 2022
For a	change from Supplemental Irrigation Use to Primary Irrigation Use	
Iden	tify the primary certificate to be cancelled. Certificate #	OWED
For a	change in point(s) of appropriation (well(s)) or additional point(s) of appropriate	tion:
	Well log(s) are attached for each authorized and proposed well(s) that are clea associated with the corresponding well(s) in Table 1 above and on the accompanap.  Tip: You may search for well logs on the Department's web page at:	
	http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx	
AND	O/OR	
	Describe the construction of the authorized and proposed well(s) in Table 3 for do not have a well log. For <i>proposed wells not yet constructed or built</i> , provide estimate" for each requested information element in the table. The Departmer you consult a licensed well driller, geologist, or certified water right examiner to assembling the information necessary to complete Table 3.	"a best nt recommends

#### Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

R	0	 79		
			E	u

#### CERTIFICATE # 95739

MAY 1 1 2022

#### **Description of Water Delivery System**

System capacity:	1.6 cubic feet per second (cfs) <b>OR</b>
	gallons per minute (gpm)

OWND

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Water is pumped from authorized wells and conveyed by buried pipe to 1 center pivot sprinklers that irrigate the POU.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	T	wp	R	ng	Sec	1/4	1/4	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#2	Authorized Proposed	MALH 2324	26	s	30	E	9	sw	NW	1200	1330'S & 65'E from NW cor, Sec 9
#4	Authorized Proposed	HARN 1331	26	s	30	E	9	sw	NE	1200	2407'S & 1732'W from NE cor, Sec 9
#10	☐ Authorized ☐ Proposed	HARN 51765	26	s	30	E	3	NW	NW	800	6310'S & 415'E from NW cor, Sec 34
#11B	☐ Authorized ☐ Proposed	HARN 52774	26	s	30	E	9	sw	NBE	1200	2605'S & 1410'W from NE cor, Sec 9
#14	☐ Authorized ☐ Proposed	HARN 51871	25	s	30	E	33	SE	SE	3600	4314'S & 870'W from NE cor, Sec 33
#15	☐ Authorized ☐ Proposed	HARN 51970	25	s	30	E	33	SE	SE	3600	4314'S & 920'W from NE cor, Sec 33
#16	☐ Authorized ☐ Proposed	HARN 52121	25	s	30	E	29	sw	SE	2600	735'N & 7025'W from SE cor, Sec 28
#17	☐ Authorized ☐ Proposed	HARN 52154	26	s	30	E	3	NW	NW	800	6300'S & 440'E from NW cor, Sec 34
#18	☐ Authorized ☐ Proposed	HARN 52170	25	S	30	E	29	sw	SE	2600	735'N & 6970'W from SE cor, Sec 28
#20	Authorized Proposed	HARN 52457	26	S	30	E	9	sw	NE	1200	1975'S & 1525'W from NE cor, Sec 9
#21	☐ Authorized ☐ Proposed	HARN 52590	25	S	30	E	29	SE	SE	2600	75'N & 6590'W from SE cor, Sec 28
#22	Authorized Proposed	HARN 52591	25	s	30	E	29	sw	SE	2600	850'N & 6975'W from SE cor, Sec 28
#23	☐ Authorized ☐ Proposed	HARN 52674	25	s	30	E	33	SE	NW	2500	2690'S & 2870'W from NE cor, Sec 33

Check al	ii type(s) of change(s) proposed below (ch	ange	"CODES" are provided in parentheses):
$\boxtimes$	Place of Use (POU)		Supplemental Use to Primary Use (S to P)
	Character of Use (USE)	$\boxtimes$	Point of Appropriation/Well (POA)
	Point of Diversion (POD)	$\boxtimes$	Additional Point of Appropriation (APOA)
	Additional Point of Diversion (APOD)		Substitution (SUB)
	Surface Water POD to Ground Water POA (SW/GW)		Government Action POD (GOV)
Will all o	of the proposed changes affect the entire	water	right?
Yes	Complete only the Proposed ("to" or "on" "CODES" listed above to describe the prop		s) section of Table 2 on the next page. Use the changes.
⊠ No	Complete all of Table 2 to describe the po	rtion	of the water right to be changed.

RECEDED

MAY 1 1 2022

OWED

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

#### Table 2. Description of Changes to Water Right Certificate # 95739

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

	Т					t app	pear	s on th	e cert	tificate		ls) DPOSED CHAI II be changed.		Proposed			1	Γhe	listir			uld apı		FTER F	n" lands) PROPOSED	CHANGES	5
Tw	vр	Rnį		Sec		1/4		Tax Lot	Gvt		Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Changes (see "CODES" from previous page)	Tw	/p	Rr	ng	Sec	1/4	1/4	Tax Lot	Gvt		New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date
26	s	30	E	9	N	NE	SE	1200		28.1	IR	2,4, & 20	1970	APOA/POU/ POA	26	s	30	E	5	NW	NE	1300	2	3.8	IR	,10,14- 18,21-23	1970
26	s	30	E	9	N	ıw	SE	1200		37.6	IR	2,4, & 20	1970	APOA/POU/ POA	26	s	30	E	9	NE	SE	1200		27.5	IR	2,4,11B & 20	1970
26	s	30	E	9	s	w	SE	1200		33.2	IR	2,4, & 20	1970	APOA/POU/ POA	26	s	30	E	9	NW	SE	1200		36.2	IR	2,4,11B & 20	1970
26	s	30	E	9	5	SE	SE	1200		29.2	IR	2,4, & 20	1970	APOA/POU/ POA	26	S	30	E	9	sw	SE	1200		32.3	IR	2,4,11B & 20	1970
														APOA/POU/ POA	26	s	30	E	9	SE	SE	1200		28.3	IR	2,4,11B & 20	1970
							TO	TAL AC	RES:	128.1											TO	TAL AC	RES:	128.1		•	

Additional remarks: \_\_\_. We proposed to also add POA 11B to the place of use in tax lot 1200.

RECEIVED

MAY 11 2022

OWAD

#### For Place of Use or Character of Use Changes

	Are there other water right certificates, water use permits or ground water regis with the "from" or the "to" lands? $\square$ Yes $\square$ No	trations associated
	If YES, list the certificate, water use permit, or ground water registration number	rs: <b>95738.</b>
	Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that a primary right proposed for transfer must be included in the transfer or be cand to a ground water registration must be filed separately in a ground water registrapplication.	elled. Any change
F	For Substitution (ground water supplemental irrigation will be substituted for surf irrigation)	
	Ground water supplemental Permit or Certificate #;	RECEIVED
	Surface water primary Certificate #	MAY 1 1 2022
F	For a change from Supplemental Irrigation Use to Primary Irrigation Use	
	Identify the primary certificate to be cancelled. Certificate #	OWAD
F	For a change in point(s) of appropriation (well(s)) or additional point(s) of approp	oriation:
	Well log(s) are attached for each authorized and proposed well(s) that are deassociated with the corresponding well(s) in Table 1 above and on the accomap.	
	<b>Tip</b> : You may search for well logs on the Department's web page at: <a href="http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx">http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx</a>	
	AND/OR	
	Describe the construction of the authorized and proposed well(s) in Table 3 do not have a well log. For <i>proposed wells not yet constructed or built</i> , provestimate" for each requested information element in the table. The Depart you consult a licensed well driller, geologist, or certified water right examin	ide "a best ment recommends

#### Table 3. Construction of Point(s) of Appropriation

assembling the information necessary to complete Table 3.

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

#### CERTIFICATE # 95740

REC	E	VED	
MAY	11	2022	

#### **Description of Water Delivery System**

System capacity:	5.00 cubic feet per second (cfs) OR	OWA
	gallons per minute (gpm)	

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Water is pumped from authorized wells and conveyed by buried pipe to 3 center pivot sprinklers that irrigate the POU.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	T	wp	R	ng	Sec	1/4	*	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#7	Authorized Proposed	HARN 51272	25	s	30	E	34	SE	sw	2002	4725'S & 1877'E from NW cor, Sec 34
#10	Authorized Proposed	HARN 51765	26	s	30	E	3	NW	NW	800	6310'S & 415'E from NW cor, Sec 34
#11	Authorized Proposed	HARN 51760	25	s	30	E	3	NW	NW	800	6340'S & 330'E from NW cor, Sec 34
#12	Authorized Proposed	HARN 51817	25	s	30	E	33	SE	NW	2500	2690'S & 2890'W from Ni cor, Sec 33
#13	Authorized Proposed	HARN 51445	26	s	30	E	4	NE	NW	900	6415'S & 2745'W from N cor, Sec 33
#14	Authorized Proposed	HARN 51871	25	s	30	E	33	SE	SE	3600	4314'S & 870'W from NE cor, Sec 33
#15	<ul><li>✓ Authorized</li><li>✓ Proposed</li></ul>	HARN 51970	25	s	30	E	33	SE	SE	3600	4314'S & 920'W from NE cor, Sec 33
#16	Authorized Proposed	HARN 52121	25	s	30	E	29	sw	SE	2600	735'N & 7025'W from SE cor, Sec 28
#17	Authorized Proposed	HARN 52154	26	S	30	E	3	NW	NW	800	6300'S & 440'E from NW cor, Sec 34
#18	Authorized Proposed	HARN 52170	25	S	30	E	29	sw	SE	2600	735'N & 6970'W from SE cor, Sec 28
#21	☐ Authorized ☐ Proposed	HARN 52590	25	S	30	E	29	SE	SE	2600	75'N & 6590'W from SE cor, Sec 28
#22	☐ Authorized ☐ Proposed	HARN 52591	25	S	30	E	29	sw	SE	2600	850'N & 6975'W from SE cor, Sec 28
#23	Authorized Proposed	HARN 52674	25	s	30	E	33	SE	NW	2500	2690'S & 2870'W from N cor, Sec 33

Check a	ll type(s) of change(s) proposed below (ch	ange	"CODES" are provided in	parentheses):
$\boxtimes$	Place of Use (POU)		Supplemental Use to Prin	mary Use (S to P)
	Character of Use (USE)	$\boxtimes$	Point of Appropriation/V	Vell (POA)
	Point of Diversion (POD)		Additional Point of Appro	opriation (APOA)
	Additional Point of Diversion (APOD)		Substitution (SUB)	
	Surface Water POD to Ground Water POA (SW/GW)		Government Action POD	(GOV)
Will all o	of the proposed changes affect the entire	water	right?	
Yes	Complete only the Proposed ("to" or "on" "CODES" listed above to describe the pro		•	e next page. Use the
⊠ No	Complete all of Table 2 to describe the po	rtion	of the water right to be ch	nanged.
				RECEIVED
				MAY 1 1 2022
				OWAD



Please use and attach additional pages of Table 2 as needed. MAY 1 1 2022 See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

## Table 2. Description of Changes to Water Right Certificate # 95740

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

	Т				nat ap	opear	s on th	e cert	ificate		ds) DPOSED CHA ill be changed		Proposed Changes (see													
Tw	/p	Rn	ng	Sec	1/4	1 1/4	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	"CODES" from previous page)	Th	wp	Rı	ng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date
25	s	30	E	32	NE	SE	2500		36.5	IR	7,10-18	2005	POA/POU	26	s	30	E	4	sw	NW	1300		14.2	IR	#10,14- 18,21-23	2005
25	S	30	E	32	NW	SE	601		14.5	IR	7,10-18	2005	POA/POU	26	s	30	E	5	NE	NE	1300	1	8.3	IR	#10,14- 18,21-23	2005
25	S	30	E	32	sw	SE	3500		8.7	IR	7,10-18	2005	POA/POU	26	s	30	E	5	sw	NE	1300		1.1	IR	#10,14- 18,21-23	2005
25	S	30	E	32	SE	SE	3500		24.3	IR	7,10-18	2005	POA/POU	26	s	30	E	5	SE	NE	1300		30.3	IR	#10,14- 18,21-23	2005
25	S	30	E	33	NE	SW	2500		30.2	IR	7,10-18	2005	POA/POU	25	s	30	E	32	NE	SE	2500		35.6	IR	#10,14- 18,21-23	2005
25	S	30	E		NW	SW	2500		31.2	IR	7,10-18	2005	POA/POU	25	s	30	E	32	NW	SE	601		13.6	IR	#10,14- 18,21-23	2005
25	S	30	E		sw	SW	3500		26.7	IR	7,10-18	2005	POA/POU	25	s	30	E	32	sw	SE	3500		8.2	IR	#10,14- 18,21-23	2005
25	S	30	E		SE	SW	2500		27.0	IR	7,10-18	2005	POA/POU	25	s	30	E	32	SE	SE	3500		23.6	IR	#10,14- 18,21-23	2005
26	S	30	E	4	NE	NW	900	3	35.9	IR	7,10-18	2005	POA/POU	25	S	30	E	33	NE	SW	2500		29.3	IR	#10,14- 18,21-23	2005
26	s	30	E	4	NW	NW	1300	4	25.7	IR	7,10-18	2005	POA/POU	25	s	30	E	33	NW	sw	2500		30.2	IR	#10,14- 18,21-23	2005
26	s	30	E	4	sw	NW	1300		16.1	IR	7,10-18	2005	POA/POU	25	s	30	E	33	sw	sw	3500		25.5	IR	#10,14- 18,21-23	2005
26	S	30	E	4	SE	NW	1300		13.6	IR	7,10-18	2005	POA/POU	25	s	30	E	33	SE	sw	2500		25.9	IR	#10,14- 18,21-23	2005
26	S	30	E	4	NW	sw	1300		20.1	IR	7,10-18	2005	POA/POU	25	s	30	E	4	NE	NW	900	3	35.2	IR	#10,14- 18,21-23	2005

26	s	30	E	4	sw	sw	1000		5.5	IR	7,10-18	2005	POA/POU	25	s	30	E	4	NW	NW	1300	4	24.8	IR	#10,14- 18,21-23	2005
26	s	30	E	5	NE	NE	1300		5.5	IR	7,10-18	2005	POA/POU	25	s	30	E	4	SE	NW	1300		12.8	IR	#10,14- 18,21-23	2005
26	s	30	E		SE	NE	1300		15.1	IR	7,10-18	2005	POA/POU	25	s	30	E	4	NW	sw	1300		18.4	IR	#10,14- 18,21-23	2005
26	s	30	E		NE	SE	1300		24.3	IR	7,10-18	2005	POA/POU	25	s	30	E	4	sw	sw	1000		4.3	IR	#10,14- 18,21-23	2005
26	s	30	E		SE	SE	1200		38.1	IR	7,10-18	2005	POA/POU	25	s	30	E	5	NE	SE	1300		22.2	IR	#10,14- 18,21-23	2005
26	s	30	E	8	NE	NE	1200		1.0	IR	7,10-18	2005	POA/POU	25	s	30	E	5	SE	SE	1200		36.4	IR	#10,14- 18,21-23	2005
													POA/POU	25	s	30	Ε	8	NE	NE	1200		0.1	IR	#10,14- 18,21-23	2005
						TO	TAL ACF	RES:	400.0											TO	ΓAL ACF	RES:	400.00			

Additional remarks:\_\_\_\_\_.

RECEPTED

MAY 1 1 2022

OWED

#### For Place of Use or Character of Use Changes

	dec of ose of character of ose changes	
Are wit	there other water right certificates, water use permits or ground water registent has the "to" lands? $oxed{oxed}$ Yes $oxed{oxed}$ No	rations associated
If Y	ES, list the certificate, water use permit, or ground water registration numbers	: <u>95741.</u>
a pr to a	suant to ORS 540.510, any "layered" water use such as an irrigation right that is imary right proposed for transfer must be included in the transfer or be cance ground water registrated ground water registrated lication.	lled. Any change
For Su	<b>ubstitution</b> (ground water supplemental irrigation will be substituted for surfaction)	
Gro	und water supplemental Permit or Certificate #;	RECEIVED
Surf	ace water primary Certificate #	MAY 1 1 2022
For a	change from Supplemental Irrigation Use to Primary Irrigation Use	
Ider	tify the primary certificate to be cancelled. Certificate #	OWED
For a	change in point(s) of appropriation (well(s)) or additional point(s) of appropr	iation:
	Well log(s) are attached for each authorized and proposed well(s) that are cleassociated with the corresponding well(s) in Table 1 above and on the accommap.	
	<b>Tip</b> : You may search for well logs on the Department's web page at: <a href="http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx">http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx</a>	
AND	O/OR	
	Describe the construction of the authorized and proposed well(s) in Table 3 f do not have a well log. For <i>proposed wells not yet constructed or built</i> , provide estimate" for each requested information element in the table. The Departm you consult a licensed well driller, geologist, or certified water right examined assembling the information necessary to complete Table 3.	le "a best ent recommends

#### Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs						, ,				

#### CERTIFICATE # 95741

District Street,	60000	in land land
		ED
RE		

#### **Description of Water Delivery System**

MAY 1 1 2022

System capacity:  $\underline{\mathbf{5.9}}$  cubic feet per second (cfs)  $\mathbf{OR}$ 

OMED

\_\_\_\_\_ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Water is pumped from authorized wells and conveyed by buried pipe to 9 center pivot sprinklers that irrigate the POU.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	T	wp	R	ng	Sec	1/4	14	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#7	Authorized Proposed	HARN 51272	25	s	30	Ε	34	SE	sw	2002	4725'S & 1877'E from NW cor, Sec 34
#10	Authorized Proposed	HARN 51765	26	s	30	E	3	NW	NW	800	6310'S & 415'E from NW cor, Sec 34
#11	Authorized Proposed	HARN 51760	25	s	30	E	3	NW	NW	800	6340'S & 330'E from NW cor, Sec 34
#12	Authorized Proposed	HARN 51817	25	s	30	E	33	SE	NW	2500	2690'S & 2890'W from NE cor, Sec 33
#13	Authorized Proposed	HARN 51445	26	s	30	E	4	NE	NW	900	6415'S & 2745'W from NE cor, Sec 33
#14	Authorized Proposed	HARN 51871	25	s	30	E	33	SE	SE	3600	4314'S & 870'W from NE cor, Sec 33
#15	Authorized Proposed	HARN 51970	25	s	30	E	33	SE	SE	3600	4314'S & 920'W from NE cor, Sec 33
#16	Authorized Proposed	HARN 52121	25	s	30	E	29	sw	SE	2600	735'N & 7025'W from SE cor, Sec 28
#17	Authorized Proposed	HARN 52154	26	S	30	E	3	NW	NW	800	6300'S & 440'E from NW cor, Sec 34
#18	Authorized Proposed	HARN 52170	25	S	30	E	29	sw	SE	2600	735'N & 6970'W from SE cor, Sec 28
#21	☐ Authorized ☐ Proposed	HARN 52590	25	S	30	E	29	SE	SE	2600	75'N & 6590'W from SE cor, Sec 28
#22	☐ Authorized ☐ Proposed	HARN 52591	25	S	30	E	29	sw	SE	2600	850'N & 6975'W from SE cor, Sec 28
#23	☐ Authorized ☐ Proposed	HARN 52674	25	S	30	E	33	SE	NW	2500	2690'S & 2870'W from NE cor, Sec 33

Check al	ll type(s) of change(s) proposed below (ch	ange	"CODES" are provided in parentheses):
$\boxtimes$	Place of Use (POU)		Supplemental Use to Primary Use (S to P)
	Character of Use (USE)	$\boxtimes$	Point of Appropriation/Well (POA)
	Point of Diversion (POD)		Additional Point of Appropriation (APOA)
	Additional Point of Diversion (APOD)		Substitution (SUB)
	Surface Water POD to Ground Water POA (SW/GW)		Government Action POD (GOV)
Will all c	of the proposed changes affect the entire	water	right?
Yes	Complete only the Proposed ("to" or "on" "CODES" listed above to describe the prop		s) section of Table 2 on the next page. Use the changes.
⊠ No	Complete all of Table 2 to describe the po	rtion	of the water right to be changed.
			RECEIVED
			MAY 1 1 2022

OMED

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

#### Table 2. Description of Changes to Water Right Certificate # 95741

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

	Т	The			hat a	appea	rs on t	he cer	tificate		s) POSED CHAN II be changed.		Proposed Changes (see	PROPOSED (the "to" or "on" lands)  The listing as it would appear AFTER PROPOSED CHANG  are made.											CHANGES	GES
Tw	/p	Rn	g	Sec		1/4 1/4	Tax Lo	Gvt ot Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	"CODES" from previous page)	Tv	vp	R	lng	Sec	7/2	1 1/4	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date
25	s	30	E	29	N	NW	3000		35.3	IR	7,10-18	2012	POA/POU	25	s	30	E	32	sw	SE	3500		1.9	IR	10,14- 18,21-23	2012
25	s	30	E	29	SE	NV	2600		38.3	IR	7,10-18	2012	POA/POU	25	s	30	E	32	SE	sw	3500		30.0	IR	10,14- 18,21-23	2012
25	S	30	E	29	sv	/ NE	2600		33.6	IR	7,10-18	2012	POA/POU	26	s	30	E	5	NW	NE	1300		0.3	IR	10,14- 18,21-23	2012
25	S	30	E	29	SE	NE	2600		8.2	IR	7,10-18	2012	POA/POU	26	s	30	E	5	NE	NW	1300		1.9	IR	10,14- 18,21-23	2012
25	s	30	E	29	N	SW	2600		22.6	IR	7,10-18	2012	POA/POU	26	s	30	E	5	sw	NE	1300		2.0	IR	10,14- 18,21-23	2012
25	S	30	E	29	SE	sv	2600		17.4	IR	7,10-18	2012	POA	26	s	30	E	5	SE	NE	1300		0.3	IR	10,14- 18,21-23	2012
25	S	30	E	29	NV	<b>V</b> SE	2600		10.2	IR	7,10-18	2012	POA	25	s	30	E	29	NE	NW	3000		29.2	IR	10,14- 18,21-23	2012
25	S	30	E	29	sv	<b>V</b> SE	2600		27.0	IR	7,10-18	2012	POA	25	s	30	E	29	SE	NW	2600		36.6	IR	10,14- 18,21-23	2012
25	s	30	E	32	NV	V NE	3300		7.8	IR	7,10-18	2012	POA	25	s	30	E	29	sw	NE	2600		29.5	IR	10,14- 18,21-23	2012

REC ED

MAY 1 1 2022



25	s	30	E	32	sw	NE	2500	0.5	IR	7,10-18	2012	POA	25	s	30	E	29	sw	NE	2600	29.5	IR	10,14- 18,21-23	2012
25	s	30	E	32	NE	NW	3200	28.8	IR	7,10-18	2012	POA	25	s	30	Ε	29	SE	NE		5.7	IR	10,14- 18,21-23	2012
25	s	30	E	32	SE	NW	601	18.2	IR	7,10-18	2012	POA	25	s	30	E	29	NE	sw		24.6	IR	10,14- 18,21-23	2012
26	s	30	E	4	SE	NW	1300	0.7	IR	7,10-18	2012	POA	25	s	30	E	29	SE	sw		15.9	IR	10,14- 18,21-23	2012
26	s	30	E	4	NE	sw	1300	35.4	IR	7,10-18	2012	POA	25	s	30	E	29	NW	SE		9.1	IR	10,14- 18,21-23	2012
26	s	30	E	4	NW	sw	1300	7.7	IR	7,10-18	2012	POA	25	s	30	E	29	sw	SE		25.2	IR	10,14- 18,21-23	2012
26	s	30	E	4	NE	SE	800	28.2	IR	7,10-18	2012	POA	25	s	30	E	32	NW	NE	3300	6.4	IR	10,14- 18,21-23	2012
26	s	30	E	4	NW	SE	800	33.9	IR	7,10-18	2012	POA	25	s	30	E	32	sw	NE	2500	0.4	IR	10,14- 18,21-23	2012
26	s	30	E	4	SE	sw	1100	0.6	IR	7,10-18	2012	POA	25	s	30	E	32	NE	NW	3200	26.0	IR	10,14- 18,21-23	2012
26	s	30	E	4	sw	SE	1200	0.8	IR	7,10-18	2012	POA	25	s	30	E	32	SE	NW	601	16.8	IR	10,14- 18,21-23	2012
26	s	30	E	4	SE	SE	1200	0.7	IR	7,10-18	2012	POA	26	s	30	E	4	SE	NW	1300	0.4	IR	10,14- 18,21-23	2012
												POA	26	s	30	E	4	NE	sw	1300	33.3	IR	10,14- 18,21-23	2012
												POA	26	s	30	E	4	NW	sw	1300	6.3	IR	10,14- 18,21-23	2012
												POA	26	s	30	E	4	SE	sw	1100	0.1	IR	10,14- 18,21-23	2012
												POA	26	s	30	E	4	NE	SE	800	26.2	IR	10,14- 18,21-23	2012
								,				POA	26	s	30	E	4	NW	SE	800	31.1	IR	10,14- 18,21-23	2012
												POA	26	s	30	E	4	sw	SE	1200	0.4	IR	10,14- 18,21-23	2012
									,			POA	26	s	30	E	4	SE	SE	1200	0.3	IR	10,14- 18,21-23	2012

REC ED

MAY 1 1 2022

Revised 7/1/2021

Permanent Transfer Application Form – Page 30 of 51

----

**TACS** 

TOTAL ACRES: 355.9

REC ED

MAY 11 2022

OWD

## Certificate # 95741 For Place of Use or Character of Use Changes Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? \(\sumsymbol{\substack}\) Yes No If YES, list the certificate, water use permit, or ground water registration numbers:\_\_\_\_ Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application. For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation) RECEIVED Ground water supplemental Permit or Certificate # \_\_\_\_\_; MAY 1-1 2022 Surface water primary Certificate # \_\_\_\_\_. For a change from Supplemental Irrigation Use to Primary Irrigation Use OWRD Identify the primary certificate to be cancelled. Certificate # \_\_\_\_\_ For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation: Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. **Tip**: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well\_log/Default.aspx

#### AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For proposed wells not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

#### Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specifi rate (cfs or gpm). If less than full rate of water righ
See well logs										

access the same source aquifer.

REC	E	ME	D
MAY	1	20	22

OWED

#### CERTIFICATE # 95742

Description of	f Water De	livery S	ystem
----------------	------------	----------	-------

System capacity:	$\underline{\textbf{0.47}}$ cubic feet per second (cfs) $\textbf{OR}$
	gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Water is pumped from authorized wells and conveyed by buried pipe to 1 center pivot sprinkler that irrigate the POU.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	Т	wp	R	ng	Sec	7/4	1/4	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#7	Authorized Proposed	HARN 51272	25	s	30	E	34	SE		2002	4725'S & 1877'E from NW cor, Sec 34
#10	Authorized Proposed	HARN 51765	26	s	30	E	3	NW	NW	800	6310'S & 415'E from NW cor, Sec 34
#11	Authorized Proposed	HARN 51760	25	s	30	E	3	NW	NW	800	6340'S & 330'E from NW cor, Sec 34
#12	Authorized Proposed	HARN 51817	25	s	30	E	33	SE	NW	2500	2690'S & 2890'W from NE cor, Sec 33
#13	Authorized Proposed	HARN 51445	26	s	30	E	4	NE	NW	900	6415'S & 2745'W from NI cor, Sec 33
#14	Authorized Proposed	HARN 51871	25	s	30	E	33	SE	SE	3600	4314'S & 870'W from NE cor, Sec 33
#15	Authorized Proposed	HARN 51970	25	S	30	E	33	SE	SE	3600	4314'S & 920'W from NE cor, Sec 33
#16	Authorized Proposed	HARN 52121	25	S	30	Е	29	sw	SE	2600	735'N & 7025'W from SE cor, Sec 28
#17	Authorized Proposed	HARN 52154	26	S	30	Е	3	NW	NW	800	6300'S & 440'E from NW cor, Sec 34
#18	Authorized Proposed	HARN 52170	25	S	30	Е	29	SW	SE	2600	735'N & 6970'W from SE cor, Sec 28
#21	Authorized Proposed	HARN 52590	25	S	30	E	29	SE	SE	2600	75'N & 6590'W from SE cor, Sec 28
#22	☐ Authorized ☐ Proposed	HARN 52591	25	S	30	E	29	sw	SE	2600	850'N & 6975'W from SE cor, Sec 28
#23	☐ Authorized ☐ Proposed	HARN 52674	25	s	30	E	33	SE	NW	2500	2690'S & 2870'W from NE cor, Sec 33

Check a	ll type(s) of change(s) proposed below (ch	ange	"CODES" are provided in parentheses):
$\boxtimes$	Place of Use (POU)		Supplemental Use to Primary Use (S to P)
	Character of Use (USE)	$\boxtimes$	Point of Appropriation/Well (POA)
	Point of Diversion (POD)		Additional Point of Appropriation (APOA)
	Additional Point of Diversion (APOD)		Substitution (SUB)
	Surface Water POD to Ground Water POA (SW/GW)		Government Action POD (GOV)
Will all o	of the proposed changes affect the entire	water	right?
Yes	Complete only the Proposed ("to" or "on" "CODES" listed above to describe the pro		s) section of Table 2 on the next page. Use the changes.
⊠ No	Complete all of Table 2 to describe the po	rtion	of the water right to be changed.
			REC ED  MAY 11 2022
			OWN D

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

#### Table 2. Description of Changes to Water Right Certificate # 95742

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

	AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.						Proposed Changes (see	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.																			
Tw	vp	Rn	g	Sec	1	4 1/4	Tax	Lot	Gvt ot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Date	"CODES" from previous page)	Tw	р	Rn	g	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date
25	s	30	E	34	sw	NW	250	)1		0.2	IR	7,10-18	2008	POU/POA	26	s	30	E	5	NW	NE	1300	2	1.8	IR	10,14- 18,21-23	2008
25	s	30	E	34	SE	NW	250	)1		8.2	IR	7,10-18	2008	POU/POA	26	s	30	Ε	5	NE	NW	1300	3	2.1	IR	10,14- 18,21-23	2008
25	s	30	E	34	NE	sw	200	)2		26.2	IR	7,10-18	2008	POU/POA	25	s	30	E	34	sw	NW	2501		0.1	IR	10,14- 18,21-23	2008
25	s	30	E	34	NW	sw	200	)2		3.0	IR	7,10-18	2008	POU/POA	25	s	30	Ε	34	SE	NW			6.9	IR	10,14- 18,21-23	2008
														POU/POA	25	s	30	Ε	34	NE	sw	2002		24.4	IR	10,14- 18,21-23	2008
														POU/POA	25	s	30	E	34	NW	sw	2002		2.3	IR	10,14- 18,21-23	2008
						TO	TALA	ACRE	ES:	37.6				1.41							TO	TAL AC	RES:	37.6			

<b>Additional</b>	remarks:	

REC ED

MAY 1 1 2022

Charles D

#### For Place of Use or Character of Use Changes

. or . lace or one or enaments or one ename	
Are there other water right certificates, water use permits or ground water registration with the "from" or the "to" lands? $\square$ Yes $\square$ No	ons associated
If YES, list the certificate, water use permit, or ground water registration numbers:	<u>.</u>
Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is sua primary right proposed for transfer must be included in the transfer or be cancelled to a ground water registration must be filed separately in a ground water registration application.	l. Any change
<b>For Substitution</b> (ground water supplemental irrigation will be substituted for surface virrigation)	
Ground water supplemental Permit or Certificate #; Surface water primary Certificate #	RECE ED MAY 1 1 2022
For a change from Supplemental Irrigation Use to Primary Irrigation Use	OWAD
Identify the primary certificate to be cancelled. Certificate #	UNITE
For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriati	on:
Well log(s) are attached for each authorized and proposed well(s) that are clearly associated with the corresponding well(s) in Table 1 above and on the accompant map.  Tip: You may search for well logs on the Department's web page at:	•
http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx  AND/OR	
Describe the construction of the authorized and proposed well(s) in Table 3 for a do not have a well log. For proposed wells not yet constructed or built, provide "estimate" for each requested information element in the table. The Department you consult a licensed well driller, geologist, or certified water right examiner to assembling the information necessary to complete Table 3.	a best t recommends
ble 3. Construction of Point(s) of Appropriation	

#### Ta

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

	-	
-	-	
	_ \	2

ED

#### CERTIFICATE # 95743

BARV	-	-	2	n	20	ì
MAY	1	1		П	"	ı
	_ I		-	w		ı

#### **Description of Water Delivery System**

System capacity:  $\underline{7.26}$  cubic feet per second (cfs) **OR** 

\_\_\_\_\_ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Water is pumped from authorized wells and conveyed by buried pipe to 6 center pivot sprinklers that irrigate the POU.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

							,	_			
POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	Tv	wp	R	ng	Sec	1/4	1/4	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#7	Authorized Proposed	HARN 51272	25	s	30	E	34	SE	sw	2002	4725'S & 1877'E from NW cor, Sec 34
#10	Authorized Proposed	HARN 51765	26	s	30	E	3	NW	NW	800	6310'S & 415'E from NW cor, Sec 34
#11	Authorized Proposed	HARN 51760	25	s	30	E	3	NW	NW	800	6340'S & 330'E from NW cor, Sec 34
#12	Authorized Proposed	HARN 51817	25	S	30	E	33	SE	NW	2500	2690'S & 2890'W from N cor, Sec 33
#13	Authorized Proposed	HARN 51445	26	S	30	E	4	NE	NW	900	6415'S & 2745'W from N cor, Sec 33
#14	Authorized Proposed	HARN 51871	25	s	30	E	33	SE	SE	3600	4314'S & 870'W from NE cor, Sec 33
#15	Authorized Proposed	HARN 51970	25	s	30	E	33	SE	SE	3600	4314'S & 920'W from NE cor, Sec 33
#16	Authorized Proposed	HARN 52121	25	s	30	E	29	sw	SE	2600	735'N & 7025'W from SE cor, Sec 28
#17	Authorized Proposed	HARN 52154	26	s	30	E	3	NW	NW	800	6300'S & 440'E from NW cor, Sec 34
#18	Authorized Proposed	HARN 52170	25	S	30	E	29	sw	SE	2600	735'N & 6970'W from SE cor, Sec 28
#21	☐ Authorized ☐ Proposed	HARN 52590	25	S	30	E	29	SE	SE	2600	75'N & 6590'W from SE cor, Sec 28
#22	☐ Authorized ☐ Proposed	HARN 52591	25	S	30	E	29	SW	SE	2600	850'N & 6975'W from SE cor, Sec 28
#23	☐ Authorized ☐ Proposed	HARN 52674	25	S	30	E	33	SE	NW	2500	2690'S & 2870'W from Ni cor, Sec 33

Check a	ll type(s) of change(s) proposed below (ch	ange	"CODES" are provided in parentheses):
$\boxtimes$	Place of Use (POU)		Supplemental Use to Primary Use (S to P)
	Character of Use (USE)	$\boxtimes$	Point of Appropriation/Well (POA)
	Point of Diversion (POD)		Additional Point of Appropriation (APOA)
	Additional Point of Diversion (APOD)		Substitution (SUB)
	Surface Water POD to Ground Water POA (SW/GW)		Government Action POD (GOV)
Will all o	of the proposed changes affect the entire	water	right?
Yes	Complete only the Proposed ("to" or "on" "CODES" listed above to describe the prop		s) section of Table 2 on the next page. Use the changes.
⊠ No	Complete all of Table 2 to describe the po	rtion	of the water right to be changed.
			RECEIVED
			MAY 1 1 2022

Please use and attach additional pages of Table 2 as needed. MAY 1 1 2022 See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

### Table 2. Description of Changes to Water Right Certificate # 95743

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

	Т			_	nat ap	opear	s on th	e cert	ificate		ls) DPOSED CHA ill be changed		Proposed Changes (see			7	Γhe	listir			ıld app		FTER P	n" lands) PROPOSED (	CHANGES	
Tv	vp	Rn		Sec		<b>4 4</b>	Tax Lot	Gvt	1	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)		"CODES" from previous page)	Tw	/p	Rr	ng	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date
25	s	30	E	34	SE	sw	2002		0.17	IR	7,10-18	2011	POU/POA	26	s	30	Ε	5	NE	NE	1300	1	3.8	IR	10,14- 18,21-23	2011
25	s	30	E	34	sw	SE	2002		1.08	IR	7,10-18	2011	POU/POA	26	s	30	E	5	NW	NE	1300	2	12.3	IR	10,14- 18,21-23	2011
26	s	30	E	3	NW	NE	700	2	30.31	IR	7,10-18	2011	POU/POA	26	s	30	Ε	5	sw	NE	1300		17.3	IR	10,14- 18,21-23	2011
26	s	30	E	3	sw	NE	700	3	34.66	IR	7,10-18	2011	POU/POA	26	s	30	E	5	SE	NE	1300		0.1	IR	10,14- 18,21-23	2011
26	s	30	E	3	SE	NE	800	4	0.69	IR	7,10-18	2011	POU/POA	26	s	30	E	5	NE	NW	1300	3	6.5	IR	10,14- 18,21-23	2011
26	S	30	E	3	NE	NW	700	3	21.0	IR	7,10-18	2011	POU/POA	26	s	30	E	3	NW	NE	1300	2	28.21	IR	10,14- 18,21-23	2011
26	s	30	E	3	NW	NW	800	4	9.04	IR	7,10-18	2011	POU/POA	26	s	30	E	3	sw	NE	1300		29.95	IR	10,14- 18,21-23	2011
26	s	30	E	3	sw	NW	800		40.06	IR	7,10-18	2011	POA	26	s	30	E	3	NE	NW	1300	3	16.9	IR	10,14- 18,21-23	2011
26	S	30	E	3	SE	NW	800		38.41	IR	7,10-18	2011	POA	26	s	30	E	3	NW	NW	1300	4	7.44	IR	10,14- 18,21-23	2011
26	S	30	E	3	NW	SE	800		30.31	IR ,	7,10-18	2011	POA	26	s	30	E	3	sw	NW	1300		39.46	IR	10,14- 18,21-23	2011
26	s	30	E	3	NE	sw	800		23.05	IR	7,10-18	2011	POA	26	s	30	E	3	SE	NW	1300		34.21	IR	10,14- 18,21-23	2011
26	s	30	E	3	NW	sw	800		11.23	IR	7,10-18	2011	POA	26	s	30	E	3	NE	sw	1300		18.25	IR	10,14- 18,21-23	2011
26	s	30	E	3	sw	sw	800		26.3	IR	7,10-18	2011	POA	26	s	30	E	3	NW	sw	1300		9.03	IR	10,14- 18,21-23	2011

26	s	30	Ε	3	SE	sw	800	24.65	IR	7,10-18	2011	POA	26	s	30	E	3	sw	sw	1300		25.4	IR	10,14- 18,21-23	2011
26	s	30	E	3	sw	SE	800	11.6	IR	7,10-18	2011	POA	26	s	30	E	3	SE	sw	1300	2	22.05	IR	10,14- 18,21-23	2011
26	S	30	Ε	4	SE	NE	800	0.93	IR	7,10-18	2011	POA	26	s	30	E	3	sw	SE	1300		9.9	IR	10,14- 18,21-23	2011

26	s	30	E	4	sw	SE	1200		32.77	IR	7,10-18	2011	POA	26	s	30	Ε	4	sw	SE	1300	31.77	IR	10,14- 18,21-23	2011
26	s	30	E	4	SE	SE	1200		28.39	IR	7,10-18	2011	POA	26	s	30	Ε	4	SE	SE	1300	27.49	IR	10,14- 18,21-23	2011
26	s	30	E	9	NE	NE	1200		31.8	IR	7,10-18	2011	POA	26	s	30	E	9	NE	NE	1300	31.0	IR	10,14- 18,21-23	2011
26	s	30	E		NW	NE	1200		33.65	IR	7,10-18	2011	POA	26	s	30	Ε	9	NW	NE	1300	32.85	IR	10,14- 18,21-23	2011
26	s	30	E	9	sw	NE	1200		0.35	IR	7,10-18	2011	POA	26	s	30	Ε	9	sw	NE	1300	0.25	IR	10,14- 18,21-23	2011
26	s	30	E	9	SE	NE	800		0.31	IR	7,10-18	2011	POA	26	s	30	E	10	NE	NW	1300	0.45	IR	10,14- 18,21-23	2011
26	s	30	E	10	NE	NW	800		0.65	IR	7,10-18	2011	POA	26	S	30	E	10	NW	NW	1300	2.81	IR	10,14- 18,21-23	2011
26	s	30	E		NW	NW	800		3.2	IR	7,10-18	2011	POA												
						TO	TAL ACE	RES:	434.62											TOT	AL ACRES	434.62			

Additional remarks:\_\_\_\_\_

REC ED

MAY 1 1 2022

C

#### For Place of Use or Character of Use Changes

	0	
	water right certificates, water use permits or ground water registion or the "to" lands? $\square$ Yes $\boxtimes$	rations associated
No		
If YES, list the co	ertificate, water use permit, or ground water registration numbers	: <u>.</u>
a primary right	S 540.510, any "layered" water use such as an irrigation right that in proposed for transfer must be included in the transfer or be cance ser registration must be filed separately in a ground water registrate.	lled. Any change
For Substitution (	ground water supplemental irrigation will be substituted for surfaction)	RECENTED
	upplemental Permit or Certificate #; rimary Certificate #	MAY 1 1 2022
For a change fron	n Supplemental Irrigation Use to Primary Irrigation Use	OWNED
Identify the prin	nary certificate to be cancelled. Certificate #	
For a change in po	oint(s) of appropriation (well(s)) or additional point(s) of appropr	iation:
associated map.	are attached for each authorized and proposed well(s) that are closed with the corresponding well(s) in Table 1 above and on the accompany search for well logs on the Department's web page at:	
	s.wrd.state.or.us/apps/gw/well_log/Default.aspx	
AND/OR		
do not hav estimate" you consul	he construction of the authorized and proposed well(s) in Table 3 for a well log. For proposed wells not yet constructed or built, provide for each requested information element in the table. The Department a licensed well driller, geologist, or certified water right examine generated the information necessary to complete Table 3.	le "a best ent recommends
ble 3. Construction	n of Point(s) of Appropriation	

#### Tal

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

#### **CERTIFICATE # 96174**

REC ED MAY 11 2022

#### **Description of Water Delivery System**

System capacity:	4.92 cubic feet per second (cfs) <b>OR</b>	C 1 T	
	gallons per minute (gpm)		

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Water is pumped from authorized wells and conveyed by buried pipe to 3 center pivot sprinklers that irrigate the POU.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	T	wp	R	ng	Sec	1/4	14	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#7	Authorized Proposed	HARN 51272	25	s	30	E	34	SE	sw	2002	4725'S & 1877'E from NW cor, Sec 34
#10	Authorized Proposed	HARN 51765	26	s	30	E	3	NW	NW	800	6310'S & 415'E from NW cor, Sec 34
#11	<ul><li>✓ Authorized</li><li>✓ Proposed</li></ul>	HARN 51760	25	s	30	E	3	NW	NW	800	6340'S & 330'E from NW cor, Sec 34
#12	<ul><li>✓ Authorized</li><li>✓ Proposed</li></ul>	HARN 51817	25	s	30	E	33	SE	NW	2500	2690'S & 2890'W from NE cor, Sec 33
#13	☐ Authorized☐ Proposed	HARN 51445	26	s	30	E	4	NE	NW	900	6415'S & 2745'W from NE cor, Sec 33
#14	Authorized Proposed	HARN 51871	25	s	30	E	33	SE	SE	3600	4314'S & 870'W from NE cor, Sec 33
#15	☐ Authorized☐ Proposed	HARN 51970	25	s	30	E	33	SE	SE	3600	4314'S & 920'W from NE cor, Sec 33
#16	<ul><li>✓ Authorized</li><li>✓ Proposed</li></ul>	HARN 52121	25	s	30	E	29	sw	SE	2600	735'N & 7025'W from SE cor, Sec 28
#17	Authorized Proposed	HARN 52154	26	S	30	E	3	NW	NW	800	6300'S & 440'E from NW cor, Sec 34
#18	Authorized Proposed	HARN 52170	25	S	30	E	29	sw	SE	2600	735'N & 6970'W from SE cor, Sec 28
#8	<ul><li>✓ Authorized</li><li>✓ Proposed</li></ul>	HARN 1096	25	S	30	E	34	NW	NW	2501	502' S & 536' E from NW cor, Sec 34
#21	☐ Authorized ☐ Proposed	HARN 52590	25	S	30	E	29	SE	SE	2600	75'N & 6590'W from SE cor, Sec 28
#22	☐ Authorized ☐ Proposed	HARN 52591	25	s	30	E	29	sw	SE	2600	850'N & 6975'W from SE cor, Sec 28
#23	☐ Authorized ☐ Proposed	HARN 52674	25	s	30	E	33	SE	NW	2500	2690'S & 2870'W from NE cor, Sec 33

Check a	ll type(s) of change(s) proposed below (ch	ange	"CODES" are provided in parentheses):
$\boxtimes$	Place of Use (POU)		Supplemental Use to Primary Use (S to P)
	Character of Use (USE)	$\boxtimes$	Point of Appropriation/Well (POA)
	Point of Diversion (POD)		Additional Point of Appropriation (APOA)
	Additional Point of Diversion (APOD)		Substitution (SUB)
	Surface Water POD to Ground Water POA (SW/GW)		Government Action POD (GOV)
Will all o	of the proposed changes affect the entire	water	right?
Yes	Complete only the Proposed ("to" or "on" "CODES" listed above to describe the pro		s) section of Table 2 on the next page. Use the changes.
⊠ No	Complete all of Table 2 to describe the po	rtion	of the water right to be changed.
			RECEDED
			MAY 1 1 2022
			. OVED

REC

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions.

MAY 1 1 2022

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

### Table 2. Description of Changes to Water Right Certificate # 96174

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

	Т				nat a	ppea	rs on t	he cert	tificate		ds) DPOSED CHA ill be changed		Proposed Changes (see	2.3		-	The	listir			ıld app		FTER F	n" lands) PROPOSED	CHANGES	}
Tw	γp	Rn	g	Sec	3	4 1/4	Tax Lo	Gvt tLot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	"CODES" from previous page)	Tw	/p	Rr	ng	Sec	1/4	1/4	Tax Lot	Gvt	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date
25	s	30	E	33	sw	NE	3700		27.2	IR	#7,8,10,14- 18	2005	POA	25	s	30	Ε	33	sw	NE	3700		27.2	IR	10,14- 18,21-23	2005
25	S	30	E	33	SE	NE	3700		32.0	IR	#7,8,10,14- 18	2005	POA	25	s	30	Ε	33	SE	NE	3700		32.0	IR	10,14- 18,21-23	2005
25	S	30	E	33	NE	SE	3700		39.3	IR	#7,8,10,14- 18	2005	POA	25	s	30	Ε	33	NE	SE	3700		39.3	IR	10,14- 18,21-23	2005
25	S	30	E	33	NW	SE	3700		36.2	IR	#7,8,10,14- 18	2005	POA	25	s	30	E	33	NW	SE	3700		36.2	IR	10,14- 18,21-23	2005
25	S	30	E	33	sw	SE	3600		24.0	IR	#7,8,10,14- 18	2005	POA	25	s	30	E	33	sw	SE	3600		24.0	IR	10,14- 18,21-23	2005
25	S	30	E	33	SE	SE	3600		30.6	IR	#7,8,10,14- 18	2005	POA	25	s	30	E	33	SE	SE	3600		30.6	IR	10,14- 18,21-23	2005
25	S	30	E	34	NE	NV	2501		28.3	IR	#7,8,10,14- 18	2005	POA	25	s	30	Ε	34	NE	NW	2501		27.4	IR	10,14- 18,21-23	2005
25	S	30	E	34	NW	NW	2501		22.2	IR	#7,8,10,14- 18	2005	POA	25	s	30	E	34	NW	NW	2501		21.4	IR	10,14- 18,21-23	2005
25	S	30	E	34	sw	NV	2501		19.1	IR	#7,8,10,14- 18	2005	POA	25	s	30	Ε	34	sw	NW	2501		18.4	IR	10,14- 18,21-23	2005
25	S	30	E	34	SE	NV	2502		22.7	IR	#7,8,10,14- 18	2005	POA	25	S	30	Ε	34	SE	NW	2501		22.0	IR	10,14- 18,21-23	2005
25	s	30	E	34	NW	sw	2002		3.9	IR	#7,8,10,14- 18	2005	POA	25	s	30	E	34	NW	sw	2002		3.9	IR	10,14- 18,21-23	2005
25	s	30	E	34	sw	sw	3600		0.8	IR	#7,8,10,14- 18	2005	POA	25	s	30	E	34	sw	sw	3600		0.8	IR	10,14- 18,21-23	2005
26	S	30	E	3	NW	NW	800	4	6.0	IR	#7,8,10,14- 18	2005	POA	26	s	30	E	3	NW	NW	800	4	6.0	IR	10,14- 18,21-23	2005

26	S	30	E	4	NE	1	NE	800	1	40.0	IR	#7,8,10,14- 18	2005	POA	26	S	30	Ε	4	NE	NE	800	1	40.0	IR	10,14- 18,21-23	2005
26	S	30	E	4	NW	/ r	NE	800	2	38.0	IR	#7,8,10,14- 18	2005	POA	26	s	30	Ε	4	NW	NE	800	2	38.0	IR	10,14- 18,21-23	2005
26	s	30	E	4	sw	r	NE	800		9.8	IR	#7,8,10,14- 18	2005	POA	26	s	30	Ε	4	sw	NE	800		9.8	IR	10,14- 18,21-23	2005
26	s	30	Ε	4	SE	r	NE	800		13.5	IR	#7,8,10,14- 18	2005	POA	26	s	30	E	4	SE	NE	800		13.5	IR	10,14- 18,21-23	2005
														POA/POU	26	s	30	Ε	5	NE	NE	1300	1	1.0	IR	10,14- 18,21-23	2005
														POA/POU	26	S	30	Ε	5	NW	NE	1300	2	2.1	IR	10,14- 18,21-23	2005
							TOT	AL AC	RES:	393.6											TOT	AL ACE	RES:	393.6			

Additional remarks:\_\_\_\_\_

REC ED

MAY 11 2022

CW D

#### For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands?  Yes  No  If YES, list the certificate, water use permit, or ground water registration numbers:  Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.  For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)  Ground water supplemental Permit or Certificate #;  Surface water primary Certificate #;  Surface water primary Certificate #;  Surface water primary certificate to be cancelled. Certificate #;  MAY 11 2022  For a change from Supplemental Irrigation Use to Primary Irrigation Use  Identify the primary certificate to be cancelled. Certificate #;  Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.  Tip: You may search for well logs on the Department's web page at:  http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx  AND/OR  Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For proposed wells not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.		accor escor character or escondinges	
Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.  For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)  Ground water supplemental Permit or Certificate #;  Surface water primary Certificate #;  Surface water primary Certificate #;  MAY 11 2022  For a change from Supplemental Irrigation Use to Primary Irrigation Use Identify the primary certificate to be cancelled. Certificate #  Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.  Tip: You may search for well logs on the Department's web page at:  http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx  AND/OR  Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For proposed wells not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with			strations associated
a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.  For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)  Ground water supplemental Permit or Certificate #	If YE	S, list the certificate, water use permit, or ground water registration number	rs:
irrigation)  Ground water supplemental Permit or Certificate #; Surface water primary Certificate #  MAY 11 2022  For a change from Supplemental Irrigation Use to Primary Irrigation Use Identify the primary certificate to be cancelled. Certificate #  For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:  Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.  Tip: You may search for well logs on the Department's web page at:     http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx  AND/OR  Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For proposed wells not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with	a pri to a	mary right proposed for transfer must be included in the transfer or be cand ground water registration must be filed separately in a ground water registr	celled. Any change
Surface water primary Certificate #  MAY 1 2022  For a change from Supplemental Irrigation Use to Primary Irrigation Use  Identify the primary certificate to be cancelled. Certificate #  For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:  Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.  Tip: You may search for well logs on the Department's web page at: <a href="http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx">http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx</a> AND/OR  Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For proposed wells not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with	For Su		
For a change from Supplemental Irrigation Use to Primary Irrigation Use  Identify the primary certificate to be cancelled. Certificate #  For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:  Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.  Tip: You may search for well logs on the Department's web page at: <a href="http://apps.wrd.state.or.us/apps/gw/well-log/Default.aspx">http://apps.wrd.state.or.us/apps/gw/well-log/Default.aspx</a> AND/OR  Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For proposed wells not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with	Grou	und water supplemental Permit or Certificate #;	RECENTED.
For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:  Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.  Tip: You may search for well logs on the Department's web page at: <a href="http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx">http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx</a> AND/OR  Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For proposed wells not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with	Surf	ace water primary Certificate #	MAY 1 1 2022
For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:  Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.  Tip: You may search for well logs on the Department's web page at: <a href="http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx">http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx</a> AND/OR  Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For proposed wells not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with	For a	change from Supplemental Irrigation Use to Primary Irrigation Use	
<ul> <li>Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.         Tip: You may search for well logs on the Department's web page at: <a href="http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx">http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx</a></li> <li>AND/OR</li> <li>Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For proposed wells not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with</li> </ul>	Iden	tify the primary certificate to be cancelled. Certificate #	CANAD
associated with the corresponding well(s) in Table 1 above and on the accompanying application map.  Tip: You may search for well logs on the Department's web page at: <a href="http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx">http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx</a> AND/OR  Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For proposed wells not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with	For a	change in point(s) of appropriation (well(s)) or additional point(s) or additional po	priation:
Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For <i>proposed wells not yet constructed or built</i> , provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with		associated with the corresponding well(s) in Table 1 above and on the accomap.  Tip: You may search for well logs on the Department's web page at:	
do not have a well log. For <i>proposed wells not yet constructed or built</i> , provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with	AND	/OR	
		do not have a well log. For <i>proposed wells not yet constructed or built</i> , provestimate" for each requested information element in the table. The Depart you consult a licensed well driller, geologist, or certified water right examin	ride "a best ment recommends
ble 3. Construction of Point(s) of Appropriation	ble 3. (	Construction of Point(s) of Appropriation	

#### Tal

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

#### **CERTIFICATE # 96175**

RECEIVED

MAY 1 1 2022

System capacity: 4.92 cubic feet per second (cfs) OR

**Description of Water Delivery System** 

gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Water is pumped from authorized wells and conveyed by buried pipe to 3 center pivot sprinklers that irrigate the POU.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	Tı	wp	R	ng	Sec	1/4	1/4	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#7	Authorized Proposed	HARN 51272	25	s	30	E	34	SE	sw	2002	4725'S & 1877'E from NW cor, Sec 34
#10	Authorized Proposed	HARN 51765	26	s	30	E	3	NW	NW	800	6310'S & 415'E from NW cor, Sec 34
#11	Authorized Proposed	HARN 51760	25	s	30	E	3	NW	NW	800	6340'S & 330'E from NW cor, Sec 34
#12	Authorized Proposed	HARN 51817	25	s	30	E	33	SE	NW	2500	2690'S & 2890'W from NE cor, Sec 33
#13	Authorized Proposed	HARN 51445	26	s	30	E	4	NE	NW	900	6415'S & 2745'W from NE cor, Sec 33
#14	Authorized Proposed	HARN 51871	25	s	30	E	33	SE	SE	3600	4314'S & 870'W from NE cor, Sec 33
#15	Authorized Proposed	HARN 51970	25	s	30	E	33	SE	SE	3600	4314'S & 920'W from NE cor, Sec 33
#16	Authorized Proposed	HARN 52121	25	s	30	E	29	sw	SE	2600	735'N & 7025'W from SE cor, Sec 28
#17	Authorized Proposed	HARN 52154	26	S	30	E	3	NW	NW	800	6300'S & 440'E from NW cor, Sec 34
#18	Authorized Proposed	HARN 52170	25	S	30	Е	29	sw	SE	2600	735'N & 6970'W from SE cor, Sec 28
#8	Authorized Proposed	HARN 1096	25	S	30	Е	34	NW	NW	2501	502' S & 536' E from NW cor, Sec 34
#21	☐ Authorized ☐ Proposed	HARN 52590	25	S	30	Ε	29	SE	SE	2600	75'N & 6590'W from SE cor, Sec 28
#22	☐ Authorized ☐ Proposed	HARN 52591	25	S	30	E	29	sw	SE	2600	850'N & 6975'W from SE cor, Sec 28
#23	☐ Authorized ☐ Proposed	HARN 52674	25	S	30	E	33	SE	NW	2500	2690'S & 2870'W from NE cor, Sec 33

Check a	ll type(s) of change(s) proposed below (ch	ange	"CODES" are provided in parentheses):
$\boxtimes$	Place of Use (POU)		Supplemental Use to Primary Use (S to P)
	Character of Use (USE)	$\boxtimes$	Point of Appropriation/Well (POA)
	Point of Diversion (POD)		Additional Point of Appropriation (APOA)
	Additional Point of Diversion (APOD)		Substitution (SUB)
	Surface Water POD to Ground Water POA (SW/GW)		Government Action POD (GOV)
Will all o	of the proposed changes affect the entire	water	right?
Yes	Complete only the Proposed ("to" or "on" "CODES" listed above to describe the pro		s) section of Table 2 on the next page. Use the changes.
⊠ No	Complete all of Table 2 to describe the po	rtion	of the water right to be changed.

Revised 7/1/2021

RECENED

MAY 1 1 2022

CALAD

Please use and attach additional pages of Table 2 as needed MAY 1 1 2022 See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

### Table 2. Description of Changes to Water Right Certificate # 96175

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

	Т				nat a	ppear	s on th	ne cert	tificate		ls) DPOSED CHA ill be changed		Proposed Changes (see			Т	he	listin			ıld app		FTER P	n" lands) PROPOSED (	CHANGES	
Tv	/p	Rn		Sec		4 1/4		Gvt Lot or DLC		Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)		"CODES" from previous page)	Tw	'p	Rn	g	Sec	1/4	1/4	Tax Lot	Gvt		New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date
25	s	30	E	34	NE	sw	2002		0.8	IR	#7,8,10-18	2006	POA	25	s	30	E	34	NE	sw	2002		0.8	IR	#10,14- 18,21-23	2006
25	s	30	E	34	sw	sw	3600		28.5	IR	#7,8,10-18	2006	POA	25	s	30	Ε	34	sw	sw	3600		27.6	IR	#10,14- 18,21-23	2006
25	s	30	E	34	SE	sw	2002		24.5	IR	#7,8,10-18	2006	POA	25	s	30	E	34	SE	sw	2002		23.2	IR	#10,14- 18,21-23	2006
25	s	30	E	34	NE	SE	2002		30.1	IR	#7,8,10-18	2006	POA	25	s	30	Ε	34	NE	SE	2002		29.2	IR	#10,14- 18,21-23	2006
25	s	30	E	34	NW	SE	2002		33.1	IR	#7,8,10-18	2006	POA	25	s	30	Ε	34	NW	SE	2002		32.3	IR	#10,14- 18,21-23	2006
25	s	30	E	34	sw	SE	2002		36.4	IR	#7,8,10-18	2006	POA	25	s	30	E	34	sw	SE	2002		36.0	IR	#10,14- 18,21-23	2006
25	s	30	E	34	SE	SE	2002		34.5	IR	#7,8,10-18	2006	POA	25	s	30	Ε	34	SE	SE	2002		33.8	IR	#10,14- 18,21-23	2006
26	s	30	E	3	NE	NE	700	1 ,	37.7	IR	#7,8,10-18	2006	POA	26	s	30	Ε	3	NE	NE	700	1	36.3	IR	#10,14- 18,21-23	2006
26	S	30	E	3	NW	NE	700	2	6.2		#7,8,10-18	2006	POA	26	s	30	Ε	3	NW	NE	700	2	5.1	IR	#10,14- 18,21-23	2006
26	s	30	E	3	sw	NE	800		0.3		#7,8,10-18	2006	POA	26	s	30	E	3	sw	NE	800		0.3	IR	#10,14- 18,21-23	2006
26	s	30	E	3	SE	NE	700		8.0		#7,8,10-18	2006	POA	26	s	30	E	3	SE	NE	700		6.7	IR	#10,14- 18,21-23	2006
26	s	30	E	3	NE	NW	700	3	15.4		#7,8,10-18	2006	POA	26	s	30	E	3	NE	NW	700	3	14.8	IR	#10,14- 18,21-23	2006
26	s	30	E	3	NW	NW	800	4	18.3		#7,8,10-18	2006	POA	26	s	30	Ε	3	NW	NW	800	4	17.5	IR	#10,14- 18,21-23	2006

		POA/POU	26	30	E	5	sw	NE	1300		10.9	IR	#10,14- 18,21-23	2006
TOTAL ACRES:	273.8							TO	TAL ACR	RES:	273.8			

Additional remarks:\_\_\_\_\_.

REC ED

MAY 1 1 2022

C D

	TOI PI	ace of ose of character of ose changes	
		there other water right certificates, water use permits or ground water registrations associthe "to" lands? $\Box$ Yes $igtie igtharpoonup$ No	ated
	If YE	ES, list the certificate, water use permit, or ground water registration numbers:	
>	a pr	suant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemer imary right proposed for transfer must be included in the transfer or be cancelled. Any chaground water registration must be filed separately in a ground water registration modificat	nge
F	For Su	bstitution (ground water supplemental irrigation will be substituted for surface water prim	nary irrigation)
		and water supplemental Permit or Certificate #; ace water primary Certificate #	RECEIVED
F	or a c	change from Supplemental Irrigation Use to Primary Irrigation Use	MAY 1 1 2022
	Iden	tify the primary certificate to be cancelled. Certificate #	<b>03923</b>
F	or a c	change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:	OWAD
		Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled with the corresponding well(s) in Table 1 above and on the accompanying application may Tip: You may search for well logs on the Department's web page at: <a href="http://apps.wrd.state.or.us/apps/gw/well">http://apps.wrd.state.or.us/apps/gw/well</a> log/Default.aspx	
	AND	/OR	
		Describe the construction of the authorized and proposed well(s) in Table 3 for any wells have a well log. For <i>proposed wells not yet constructed or built</i> , provide "a best estimate" requested information element in the table. The Department recommends you consult a driller, geologist, or certified water right examiner to assist with assembling the information complete Table 3.	for each icensed well
b	le 3. (	Construction of Point(s) of Appropriation	

#### Ta

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

# Fe HARN 51272 9

STATE OF OREGON WATER SUPPLY WELL REPORT

(as required by ORS 537.765)

WELL I.D. # L 72702
START CARD # 169/3 /

Instructions for completing this report are on the last page of this form.	START CARD #
(1) LAND OWNER Representation of the Number	(9) LOCATION OF WELL (legal description)
Name And Root Address D. O JIBOX 946	County Harney Tax Lot 2002 Lot
City Borns State On Zip 97720	Township 25 No Stange 3 6 For W WM
	Section 3 4 SE 1/4 S W 1/4
(2) TYPE OF WORK New Well	Lat " or (degrees or decimal)
☐ Decpening ☐ Alteration (repair/recondition) ☐ Abandonment ☐ Conversion	Long ' " or (degrees or decimal)
(3) DRILL METHOD  ☐ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger ☐ Cable Mud ☐ Other	Street Address of Well (or nearest address)
(4) PROPOSED USE  ☐ Domestic ☐ Community ☐ Industrial ☐ Irrigation ☐ Thermal ☐ Injection ☐ Livestock ☐ Other	10) STATIC WATER LEVEL ft. below land surface.  11. below land surface.  12. Date 4-30.06  13. Date 4-30.06
(5) BORE HOLE CONSTRUCTION Special Construction: Yes No	Artesian pressurelb. per square inch
Depth of Completed Well 375 ft.  Explosives used: Yes No Type Amount	(11) WATER BEARING ZONES Depth at which water was first found 3 4 9
PODE HOLE CEAL	
Diameter From To Material From To Sacks or Pounds  18 0 17 Ceman 0 17 144  14 44 240	From To Estimated Flow Rate SWL 500 78
12 240 Crementer 275	
How was scal placed: Method DA DB Was LD DE D Other Down Dry Seutonit	(12) WELL LOG Ground Elevation
Backfill placed fromft. toft. Material	Material, From 10 SWL
Gravel placed from ft. to ft. Size of gravel	Top Soil 0 3 -
(6) CASING/LINER	Brownsond
Diameter From To Gauge Steel Plastic Welded Threaded	Brown Bosal#
Casing: 14 +3 77 250 B	w/ Green Clay
	Seams 35 349 -
Liner:	Blue Bunice 349 371 98
Liner:	Green Clay 37/ 37/ 98
Drive Shoe used Inside Outside None	
Final location of shoe(s)	
(7) PERFORATIONS/SCREENS  Perforations Method	
☐ Perforations Method	72/ 05 // // // //
From To Slot Number Diameter Tele/pipe Casing Liner	Date Started 3-2 6 0 6 Completed 4-30-0 6
Size size	(unbonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water upply well construction standards. Materials used and information reported above are true the best of my knowledge and belief.
	WWC Number Date MAY 11 2022
(8) WELL TESTS: Minimum testing time is 1 hour Pump Bailer Air Flowing Artesian	Signed
Yield gal/min Drawdown Drill stem at Time	(bonded) Water Well Constructor Certification
550 102 200 4 hrs	I accept responsibility for the construction, deepening, alteration, or
	abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water
Temperature of water Depth Artesian Flow Found	supply well construction standards. This report is true to the best of my knowledge
Was a water analysis done? Yes Wombom	and belief.
	WWC Number 1 5 2   Date 9-15.06
Did any strata contain water not suitable for intended use?  Too little	
Depth of strata:	Signed Name VI. Leave

### STATE OF OREGON WATER SUPPLY WELL REPORT

(as required by ORS 537.765)

WELL I.D. #L フスフロス

START CARD# / 6 9 / 3 /

	Instructions for completing this report are on the last page of this form.	
-	(1) LAND OWNER Name A way Well Number	(9) LOCATION OF WELL (legal description)  County
	Address P.O. Box Q 4 C	Tax Lot 2002/ Lot
	City Burns State Or Zip 9 7 7 7 0	Township 700 Nor Range 30 Ea W WM Section 34 S E 1/4 S W 1/4
	(2) TYPE OF WORK	
	☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment ☐ Conversion	Lat or (degrees or decimal)
		Long o' or (degrees or decimal)
	(3) DRILL METHOD	Street Address of Well (or nearest address)
	☐ Rotary Air 🔽 Rotary Mud 🗌 Cable 🔲 Auger 🔲 Cable Mud	Street Address of Well (or nearest address)
	Other	Springs Rd Bunns, on 97720
		(10) STATIC WATER LEVEL
	(4) PROPOSED USE	9 8 ft. below land surface. Date 4 360 6
	☐ Domestic ☐ Community ☐ Industrial ☐ Irrigation	The bolow land surface.
	☐ Thermal ☐ Injection ☐ Livestock ☐ Other	ft. below land surface. Date
	(C) PODE HOLE CONCEDUCTION C	Artesian pressure lb. per square inch Date
	(5) BORE HOLE CONSTRUCTION Special Construction: Yes No	
	Depth of Completed Well 375 ft.  Explosives used: Yes No Type Amount Amount	(11) WATER BEARING ZONES
	Explosives used.   Tes   No Type   Allount	Depth at which water was first found 3 4 9
	BORE HOLE SEAL	From To Estimated Flow Rate SWL
	Diameter From To Material From 70 9 Sacks or Pounds	From To Estimated Flow Rate SWL 3 4 9 3 7 6 5 0 7 8
	18 0 44 Bent 0 44 24	
	- Cenert Had 1 yd	
	14' 74 249	
	12 240 375	
	How was seal placed: Method A B C D E	(12) WELL LOG Ground Elevation
	Pother Pour dow	
	Backfill placed from ft. toft. Material	Material From To SWL
	Gravel placed from ft. to ft. Size of gravel	Top Soil 0 3 -
	(O CACINICA INDD	Brown Sand?
•	(6) CASING/LINER	Stone 726 35
	Diameter From To Gauge Steel Plastic Welded Threaded Casing: / 4 43 77 250 B	Brown Basalt
	Casing: / 4 + 3   7 7   250   3	(u)/ c/av Seus
		/C-0-6: 35 349 -
	Liner:	
	Liner:	white Brown
		18/ve/Aunice 34937/98
	Drive Shoe used Inside Outside None REC ED	349 3 / 1 7 8
	Final location of shoe(s)	Green Clay 371 375 98
	(7) PERFORATIONS/SCREENS MAY 1 1 2022	
	Perforations Method	
	Screens Type Material	Date Started 3 - 26.0 Completed 4 - 300 6
	From To Slot Number Diameter Tele/pipe Casing Liner	
	Size size	(unbonded) Water Well Constructor Certification
		I certify that the work I performed on the construction, deepening, alteration, or
		abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to
		the best of my knowledge and belief.
		WWC Number Date
	(8) WELL TESTS: Minimum testing time is 1 hour	DEOEWER
	Pump ☐ Bailer ☐ Air ☐ Flowing Artesian	Signed RECEIVED
	Yield gal/min Drawdown Drill stem at Time	(bonded) Water Well Constructor Certification
	550 102 200 462	I accept responsibility for the construction, deepening ration for 2006
		I abandonment work performed on this well during the construction dates reported
		above. All work performed during this time is in All thin 45800 POESTEPT
	Temperature of water 6 Depth Artesian Flow Found	supply well construction standards. This report is true so Alle East of the construction standards.
	Was a water analysis done? Yes By whom	and belief.
•	Did any strata contain water not suitable for intended use?	WWC Number / 5 2 / Date 5 - 30 0 6
	Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other	$\bigcap$ 0. $I$ 1
	Depth of strata:	Signed Occurated W. Kend
	Aropai oi unanti	

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

02-18-2011

Page 1 of 1

WELL LABEL# L	102536
START CARD#	1012414

(I) LAND OWNER	Owner W	ell I.D. well	21			(9) LOCATION OF WELL (legal description)	
First Name Andy	Last Nam	c Root				County Harney Twp 26.00 S N/S Range 30.00 E	E/W V
Company ACW						See 3 NW 1/4 of the NW 1/4 Tax Lot 800	-
Address PO Box 3							
City Burns	State OR	Zij	97720		erte ou tete	Tax Map Number Lot Lat 60 "or DN	MS or D
(2) TYPE OF WORK 🔀	New Well D	eepening	Con	version		Long o O	MS or D
Alteration (repair/recondition							
	.,					29062 Weaver Spring Road	
(3) DRILL METHOD	Пон. Па						
Rotary Air Rotary Mud	Capie40	inget.	ibic Niud			(10) STATIC WATER LEVEL Date SWL(psi) + SW	
Reverse Rotary Other							VL(fl)
(4) PROPOSED USE	Domestie   Irriga	tion C	ommunit	ý		Existing Well / Predeepening Completed Well	
Industrial/ Commercial 1	ivestock Dewa	tering				102-11-2011	1)-1
Thermal Injection	Other					Flowing Artesian? Dry Hole? WATER BEARING ZONES Depth water was first found	
(5) BORE HOLE CONST	TRUCTION S	nevial Stane	lard 📑	Attach	conv)		17 (1)
Depth of Completed Well		pectar		Allaca	( לנוְטֹבּי		VL(II)
BORE HOLE	97.00	SEAL		sa	cks/	02-11-2011 107 3,000	104
Dia From To	Material	From	To		lbs		
18 0 18 F	Bentonite Chips	0	18	90	S		
14 18 167							
						(11) WELL LOG Ground Elevation	
Flow was seal placed: Metho	od DA DB			E		Ground Exevation	_
	,			]r.		Material From To	
Other poured dr & tamped Backfill placed fromft.	10 10 1	(atomia)				Residual statement	6
Filter pack from fl. to	fl. Material	naterial	Size		-		0
Explosives used: Yes Type						Rock boulders 60 8	10
Explosives used.					_	Cinders 80 9	05
(6) CASING/LINER	F1 00					Nid	40
Casing Liner Dia +		Gauge St	7	WIG T	nrd	[40]	45
	1,5 60	.250	2	Ă.	-	Deal had a land a land	50
		—— }	$\leftrightarrow$	$\vdash$	$\dashv$		1
			$\leftarrow$	$H \vdash$	$\dashv$	REC ED	
8 8 3			5	H	7	RECEIVE	<b>-D</b>
Shoe Inside Outside	Other Los	cation of sh	or(s)		_ (	MAY 1 1 2022	
h			2			MAY 1 2 2	UIT
			10		-		i
(7) PERFORATIONS/SCI	KEENS					WATER RESOURCE	SDE
Servens 3	Method	) (ata			-	SALEM, OREG	
	ype	Nate			-		OIV
Perf/S Casing/ Screen creen Liner Dia From	Sern/slo			Tele	/	Date Started 02-03-2011 Completed 02-11-2011	
creen Liner Dia From	To width	length	SIOLS	pipe si	26	(unbonded) Water Well Constructor Certification	
			1	-	$\dashv$	I certify that the work I performed on the construction, deepening, alter-	ation, o
				i		abandonment of this well is in compliance with Oregon water supp	ply wel
					41	construction standards. Materials used and information reported above are	e true to
						the best of my knowledge and belief.	
					_		
(8) WELL TESTS: Minimu	m testing time is	1 hour				License Number Date	
_	om testing time is	_	owing Ar	tesian	-	License Number Date Electronically Filed	-
Pump Bailer Yield gal/min Drawdown	Orill stem-Pump	depth Du			-	License Number Date Electronically Filed Signed	
Pump Bailer Yield gal/min Drawdown	○ Air	depth Du				License Number Date Electronically Filed Signed (bonded) Water Well Constructor Certification	
Pump Bailer Yield gal/min Drawdown	Orill stem-Pump	depth Du	G (hi	r)		License Number Date  Electronically Filed Signed  (bonded) Water Well Constructor Certification  I accept responsibility for the construction, deepening, alteration, or abar	ndonmer
Pump Bailer Yield gal/min Drawdown  2,800 2	Orill stem-Pump	depth Du	ration (hi	r)		Electronically Filed Signed  (bonded) Water Well Constructor Certification  I accept responsibility for the construction, deepening, alteration, or abar work performed on this well during the construction dates reported above.	ndonmer All wo
Pump Bailer Yield gal/min Drawdown  2,800 2  Temperature 60 °F Lab ans	Air Drill stem-Pump 145  alysis Yes By	depth Du	ration (hi	r)		License Number Date  Electronically Filed Signed  (bonded) Water Well Constructor Certification  I accept responsibility for the construction, deepening, alteration, or abar	ndonmer All wo:
Pump Bailer Yield gal/min Drawdown  2,800 2  Temperature 60 "F Lab and Water quality concerns? Yes	Orill stem-Pump	depth Du	ration (hi	r)		License Number  Electronically Filed Signed  (bonded) Water Well Constructor Certification  I accept responsibility for the construction, deepening, alteration, or abar work performed on this well during the construction dates reported above, performed during this time is in compliance with Oregon water sup-construction standards. This report is true to the best of my knowledge and	ndonmer All wor oply we belief.
Pump Bailer Yield gal/min Drawdown  2,800 2  Temperature 60 "F Lab and Water quality concerns? Yes	Drill stem-Pump 145  alysis Yes By s (describe below)	depth Du	gration (hi	r)		License Number Date  Electronically Filed Signed  (bonded) Water Well Constructor Certification  I accept responsibility for the construction, deepening, alteration, or abar work performed on this well during the construction dates reported above, performed during this time is in compliance with Oregon water supconstruction standards. This report is true to the best of my knowledge and License Number 1424. Date 02-18-2011  Electronically Filed	adonmer All wor oply we belief.
Yield gal/min Drawdown 2,800 2  Temperature 60 °F Lab and Water quality concerns? Yes	Drill stem-Pump 145  alysis Yes By s (describe below)	depth Du	gration (hi	r)		License Number Date  Electronically Filed Signed  (bonded) Water Well Constructor Certification  I accept responsibility for the construction, deepening, alteration, or abar work performed on this well during the construction dates reported above, performed during this time is in compliance with Oregon water sup- construction standards. This report is true to the best of my knowledge and License Number 1424.  Date 02-18-2011	ndonmer All wor oply we belief.

#### HARN 51765

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

02-18-2011

Page 1 of 1

WELL LABEL # L 102536

START CARD # 1012414

(1) LAND OWNER Owner Well 1.D. well 21	(9) LOCATION OF WELL (legal description)	
First Name Andy Last Name Root	County Harney Twp 26.00 S N/S Range 30	00 F E/W WN
Company ACW	Sec 3 NW 1/4 of the NW 1/4 Tax Lot	800
Address PO Box 3	Tax Map Number Lot	
City Burns State OR Zip 97720		DMS or DD
(2) TYPE OF WORK New Well Deepening Conversion	Lat " or " or or or	DMS or DD
Alteration (repair/recondition) Abandonment	Street address of well Nearest address	
Alteration (repair/recondition)Abandonment		
(3) DRILL METHOD	29062 Weaver Spring Road	
Rotary Air Rotary Mud Cable Auger Cable Mud	(10) STATIC WATER LEVEL	
Reverse Rotary Other	(10) STATIC WATER LEVEL Date SWL(psi)	+ SWL(ft)
(4) PROPOSED USE Domestic Irrigation Community	Existing Well / Predeepening	
	Completed Well 02-11-2011	104
	Flowing Artesian? Dry Hole?	
Thermal Injection Other	WATER BEARING ZONES Depth water was first fou	ind
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy	SWL Date From To Est Flow SWL(ps	i) + SWL(ft)
Depth of Completed Well 167.00 ft.	02-11-2011 104 167 3,000	104
BORE HOLE SEAL sacks/		
Dia From To Material From To Amt Ibs		
18 0 18 Bentonite Chips 0 18 90 S		
14 18 167		
	(11) WELL LOG Ground Elevation	
How was seal placed: Method A B C D E	Material From	To
Other poured dr & tamped	Topsoil sand loam 0	1
Backfill placed from ft. to ft. Material	Sand cinders 1	6
Filter pack from fl. to fl. Material Size	Clay cinders 6	60
Explosives used: Yes Type Amount	Rock boulders 60 Cinders 80	80
	Davis haralt black	95
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	Vald	140
	Cinders muti colored 140	145
1.5 60 .250	Rock broken loose and caving 160	167
	REC ED	
	1100	
Shoe Inside Outside Other Location of shoe(s)	MAY 4 1 2022	
	MAY 1 1 2022	
(7) PERFORATIONS/SCREENS Perforations Method	O'C C C C	
~	L	
Perf/S Casing/ Screen Scrn/slot Slot # of Tele/	Date Started 02-03-2011 Completed 02-11-20	11
creen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification	
	I certify that the work I performed on the construction, deep	ening alteration or
	abandonment of this well is in compliance with Oregon	
	construction standards. Materials used and information reporte	ed above are true to
	the best of my knowledge and belief.	
(8) WELL TESTS: Minimum testing time is 1 hour	License Number Date	
Pump Bailer Air Flowing Artesian	Electronically Filed	
Yield galemin Drawdown Drill stem Pump depth Duration (hr)	Signed	
2,800 2 145 6	(bonded) Water Well Constructor Certification	
	I accept responsibility for the construction, deepening, alterati	
	work performed on this well during the construction dates report	
remperature 60 °F Lab analysis Yes By	performed during this time is in compliance with Oregon construction standards. This report is true to the best of my known	
Water quality concerns? Yes (describe below)	•	
From To Description Amount Units	License Number 1424 Date 02-18-2011 Electronically Filed	
	Signed TIMOTHY K RILEY (E-filed)	
	Contact Info (optional)	

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

02-02-2011

		Page 1 of 1
WELL LABEL#	L. 102534	

START CARD	# 1012337	

(1) LAND OWNER Owner Well LD. 18	(9) LOCATION OF WELL (legal descrip	tion)
First Name Andy Last Name Root	County Harney Twp 26.00 S N/S Ra	ngc_30.00 E E/W WM
Company ACW	See 3 NW 1/4 of the NW 1/4 T	Tax Lot 800
Address 524 N Hwy 20 PO Box 3	Tax Map Number L	.ot
City Bums State Or Zip 97720	LatOoror	DMS or DD
(2) TYPE OF WORK New Well Deepening Conversion	Long 0 or	DMS or DD
Alteration (repair/recondition) Abandonment	Street address of well Nearest add	17099
(3) DRILL METHOD	29062 Weaver Springs Road	
Rotary Air Rotary Mud Cable Auger Cable Mud		
Reverse Rotary Other	(10) STATIC WATER LEVEL Date SW	L(psi) + SWL(ft)
	Existing Well / Predeepening	
(4) PROPOSED USE Domestic Irrigation Community	Completed Well 01-28-2011	104
Industrial/ Commercial Livestock Dewatering	Flowing Artesian? Dry	Hole?
Thermal Injection Other	WATER BEARING ZONES Depth water was f	NAME AND POST OF THE PARTY OF T
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy		
Depth of Completed Well 195.00 ft.	01-28-2011 104 198 3,000	
BORE HOLE SEAL sacks/ Dia From To Material From To Amt lbs		
18 0 24 Bentonite 0 24 80 S		
14 24 145		
12 145 198	(11) WELL LOG Ground Elevation	
Hamman and a lateral and a lat	Glodina Elevation	Comment
How was seal placed: Method A B C D E	Material [Topsoil sandy loam	From To
Other Poured dry & tamp  Backfill placed from ft. to ft. Material	Cinders sand	1 6
Filter pack from fl. to fl. Material Size	Cinders	6 12
Explosives used: Yes Type Amount	Clay cinders	12 100
	Cinders fine Rock black	100 121
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plste Wld Thrd	Cinders multi colored	121 155
	Rock black	180 187
2 102 230	Cinders multi colored	187 195
	Cobbles caving REC ED	195 198
	NEC ED	
	1442 - 4 0000	
Shoe Inside Outside Other Location of shoe(s)	MAY 1 1 2022	RECEIVED
Temp casing Yes Dia From To		THE WALL BY
(7) PERFORATIONS/SCREENS	0.35	MAY 1 2 2011
Perforations Method	0, 0	1000
Screens Type Material	W	ATER RESOURCES DE
Perf'S Casing/ Screen Sern/slot Slot # of Tele/		-28 SALEM, OREGON
creen Liner Dia From To width length slots pipe size	Date Started 01-21-2011 Completed 01	-289014CW, OFFGON
	(unbonded) Water Well Constructor Certification	
	I certify that the work I performed on the construction abandonment of this well is in compliance with O	r, deepening, alteration, or
	construction standards. Materials used and information	
	the best of my knowledge and belief.	
(8) WELL TESTS: Minimum testing time is 1 hour	License Number Date	
Pump Bailer Air Flowing Artesian	Electronically Filed	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	Signed	
2,800 5 145	(bonded) Water Well Constructor Certification	
	I accept responsibility for the construction, deepening,	alteration, or abandonment
OF Let and the Table	work performed on this well during the construction dates performed during this time is in compliance with O	regon water supply well
Femperature 60 °F Lab analysis Yes By	construction standards. This report is true to the best of n	ny knowledge and belief.
Water quality concerns? Yes (describe below) From To Description Amount Units	License Number 1424 Date 02-02-2	
	Electronically Filed	
	Signed TIMOTHY K RILEY (E-filed)	
	Contact Info (optional)	

HARN 51760

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

02-02-2011

Page 1 of 1 WELL LABEL # L 102534

START CARD #	1012337

(1) LAND OWNER Owner Well I.D. 18	(9) LOCATION OF WELL (legal description)
First Name Andy Last Name Root	County Harney Twp 26.00 S N/S Range 30.00 E E/W WM
Company ACW	Sec 3 NW 1/4 of the NW 1/4 Tax Lot 800
Address 524 N Hwy 20 PO Box 3	
City Burns State Or Zip 97720	Tax Map Number         Lot           Lat         0         "or         DMS or DD           Long         0         "or         DMS or DD
(2) TYPE OF WORK New Well Deepening Conversion	LatO
Alteration (repair/recondition) Abandonment	Street address of well Nearest address
(3) DRILL METHOD	29062 Weaver Springs Road
Rotary Air Rotary Mud Cable Auger Cable Mud Reverse Rotary Other	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)
(4) PROPOSED USE Domestic Irrigation Community	Existing Well / Predeepening
Industrial/ Commercial Livestock Dewatering	Completed Well 01-28-2011 104
Thermal Injection Other	Flowing Artesian? Dry Hole?
	WATER BEARING ZONES Depth water was first found 104
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy)	SWL Date From To Est Flow SWL(psi) + SWL(ft)
Depth of Completed Well 195.00 ft.	01-28-2011 104 198 3,000
BORE HOLE SEAL sacks/	
Dia From To Material From To Amt Ibs	
18 0 24 Bentonite 0 24 80 S	
14 24 145 12 145 198	
12 193 178	(11) WELL LOG Ground Elevation
How was seal placed: Method A B C D E	Material From To
Other Poured dry & tamp	Topsoil sandy loam 0 1
Backfill placed from ft. to ft. Material	Cinders sand 1 6
Filter pack from ft. to ft. Material Size	Cinders 6 12
Explosives used: Yes Type Amount	Clay cinders 12 100
	Cinders fine 100 121
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plste Wld Thrd	Rock black 121 155
	Cinders multi colored 155 180  Rock black 180 187
● Q 14 × 2 102 .250 ● Q ×	Ciadam auticuland
	Cobbles caving 187 195 198
	REC ED 123 150
	1111/ 1 2022
Shoe Inside Outside Other Location of shoe(s)	MAY 1 1 2022
Temp casing Yes Dia From To	
(7) PERFORATIONS/SCREENS	
Perforations Method	0 0
Screens Type Material	
Perf/S Casing/ Screen Scrn/slot Slot # of Tele/	Date Started 01-21-2011 Completed 01-28-2011
creen Liner Dia From To width length slots pipe size	
	(unbonded) Water Well Constructor Certification
	I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well
	construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
(8) WELL TESTS: Minimum testing time is 1 hour	License Number Date
	Electronically Filed
	Signed
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)  2,800 5 145 6	(bonded) Water Well Constructor Certification
2,800	I accept responsibility for the construction, deepening, alteration, or abandonment
	work performed on this well during the construction dates reported above. All work
Temperature 60 °F Lab analysis Yes By	performed during this time is in compliance with Oregon water supply well
Water quality concerns? Yes (describe below)	construction standards. This report is true to the best of my knowledge and belief.
From To Description Amount Units	License Number 1424 Date 02-02-2011
	Electronically Filed
	Signed TIMOTHY K RILEY (E-filed)
	Contact Info (optional)

11-02-2011

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

WELL LABEL # L	107659
START CARD #	1015160

(1) LAND OWNER Owner Well I.D. Leathers Weaver Spr.	(I) LOCATION OF WELL (L. L. L				
	(9) LOCATION OF WELL (legal description)				
First Name Last Name	County Harney Twp 25.00 S N/S Range 30.00 E E/W WM				
Company ACW Address PO Box 3	Sec         33         SE         1/4 of the         NW         1/4         Tax Lot         2600           Tax Map Number         Lot				
City Burns State Or Zip 97720					
1 21120					
(2) TYPE OF WORK New Well Deepening Conversion	Long ' ' or DMS or DD  Street address of well • Nearest address				
Alteration (repair/recondition) Abandonment	29062 Weaver Springs Road				
(3) DRILL METHOD	Burns, Or. 97720				
Rotary Air Rotary Mud Cable Auger Cable Mud	(40) CT A TIC WATER I EVEL				
Reverse Rotary Other	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)				
(4) PROPOSED USE Domestic Irrigation Community	Existing Well / Predeepening				
Industrial/ Commercial Livestock Dewatering	Completed Well 10-21-2011 88				
Thermal Injection Other	Flowing Artesian? Dry Hole?				
	WATER BEARING ZONES Depth water was first found 88				
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy					
Depth of Completed Well 170.00 ft.  BORE HOLE SEAL sacks/	10-21-2011 88 170 1,000 88				
BORE HOLE SEAL sacks/ Dia From To Material From To Amt lbs					
18 0 18 Bentonite Chips 0 18 30 S					
14 18 170					
	(11) WELL LOG Ground Elevation				
How was seal placed: Method A B C D E	Ground Elevation				
Other poured & tamped	Material From To Topsoil Sandy Loam 0 2				
Backfill placed from ft. to ft. Material	Clay Sand 2 11				
Filter pack from ft. to ft. Material Size	Clay Brown 11 32				
Explosives used: Yes Type Amount	Clay Cinders Brown 32 49				
	Cinders Black				
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	ROCK Basait Black 165 170				
● 14 × 2 108 .250 ●					
	(A) (A) (A) (A)				
	RECED				
Shoe Inside Outside Other Location of shoe(s)	MAY 1 1 2022				
Temp casing Yes Dia From To					
(7) PERFORATIONS/SCREENS	0.1220				
Perforations Method					
Screens Type Material					
Perf/S Casing/ Screen Scrn/slot Slot # of Tele/	Date Started 10-18-2011				
creen Liner Dia From To width length slots pipe size					
	(unbonded) Water Well Constructor Certification				
	I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well				
	construction standards. Materials used and information reported above are true to				
	the best of my knowledge and belief.				
(8) WELL TESTS: Minimum testing time is 1 hour	License Number Date				
Pump Bailer • Air Flowing Artesian	Electronically Filed				
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	Signed				
1,000 170 1	(bonded) Water Well Constructor Certification				
	I accept responsibility for the construction, deepening, alteration, or abandonment				
	work performed on this well during the construction dates reported above. All work				
Temperature 59 °F Lab analysis Yes By	performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.				
Water quality concerns? Yes (describe below) From To Description Amount Units					
The Description Amount Office	License Number 1424 Date 11-02-2011 Electronically Filed				
	Signed TIMOTHY K RILEY (E-filed)				
	Contact Info (optional)				

#### STATE OF OREGON WATER SUPPLY WELL REPORT

(as required by ORS 537.765 & OAR 690-205-0210)

WELL LABEL # L 104470 51445

START CARD#\_ 189552

Instructio	ns for	comp	leting t	his report	are on the la	ist page	of this	form.								
(1) LANI		NER			Owner W	ell I.D.				(9) LOCATI	ON OF W	ELL (le	gal descri	otion)		
First Name				Las	t Name	, ,			100	County Ha	rund	Twn	75 Nor	S Pance 3	0	E or W W.M.
Company	Ra	7714	Sh		VEEK		, X	C971	e120	Sec 33	1-6	_1 wp _	1-6	J/A Tau Lat	7.	2 M
Address	52	2	Hey	20	_ State	1	Zip_	973	35	Sec 33		1/4 01 the	100	1/4 Tax Lot_		100
City	me	2		20	_ State		Z1p	1)/	10	Tax Map Numl	ber			Lot _		
(2) TYPE	OF	WOR	K	New W	ell 🔲 Dec	enening	П	Convers	sion	Lat°	·	" c	or			DMS or DD
☐ Alterat				7		andonm		Conver	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Long°		"(	or			_ DMS or DD
Alterat	ion (re	Jan/re	conditi	011)	L Au	andonni	CIII			Street Address	CUE 11 (		4	ca 11 11	40	5
(3) DRIL	I MI	THO	on.							Street Address	of well (or n	earest ad	dress)_/	OHII	43	
Rotary	Air	□ P	otary M	fud 🗆 (	Cable	Auger	ПС	able Mu	ıd	455 i 9n						
Reverse			otal y iv		Other	ruger		1010 1410	·u	(10) 07 1710	THEFT	r exter				
☐ Reverse	e Kotai	У		П	Julei					(10) STATIC	WAIER	LEVEL		CWI (')		CWI (A)
(A) DDOI	DOCE	D IIC	E [	Domontio	Irriga	tion	Псо	mmunit					Date	SWL(psi)	+	
Industr	ial/Cor	D US	iol [	I ivectool	k Dewa	tering	H Inic	ection	.y	Existing Well	l/Predeepenir	ig   2-	16-08			92
		innere				itering	m,	ction		Completed W	/ell					
☐ Therma	11			Other							Flow	ing Artes	sian? Ye	s Dry Hole	? 🗆 '	Yes
(E) DOD!	E IIO	EC	ONICT	DUCTIO	NI Consist C	Standan.	. П v	as (attac	h	WATER BEA				er was first for		
					N Special S	standaro	1: L Y	es (attac	сп сору)	WATER BEA	AIGING ZO	AL3	Depui wat	ci was ilist lo	LIIU	
Depth of C	omple	ted W	ell	<i>80</i> € ft.						SWL Date	From	To	Est Flow	SWL (psi	)   +	SWL (ft)
D	ORE H	OLE				SEAI				268	140	190	1000-			92
1	From		To	Mate	rial   Fr	om	To IA	mount	/lbs			50			T	
200	C	1	35	CTn-				14								
144	75	19	80	20.7			-								T	
/1.	1/	-	-			_										
		+				_										
								_	l	(11) WELL I	LOG	G	round Elevat	tion		
How was s	eal pla	ced:	Meth	od 🔲 A	□B <b>5</b>	<b>₫</b> C	☐ D	☐ E			Material		1	From	1	То
Other _										TO	Soil		1	7	- 1	2.0
Backfill pl	aced fr	om		ft. to	ft. Mater	rial					grand		+ - 5			23
					. Material _					Black	Sur 5	Temp	53	-		90
										Blow	Clark	1010	90			140
LAPIOSIVES	uscu.	Ц,	cs ry	рс		Milouin				D116 70	x Cla	7	11	10	-	190
(6) CASI	NC/I	INFI	•								al B	-	190			275
Cenal Line	Dia	1+	From	To	Gauge	Steel	Plastic	Welde	d Thrd				150	<	$\overline{}$	
X	104	14	7	12	1250	×	1 Mastre	X	u mu	Samo 9	rave (		-		-	280
	19	+''	·	77	1610	~					APRIF	<b>—</b>	RE			
		+						-	_	RE	CEIVE	U	- NL			
		+		_				<del>                                     </del>				Maria de la companya				
		+								ADD	00 90	ΠĎ	MAY	1 1 202		
	_	+						1	+	AFIX	28 20	UŲ	Wirst	1 2 200		
																-
					ocation of sh					WATER	ESOURCE	<b>SDEP</b>			$\overline{}$	
Temporary	casing	3 🗆	Yes D	iameter _	From	n	T	`o		CALL	EM, OREG	ON				
	-													0	10	25
(7) <b>PERF</b>	ORA	TIO	NS/SC	REENS						Date Started	1-17-6	20	Completed	_2-	10	0
Perforation	is i	Metho	d							<u> </u>			C	4		
Screens	7	Гуре _			Ma	terial _				(unbonded) W					nenin	g, alteration, or
1	1 1	1		1	I le			Í.	T-1-/	abandonment o						
			C			Screen/	Clas	# 05	Tele/	construction sta	andarde Mat	eriale ne	ed and infor	mation reporte	d aho	ve are true to
Dorf Co	Come		Screen	From	Tot	slot width	Slot length	# of slots	pipe size	the best of my				indicate reporte	_ 400	
Perf Scrn	Csng	Lini	Dia	From	Tg/	width	lengui	31013	3120	die best of my	idio i leage ai	ia conon				
	-	-+	-A	- M				+	+	License Numbe	er		Da	ate		
	-	-+			-			+	+							
	+	+			-			+	_	Signed						
(8) WFI	LTE	STS.	Mini	mum testi	ing time is	1 hour				(bonded) Wate						
Pur			Bailer	∏ A			ing Arte	esian		I accept res	sponsibility for	or the cor	struction, de	eepening, alter	ation.	, or
				_	_	_			4	abandonment v	vork perform	ed on this	s well during	g the construct	ion da	ates reported
Yield g		1	Drawdo		ll stem/Pump	depth		uration		above. All wor	rk performed	during th	nis time is in	compliance w	rith O	regon water
1600	7 4	+	120	1			<u> </u>	440		supply well cor	nstruction sta	ndards. ´	This report is	s true to the be	st of	my knowledge
							-			and belief.		( )	/		~ ~	
											. 16	$\supset \iota$	1 -	W_	2 4	5-08
Temperatu	re <b>5</b>	c'·	F Lab	analysis [	Yes By_					License Number	A (8)		Da	ate	=	-
				es (describe							_ >	_		ate 4		
		To	٠ ا		ription	A	nount	11-	nits	Signed					_	
From		10		Desci	прион	All	Tourit	1		Contact Info. (c	optional)					
	-		_			+-		-								
						+		+		I						

			WELL ID LABEL#	T	Page 1 of
STATE OF OREGON	HARN	51871	WELL I.D. LABEL#		
WATER SUPPLY WELL REPORT			START CARD #	1017370	
(as required by ORS 537.765 & OAR 690-205-0210)	8/27/	2012	ORIGINAL LOG #	1	
(1) LAND OWNER Owner Well I.D.					
First Name Last Name		(9) LOCATI	ON OF WELL (legal	description)	
Company ACW			Twp 25.00 S		F F/W WN
Address PO BOX 3			VE 1/4 of the SE		
City BURNS State OR Zip 97720					
(2) TYPE OF WORK New Well Deepening Conv	version	Tax Map Nullibe	r" or		DMS or DD
Alteration (complete 2a & 10)   Abandonment(co	omplete 5a)	Lat°_	" or		DMS or DD
(2a) PRE-ALTERATION		Long	eet address of well N	Learnet address	DIVIS OF DD
Casing: To Gauge Stl Plstc Wld Thrd			R SPRINGS ROAD	carest address	
Material From To Amt sacks/lbs		BURNS, OR.	K SI KINGS KOAD		
Seal:		Bota is, orc			
(3) DRILL METHOD		(10) STATIC	WATER LEVEL		
Rotary Air Rotary Mud Cable Auger Cable Mud			Dat	te SWL(psi)	+ SWL(ft)
Reverse Rotary Other			ll / Pre-Alteration		
		Completed V	0/10/2011		94
(4) PROPOSED USE Domestic X Irrigation Community	,		Flowing Artesian?	Dry Hole?	
Industrial/ Commericial Livestock Dewatering		WATER BEARIN	NG ZONES Depth w	vater was first found	94.00
Thermal Injection Other	_	SWL Date	From To Es	st Flow SWL(psi)	+ SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard	Attach conv)	8/15/2012	94 220	2000	94
Depth of Completed Well 232.00 ft.	rituon copy)	8/13/2012	94 220	2000	94
BORE HOLE SEAL	sacks/				
	Amt lbs				
	27 S				
14 18 232			2 0 16		
	-	(11) WELL L	OG Company		
How was seal placed: Method A B C D	E	` '	Ground Elevation		
Nethod A B C B C		topsoil sandy loa	Material m	From	To 2
Backfill placed from ft. to ft. Material		clay cinders	111	2	8
Filter pack from ft. to ft. Material Size		clay brown		8	45
		cinders black		45	90
Explosives used: Yes Type Amount		multi colored cin	ders	90	200
(5a) ABANDONMENT USING UNHYDRATED BENTONIT	TE	clay yellow		200	205
Proposed Amount Actual Amount		sandstone brown		205	212
(6) CASING/LINER		clay yellow		212	220
Casing Liner Dia + From To Gauge Stl Plstc	Wld Thrd	clay blue		220	232
<u>14</u> <u>X</u> 2 94 .250 €	oxdot		REC ED		
	HHI				
	HHI		MAV 4 4 2022		
	HHI		MAY 1 1 2022		
Shoe Inside Outside Other Location of shoe(s)	ᅟᅟᅵᅵ				
			0		+
Temp casing Yes Dia From To					+
(7) PERFORATIONS/SCREENS					_
Perforations Method	-	D . C 1-		1.1.	
Screens Type	Tele/	Date Started8/	13/2012 Com	nplete <u>8/15/2012</u>	
Screen Liner Dia From To width length slots		(unbonded) Wa	ter Well Constructor Certif	fication	
TANK TANK		I certify that the	work I performed on the c	onstruction, deepen	ing, alteration, or
			this well is in compliance		
			dards. Materials used and in	nformation reported	above are true to
			nowledge and belief.		
		License Number		Date	
(8) WELL TESTS: Minimum testing time is 1 hour	7	Signed			
Pump Bailer • Air Flowing A	rtesian	Signed			
Yield gal/min Drawdown Drill stem/Pump depth Duration (h	nr)	(bonded) Water	Well Constructor Certifica	tion	
800 230			bility for the construction, o		
			on this well during the constru		
			g this time is in compliand		
Temperature 60 °F Lab analysis Yes By			dards. This report is true to the		ledge and belief.
Water quality concerns? Yes (describe below) TDS amount		License Number	1424 D	ate 8/27/2012	

Signed TIMOTHY K RILEY (E-filed)

Contact Info (optional)

Page 1 of 1

STATE OF OREGON	HARN	51970	WELL I.D. LABEL#	THE RESERVE AND ADDRESS OF THE PERSON NAMED IN		
WATER SUPPLY WELL REPORT			START CARD #	1020822	2	
(as required by ORS 537.765 & OAR 690-205-0210)	9/2/2	2013	ORIGINAL LOG #			-1
(1) LAND OWNER Owner Well I.D.						
First Name ANDY Last Name ROOT		(9) LOCATI	ON OF WELL (legal o	descripti	ion)	
Company ACW		County HARNEY	Twp 25.00 S N	J/S Rang	ge 30.00 J	E E/W WN
Address PO BOX 3	-		E 1/4 of the SE			
City BURNS State OR Zip 97720		Tax Map Number	-	Lo	t	
(2) TYPE OF WORK New Well Deepening Conve		Lat°	" or " or			DMS or DD
Alteration (complete 2a & 10) Abandonment(complete 2a) PRE-ALTERATION	mplete 5a)	Long°_	" or			DMS or DD
Dia + From To Gauge Stl Plstc Wld Thrd			et address of well Ne	earest addre	ess	1
Casing:		29062 WEAVER				
Material From To Amt sacks/lbs		BURNS, OR. 97	720			
Seal:		(10) STATIC	WATER LEVEL			
Rotary Air Rotary Mud Cable Auger Cable Mud		` ′	Date	e SWL	(psi) +	SWL(ft)
Reverse Rotary Other			1 / Pre-Alteration		$\Box \Box$	
		Completed V				107
(4) PROPOSED USE Domestic X Irrigation Community			Flowing Artesian?		fole?	
Industrial/ Commercial Livestock Dewatering		WATER BEARIN	•		rst found 1	
Thermal Injection Other	_	SWL Date	From To Est	t Flow SV	VL(psi)	+ SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (A	ttach copy)	8/24/2013	107 310	1000		107
Depth of Completed Well 310.00 ft.						
BORE HOLE SEAL	sacks/					
Dia         From         To         Material         From         To         Ar           18         0         18         Bentonite Chips         0         18         1	mt lbs					
14 18 310 Entonic Cinps 0 16 1	19 5					
		(11) WELL I	00			
		(11) WELL L	Ground Elevation	n		
How was seal placed: Method A B C D	_E		Material	F	rom	То
X Other POURED & TAMPED		sandy loam topso	il		2	8
Backfill placed from ft. to ft. Material		clay and cinders		-+	8	42
Filter pack from ft. to ft. Material Size		cinders black			42	135
Explosives used: Yes Type Amount		cinders multicolo	red		135	277
(5a) ABANDONMENT USING UNHYDRATED BENTONIT	E	sandstone brown			277	289
Proposed Amount Actual Amount		cinders black			289	310
(6) CASING/LINER						
Casing Liner Dia + From To Gauge Stl Plstc V						
14 X 2 183 .250 O	꼭 뭐ㅣ		REC ED			
	$\dashv H \mid$		NEC ED			
	$\dashv H \vdash$		MAY 1 1 2022			
			MAT I I ZUZZ			
Shoe Inside Outside Other Location of shoe(s)						
Temp casing Yes Dia From To			0			
(7) PERFORATIONS/SCREENS						
Perforations Method	_					
Screens Type Material	T. 1. /	Date Started 8/2	22/2013 Com	plete 8/	24/2013	
Perf/     Casing/ Screen     Scm/slot     Slot     # of       Screen Liner     Dia     From     To     width     length     slots	Tele/ pipe size	(unbonded) Wat	er Well Constructor Certifi	ication		
Selecti Emer Sia Trom To width length slots	pipe size	,	work I performed on the co		, deepenin	g, alteration, or
			this well is in compliance			
	$\perp$		dards. Materials used and in owledge and belief.	formation	reported al	pove are true to
	<del>                                     </del>			nto		
(O) WELL TECTS May		License Number	Da	ate		
(8) WELL TESTS: Minimum testing time is 1 hour		Signed				
Pump Bailer Air Flowing Art	1		N.B.C.	-		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr	)	,	Well Constructor Certificat		-14	
300			bility for the construction, do in this well during the constru			
			this time is in compliance			
Temperature 59 °F Lab analysis Yes By			lards. This report is true to th			
Water quality concerns? Yes (describe below) TDS amount		License Number	1424 Da	ate 9/2/201	3	
From To Description Amount	Units	-		J 1 2 1 2 V 1		1.5

Signed TIMOTHY K RILEY (E-filed)

Contact Info (optional)

## STATE OF OREGON WATER SUPPLY WELL REPORT

#### **HARN 52121**

WELL I.D. LABEL# L 116668

START CARD # 1024513

ORIGINAL LOG #

(as required by ORS 537.765 & OAR 690-205-0210)	10/2//	2014 ORIGINAL LOG #		
(1) LAND OWNER Owner Well I.D.				
First Name ANDY Last Name ROOT	•	(9) LOCATION OF WELL (legal descrip	tion)	
Company ACW	_	County HARNEY Twp 25.00 S N/S Ra		F F/W WM
Address P.O.BOX 326	_	Sec 29 NE 1/4 of the SE 1/4	Fay Lot 26	00
City BURNS State OR Zip 97720		Sec 29 NE 1/4 of the 3E 1/4	at Lot 200	00
(2) TYPE OF WORK New Well Deepening Conversion	n l	Tax Map Number I Lat o ' " or Long o ' or	.01	DMS or DD
Alteration (complete 2a & 10) Abandonment(comple	ete 5a)	Lator		_ DMS of DD
(2a) PRE-ALTERATION		Long or or Nearest address of well Nearest add		_ DMS or DD
Dia + From To Gauge Stl Plstc Wld Thrd	- 1		iress	· ,
Casing:	- 1	29062 WEAVER SPRINGS LN. BURNS,OR.97720		
Material From To Amt sacks/lbs	- 1			
Seal:		(10) STATIC WATER LEVEL		
(3) DRILL METHOD	1		L(psi) +	SWL(ft)
Rotary Air Rotary Mud Cable Auger Cable Mud	- 1	Existing Well / Pre-Alteration		S ( Z ( Z )
Reverse Rotary Other		Completed Well 10/21/2014		92
(4) PROPOSED USE Domestic Irrigation Community		Flowing Artesian? Dry	Hole?	
Industrial/ Commercial Livestock Dewatering	,	WATER BEARING ZONES Depth water was	first found	105.00
Thermal Injection Other	1	-		+ SWL(ft)
			3 W L(psi)	1 SWL(II)
(5) BORE HOLE CONSTRUCTION Special Standard (Attack	h copy)	10/23/2014 105 385 3500		92
Depth of Completed Well 385.00 ft.	- 1			
	sacks/			
Dia From To Material From To Amt  24 0 54 Bentonite Chips 0 564 61	lbs			
	S			
20 54 332 12 332 385				
12 332 363		(11) WELL LOG Ground Elevation		
How was seal placed: Method A B C D E		Material	From	To
Nother POURED DRY	- 1	Top Soil	0	3
Backfill placed from 50 ft. to 54 ft. Material BENTON TO	E	Tan Clay and Cinders	3	20
Filter pack from ft. to ft. Material Size		Black sand & Cinders	20	39
		Black Cinder Stone Fractured	39	185
Explosives used: Yes Type Amount		Cinder stone w/ grey clay layers	185	218
(5a) ABANDONMENT USING UNHYDRATED BENTONITE		Broken cinder stone	218	330
Proposed Amount Actual Amount	- 1	Broken Basalt	330	385
(6) CASING/LINER				
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld	Thrd			
		RECEIVED BY OWRD		ED
		•		
		DEC 0 8 2014		2022
		DEC 0 3 2014 M/	AY 11	4022
Shoe Inside Outside Other Location of shoe(s)				
Temp casing Yes Dia From To		SALEM, OR		
7) PERFORATIONS/SCREENS				
Perforations Method Factory				
Screens Type Material		Date Started 10/1/2014 Complete	10/21/2014	
	Tele/			
	e size	(unbonded) Water Well Constructor Certification		
Perf         Liner         16         192         332         .125         3         8512		I certify that the work I performed on the construction		
		abandonment of this well is in compliance with construction standards. Materials used and information		
		the best of my knowledge and belief.	ii reported a	above are true to
			107/0014	
		License Number 1739 Date 10	27/2014	
8) WELL TESTS: Minimum testing time is 1 hour		Signed CHARLES M FRY (E-filed)		
● Pump Bailer Air Flowing Artesia	an	CHARLES WIRT (E-med)		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	_	(bonded) Water Well Constructor Certification		
2500 16 160 8	- 1	I accept responsibility for the construction, deepening		
	-	work performed on this well during the construction da		
	_	performed during this time is in compliance with		
Temperature 58 °F Lab analysis Yes By		construction standards. This report is true to the best o		eage and belief.
Water quality concerns? Yes (describe below) TDS amount		License Number 1355 Date 10/2	7/2014	
From To Description Amount Uni	its			
		Signed ARTHUR L FRY (E-filed)		
	$\dashv$	Contact Info (optional)		

## STATE OF OREGON

#### **HARN 52154**

Page 1 of 1 WELL I.D. LABEL# L 116674

WATER SUPPLY WELL REPORT	START CARD # 1025480	
(as required by ORS 537.765 & OAR 690-205-0210)	3/1/2015 ORIGINAL LOG #	
(1) LAND OWNER Owner Well I.D.		
First Name Last Name	(9) LOCATION OF WELL (legal description)	
Company RATTLESNAKE CREEK, LAND AND CATTLE CO.	County HARNEY Twp 26.00 S N/S Range 30.00	F F/W WN
Address 524 N. HWY 20	Sec 3         NW         1/4 of the         NW         1/4         Tax Lot         8	300
City HINES State OR Zip 97720	Tay Man Number	
(2) TYPE OF WORK New Well Deepening Conversion	Lat ° ' "or	DMS or DD
Alteration (complete 2a & 10) Abandonment(complete 5a)	Tax Map Number Lot  Lat o ' or  Long o ' or	DMS or DD
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd	Long or or Nearest address	
Casing:	28700 WEAVER SPRINGS RD. BURNS, OR.	
Material From To Amt sacks/lbs		
Seal:		
(3) DRILL METHOD	(10) STATIC WATER LEVEL	
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi)  Existing Well / Pre-Alteration	+ SWL(ft)
Reverse Rotary Other	Completed Well 2/11/2015	132
(4) PROPOSED USE Domestic X Irrigation Community	Flowing Artesian? Dry Hole?	
Industrial/ Commercial Livestock Dewatering		
Thermal Injection Other		
	SWL Date From To Est Flow SWL(psi)	+ SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)	2/11/2015 132 225 1200	132
Depth of Completed Well 225.00 ft.		
BORE HOLE SEAL sacks/ Dia From To Material From To Amt lbs		
Dia         From         To         Material         From         To         Amt         lbs           22         0         196         Bentonite Chips         0         55         108         S	1	
12 196 225 Calculated 92.04	4	
	44 1771 1 0 0	
Calculated	(11) WELL LOG Ground Elevation	
How was seal placed: Method A B C D E	Material From	То
X Other POURED DRY	Cinders and sand 0	50
Backfill placed from55 ft. to ft. Material CEMENTING BASK	cemented cinders 50	198
Filter pack from ft. to ft. Material Size	Broken Basalt 198	225
Explosives used: Yes Type Amount		
5a) ABANDONMENT USING UNHYDRATED BENTONITE		-
Proposed Amount Actual Amount		
6) CASING/LINER		
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd		-
<u>0</u> 16	REC. FD	+
	NEC ED	_
	MAY 1 1 2022	
Shoe Inside Outside Other Location of shoe(s)		
Temp casingYes	U D	
7) PERFORATIONS/SCREENS		+
Perforations Method Factory		
Screens Type Material	Date Started 1/26/2015 Completed 2/11/2015	
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/ Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification	
Perf Casing 16 156 196 .125 3 2368	I certify that the work I performed on the construction, deepen	ing, alteration, or
	abandonment of this well is in compliance with Oregon w	vater supply well
	construction standards. Materials used and information reported	above are true to
	the best of my knowledge and belief.	
	License Number 1739 Date 3/1/2015	
8) WELL TESTS: Minimum testing time is 1 hour	Signed CHARLES MERY (E-filed)	
Pump Bailer • Air Flowing Artesian	Signed CHARLES M FRY (E-filed)	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification	
1200 200 2	I accept responsibility for the construction, deepening, alteration	
	work performed on this well during the construction dates reported	
	performed during this time is in compliance with Oregon w construction standards. This report is true to the best of my knowl	
Temperature 70 °F Lab analysis Yes By		tage and belief.
Water quality concerns? Yes (describe below) TDS amount From To Description Amount Units	License Number 1355 Date 3/1/2015	
	Signed ARTHUR L FRY (E-filed)	
	Contact Info (ontional)	

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)	HARN 52170 4/14/2015	WELL I.D. LABE START CAR	D# 10	17161 025710	Page 1 of 1
(1) LAND OWNER Owner Well I.D.		ORIGINAL LO			
First Name ANDY Last Name ROOT Company ACW	(9) LOCA County HAR	ATION OF WELL (legans)  Twp 25.00 S	gal des	cription) Range 30.00 E	E/W WM
Address P.O.BOX 326  City BURNS State OR Zip 97720	Sec 29 Tax Map Nur	NE 1/4 of the SE	1/4	Tax Lot <u>2600</u> Lot	
(2) TYPE OF WORK New Well Deepening Convert Alteration (complete 2a & 10) Abandonment(complete 2a) PRE-ALTERATION	Lat	° ' " or or			DMS or DD DMS or DD

First Name ANDY Last Name ROOT	(9) LOCATION OF WELL (legal description)	
Company ACW	County HARNEY Twp 25.00 S N/S Range 30.00	E/W W
Address P.O.BOX 326	Sec 29 NE 1/4 of the SE 1/4 Tax Lot 2	
City BURNS State OR Zip 97720		
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat o ' " or	DMS or DD
Alteration (complete 2a & 10) Abandonment(complete 5a)	Lat	DMS of DE
(2a) PRE-ALTERATION	Long " or	DMS or DD
Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address	
Casing:	29062 WEAVER SPRINGS LN. BURNS, OR.	
Material From To Amt sacks/lbs		
Seal:	(40) CT LT C W LT C D L EVEL	
(3) DRILL METHOD	(10) STATIC WATER LEVEL  Date SWL(psi)	1 (0)
Rotary Air Rotary Mud Cable Auger Cable Mud	Existing Well / Pre-Alteration Date SWL(psi)	+ SWL(ft)
Reverse Rotary Other	Completed Well 4/2/2015	92
(4) PROPOSED USE Domestic X Irrigation Community	Flowing Artesian? Dry Hole?	
Industrial/ Commercial Livestock Dewatering		
	WATER BEARING ZONES Depth water was first found	
Thermal Injection Other	SWL Date From To Est Flow SWL(psi)	+ SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy	9) 4/3/2015 170 310 1000	92
Depth of Completed Well 525.00 ft.	7 772013	1 1
BORE HOLE SEAL sacks/		1
Dia From To Material From To Amt lbs		1
22 0 236 Bentonite Chips 0 45 72 S	]	1
12 236 525 Calculated 69.8		
	(11) WELL LOG Ground Floyetion	
Calculated	Ground Elevation	
How was seal placed: Method A B C D E	Material From	То
Other POURED DRY	Top Soil 0	2
Backfill placed from 45 ft. to 47 ft. Material CEMENTING BASK	Tan Clay and Cinders 2	30
Filter pack from ft. to ft. Material Size	cemented cinders 30	170
Explosives used: Yes Type Amount	Grey clay and cemented cinders 170	236
	cemented cinders 236	310
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	Grey clay and cemented cinders 310	415
Proposed Amount Actual Amount	green clay 415	525
(6) CASING/LINER		+
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	REC ED	
● ☐ 16 <b>X</b> 2 236 .250 <b>● ☐ X</b> ☐		
	MAY 4 1 2022	
	MAY 1 1 2022	
Shoe Inside Outside Other Location of shoe(s)	U a di di	
Temp casing Yes Dia From To	:	
(7) PERFORATIONS/SCREENS		_
Perforations Method		
Screens Type Material	Date Started 3/9/2015 Completed 4/3/2015	
Perf/ Casing/Screen Scrn/slot Slot # of Tele/	(all all DW) to Will Control of Control	
Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification	ina altamatian a
	I certify that the work I performed on the construction, deeper abandonment of this well is in compliance with Oregon w	
	construction standards. Materials used and information reported	
	the best of my knowledge and belief.	racove are a ac t
	l' VII	
(O) NUCLA TECTO NO. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	License Number 1739 Date 4/14/2015	
(8) WELL TESTS: Minimum testing time is 1 hour	Signed CHARLES M FRY (E-filed)	
Pump Bailer • Air Flowing Artesian	CHARDS HTH (B INC)	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification	
700 200 2	I accept responsibility for the construction, deepening, alteratio	
	work performed on this well during the construction dates reporte	
	performed during this time is in compliance with Oregon w	
Temperature 67 °F Lab analysis Yes By	construction standards. This report is true to the best of my know	leage and belief.
Water quality concerns? Yes (describe below) TDS amount	License Number 1355 Date 4/14/2015	
From To Description Amount Units		

License Number 1355	Date 4/14/2015
Signed ARTHUR L FRY (E-filed)	
Contact Info (optional)	

## STATE OF OREGON

HARN 52590

WELL I.D. LABEL# L 122963

WATER SUPPLY WELL REPORT			START CAR	D# 1031	1827	
(as required by ORS 537.765 & OAR 690-205-0210)	10/4	/2016	ORIGINAL LO	G#		
(1) LAND OWNER Owner Well I.D.		T				
First Name ANDY Last Name ROOT	<del> </del>	1 (0) 1 0 0 1 1	ION OF WELL (			
Company ACW		1 ' '	ION OF WELL (leg		_	
* *			Y Twp 25.00 S			
Address         P.O BOX 326           City         BURNS         State         OR         Zip         97720		Sec 29	SE 1/4 of the SE	1/4	Tax Lot	2600
	onversion	Tax Map Numb	er		Lot	
		Lat	er" or			DMS or DD
Alteration (complete 2a & 10) Abandonmen	t(complete 5a)	Lat°_ Long°_	" or			DMS or DD
(2a) PRE-ALTERATION		LUIE	reet address of well (	Nearest a	ddress	
Dia + From To Gauge Stl Plstc Wld Thr Casing:	1		ER SPRINGS LN. BURNS			
	1	25002 WEAVI	ER SI RIIVOS EIV. DORIV.	OR. 9112		
Material From To Amt sacks/lbs Seal:						
(3) DRILL METHOD		(10) STATIO	C WATER LEVEL			
Rotary Air Rotary Mud Cable Auger Cable Mu	nd	(10) 511111		Date S'	WL(psi)	+ SWL(ft)
	ıu	Existing W	ell / Pre-Alteration			
Reverse Rotary Other		Completed		2016		111
(4) PROPOSED USE Domestic X Irrigation Commun	nity		Flowing Artesian?		ry Hole?	7
Industrial/ Commercial Livestock Dewatering	,	WATER BEARI		 th water wa	a first form	nd 140 00
Thermal Injection Other			-			
InermalInjectionOther		SWL Date	From To	Est Flow	SWL(psi	+ SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard	(Attach copy)	10/2/2016	140 318	1000	T	111
Depth of Completed Well 340.00 ft.		3,2,2010	1 310	1.000		1
BORE HOLE SEAL	sacks/			1	1	1
	Amt lbs			+	1	1
26 0 38 Bentonite Chips 0 38	82 S		<del>                                     </del>	+	+	
20 38 311 Calculated	78	]				
12 311 340		(11) XVELL	1.00			
Calculated		(11) WELL I	Ground Ele	vation		
How was seal placed: Method A B C D	E		Material		From	To
Other_POURED DRY		sandy soil			0	2
Backfill placed from ft. to ft. Material		black cinders			2	17
Filter pack from ft. to ft. Material Siz	te	soft brown cind	erstone		17	140
		black cinderstor	ne with brown sand		140	290
Explosives used: Yes Type Amount		basalt with grey	clay		290	340
(5a) ABANDONMENT USING UNHYDRATED BENTON	NITE					
Proposed Amount Actual Amount						
(6) CASING/LINER			DE/			
Casing Liner Dia + From To Gauge Stl Plst	tc Wld Thrd		REC	EL		
					_	
20 X 2 38 .250			MAY 1	1 2022		
		<u> </u>		2		
	4 H H		C			
Shoe Inside Outside Other Location of shoe(s)	4	l				
						$\overline{}$
					7	
7) PERFORATIONS/SCREENS						
Perforations Method Factory						
Screens Type Material	- T.1.	Date Started8	3/18/2016 C	completed	1 10/4/201	16
	of Tele/	(unbonded) W	ater Well Constructor Co	ertification		
	ots pipe size	, ,	e work I performed on the			ening alteration o
1 CH   Line   12   211   311   .093   3   17	700		of this well is in compl			
			ndards. Materials used as			
		the best of my k	nowledge and belief.		•	
		License Numbe	r 1739	Date 1	0/4/2016	
O) WELL TECTO M:			1737		0/4/2010	
8) WELL TESTS: Minimum testing time is 1 hour		Signed CHA	RLES M FRY (E-filed)			
Pump Bailer • Air Flowing	g Artesian					
Yield gal/min Drawdown Drill stem/Pump depth Duration	a (hr)	(bonded) Water	r Well Constructor Certi	fication		
500 500 3			sibility for the construction			
			on this well during the co			
<u>_</u>			ng this time is in comp			
Temperature 65 °F Lab analysis Yes By		construction star	ndards. This report is true	to the best	of my know	wiedge and belief.
Water quality concerns? Yes (describe below) TDS amount		License Number	r_1355	Date 10/	4/2016	<u> </u>
From To Description Amoun	nt Units					
		Signed ARTH	HUR L FRY (E-filed)			3.4
		Contact Info (op	otional)			

## STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

HARN 52591

WELL I.D. LABEL# L

122964

START CARD # 1032027

ORIGINAL LOG #

10/4/201	6
----------	---

(as required by OKS 557.705 & OAK 090-205-0210)	10/4	4/2010 ORIGINAL LOG #
(1) LAND OWNER Owner Well I.D.		
First Name ANDY Last Name ROOT		(9) LOCATION OF WELL (legal description)
Company ACW		County HARNEY Twp 25.00 S N/S Range 30.00 E E/W V
Address P.O BOX 326		Sec 29 SE 1/4 of the SE 1/4 Tax Lot 2600
City BURNS State OR Zip 97720		
2) TYPE OF WORK New Well Deepening Co	nversion	Tax Map Number         Lot           Lat         " or         DMS or D.
Alteration (complete 2a & 10) Abandonment(	(complete 5a)	
2a) PRE-ALTERATION		Long or DMS or Di
Dia + From To Gauge Stl Plstc Wld Thrd	l	Street address of well     Nearest address
Casing:		29062 WEAVER SPRINGS LN. BURNS OR. 97720
Material From To Amt sacks/lbs		
Seal:		(10) CTATIC WATER I EVEL
3) DRILL METHOD		(10) STATIC WATER LEVEL  Date SWL(psi) + SWL(ft)
Rotary Air Rotary Mud Cable Auger Cable Mu	d	Date SWL(psi) + SWL(ft)  Existing Well / Pre-Alteration
Reverse Rotary Other		Completed Well 10/3/2016 116
4) PROPOSED USE Domestic X Irrigation Communi	ts:	Flowing Artesian? Dry Hole?
	ity	
Industrial/ Commericial Livestock Dewatering		WATER BEARING ZONES Depth water was first found 155.00
Thermal Injection Other		SWL Date From To Est Flow SWL(psi) + SWL(ft)
5) BORE HOLE CONSTRUCTION Special Standard	(Attach conv	y) 10/3/2016 155 330 2500 X 116
Depth of Completed Well 330.00 ft.	( rimer cob)	77 10/3/2010 133 330 2300
BORE HOLE SEAL	sacks/	
	Amt lbs	
22 0 249 Bentonite Chips 0 48	75 S	<b>╗</b> ├ <del>──┼</del>
12 249 330 Calculated	74	
		111 WELL LOC
Calculated		(11) WELL LOG Ground Elevation
How was seal placed: Method A B C D	E	Material From To
X Other POURED DRY		sandy soil 0 2
Backfill placed from 48 ft. to 49 ft. Material CEMENT	ING BASK	brown sand and cinders 2 38
Filter pack from ft. to ft. Material Size		brown cinder stone 38 155
		brown clay and fractured cinder stone 155 330
Explosives used: Yes Type Amount	and the second second second second	
5a) ABANDONMENT USING UNHYDRATED BENTON	ITE	
Proposed Amount Actual Amount		
) CASING/LINER		REC ED
Casing Liner Dia + From To Gauge Stl Plsto	Wld Thrd	
● 16 <b>X</b> 2 249 .250 ● C		2000
		MAY 11 2022
	ян н	
Shoe Inside Outside Other Location of shoe(s)		
) PERFORATIONS/SCREENS		
Perforations Method		
Screens Type Material	£ T-1-/	Date Started 9/1/2016 Completed 10/3/2016
Perf/ Casing/Screen Scrn/slot Slot # o Screen Liner Dia From To width length slot		(unbonded) Water Well Constructor Certification
Screen Liner Dia From To width length slot	is pipe size	I certify that the work I performed on the construction, deepening, alteration,
		abandonment of this well is in compliance with Oregon water supply we
		construction standards. Materials used and information reported above are true
		the best of my knowledge and belief.
		License Number 1739 Date 10/4/2016
WELL TECTS. Minimum testing time in 1 hours		10/7/2010
WELL TESTS: Minimum testing time is 1 hour		Signed CHARLES M FRY (E-filed)
Pump Bailer • Air Flowing		
Yield gal/min Drawdown Drill stem/Pump depth Duration	(hr)	(bonded) Water Well Constructor Certification
1500 200 3		I accept responsibility for the construction, deepening, alteration, or abandonm
		work performed on this well during the construction dates reported above. All we
		performed during this time is in compliance with Oregon water supply w
Temperature 65 °F Lab analysis Yes By		construction standards. This report is true to the best of my knowledge and belief
Water quality concerns? Yes (describe below) TDS amount		License Number 1355 Date 10/4/2016
From To Description Amount	Units	
	+	Signed ARTHUR L FRY (E-filed)
	+	Contact Info (optional)

ORIGINAL - WATER RESOURCES DEPARTMENT

## STATE OF OREGON

HARN 52674 WELL I.D. LABEL# L 126386

WATER SUPPLY WELL REPORT			START CARD #	1035610	
(as required by ORS 537.765 & OAR 690-205-0210)	9/10/2	2017	ORIGINAL LOG#		
(1) LAND OWNER Owner Well I.D.					
First Name ANDY Last Name ROOT		(9) LOCATI	ON OF WELL (legal d	lescription)	
Company ACW			Twp 25.00 S N	-	
Address P.O. BOX 3		Sec 33 S	W 1/4 of the NE	1/4 Tax Lo	t 2600
City BURNS State OR Zip 97720					
(2) TYPE OF WORK New Well Deepening Conv	version	Lat	r" or		DMS or DD
Alteration (complete 2a & 10) Abandonment(co	omplete 5a)	Long°_	" or		DMS or DD
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd		€ Stre	et address of well Ne	arest address	
Casing:		29062 WEAVE	R SPRINGS LN. BURNS OR.	. 97720	
Material From To Amt sacks/lbs			1 35		
Seal:	†	(40) 65 - 55			
(3) DRILL METHOD		(10) STATIC	WATER LEVEL Date	CWI (:)	T CM((A)
Rotary Air Rotary Mud Cable Auger Cable Mud		Existing We	ll / Pre-Alteration	SWL(psi)	+ SWL(ft)
Reverse RotaryOther		Completed V			142
(4) PROPOSED USE Domestic X Irrigation Community	,		Flowing Artesian?	Dry Hole?	
Industrial/ Commercial Livestock Dewatering	- 1	WATER BEARIN		ater was first for	und 142.00
Thermal Injection Other		SWL Date			si) + SWL(ft)
					si) · SWL(II)
· · · · · · · · · · · · · · · · · · ·	Attach copy)	8/30/2017	142 400 1	1000	142
Depth of Completed Well 400.00 ft.  BORE HOLE SEAL	1/				
Dia From To Material From To A	sacks/ Amt lbs				
	60 S				$\dashv$
	56				
		(11) WELL L	OG		
Calculated	`	,	Glound Elevation		
How was seal placed: Method A B C D	JE		Material	From	To
Other POURED DRY  Backfill placed from 35 ft. to 35 ft. Material CEMENTIN		sandy soil brown sand and o	nindare	3	80
Backfill placed from ft. to ft. Material Size	10 Brisk	black cinders	mucis	80	
Filter pack from ft. to ft. Material Size _		black cinders		80	130
Explosives used: Yes Type Amount		broken basalt wit	h cinders	130	360
5a) ABANDONMENT USING UNHYDRATED BENTONIT	TE	fractured basalt		360	400
Proposed Amount Actual Amount					
6) CASING/LINER					
Casing Liner Dia + From To Gauge Stl Plstc			RE	CE	1
● C 16 X 1.5 190 .250 ● C	凶 니니		:		
	HHI		MAY	4 1 2022	± 1
	HHI		MAI	1 1 2022	
	HHI				
Shoe Inside Outside Other Location of shoe(s)	ᅟᅟᅟᅵ				-
Temp casing Yes Dia From + To	II				$\overline{}$
7) PERFORATIONS/SCREENS Perforations Method Factory	[[				
Screens Type Material	_	Date Started8/	17/2017 Com	pleted_8/30/20	)17
Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/				
Screen Liner Dia From To width length slots	pipe size		ter Well Constructor Certific		
Perf         Casing         16         130         190         .125         3         870	+		work I performed on the co		
	+		dards. Materials used and inf		
	+		owledge and belief.		
		License Number	Da	ite	
8) WELL TESTS: Minimum testing time is 1 hour					
Pump Bailer  Air Flowing Air	rtesian	Signed			
Yield gal/min Drawdown Drill stem/Pump depth Duration (h	г	(bonded) Water	Well Constructor Certificati	ion	
1000 Stawdown Drift stern/Pump depth Duration (n		,	bility for the construction, de		ition, or abandonme
			on this well during the construction, de		
		performed during	g this time is in compliance	e with Oregon	water supply we
Temperature 61 °F Lab analysis Yes By		construction stand	dards. This report is true to the	e best of my kne	owledge and belief.
Water quality concerns? Yes (describe below) TDS amount 356	ppm	License Number	1355 Da	te 9/10/2017	
From To Description Amount	Units				
	$\vdash$		UR L FRY (E-filed)		
		Contact Info (opti	ional)		

The original and first copy of the report CEIVER WESSER OF CEIVED STATE OF OREGON FEB 11 1981 State Well No WATER RESOURCES DEPARTMEN 1981 SALEM, OREGON 97310 (Please type or print) of well completion WATER RESOURCES (DERTwrite above this line) RESOURCES BET Permit No within 30 days from the date SALEM, OREGON DALEM, CRECON (1) OWNER: (10) LOCATION OF WELL: RENCHES Name ALDRICH County MalHeur Driller's well number NE 14 NE 14 Section 8 T. 265 R. 30 E BURNS Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening [ Reconditioning | Abandon [7] If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): TYPE OF WELL: Depth at which water was first found Driven 🛘 Domestic | Industrial | Municipal | Static level 5 ft. below land surface. Date 11-18-Cable Jetted | Irrigation Test Well | Other Dug Artesian pressure lbs. per square inch. Date ASING INSTALLED: Threaded [] Welded (12) WELL LOG: Diameter of well below casing .. ...." Diam. from +2 ft. to -18 ft. Gage 125 Depth drilled 400 ft. Depth of completed well 12. Lbish Cfrom 42 tt to -358 tt. Gage 250 Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? | Yes | No. Type of perforator used MATERIAL. Size of perforations in. by 20 CLZY 0 perforations from . CINDERS 20 58 2 Y + GRAVEL 58 130 ... perforations from ...... ft to perforations from ... BESALT W 130 180 240 180 (7) SCREENS: Well screen installed? 

Yes No 270 240 Manufacturer's Name ... 345 GREEN 220 GROOV 360 345 Diam. ..... Slot size ...... Set from ..... ft. to ..... BROHPU 360 380 Diam. ..... Slot size ...... Set from ..... ft. to ..... BLECK B258LT 380 400 Drawdown is amount water level is lowered below static level WELL TESTS: Was a pump test made? Yes \( \simega \) No If yes, by whom? gal./min. with 104 ft. drawdown after 4 WATER RESOURCES DEPT SALEM, OREGON Bailer test gal./min. with Artesian flow g.p.m. rature of water 36 Depth artesian flow encountered ...... 190C Completed 19 80 Date well drilling machine moved off of well (9) CONSTRUCTION: Well seal-Material used PORTLAND COMENT Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my Diameter of well bore to bottom of seal 191/2 in. best knowledge and beliefy Diameter of well bore below seal 12 in. [Signed] (Drilling Machine Operator) Number of sacks of cement used in well seal 15 How was cement grout placed? TRemie Drilling Machine Operator's License No. Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used? 

Yes No Plugs ...... Size: location ..... Name Jany Bury Will Pull (Person, firm or corporation) Did any strata contain unusable water? 

Yes No DOUGLZS, PENDLETON Type of water? depth of strata Method of sealing strata off Was well gravel packed? Tyes No Size of gravel:

Contractor's License No. 544 Date 11-24

Gravel placed from ..... ft. to .....

#### **MALH 2324**



# Application for Well ID Number

TARCES Y	
	REC ED
Do not complete if the well already has a Well I.D Number.	MAY 11 2022
	0 0
I. OWNER INFORMATION	
Current Owner Name (please print): Rattlesnake Land and Cattle, LLC	
Mailing Address: 524 Hwy 20N	
City, State, Zip: Hines, OR 97738	
Address to send Well I.D. Tag: same	
City, State, Zip:	
Township: 26 (North/South) Range: 30 (East Lot: County Harney SW	_
Street Address of Well, City: Weaver Springs Road, Burns, OR 97720	
Owner at time the well was constructed, (if known): Leo Sullivan	
If the property had a different street address in the past:	
III. GENERAL WELL INFORMATION (Do not complete this section if the well Use of Well (domestic, irrigation, commercial, industrial, monitoring): irrigation	*
Date Well Constructed: 1981 Total Well Depth: 400'	Casing Diameter: 16"
Other Information: Named Well 1 on Final Proof of permit G-9419 (9/2001)	
SUBMITTED BY (please print): Scott Montgomery	
PHONE: 541-548-5833 FAX: 541-585-460	
Send application to Oregon Water Resoureces Department; 725 Summer St NE, Suite A; 0902. Applications are processed and Well I.D. Numbers are mailed every Wednesday.	
For Official Use Only by the Oregon Water Resources	
Received Date: Well Log Number: 2-20-14 MALH 2324	Well Identification #: L-114133
2-20-14 MALH 2324	- 11112

RECEIVED BY OWRD

Last Update: 9/24/13

Well I.D. Number/1

FER 20 2014

WCC

#### **MALH 2324**

#### EXHIBIT A-1

## RECEIVED

JUL 291981

WATER RESOURCES DEPT SAMEMI OREGON

MALH 2324

#### Well No.

Diameter:
Depth:
Amount and type
of casing:

Estimated depth
to water table:
Driller:
Pump and motor:

Diameter:
 Depth:
 Amount and type
 of casing:

Estimated depth
to water table:
Driller:
Pump and motor:

Diameter:
Depth:
Amount and type
of casing:

Estimated depth
to water table:
Driller:
Pump and motor:

Diameter:
Depth:
Amount and type
 of casing:
Estimated depth
 to water table:
Driller:
Pump and motor:

Diameter:
Depth:
Amount and type
of casing:
Estimated depth
to water table:
Driller:
Pump and motor:

16 inch 400 feet

16 inch to 18 feet 12 inch to 358 feet (all steel)

70 feet Larry Burd Well Drilling, Inc. Johnson pump, 150 h.p. Newman motor

16 inch 275 feet

MACH 2325

16 inch to 20 feet

14 inch to 140 feet

(all steel)

70 feet
Larry Burd Well Drilling, Inc.
Gould pump and 100 h.p. Newman motor

14 inch 272 feet

14 inch to 264 feet (all steel)

70 feet Western Water Wells, Inc. Gould pump and 125 h.p. Newman motor

estimated 12 inches estimated 300 feet

estimated 200 feet of steel casing

90 feet Unknown (drilled by previous owner) Gould pump and 200 h.p. Newman motor

estimated 12 inches estimated 200 feet

estimated 200 feet steel casing

estimated 90 feet Unknown (drilled by previous owner) Gould pump and 100 h.p. Newman motor

REC ED

Application No. G-10268

Permit No. G 9419

MAY 11 2022

l - Exhibit A-1

	of TRECON G3 State Permit No. 363
(1) OWNER:  Name Jack J. Jawenner  Address 15 7 70 # 14.  Zakerrew Ose	(11) WELL TESTS: Drawdown is amount water level is lowered below static level  Was a pump test made?  Yes Wo If yes, by whom?  Yield: gal./min. with ft. drawdown after hrs.
(2) LOCATION OF WELL:  County Jamey Owner's number, if any None  14 E35 14 Section 10 T. 268 R. 30 E35 W.M  Bearing and distance from section or subdivision corner  116 feet South and 83 feet  South of E35 to one-quarrer	Bailer test gal./min. with ft. drawdown after hrs.  Artesian flow g.p.m. Date  Temperature of water Was a chemical analysis made?  Yes No  (12) WELL LOG: Diameter of well inches.  Depth drilled 2/2 ft. Depth of completed well // ft.
TYPE OF WORK (check):  Well Deepening Reconditioning Abandon Reconditioning Abandon Reconditioning Reconditioni	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.  MATERIAL FROM TO  52ndy / 52m
If abandonment, describe material and procedure in Item 11.  (4) PROPOSED USE (check): (5) TYPE OF WELL:  stic  Industrial  Municipal  Rotary  Driven  Cable  Jetted  Dug  Bored  D	Cinders 120 2/2
(6) CASING INSTALLED: Threaded   Welded   Welded	REC ED MAY 1 1 2022
(7) PERFORATIONS:  Type of perforator used  SIZE of perforations in. by in.  perforations from ft. to ft.	DEC 17 1957  STATE ENGINEER  SALEM. OREGON
CREENS: Well screen installed	
Slot size Set from ft. to ft.  ONSTRUCTION:  well gravel packed? Yes No Size of gravel:  Gravel placed from ft. to ft.	Work started Nov. 7 1955 Completed April 1956  (13) PUMP:  Manufacturer's Name Beston Jackson  Type:
Was a surface seal provided?	Well Driller's Statement:  This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  NAME  Person, firm, or coppyation)  (Type or print)
(10) WATER LEVELS: Static level 6.5 ft. below land surface Date Artesian pressure 1bs. per square inch Date  Log Accepted by: Signed Cack & Jaunemente Nov 30 1956	Address SUNS OPEGON  Driller's well number  [Signed] (Well Driller)
(Owner)	License No

#### STATE ENGINEER Salem, Oregon

#### **HARN 1331**

State Well No. 26/30-9 J(1)
County Harney
Application No. G 306

### Water Level Record

Description		point: Insid- ba		brub	5 ft above
				nagaratan dan garapatan da	destruction or annual of the annual or the state of the s
Date	Water Level Feet (above) (below) Land Surface	Remarks	Date	Water Level Feet (above) (below) Land Surface	Remark <b>s</b>
13-58	133.0	Final Proof Swry			
				5	
				***	
				100	
					and the second
				·	
				1	
					REC ED
					MAY 1 1 2022
					0 0
	41				
EMARKS:		the sententials to do do did did do on a see to a side in the set of the second of the second of the second of		on a material and appropriate control of the contro	TO PAY MAKE MAKE AND
NA ATTENDE O'N WANGER O WEIGHT	ter raikus pe pedes disubstillans sa subdivirsi substillansi disubstillansi disubstillansi disubstillansi disu				

#### STATE ENGINEER Salem, Oregon

#### **HARN 1331**

State V	Vell No.	26/30-4	
County	Ho	lrney	

Application No. G 306

Water	TAVA	I R	acord
AA GIEL	reve	ın	ecora

	M # 10 M 10 P M M M M M 11 M 12 M M M M M M M M M M M					
Date	Water Level Feet (above) Land Surface	Remarks	Date	Water Level Feet (above) (below) Land Surface	Remarks	
3-58	54	Final Proof Surry				
					, , , , , , , , , , , , , , , , , , , ,	
				-34		
				-		
				DE( ED		
				MAY 1 1 2022		
				<b>C</b> D		



# Application for Well ID Number

REC ED

MAY 1 1 2022

Do not complete if	f the well	already has	a Well	I.D	Number.
--------------------	------------	-------------	--------	-----	---------

O D

		•	
I. OWNER INFORMAT	ION		
Current Owner Name (please prin			
Mailing Address: 524 Highway	20 North		
11' OD 0770			
Address to send Well LD. Tag: S	ame as above		
II. <u>WELL INFORMATIO</u>	<b>N</b> (Do not complete this section if the well	report is attached.)	
Township: 26S	(North/South) Range: 30E	(East/West) Section: 10	
Tax Lot:	County Harney	l/4	1/4
Street Address of Well, City:	County Harney Weaver Springs R	d, Burns, or 97120	)
Owner at time the well was constr	ructed, (if known): Jack Tavenner	, , , , , , , , , , , , , , , , , , , ,	
	et address in the past:		
Date Well Constructed: APR 56	commercial, industrial, monitoring): Irrigation   Irrigation   Irrigation   Total Well Depth: 110'	Casing Diameter: 14"	
			all or any management and desired the same simple and yet all yets and
SUBMITTED BY (please print):	Denise Montgomery, All Points Engr &	Surveying, Inc	
PHONE: 541-548-5833	FAX: 54	1-585-4602	
	Resoureces Department; 725 Summer St N and Well I.D. Numbers are mailed every W		6; fax (503) 986-
	or Official Use Only by the Oregon Water		
Received Date:	Well Log Number		Identification #:
2-20-14	HARN 13:	5	14128

RECEIVED BY OWRD

Last Update: 9/24/13 Well I.D. Number/1

FEB 20 2014

WCC

## STATE OF OREGON WATER SUPPLY WELL REPORT

HARN 52457

WELL I.D. LABEL# L 120011

START CARD # 1028325

ORIGINAL LOG #

(as required by ORS 537.765 & OAR 690-205-0210)	12/6/	<b>2015</b>	ORIGI	NAL LOG	#			
(1) LAND OWNER Owner Well I.D.								
First Name ANDY Last Name ROOT		(9) LOCATI	ON OF W	ELL (legs	al descr	intion)		
Company ACW		County HARNEY				_	0 E	F/W W
Address 524 N HWY 20		Sec 9 S						L/ ** **
City HINES State OR Zip 97738		Tax Man Number	r 174 01	112		Lot		
(2) TYPE OF WORK New Well Deepening Conver		Tax Map Number	1 "	or			DMS	S or DD
Alteration (complete 2a & 10) Abandonment(com	plete 5a)	Long°_	, , ,	or			DM:	S or DD
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd			et address of v					
Casing:		28700 WEAVER						
Material From To Amt sacks/lbs			1					
Seal:		(40) 07 4 77 0	****					
(3) DRILL METHOD		(10) STATIC	WATER		Date S'	WI (mai)	<b>+</b> CM/I	(A)
Rotary Air Rotary Mud Cable Auger Cable Mud		Existing Wel	Il / Pre-Alterat		Zate S	WL(psi)	+ SWL	(11)
Reverse RotaryOther		Completed V		11/25/2	2015	—   i	12	7
(4) PROPOSED USE Domestic Irrigation Community			Flowing	Artesian?	Dr	ry Hole?	1	
Industrial/ Commercial Livestock Dewatering		WATER BEARIN	IG ZONES	Depth	n water wa	as first found	d 127.00	
Thermal Injection Other		SWL Date	From	To	Est Flow	SWL(psi)	+ sw	L(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Att	tach conv)	11/23/2015	127	235				
Depth of Completed Well 235.00 ft.	uon copy)	11/23/2013	12/	233	1200	+	┤├ <del>╂╌</del>	127
BORE HOLE SEAL	sacks/					+	┨┞╂	
Dia From To Material From To Ami						<u> </u>		
20         0         209           12         209         235           Bentonite Chips         0         52         78           Calculated         72								
12 209 235 Calculated 72								
Calculated		(11) WELL L	OG (	Ground Elev	ation			
How was seal placed: Method A B C D	E	1	Material			From	To	
Other POURED DRY		sandy soil				0	5	
Backfill placed from ft. to ft. Material CEMENTING	BASK	brown cinders				5 40	65	
Filter pack from ft. to ft. Material Size		grey basalt cinders and bolde	ers			65	11	
Explosives used: Yes Type Amount		broken basalt and				110	13	
5a) ABANDONMENT USING UNHYDRATED BENTONITE	E	broken basalt				135	19	0
Proposed Amount Actual Amount		broken grey clays	stone			190	20	
6) CASING/LINER		broken basalt		RF(	FF	202	23	5
Casing Liner Dia + From To Gauge Stl Plstc Wl				NEC	EL			$\neg$
<u> </u>	일 H 1			1001	4 0000	1 1		
	+HI			MAY 1	1 2022			
	1 H I							
	1 H I			0				
Shoe Inside Outside Other Location of shoe(s)								
Temp casing Yes Dia From To								
7) PERFORATIONS/SCREENS								
Perforations Method Factory	_							
Screens Type Material		Date Started 10	/1/2015	C	ompleted	d 11/25/201	15	
Perf/ Casing/Screen Scrn/slot Slot # of Screen Liner Dia From To width length slots p	Tele/ pipe size	(unbonded) Wat	ter Well Cons	tructor Cer	tification			
Screen Liner Dia From To width length slots p Perf Casing 14 149 209 .093 3 3600	Sipe size	I certify that the					ning, alter	ation, o
		abandonment of	this well is	in compli	ance with	oregon v	water supr	ply we
		construction stand the best of my kn			l informat	ion reported	d above ar	e true t
			_		Data			
NAMES A SECOND 251		License Number			Date _			
8) WELL TESTS: Minimum testing time is 1 hour	.	Signed						
Pump Bailer • Air Flowing Arte	1	(handad) Water	Wall Canadan	atom Contif				
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)  1200 200 3	¬	(bonded) Water				ma altamatic	ahau	n donma
200 3		I accept responsition work performed of						
		performed during	g this time is	in compli	iance with	h Oregon v	water sup	pply w
Temperature 68 °F Lab analysis Yes By		construction stand	dards. This rep	port is true to	o the best	of my know	rledge and	l belief.
Water quality concerns? Yes (describe below) TDS amount		License Number	1355		Date 12/	6/2015		
From To Description Amount U	Units	Signed ARTHI	IID I EDWA	filed)				
	<b>   </b>	Contact Info (opti	UR L FRY (E-					
		Contact Into (opti						

AMENDED 10-1-19
STATE OF OREGON
WATER SUPPLY WELL REPORT

#### **HARN 52774**

WELL I.D. LABEL# L 131963

START CARD # 1033222

ORIGINAL LOG #

(as required by ORS 537.765 & OAR 690-205-0210)	3/27/2019 ORIGINAL LOG#	
(1) LAND OWNER Owner Well I.D.		
First Name CHARLES Last Name EGGERT	(9) LOCATION OF WELL (legal description)	
Company	County HARNEY Twp 26.00 S N/S Range 30.00 E	E/W WM
Address 9955 SW POTANO ST	Sec. 9 SW 1/4 of the NE 1/4 Tax Lot 1200	
City TUALATIN State OR Zip 97062  (2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat ' ' or 43.33111111	
Alteration (complete 2a & 10) Abandonment(complete 5a)	Lat ° ' " or 43.33111111	DMS or DD
(2a) PRE-ALTERATION	Long or -119.12433333	DMS or DD
Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address	
Casing:	55055 DOUBLE O RANCH RD PRINCETON OR	
Material From To Amt sacks/lbs		
Seal:	(10) STATIC WATER LEVEL	
(3) DRILL METHOD    Rotary Air   Rotary Mud   Cable   Auger   Cable Mud		SWL(ft)
	Existing Well / Pre-Alteration	3 11 2(11)
Reverse Rotary Other	Completed Well 3/22/2019	130
(4) PROPOSED USE Domestic X Irrigation Community	Flowing Artesian? Dry Hole?	
☐ Industrial/ Commericial ☐ Livestock ☐ Dewatering	WATER BEARING ZONES Depth water was first found 143	3.00
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) +	SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy		
Depth of Completed Well 375.00 ft.	3/22/2019 138 375 1000	130
BORE HOLE SEAL sacks/	<del>                                   </del>	
Dia From To Material From To Amt Ibs		
20 0 238 Bentonite Chips 0 30 96 S	]	
12 238 375 Calculated 64	1	
Calculated	(11) WELL LOG Ground Elevation	
How was seal placed: Method A B C D E	Glound Elevation	To
Nother POURED DRY	Material From 0	2
Backfill placed from 30 ft. to 32 ft. Material CEMENTING BASK	dry packed sand 2	10
Filter pack from ft. to ft. Material Size	cinders 10	12
	hard black lava 12	28
Explosives used: Yes Type Amount	cinders 28	39
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	lava 39	85
Proposed Amount Actual Amount	soft lava w cinders 85 claystone 97	97 138
(6) CASING/LINER	black fractured claystone 138	187
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	tan fractured claystone 187	212
<u>0</u> 16	hard broken claystone 212	229
	fractured basalt w broken layers 229	375
	REC ED	
Shoe Inside Outside Other Location of shoe(s)	MAY 1 1 2022	
	On the second	
(7) PERFORATIONS/SCREENS Perforations Method factory		
Screens Type Material	Date Started2/13/2019 Completed 3/22/2019	
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/		
Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification	.1
Perf         Casing         16         138         238         .25         3         4160	I certify that the work I performed on the construction, deepening, abandonment of this well is in compliance with Oregon water	
	construction standards. Materials used and information reported above	ve are true to
	the best of my knowledge and belief.	
	License Number 1940 Date 3/27/2019	
(8) WELL TESTS: Minimum testing time is 1 hour		
Pump Bailer Air Flowing Artesian	Signed BENJAMIN FRY (E-filed)	
	(bonded) Water Well Constructor Certification	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)  1000 200 1	I accept responsibility for the construction, deepening, alteration, or	abandonmen
	work performed on this well during the construction dates reported ab	ove. All worl
	performed during this time is in compliance with Oregon water	supply wel
Temperature 65 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge	and belief.
	License Number 1355 Date 3/27/2019	
Water quality concerns? Yes (describe below) TDS amount 263 ppm Description Amount Units	1	
	Signed ARTHUR FRY (E-filed)	
	Contact Info (optional)	19 E

## Land Use **Information Form**



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900

-	 -
4 -	
	less but

Applicant(s): Silver Sage Farms, LLC

MAY 1 1 2022

Mailing Address: 18555 SW Teton Avenue

		1700	

City: Tualatin

State: OR

Zip Code: 97062

Daytime Phone: \_\_\_\_\_

#### A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	1/4 1/4	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)		Water to be:		Proposed Land Use:
<u>25S</u>	<u>30E</u>	28		2700	<u>EFU</u>	Diverted	☐ Conveyed	☑ Used	IRR
<u>25S</u>	<u>30E</u>	29		2600	<u>EFU</u>	☑ Diverted	☑ Conveyed	☑ Used	IRR
~~~~~				3000	<u>EFU</u>	Diverted	☐ Conveyed	☑ Used	IRR
<u>25S</u>	<u>30E</u>	32		601	<u>EFU</u>	Diverted	Conveyed	☑ Used	IRR
<u>25S</u>	30E	32& 33		2500	<u>EFU</u>	☑ Diverted		☑ Used	IRR
<u>25S</u>	<u>30E</u>	32		3200	<u>EFU</u>	☐ Diverted	□ Conveyed	☑ Used	IRR
<u>25S</u>	<u>30E</u>	<u>32</u>		3300	<u>EFU</u>	Diverted	□ Conveyed	☑ Used	<u>IRR</u>
<u>25S</u>	30E	32& 33	namentation/stands-and-only	3500	<u>EFU</u>	Diverted	☑ Conveyed	☑ Used	IRR
<u>25S</u>	<u>30E</u>	33& 34		3600	<u>EFU</u>	☑ Diverted	☑ Conveyed	☑ Used	<u>IRR</u>
<u>25S</u>	<u>30E</u>	<u>33</u>		3700	<u>EFU</u>	☐ Diverted	○ Conveyed	☑ Used	<u>IRR</u>
<u>25S</u>	<u>30E</u>	<u>34</u>		2002	<u>EFU</u>	☐ Diverted	☐ Conveyed	☑ Used	<u>IRR</u>
<u>25S</u>	30E	<u>34</u>		2501	<u>EFU</u>	☐ Diverted	☐ Conveyed	☑ Used	IRR
<u>26S</u>	<u>30E</u>	3		700	<u>EFU</u>	Diverted	○ Conveyed	☑ Used	IRR
<u>26S</u>	30E	3&4		800	<u>EFU</u>	☑ Diverted	○ Conveyed	☑ Used	<u>IRR</u>
<u>26S</u>	<u>30E</u>	4		900	<u>EFU</u>	☑ Diverted	○ Conveyed	⊠ Used	IRR
<u>26S</u>	<u>30E</u>	4&9		1000	<u>EFU</u>	Diverted	Conveyed	⊠ Used	<u>IRR</u>
<u>26S</u>	<u>30E</u>	4,5&9		1200	<u>EFU</u>	□ Diverted	○ Conveyed	⊠ Used	IRR
<u>26S</u>	<u>30E</u>	4&5		1300	<u>EFU</u>	Diverted	○ Conveyed	⊠ Used	IRR

st all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:
Harney County

#### **B.** Description of Proposed Use

Type of application to be filed with the Water Resources Department:  Permit to Use or Store Water  Water Right Transfer  Permit Amendment or Ground Water Registration Modification  Limited Water Use License  Allocation of Conserved Water
Source of water: Reservoir/Pond Ground Water Surface Water (name)
Estimated quantity of water needed: 412.8
Intended use of water:
Briefly describe:
Proposing to move area of use from end guns spray to small center pivot sprinklers at the same farm complex.
Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources

See bottom of Page 3.  $\rightarrow$ 

REC ED

MAY 11 2022

C

Department.

## For Local Government Use Only

C

D

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box be	ow and provide the requested info	rmation	
Land uses to be served by the proposed water your comprehensive plan. Cite applicable ord	ruses (including proposed construction) are a linance section(s): #CZo 3.020 /EFD	allowed outright	or are not regulated by
Land uses to be served by the proposed water listed in the table below. (Please attach docum Record of Action/land-use decision and accomperiods have not ended, check "Being pursular	uses (including proposed construction) invonentation of applicable land-use approvals was warmanying findings are sufficient.) If approve	lve discretionar	ly been obtained.
Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land	l-Use Approval:
, , , , , , , , , , , , , , , , , , ,		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
Name: Hawe Cowh  Note to local government representative: Please sign the receipt, you will have 30 days from the W Form or WRD may presume the land use associated the state of the state	Phone: Ph	return the compl ble with local co	eted Land Use Information omprehensive plans.
Receipt to	Request for Land Ose Informa	tion	
Applicant name:			
City or County:	Staff contact:		

Signature:

Phone: \_\_\_\_\_ Date:

## **Application for Water Right**

## **Transfer**

## **Evidence of Use Affidavit**



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.wrd.state.or.us

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing.

Supporting documentation must be attached.

State of Oregon  County of HARNEY		) ) ss		,			REC ED  MAY 1 1 2022
I, <u>BEN KERN</u> , in my		м Manager,					
mailing address 6							C
telephone numbe			duly swor	n depose	and say:		
2. Lattest th	ater was used ertificate #	ation during the pre; OR	evious fiv	Professi e years o	ional experti	se place of use fo	
Certificate		specific to the	Mer	Sec	the following	Gov't Lot or DLC	Acres (if applicable)
,							
4, ,							
2							
OR							1 2
Confirmir within the past		95656, 95738,	95739, 9	95740, 95	741, 95742,	95743, 96174	<u>&amp; 96175</u> has been issued
instream	of the water ri lease number is vas not leased,	s: (Note	e: If the e	ntire righ	it proposed f	or	years. The eased instream.); <b>OR</b>
	right is not sul rebutted unde				ntation that a	presumption	of forfeiture for non-use
	s been used at or Certificate #		rent poin istoric PC	nt of dive	rsion or appr ransfers)	opriation for r	more than

#### (continues on reverse side)

- 3. The water right was used for: (e.g., crops, pasture, etc.): CROPS
- **4.** I understand that if I do not attach one or more of the documents shown in the table below to support the above statements, my application will be considered incomplete.

Signature of Afficient

Date

Signature of Affiant

Signed and sworn to (or affirmed) before me this 3 day of April, 20 22.



Notary Public for Oregon

My Commission Expires: 2-10-24

Supporting Documents	Examples
Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of <b>confirming</b> water right certificate that shows issue date
Copies of receipts from sales of irrigated crops or for expenditures related to use of water	<ul> <li>Power usage records for pumps associated with irrigation use</li> <li>Fertilizer or seed bills related to irrigated crops</li> <li>Farmers Co-op sales receipt</li> </ul>
Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	<ul> <li>District assessment records for water delivered</li> <li>Crop reports submitted under a federal loan agreement</li> <li>Beneficial use reports from district</li> <li>IRS Farm Usage Deduction Report</li> <li>Agricultural Stabilization Plan</li> <li>CREP Report</li> </ul>
Aerial photos containing sufficient detail to establish location and date of photograph	Multiple photos can be submitted to resolve different areas of a water right.  If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added.  Sources for aerial photos:  OSU —www.oregonexplorer.info/imagery  OWRD — www.wrd.state.or.us  Google Earth — earth.google.com  TerraServer — www.terraserver.com
Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number

#### STATE OF OREGON

#### COUNTY OF HARNEY

#### CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

RATTLESNAKE CREEK LAND AND CATTLE CO LLC ANDY ROOT 524 HWY 20 N HINES OR 97738

confirms the right to use the waters of SEVEN WELLS in Harney Lake Basin for IRRIGATION of 393.5 ACRES.

This right was perfected under Permit G-12841. The date of priority is JULY 20, 1995. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 4.92 CUBIC FEET PER SECOND (CFS) or its equivalent in case of rotation, in any combination from the wells, further limited to the following rates per well:

Well	Rate in cfs
7	1.30 cfs
10	4.92 cfs
11	4.92 cfs
12	4.92 cfs
13	2.40 cfs
14	4.92 cfs
15	4.92 cfs

REC ED

MAY 1 1 2022

C D

The period of use is March 1 through October 31.

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances							
25.0	20.5	WA	2.4	CE CW		WELL 7 - 4725 FEET SOUTH AND 1877 FEET							
25 S	30 E	WM	34	SE SW		EAST FROM NW CORNER, SECTION 34							
26 S	30 E	WM	3	NW NW	4	WELL 10 - 6310 FEET SOUTH AND 415 FEET							
20.3	30 E	WIVI	3	14 00 14 00	4	EAST FROM NW CORNER, SECTION 34							
26 S	30 E	WM	3	NWNW	4	WELL 11 - 6340 FEET SOUTH AND 330 FEET							
20 3	30 E	WIVI	WIVI	3	3	NW NW	IN W IN W	IN W IN W	IN WV IN WV	IN W IN W	IN W IN W	4	EAST FROM NW CORNER, SECTION 34
25 S	30 E	WM	22	22	3 SE NW		WELL 12 - 2690 FEET SOUTH AND 2890 FEET						
23 3	30 E	VV IVI	33	SE NW			WEST FROM NE CORNER, SECTION 33						
26 S	30 E	WM	4	NE NW	3	WELL 13 - 6415 FEET SOUTH AND 2745 FEET							
20.3	30 E	WIVI	4		NENW	3	WEST FROM NE CORNER, SECTION 33						
25 S	30 E	WM	33	SE SE		WELL 14 - 4314 FEET SOUTH AND 870 FEET							
23 3	30 E	VV IVI	33	SE SE		WEST FROM NE CORNER, SECTION 33							
25.5	25 S 30 E	20.5	WM	WA	33	SE SE		WELL 15 - 4314 FEET SOUTH AND 920 FEET					
23 3		WM		SE SE		WEST FROM NE CORNER, SECTION 33							

#### NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent), and 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year.

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q	Acres
25 S	30 E	WM	28	NW SW	30.8
25 S	30 E	WM	28	SW SW	33.6
25 S	30 E	WM	29	NE SE	33.6
25 S	30 E	WM	29	NW SE	2.6
25 S	30 E	WM	29	SW SE	3.5
25 S	30 E	WM	29	SE SE	38.0
25 S	30 E	WM	32	NE NE	34.9
25 S	30 E	WM	32	NW NE	31.1
25 S	30 E	WM	32	SW NE	31.0
25 S	30 E	WM	32	SE NE	31.2
25 S	30 E	WM	33	NE NW	30.0
25 S	30 E	WM	33	NW NW	32.9
25 S	30 E	WM	33	SW NW	30.2
25 S	30 E	WM	33	SE NW	30.1

RE			ED
YAN	1	1	2022
C			D

Measurement, recording and reporting conditions:

- A. The water user shall maintain the totalizing flow meters, or other suitable measuring device approved by the Director, in good working order, shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the water user to report general water-use information, including the place and nature of use of water under the right.
- B. The water user shall allow the watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the watermaster shall request access upon reasonable notice.

The quantity of water diverted at the additional points of appropriation, together with that diverted at the original point of appropriation, shall not exceed the quantity of water lawfully available at the original point of appropriation located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
25 S	30 E	WM	33	NE NW	1317 FEET SOUTH & 1355 FEET EAST FROM NW CORNER, SECTION 33

If substantial interference with a senior water right occurs due to withdrawal of water from the well listed on this right, then use of water from the well shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge to determine the water level elevation in the well at all times.

The Director may require water level or pump test results every ten years.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

This certificate is issued to confirm a change in ADDITIONAL POINTS OF APPROPRIATION approved by an order of the Water Resources Director entered December 2, 2014, at Special Order Volume 93, Page 914, approving Transfer Application T-11733, and supercedes Certificate 88990, State record of Water Right Certificates.

ssued JUN 2 8 2021

REC ED

MAY 11 2022

C

Dwight French
Water Right Services Division Administrator, for

Thomas M. Byler, Director

Oregon Water Resources Department

REC ED

#### STATE OF OREGON

MAY 1 1 2022

#### COUNTY OF HARNEY

#### CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

ANDY ROOT 524 HWY 20 N HINES OR 97738

confirms the right to the use of water perfected under the terms of Permit G-5287. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the well(s). The specific limits and conditions of the use are listed below.

SOURCE OF WATER: THREE WELLS IN THE SILVER CREEK BASIN

PURPOSE OR USE: IRRIGATION OF 128.1 ACRES

MAXIMUM RATE: 1.6 CUBIC FEET PER SECOND

DATE OF PRIORITY: OCTOBER 21, 1970

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
26 S	30 E	WM	9	SW NW	WELL #2 - 1330 FEET SOUTH AND 65 FEET EAST FROM NW CORNER, SECTION 9
26 S	30 E	WM	9	SW NE	WELL # 4 - 2407 FEET SOUTH AND 1732 FEET WEST FROM NE CORNER, SECTION 9
26 S	30 E	WM	9	SW NE	WELL #20 - 1975 FEET SOUTH AND 1525 FEET WEST FROM NE CORNER, SECTION 9

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year, and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use to which this right is appurtenant is as follows:

Twp	Rng	Mer	Sec	Q-Q	Acres
26 S	30 E	WM	9	NE SE	28.1
26 S	30 E	WM	9	NW SE	37.6
26 S	30 E	WM	9	SW SE	33.2
26 S	30 E	WM	9	SE SE	29.2

#### NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

T-12638-cf-92942.jls

Page 1 of 2

The quantity of water diverted at the new points of appropriation, together with that diverted at the original points of appropriation, shall not exceed the quantity of water lawfully available from the original points of appropriation described as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
26 S	30 E	WM	10	SW SW	1200 FEET NORTH AND 500 FEET EAST FROM SW CORNER, SECTION 10

Water use measurement conditions:

75

Q5

- A. The water user shall maintain the totalizing flow meter or measuring devices, as approved by the Director, in good working order, at each point of appropriation (new and existing).
- B. The water user shall allow the watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices is located within a private structure, the watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer (water source) as the original point of appropriation.

The right to the use of the water for the above purpose aforesaid is restricted to lands or place use herein described and subject to the existing minimum flow policies established by the Water Policy Review Board.

This certificate is issued to confirm a change in POINT OF APPROPRIATION and PLACE OF USE approved by an order of the Water Resources Director entered August 9, 2018, at Special Order Volume 109, Page 61, approving Transfer Application T-12638, supercedes Certificate 92942, State record of Water Right Certificates.

Issued

JUL 0 2 2021

Dwight French
Water Right Services Division Administrator, for

Thomas M. Byler, Director

Oregon Water Resources Department

REC E

MAY 1 1 2022

CD

REC

ED

#### STATE OF OREGON

MAY 1 1 2022

#### COUNTY OF HARNEY

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

ANDY ROOT 524 HWY 20 N HINES OR 97738

confirms the right to the use of water perfected under the terms of Permit G-9419. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the well(s). The specific limits and conditions of the use are listed below.

SOURCE OF WATER: THREE WELLS IN THE MALHEUR LAKE BASIN

PURPOSE OR USE: IRRIGATION OF 304.6 ACRES AND SUPPLEMENTAL IRRIGATION OF 128.1 ACRES

MAXIMUM RATE: 5.41 CUBIC FEET PER SECOND (CFS), BEING 5.18 CFS FROM WELL 2, 3.33 CFS FROM WELL 4, 5.41 CFS FROM WELL 20, IN ANY COMBINATION BETWEEN THE WELLS.

DATE OF PRIORITY: APRIL 10, 1981

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
26 S	30 E	WM	9	SWNW	WELL #2 (ORIGINAL WELL #1) - 1330
					FEET SOUTH AND 65 FEET EAST FROM
					NW CORNER, SECTION 9
26 S	30 E	WM	9	SW NE	WELL #4 (ORIGINAL WELL #2) - 2407
					FEET SOUTH AND 1732 FEET WEST FROM
					NE CORNER, SECTION 9
26 S	30 E	WM	9	SW NE	WELL #20 (ADDITIONAL) - 1975 FEET
					SOUTH AND 1525 FEET WEST FROM NE
					CORNER, SECTION 9

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year.

A description of the place of use is as follows:


IRRIGATION							
Twp	Rng	Mer	Sec	Q-Q	Acres		
26 S	30 E	WM	8	NE NE	29.9		
26 S	30 E	WM	8	SE NE	30.3		
26 S	30 E	WM	9	SW NE	0.1		

#### NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

T-12638-cf-82846.jls

Page 1 of 3





	SUPPLEMENTAL IRRIGATION								
Twp	Rng	Mer	Sec	Q-Q	Acres				
26 S	30 E	WM	9	NE SE	28.1				
26 S	30 E	WM	9	NW SE	32.9				
26 S	30 E	WM	9	NW SE	4.7				
26 S	30 E	WM	9	SW SE	33.2				
26 S	30 E	WM	9	SE SE	29.2				

The well shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine the water level elevation in the wells at all times.

The water user shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The quantity of water diverted at the additional points of appropriation, together with that diverted at the original points of appropriation, shall not exceed the quantity of water lawfully available from the original points of appropriation described as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
26 S	30 E	WM	9	SW SE	WELL #3 - 1306 FEET NORTH AND 1416 FEET
					WEST FROM SE CORNER, SECTION 9

Water use measurement conditions:

- A. The water user shall maintain the totalizing flow meter or measuring devices, as approved by the Director, in good working order, at each point of appropriation (new and existing).
- B. The water user shall allow the watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer (water source) as the original point of appropriation.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

This certificate is issued to confirm a change in ADDITIONAL POINTS OF APPROPRIATION approved by an order of the Water Resources Director entered August 9, 2018, at Special Order Volume 109, Page 61, approving Transfer Application T-12638, supercedes Certificate 82846, State record of Water Right Certificates.

Issued \_\_\_\_

JUL 0 2 2021

Dwight French

Water Right Services Division Administrator, for

Thomas M. Byler, Director

Oregon Water Resources Department

REC ED

MAY 1 1 2022

CD

STATE OF OREGON

MAY 1 1 2022

REC

COUNTY OF HARNEY

MAY 1 1 2022

ED

CERTIFICATE OF WATER RIGHT

0

THIS CERTIFICATE ISSUED TO

RATTLESNAKE CREEK LAND AND CATTLE CO LLC C/O ANDY ROOT 524 HWY 20 N HINES OR 97738

MAY 1 1 2022

confirms the right to use the waters of EIGHT WELLS in HARNEY LAKE BASIN for IRRIGATION of 393.6 ACRES.

This right was perfected under Permit G-16165. The date of priority is MAY 16, 2005. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 4.92 CUBIC FEET PER SECOND (CFS), BEING 1.13 CFS FROM WELL 8 (HARN 1096), 1.53 CFS FROM WELL 7 (HARN 51272), 4.92 CFS FROM WELL 10, 4.61 CFS FROM WELL 14, 3.90 CFS FROM WELL 15, 3.90 CFS FROM WELL 16, 4.92 CFS FROM WELL 17, AND 3.51 CFS FROM WELL 18, IN ANY COMBINATION, measured at the wells.

The period of use is March 1 through October 31

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
25 S	30 E	WM	29	SW SE		WELL 16 - 635 FEET NORTH AND 1605 FEET WEST FROM SE CORNER, SECTION 29
25 S	30 E	WM	29	SW SE		WELL 18 - 785 FEET NORTH AND 1630 FEET WEST FROM SE CORNER, SECTION 29
25 S	30 E	WM	33	SE SE		WELL 14 - 4314 FEET SOUTH AND 870 FEET WEST FROM NE CORNER, SECTION 33
25 S	30 E	WM	33	SE SE		WELL 15 - 4314 FEET SOUTH AND 920 FEET WEST FROM NE CORNER, SECTION 33
25 S	30 E	WM	34	NW NW		WELL 8 HARN 1096 - 502 FEET SOUTH AND 536 FEET EAST FROM NW CORNER, SECTION 34
25 S	30 E	WM	34	SE SW		WELL 7 HARN 51272 - 4725 FEET SOUTH AND 1877 FEET EAST FROM NW CORNER, SECTION 34
26 S	30 E	WM	3	NW NW	4	WELL 10 - 6310 FEET SOUTH AND 415 FEET EAST FROM NW CORNER, SECTION 34, T25S R30E
26 S	30 E	WM	3	NW NW	4	WELL 17 - 6300 FEET SOUTH AND 440 FEET EAST FROM NW CORNER, SECTION 34, T25S R30E

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year.

#### NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

T-12169-cf-89122.gc

Page 1 of 4

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
25 S	30 E	WM	33	SW NE		27.2
25 S	30 E	WM	33	SE NE		32.0
25 S	30 E	WM	33	NE SE		39.3
25 S	30 E	WM	33	NW SE		36.2
25 S	30 E	WM	33	SW SE		24.0
25 S	30 E	WM	.33	SE SE		30.6
25 S	30 E	WM	34	NE NW		28.3
25 S	30 E	WM	34	NW NW		22.2
25 S	30 E	WM	34	SWNW		19.1
25 S	30 E	WM	34	SE NW	1 10 100	22.7
25 S	30 E	WM	34	NW SW		3.9
25 S	30 E	WM	34	SW SW		0.8
26 S	30 E	WM	3	NW NW	4	6.0
26 S	30 E	WM	4	NE NE	1	40.0
26 S	30 E	WM	4	NW NE	2	38.0
26 S	30 E	WM	4	SW NE		9.8
26 S	30 E	WM	4	SE NE		13.5

REC ED MAY 11 2022 C D

The quantity of water diverted at the additional points of appropriation, together with that diverted at the original points of appropriation, shall not exceed the quantity of water lawfully available at the original points of appropriation, being:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
25 S	30 E	WM	33	SW SE	(WELL 1 HARN 51146) – 4133 FEET SOUTH AND 26 FEET EAST FROM THE N 1/4 CORNER, SECTION 33
25 S	30 E	WM	34	SE SW	(WELL 2 HARN 51233) - 1769 FEET SOUTH AND 121 FEET WEST FROM C1/4 CORNER, SECTION 34

Measurement, recording and reporting conditions:

- A. The water user shall maintain the totalizing flow meter or other suitable measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the water user to report general water-use information, including the place and nature of use of water under the right.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

To monitor the effect of water use from the well(s) authorized under this right, the Department requires the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The reference level for HARN 51146, against which any future measurements will be compared is 86.70 feet below land surface.

The reference level for HARN 1096 against which any future measurements will be compared is 77.70 feet below land surface.

Measurements must be made according to the following schedule:

C

Following the first year of water use, the user shall submit seven consecutive annual reports of static water level measurements. Based on an analysis of the data collected, the Director may require that the user obtain and report additional annual static water level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

(A) Identify each well with its associated measurement; and

(B) Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and

(C) Specify the method used to obtain each well measurement; and

(D) Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following occur:

(A) An average water level decline of three or more feet per year for five consecutive years; or

(B) A water level decline of 15 or more feet in fewer than five consecutive years; or

(C) A water level decline of 25 or more feet; or

(D) Hydraulic interference leading to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non or restricted use shall continue until the water level rises above the decline level which triggered the action or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this right. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

The wells shall produce ground water only from basalt and volcanic sediments ground water reservoir.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this right, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interference.

The well shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge to determine the water level elevation in the well at all times

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to the agreement.


The Director may require water level or pump test results every ten years.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

T-12169-cf-89122.gc

Page 3 of 4



By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

This certificate is issued to confirm a change in ADDITIONAL POINTS OF APPROPRIATION approved by an order of the Water Resources Director entered NOVEMBER 14, 2016, at Special Order Volume 103, Page 404, approving Transfer Application T-12169, and supersedes Certificate 89122, State record of Water Right Certificates.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

APR 0 8 2022

REC ED

MAY 1 1 2022

Dwight French

Water Right Services Division Administrator, for

Thomas M. Byler, Director

Oregon Water Resources Department

AE ED

STATE OF OREGON

MAY 1 1 2022

ED

REC

MAY 1 1 2022

COUNTY OF HARNEY

C

( )

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

RATTLESNAKE CREEK LAND AND CATTLE CO LLC C/O ANDY ROOT 524 HWY 20 N HINES OR 97738

confirms the right to use the waters of EIGHT WELLS, in the HARNEY LAKE BASIN, for IRRIGATION of 273.8 ACRES.

This right was perfected under Permit G-16150. The date of priority is FEBRUARY 21, 2006. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 3.42 CUBIC FEET PER SECOND (CFS), BEING 1.07 CFS FROM WELL 7 (HARN 51272), 1.58 CFS FROM WELL 8 (HARN 1096), 3.42 CFS FROM WELL 10, 3.42 CFS FROM WELL 14, 3.42 CFS FROM WELL 15, 3.42 CFS FROM WELL 16, 3.42 CFS FROM WELL 17, AND 3.42 CFS FROM WELL 18, IN ANY COMBINATION FROM THE WELLS, measured at the points of appropriation.

The period of use is March 1 through October 31

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
25 S	30 E	WM	29	SW SE		WELL 16 - 635 FEET NORTH AND 1605 FEET WEST
						FROM SE CORNER, SECTION 29
25 S	30 E	WM	29	SW SE		WELL 18 - 785 FEET NORTH AND 1630 FEET WEST
						FROM SE CORNER, SECTION 29
25 S	30 E	WM	33	SE SE		WELL 14 - 4314 FEET SOUTH AND 870 FEET WEST
						FROM NE CORNER, SECTION 33
25 S	30 E	WM	33	SE SE	147	WELL 15 - 4314 FEET SOUTH AND 920 FEET WEST
						FROM NE CORNER, SECTION 33
25 S	30 E	WM	34	NWNW		WELL 8 HARN 1096 - 502 FEET SOUTH AND 536 FEET
						EAST FROM NW CORNER, SECTION 34
25 S	30 E	WM	34	SE SW		WELL 7 HARN 51272 - 4725 FEET SOUTH AND 1877
			7			FEET EAST FROM NW CORNER, SECTION 34
26 S	30 E	WM	3	NWNW	4	WELL 10 - 6310 FEET SOUTH AND 415 FEET EAST
				-		FROM NW CORNER, SECTION 34, T25S R30E
26 S	30 E	WM	3	NW NW	4	WELL 17 - 6300 FEET SOUTH AND 440 FEET EAST
						FROM NW CORNER, SECTION 34, T25S R30E

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year. A description of the place of use is as follows:

#### NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

	117						
	Twp	Rng	Mer	Sec	Q-Q	GLọt	Acres
2022	25 S YAM	30 E	WM	34	NE SW		0.8
	25 S	30 E	WM	34	SWSW		28.5
	25 S	30 E	WM	34	SE SW		23.4
(	25 S 🤳	30 E	WM	34	SE SW		1.1
	25 S	30 E	WM	34	NE SE		30.1
	25 S	30 E	WM	34	NW SE		33.1
	25 S	30 E	WM	34	SW SE		36.4
	25 S	30 E	WM	34	SE SE		34.5
	26 S	30 E	WM	3	NE NE	1	37.7
	26 S	30 E	WM	3	NW NE	2	6.2
	26 S	30 E	WM	3	SW NE		0.3
- 2	26 S	30 E	WM	3	SE NE	7	8.0
100	26 S	30 E	WM	3	NE NW	3	15.4
	26 S	30 E	WM	3	NWNW	4	18.3

REC ED

MAY 1 1 2022

C D

The quantity of water diverted at the additional points of appropriation, together with that diverted at the original points of appropriation, shall not exceed the quantity of water lawfully available at the original points of appropriation, being:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
25 S	30 E	WM	34	SE SW	(WELL 7 HARN 51272) - 4725 FEET SOUTH AND 1877 FEET EAST FROM NW CORNER, SECTION 34

Measurement, recording and reporting conditions:

- A. The water user shall maintain the totalizing flow meter or other suitable measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the water user to report general water-use information, including the place and nature of use of water under the right.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

The wells shall produce ground water only from basalt and volcanic sediments.

To monitor the effect of water use from the well(s) authorized under this right, the Department requires the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The reference level against which any future measurements will be compared for (WELL 7 HARN 51272) is 108.10 feet below land surface.

The reference level against which any future measurements will be compared for (WELL 9 HARN 51448) is 97.88 feet below land surface.

Measurements must be made according to the following schedule:

Following the first year of water use, the user shall submit seven consecutive annual reports of static water level measurements. Based on an analysis of the data collected, the Director may require that the user obtain and report additional annual static water level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

(A) Identify each well with its associated measurement; and

(B) Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and

(C) Specify the method used to obtain each well measurement; and

(D) Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

(A) An average water level decline of three or more feet per year for five consecutive years; or

(B) A water level decline of 15 or more feet in fewer than five consecutive years; or

(C) A water level decline of 25 or more feet; or

(D) Hydraulic interference leading to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non-use or restricted use shall continue until the water level rises above the decline level which triggered the action or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights.

The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this right. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this right, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The

Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences. The well shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge to determine the water level elevation in the well at all times.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to the agreement.

The Director may require water level or pump test results every ten years.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

This certificate is issued to confirm a change in ADDITIONAL POINTS OF APPROPRIATION approved by an order of the Water Resources Director entered NOVEMBER 14, 2016, at Special Order Volume 103, Page 404, approving Transfer Application T-12169, and supersedes Certificate 90456, State record of Water Right Certificates.

MAY 1 1 2022

The use of water shall be limited when it interferes with any prior surface or ground water rights.

Issued \_\_APR 0 8 2022

Dwight French

Water Right Services Division Administrator, for

Thomas M. Byler, Director

Oregon Water Resources Department

REC ED

MAY 1 1 2022

CO

RE ED

MAY 1 1 2022

STATE OF OREGON

REC ED

COUNTY OF HARNEY

MAY 1 1 2022

CERTIFICATE OF WATER RIGHT

CO

THIS CERTIFICATE ISSUED TO

CHARLES W EGGERT LOUANNA EGGERT 18555 SW TETON AVE TUALATIN OR 97062 NORTHWEST FARM CREDIT SERVICES FLCA 650 HAWTHORNE AVE SE SUITE 210 SALEM OR 97301

confirms the right to the use of water perfected under the terms of Permit G-17989. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-16983

SOURCE OF WATER: TEN WELLS IN HARNEY LAKE BASIN

PURPOSE or USE: IRRIGATION OF 400.0 ACRES

MAXIMUM RATE: 5.0 CUBIC FEET PER SECOND (CFS); IN ANY COMBINATION BETWEEN THE WELLS, FURTHER LIMITED TO THE RATE OF EACH WELL AS LISTED BELOW:

WELL #7	0.87 CFS
WELL #10	2.36 CFS
WELL #11	5.00 CFS
WELL #12	5.00 CFS
WELL #13	1.50 CFS
WELL #14	2.24 CFS
WELL #15	3.81 CFS
WELL #16	0.89 CFS
WELL #17	5.00 CFS
WELL #18	2.03 CFS

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: DECEMBER 17, 2007

#### NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484 and ORS 536.075. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 183.484, ORS 536.075 and OAR 137-004-0080, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate within three months after issuance of the certificate.

Application G-16983.cnh

Page 1 of 4

SEC ED

The wells are located as follows:

770	ORIGINAL WELL						
Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distance	Owner Well#
25 S	30 E	WM	34	SE SW		HARN 51272 – 4725 FEET SOUTH AND 1877 FEET EAST FROM NW CORNER, SECTION 34	7

			5 - 1		A	DDITIONAL WELLS	
Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances	Owner Well#
25 S	30 E	WM	29	SW SE		HARN 52121 – 635 FEET NORTH AND 1605 FEET WEST FROM SE CORNER, SECTION 29	16
25 S	30 E	WM	29	SW SE		HARN 52170 – 785 FEET NORTH AND 1630 FEET WEST FROM SE CORNER, SECTION 29	18
25 S	30 E	WM	33	SE NW		HARN 51817 – 2690 FEET SOUTH AND 2890 FEET WEST FROM NE CORNER, SECTION 33	12
25 S	30 E	WM	33	SE SE	7.80	HARN 51871 – 4314 FEET SOUTH AND 870 FEET WEST FROM NE CORNER, SECTION 33	14
25 S	30 E	WM	33	SE SE		HARN 51970 – 4314 FEET SOUTH AND 920 FEET WEST FROM NE CORNER, SECTION 33	15
26 S	30 E	WM	03	NW NW	4	HARN 51765 – 6310 FEET SOUTH AND 415 FEET EAST FROM NW CORNER, SECTION 34, TOWNSHIP 25S RANGE 30E	10
26 S	30 E	WM	03	NW NW	4	HARN 51760 – 6340 FEET SOUTH AND 330 FEET EAST FROM NW CORNER, SECTION 34, TOWNSHIP 25S RANGE 30E	11
26 S	30 E	WM	03	NW NW	4	HARN 52154 – 6300 FEET SOUTH AND 440 FEET EAST FROM NW CORNER, SECTION 34, TOWNSHIP 25S RANGE 30E	17
26 S	30 E	WM	04	NE NW	3	HARN 51445 – 6415 FEET SOUTH AND 2745 FEET WEST FROM NE CORNER, SECTION 33, TOWNSHIP 25S RANGE 30E	13

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
25 S	30 E	WM	32	NE SE		36.5
25 S	30 E	WM	32	NW SE		14.5
25 S	30 E	WM	32	SW SE		8.7
25 S	30 E	WM	32	SE SE		24.3
25 S	30 E	WM	33	NE SW		30.2
25 S	30 E	WM	33	NWSW		31.2
25 S	30 E	WM	33	SWSW	Y	26.7
25 S	30 E	WM	33	SE SW	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	27.0
26 S	30 E	WM	4	NE NW	3	35.9
26 S	30 E	WM	4	NWNW	4	25.7
26 S	30 E	WM	4	SWNW		16.1
26 S	30 E	WM	4	SE NW	7 2300	13.6
26 S	30 E	WM	4	NWSW		20.1
26 S	30 E	WM	4	SW SW		5.5

Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
26 S	30 E	WM	5	NE NE	1	5.5
26 S	30 E	WM	5	SE NE		15.1
26 S	30 E	WM	5	NE SE		24.3
26 S	30 E	WM	5	SE SE		38.1
26 S	30 E	WM	8	NE NE		1.0

Measurement, recording, and reporting conditions:

- A. The water user shall maintain, in good working order, a totalizing flow meter or other suitable measuring device as approved by the Director at each point of appropriation, shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the water user to report general water-use information, including the place and nature of use of water under the right.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where any meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

The quantity of water diverted at the new points of appropriation, together with that diverted at the old pointS of appropriation, shall not exceed the quantity of water available at the old points of appropriation located as follows:

		3	ORIGINAL WELLS									
Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances	Owner Well Number					
25 S	30 E	WM	32	NE SE		400 FEET SOUTH AND 400 FEET WEST FROM E1/4 CORNER, SECTION 32						
25 S	30 E	WM	33	SESW		400 FEET NORTH AND 400 FEET WEST FROM S1/4 CORNER, SECTION 33						
25 S	30 E	WM	34	SE SW		HARN 51272 – 4725 FEET SOUTH AND 1877 FEET EAST FROM NW CORNER, SECTION 34	7					

The Department requires the water user to obtain, from a qualified individual (see below), and report annual static water levels for each well on the right. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The water user shall report annual March static water-level measurements whether or not the well is used. The reference level against which future measurements will be compared is 114.6 feet below ground surface for Well #7 (HARN 51272). The Director may require the user to obtain and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by, the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR 690-217-0045. The Department requires the individual performing the measurement to:

- A. Associate each measurement with an owner's well name or number and a Department well log ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for

Application G-16983.cnh

Page 3 of 4

ds five consecutive years; or

SSOS IB. YAM Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or

C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or

D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or causing substantial interference with senior water rights. The water user shall not allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this right. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

The water user shall ensure that each well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this right, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well(s) shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine the water level elevation in the well at all times.

The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

The Director may require water level or pump test results every ten years.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

Issued

SEP 1 7 2021

Dwight French

Water Right Services Division Administrator, for

Thomas M. Byler, Director

Oregon Water Resources Department

REC E

MAY 1 1 2022

0 1

#### STATE OF OREGON

#### COUNTY OF HARNEY

#### CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

CHARLES EGGERT LOUANNA EGGERT 18555 SW TETON AVE TUALATIN OR 97062 NORTHWEST FARM CREDIT SERVICES 650 HAWTHORNE AVE SE SUITE 210 SALEM OR 97301

confirms the right to the use of water perfected under the terms of Permit G-17991. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-17146

SOURCE OF WATER: TEN WELLS IN HARNEY LAKE BASIN

PURPOSE or USE: IRRIGATION USE ON 37.6 ACRES

MAXIMUM RATE: 0.47 CUBIC FOOT PER SECOND

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: NOVEMBER 24, 2008

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances	Owner Well #
26 S	30 E	WM	03	NW NW	4	HARN 51765 – 6310 FEET SOUTH AND 415 FEET EAST FROM NW CORNER, SECTION 34, TOWNSHIP 25S RANGE 30E	10
26 S	30 E	WM	03	NW NW	4	HARN 51760 – 6340 FEET SOUTH AND 330 FEET EAST FROM NW CORNER, SECTION 34, TOWNSHIP 25S RANGE 30E	11
26 S	30 E	WM	04	NE NW	3	HARN 51445 – 6415 FEET SOUTH AND 2745 FEET WEST FROM NE CORNER, SECTION 33, TOWNSHIP 25S RANGE 30E	13
25 S	30 E	WM	29	SW SE		HARN 52121 – 635 FEET NORTH AND 1605 FEET WEST FROM SE CORNER, SECTION 29	16
25 S	30 E	WM	29	SW SE		HARN 52170 – 785 FEET NORTH AND 1630 FEET WEST FROM SE CORNER, SECTION 29	18

#### NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484 and ORS 536.075. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 183.484, ORS 536.075 and OAR 137-004-0080, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate within three months after issuance of the certificate.

Application G-17146.cnh

Page 1 of 4

## de , eb

MAY 1 1 2022

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances	Owner Well#
25 S	30 E	WM	33	SE NW		HARN 51817 – 2690 FEET SOUTH AND 2890 FEET WEST FROM NE CORNER, SECTION 33	12
25 S	30 E	WM	33	SE SE		HARN 51871 – 4314 FEET SOUTH AND 870 FEET WEST FROM NE CORNER, SECTION 33	14
25 S	30 E	WM	33	SE SE		HARN 51970 – 4314 FEET SOUTH AND 920 FEET WEST FROM NE CORNER, SECTION 33	15
25 S	30 E	WM	34	SE SW		HARN 51272 – 4725 FEET SOUTH AND 1877 FEET EAST FROM NW CORNER, SECTION 34	7
26 S	30 E	WM	03	NW NW	4	HARN 52154 – 6300 FEET SOUTH AND 440 FEET EAST FROM NW CORNER, SECTION 34, TOWNSHIP 25S RANGE 30E	17

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q	Acres
25 S	30 E	WM	34	SWNW	0.2
25 S	30 E	WM	34	SE NW	8.2
25 S	30 E	WM	34	NE SW	26.2
25 S	30 E	WM	34	NW SW	3.0

MAY 11 2022 C )

#### Measurement, recording, and reporting conditions:

- A. The water user shall maintain, in good working order, a totalizing flow meter or other suitable measuring device as approved by the Director at each point of appropriation.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where any meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the water user to keep and maintain a record of the amount (volume) of water used, and may require the water user to report water use on a periodic schedule as established by the Director. In addition, the Director may require the water user to report general water-use information, the period of water use and the place and nature of use of water under the right.
- D. The Director may provide an opportunity for the water user to submit alternative measuring and reporting procedure for review and approval.

The quantity of water diverted at the new points of appropriation (wells), together with that diverted at the old point of appropriation, shall not exceed the quantity of water available from the original point of appropriation located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
25 S	30 E	WM	33	SE SW	HARN 51448 – 4423 FEET SOUTH AND 2750 FEET
					WEST FROM NE CORNER, SECTION 33

The Department requires the water user to obtain, from a qualified individual (see below), and report annual static water levels for each well on the right. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The water user shall report annual March static water-level measurements whether or not the well is used. The reference level against which future measurements will be compared is 97.88 feet below ground surface for Well HARN 51448. The Director may require the user to obtain and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by, the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR 690-217-0045.

The Department requires the individual performing the measurement to:

- A. Associate each measurement with an owner's well name or number and a Department well log ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or causing substantial interference with senior water rights. The water user shall not allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this right. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

The water user shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

The well(s) shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine the water level elevation in the well at all times.

The use may be restricted if the quality of the downstream waters decreases to the point that those waters no longer meet existing state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

The Director may require water level or pump test results every ten years.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

MAY 1 1 2022

Application G-17146.cnh

Page 3 of 4

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

Issued OCT 0 1 2021

Dwight French

Water Right Services Division Administrator, for

Thomas M. Byler, Director

Oregon Water Resources Department

REC ED

MAY 1 1 2022

 $\mathbf{C} = \mathbf{D}$ 

RE ED MAY 1 1 2022

STATE OF OREGON

COUNTY OF HARNEY

CERTIFICATE OF WATER RIGHT

REC

ED

MAY 1 1 2022

THIS CERTIFICATE ISSUED TO

CHARLES W. EGGERT LOUANNA EGGERT 18555 SW TETON AVE TUALATIN OR 97062 NORTHWEST FARM CREDIT SERVICES 650 HAWTHORNE AVE SE SUITE 210 SALEM OR 97301

confirms the right to the use of water perfected under the terms of Permit G-17992. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-17452

SOURCE OF WATER: TEN WELLS IN HARNEY LAKE BASIN

PURPOSE or USE: IRRIGATION OF 434.62 ACRES

MAXIMUM RATE: 7.26 CUBIC FEET PER SECOND; IN ANY COMBINATION BETWEEN THE WELLS, FURTHER LIMITED TO THE RATE OF EACH WELL AS LISTED BELOW:

WELL #7	0.87 CFS
WELL #10	2.36 CFS
WELL #11	5.84 CFS
WELL #12	5.84 CFS
WELL #13	1.50 CFS
WELL #14	2.24 CFS
WELL #15	3.81 CFS
WELL #16	0.89 CFS
WELL #17	5.01 CF\$
WELL #18	2.03 CFS

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: MARCH 10, 2011

#### NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484 and ORS 536.075. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 183.484, ORS 536.075 and OAR 137-004-0080, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate within three months after issuance of the certificate.

Application G-17452.cnh

Page 1 of 5

RE ED

The wells are located as follows:

I I TA	A.					ORIGINAL WELLS	
Twp	Rng Mer Sec Q-Q GLot Meas		Measured Distances	Owner Well #			
26 S	30 E	WM	03	NW NW	4	HARN 51765 – 6310 FEET SOUTH AND 415 FEET EAST FROM NW CORNER, SECTION 34, T25S R30E	10
26 S	30 E	WM	03	NW NW	4	HARN 51760 – 6340 FEET SOUTH AND 330 FEET EAST FROM NW CORNER, SECTION 34, T25S R30E	11
26 S	30 E	WM	04	NE NW	3	HARN 51445 – 6415 FEET SOUTH AND 2745 FEET WEST FROM NE CORNER, SECTION 33, T25S R30E	13

					AJ	DDITIONAL WELLS	
Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances	Owner Well#
25 S	30 E	WM	29	NE SE		HARN 52121 – 1200 FEET NORTH AND 900 FEET WEST FROM S1/16 CORNER, SECTIONS 28 AND 29	16
25 S	30 E	WM	29	NE SE		HARN 52170 – 1200 FEET NORTH AND 850 FEET WEST FROM S1/16 CORNER, SECTIONS 28 AND 29	18
25 S	30 E	WM	33	SE NW		HARN 51817 – 2690 FEET SOUTH AND 2890 FEET WEST FROM NE CORNER, SECTION 33	12
25 S	30 E	WM	33	SE SE		HARN 51871 – 4314 FEET SOUTH AND 870 FEET WEST FROM NE CORNER, SECTION 33	14
25 S	30 E	WM	33	SE SE		HARN 51970 – 4314 FEET SOUTH AND 920 FEET WEST FROM NE CORNER, SECTION 33	15
25 S	30 E	WM	34	SE SW		HARN 51272 – 4725 FEET SOUTH AND 1877 FEET EAST FROM NW CORNER, SECTION 34	7
26 S	30 E	WM	03	NWNW	4	HARN 52154 – 6300 FEET SOUTH AND 440 FEET EAST FROM NW CORNER, SECTION 34, T25S R30E	17

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-SIXTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
25 S	30 E	WM	34	SE SW		0.17
25 S	30 E	WM	34	SW SE		1.08
26 S	30 E	WM	3 .	NW NE	2	30.31
26 S	30 E	WM	3	SW NE		34.66
26 S	30 E	WM	3	SE NE.		0.69
26 S	30 E	WM	3	NE NW	3	21.00
26 S	30 E	WM	3	NW NW	4	9.04
26 S	30 E	WM	3	SWNW		40.06
26 S	30 E	WM	3	SE NW		38.41
26 S	30 E	WM	3	NE SW		23.05
26 S	30 E	WM	3	NW SW		11.23
26 S	30 E	WM	3	SW SW		26.30
26 S	30 E	WM	3	SE SW		24.65
26 S	30 E	WM	3	NW SE		30.31

MAY 11 2022

Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
26 S	30 E	WM	3	SW SE		11.60
26 S	30 E	WM	4	SE NE		0.93
26 S	30 E	WM	4	SW SE		32.77
26 S	30 E	WM	4	SE SE		28.39
26 S	30 E	WM	9	NE NE		31.80
26 S	30 E	WM	9	NW NE		33.65
26 S	30 E	WM	9	SW NE		0.35
26 S	30 E	WM	9	SE NE		0.31
26 S	30 E	WM	10	NE NW		0.65
26 S	30 E	WM	10	NW NW		3.21

#### Measurement, recording, and reporting conditions:

- A. The water user shall maintain, in good working order, a totalizing flow meter or other suitable measuring device as approved by the Director at each point of appropriation.
- B. The water user shall keep a complete record of the amount of water diverted each month, and shall report which included the recorded water-use measurements to the Department annually or more frequently as maybe required by the Director. Further, the Director may require the water user to report general water-use information, including the place and nature of use of water under the right.
- C. The water user shall allow the watermaster access to the meter or measuring device; provided however, where any meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- D. The Director may provide an opportunity for the water user to submit alternative measuring and reporting procedure for review and approval.

The quantity of water diverted at the new points of appropriation (wells), together with that diverted at the old point of appropriation, shall not exceed the quantity of water available from the original point of appropriation located as follows:

					(	ORIGINAL WELLS	
Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances	Owner Well Number
25 S	30 E	WM	33	SW NE		HARN 51146 – 4195 FEET SOUTH AND 2672 FEET WEST FROM NE CORNER, SECTION 33	
25 S	30 E	WM	33.	SE SW		HARN 51448 – 4423 FEET SOUTH AND 2750 FEET WEST FROM NE CORNER, SECTION 33	
26 S	30 E	WM	03	NW NW	4	HARN 51765 – 6310 FEET SOUTH AND 415 FEET EAST FROM NW CORNER, SECTION 34	10
26 S	30 E	WM	03	NW NW	4	HARN 51760 – 6340 FEET SOUTH AND 330 FEET EAST FROM NW CORNER, SECTION 34	11
26 S	30 E	WM	04	NE NW	3	HARN 51445 – 6415 FEET SOUTH AND 2745 FEET WEST FROM NE CORNER, SECTION 33	13

The Department requires the water user to obtain, from a qualified individual (see below), and report annual static water levels for each well on the right. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The water user shall report annual March static water-level measurements whether or not the well is used. The reference level against which future measurements will be compared is 120.77 feet below ground surface for Well #10 (HARN 51765); 131.91 feet below ground surface for Well #11 (HARN 51760); 139.18 feet below ground surface for Well #13 (HARN 51445); 119.55 feet below ground surface for Well HARN 51146; and 111.05 feet below ground surface for HARN 51448. The Director may require the user to obtain and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional

Application G-17452.cnh

Page 3 of 5

engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by, the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR 690-217-0045. The Department requires the individual performing the measurement

- A. Associate each measurement with an owner's well name or number and a Department well log ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- Α. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five B. consecutive years; or
- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or causing substantial interference with senior water rights. The water user shall not allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this right. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

The water user shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this right, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well(s) shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine the water level elevation in the well at all times.

The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such

The Director may require water level or pump test results every ten years.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any lake ED

Certificate 95743

Application G-17452.cnh

Page 4 of 5

MAY 1 1 2022

acknowledged land-use plan.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

Issued **OCT 0 1 2021** 

Dwight French MAY 1 1 2022

Water Right Services Division Administrator, for

Thomas M. Byler, Director

Oregon Water Resources Department

REC

ED

REC

ED

#### STATE OF OREGON

#### COUNTY OF HARNEY

MAY 1 1 2022

#### C

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

CHARLES W EGGERT

NORTHWEST FARM CREDIT SERVICES FLCA

LOUANNA EGGERT

650 HAWTHORNE AVE SE SUITE 210

18555 SW TETON AVE

SALEM OR 97301

TUALATIN OR 97062

confirms the right to the use of water perfected under the terms of Permit G-17990. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-17561

SOURCE OF WATER: TEN WELLS IN HARNEY LAKE BASIN

PURPOSE or USE: IRRIGATION OF 355.9 ACRES

MAXIMUM RATE: 5.9 CUBIC FEET PER SECOND; IN ANY COMBINATION BETWEEN THE WELLS, FURTHER

LIMITED TO THE RATE OF EACH WELL AS LISTED BELOW:

WELL #7	0.87 CFS
WELL #10	2.36 CFS
WELL #11	5.84 CFS
WELL #12	5.84 CFS
WELL #13	1.50 CFS
WELL #14	2.24 CFS
WELL #15	3.81 CFS
WELL #16	0.89 CFS
WELL #17	5.01 CFS
WELL #18	2.03 CFS

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: JUNE 7, 2012

#### NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484 and ORS 536.075. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 183.484, ORS 536.075 and OAR 137-004-0080, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate within three months after issuance of the certificate.

Application G-17561.cnh

Page 1 of 5

The wells are located as follows:


1707 1	19(17)					ORIGINAL WELLS	
Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances	Owner Well #
25 S	30 E	WM	33	SE NW		HARN 51817 – 2690 FEET SOUTH AND 2890 FEET WEST FROM NE CORNER, SECTION 33	12
25 S	30 E	WM	33	SE SE		HARN 51871 – 4314 FEET SOUTH AND 870 FEET WEST FROM NE CORNER, SECTION 33	14
25 S	30 E	WM	33	SE SE		HARN 51970 – 4314 FEET SOUTH AND 920 FEET WEST FROM NE CORNER, SECTION 33	15
26 S	30 E	WM	03	NW NW	4	HARN 51765 – 6310 FEET SOUTH AND 415 FEET EAST FROM NW CORNER, SECTION 34, TOWNSHIP 25S RANGE 30E	10
26 S	30 E	WM	03	NW NW	4	HARN 51760 – 6340 FEET SOUTH AND 330 FEET EAST FROM NW CORNER, SECTION 34, TOWNSHIP 25S RANGE 30E	11
26 S	30 E	WM	04	NE NW	3	HARN 51445 – 6415 FEET SOUTH AND 2745 FEET WEST FROM NE CORNER, SECTION 33, TOWNSHIP 25S RANGE 30E	13

	ADDITIONAL WELLS							
Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances	Owner Well #	
25 S	30 E	WM	29	SW SE		HARN 52121 – 635 FEET NORTH AND 1605 FEET WEST FROM SE CORNER, SECTION29	16	
25 S	30 E	WM	29	SW SE		HARN 52170 – 785 FEET NORTH AND 1630 FEET WEST FROM SE CORNER, SECTION 29	18	
25 S	30 E	WM	34	SE SW		HARN 51272 – 4725 FEET SOUTH AND 1877 FEET EAST FROM NW CORNER, SECTION 34	7	
26 S	30 E	WM	03	NW NW	4	HARN 52154 – 6300 FEET SOUTH AND 440 FEET EAST FROM NW CORNER, SECTION 34, TOWNSHIP 25S RANGE 30E	17	

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-SIXTIETH of one cubic foot per second and 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year.

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
25 S	30 E	WM	29	SW NE		33.6
25 S	30 E	WM	29	SE NE		, 8.2
25 S	30 E	WM	29	NE NW		35.3
25 S	30 E	WM	29	SE NW		38.3
25 S	30 E	WM	29	NE SW		22.6
25 S	30 E	WM	29	SE SW		17.4
25 S	30 E	WM	29	.NW SE		10.2
25 S	30 E	WM	29	SW SE		27.0
25 S	30 E	WM	32	NW NE		7.8
25 S	30 E	WM	32	SW NE		0.5
25 S	30 E	WM	32	NE NW		28.8
25 S	30 E	WM	32	SE NW		18.2
26 S	30 E	WM	4	SE NW		0.7



Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
26 S	30 E	WM	4	NE SW		35.4
26 S	30 E	WM	4	NW SW		7.7
26 S	30 E	WM	4	SE SW		0.6
26 S	30 E	WM	4	NE SE		28.2
26 S	30 E	WM:	4	NW SE		33.9
26 S	30 E	WM	4	SW SE		0.8
26 S	30 E	WM	4	SE SE		0.7

RE ED

MAY 1 1 2022

C D

Measurement, recording, and reporting conditions:

- A. The water user shall maintain a totalizing flow meter or other suitable measuring device as approved by the Director at each point of appropriation.
- B. The water user shall keep a complete record of the volume of water diverted each month, and shall submit a report which includes water-use measurements to the Department annually or more frequently as maybe required by the Director. Further, the Director may require the water user to report general water-use information, including the place and nature of use of water under the right.
- C. The water user shall allow the watermaster access to the meter or measuring device; provided however, where any meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- D. The Director may provide an opportunity for the water user to submit alternative measuring and reporting procedure for review and approval.

The quantity of water diverted at the new points of appropriation (wells), together with that diverted at the old point of appropriation, shall not exceed the quantity of water available from the original point of appropriation located as follows:

ORIGINAL WELLS							
Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances	Owner Well Number
25 S	30 E	WM	33	SE SW		HARN 51448 – 4423 FEET SOUTH AND 2750 FEET WEST FROM NE CORNER, SECTION 33	9
26 S	30 E	WM	03	NW NW	4	HARN 51765 – 6310 FEET SOUTH AND 415 FEET EAST FROM NW CORNER, SECTION 34	10
26 S	30 E	WM	03	NW NW	4	HARN 51760 – 6340 FEET SOUTH AND 330 FEET EAST FROM NW CORNER, SECTION 34	11
25 S	30 E	WM	33	SE NW		HARN 51817 – 2690 FEET SOUTH AND 2890 FEET WEST FROM NE CORNER, SECTION 33	12
26 S	30 E	WM	04	NE NW	3	HARN 51445 – 6415 FEET SOUTH AND 2745 FEET WEST FROM NE CORNER, SECTION 33	13
25 S	30 E	WM	33	SE SE		HARN 51871 – 4314 FEET SOUTH AND 870 FEET WEST FROM NE CORNER, SECTION 33	14
25 S	30 E	WM	33	SE SE		HARN 51970 – 4314 FEET SOUTH AND 920 FEET WEST FROM NE CORNER, SECTION 33	15

The water user shall ensure that each well listed on this right has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

The Department requires the water user to obtain, from a qualified individual (see below), and report annual static water levels for each well on the right. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

RE ED

The water user shall report annual March static water-level measurements whether or not the well is used. The reference level against which future measurements will be compared is 120.77 feet below ground surface for Well #10 (HARN 51765); 131.91 feet below ground surface for Well #11 (HARN 51760); 114.15 feet below ground surface for Well #12 (HARN 51817); 110.45 feet below ground surface for Well #15 (HARN 51970); 139.18 feet below ground surface for Well # 13 (HARN 51445); and 109.35 feet below ground surface for Well # 14 (HARN 51871). The Director may require the user to obtain and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by, the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR 690-217-0045. The Department requires the individual performing the measurement to:

- A. Associate each measurement with an owner's well name or number and a Department well log ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The Department may require the discontinuance of groundwater use, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or causing substantial interference with senior water rights. The water user shall not allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this right. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this right, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well(s) shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine the water level elevation in the well at all times.

The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

The Director may require water level or pump test results every ten years.

REC

ED

Application G-17561.cnh

Page 4 of 5

Certificate 95741

MAY 1 1 2022

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

Issued U

OCT 0 1 202

Dwight French

Water Right Services Division Administrator, for

Thomas M. Byler, Director

Oregon Water Resources Department

REC ED

MAY 11 2022

0 0