

# Application for Permanent Water Right Transfer



Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266  
(503) 986-0900  
www.oregon.gov/OWRD

## Part 1 of 5 – Minimum Requirements Checklist

**This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.**

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

AUG 01 2022

OWRD

Check all items included with this application. (N/A = Not Applicable)

- Part 1 – Completed Minimum Requirements Checklist.
- Part 2 – Completed Transfer Application Map Checklist.
- Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: [http://apps.wrd.state.or.us/apps/misc/wrd\\_fee\\_calculator](http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator).
- Part 4 – Completed Applicant Information and Signature.
- Part 5 – Information about Water Rights to be Transferred: **How many water rights are to be transferred? 2 List them here: Certificate: 88739, 93894**  
Please include a separate Part 5 for each water right. (See instructions on page 6)  
**NOTE: A separate transfer application is required for each water right unless the criteria in OAR 690-380-3220 are met.**

**Attachments:**

- Completed Transfer Application Map.
- Completed Evidence of Use Affidavit and supporting documentation.
- N/A Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the land the water right is on.)
- N/A Supplemental Form D – For water rights served by or issued in the name of an irrigation district. Complete when the transfer applicant is not the irrigation district.
- N/A Oregon Water Resources Department’s Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.
- N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500’ from the surface water source and more than 1000’ upstream or downstream from the point of diversion. See OAR 690-380-2130 for requirements and applicability.

(For Staff Use Only)

**WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):**

<input type="checkbox"/> Application fee not enclosed/insufficient	<input type="checkbox"/> Map not included or incomplete
<input type="checkbox"/> Land Use Form not enclosed or incomplete	<input type="checkbox"/> Evidence of Use Form not enclosed or incomplete
<input type="checkbox"/> Additional signature(s) required	<input type="checkbox"/> Part _____ is incomplete

Other/Explanation \_\_\_\_\_

Staff: \_\_\_\_\_ 503- \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

## Part 2 of 5 – Transfer Application Map

Your transfer application will be returned if any of the map requirements listed below are not met.

Please be sure that the transfer application map you submit includes all the required items and matches the existing water right map. Check all boxes that apply.

- N/A Certified Water Right Examiner (CWRE) Stamp and Original Signature. For a list of CWREs, see [http://apps.wrd.state.or.us/apps/wr/cwre\\_license\\_view/](http://apps.wrd.state.or.us/apps/wr/cwre_license_view/). CWRE stamp and signature are not required for substitutions.
- N/A If **more than three** water rights are involved, separate maps are needed for each water right.
- Permanent quality printed with dark ink on good quality paper.
- The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- A north arrow, a legend, and scale.
- The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
- N/A Proposed place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.
- N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Part 3 of 5 – Fee Worksheet

FEE WORKSHEET for PERMANENT TRANSFER (except Substitution)			
1	Base Fee (includes one type of change to one water right for up to 1 cfs)	1	\$1,360
	Types of change proposed: <input type="checkbox"/> Place of Use <input type="checkbox"/> Character of Use <input checked="" type="checkbox"/> Point of Diversion/Appropriation Number of above boxes checked = <u>1</u> (2a) Subtract 1 from the number in line 2a = <u>0</u> (2b) <i>If only one change, this will be 0</i>		
2	Multiply line 2b by \$1090 and enter »	2	\$0
	Number of water rights included in transfer <u>2</u> (3a) Subtract 1 from the number in 3a above: <u>1</u> (3b) <i>If only one water right this will be 0</i>		
3	Multiply line 3b by \$610 and enter »	3	\$610
	Do you propose to add or change a well, or change from a surface water POD to a well? <input type="checkbox"/> No: enter 0 <input checked="" type="checkbox"/> Yes: enter \$480 for the 1 <sup>st</sup> well to be added or changed <u>\$480</u> (4a)  Do you propose to add or change additional wells? <input type="checkbox"/> No: enter 0 <input checked="" type="checkbox"/> Yes: multiply the number of additional wells by \$410 <u>\$3,690</u> (4b) Add line 4a to line 4b and enter »		
4		4	\$3,690
	Do you propose to change the place of use or character of use? <input checked="" type="checkbox"/> No: enter 0 on line 5 <input type="checkbox"/> Yes: enter the cfs for the portions of the rights to be transferred (see below*): _____ (5a) Subtract 1.0 from the number in 5a above: _____ (5b) If 5b is 0 or less, enter 0 on line 5 » If 5b is greater than 0, round up to the nearest whole number: _____ (5c) and multiply 5c by \$410, then enter on line 5 »		
5		5	\$0
6	Add entries on lines 1 through 5 above » » » » » » » » » » Subtotal:	6	\$5,660
	Is this transfer: <input type="checkbox"/> necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? <input type="checkbox"/> endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 »		
7	If no box is applicable, enter 0 on line 7 »	7	\$0
8	Subtract line 7 from line 6 » <b>Transfer Fee:</b>	8	\$5,660

RECEIVED  
AUG 01 2022  
OWRD

\*Example for Line 5a calculation to transfer 45.0 acres of Primary Certificate 12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Certificate 87654 (1/80 cfs per acre) on the same land:

1. For irrigation calculate cfs for each water right involved as follows:
  - a. Divide total authorized cfs by total acres in the water right (for C12345, 1.25 cfs ÷ 100 ac); then multiply by the number of acres to be transferred to get the transfer cfs (x 45 ac = 0.56 cfs).
  - b. If the water right certificate does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For C87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs)
2. Add cfs for the portions of water rights on all the land included in the transfer; however **do not count cfs for supplemental rights on acreage for which you have already calculated the cfs fee for the primary right on the same land.** The fee should be assessed only once for each "on the ground" acre included in the transfer. (In this example, blank 5a would be only 0.56 cfs, since both rights serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0).

FEE WORKSHEET for SUBSTITUTION			
1	Base Fee (includes change to one well)	1	\$990.00
	Number of wells included in substitution _____ (2a) Subtract 1 from the number in 2a above: _____ (2b) <i>If only one well this will be 0</i>		
2	Multiply line 2b by \$480 and enter »	2	
3	Add entries on lines 1 through 2 above » » » » » » <b>Fee for Substitution:</b>	3	NA

**Part 4 of 5 – Applicant Information and Signature**

**RECEIVED**

**Applicant Information**

APPLICANT/BUSINESS NAME <b>Craig and Juanita Schurter</b>		PHONE NO. <b>(503) 932-9021</b>	ADDITIONAL CONTACT NO. <b>AUG 01 2022</b>
ADDRESS <b>6540 Torvend Rd NE</b>		FAX NO. <b>OWRD</b>	
CITY <b>Silverton</b>	STATE <b>OR</b>	ZIP <b>97381</b>	E-MAIL <b>craigschurter@gmail.com</b>
<p><b>BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.</b></p>			

**Agent Information** – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME <b>Doann Hamilton / Pacific Hydro-Geology, Inc.</b>		PHONE NO. <b>(503) 632-5016</b>	ADDITIONAL CONTACT NO. <b>(503) 349-6946 (cell)</b>
ADDRESS <b>18487 S. Valley Vista Road</b>		FAX NO. <b>(503) 632-5983</b>	
CITY <b>Mulino</b>	STATE <b>OR</b>	ZIP <b>97042</b>	E-MAIL <b>phgdmh@gmail.com</b>
<p><b>BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.</b></p>			

Explain in your own words what you propose to accomplish with this transfer application, and why:  
**We recently purchased TL 1300 but the authorized wells for both Certificates 88739 and 93894 are on another property. We need to install one or more wells on our property to supply our needs.**

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

**Check One Box**

- By signing this application, I understand that, upon receipt of the draft preliminary determination and prior to Department approval of the transfer, I will be required to provide landownership information and evidence that I am authorized to pursue the transfer as identified in OAR 690-380-4010(5); **OR**
- I affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; **OR**
- I affirm the applicant is an entity with the authority to condemn property and is acquiring by condemnation the property to which the water right proposed for transfer is appurtenant and have supporting documentation.

**By my signature below, I confirm that I understand:**

- Prior to Department approval of the transfer application, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: Silverton Appeal.
- Amendments to the application may only be made in response to the Department’s Draft Preliminary Determination (DPD). The applicant will have a period of at least 30 days to amend the application to address any issues identified by the Department in the DPD, or to withdraw the application. Note that amendments may be subject to additional fees, pursuant to ORS 536.050.
- Failure to complete an approved change in place of use and/or change in character of use, will result in loss of the water right (OAR 690-380-6010).
- Refunds may only be granted upon request and, as set forth in ORS 536.050(4)(a), if the Director determines that a refund of all or part of a fee is appropriate in the interests of fairness to the public or necessary to correct an error of the Department.



I (we) affirm that the information contained in this application is true and accurate.

Craig Schurter  
Applicant Signature

Craig Schurter  
Print Name and title if applicable

7/18/22  
Date

RECEIVED  
AUG 01 2022

Juanita Schurter  
Applicant Signature

Juanita Schurter  
Print Name and title if applicable

7/18/22  
Date

OWRD

Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located?  Yes  No\*

\*If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the water right(s) were conveyed.

Check the following boxes that apply:

- The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- The receiving landowner will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to this landowner.
- Both the receiving landowner and applicant will be responsible for completion of change(s). Copies of notices and correspondence should be sent to this landowner and the applicant.

At this time, are the lands in this transfer application in the process of being sold?  Yes  No

If YES, and you know who the new landowner will be, please complete the receiving landowner information table below. If you do not know who the new landowner will be, then a request for assignment will have to be filed for at a later date.

If a property sells, the certificated water right(s) located on the land belong to the new owner, unless a sale agreement or other document states otherwise. For more information see: [https://www.oregon.gov/owrd/WRDFormsPDF/Transfer\\_Property\\_Transactions.pdf](https://www.oregon.gov/owrd/WRDFormsPDF/Transfer_Property_Transactions.pdf)

RECEIVING LANDOWNER NAME <b>NA</b>			PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS				FAX NO.
CITY	STATE	ZIP	E-MAIL	
Describe any special ownership circumstances:				
The confirming Certificate shall be issued in the name of: <input type="checkbox"/> Applicant <input type="checkbox"/> Receiving Landowner				

Check here if any of the water rights proposed for transfer are or will be located within or served by an irrigation or other water district. (Tip: Complete and attach Supplemental Form D.)

IRRIGATION DISTRICT NAME <b>NA</b>	ADDRESS		
CITY	STATE	ZIP	

Check here if water for any of the rights supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME <b>NA</b>	ADDRESS		
CITY	STATE	ZIP	

To meet State Land Use Consistency Requirements, you must list all county, city, municipal corporation, or tribal governments within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME <b>Marion County Planning Division</b>		ADDRESS <b>5155 Silverton Road NE</b>	
CITY <b>Salem</b>	STATE <b>Oregon</b>	ZIP <b>97305</b>	

**Part 5a of 5b – Water Right Information**

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 88739

**RECEIVED**

**Description of Water Delivery System**

**AUG 01 2022**

System capacity: \_\_\_\_\_ cubic feet per second (cfs) OR

360 gallons per minute (gpm)

**OWRD**

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use.

Water is pumped from the well using a 40 Hp submersible pump through 5-inch PVC buried mainline with hydrants to supply portable laterals with impact sprinklers and/or to attach a large volume hard hose traveler.

**Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)**  
(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-____)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	MARI 3466, 3467, 63096	6	S	1	W	28	SE	NE	Lot 1	1,975 feet south and 25 feet west from the NE corner, Section 28
Alluvial Well 1	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	NA	6	S	1	W	27	SW	SW	DLC 44	1,060 feet north and 1,090 feet east from the SW corner, Section 27
Alluvial Well 2	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed	NA	6	S	1	W	27	SW	SW	DLC 44	170 feet north and 1,090 feet east from the SW corner, Section 27
Alluvial Well 3	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed	NA	6	S	1	W	27	SW	SW	DLC 44	0 feet north and 645 feet east from the SW corner, Section 27
Alluvial Well 4	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed	NA	6	S	1	W	27	SW	SW	DLC 44	50 feet north and 225 feet east from the SW corner, Section 27
Alluvial Well 5	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed	NA	6	S	1	W	27	SW	SW	DLC 44	1,065 feet north and 225 feet east from the SW corner, Section 27

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- |   |   |
|---|---|
| <input type="checkbox"/> Place of Use (POU)                               | <input type="checkbox"/> Supplemental Use to Primary Use (S to P)     |
| <input type="checkbox"/> Character of Use (USE)                           | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD)                         | <input type="checkbox"/> Additional Point of Appropriation (APOA)     |
| <input type="checkbox"/> Additional Point of Diversion (APOD)             | <input type="checkbox"/> Substitution (SUB)                           |
| <input type="checkbox"/> Surface Water POD to Ground Water<br>POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV)                  |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

**RECEIVED**

**AUG 01 2022**

**OWRD**

Please use and attach additional pages of Table 2 as needed.  
See page 6 for instructions.

Do you have questions about how to fill-out the tables?  
Contact the Department at 503-986-0900 and ask for Transfer Staff.

**Table 2. Description of Changes to Water Right Certificate # 88739**

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change.  
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.									
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acre	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acre	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date	
6	S	1	W 27 SW NW	1300	DLC 44	12.5	IR	Authorized Well	3-4-1991	POA	6	S	1	W 27 SW NW	1300	DLC 44	12.5	IR	Proposed Alluvial Wells 1, 2, 3, 4, 5	3-4-1991	
6	S	1	W 27 NW SW	1300	DLC 44	27.5	IR	Authorized Well	3-4-1991	POA	6	S	1	W 27 NW SW	1300	DLC 44	27.5	IR	Proposed Alluvial Wells 1, 2, 3, 4, 5	3-4-1991	
6	S	1	W 27 SW SW	1300	DLC 44	26.3	IR	Authorized Well	3-4-1991	POA	6	S	1	W 27 SW SW	1300	DLC 44	26.3	IR	Proposed Alluvial Wells 1, 2, 3, 4, 5	3-4-1991	
TOTAL ACRES:						66.3					TOTAL ACRES:						66.3				

Additional remarks: None.

**RECEIVED**

**AUG 01 2022**

**OWRD**



**For Place of Use or Character of Use Changes - NA**

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands?  Yes  No

If YES, list the certificate, water use permit, or ground water registration numbers: NA.

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

**For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)**

Ground water supplemental Permit or Certificate # NA;  
Surface water primary Certificate # NA.

**For a change from Supplemental Irrigation Use to Primary Irrigation Use**

Identify the primary certificate to be cancelled. Certificate # NA

**For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:**

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:  
[http://apps.wrd.state.or.us/apps/gw/well\\_log/Default.aspx](http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

**AND/OR**

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

**RECEIVED**  
**AUG 01 2022**  
**OWRD**

**Table 3. Construction of Point(s) of Appropriation**

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No.	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right	
Authorized Well	Yes	MARI 3466, 3467, 63096	See Well logs MARI 3466, 3467, 63096								Not less than full rate of water right
Alluvial Well 1	No	NA	300 feet	8 inch	0 to 300 feet	0 to 20 feet	TBD	NA	Alluvial		
Alluvial Well 2	No	NA	300 feet	8 inch	0 to 300 feet	0 to 20 feet	TBD	NA	Alluvial		
Alluvial Well 3	No	NA	300 feet	8 inch	0 to 300 feet	0 to 20 feet	TBD	NA	Alluvial		
Alluvial Well 4	No	NA	300 feet	8 inch	0 to 300 feet	0 to 20 feet	TBD	NA	Alluvial		
Alluvial Well 5	No	NA	300 feet	8 inch	0 to 300 feet	0 to 20 feet	TBD	NA	Alluvial		

**RECEIVED**

**AUG 01 2022**

**Part 5b of 5b – Water Right Information**

**OWRD**

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

**CERTIFICATE # 93894**

**Description of Water Delivery System**

System capacity: **1.18** cubic feet per second (cfs) OR  
 \_\_\_ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use.

**Water is pumped from the Well 1 (MARI 63097) using a 40 Hp submersible pump through 5-inch PVC buried mainline with hydrants to supply portable laterals with impact sprinklers and/or to attach a large volume hard hose traveler. Well 2 (MARI 51875) is not used on the affected acres in this**

**transfer but uses a 40 Hp submersible pump through 5-inch PVC buried mainline with hydrants to supply portable laterals with impact sprinklers and/or to attach a large volume hard hose traveler.**

**Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)**

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 1	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	MARI (63097)	6	S	1	W	27	SW	NW	DLC 44	2,013 feet south and 26 feet east from the NE corner, Section 28
Well 2	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	MARI (51875)	6	S	1	W	28	NW	SE	DLC 43	1,500 feet south and 70 feet west from the NW corner, DLC 44
Basalt Well 1	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	NA	6	S	1	W	27	SW	SW	DLC 44	1,085 feet north and 1,090 feet east from the SW corner, Section 27
Basalt Well 2	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed	NA	6	S	1	W	27	SW	SW	DLC 44	195 feet north and 1,090 feet east from the SW corner, Section 27
Basalt Well 3	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed	NA	6	S	1	W	27	SW	SW	DLC 44	0 feet north and 670 feet east from the SW corner, Section 27
Basalt Well 4	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed	NA	6	S	1	W	27	SW	SW	DLC 44	75 feet north and 225 feet east from the SW corner, Section 27
Basalt Well 5	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed	NA	6	S	1	W	27	SW	SW	DLC 44	1,090 feet north and 225 feet east from the SW corner, Section 27

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- |  |   |
|--|---|
| <input type="checkbox"/> Place of Use (POU)                            | <input type="checkbox"/> Supplemental Use to Primary Use (S to P)     |
| <input type="checkbox"/> Character of Use (USE)                        | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD)                      | <input type="checkbox"/> Additional Point of Appropriation (APOA)     |
| <input type="checkbox"/> Additional Point of Diversion (APOD)          | <input type="checkbox"/> Substitution (SUB)                           |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV)                  |

**RECEIVED**

**AUG 01 2022**

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

**OWRD**

Please use and attach additional pages of Table 2 as needed.  
See page 6 for instructions.

Do you have questions about how to fill-out the tables?  
Contact the Department at 503-986-0900 and ask for Transfer Staff.

**Table 2. Description of Changes to Water Right Certificate # 88739**

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change.  
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.														
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date				
6	S	1	W	27	SW	NW	1300	DLC 44	12.5	IR	Authorized Well 1& 2	12-20-96	POA	6	S	1	W	27	SW	NW	1300	DLC 44	12.5	IR	Proposed Basalt Wells 1, 2, 3, 4, 5	12-20-96
6	S	1	W	27	NW	SW	1300	DLC 44	27.5	IR	Authorized Well 1& 2	12-20-96	POA	6	S	1	W	27	NW	SW	1300	DLC 44	27.5	IR	Proposed Basalt Wells 1, 2, 3, 4, 5	12-20-96
6	S	1	W	27	SW	SW	1300	DLC 44	26.3	IR	Authorized Well 1& 2	12-20-96	POA	6	S	1	W	27	SW	SW	1300	DLC 44	26.3	IR	Proposed Basalt Wells 1, 2, 3, 4, 5	12-20-96
TOTAL ACRES:							66.3						TOTAL ACRES:							66.3						

Additional remarks: None.

**RECEIVED**

**AUG 01 2022**

**OWRD**

**For Place of Use or Character of Use Changes - NA**

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands?  Yes  No

If YES, list the certificate, water use permit, or ground water registration numbers: NA.

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

**For Substitution** (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # NA;

Surface water primary Certificate # NA.

**RECEIVED**

**AUG 01 2022**

**For a change from Supplemental Irrigation Use to Primary Irrigation Use**

Identify the primary certificate to be cancelled. Certificate # NA

**OWRD**

**For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:**

- Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

**Tip:** You may search for well logs on the Department's web page at:

[http://apps.wrd.state.or.us/apps/gw/well\\_log/Default.aspx](http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

**AND/OR**

- Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

**Table 3. Construction of Point(s) of Appropriation**

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No.	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right
Authorized Well 1	Yes	MARI 63097	See Well logs MARI 63097							Not less than full rate of water right
Authorized Well 2	Yes	MARI 51875	See Well logs MARI 51875							
Basalt Well 1	No	NA	615 feet	8 inch	0 to 320 feet	0 to 320 feet	TBD	NA	Basalt	
Basalt Well 2	No	NA	615 feet	8 inch	0 to 320 feet	0 to 320 feet	TBD	NA	Basalt	
Basalt Well 3	No	NA	615 feet	8 inch	0 to 320 feet	0 to 320 feet	TBD	NA	Basalt	
Basalt Well 4	No	NA	615 feet	8 inch	0 to 320 feet	0 to 320 feet	TBD	NA	Basalt	
Basalt Well 5	No	NA	615 feet	8 inch	0 to 320 feet	0 to 320 feet	TBD	NA	Basalt	

**RECEIVED**  
**AUG 01 2022**  
**OWRD**

# Application for Water Right Transfer

## Evidence of Use Affidavit



Oregon Water Resources Department  
 725 Summer Street NE, Suite A  
 Salem, Oregon 97301-1266  
 (503) 986-0900  
 www.wrd.state.or.us

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing. Supporting documentation must be attached.

State of Oregon )  
 ) ss  
 County of MARION

**RECEIVED**

**AUG 01 2022**

**OWRD**

I, CRAIG SCHURTER, in my capacity as OWNER,  
 mailing address 6540 TORVEND RD NE, SILVERTON, OR 97381  
 telephone number (503) 932-9021, being first duly sworn depose and say:

1. My knowledge of the exercise or status of the water right is based on (check one):

- Personal observation                       Professional expertise

2. I attest that:

Water was used during the previous five years on the **entire** place of use for Certificate # \_\_\_\_; **OR**

My knowledge is specific to the use of water at the following locations within the last five years:

Certificate #	Township		Range		Mer	Sec	¼ ¼		Gov't Lot or DLC	Acres (if applicable)
88739	6	S	1	W	WM	27	SW	NW	DLC 44	12.5
88739	6	S	1	W	WM	27	NW	SW	DLC 44	27.5
88739	6	S	1	W	WM	27	SW	SW	DLC 44	26.3

AND

- Confirming Certificate # 93894 has been issued within the past five years; **OR**
- Part or all of the water right was leased instream at some time within the last five years. The instream lease number is: \_\_\_\_ (Note: If the entire right proposed for transfer was not leased, additional evidence of use is needed for the portion not leased instream.); **OR**
- The water right is not subject to forfeiture and documentation that a presumption of forfeiture for non-use would be rebutted under ORS 540.610(2) is attached.
- Water has been used at the actual current point of diversion or appropriation for more than 10 years for Certificate # \_\_\_\_ (For Historic POD/POA Transfers)

(continues on reverse side)

3. The water right was used for: (e.g., crops, pasture, etc.): SWEET CORN, GREEN BEANS AND RYE GRASS

4. I understand that if I do not attach one or more of the documents shown in the table below to support the above statements, my application will be considered incomplete.


**RECEIVED**

Craig Sch  
Signature of Affiant

7/18/22 **AUG 01 2022**  
Date

**OWRD**

Signed and sworn to (or affirmed) before me this 18 day of July, 2022



Melinda J. Andrew  
Notary Public for Oregon

My Commission Expires: 10-02-2022

Supporting Documents	Examples
<input checked="" type="checkbox"/> Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of <b>confirming</b> water right certificate that shows issue date
<input type="checkbox"/> Copies of receipts from sales of irrigated crops or for expenditures related to use of water	<ul style="list-style-type: none"> <li>● Power usage records for pumps associated with irrigation use</li> <li>● Fertilizer or seed bills related to irrigated crops</li> <li>● Farmers Co-op sales receipt</li> </ul>
<input type="checkbox"/> Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	<ul style="list-style-type: none"> <li>● District assessment records for water delivered</li> <li>● Crop reports submitted under a federal loan agreement</li> <li>● Beneficial use reports from district</li> <li>● IRS Farm Usage Deduction Report</li> <li>● Agricultural Stabilization Plan</li> <li>● CREP Report</li> </ul>
<input checked="" type="checkbox"/> Aerial photos containing sufficient detail to establish location and date of photograph	<p>Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added.</p> <p>Sources for aerial photos: OSU – <a href="http://www.oregonexplorer.info/imagery">www.oregonexplorer.info/imagery</a> OWRD – <a href="http://www.wrd.state.or.us">www.wrd.state.or.us</a> Google Earth – <a href="http://earth.google.com">earth.google.com</a> TerraServer – <a href="http://www.terraserver.com">www.terraserver.com</a></p>
<input type="checkbox"/> Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number



STATE OF OREGON  
 COUNTY OF MARION  
 CERTIFICATE OF WATER RIGHT

**RECEIVED**

**AUG 01 2022**

**OWRD**

THIS CERTIFICATE ISSUED TO

ROTH FAMILY LLC  
 12513 HOBART RD  
 SILVERTON OR 97381

confirms the right to the use of water perfected under the terms of Permit G-17076. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-14426

SOURCE OF WATER: WELL 1 AND WELL 2 BOTH IN THE WILLAMETTE RIVER BASIN

PURPOSE OR USE: IRRIGATION, TO MAKE UP A DEFICIENCY IN RATE FOR PERMIT G-11434, OF 158.0 ACRES

MAXIMUM RATE: A MAXIMUM CUMULATIVE TOTAL OF 1.18 CUBIC FOOT PER SECOND (CFS); FURTHER LIMITED TO 0.75 CFS FROM WELL 1 AND 0.58 CFS FROM WELL 2


PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: DECEMBER 20, 1996

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
6 S	1 W	WM	27	SW NW	WELL 1 - 2013 FEET SOUTH AND 26 FEET EAST FROM NE CORNER, SECTION 28
6 S	1 W	WM	28	NW SE	WELL 2 - 1500 FEET SOUTH AND 70 FEET WEST FROM NW CORNER, SEC 44

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE EIGHTH of one cubic foot per second (or its equivalent) and 2.5 acre-feet for each acre irrigated during the irrigation season of each year.



**NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW**

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484 and ORS 536.075. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 183.484, ORS 536.075 and OAR 137-004-0080, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate within three months after issuance of the certificate.

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q	DLC	Acres
6 S	1 W	WM	27	SW NW	44	12.5
6 S	1 W	WM	27	NW SW	44	27.8
6 S	1 W	WM	27	SW SW	44	26.3
6 S	1 W	WM	28	SW NE	44	0.2
6 S	1 W	WM	28	SE NE	44	1.2
6 S	1 W	WM	28	NE SE	44	31.0
6 S	1 W	WM	28	NW SE	43	6.9
6 S	1 W	WM	28	NW SE	44	3.2
6 S	1 W	WM	28	SW SE	43	16.8
6 S	1 W	WM	28	SW SE	44	2.4
6 S	1 W	WM	28	SE SE	44	29.7

RECEIVED

AUG 01 2022

OWRD

The quantity of water diverted at the new point of appropriation (Well 1) shall not exceed the quantity of water lawfully available at the original point of appropriation (Old Well 1).

Water shall be acquired from the same aquifer as the original point of appropriation.

Measurement, recording and reporting conditions:

- A. The water user shall maintain the meter or other suitable measuring device approved by the Director in good working order, shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the water user to report general water-use information, including the place and nature of use of water under the right.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this right, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

- (1) Use of water from the well, as allowed herein, shall be controlled or shut off if the well displays:
  - (a) An average water level decline of three or more feet per year for five consecutive years; or
  - (b) A total water level decline of fifteen or more feet; or
  - (c) A hydraulic interference decline of fifteen or more feet in any neighboring well providing water for senior exempt uses or wells covered by prior rights.
- (2) The water user shall install a meter or other measuring device suitable to the Director, and shall submit an annual report of water used to the Department by December 1 of each year.
- (3) The water user shall be responsible for complying with each of the following requirements for measuring water levels in the well.
  - (a) Use of water from a new well shall not begin until an initial static water level in the well has been measured and submitted to the Department.
  - (b) In addition to the measurement required in subsection (a) of this section, a water level measurement shall be made each year during the period March 1 through March 31.

- (c) All water level measurements shall be made by a qualified individual. Qualified individuals are certified water rights examiners, registered geologists, registered professional engineers, licensed land surveyors, licensed water well constructor, licensed pump installer, or the water user.
- (d) Any qualified individual measuring a well shall use standard methods of procedure and equipment designed for the purpose of well measurement. The equipment used shall be well suited to the conditions of construction at the well. A list of standard methods of procedure and suitable equipment shall be available from the Department.
- (e) The water user shall submit a record of the measurement to the Department on a form available from the Department. The record of measurement shall include both measurements and calculations, shall include a certification as to their accuracy signed by the individual making the measurements, and shall be submitted to the Department within 90 days from the date of measurement. The Department shall determine when any of the declines cited in section (1) are evidenced by the well measurement required in section (3).

Ground water for use under this right shall be produced from the basalt aquifer between approximately 350 and 700 feet below land surface. Neither well may be perforated above the basalt aquifer.

The wells shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine the water level elevation in the well at all times.

The Director may require water level or pump test results every ten years.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.


The use of water shall be limited when it interferes with any prior surface or ground water rights.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

AUG 3 2018

Issued \_\_\_\_\_

*Dwight French*  
 Dwight French  
 Water Right Services Division Administrator, for  
 Thomas M. Byler, Director  
 Oregon Water Resources Department



**RECEIVED**  
**AUG 01 2022**  
**OWRD**

# Land Use Information Form

**RECEIVED**

**AUG 01 2022**

**OWRD**

Applicant(s): Craig and Juanita Schurter

Mailing Address: 6540 Torvend Rd NE

City: Silverton

State: OR

Zip Code: 97381

Daytime Phone: (503) 932-9021

## A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
<u>6S</u>	<u>1W</u>	<u>27</u>	_____	<u>1300</u>	<u>EFU</u>	<input checked="" type="checkbox"/> Diverted	<input checked="" type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	<u>IR</u>
_____	_____	_____	_____	_____	_____	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	_____
_____	_____	_____	_____	_____	_____	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	_____
_____	_____	_____	_____	_____	_____	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	_____

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Marion County

## B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- Permit to Use or Store Water   
  Water Right Transfer   
  Permit Amendment or Ground Water Registration Modification  
 Limited Water Use License   
  Allocation of Conserved Water   
  Exchange of Water

Source of water:  Reservoir/Pond   
 Ground Water   
 Surface Water (name) \_\_\_\_\_

Estimated quantity of water needed: 151   
 cubic feet per second   
 gallons per minute   
 acre-feet

Intended use of water:  Irrigation   
 Commercial   
 Industrial   
 Domestic for \_\_\_\_\_ household(s)  
 Municipal   
 Quasi-Municipal   
 Instream   
 Other \_\_\_\_\_

Briefly describe:

This Land Use Information Form is to accompany a water right transfer application that proposes to change the point of appropriation (well) for two existing water rights (Certificates 88739 and 93894).



**Note to applicant:** If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

# For Local Government Use Only

OWRD

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

**Please check the appropriate box below and provide the requested information**

- Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): EFU zone farm use, see MCC 17.136.020 & 17.110.223
- Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: Daniel Jansen Title: Assistant Planner

Signature:  Phone: (503) 588 5038 Date: 7/27/2022

Government Entity: Marion County

**Note to local government representative:** Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.



**Receipt for Request for Land Use Information**

Applicant name: \_\_\_\_\_

City or County: \_\_\_\_\_ Staff contact: \_\_\_\_\_

Signature: \_\_\_\_\_ Phone: \_\_\_\_\_ Date: \_\_\_\_\_

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy  
of this report are to be  
filed with the

**NC RECEIVED**  
WATER WELL REPORT  
STATE OF OREGON JUN 3 1974  
STATE ENGINEER  
SALEM, OREGON

State Well No. 651W-28 ad  
STATE ENGINEER  
SALEM, OREGON  
State Permit No. **G 6877**  
**RECEIVED**

*3467*  
*MARY...*

STATE ENGINEER, SALEM, OREGON 97310  
within 30 days from the date  
of well completion.

(1) OWNER:  
Name Robert Roth  
Address Rt 2, Silverton, Oreg

(2) TYPE OF WORK (check):  
New Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:  
Rotary  Driven   
Cable  Jetted   
Dug  Bored

(4) PROPOSED USE (check):  
Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

CASING INSTALLED:  
Threaded  Welded   
" Diam. from 0 ft. to 318 ft. Gage 250  
" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_  
" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_

PERFORATIONS:  
Type of perforator used Mills kni fe Perforated?  Yes  No.  
Size of perforations 3/8 in. by 4 in.  
850 perforations from 50 ft. to 110 ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(7) SCREENS:  
Well screen installed?  Yes  No  
Manufacturer's Name \_\_\_\_\_  
Type \_\_\_\_\_ Model No. \_\_\_\_\_  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(8) WELL TESTS:  
Drawdown is amount water level is lowered below static level  
Was a pump test made?  Yes  No If yes, by whom? Driller  
Yield: 350 gal./min. with 165 ft. drawdown after 3 1/2 hrs.  
" " " " " " " " " " " " " " " " "  
" " " " " " " " " " " " " " " " "  
" " " " " " " " " " " " " " " " "  
Baller test \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ g.p.m. \_\_\_\_\_ H.  
Temperature of water \_\_\_\_\_ Depth artesian flow encountered \_\_\_\_\_ ft.

(9) CONSTRUCTION:  
Well seal—Material used Cement  
Well sealed from land surface to 20 ft.  
Diameter of well bore to bottom of seal 13 in.  
Diameter of well bore below seal 10 in.  
Number of sacks of cement used in well seal 10 sacks  
Number of sacks of bentonite used in well seal \_\_\_\_\_ sacks  
Brand name of bentonite \_\_\_\_\_  
Number of pounds of bentonite per 100 gallons of water \_\_\_\_\_ lbs./100 gals.  
Was a drive shoe used?  Yes  No Plus \_\_\_\_\_ Size: location \_\_\_\_\_ ft.  
Did all strata contain unusable water?  Yes  No  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_  
Was well gravel packed?  Yes  No Size of gravel: \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(10) LOCATION OF WELL:  
County Marion Driller's well number \_\_\_\_\_  
S.E. 1/4 S.E. 1/4 Section 28 T. 6S. R. 1W.  
Bearing and distance from section or subdivision corner \_\_\_\_\_

(11) WATER LEVEL: Completed well.  
Depth at which water was first found 28 ft.  
Static level 35 ft. below land surface. Date 2/2/74  
Artesian pressure \_\_\_\_\_ lbs. per square inch. Date \_\_\_\_\_

(12) WELL LOG: Diameter of well below casing 8"  
Depth drilled 446 ft. Depth of completed well 446 ft.  
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top soil brn.	0	1	
Clay brn.	1	12	
Clay grey	12	28	
Clay & cbbles grey	28	32	
Clay grey	32	38	
Med Conglomerate grey W.B.	38	112	
Clay sandy blue	112	130	
Clay blue	130	147	
Clay sandy brn.	147	168	
Clay sandy grey & wood	168	172	
Clay sticky blue	172	184	
Clay blue & few gravels	184	205	
Clay brn & few gravels	205	222	
Clay grey	222	262	
Clay brn.	262	300	
claystone grey	300	304	
claystone brn	304	312	
rock brn.	312	318	
Basalt & streaks of claystone	318	360	
Basalt & streaks of claystone	360	390	

Work started 9/26/73 completed 2/2/74  
Date well drilling machine moved off of well 2/6/74

H. BASALT - 390 - 446

Drilling Machine Operator's Certification:  
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.  
[Signed] Ben Taylorman Jr. Date 2/8/74, 19\_\_\_\_  
(Drilling Machine Operator) License No. 322

Water Well Contractor's Certification:  
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  
Name R. Stadeli & Sons Inc.  
(Person, firm or corporation) (Type or print)  
Address Silverton, Oreg  
[Signed] Paul R. Stadeli  
(Water Well Contractor)  
Contractor's License No. 296 Date 2/8/74, 19\_\_\_\_

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,  
SALEM, OREGON 97310  
within 30 days from the date of well completion.

**RECEIVED**

DEC 26 1978

STATE OF OREGON  
(Please type or print)  
WATER RESOURCES DEPT.  
SALEM, OREGON

MARI. 3466  
5-0-817

State Well No. 605/1W-2766  
State Permit No. \_\_\_\_\_

28 ad  
7/86

**(1) OWNER:**

Name Robert Roth  
Address 12513 Hobart Road NE  
Silverton, Oregon 97381

**(2) TYPE OF WORK (check):**

New Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 12.

**(3) TYPE OF WELL:**

Rotary  Driven   
Cable  Jetted   
Dug  Bored

**(4) PROPOSED USE (check):**

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

**CASING INSTALLED:**

ORIGINAL  
Threaded  Welded

\_\_\_\_\_ " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_  
\_\_\_\_\_ " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_  
\_\_\_\_\_ " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_

**PERFORATIONS:**

Perforated?  Yes  No.

Type of perforator used \_\_\_\_\_  
Size of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**(7) SCREENS:**

Well screen installed?  Yes  No

Manufacturer's Name \_\_\_\_\_  
Type \_\_\_\_\_ Model No. \_\_\_\_\_  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**(8) WELL TESTS:**

Drawdown is amount water level is lowered below static level

Was a pump test made?  Yes  No If yes, by whom?  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
" " " "  
" " " "  
**AIR**  
Pump test app. 600 gal./min. with 280 ft. drawdown after 4 hrs.  
Artesian flow \_\_\_\_\_ g.p.m.  
Temperature of water \_\_\_\_\_ Depth artesian flow encountered \_\_\_\_\_ ft.

**(9) CONSTRUCTION:**

ORIGINAL

Well seal—Material used \_\_\_\_\_  
Well sealed from land surface to \_\_\_\_\_ ft.  
Diameter of well bore to bottom of seal \_\_\_\_\_ in.  
Diameter of well bore below seal \_\_\_\_\_ in.  
Number of sacks of cement used in well seal \_\_\_\_\_ sacks  
How was cement grout placed? \_\_\_\_\_  
\_\_\_\_\_   
\_\_\_\_\_   
Was a drive shoe used?  Yes  No Plugs \_\_\_\_\_ Size: location \_\_\_\_\_ ft.  
Did any strata contain unusable water?  Yes  No  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_  
Was well gravel packed?  Yes  No Size of gravel: \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**(10) LOCATION OF WELL:**

County Marion Driller's well number \_\_\_\_\_  
NW ¼ NW ¼ Section 27 T. 6S R. 1W W.M.  
Bearing and distance from section or subdivision corner \_\_\_\_\_

**(11) WATER LEVEL: Completed well.**

Depth at which water was first found 481 ft.  
Static level 35 ft. below land surface. Date 10/6/78  
Artesian pressure \_\_\_\_\_ lbs. per square inch. Date \_\_\_\_\_

**(12) WELL LOG:**

Diameter of well below casing \_\_\_\_\_ ORIGINAL

Depth drilled 614 ft. Depth of completed well 614 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Basalt Hard Grey	450	463	
Basalt Grey, Grey	463	481	
Basalt Porous Black	481	502	W.B.
Basalt Hard Grey	502	584	
Basalt Grey & Ssavy	584	602	W.B.
Basalt Hard Grey	602	614	

**RECEIVED**  
**AUG 01 2022**  
**OWRD**

Work started 10/5 1978 Completed 10/6 1978  
Date well drilling machine moved off of well 10/6 1978

**Drilling Machine Operator's Certification:**  
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.  
[Signed] Steven N. Stahl Date 10/26, 1978.  
(Drilling Machine Operator)

Drilling Machine Operator's License No. 860

**Water Well Contractor's Certification:**

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  
Name West Coast Drilling Co., Inc. (Type or print)  
(Person, firm or corporation)  
Address 220 Academy St., Mt. Angel, OR 97362  
[Signed] Charles E. Stahl  
(Water Well Contractor)

Contractor's License No. 519 Date 10/26, 1978.

(USE ADDITIONAL SHEETS IF NECESSARY)

RECEIVED

AUG 01 2022

OWRD

1-9-79

R. Roth's log 65/110-27bb

Roth told me he had his  
well deepened to 600+ feet  
recently

We surveyed in 1977 & found a  
well 25' west of sec line  
& in NE<sup>4</sup>NE<sup>4</sup> Sec 28. I suspect  
it is same well

Tom S



MARI 63096

RECEIVED

AUG 01 2022

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765)

R. Stadell & Sons
Well & Pump Inc.
4385 Stadell Lane NE
Silverton, OR 97381

WELL I.D. # L 101907

START CARD # 201579

OWRD

Instructions for completing this report are on the last page of this form.

(1) LAND OWNER
Name Roth Farms
Address 12433 Hobart Rd NE
City Silverton State OR Zip 97381

(2) TYPE OF WORK
New Well
Deepening Alteration (repair/recondition) Abandonment Conversion

(3) DRILL METHOD
Rotary Air Rotary Mud Cable Auger Cable Mud
Other Pump Truck

(4) PROPOSED USE
Domestic Community Industrial Irrigation
Thermal Injection Livestock Other Abandon

(5) BORE HOLE CONSTRUCTION
Special Construction: Yes No
Depth of Completed Well 310 ft.
Explosives used: Yes No Type Amount

Table with columns: BORE HOLE (Diameter, From, To, Material), SEAL (From, To, Sacks or Pounds). Row 1: 10", 0, 318, Cement, 310, 614, 80 sacks.

How was seal placed: Method A B C D E
Other
Backfill placed from ft. to ft. Material
Gravel placed from ft. to ft. Size of gravel

(6) CASING/LINER
Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Casing: 10, +1, 318, 250, Steel checked, Plastic checked, Welded checked, Threaded checked.

Drive Shoe used Inside Outside None
Final location of shoe(s) See MARI 3467

(7) PERFORATIONS/SCREENS
Table with columns: From, To, Slot Size, Number, Diameter, Tele/pipe size, Casing, Liner. Method NONE.

(8) WELL TESTS: Minimum testing time is 1 hour
Pump Bailor Air Flowing Artesian
Yield gal/min Drawdown Drill stem at Time
No testing done
Abandonment Only

Temperature of water N/A Depth Artesian Flow Found
Was a water analysis done? Yes By whom
Did any strata contain water not suitable for intended use? Too little
Salty Muddy Odor Colored Other
Depth of strata:

(9) LOCATION OF WELL (legal description)
County Marion
Tax Lot 1206 Lot
Township 6 S Range 1 W WM
Section 28 SE 1/4 NE 1/4
Lat ' or (degrees or decimal)
Long ' or (degrees or decimal)
Street Address of Well (or nearest address) Next to 12442 Hobart Rd.
Silverton, OR 97381

(10) STATIC WATER LEVEL
31' 7" ft. below land surface. Date 05/13/10
ft. below land surface. Date
Artesian pressure lb. per square inch Date

(11) WATER BEARING ZONES
Table with columns: From, To, Estimated Flow Rate, SWL. Row 1: See MARI 3467 & MARI 3466.

(12) WELL LOG
Ground Elevation
Material From To SWL
Install 1 1/4" grout pipe to 614' and tremie grout from 614' to 310'. 80 bags.
Abandon basalt portion of well.
This was a commingling well and was a requirement of the water right permit to repair. The upper portion of this well will remain in use for exempt purposes. A new basalt well was drilled next to this well for the permitted use.

RECEIVED
JUN 21 2010
WATER RESOURCES DEPT
SALEM, OREGON

Date Started 05/13/10 Completed 05/13/10

(unbonded) Water Well Constructor Certification
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number 1358 Date 05/13/10

Signed [Signature]

(bonded) Water Well Constructor Certification
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 989 Date 06/11/10

Signed [Signature]

RECEIVED

AUG 01 2022

MARI 63097  
R. Stadel & Sons  
Well & Pump Inc.  
4385 Stadel Lane NE  
Silverton, OR 97381

STATE OF OREGON  
WATER SUPPLY WELL REPORT  
(as required by ORS 537.765)

WELL I.D. # L 99923

START CARD # 201580

OWRD

Instructions for completing this report are on the last page of this form.

(1) LAND OWNER  
Name Roth Farms Well Number \_\_\_\_\_  
Address 12433 Hobart Rd NE  
City Silverton State OR Zip 97381

(2) TYPE OF WORK  New Well  
 Deepening  Alteration (repair/recondition)  Abandonment  Conversion

(3) DRILL METHOD  
 Rotary Air  Rotary Mud  Cable  Auger  Cable Mud  
 Other \_\_\_\_\_

(4) PROPOSED USE  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Livestock  Other \_\_\_\_\_

(5) BORE HOLE CONSTRUCTION Special Construction:  Yes  No  
Depth of Completed Well 615 ft.  
Explosives used:  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

BORE HOLE			SEAL			
Diameter	From	To	Material	From	To	Sacks or Pounds
14"	0	315	Bentonite	0	7	4 sacks
			Cement	7	315	102 sacks
8"	315	615				

How was seal placed: Method  A  B  C  D  E  
 Other Bentonite Poured & Probed

Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) CASING/LINER

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 10"	+1.5	315	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner: None				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Drive Shoe used  Inside  Outside  None  
Final location of shoe(s) \_\_\_\_\_

(7) PERFORATIONS/SCREENS  
 Perforations Method \_\_\_\_\_  
 Screens Type \_\_\_\_\_ Material \_\_\_\_\_

From	To	Slot Size	Number	Diameter	Tele/pipe size	Casing	Liner
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour  
 Pump  Bailor  Air  Flowing Artesian  
Yield gal/min 500 Drawdown N/A Drill stem at 315' Time 1 hr

Temperature of water 60 Depth Artesian Flow \_\_\_\_\_  
Was a water analysis done?  Yes By whom \_\_\_\_\_  
Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other \_\_\_\_\_  
Depth of strata: \_\_\_\_\_

(9) LOCATION OF WELL (legal description)  
County Marion  
Tax Lot 1200 Lot \_\_\_\_\_  
Township 8 S Range 1 W WM  
Section 28 SE 1/4 NE 1/4

Lat \_\_\_\_\_ or \_\_\_\_\_ (degrees or decimal)  
Long \_\_\_\_\_ or \_\_\_\_\_ (degrees or decimal)

Street Address of Well (or nearest address) S. of 12442 Hobart Rd.  
Silverton, OR 97381

(10) STATIC WATER LEVEL  
91' 8" ft. below land surface. Date 6/2/10  
\_\_\_\_\_ ft. below land surface. Date \_\_\_\_\_  
Artesian pressure \_\_\_\_\_ lb. per square inch Date \_\_\_\_\_

(11) WATER BEARING ZONES  
Depth at which water was first found 27'

From	To	Estimated Flow Rate	SWL
27	112	DNM	DNM
375	615	500 gpm	91' 8"

(12) WELL LOG Ground Elevation \_\_\_\_\_

Soil	Material	From	To	SWL
Clay Brown Medium		1	18	
Clay Blue Silty		18	27	
Gravel		27	39	
Gravel With Grey Clay		39	50	
Gravel With Brown Clay		50	95	
Sand With Wood		95	112	
Clay Blue		112	120	
Gravel With Clay		120	126	
Clay Grey		126	135	
Clay Blue Sticky		135	179	
Clay Blue-Green Mad Gritty		179	220	
Clay Grey Brown & Green		220	241	
Clay Brown		241	280	
Clay Blue Gritty		280	295	
Weathered Rock Soft Brown		295	305	

Date Started 05/14/10 Completed 06/02/10

(unbonded) Water Well Constructor Certification  
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number 1356 Date 06/03/10  
Signed Dan B. Stadel

(bonded) Water Well Constructor Certification  
I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.


WWC Number 638 Date 06/14/10  
Signed Stevan N. Stadel

RECEIVED

JUN 21 2010

WATER RESOURCES DEPT  
SALEM, OREGON

**MARI 63097**



4385 Stadel Lane N.E. • Silverton, Oregon 97381  
 Phone: 503.873.5245 • Fax: 503.873.2275  
 Email: rstadeli.sons@verizon.net

WELL ID#	OWNER/BUSINESS NAME	MAILING ADDRESS	CITY/STATE/ZIP
99823	Roth Farms	12433 Hobart Rd. NE	Silverton, OR 97381

WELL ADDRESS	COUNTY	TOWNSHIP	RANGE	SECTION	1/4	1/4	TAX LOT
S. of 12442 Hobart Rd., Silverton	Marion	6S	1W	28	SE	NE	1200

**(12) WELL LOG INFO. CONTINUED FROM PREVIOUS PAGE:**

MATERIAL	FROM	TO	SWL
Basalt Grey Hard	305	350	
Basalt Softer Grey	350	375	
Basalt Fractured w/Grey & White Siltstone	375	392	
Basalt Grey Hard	392	403	
Basalt Grey w/White Visicules	403	410	
Basalt Grey Hard	410	413	
Basalt Grey Fractured	413	416	
Basalt Grey Hard	416	495	
Basalt Grey Semi-Visicular	495	505	
Basalt Grey Hard	505	522	
Basalt Grey Semi-Fractured	522	530	
Basalt Grey Hard	530	564	
Basalt Grey Semi-Fractured	564	570	
Basalt Grey Hard	570	615	

**RECEIVED**  
 AUG 01 2022  
 OWRD

**RECEIVED**  
 JUN 21 2010  
 WATER RESOURCES DEPT  
 SALEM, OREGON

51875

RECEIVED

WELL I.D.# 40563

STATE OF OREGON WATER SUPPLY WELL REPORT

JUN - 9 1997

WATER RESOURCES DEPT.

(START CARD) # 95609

Instructions for completing this report are on the last page of this form.

Page 1 of 2

(1) OWNER:

Name Myrtle Mikkelsen, Address 1698 Pine Street, City Silverton, State OR, Zip 97351

(2) TYPE OF WORK

New Well, Deepening, Alteration, Abandonment

(3) DRILL METHOD:

Rotary Air, Rotary Mud, Cable, Auger, Other

(4) PROPOSED USE:

Domestic, Community, Industrial, Irrigation, Thermal, Injection, Livestock, Other

(5) BORE HOLE CONSTRUCTION:

Special Construction approval, Explosives used, Type, Amount

Table with columns: Diameter, From, To, Material, Sacks or pounds

How was seal placed: Method A, B, C, D, E

Backfill placed from, Gravel placed from

(6) CASING/LINER:

Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded

Final location of shoe(s) 892

(7) PERFORATIONS/SCREENS:

Table with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner

(8) WELL TESTS: Minimum testing time is 1 hour

Table with columns: Pump, Bailer, Air, Flowing Artesian, Yield, Drawdown, Drill stem at, Time

Temperature of water, Depth Artesian Flow Found, Was a water analysis done, Did any strata contain water not suitable for intended use

(9) LOCATION OF WELL by legal description:

County Marion, Township 65 N or S Range 14 E or W. WM, Section 28 SW 1/4 SE 1/4

(10) STATIC WATER LEVEL:

52 ft. below land surface, Date 5/27/97

(11) WATER BEARING ZONES:

Depth at which water was first found 23

Table with columns: From, To, Estimated Flow Rate, SWL

(12) WELL LOG:

Ground Elevation

Table with columns: Material, From, To, SWL

Date started, Completed

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

Signed, WWC Number 1672, Date 6/5/97

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above.

Signed, WWC Number 1523, Date 6/5/97

marion  
51875

RECEIVED

WELL I.D.# L10563

STATE OF OREGON  
WATER SUPPLY WELL REPORT  
(as required by ORS 537.765)

JUN - 9 1997

WATER RESOURCES DEPT.  
GALLEN, OREGON

Page 2 of 2

(START CARD) # 95669

Instructions for completing this report are on the last page of the report

(1) OWNER: Well Number \_\_\_\_\_  
Name Myrtle Mikkelsen  
Address 1698 Pine Street  
City Silverton State OR Zip 97381

(2) TYPE OF WORK  
 New Well  Deepening  Alteration (repair/recondition)  Abandonment

(3) DRILL METHOD:  
 Rotary Air  Rotary Mud  Cable  Auger  
 Other

(4) PROPOSED USE:  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Livestock  Other

(5) BORE HOLE CONSTRUCTION:  
Special Construction approval  Yes  No Depth of Completed Well \_\_\_\_\_ ft.  
Explosives used  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

HOLE			SEAL			
Diameter	From	To	Material	From	To	Sacks or pounds

How was seal placed: Method  A  B  C  D  E  
 Other

Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Liner:				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) \_\_\_\_\_

(7) PERFORATIONS/SCREENS:

From	To	Slot size	Number	Diameter	Material	Tele/pipe size	Casing	Liner
							<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

<input type="checkbox"/> Pump	<input type="checkbox"/> Bailer	<input type="checkbox"/> Air	<input type="checkbox"/> Flowing Artesian
Yield gal/min	Drawdown	Drill stem at	Time
			1 hr.

Temperature of water \_\_\_\_\_ Depth Artesian Flow Found \_\_\_\_\_  
Was a water analysis done?  Yes By whom \_\_\_\_\_  
Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other \_\_\_\_\_  
Depth of strata: \_\_\_\_\_

(9) LOCATION OF WELL by legal description:  
County Marion Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
Township 6S N or S Range 1W E or W. WM.  
Section 26 SW 1/4 SE 1/4  
Tax Lot \_\_\_\_\_ Lot \_\_\_\_\_ Block \_\_\_\_\_ Subdivision \_\_\_\_\_  
Street Address of Well (or nearest address) same as

(10) STATIC WATER LEVEL:  
\_\_\_\_\_ ft. below land surface. Date \_\_\_\_\_  
Artesian pressure \_\_\_\_\_ lb. per square inch. Date \_\_\_\_\_

(11) WATER BEARING ZONES:

Depth at which water was first found \_\_\_\_\_

From	To	Estimated Flow Rate	SWL

(12) WELL LOG:  
Ground Elevation \_\_\_\_\_

Material	From	To	SWL
<u>Basalt gray frac</u>	<u>370</u>	<u>397</u>	<u>WB</u>
<u>Claystone hard</u>	<u>397</u>	<u>401</u>	
<u>Basalt med porous</u>	<u>401</u>		
<u>gray</u>		<u>493</u>	<u>WB</u>
<u>Sand packed black</u>	<u>493</u>	<u>498</u>	<u>WB</u>

RECEIVED

AUG 01 2022

OWRD

Date started 5/20/97 Completed 5/27/97  
(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number 1672  
Signed Jeff 1795 Date 6/5/97

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 1523  
Signed [Signature] Date 6/5/97