

Mckinley Cent. 27792
 POD-1 edits

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 27792

Received by OWRD

Description of Water Delivery System

System capacity: 0.14 cubic feet per second (cfs) OR
 _____ gallons per minute (gpm)

SUPERSEDING

FEB 15 2023

Salem, OR

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. The current delivery system delivers water to a ditch, then conveys the waters of Laycock Creek to the place of use for flood irrigation.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼	¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
POD - 1	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed								Not described in original certificate
POD - 1, Actual	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed		13 S	31 E	31	SW	NW	4300	57' N and 141' E from the East 1/4 Corner of Section 36
POD - 2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed		13 S	31 E	31	SW	NW	4300	183' N and 110' E from the East 1/4 Corner of Section 36
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed								
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed								

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- Place of Use (POU)
- Character of Use (USE)
- Point of Diversion (POD)
- Additional Point of Diversion (APOD)
- Surface Water POD to Ground Water POA (SW/GW)
- Supplemental Use to Primary Use (S to P)
- Point of Appropriation/Well (POA)
- Additional Point of Appropriation (APOA)
- Substitution (SUB)
- Government Action POD (GOV)

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 52029

Received by OWRD

Description of Water Delivery System

System capacity: .0925 cubic feet per second (cfs) OR _____ gallons per minute (gpm)

SUPERSEDING

FEB 15 2023

Salem, OR

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. The POD current delivery system delivers water to a ditch, then conveys the waters of Laycock Creek to the place of use for flood irrigation. The two APOD current delivery system is a 2 HP pump that will be rotated between the two POD as water levels drop to deliver the waters of Laycock Creek to the place of use via suction hose to 2 sprinklers.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼	¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
POD - 1	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed								Not described in original certificate
POD - 1, Actual	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed		13 S	31 E	31	SW	NW	4300	57' N and 141' E from the East 1/4 Corner of Section 36
POD - 2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed		13 S	31 E	31	SW	NW	4300	183' N and 110' E from the East 1/4 Corner of Section 36
A-POD - 1	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed		13 S	30 E	36	NE	NE	1500	229' S and 211' W of the NE Corner of Section 36
A-POD - 2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed		13 S	30 E	25	SE	SE	1500	540' N and 414' W of the NE Corner of Section 36

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input type="checkbox"/> Point of Appropriation/Well (POA) |
| <input checked="" type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input checked="" type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 52029

Received by OWRD

Description of Water Delivery System

System capacity: .1475 cubic feet per second (cfs) OR

FEB 15 2023

_____ gallons per minute (gpm) **SUPERSEDING**

Salem, OR

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. The POD current delivery system delivers water to a ditch, then conveys the waters of Laycock Creek to the place of use for flood irrigation. The APOD current delivery system is 1.5 HP pump that delivers the waters of Laycock Creek to the place of use via suction hose to 7 sprinklers.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼	¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
POD - 1	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed								Not described in original certificate
POD - 1, Actual	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed		13 S	31 E	31	SW	NW	4300	57' N and 141' E from the East 1/4 Corner of Section 36
POD - 2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed		13 S	31 E	31	SW	NW	4300	183' N and 110' E from the East 1/4 Corner of Section 36
A-POD - 3	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed		13 S	30 E	25	SE	SE	1400	1025' N and 563' W of the NE Corner of Section 36
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed								

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input type="checkbox"/> Point of Appropriation/Well (POA) |
| <input checked="" type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input checked="" type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.

Wright Cent 52029
POD - 1 edits

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 52029

Received by OWRD

Description of Water Delivery System

System capacity: .055 cubic feet per second (cfs) OR
_____ gallons per minute (gpm)

FEB 15 2023

SUPERSEDING

Salem, OR

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. The APOD current delivery system is a 2 HP pump that delivers the waters of Laycock Creek to the place of use via suction hose to 2 sprinklers.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼	¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
POD - 1	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed								Not described in original certificate
POD - 1, Actual	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed		13 S	31 E	31	SW	NW	4300	57' N and 141' E from the East 1/4 Corner of Section 36
POD - 2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed		13 S	31 E	31	SW	NW	4300	183' N and 110' E from the East 1/4 Corner of Section 36
A-POD - 4	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed		13 S	30 E	25	SE	SE	1100	1235' N and 668' W of the NE Corner of Section 36
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed								

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input type="checkbox"/> Point of Appropriation/Well (POA) |
| <input checked="" type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input checked="" type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

Waddell cert 52029
POD - 1 edits

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 52029

Received by OWRD

Description of Water Delivery System

System capacity: .125 cubic feet per second (cfs) OR
_____ gallons per minute (gpm)

FEB 15 2023

SUPERSEDING

Salem, OR

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. The POD current delivery system delivers water to a ditch, then conveys the waters of Laycock Creek to the place of use for flood irrigation. The APOD current delivery system is 3 HP pump that delivers the waters of Laycock Creek to the place of use via suction hose to 2 sprinklers.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼	¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
POD - 1	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed								Not described in original certificate
POD - 1, Actual	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed		13 S	31 E	31	SW	NW	4300	57' N and 141' E from the East 1/4 Corner of Section 36
POD - 2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed		13 S	31 E	31	SW	NW	4300	183' N and 110' E from the East 1/4 Corner of Section 36
A-POD - 5	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed		13 S	30 E	25	NE	SE	1000	942' S and 764' W from the East 1/4 Corner of Section 25
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed								

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input type="checkbox"/> Point of Appropriation/Well (POA) |
| <input checked="" type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input checked="" type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.

Warner cert. 52029
POD - 1 edits

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 52029

Received by OWRD

Description of Water Delivery System

System capacity: .120 cubic feet per second (cfs) OR

FEB 15 2023

_____ gallons per minute (gpm)

SUPERSEDING

Salem, OR

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. The POD current delivery system delivers water to a ditch, then conveys the waters of Laycock Creek to the place of use for flood irrigation. The APOD current delivery system is a 2 HP pump that delivers the waters of Laycock Creek to the place of use via suction hose to 2 sprinklers.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or Is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼	¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
POD - 1	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed								Not described in original certificate
POD - 1, Actual	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed		13 S	31 E	31	SW	NW	4300	57' N and 141' E from the East 1/4 Corner of Section 36
POD - 2	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed		13 S	31 E	31	SW	NW	4300	183' N and 110' E from the East 1/4 Corner of Section 36
A-POD - 6	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed		13 S	30 E	25	NE	SE	900	588' S and 811' W from the East 1/4 Corner of Section 25
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed								

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input type="checkbox"/> Point of Appropriation/Well (POA) |
| <input checked="" type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input checked="" type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.