Temporary - DROUGHT

Address 30083 Pickett Rd Malin, OR 97632 ru281 C aol. com	DESCRIPTION Name of Stream A	OF WATER RIGHT(s)			Date <u>5-10-2021</u>	FEES PAID Amount #250. ac	Receipt # 135215
Change in POV POA Date Filed 5 · 10 · 202 \ Initial notice date 10 · 1 · 202 \ DPD issued date PD issued date PD notice date Date of FO 10 · 24 · 202 \ C-Date COBU due date COBU Received date COBU Received date POA	Quantity of water (CFS) Name of ditch App#	Per #	No. of AcresNo. of AcresNo. of Acres	PR Date 3 10 190 PR Date PR Date PR Date PR Date PR Date PR Date	Date	FEES REFUI	NDED Receipt #
Assignments:							
Agent							
C's list							



Water Resources Department

725 Summer St NE, Suite A Salem, OR 97301 (503) 986-0900 Fax (503) 986-0904

June 24, 2021

ROBERT UNRUH 30083 PICKETT RD MALIN, OR 97632

REFERENCE: Temporary Drought Transfer Application T-13722

Enclosed is a copy of the final order approving your TEMPORARY DROUGHT water right transfer application.

The temporary change shall be effective upon issuance of this final order. Please note, the use shall revert back to the original authorized place of use at the end of the 2021 irrigation season or the end of the Governor's declared drought, whichever occurs first.

If you have any questions related to the approval of this transfer, you may contact your caseworker, Scott Grew, by telephone at (503) 986-0890 or by e-mail at Scott.A.Grew@oregon.gov.

Sincerely,

Stacy H. Phillips

Restoration Program Technician Transfers and Conservation Section

cc: Danette M. Watson, Watermaster Dist. #17 (via email)

Enclosure

BEFORE THE WATER RESOURCES DEPARTMENT OF THE STATE OF OREGON

In the Matter of Transfer Application)	FINAL ORDER APPROVING AN
T-13722, Klamath County)	EMERGENCY USE DROUGHT
)	TEMPORARY CHANGE IN PLACE OF
)	USE AND CHANGE IN POINT OF
)	APPROPRIATION

Authority

Oregon Revised Statute (ORS) 536.750 establishes the process in which a water right holder may submit a request to temporarily transfer the use, place of use or point of diversion of water in the event of a declaration of drought, without complying with the notice and waiting requirements under ORS 540.520. Oregon Administrative Rule (OAR) Chapter 690, Division 019 implements the statutes and provides the Department's procedures and criteria for evaluating drought transfer applications.

Applicant

ROBERT UNRUH 30083 PICKETT RD MALIN, OR 97632

Findings of Fact

- On May 10, 2021, ROBERT UNRUH filed an application to temporarily change the place
 of use and change the point of appropriation under Certificate 74458 for the remainder of the
 2021 irrigation season or the term of the Governor's declared drought, whichever is shorter.
 The Department assigned the application number T-13722.
- Notice of the application for transfer was published on June 1, 2021, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- 3. The right to be temporarily transferred is as follows:

Certificate: 74458 in the name of DONALD A. RAJNUS (perfected under Permit

G-11664)

Use: IRRIGATION of 133.07 ACRES

Priority Date: MARCH 6, 1992

Rate: 1.66 CUBIC FEET PER SECOND

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Limit/Duty: The amount of water used for irrigation, together with the amount secured

under any other right existing for the same lands, is limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation

season of each year.

Source: A WELL in the LOST RIVER BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
40 S	11 E	WM	25	SE NE	2086 FEET SOUTH AND 134 FEET WEST FROM THE NE CORNER OF SECTION 25

Authorized Place of Use:

		IRRI	GATIO	N	
Twp	Rng	Mer	Sec	Q-Q	Acres
40 S	11 E	WM	24	NE SW	12.29
40 S	11 E	WM	24	NWSW	7.19
40 S	11 E	WM	24	SWSW	0.48
40 S	11 E	WM	24	SE SW	33.61
40 S	11 E	WM	24	SW SE	7.50
40 S	11 E	WM	25	NW NE	26.24
40 S	11 E	WM	25	SW NE	4.53
40 S	11 E	WM	25	NE NW	23.41
40 S	11 E	WM	25	SE NW	0.69
40 S	11 E	WM	25	SE SE	0.87
40 S	11 E	WM	36	NE NE	16.26
				Total	133.07

 Temporary Transfer Application T-13722 proposes to temporarily change the place of use of the right to:

			IRR	IGATION		
Twp	Rng	Mer	Sec	Q-Q	Acres	Point of Appropriation
41 S	12 E	WM	15	SE SW	39.00	2
41 S	12 E	WM	21	SW NE	30.00	2
41 S	12 E	WM	21	NW SE	6.30	2
41 S	12 E	WM	33	NE SW	40.00	3
41 S	12 E	WM	33	NW SW	10.42	4
41 S	12 E	WM	33	SE SW	7.35	3
				Total	133.07	

Temporary Transfer Application T-13722 proposes to move the authorized points of appropriation with approximate distances as described below:

Twp	Rng	Mer	Sec	Q-Q	Survey Coordinates	Distance from Authorized Well in Miles (mi.)
40 S	12 E	WM	28	SW SW	POA 4 – (KLAM 53641) 42.0646, -121.4239	2.1 mi.
40 S	12 E	WM	33	NE NW	POA 3 - (KLAM 14838) 42.0641, -121.4208	2.2 mi
41 S	12 E	WM	22	NW NW	POA 2 – (KLAM 53250) 42.0054, -121.4081	4.8 mi.

Temporary Drought Transfer Review Criteria

- Water has been used within the last five years according to the terms and conditions of the right. There is no evidence available that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing right is present.
- 8. The Governor issued an executive order on March 9, 2021, declaring a state of drought emergency in Klamath County due to drought and extreme weather conditions, which is still in effect and the water right proposed for transfer is on lands included in the area covered by the drought order.
- The proposed changes would not result in enlargement of the rights.
- 10. The proposed changes would not result in injury to other water rights. This finding is made through an abbreviated review recognizing that the transfer may be revoked under OAR 690-019-055(3) if injury to existing water rights is shown and cannot be mitigated to the satisfaction of the Director and injured parties.

Conclusions of Law

The temporary change in place of use and points of appropriation proposed in Temporary Drought Transfer Application T-13722 are consistent with the requirements of ORS 536.750 and OAR 690-019-0055.

Now, therefore, it is ORDERED:

- The temporary change in place of use and points of appropriation proposed in Temporary Drought Transfer Application T-13722 are approved.
- The former places of use shall not be irrigated as part of these water rights during the remainder of the 2021 irrigation season or until the end of the Governor's declared drought, whichever occurs first.

- 3. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation.
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
- The approval of this temporary drought transfer may be revoked or modified if the Department finds the changes cause injury to any existing water right.
- The use of water at the temporary places of use authorized by this transfer shall be in accordance with the terms and conditions of Certificate 74458. The use shall revert to the authorized place of use at the end of the 2021 irrigation season.
- The proposed change in place of use and point appropriation shall revert to the authorized place of use and point of appropriation at the end of the 2021 irrigation season or the end of the Governor's declared drought, whichever occurs first.

Dated in Salem, Oregon on

JUN 2 4 2021

J. Jaramillo, Transfer and Conservation Section Manager, for

THOMAS M BYLER, DIRECTOR Oregon Water Resources Department

Mailing Date:

JUN 2 5 2021

DROUGHT

WATER RIGHT TRANSFER COVER SHEET

Transfer Specialist: \ COH Transfer: T- 13722 Transfer Type: Drought Transfer Applicant: Agent: N/A ROBERT UNRUH UNAVAILABLE Email: 30083 PICKETT RD Phone: MALIN, OR 97632 Email: Phone: Irrigation District: N/A CWRE: N/A Email: Email: Affected Local Gov'ts: N/A Affected Tribal Gov't: N/A UNAVAILABLE Email: Email: Current Landowner if other than Applicant: N/A Receiving Landowner: N/A Email: Email: Water Rights Affected File RR/CR Needed RR/CR Nos. Marked App. File # or Decree Name Permit Certificate G-12810 G-11664 74458 Yes No Yes No No Yes **Key Dates & Initial Actions:** Proposed Action(s): POINT OF APPROPRIATION; PLACE OF USE Rec'd: May 10, 2021 Fees Pd: 250.00 WM District: 17 **ODFW District:** Initial Public Notice: June 1, 2021 WM Review sent: ODFW Review sent: N/A Acknowledgement Letter Sent 🛛 GW Review sent: BOR notified (date): N/A County sent cc: of Ack Letter Newspaper quote requested: Request for news \$ sent: News \$ received:

Document	Drafted	Peer Review	Changes Made	Coordinator	Changes Made	Signature Bin	Signature Date
DPD	Date:	Date:	Date:	Date:	Date:	CW Sent:	N/A
PD	Date: Initials:	Date: Initials:	Initials:	Date: Initials:	Date:	Date:	Date:
FO	Date: 6/4/21 Initials:	Date: (2) 21 Initials: (2)	Date: Initials:	Date: 41/21 Initials: PK	Date: 6/17 21	8/17/21	Date: 124 21

Affidavit of publication received:

Special Issues:

Special Order Volume: Vol. 120 Pages 916 - 919

Request to publish sent:

Last day of publication:

Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department 725 Summer St NE, Sulte A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

Transfer Application: T-13722

Review Due Date: 06/27/2021

Applic	ant Name: Robert Unruh
Propo	sed Changes: POU POD POA USE OTHER
Revie	wer(s): Michelle Angell Date of Review: 06/10/2021
1.	Do you have <u>evidence</u> that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? Yes No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2.	Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? Yes No Generally characterize the frequency of any regulation or explain why regulation has not occurred:
3.	Have headgate notices been issued for the source that serves the transferred right(s)? Yes No Records not available.
4.	In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? Yes No If "Yes", explain:
5.	In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? Yes No If "Yes", describe how the rights would be affected and list the rights most affected:

No If "Yes", explain:

	ns thereof) as those lands involved in this transfer?
Yes	No If "Yes", answer the following:
	Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? Yes No If "Yes", explain:
	ii. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? Yes No If "No", explain:
	iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? Yes No If "No", explain:
	iv. Do you have any other observations regarding the temporary transfer? Yes No If "Yes", describe:
	v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? Yes No If "No", explain:
c. To the	best of your knowledge, if this transfer is approved, does it appear that:
	i. "Injury" will occur to other water rights that share the same source? Yes No If "Yes", explain:
	ii. "Enlargement" of the water right being transferred will occur? Yes No If "Yes", explain:

		be effected without injury to other rights"?
Yes	No If "Yes", explain:	
13. What al	ternatives may be available for	r addressing any issues identified above:
other rig	ghts? No Yes, as ch or POU changes that involve mi	cro-irrigation, provide the monitoring and reporting conditions
ne	ecessary to prevent injury/enla	rgement:
A	Headgate should be required (prior to diverting water.
	leasurement Devices for POD o ections of Page 4)	or POA: (if this condition is selected, also fill in the top
	or, with prior approval of the diversion/appropriation (new	in under this order, the water user shall install a <u>totalizing flow meter</u> *, Director, another suitable measuring device, or at each point of and existing) OR at each new point of diversion/appropriation water rights issued to the Bureau of Reclamation or an irrigation not subject to this condition.
	c. The water user shall allow	tain the meters or measuring devices in good working order. the Watermaster access to the meters or measuring devices; provided measuring devices are located within a private structure, the cess upon reasonable notice.
100000000000000000000000000000000000000	eservoir water use measureme f Page 4)	nt: (if this condition is selected, also fill in the top sections
	or, with prior approval of the	in under this order, the water user shall Install staff gages*, Director, other suitable measuring devices, that measure the entire oty and full in each reservoir. Staff gages shall be United States
	suitable measuring devices me adjustable outlet valve must b order. A written waiver may b	in under this order, if the reservoir is located in channel, weirs or other ust be installed upstream and downstream of the reservoir, and, an be installed. The water user shall maintain such devices in good working the obtained, if in the judgment of the Director, the installation of weirs or ces, or the adjustable outlet valve, will provide no public benefit.
	lowing alternative device(s) sh	nould be substituted for the bold, underlined device in the above
□ w	Veir	Submerged Orifice
P	Parshall Flume	Flow Restrictor
	Other:	

Page 4 of 5

Watermaster Review Form

TACS

Transfer Application

Last revised May 2019

Oregon Water Resources Department

Measurement Condition Information for the Applicant

(To be sent with the Draft Preliminary Determination or Final Order)

Transfer #: T- 13/22
In order to avoid enlargement of the right or injury to other rights, a totalizing flow meter will be required to be installed prior to diversion of water, as a condition of this transfer: at each point of diversion/appropriation (new and existing) OR at each new point of diversion/appropriation.
For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:
Watermaster name: Danette Watson
District: #17
Address: 305 Main St
City/State/Zip: Klamath Falls, OR 97601
Phone: 541-883-4182
Email: Danette.M.Watson@oregon.gov
Note: If a device other than the one specified in the Preliminary Determination or Final Order is approved by the Watermaster, fill out and mail the form below to the Salem office.

Approval of an Alternate Measurement Device T- (to be filled out after consultation with the applicant, or after a site visit)
On behalf of the Director, I authorize use of the following suitable alternate measurement device:
Watermaster signature District Date
If this form is used for approval of an alternative measurement device, it must be mailed to:
Oregon Water Resources Department
725 Summer Street NF, Suite A

TACS

Salem, OR 97301-1266

Groundwater Transfer Review Summary Form


Transfer/PA # T- <u>13722</u>	
GW Reviewer M. Thoma Date Re	view Completed: 06/01/2021
Summary of Same Source Review:	
☐ The proposed change in point of app 2110(2).	propriation is not within the same aquifer as per OAR 690-380-
Summary of Injury Review:	
	another, existing water right not receiving previously available sult in significant interference with a surface water source as per
Summary of GW-SW Transfer Similarity	Review:
☐ The proposed SW-GW transfer does	n't meet the definition of "similarly" as per OAR 690-380-2130.
This is only a summary. Documentation basis for determinations.	is attached and should be read thoroughly to understand the



O R E G	Ore 725 Sale (ENT (50)	egon Water Resor Summer Street N em, Oregon 97301 3) 986-0900 w.wrd.state.or.us		⊠ Water Rig	cy Drought Transfer) nendment
Applicatio	n: T- <u>1372</u>	2		Appl	icant Name: Robert Unruh
Proposed (Changes:	⊠ POA □ USE	□ APOA ⋈ POU	☐ SW→GW ☐ OTHER	□ RA
Reviewer(s): <u>M. Tł</u>	noma		D	ate of Review: <u>06/01/2021</u>
			Date Reviewed	by GW Mgr. and I	Returned to WRSD:
transfer m	ay be appr	oved because			e whether the proposed
affect	ed by the t	ransfer.			
					ion of the well construction r proposed to be developed.
☐ Other					
the po	oint of appr existing w	ropriation und ells (KLAM0	ler Cert. 74458 (053250, KLAM		The state of the s
⊠ Ye	es \square N	o Commen	ts: The authorize		existing authorized POA? OAs are all producing from a.
The state of the s	here more		ce developed ur	nder the right (e.g.,	basalt and alluvium)?
b) If y limita	es, estima tions that	te the portion will need to be	of the right sup e placed on the	plied by each of the proposed change (r	e sources and describe any ate, duty, etc.):
in inte	erference v	vith another g	ground water r	ight?	e, likely result in an increase
Cert.	es \(\sup \) No 74458 up t	o approx. 5 m			ove appropriation under oser to several existing

b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled? Yes No If yes, explain: 5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with another surface water source? No Comments: b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any surface water sources resulting from the proposed change? ☐ Minimal ☐ Significant Stream: Provide context for minimal/significant impact: 6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer? ☐ Yes ☐ No ☒ N/A Comments: 7. What conditions or other changes in the application are necessary to address any potential issues identified above: Any additional comments:


Application Review Map



b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled? Yes ⊠ No If yes, explain: 5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with another surface water source? No No Comments: b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any surface water sources resulting from the proposed change? ☐ Minimal ☐ Significant Stream: Provide context for minimal/significant impact: For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer? ☐ Yes ☐ No ☒ N/A Comments: 7. What conditions or other changes in the application are necessary to address any potential issues identified above:

Application Review Map

Any additional comments:



Part 5 of 5 - Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add rows to tables within the form.

Water Right Certificate # 74458 RECEIVED Description of Water Delivery System System capacity: 1.66 cubic feet per second (cfs) OR MAY .1 0 2021 gallons per minute (gpm) Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.) Is this POD/POA If POA Tax Lot, Authorized on OWRD-Well Measured Distances DLCor the Certificate Log ID# (or (from a recognized Rng Sec X X Gov't' WellID or Is It survey corner) Lot Tag # L-... Proposed? 2086 South 4 134' West Authorized Klam OF THE NECORNER OF SED 25 SE NE 40 5 E 11 ☐ Proposed ☐ Authorized KLAM E NNNW 41.5 23 12 53250 ☑ Proposed ☐ Authorized Klam E 5 12 33 NEMW 40 Proposed 14838 ☐ Authorized IKLAM S 12 28 Proposed 53641 Check all type(s) of temporary change(s) proposed below (change "CODES" are provided in parentheses): Place of Use (POU) Appropriation/Well (POA) Point of Diversion (POD) Additional Point of Appropriation (APOA) Additional Point of Diversion (APOD) Check all type(s) of temporary change(s) due to drought proposed below (change "CODES" are provided in parentheses): Point of Appropriation/Well (POA) X Place of Use (POU) Character of Use (USE) Additional Point of Appropriation (APOA) Point of Diversion (POD) Additional Point of Diversion (APOD) Will all of the proposed changes affect the entire water right? Complete only the Proposed ("to" lands) section of Table 2 on the next page. Use the Yes Yes "CODES" listed above to describe the proposed changes. Complete all of Table 2 to describe the portion of the water right to be changed. No

POD/POA

Name or

Number

POA

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Temporary Changes to Water Right Certificate # 74458

List only the part of the right that will be changed. For the acreage in each ¼ ¼, list the change proposed. If more than one change, specify the acreage associated with each change. If more than one POD/POA, specify the acreage associated with each POD/POA.

7	ho I	letie	or th			9.7%			"off" lands)		UANG	256	. 5				-		II-al-			THE REAL PROPERTY.		or "o			CHANCE	
,			100000	The same of					EFORE PROP			353	Prop			. 2	. 1	ne	listin	ig as	IL WO		re ma		KUP	OSED	CHANGES	•
Twp		Rng	100		ý.	Tax Lot	Gvt Lot or DLC	Acres	Type of USE	POD(s) POA(s) (n or numb from Tab	or, ame, ber	Priority Date	"CODES	S" from lious ge)	Tw	P	Rn	g	Sec	х	M.	Tax Lot	Gvt Lot or DLC		. Nev	Type	POD(s)/ POA(s) to be used (from Table 1)	Priority Date
p - 3.		83	Mir.		735	J-1387		201	A. 3. 4. 4	(T)	4	Sierki	EXAM	PLE	Ve-		T.	3	100		100	行	ind of	A. 9.	A.	1	0 7 7	和非正
2	9	THE PARTY OF THE P	15	NE.	NW	100		-15.0	Irrigation	POD#	2	1901	POU	/POD	2	S	9	E	15	NW	NW.	500	T.	10.0	7/4 5 %	200		1901
196	9 26		A Nav	5/43		Ma	7.50	STEED ST	EXAMPLE	其種	9	ZE-MIT	100	PA ST	2	S	9	E	2	-SW	NW	500	語意	5,0	经济	的理	POD #6	1901
405	5 11	6	24	NE	SW			12.29	Irrigation	PONI	1-1		Po	IU.	91	5	12	E	15	SE	SW	1300		39.0	Ir	ngate	4 Porta	
		1		NW	SW			7.19	1,						41	5	12	5	21	SW	NE	700		30.0			POP2	
				SW	sω			0.48	ч						41	5	12	E	21	ww	SE	100		6.3			POA 2	
				SE	SW			33.61					- 1		4D	5	12	E	33	NE	Sw	900		40.0			POA 3	
				SW	SE			750							1						SW	900		7.35		1	Par 3	
			25	Nu	NE			26,24						* 177	40	5	12	E	33	Nu	SW	801		10.48	1		POA .4	
				SW	NE			4.53					F 1 44															
				NE	NW			23.4/																				
				SE	SE			0.69																				
			36	SE	NE NE			0.87	,	1																		
					TO	TAL A	CRES	133.0	7	V											TC	TAL A	CRES	133.0	7			

Additional remarks:

RECEIVED


MAY 1 0 2021


TACS


OWRD


Revised 5/13/2019


Temporary Transfer Application - Page 8 of 9











Well location

KLAM 53250

Lat 42.0054


Long-121.4051

Scale 1"- 880'

MAY 1 0 2021 OWRD

41 12 22

751,000



STATE OF OREGON

COUNTY OF KLAMATH

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

DONALD A. RAJNUS 30485 TRANSFORMER ROAD MALIN, OR 97632

confirms the right to use the waters of A WELL in the LOST RIVER BASIN for IRRIGATION OF 133.07 ACRES.

This right was perfected under Permit G-11664. The date of priority is MARCH 6, 1992. The amount of water to which this right is entitled is limited to an amount actually beneficially used and shall not exceed 1.66 CUBIC FEET PER SECOND, or its equivalent in case of rotation, measured at the point of diversion from the source.

The well is located as follows:

SE 1/4 NE 1/4, SECTION 25, T 40 S, R 11 E, W.M.; 2086 FEET SOUTH AND 134 FEET WEST OF THE NE CORNER OF SECTION 25.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use to which this right is appurtenant is as follows:

NE 1/4 SW 1/4 12.29 ACRES NE 1/4 SW 1/4 12.29 ACRES NW 1/4 SW 1/4 7.19 ACRES SW 1/4 SW 1/4 0.48 ACRE SE 1/4 SW 1/4 33.61 ACRES SW 1/4 SE 1/4 7.50 ACRES SECTION 24 NW 1/4 NE 1/4 NW 1/4 NE 1/4 SW 1/4 NE 1/4 26.24 ACRES 4.53 ACRES 23.41 ACRES SE 1/4 NW 1/4 0.69 ACRE 0.87 ACRE SE 1/4 SE 1/4 SECTION 25 NE 1/4 NE 1/4 16.26 ACRES

SECTION 36
TOWNSHIP 40 SOUTH, RANGE 11 EAST, W.M.

The well shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.

SEE NEXT PAGE

G-12810.DEK

The user shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.

The user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

If substantial interference with a senior water right occurs due to withdrawal of water from the well listed on this right, then use of water from the well shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The use of water shall be limited when it interferes with the prior SURFACE AND GROUND WATER rights of others.

Failure to comply with any of the provisions of this right may result in action including, but not limited to restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

The right to use water for the above purpose is restricted to beneficial use on the lands or place of use described.

WITNESS the signature of the Water Resources Director, affixed MAY 28, 1997.

/S/ Richard D. Bailey

Martha O. Pagel

Recorded in State Record of Water Right Certificates numbered 74458.

BASIN 14

VOLUME 2 LOST RIVER & MISC. MGMT.CODES 4IG. 4IR

DISTRICT 17

G-12810.DEK

Office of the Governor State of Oregon



EXECUTIVE ORDER NO. 21-07

DETERMINATION OF A STATE OF DROUGHT EMERGENCY IN KLAMATH COUNTY DUE TO UNUSUALLY LOW SNOW PACK AND LACK OF PRECIPITATION

At the request of Klamath County (by Resolution 2021-012, dated March 9, 2021) and based on the recommendations of the Drought Readiness Council and the Water Supply Availability Committee, and pursuant to ORS 536.740, I find the lack of precipitation and low snow pack have caused or will cause natural and economic disaster conditions in this county.

Forecasted water supply conditions are not expected to improve, and drought is likely to have significant economic impacts on the farm, ranch, forest, recreation, drinking water, and natural resources sectors, as well as impacts on fish and wildlife and other natural resources which are dependent on adequate precipitation and streamflow in these areas. Extreme conditions are expected to affect local growers, and increased the potential for fire, a loss of economic stability, shortened growing season, and decreased water supplies.

Conditions continue to be monitored by the state's natural resource and public safety agencies, including the Oregon Water Resources Department and the Oregon Office of Emergency Management.

Preparation and resiliency to drought are vital to the health and safety of persons, property, and the economic security of the citizens and businesses. I therefore declare that a severe, continuing drought emergency exists and is likely to continue to exist in Klamath County.

NOW, THEREFORE, IT IS HEREBY DIRECTED AND ORDERED:

- The Oregon Department of Agriculture is directed to coordinate and provide assistance in seeking federal resources to mitigate drought conditions and to assist in agricultural recovery in Klamath County.
- II. The Oregon Water Resources Department and the Water Resources Commission are directed to coordinate and provide assistance to water users in Klamath County as the Department and Commission determine is necessary and appropriate in accordance with ORS 536.700 to 536.780.
- III. The Oregon Water Resources Department is directed to seek information from the Oregon Department of Fish and Wildlife to help understand the impacts of water availability on Oregon's fish and wildlife, as necessary and appropriate in accordance with ORS 536.700 to 536.780.

Office of the Governor State of Oregon



EXECUTIVE ORDER NO. 21-07 PAGE TWO

- IV. The Office of Emergency Management is directed to coordinate and assist as needed with assessment and mitigation activities to address current and projected conditions in Klamath County.
- V. All other state agencies are directed to coordinate with the above agencies and to provide appropriate state resources as needed to assist affected political subdivisions and water users in Klamath County.
- VI. This Executive Order expires on December 31, 2021.

Done at Salem, Oregon, this 31st day of March, 2021.

Kate Brown GOVERNOR

Kati Bener

ATTEST:

Shemia Fagan SECRETARY OF STATE

Groundwater Transfer Review Summary Form

Transfer/PA # T- <u>13722</u>
GW Reviewer M. Thoma Date Review Completed: 06/01/2021
Summary of Same Source Review:
☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).
Summary of Injury Review:
The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).
Summary of GW-SW Transfer Similarity Review:
☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.
This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.

Version: 20210204

OREGON			Ground Wate	r Review Form:
WATER RESOURCES	Oregon Water Reson 725 Summer Street N Salem, Oregon 97301	E, Suite A		Drought Transfer)
DEPARTMENT	(503) 986-0900	-12/1	☐ Permit Ame	ndment
	www.wrd.state.or.us		☐ GR Modifie	ation
			☐ Other	
Application: T-	13722		Applic	ant Name: Robert Unruh
Proposed Chang	es: 🛛 POA	☐ APOA	□ SW→GW	□RA
	□ USE	⊠ POU	☐ OTHER	
Reviewer(s): N	1. Thoma		Date	e of Review: <u>06/01/2021</u>
		Date Reviewed	by GW Mgr. and Re	turned to WRSD:
	provided in the apapproved because:		officient to evaluate v	whether the proposed
	well reports provid the transfer.	ed with the appl	ication do not corres	pond to the water rights
				n of the well construction proposed to be developed.
Other				
	-			
the point of three existing	appropriation und ng wells (KLAM0)	er Cert. 74458 f 053250, KLAM		
⊠ Yes [No Comment	s: The authorize		xisting authorized POA?
	nore than one sour ☑ No	ce developed un	der the right (e.g., ba	salt and alluvium)?
	The state of the s		plied by each of the s proposed change (rate	ources and describe any e, duty, etc.):
in interferen	nce with another g	ground water ri	ight?	likely result in an increase
	up to approx. 5 m		transfer would movi iginal POA and close	e appropriation under or to several existing

b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?

☐ Yes ☐ No If yes, explain:

5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with another surface water source?

☐ Yes ☒ No Comments:

b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any surface water sources resulting from the proposed change?


Provide context for minimal/significant impact:

6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?

☐ Yes ☐ No ☒ N/A Comments: ____

- 7. What conditions or other changes in the application are necessary to address any potential issues identified above:
- 8. Any additional comments:____

Application Review Map



Application for Water Right

Temporary or Drought Temporary Transfer

Part 1 of 5 - Minimum Requirements Checklist



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

This temporary transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

		REOEI	/EL
		FOR ALL TEMPORARY TRANSFER APPLICATIONS	
Che	ck all item	s included with this application. (N/A = Not Applicable) MAY 1 0	202
		Part 1 – Completed Minimum Requirements Checklist.	D
		Part 2 – Completed Temporary Transfer Application Map Checklist.	
		Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, completed Fee Worksheet, page 3. Try the online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd fee calculator. If you have questions, call Customer Service at (503) 986-0801.	and
		Part 4 – Completed Applicant Information and Signature.	
		Part 5 – Information about Transferred Water Rights: How many water rights are to be transferred? List them here:	
		Please include a separate Part 5 for each water right. (See instructions on page 6)	
	□ N/A	For standard Temporary Transfer (one to five years) Begin Year: End Year:	
	□ N/A	Temporary Drought Transfer (Only in counties where the Governor has declared drought	t)
Atta	chments:		
		Completed Temporary Transfer Application Map.	
		Completed Evidence of Use Affidavit and supporting documentation.	
		Current recorded deed for the land from which the authorized place of use is temporaril being moved.	У
9	□ N/A	Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the land upon which the water right is located.)	
	□ N/A	Supplemental Form D – For water rights served by or issued in the name of a district. Complete when the temporary transfer applicant is not the district.	
	□ N/A	Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in who water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if all of the following apply: a) a change is place of use only, b) no structural changes, c) the use of water is for irrigation only, and the use is located within an irrigation district or an exclusive farm use zone.	in
	□ N/A	Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or addition point(s) of appropriation (if necessary to convey water to the proposed place of use).	ial
		(For Staff Use Only) WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S): Application fee not enclosed/or is insufficient Map not included or incomplete Land Use Form not enclosed or incomplete Additional signature(s) required Part is incomplete Other/Explanation Staff: 503-986-0 Date://	

Part 2 of 5 - Temporary Transfer Application Map Checklist

Your temporary transfer application will be returned if any of the map requirements listed below are not met.

Please be sure that the temporary transfer application map you submit includes all the required items and matches the existing water right map. Check all boxes that apply. If more than three water rights are involved, separate maps are needed for each water right. Permanent quality printed with dark ink on good quality paper. The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required. \Box A north arrow, a legend, and scale. The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet; the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated); the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet; or a scale that has been pre-approved by the Department. П Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines. Tax lot boundaries (property lines) are required. Tax lot numbers are recommended. Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads. Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches. Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged. Proposed temporary place of use that includes separate hachuring for each water right, N/A priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit. If you are proposing a change in point(s) of diversion or well(s) to convey water to the new N/A temporary place of use, show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example - 42°32'15.5") or degrees-decimal with five or more digits after the decimal

RECEIVED

(example - 42.53764°).

Part 3 of 5 - Fee Worksheet

		C	
	FEE WORKSHEET for TEMPORARY (not drought) TRANSFERS		The latest to th
1	Base Fee (includes temporary change to one water right for up to 1 cfs)	1	\$810.00
	Number of water rights included in transfer: (2a)		
	Subtract 1 from the number in 3a above: (2b) If only one water right this will		
	be 0		
2	Multiply line 2b by \$260.00 and enter » » » » » » » » » » » »	2	
	Do you propose to change the place of use for a non-irrigation use?		
	□ No: enter 0 on line 3 » » » » » » » » » » » » » » » »		
	Yes: enter the cfs for the portions of the rights to be transferred: (3a)		
	Subtract 1.0 from the number in 3a above: (3b)		
	If 3b is 0, enter 0 on line 3 » » » » » » » » » » » » » » » »		
	If 3b is greater than 0, round up to the nearest whole number:(3c)		
3	and multiply 4c by \$200.00, then enter on line 3	3	
	Do you propose to change the place of use for an irrigation use?		
	No: enter 0 on line 4 » » » » » » » » » » » » » » » » »		
	Yes: enter the number of acres for the portions of the rights to be		
	transferred:(4a)		
4	Multiply the number of acres in 4a above by \$2.30 and enter on line 4 » »	4	
5	Add entries on lines 1 through 4 above » » » » » » » » » » Subtotal:	5	
	Is this transfer:		
	necessary to complete a project funded by the Oregon Watershed		
	Enhancement Board (OWEB) under ORS 541.932?		
	endorsed in writing by ODFW as a change that will result in a net benefit to		
	fish and wildlife habitat?		350
	If one or more boxes is checked, multiply line 5 by 0.5 and enter on line 6 »		Angle 19
6	If no box is applicable, enter 0 on line 7» » » » » » » » » » » » » »	6	
7	Subtract line 6 from line 5 » » » » » » » » » » » » Transfer Fee:	7	

1137	FEE WORKSHEET for TEMPORARY DROUGHT TRANSFERS		
1	Base Fee (includes drought application and recording fee for up to 1 cfs)	1	\$200.00
	Enter the cfs for the portions of the rights to be transferred (see example below*): [.le/e (2a)		
	Subtract 1.0 from the number in 2a above: (2b)		
	If 2b is 0, enter 0 on line 2 » » » » » » » » » » » » » » »		
	If 2b is greater than 0, round up to the nearest whole number: 50 (2c)		
2	and multiply 2c by \$50, then enter on line 2 » » » » » » » »	2	
3	Add entries on lines 1 through 2 above » » » » » » » » » Transfer Fee:	3	250.00

^{*}Example for Line 2a calculation to transfer 45.0 acres of Primary Certificate 12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Certificate 87654 (1/80 cfs per acre) on the same land:

MAY 1 0 2021

^{1.} Divide total authorized cfs by total acres in the water right (for C12345, 1.25 cfs ÷100 ac); then multiply by the number of acres to be transferred to get the transfer cfs (x 45 ac= 0.56 cfs).

^{2.} If the water right certificate does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For C87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs)

^{3.} Add cfs for the portions of water rights on all the land included in the transfer; however do not count cfs for supplemental rights on acreage for which you have already calculated the cfs fee for the primary right on the same land. The fee should be assessed only once for each "on the ground" acre included in the transfer. (In this example, blank 2a would be only 0.56 cfs, since both rights serve the same 45.0 acres. Blank 2b would be 0 and Line 2 would then also become 0). RECEIVED

Part 4 of 5 - Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME	Inruh		541-891-8360	ADDITIONAL CONTACT NO.
ADDRESS 300 83	Pickett	Rd		FAX NO.
CITY Malin	STATE	²¹¹⁹ 97632	E-MAIL 74281 Q (aol.com
BY PROVIDING AN E-MAIL A ELECTRONICALLY. COPIES O				OM THE DEPARTMENT

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME			PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS				FAX NO.
СІТУ	STATE	ZIP	E-MAIL	
BY PROVIDING AN E-MAIL ELECTRONICALLY, COPIES				NCE FROM THE DEPARTMENT

Explain in your own words what you propose to accomplish with this transfer application and why:

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

I (we) affirm that the information contained in this application is true and accurate.

Applicant signature

Print Name (and Title if applicable)

Applicant signature

Print Name (and Title if applicable)

Date

Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located?

Yes No

If NO, include signatures of all landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent from all landowners or individuals/entities (and mailing and/or e-mail addresses) to which the water right(s) has been conveyed.

MAY 1 0 2021 OWRD

Supplemental Form D.) DISTRICT NAME	ADDRESS	
CITY	STATE	ZIP
Check here if water for any of contract for stored water with		
ENTITY NAME	ADDRESS	
CITY	STATE	ZIP
To meet State Land Use Consisten city, municipal corporation, or trib conveyed and/or used.	ncy Requirements, you must list total government) within whose	t all local governments (each count jurisdiction water will be diverted,
To meet State Land Use Consisten	icy Requirements, you must lis	t all local governments (each count
To meet State Land Use Consisten city, municipal corporation, or trib conveyed and/or used.	ncy Requirements, you must list total government) within whose	t all local governments (each count

MAY 1 0 2021 OWRD

INSTRUCTIONS for editing the Application Form

To add lines to tables within the forms or to copy and paste additional Part 5 pages, please save the application form to your computer. Unlock the document by using one of the following instructions for your Microsoft Word software version:

Microsoft Word 2003

Unlock the document by one of the following:

- Using the Tools menu => click Unprotect Document;
 OR
- Using the Forms toolbar => click on the Protect/Unprotect icon.

To relock the document to enable the checkboxes to work, you will need to:

- Using the Tools menu => click Protect Document;
 OR
- Using the Forms toolbar => click on the Protect/Unprotect icon.

Once the application has been unlocked, you may:

- add rows to tables using the Table tools, and
- select and copy the pages of Part 5 and paste as many additional sets of Part 5 pages as needed at the end of the application.

After editing, re-lock the document to enable checkboxes to work.

Microsoft Word 2007

- Unlock the document by clicking the Review tab, then click Protect Document, then click
 Stop Protect
- To relock the document, click Editing Restrictions, then click Allow Only This Type of Editing, select Filling In Forms from the drop-down menu, then check Yes, Start Enforcing Protection.

Microsoft Word 2010

- Unlock the document by clicking the Review tab; toggle the Restrict Editing icon at the upper right, then click Stop Protect at the bottom right. Then uncheck the "Allow only this type of editing in the document: Filling in forms" in the "Editing restrictions" section on the right-hand list of options.
- To relock the document, check the Editing Restrictions/Allow Only This Type of Editing/Filling In
 Forms box from the drop-down menu, then check Yes, Start Enforcing Protection. You do not need to
 assign a password for the editing restrictions.

Other Alternatives:

- Photocopy pages or tables in Part 5, -mark-through any non-applicable information, insert/attach
 photocopied pages to document in the appropriate location, and manually amend page numbers as
 necessary (e.g. Page 5 6 of 9 10).
- You may refer to additional attachments that you may include, such as separately produced tables or spreadsheets to convey large numbers of rows of place of use listings, owner/property parcels, etc.
 You may contact the Department at 503-986-0900 and ask for Transfer Staff if you have questions.

RECEIVED

MAY 1 0 2021

Part 5 of 5 - Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add rows to tables within the form.

Water Right Certificate # 74458

	Descript	ion of	Water Del	iver	y Sys	tem					RECEIVED
	System o	apaci	ty: 1.66	cubi	c fee	t per	seco	ond (cf	s) OR		MAY 1 0 2021
				gallo	ons p	er m	inute	e (gpm)		OWRD
(Note	five year and appl Table 1.	s. Inc ly the Loca	lude inform water at th tion of Autl	atio e au horiz	n on thor zed a	the placed and P	place rope	os, can e of use osed Po	als, pipel e pint(s) of	Diversio	in place at some time within the fast disprinklers used to divert, convey, on (POD) or Appropriation (POA) a name or number here.)
POD/POA Name or Number	Is this POD Authorize the Certifi or is it Propose	d on icate t	If POA, OWRD Well Log ID# (or Well ID Tag # L)	T	wp	R	ng	Sec	% %	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
POA 1	Author		Klam	40	5	11	E	25	SE NE		OF THE NECORNER OF SE
POA 2	☐ Author		1KLAM 53250	41	5	12	E	99	NNNM		
POA3	☐ Authori		Klam 14838	40	5	12	Ē	33	NEMW		
PODBY	Author		1KLAM 53641	40	5	12	E	28			
	Check al			orai	y ch	ange	(s) p	ropose	ed below	(change	"CODES" are provided in
		Place	e of Use (PC	OU)					□ A	ppropria	ation/Well (POA)
		Poin	t of Diversion	on (P	OD)				□ A	dditiona	l Point of Appropriation (APOA)
		Addi	tional Point	of [Diver	sion	(APC	(D)			
			(s) of temp		y ch	ange	(s) d	ue to d	drought p	roposed	d below (change "CODES" are
	×	Place	of Use (PC	OU)					X P	oint of A	appropriation/Well (POA)
		Char	acter of Use	e (US	SE)				□ A	dditiona	l Point of Appropriation (APOA)
		Point	t of Diversion	on (P	OD)				□ A	dditiona	l Point of Diversion (APOD)
	Will all o	of the	proposed o	han	ges a	affec	t the	entire	water ri	ght?	
	Yes Yes	. ,	Complete "CODES" li	Contract of		1000			A STATE OF THE PARTY OF THE PAR		Table 2 on the next page. Use the nges.
	□ No										e water right to be changed.

POA 1

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Temporary Changes to Water Right Certificate # 74458

List only the part of the right that will be changed. For the acreage in each ¼ ¼, list the change proposed. If more than one change, specify the acreage associated with each change. If more than one POD/POA, specify the acreage associated with each POD/POA.

	The	AUTHORIZED (the "from" or "off" lands) ne listing that appears on the Certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.									IGES	Proposed Changes (see	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.														
Tw	p	Rr	ng	Sec	×	%	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Date	"CODES" from previous page)	Tw	rp q	Rn	g	Sec	ж	14	Tax Lot	Gvt Lot or DLC	Acres	New Ty of US	pe P	POD(s)/ POA(s) to be used (from Table 1)	Priority Date
		100		100		966	019	1000	1000		THE WAY	NEW YORK	EXAMPLE		100	VIII.				6 6							
2	5	9	E	15	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	s	9	E	1	NW	NW	500	1	10.0		,	POD #5	1901
**	**	"	41	**	"	и		**	и	EXAMPLE	"	"	"	2	S	9	E	2	SW	NW	500	1000	5.0		1	POD #6	1901
-/0	5	//	6	24	NE	SW			12.29	Irrigatio	PONHI		Pou	41	5	12	E	15	SE	SW	/3a		39.0	irng	aten	Port	
					NW	sw			7.19	14				41	5	12	E	21	SW	NE	700		30.0			POP2	
		M			Sw	sω			0.48	ч				41	S	12	E	21	NW	SE	100		6.3			POA 2	
					SE	รเง			33.6					40	5	12	E	33	NE	Sw	900		40.0			POA 3	
					รพ	SÉ			750					40		-	200			SW	900		7.35	-		0A3	
				25	NW	NE			26.24					40	5	12	E	33	NW	SW	801		10.48	V		POA 4	
					sw	NE			4.53																		
					NE	NW			23.4/																		
					SE	SE			0.69																		
				36	SE'	SS NE			0.87	6	I V																
							TAL A	CRES	133.0	7	V									TO	TAL A	CRES	133.0	7			

Additional remarks:____

RECEIVED

MAY 1 0 2021

TACS

Temporary Transfer Application – Page 8 of 9

	Water Right Certificate #
For Pla	ace of Use Changes
	there other water right certificates, water use permits or ground water registrations ciated with the "from" or the "to" lands? Yes No
	S, list the certificate, water use permit, or ground water registration numbers:
or re	uant to ORS 540.525, any "layered" water use such as an irrigation right that is plemental to a primary right proposed for temporary transfer can be included in the transfer emain unused on the authorized place of use. If the primary water right does not revert soon ugh to allow use of the supplemental right within five years, the supplemental right shall ome subject to cancellation for nonuse under ORS 540.610.
	ange in point(s) of appropriation (well(s)) or additional point(s) of appropriation is sary to convey the water to the new temporary place of use you must provide:
	Well log(s) for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well log/Default.aspx)
AND	O/OR
	Describe the construction of the authorized and proposed well(s) in Table 3 below for any

well that does not have a well log. For a proposed well(s) not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the Department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
										RECEIVE

MAY 1 0 2021

OWRD

Application for Water Right Transfer Consent by Deeded Landowner



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900

My commission expires Mrc 4 14, 2025

RECEIVED

		MAY 1 0 2021
State of Oregon)	OWRD
County of Klamath)ss)	
telephone number, duly sworn depo	Rd. Malik, OR 9763 ose and say that I	3 2
consent to the proposed change(s) to Water	er Right Certificate Number 1770	
on the property in tax lot number(s) 80/ North, Range // East, W.M., located a Signature of Affiant	, Section 24, Township 405	
Signature of Affiant	Date	
	before me this 7 day of May Notary Public for Oregon Notary Public for Oregon	_,20 2 _1.

Application for Water Right

Transfer

Evidence of Use Affidavit



Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing. Supporting documentation must be attached. RECEIVED State of Oregon MAY 1 0 2021 SS County of KLAMATH) I, Rob, Unruh
I, n my capacity as owner, OWRD mailing address 30083 Rickett Rd malin or. 97632 telephone number (541)891-8360 telephone number (541)891-8360 1. My knowledge of the exercise or status of the water right is based on (check one): Personal observation Professional expertise 2. I attest that: Water was used during the previous five years on the entire place of use for Certificate #74458OR My knowledge is specific to the use of water at the following locations within the last five years: Gov't Lot Acres 1/4 1/4 Certificate # Township Range Mer Sec or DLC (if applicable) E S S E S E OR Confirming Certificate # has been issued within the past five years; OR Part or all of the water right was leased instream at some time within the last five years. The (Note: If the entire right proposed for instream lease number is: transfer was not leased, additional evidence of use is needed for the portion not leased instream.); OR The water right is not subject to forfeiture and documentation that a presumption of forfeiture for non-use would be rebutted under ORS 540.610(2) is attached. Water has been used at the actual current point of diversion or appropriation for more than 10 years for Certificate # _____(For Historic POD/POA Transfers)

(continues on reverse side)

- 3. The water right was used for: (e.g., crops, pasture, etc.): CROPS
- I understand that if I do not attach one or more of the documents shown in the table below to support the above statements, my application will be considered incomplete.

Signature of Affiant Date

4-27-202/

Signed and sworn to (or affirmed) before me this 27 day of aprice, 2021.



Sharolyn Kay Neurong

My Commission Expires: apria 9, 2024

Supporting Documents	Examples
Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of confirming water right certificate that shows issue date
Copies of receipts from sales of irrigated crops or for expenditures related to use of water	Power usage records for pumps associated with irrigation use Fertilizer or seed bills related to irrigated crops
	Farmers Co-op sales receipt
Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	District assessment records for water delivered Crop reports submitted under a federal loan agreement Beneficial use reports from district IRS Farm Usage Deduction Report Agricultural Stabilization Plan CREP Report
Aerial photos containing sufficient detail to establish location and date of photograph	Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added. Sources for aerial photos: OSU –www.oregonexplorer.info/imagery OWRD – www.wrd.state.or.us Google Earth – earth.google.com TerraServer – www.terraserver.com
Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number

RECEIVED

MAY 1 0 2021

OWRD

Oregon Water Resources Department Well Report Query # Main

O Help

G Return

Contact Us

Well Report Query Results GPS points, where available are at the far right of the table. Click link to view on map

Well Log	g: KLA	M 53250, 0		unty: KLA		Company	Special	Well Type	First Water	Completed	Statio	Yield	Completed	Received Date	Bonded Constructor	Startcard	Wellid®	New	Abendon	Deepen	Alteration	Domestic	Irrigation	Community	Livestock	Industrial	Thermal	Dewatering	Piezometer	Latitude/ Longitude
IO.AM \$3250 Gesenderian Info	Detalla	41,005-12,005-22 NW-NW	500	SOUTH MALIN	OKEEFFE, HENRY PO BOX 285 MALIN OR 97532			×	148.00	504.00	35.0	1500.	0 04/10/2002	04/29/2002	CHANCELLOR, ROGER W ROGER CHANCELLOR WELL DRILLING	105736	46033	5 1					,			1	1			42.0054 -121.4081

Download Data

MAY 1 0 2021 OWRD

STATE OF OREGON WATER WELL REPORT (as required by ORS 537765) WELL ID# L46035

-	ST	ART	CARD	1#
- 4	31	WILL	CALL	jer .

108738

Township 41. S. Range 12. E. Section 22. NW. '4 NW. 1/4 Tax Lot 500. Lot. Block Subdivision Street Address of Well (or nearest address) Street Address of Well (or nearest address) SIDUITH MALIN RD. MALIN. QR. (19) STATIC WATER LEVEL: 35 ft. below land surface Arteslan pressure Arteslan pressure Arteslan pressure Arteslan pressure (11) WATER BEARING ZONES: Depth at which water was first found 141: Explosives used NO. Type HOLE SEAL AMOUNT Inc. 0. 348. DEAVIONITE 0. 50. 150. 15c. 0. 348. DEAVIONITE 0. 50. 15	(1) OWNER 02 08	(9) LOCATION OF WELL by legal description : County KLAMATH Latitude Longitude
Section 22 NW. 14 NW. 1/4	HENRY O'KEEFFE .	
MALIN OR 97632 Tax Lot 500 Lot Block Subdivision Street Address of Well (or nearest address) (6) BORE HOLE CONSTRUCTION: Stepical Consequence Agreet NO. Explosives used NO. Type Annount Annount Stepical Consequence Agreet No. Explosives used NO. Type Annount Stepical Consequence No. Explosive used No.	PO BOX 286	
(3) DRILL METHOD: ROTARY AIR (4) PROPOSED USE: Ir figation (5) BORE HOLE CONSTRUCTION: Septiate Construction: Signal Amount HOLE Signal Amount Signal Amoun	MALIN OR 97632	
(3) DRILL METHOD: ROTARY AIR (4) PROPOSED USE: Ir 'igation (5) BORE HOLE CONSTRUCTION: Septiate Compression NO. Depth of Completed Vival Explosives used NO. Type Amount AMOUNT Interest In	(2) TYPE OF WORK : NEW WELL	
(6) BORE HOLE CONSTRUCTION: the restrict Construction: t	(3) DRILL METHOD: ROTARY AIR	(10) STATIC WATER LEVEL:
Special Construction Agencies NO_ Depth of Completed twist Sex	(4) PROPOSED USE: Ir igation	
Explosives used NO_Type Amount HOLE SEAL NO Material SEAL NO Material From To Sacks 388". 699". 200". 159M. 8" " Diameter From To Material From To Sacks 388". 699". 200". 159M. 8" " 18" 0. 348 . BENTONITE 0. 50 . 1	(5) BORE HOLE CONSTRUCTION:	(11) WATER BEARING ZONES :
Sex	Special Construction Approval NO Depth of Completed Wall	
Diameter From To Misterial From To Sacks 18"	Explosives used NO Type Amount	
18° 0 348 BENTONITE 0 50 150 18° 0 348 CEVENT 300 348 27 10° 348 604 How was seal Placed POURED DRY & C Backfil placed from 50 ft. to 300 ft. Material bentonite Gravel placed from ft. to ft. Size of Gravel BROWN SAND GREY CIAY GREY GREY ABSALT GREY BASALT GREY GREY ABSALT GREY GREY GREY ABSALT GREY GREY ABSALT GREY GREY GREY ABSALT GREY GREY ABSALT GREY GREY ABSALT GREY GREY GREY ABSALT GREY GREY GREY ABSALT GREY GREY GREY GREY ABSALT GREY GREY GREY GREY GREY GREY GREY GREY		
18" 0 348 604. 18" O 348 604. 10" 348 604. How was seal Placed POURED DRY & C. Backfill placed from 50 ft. to 300 ft. Material bentootte. Gravel placed from ft. to ft. Size of Gravel Security of the construction of the co		
10" 348 604 100 10 10 10 10 10 10		
How was soal Placed PQURED, DRY, & C. Backfli placed from 50. ft. to 300. ft. Material bentonite Gravel placed from ft. to ft. Size of Gravel Gravel placed from ft. to ft. Size of Gravel GREY CLAY GREY CLAY GREY SANDSTONE 148. 154. GREY SANDSTONE 148. 154. GREY BASALT GREY BASALT		
Backfil placed from 50	10 348604	(12) WELL LOG: Grour I Elevation
Backfil placed from 50	How was seal Placed POURED DRY & C	FROM TO SWL
(6) CASING / LINER: Dia. From To Gage Material CASING 14" +1. 248 250 STEEL / WELDED CASING 12" 249, 349, 250 STEEL / WELDED CASING 14" +1. 248 343 359 CRY CLAY CASING 14" +1. 248 343 359 CRY CLAY CASING 14" +1. 248 343 359 CASING 14" +1. 248 250 STEEL / WELDED CASING 14" +1. 248 343 359 CASING 14" +1. 248 250 STEEL / WELDED CASING 14" +1. 248 250 STEEL / WELDED CASING 14" +1. 248 343 359 CRY CLAY CASING 14" +1. 248 343 359 CRY CLAY CASING 14" +1. 248 343 359 CASING 14" +1. 248 341 35 CASING 14" +1. 248 341 34 CASING 14" +1. 248 34	Backfil placed from 50 ft. to 300 ft. Material bentonite	BROWN SAND 0 4
(6) CASING / LINER: Dia. From To Gage Material CASING 14" +1. 248 250 STEEL / WELDED CASING 12" 249, 349, 250 STEEL / WELDED CASING 14" +1. 248 343 359 CRY CLAY CASING 14" +1. 248 343 359 CRY CLAY CASING 14" +1. 248 343 359 CASING 14" +1. 248 250 STEEL / WELDED CASING 14" +1. 248 343 359 CASING 14" +1. 248 250 STEEL / WELDED CASING 14" +1. 248 250 STEEL / WELDED CASING 14" +1. 248 343 359 CRY CLAY CASING 14" +1. 248 343 359 CRY CLAY CASING 14" +1. 248 343 359 CASING 14" +1. 248 341 35 CASING 14" +1. 248 341 34 CASING 14" +1. 248 34	Gravel placed from ft. to ft. Size of Gravel	
Dia. From To Gage Material CASING. 14" +1 248. 250. STEEL / WELDED CASING. 12" 248. 348. 250. STEEL / WELDED CASING. 12" 248. 348. 250. STEEL / WELDED BROKEN BROWN & GREY BASALT BROKEN BROWN BASALT S28. 348. 359. 487. 35. BROKEN GREY & BLUE BASALT BROKEN GREY & BLUE BASALT S48. 549. 35. BROKEN GREY & BLUE BASALT S49. 549. 35. BROKEN GREY & BROWN BASALT S49. 549. 35. BROKEN GREY & BLUE BASALT S49. 549. 35. BROKEN GREY & BROWN BASALT S49. 549. 35. BROKEN GRE		
Dia. From To Gage Material GASING 14" ±1. 248. 250. STEEL / WELDED GASING 12" 248. 348. 250. STEEL / WELDED BROKEN BROWN & GREY BASALT 349. 457. 35. BROKEN GREY & BLUE BASALT 487. 528. 35. BROKEN GREY & BROWN BASALT 528. 546. 35. BROKEN GREY & BROWN BASALT 548. 549. 35. BROKEN GREY & BLUE BASALT 548. 593. 35. BROKEN GREY & BLUE BASALT 548. 593. 35. BROKEN GREY & BLUE BASALT 548. 593. 35. BROKEN GREY & BLUE BASALT 549. 549. 35. BROKEN GREY & BROWN BASALT 549. 549. 35. BROKEN GREY & BRO	(8) CASING (LINER	GREY SANDSTONE 148 154
CASING. 14" 1. 248		GREY CLAY 154 343
CASING. 12" 248 346. 250 STEEL WELDED BROKEN GREY & BLUE BASALT 487. 526. 35. BROKEN GREY & BROWN BASALT 546. 546. 35. BROKEN GREY & BLUE BASALT 548. 596. 35. BROKEN GREY & BROWN BASALT 548. 59		
BROKEN GREY & BROWN BASALT 528 546 35 BROKEN RED BASALT 548 549 35 BROKEN GREY & BLUE BASALT 548 593 35 BROKEN GREY & BLUE BASALT 548 549 35 BROKEN GREY & BLUE		PERSONAL PROPERTY OF THE PROPE
BROKEN RED BASALT 548 548 35 BROKEN GREY & BLUE BASALT 548, 598 35. BROKEN GREY & BROWN BASALT 548, 598 35. BROKEN GREY & BLUE BASALT 548, 598 35. BROKEN GREY & BLUE BASALT 548, 598 35. BROKEN GREY & BLUE BASALT 548, 598 35. BROKEN GREY & BROWN BASALT 548, 598 35. BROKEN GREY & B	CASING 12 490 390 ZOO SIEEL/XYELDED	BROKEN GREY & BLUE BASALT 487 526 35
BROKEN RED BASALT 548 548 35 BROKEN GREY & BLUE BASALT 548, 598 35. BROKEN GREY & BROWN BASALT 548, 598 35. BROKEN GREY & BLUE BASALT 548, 598 35. BROKEN GREY & BLUE BASALT 548, 598 35. BROKEN GREY & BLUE BASALT 548, 598 35. BROKEN GREY & BROWN BASALT 548, 598 35. BROKEN GREY & B		BROKEN GREY & BROWN BASALT 528 546 35
Final location of shoe (s) APR 2 9 2002 METHOD TYPE MATERIAL From To Slot size Number Dia. Tele / pipe size Date started March 25, 2002 Completed April 10, 2002 (Unbonded) Water Well Constructor Certification, abandonment of this well is in compliance with Oregon well construction, alteration, abandonment of this well is in compliance with Oregon well construction in the standards. Materials used and information reported above are true to my best knowledge and belief. Was a water analysis done? NO. By whom well dany strata contain water not suitable for intended use? 1880 APR 2 9 2002 WATER RESOURCE DEPT SALEM OREGON Date Started March 25, 2002 Completed April 10, 2002 (Unbonded) Water Well Constructor Certification: 1 standards. Materials used and information reported above are true to my best knowledge and belief. Bended) Water Well Construction Certification: 1 secept responsibility for the construction alteration or abandonment of this well during the construction alteration or abandonment of work performed during this time is in compliance with Oregon well is instruction standards. This report is true to the best of my knowledge and belief.		BROKEN RED BASALT 546 548 35
Final location of shoe (s) APR 2 9 2002 METHOD TYPE MATERIAL From To Slot size Number Dia. Tele / pipe size Date started March 25, 2002 Completed April 10, 2002 (Unbonded) Water Well Constructor Certification, abandonment of this well is in compliance with Oregon well construction, alteration, abandonment of this well is in compliance with Oregon well construction in the standards. Materials used and information reported above are true to my best knowledge and belief. Was a water analysis done? NO. By whom well dany strata contain water not suitable for intended use? 1880 APR 2 9 2002 WATER RESOURCE DEPT SALEM OREGON Date Started March 25, 2002 Completed April 10, 2002 (Unbonded) Water Well Constructor Certification: 1 standards. Materials used and information reported above are true to my best knowledge and belief. Bended) Water Well Construction Certification: 1 secept responsibility for the construction alteration or abandonment of this well during the construction alteration or abandonment of work performed during this time is in compliance with Oregon well is instruction standards. This report is true to the best of my knowledge and belief.		BROKEN GREY & BLUE BASALT 548 598 35
APR 7 9 2002 WATER PESOULICES DEPT SALEM OREGON	Float leading of the car.	BROXENGREY & BROWN BASALT 596 604 35
METHOD TYPE MATERIAL WATER RESOURCE OFFT SALEM OREGON Date started March 25, 2002 Completed April 10, 2002 (Unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, abandonment of this well is in compliance with Oregon well construct: a standards. Materials used and information reported above are true to my best knowledge and belief. Temperature of Water 59 F° Lepth Artesian Flow Found Was a water analysis done? NC By whom Did any strata contain water not suitable for intended use? Yes TOO LITTLE MATER RESOURCE OFFT SALEM OREGON Date started March 25, 2002 Completed April 10, 2002 (Unbonded) Water Well Constructor Certific intended used and information reported above are true to my best knowledge and belief. Date 4-25-02 WWC # 1452 (Bonded) Water Well Constructor Certification in: I accept responsibility for the construction alteration or abandonment work performed on this well during the construction dates reported intove. All work performed during this time is in compliance with Oregon well instruction standards. This report is true to the best of my knowledge and belief.	Final location of shoe (s)	TILOCIVED
From To Slot size Number Dia. Tele / pipe size Date started March 25, 2002 Completed April 10, 2002 (Unbonded) Water Well Constructor Certification in certify that the work is in compliance with Oregon well construction attention and information reported above are true to my best knowledge and belief. Temperature of Water S9 F° Depth Artesian Flow Found Was a water analysis done? NO By whom Did any strata contain water not suitable for intended use? Yes TOO LITTLE Date Started March 25, 2002 Completed April 10, 2002 (Unbonded) Water Well Construction, alteration, abandonment of this well is in compliance with Oregon well construction in standards. Materials used and information reported above are true to my best knowledge and belief. (Bonded) Water Well Constructor Certification in: 1 accept responsibility for the construction alteration or abandonment of this well is in compliance with Oregon well construction and information reported above are true to my best knowledge and belief. (Bonded) Water Well Constructor Certification in: 1 accept responsibility for the construction alteration or abandonment of this well is in compliance with Oregon well construction and information reported above are true to my best knowledge and belief. (Bonded) Water Well Constructor Certification in: 1 accept responsibility for the construction alteration or abandonment of this well information reported above are true to my best knowledge and belief. (Bonded) Water Well Construction alteration or abandonment of this well information reported above are true to my best knowledge and belief. (Bonded) Water Well Construction alteration or abandonment of this well information reported above are true to my best knowledge and belief. (Bonded) Water Well Construction alteration or abandonment of this well information reported above are true to my best knowledge and belief.	(7) PERFORATIONS / SCREENS:	WATER THE PARTY OF
Date started March 25, 2002 Completed April 10, 2002 (Unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, abandonment of this well is in compliance with Oregon well construct: I standards. Materials used and information reported above are true to my best knowledge and belief. Temperature of Water59 F° Lepth Artesian Flow Found Was a water analysis done? NO_By whom		SALEM DREGON
Date started March 25, 2002 Consisted April 10, 2002 (Unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, a		
(8) WELL TESTS: Minimum testing time is 1 hour TESTING METHOD Yield GPM Drawdown Drill stem at Time 1,500. 80° Drawdown Drill stem at Time 4 HOUR. Temperature of Water 59 F° Eepth Artesian Flow Found Was a water analysis done? NO By whom Did any strata contain water not suitable for intended use? Yes TOO LITTLE 148° 154° (Unbonded) Water Well Constructor Certific intinct I certify that the work I performed on the construction, alteration, alberation, albera	Profit 10 Soursize Number Dis. 16167 ppe size	Date started March 25, 2002 Completed April 10, 2002
I performed on the construction, alteration, alteration or alterat		
Is in compliance with Oregon well construct; a standards. Materials used and information reported above are true to my best knowledge and belief. Is in compliance with Oregon well construct; a standards. Materials used and information reported above are true to my best knowledge and belief. Is in compliance with Oregon well construct; a standards. Materials used and information reported above are true to my best knowledge and belief. Is in compliance with Oregon well construct; a standards. Materials used and information reported above are true to my best knowledge and belief. Is in compliance with Oregon well construction and information reported above are true to my best knowledge and belief. Is in compliance with Oregon well construction and information reported above are true to my best knowledge and belief. Is in compliance with Oregon well construction and information reported above are true to my best knowledge and belief. Is in compliance with Oregon well construction and information reported above are true to my best knowledge and belief. Is in compliance with Oregon well construction and information reported above are true to my best knowledge and belief. Is in compliance with Oregon well construction and information reported above are true to my best knowledge and belief. Is in compliance with Oregon well construction and information reported above are true to my best knowledge and belief.		
TESTING METHOD Yield GPM Drawdown Drill stem at 1500. So' Temperature of Water59 F° Lepth Artesian Flow Found Was a water analysis done? NO. By whom Did any strata contain water not sultable for intended use? 148' 154' Testing Method Pump A. Hour A. Hour Bonded) Water Well Constructor Certification: 1 accept responsibility for the construction alteration or abandonment work performed on this well during the construction dates reported above are true to my best knowledge and belief. Bonded) Water Well Constructor Certification: 1 accept responsibility for the construction alteration or abandonment work performed on this well during the construction dates reported above are true to my best knowledge and belief.	(8) WELL TESTS: Minimum testing time is 1 hour	is in compliance with Oregon well constructi; a standards. Materials used
Yield GPM Drawdown Drill stem at Time 1500 80' 4.HOUR. Bonded) Water Well Constructor Certification: 1 accept responsibility for the construction alteration or abandonment work performed on this well during the construction dates reported altowe. All work performed during this time is in compliance with Oregon well a instruction standards. This report is true to the best of my knowledge and belief.	PERMICHETHON	and information reported above are true to my best knowledge and belief.
1500 80' 4.HOUR (Bonded) Water Well Constructor Certification: 1 accept responsibility for the construction alteration or abandonment work performed on this well during the construction dates reported attack. All work performed during this time is in compliance with Oregon well attack instruction standards. This report is true to the best of my knowledge and belief.	Maria Cost	» A A A A
(Bonded) Water Well Constructor Certification: 1 accept responsibility for the construction alteration or abandonment work performed on this well during the construction dates reported attions. All work performed during this time is in compliance with Oregon well attraction standards. This report is true to the best of my knowledge and belief.		Nite (1) 5 DATE 4-25-02WWC# 1452
Temperature of Water59 F° E epth Artesian Flow Found		(Bonded) Water Well Constructor Certification: 1 accept responsibility
Was a water analysis done? NOBy whom this time is in compliance with Oregon well a instruction standards. This report is true to the best of my knowledge and belief.	Temperature of Water 50 EV Conth Artesian Flow Found	for the construction alteration or abandonmini work performed on this
Did any strata contain water not suitable for intended use? Yes standards This report is true to the best of my knowledge and belief.		this time is in compliance with Oregon well a instruction
TOO LITTLE 148' 154'		standards This report is true to the best of my knowledge and belief.
148' 154' (Joynhancolly DATE 4-25-02 WWC # 693		1// 1/ "
ASSESSED DATE 7-25-02 WWC # 693	TOO LITTLE 148' 154'	(Jos / lear May 11 25
		MATE 7 - 25-02 WWC # 893
		77

RECEIVED MAY 1 0 2021 **OWRD**

MAY 1 0 2021 OWRD

SECTION 7: KLAMATH BASIN/COUNTY WELL INFORMATION

A functioning, totalizing flowmeter will be required for any drought permits issued. Is there currently a flowmeter installed on each of the PODs listed in the table in Section 3 of this application?

Yes
No*

*Please note that watermaster staff will visit the well to confirm flowmeter presence prior to issuance of an emergency drought groundwater permit. Where possible, watermaster staff will take a static water level measurement. Alterations to the well head may be required in order to make the water level measurements and these may be conditions of the permit.

For each well, please provide a description of the flowmeter location, the serial number, the current flowmeter reading and the date the reading was taken in the table below.

OWNER'S WELL NAME OR NUMBER.	WELL TAG NUMBER (IF AVAILABLE)	WELL LOG ID (E.G., KLAM 1234)	FLOWMETER SERIAL NUMBER	FLOWMETER READING	FLOWMETER DATE	FLOWMETER LOCATION
Well Mea	suremen	+			Flowm	eter Info
Date	4/27/21				Brand	McCrometer
Time	1040				Serval#	18-02161-08
Hold	80				Reading	353,059
Cut	0.95				Multiplier	0.001
mp Height	0.085				units	AF
WL =	80.45	si BLS			611 70.41	48.924

KLAM 53250

5.08 -- 0.5

STATE OF OREGON

COUNTY OF KLAMATH

MAY 1 0 2021

OWRD

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

DONALD A. RAJNUS 30485 TRANSFORMER ROAD MALIN, OR 97632

confirms the right to use the waters of A WELL in the LOST RIVER BASIN for IRRIGATION OF 133.07 ACRES.

This right was perfected under Permit G-11664. The date of priority is MARCH 6, 1992. The amount of water to which this right is entitled is limited to an amount actually beneficially used and shall not exceed 1.66 CUBIC FEET PER SECOND, or its equivalent in case of rotation, measured at the point of diversion from the source.

The well is located as follows:

SE 1/4 NE 1/4, SECTION 25, T 40 S, R 11 E, W.M.; 2086 FEET SOUTH AND 134 FEET WEST OF THE NE CORNER OF SECTION 25.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use to which this right is appurtenant is as follows:

NE	1/4	SW	1/4	12.29	ACRES	
NW	1/4	SW	1/4	7.19	ACRES	
SW	1/4	SW	1/4	0.48	ACRE	
SE	1/4	SW	1/4	33.61	ACRES	
SW	1/4	SE	1/4	7.50	ACRES	
			SECTION			
NW	1/4	NE	1/4	26.24	ACRES	
SW	1/4	NE	1/4	4.53	ACRES	
NE	1/4	NW	1/4	23.41	ACRES	
			1/4			
			1/4		ACRE	

NE 1/4 NE 1/4 16.26 ACRES SECTION 36 TOWNSHIP 40 SOUTH, RANGE 11 EAST, W.M.

SECTION 25

The well shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.

SEE NEXT PAGE

G-12810.DEK

MAY 1 0 2021

OWRD

PAGE TWO

The user shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.

The user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

If substantial interference with a senior water right occurs due to withdrawal of water from the well listed on this right, then use of water from the well shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The use of water shall be limited when it interferes with the prior SURFACE AND GROUND WATER rights of others.

Failure to comply with any of the provisions of this right may result in action including, but not limited to restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

The right to use water for the above purpose is restricted to beneficial use on the lands or place of use described.

WITNESS the signature of the Water Resources Director, affixed MAY 28, 1997.

/S/ Richard D. Bailey

Martha O. Pagel

Recorded in State Record of Water Right Certificates numbered 74458.

BASIN 14

VOLUME 2 LOST RIVER & MISC. MGMT.CODES 4IG, 4IR

DISTRICT 17

G-12810.DEK

ORIGINAL WELL HOW			
File Original and	FOREGON OBSERVATION WELLS	-36	3C(1)
(1) OWNER: CLARK UURUM APR 4 1958	(11) WELL TESTS: Drawdown is amount lowered below static i	water level	el is to Pur
Address P.O. Box 663 SALEM OREGON	Was a pump test made? New No. If yes, by who Yield: 780 gal./min, with 27 ft. drawdou " 900 " 3.37, "		U/2 hrs.
(2) LOCATION OF WELL:	" 1000 " 350 "		2 "
NE 14 NW 14 Section 33 T. 405, R. 12 E., W.M.	Artesian flow g.p.m. Date		res No
S. 88°16'00 746' From North	(12) WELL LOG: Diameter of well	16	inches.
guarter-corner of Section 33, I 405. R.12E. W.M.	Depth drilled 248 ft. Depth of completed v		
	Formation: Describe by color, character, size of materiashow thickness of agulfers and the kind and nature of stratum penetrated, with at least one entry for each of the color of the colo	1	1
TYPE OF WORK (check):	Saudu Clay & Chalk	FROM	TO 40
New Well Deepening Reconditioning Abandon	Squay Clay & Chair	57	75
If abandonment, describe material and procedure in Item 11.	Hard Lava	75	107
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Soft Lava	107	218
	Black Water Saud	218	222
nestic Industrial Municipal Rotary Driven Irrigation Test Well Other Dug Bored	Water cindens	230	235
	Water raised 4 fee	7.	
(6) CASING INSTALLED: Threaded Welded Welded Welded St. to Gage 3/6	Very hard Shell	235	248
"Diam from ft. to ft. Gage 16	3		
" Diam. fromft. toft_ Gage	. No state of		
(7) PERFORATIONS: Perforated? Yes No	-		
Type of perforator used	40 40 40 50		
SIZE of perforations in. by in.			-
perforations from ft. to ft.	1 1 1 1 1 1 1 1 1 1		
perforations fromft_ toft_			
perforations fromft. toft.		RECE	WED
perforations fromft. toft.			VED .
SCREENS: Well screen installed _Yes No		AY 1 0	2021
Inufacturer's Name			
Type Model No.		OWR	D
Diam. Slot size Set from ft. to ft.	1/27	6/2	111204
9 * 1 * 6 · 1 h d	Work started 3/2/ 1987. Completed 7	12	19 3
) CONSTRUCTION:	(13) PUMP:		
Gravel placed from ft to ft	Manufacturer's Name		-
Was a surface seal provided? X Yes □ No To what depth?	Type: Veep coell torbine	н.р7	3
Material used in seal- 7 Jacks Ceweri	Well Driller's Statement:		
Did any strata contain unusable water? Yes No	This well was drilled under my jurisdiction	and this	report is
Type of water? Depth of strata Method of sealing strata off	true to the best of my knowledge and belief,		
	NAME 197 M - 6/14/6 G	ype or prir	nt)
(10) WATER LEVELS: Static level (6/,5 ft. below land surface Date 4//57	Address Tulelake, Calil	2	
Artesian pressure lbs. per square inch Date	Dell'ante sunti assert	ADDRESS HOUSE	
,	Driller's well number		
Log Accepted by:	[Signed] (Well Driller)		
[Signed] John Madden Date 3/20, 1958	License No		10
By William J. Walled (USE ADDITIONAL SH			
EUGI-	EETS IF NECESSARY)		

SECTION 7; KLAMATH BASIN/COUNTY WELL INFORMATION

A functioning, totalizing flowmeter will be required for any drought permits issued. Is there currently a flowmeter installed on each of the PODs listed in the table in Section 3 of this application? Yes No*

*Please note that watermaster staff will visit the well to confirm flowmeter presence prior to issuance of an emergency drought groundwater permit. Where possible, watermaster staff will take a static water level measurement. Alterations to the well head may be required in order to make the water level measurements and these may be conditions of the permit.

For each well, please provide a description of the flowmeter location, the serial number, the current flowmeter reading and the date the reading was taken in the table below.


OWNER'S WELL NAME OR NUMBER.	WELL TAG NUMBER (IF AVAILABLE)	WELL LOG ID (E.G., KLAM 1234)	FLOWMETER SERIAL NUMBER	FLOWMETER READING	FLOWMETER DATE	FLOWMETER LOCATION
Well Mea	suremen	+				ter Info
Oate	3/11/202				Brand	McCrometer
Time					Serial #	10-03131-10
Hold					Reading	014.418
Cat					multiplier	014.418 0.001 AF
MP Height					units	AF
WL =	192.7	FF BLS				

Klam #4820 well #3 KLAM 14838 42.0641 42.0641 421.4239 -121.4208

RECEIVED

MAY 1 0 2021

OWRD



Main @ Help

Well Report Query Results GPS points, where available are at the far right of the table. Click link to view on map

Well Log: KLAM 14838

Well Log	Details	7-R-5/ QQ-Q	Taxfol	Street of Well	Owner	Company	Special Standards	Well Type	Piest Water	Completed Depth	Staffic Water Level	Yest	Completed	Received Date	Boaded Constructor	Startcard	Wellid#	New	Abandon	Deepen	Corversion	Domestic	Infgation	Community	Industrial	Injection	Themad	Dewatering	Latitude/ Longitude
KLAM_14638 Exempt Use Map Groundwater Info	Details	40.005-12.00E-33 NE-NW		S 88 DEG 16' & W 746' FROM N 1/4 COR SEC 33	MADDEN, JOHN PO BOX 663 MALIN OR			w	0.00	248.00	161.5	1150.0	04/02/1957	04/04/1958	MCGINELY, PAT		103028	4					1						42 0041 -121.4208

Download Data

Well 43

RECEIVED

MAY 1 0 2021

OWRD

SECTION 7: KLAMATH BASIN/COUNTY WELL INFORMATION

A functioning, totalizing flowmeter will be required for any drought permits issued. Is there currently a flowmeter installed on each of the PODs listed in the table in Section 3 of this application? Yes No*

*Please note that watermaster staff will visit the well to confirm flowmeter presence prior to issuance of an emergency drought groundwater permit. Where possible, watermaster staff will take a static water level measurement. Alterations to the well head may be required in order to make the water level measurements and these may be conditions of the permit.

For each well, please provide a description of the flowmeter location, the serial number, the current flowmeter reading and the date the reading was taken in the table below.

OWNER'S WELL NAME OR NUMBER.	WELL TAG NUMBER (IF AVAILABLE)	WELL LOG ID (E.G., KLAM 1234)	FLOWMETER SERIAL NUMBER	FLOWMETER READING	FLOWMETER DATE	FLOWMETER LOCATION
Well Med	surement				Flowmer	er Data
Date	3/11/2021				Brand	Melrometer
Time					Scrial#	96-02142-10
hold					Reading	874.556
Cot					Multiplier	0.001
MP Height	0.5				Units	874.556 0.001 AF
WL=	190.9	ex 13LS			WL 2020	197,20

KLAM	536	41/	148 We	11#1	
42.0647	mp=3	14" pla	s S	P=2.901	40
	ve 11	# 1	-	POA	-7

MAY 1 0 2021 OWRD Oregon Water Resources Department Well Report Query # Main @ Help

9 Return

Contact Us

Well Report Query Results GPS points, where available are at the far right of the table. Click link to view on map

Well Log: KLAM 53641

Well	Dotails	7.R.S/ QQ-Q	Taxiol	Street of Well	Owner	Company	Special	Well Type	First Water	Completed	Static	Yeld	Completed	Received Date	Bonded Constructor	Startcard	Wellids	New	Demen	Alteration	Conversion	Domesão	Community	Urestock	Industrial	Thermal	Deviatering	Piazometer or F	titude/ ngitude
HLAM 53641 Groundwater Info	Details	40.005-12.00E-28 SW-SW	6800	30083 PICKETT RD, MALIN		U S TIMBERLAND; KLAMATH FALLS LLC 7650 HAPPY HOLLOW LANE BONANZA OR 97623		w	230.00	396.0	169	0 1500.0	12/30/2002	01/03/2003	DESPAIN, LARRY O VANMETER & DESPAIN WELL DRILLING	145050	61773		,				,					42.0 :121	047. 1.4239

Download Data

Well #1

MAY 1 0 2021 OWRD

STATE OF OREGON JAN 0 3 2003			0				
	Klam WELL I.D	#L 51773					
WATER SUPPLY WELL REPORT RESOURCES DEPT. (as required by ORS 537.765) SALEM OREGON	START CA	RD#_14595	0				
	53641	Charles - Historia			_		
1) LAND OWNER Well Number LLC	(9) LOCATION OF WELL by I	gal description:					
Address 7680 Happy Hollow Lane	County Klamath Latitude Longitude Township 40S Nors Range 12E E or W. WM.						
ity Bananza, State OR Zip 97623	Township 405 N or S F	ange IZE	E or W.	WM.			
	Section 28 SW		_1/4				
2) TYPE OF WORK] New Well	Tax Lot 6800 Lot		Subdivision,		-		
	30083 Pickett Rd., Ma	lin. OR					
3) DRILL METHOD: 8 Rotary Air			THE VIEW		=		
Other	(10) STATIC WATER LEVEL: 169 ft. below land surface	e.	Date 12/	30/02			
4) PROPOSED USE:	Artesian pressureIb.		Date				
Domestic Community Industrial Infigation	(11) WATER BEARING ZONES	3:			-		
Thermal Injection Livestock Other							
5) BORE HOLE CONSTRUCTION:	Depth at which water was first found _				-		
pecial Construction approval ☐ Yes ☑ No Depth of Completed Well 394t. Explosives used ☐ Yes ☐ No TypeAmount		The second second second	Flow Rate	SWL			
HOLE SEAL	230 396	1500		169			
Diameter From To Material From To Sacks or pounds							
14 0 230							
8 230 396					,		
	(12) WELL LOG:			-			
low was seal placed: Method	Ground Elevation						
Other		1 1	T TY	- ANNER	1		
ackfill placed fromft. toft. Material	Gray basalt	From 230	244	SWL			
ravel placed fromft. toft. Size of gravel	Gray&green basalt	244	252				
5) CASING/LINER: Diagnager From To Gauge Steel Plastic Welded Threaded	Broken brokgray basal		257				
asing: 14 +1 35 250 🗷 🗆 🗷	Gray basalt	257	272				
	Red rock	272	287		1		
	Brn lava	287	289				
	Gray basalt	289	292				
iner:	Decomposed lava	292	298				
Drive Shoe used Inside Outside None	Red & brn lava	298	336				
inal location of shoe(s)	Brn lava Red & brn lava	336 350	350				
7) PERFORATIONS/SCREENS:	Gray basalt	375	385				
☐ Perforations Method	Red & brn lava	385	396	1 3			
Stot Tele/pipe							
From To size Number Diameter size Casing Liner	RECEIVED			RE	CE		
	NOV 3 0 2004			MAY	1		
	WATER RESOURCES DE		00/25	0	W		
8) WELL TESTS: Minimum testing time is 1 hour	Date started SARFINGBEGON		30/02				
Pump Bailer Air Artesian	(unbonded) Water Well Constructor Ce			100 mm	ATT.		
Yield gal/min Drawdown Drill stem at Time	I certify that the work I performed on ment of this well is in compliance with Or	egon water supply	well constructi	on			
1500 30 (1hr.)	standards. Materials used and information	reported above are	true to the bes	t of my			
	knowledge and belief.	WWC No	ımber				
7.0	Signed		Date		N. Carlotte		
emperature of water 56 Depth Artesian Flow Found	(bonded) Water Well Constructor Certi				-		
as a water malysis done?	I accept responsibility for the constru	ction, alteration, or	abandonment	work			
id any strata contain water not suitable for intended use? Too little	performed on this well during the construct performed during this time is in compliant	e with Oregon wat	er supply well				
Salty Muddy Odor Colored Other	construction randards. This reports true	to the best of my kr	nowledge and l	peliefo			
epth of strata:	Signed Lany B. Uso	tun WWCN	mber 12	2010	2		

This Agreement, made and entered into this 12th day of

, 1969 by and botweer March

DENIS T. MURPHY and KATHERINE MURPHY, husband and wife,

hereinafter called the vendor, and

RAJNUS EROS., a copartnership consisting of Carl Rajnus, George Rajnus and Donald Rajnus, hereinafter called the vendee.

WITNESSETH

Received by OWRD

all of the MAY 1 0 2021 to buy from the vendor and the vendee agrees Vendor agrees to sell to the vendee following described property situate in Klamath County, State of Oregon, to-witt

TOWNSHIP 40 SOUTH, RANGE 11, EAST OF THE WILLAMETTE MERIDIAN:

Section 23: SEINELNWY; SEINWY SINEY; EISWY; NISEY; SEISEY

Salem, OR

Section 24: Sanwa; Swa; All those portions of the SwanEa, less the North 180 feet, Wasta and the SEZSEZ lying Westerly of the Malin-Bonanza Highway (Poe Valley Road)

Section 25: Winwi; SEINWi; SISINEN; SI

Section 26: NEWEX; SANA; NASA; SASEX;

Section 35: ENW1; NEISW1; E1

SELSWE: NEWNWE: ELNWENWE

SURJECT TO: Acreage and use limitations under provisions of United States Statutes and regulations issued thereunder; Reservations and restrictions contained in United States Patents; Rights of the public in and to any portion of the herein described property lying within the limits of any road or highway; Liens and assessments of Klamath Project and Shasta View Irrigation District, and regulations, essements and water and irrigation rights in connection therewith; Right of Way Essement, including the terms and provisions thereof, dated April 14, 1965, recorded October 12, 1965, as Document #1039 in Volume M-65, page 2535, Microfilm records of Klamath County, Oregon; at and for a price of \$ 80,000.00 . payable as follows, to-wit:

\$ 20,000.00

at the time of the execution

of this agreement, the receipt of which is hereby acknowledged; \$ per onnum from March 12, 1969,

60.000.00 with interest at the rate of 6 %

 sobolocioles de la constante de l teamidences addecided and the contract a NEXUEN payable as follows: Interest only on March 15, 1970; Interest only on March 15, 1971; thereafter \$5,000.00 per year, PLUS interest, commencing March 15, 1972, and a like payment continuing thereafter on the 15th day of each March until the full balance and interest are paid. Provided, however, Vendee cannot prepay more than \$5,000.00 per year on principal in any one year without permission of Vendors.

to make said payments promptly on the dates above named to the order of the vendor, or the Vandaa agrees survivors of them, of the First Federal Savings and Loan Association of Klamath Falls,

Oregon: to keep said property at all times in as good condition as the same now are, that no improvement now on or which may hereafter be placed on said property shall be removed or destroyed before the entire purchase price has been paid and MI TINITAH MIMIMI ERIM ERIM MEMPUNTAH MEMILI PENGAMBAN MEMILI MEMPUNTAH MINITAK M that vendee shall pay regularly

and seasonably and before the same shall become subject to interest charges, all taxes, assessments, liens and incumbrances of whatsoever nature and kind

and agrees not to suffer or permit any part of said property to become subject to any taxes, assessments, liens, charges or incumbrances whatsoever having precedence over the rights of the vendor in and to said property. Vendee shall be entitled to the possession of said property immediately.

Vender will on the execution hereof make and execute in favor of vendee good and sufficient warranty deed conveying a fee simple title to said property free and clear as of this date of all incumbrances whatsoever, except as above stated.

75503

02-28-95A10:28 ROVO BARGAIN AND SALE DEED

Vol mas Page

KNOW ALL MEN BY THESE PRESENTS, That George Rajnus and Donald Rajnus

., hereinafter called grantor,

for the consideration hereinafter stated, does hereby grant, bargain, sell and convey unto

Donald A. Rajnus and Sharon L. Rajnus, husband and wife

hereinalter called grantee, and unto grantee's heirs, successors and assigns all of that certain real property with the tenements, hereditaments and appurtenances thereunto belonging or in anywise appertaining, situated in the County Klamath , State of Oregon, described as follows, to-wit:

TOWNSHIP 40 SOUTH, RANGE 11, EAST OF THE WILLAHETTE MERIDIAN:

Section 25: SiNW1; Si; SiSiNEt

Section 26: Sini; NiSi; SEISWI; SISEI Section 35: Einwi; NEISWI; Ej

Section 36: Wi: NEt

TOGETHER WITH Beginning at a 5/8" from pin on the South line of Section 24 daich bears S. 89"28'49" W. a distance of 1904.22 feet from the iron pipe monument marking TOGETHER WITH The southeast corner of said Section 24; thence North a distance of 753.90 feet to a 5/8" from pin; thence S. 87*05'29" M. a distance of 474.56 feet to an existing fence line; thence along said fence line the following courses and distances: M. 37*57'07" M., 580.32 feet; M. 28*04'40" M., 62.68 feet; N. 01*12'20" M., 313.67 feet; N. 68*20'33" M., 125.15 feet; M. 65*06'44" M., 142.10 feet; N. 69*13'47" M. 457.11 feet; N. 61*17'24" M. 19.74 feet; M. 54*47'56" M. 235.58 feet; N. 65*24'25" M. 718.70 feet; S. 29* 46'09" for 19.74 feet; M. 54*47'56" M. 235.58 feet; N. 65*24'25" M. 718.70 feet; S. 29* 46'09" for 19.79.39 feet and S. 22*18'19" E. 871.74 feet to a point on the South line of said fection 24; thence along said South line, N. 89*28'49" E. a distance of 1752.36 feet, more in less to the point of beginning. ALSO a 40 foot wide road assement, the centerline of which a described as follows: Beginning at a point which bears S. 89*28' 49" M. a distance of 1904. the southeast corner of said Section 24; thence North a distance of 753.90 feet to a s described as follows: Beginning at a point which bears S. 89°28' 49" W. a distance of 1904.22 eet and North a distance of 733.87 feet from the Southeast corner of said Section 24; thence 1. 87°02' E. 88.0 feet; thence N. 57°37' E., 205.0 feet; thence S. 87°01' E. 240.0 feet; hence N. 77°16' E., 122.0 feet, more or less to a point on the Westerly line of County Road lo. 1097.

(IF SPACE INSUFFICIENT, CONTINUE DESCRIPTION ON REVERSE SIDE)

To Have and to Hold the same unto the said grantee and grantee's heirs, successors and assigns forever.

The true and actual consideration paid for this transfer, stated in terms of dollars, is \$

OHowever, the actual consideration consists of or includes other property or value given or promised which is the whole
part of the consideration (indicate which). The sensence between the symbols 0, it not applicable, should be deleted. See ORS 91.030.)
In construing this deed and where the context so requires, the singular includes the plural and all grammatical

changes shall be implied to make the provisions hereof apply equally to corporations and to individuals.

In Witness Whereof, the grantor has executed this instrument this Lamday of February. if a corporate grantor, it has caused its name to be signed and its seal affixed by an officer or other person duly author-

Sepre

ized to do so by order of its board of directors.

THIS INSTRUMENT WILL NOT ALLON USE OF THE PROPERTY DESCRIBED IN THIS
INSTRUMENT WILL NOT ALLON USE OF THE PROPERTY DESCRIBED IN THIS
INSTRUMENT IN VOLATION OF APPLICASE LAND USE LAND AND REGULATIONS.

BEFORE SIGNING OR ACCEPTING THIS INSTRUMENT, THE PERSON ADDIABNON FEE
THILE TO THE PROPERTY DEPOLID DESCRIPTING THIS INSTRUMENT, THE PERSON ADDIABNON FEE
THILE TO THE PROPERTY DEPOLID DESCRIPTING THIS COLUMNITY
PLANNING DEPARTMENT TO VERBY APPROVED USES AND TO DETERMINE ANY
PLANNING DEPARTMENT TO VERBY APPROVED USES AND TO DETERMINE ANY
ORS 305300.

STATE OF OREGON, County of _ Klamath

This instrument was acknowledged before me on ... George Rajnus and Donald Rajnus

This instrument was acknowledged before me on.

by OFFICIAL SEAL TRUDIE OURANT NOTARY PUBLIC - OREGON COMMISSION NO. 027875 OWNISSION COPRES SEP. 30, 1997

ecent Notary Public for Oregon

My commission expires

Goerge Rajnus and Donald Rajnus Donald Rajnus

Sharon L. Rajeus.

Donald Rajnus 30485 Transformer Rd. Malin. Oregon 97632

Donald Rajnus 30485 Transformer Ed.

Malin, Oregon 97632

BEAUT BEAUTY

STATE OF OREGON,

County of Klamath I certify that the within instru-

ment was received for record on the th day of Feb 19.95, at 10:28 o'clock A.M., and recorded 28th in book/reel/volume No. M95 on page4393 ... or as fee/file/instru-

ment/microfilm/reception No. 95503, Witness my pass and Commy Record of Deeds of said Cont.

Sernerha G. Lersell County Cle By Paulene Cultured in Deput

STATE OF USA

Fee \$30.00

UZAJEME

Received by OWRD

MAY 1 0 2021

Notary Public for Oregett 12-19-92 Rainus STATE OF OREGON. County of NTO# 2 NAME AND ADDRESS Certify that the within instru-Rajnus ment was received for record on the day of . 19. ... o'clockM., and reconfed SALATER I MANE AND ADVOCAN MACE PERFYED in book/reel/volume No. _ _ on as lee/lile/in trupage Mr. and Mrs. Donald Rainus ment/microlitm/reception No... Star-Route Box 68 ... Record of Deeds of said county. Malin, Oregon 97632 Witness my hand and seal of County allized. on or sell for most to the federating sales Same as above ---Deputy

By ...

West along the South line of the NisiNE' a distance of 40 feet; thence North parallel with the East line of Section 25 to the Southerly right of way line of Harpold Road; thence Southeasterly along said Southerly right of way line oto the East line of Section 25; thence South along said East line to the point of beginning.

- 124:22 - -

This deed is being recorded to correct that description conveyed by parties in Deed recorded February 28, 1983 in M-83 on page 2975, records of Klamath County, Oregon.

STATE OF OREGON: COUNTY OF KLAMATH: 11.

17771

AUDRICE LAST

ente-d	for recont at reque	et of	Klamath Co	ounty Title Co.	1176	day
of	Oct.	A.D., 19_91	_ at4:00		uly recorded in Vol	_,
		of	Deeds	Evelyn Bighn .	County Clerk	
FEE	\$33.00			By Daules	· Mulender	_

--- -- SAC ---

Received by OWRD

MAY 1 0 2021

Salem, OR

Minutes of Meeting of Members of Gavin Rajnus, L.L.C.

Members gathered on January 3, 2019 to vote on transferring full Gavin Rajnus L.L.C. assets to Gavin & Julie Rajnus after a culmination of annual gifting transfers. Donald and Sharon also requested to be removed from the Gavin Rajnus limited liability company. Members present included: Julie D. Rajnus, D. Gavin Rajnus, Donald A. Rajnus, and Sharon L. Rajnus.

VOTE

A vote was taken regarding the exit of Donald A. Rajnus and Sharon L. Rajnus from Gavin Rajnus, L. L. C. All members voted in favor of this change to the limited liability company.

RESOLVED

Sharon L. Rajnus

From this date forward, Gavin Rajnus L.L.C. will consist of two members only-Donald Gavin Rajnus and Julie Dana Rajnus. Donald G. and Julie are now full owners of all properties of Gavin Rajnus L.L.C.


There being no further business, the meeting was adjourned.

D. Stevin Kagin
D. Gavin Rajnus
her Rains
Julie D. Rajnus
Yould Ragnus
Donald A. Rajnus
Sharon I. Ramus

MAY 1 0 2021

Received by OWRD

Salem, OR



This Agreement, made and entered into this 12th day of March

, 1969 by and between

DENIS T. MURPHY and KATHERINE MURPHY, husband and wife,

hereinafter called the vendor, and

RAJNUS EROS., a copartnership consisting of Carl Rajnus, George Rajnus and Donald Rajnus,

hereinafter called the vendee.

Received by OWRL

WITNESSETH

all of the MAY 1 0 2021

Vendor agrees to sell to the vendee and the vendee agrees

to buy from the vendor

following described property situate in Klamath County, State of Oregon, to-wit:

Salem, OR

TOWNSHIP 40 SOUTH, RANGE 11, EAST OF THE WILLAMETTE MERIDIAN: Section 23: SEINELWWY; SEINWY SINEY; EISWY; NISEY; SEISEY

Section 24: Sanwa; Swa; All those portions of the Swanea, less the North 180 feet, Wasta and the SEESE't lying Westerly of the Malin-Bonanza Highway (Poe Valley Road)

Section 25: Winwi; SEINWi; SISINEN; SI

Section 26: NEWEL; SANT; NAST; SASEL;

Section 35: ENW1; NELSW1; E1

SELSWE; NEWWY; ELNWENWE

SURJECT TO: Acreage and use limitations under provisions of United States Statutes and regulations issued thereunder; Reservations and restrictions contained in United States Patents; Rights of the public in and to any portion of the herein described property lying within the limits of any road or highway; Liens and assessments of Klamath Project and Shasta View Irrigation District, and regulations, essements and water and irrigation rights in connection therewith; Right of Way Easement, including the terms and provisions thereof, dated April 14, 1965, recorded October 12, 1965, as Document \$1039 in Volume N-65, page 2535, Microfilm records of Klamath County, Oregon; at and for a price of \$ 80,000.00 . payable as follows, to-wit:

s 20,000.00

at the time of the execution

of this agreement, the receipt of which is hereby acknowledged; \$ per annum from March 12, 1969,

60,000.00 with interest at the rate of 6 %

seabtéaranachtáraitráinnachtan NEXTORS payable as follows: Interest only on March 15, 1970; Interest only on March 15, 1971; thereafter \$5,000.00 per year, PLUS interest, commencing March 15, 1972, and a like payment continuing thereafter on the 15th day of each March until the full balance and interest are paid. Provided, however, Vendee cannot prepay more than \$5,000.00 per year on principal in any one year without permission of Vendors.

to make said payments promptly on the dates above named to the order of the vendor, or the Vendee corpes survivors of them, at the First Federal Savings and Loan Association of Klamath Falls,

at Klamath Falls.

Oregon: to keep said property at all times in as good condition as the same new are, that no improvement now on or which may hereafter be placed on said property shall be removed or destroyed before the entire purchase price has been paid and NG 828744447 8637467 864 64464 64 6464666 644446876 744647 77 64644 844 67 664447 77 66747 77 66747 7 that vendee shall pay regularly

and seasonably and before the same shall become subject to interest charges, all taxes, assessments, liens and incumbrances of whatscever nature and kind

and agrees not to suffer or permit any part of said property to become subject to any taxes, assessments, liens, charges or incumbrances whatsoever having precedence over the rights of the vendor in and to said property. Vendee shall be entitled to the possession of said property immediately.

Vendor will on the execution hereof make and execute in layor of vendee good and sufficient warranty deed conveying a fee simple title to said property free and clear as of this date of all incumbrances whatsoever, except as above stated.

ment was received for record on the Donald Rajnus 28th __ day of __ Feb Sharon L. Rajous _ 19, 95 at .10:28 o'clock .. A.M., and recorded SPACE RESERVED Grantes's Name and Add After recentling return to [Name, Address, Espi: in book/reet/volume No. M95 on page4393 RECORDER'S USE .. or as fee/file/instru-Donald Rainus ment/microfilm/reception No....95503, 30485 Transformer Rd. Record of Deeds of said County Witness my Man and May Malin, Oregon 97632 County affized. on set lie been edwarded ber Donald Rajnus Bernetha C. Legack County Cle 30485 Transformer Rd Malin, Oregon 97632 By Prince Multinos C Deput TATE OF USA Fee \$30.00

HADERED

Received by OWRD

County affixed.

BY.

Deputy

K-42860

WARTANTY DIED

Vol. mal Page 21671

FORM No., 623-WARRANTY DEED (Individual or Corporate).

Same as above

Correction

36178

177177

West along the South line of the NiSiNE' a distance of 40 feet; thence North parallel with the East line of Section 25 to the Southerly right of way line of Harpold Road; thence Southeasterly along said Scutherly right of way line oto the East line of Section 25; thence South along said East line to the point of beginning.

18923960

This deed is being recorded to correct that description conveyed by parties in Deed recorded February 28, 1983 in M-83 on page 2975, records of Klamath County, Oregon.

STATE OF OREGON: COUNTY OF KLAMATH: 11.

The second of th

	for money at money	a d	Klamath Co	unty Title Co.	the 16th day
Filed for record at requi	A.D., 19_91			duly recorded in VolM9.1	
		of	Deens	Evelyn Bishn	. County Clerk
FFF	\$33.00			By Jalante	e Mulladue

Received by OWRD

MAY 1 0 2021

Salem, OR

Minutes of Meeting of Members of Gavin Rajnus, L.L.C.

Members gathered on January 3, 2019 to vote on transferring full Gavin Rajnus L.L.C. assets to Gavin & Julie Rajnus after a culmination of annual gifting transfers. Donald and Sharon also requested to be removed from the Gavin Rajnus limited liability company. Members present included: Julie D. Rajnus, D. Gavin Rajnus, Donald A. Rajnus, and Sharon L. Rajnus.

VOTE

A vote was taken regarding the exit of Donald A. Rajnus and Sharon L. Rajnus from Gavin Rajnus, L. L. C. All members voted in favor of this change to the limited liability company.

RESOLVED

From this date forward, Gavin Rajnus L.L.C. will consist of two members only-Donald Gavin Rajnus and Julie Dana Rajnus. Donald G. and Julie are now full owners of all properties of Gavin Rajnus L.L.C.

There being no further business, the meeting was adjourned.

D. Gavin Rajnus

Julie D. Rajnus


Donald A. Rajnus


Sharon L. Rajnus


Received by OWRD

MAY 1 0 2021

Salem, OR







Well location


KLAM 53250

Lat 42.0054


Long-121.4081


Scale 1"- 880'

MAY 1 0 2021 OWRD





MAP 4 JF 6 REVISED 06-18-15 THIS MAP WAS PREPARED FOR SECTION 15 T.41S. R.12E. W.M. ASSESSMENT PURPOSE ONLY KLAMATH COUNTY TO LANDS MAP CREATED 04/15/2021 1-400 SEE MAP 41 12 10 300 38.8 AC. 100 39.10 AC. 200 38.8 At. EFU-C SEE MAP NORTH 12 15BB THIS RIDE SEC. 15 CS 4334 700 38.75 AC. 800 48.80 AC. Tax lot DURA DE SEE 1300 16 39.00 SESW RECEIVED SEE USER RAW MAP MAY 1 0 2021 SEE MAP **OWRD** 900 23.84 AC. 41 12 15CA TOLD THE DICLES - CALIFORNIA HOUSE BOO AC. 126,000 391 LOT 4 23.20 LOT 6 33.00 LOT 5 24.00 SESW 41 12 15 & INDEX 22 SEE HAP 41 12 22 MALIN











40511 E SCC 24 225 RECEIVED EIGH SEE HAP 39 EV TARALLEL SOUTH WEBBER STANDARD 4.75 4.21 ER Just s MAP LOT S SEE MAP 140.50 LET . 111 0.57 03 LOT 9 40 11 02 40 11 01 a Let D LOT M BEDFIELD 0.17 Lut fr LOT N 45.30 4 LOT 10 A LOT 2 700 43.67 40.88 2500 25.00 AC. 45.77 1200 120,00 AC. MAP SEE 42.8 10 1000 400 80.00 LOT 1 1900 40 11 09 212 \$ 236 F81 5 4.00 Lut I MOD GO AC. 4200 3300 249,00 M 3500 330.00 AC, LD1 2 SEE MAP 16 13 3700 LOT 3 3600 40 15 16 232 8 4300 67.86 H 2900 1 15 L01 1 4900 5,35,75 4700 M 4500 +000 41.54 4900 MAP 23 SEE 5000 18,08 AC. MAP 20 EDF ORD HALIN LOT 3 4.12 40-11 9 11 21 L01 4 6100 91.00 LCT I 4.75 SEE HAP 29 MAP SEE MAP 29 26 25 SEE 40 1 40 11 27 40 11 28 L01 4 0.00 AC 4.44 8900 290,50 AC 5000 5000 SEE SEE SEE MAP 18 100 MAS SEE MAP 34 17 35 40 11 33 7200 7300 40 11 36 40 11 32 40 11 40' 11 Received by OWRO 48000 T BEE MAP 41 1 0 Dans place MAY 1 0 2021 TE Salera OR

A temporary transfer must be for a change in place of use. A temporary change in POD/POA or APOD/APOA cannot be accepted as a stand-alone change.

A change in POD/POA can accompany the temporary change in place of use, <u>only</u> if the proposed temporary POD/POA is supplying water to the proposed temporary place of use.

(If OH	L, check box to left; if not, fill in the blank)
	1. Page 1 of application: Are all attachments that have been checked actually included? If not, what is missing?
Ø	2. Are fees included and correct? If not, the correct fee would be:, so the amount missing is:
Image: Control of the con	3. Part 4 of application: Have all the applicants listed at the top of the page signed at the bottom? If not, whose signature is missing?
V	Are all listed certificates shown by WRIS as non-cancelled? If not, which are cancelled?
. ,	For each cancelled certificate, if there has been a remaining right certificate issued that covers the lands in the left side of Table 2, list its number and check the #4 box at left on this checklist.
	5. If any certificate is in the name of a "district", is a Supplemental Form D from that district enclosed? N/A Form D needed from (district)
	 If all #1-#5 boxes on this checklist are checked (with no remaining deficiencies identified), accept the application. Put this check sheet in the transfer folder.
	If #1, #2, #3, #4 or #5 on this checklist is deficient, the application cannot be accepted. It should be returned and the deficiencies listed in the "staff" section at the bottom of Application Page 1, unless the applicant or agent can resolve the deficiencies within 2-3 days.
	the deficiencies listed in the "staff" section at the bottom of Application Page 1, unless the applicant or agent can resolve the deficiencies within 2-3 days. 133.07 entroty 74458 1,66 cFs 1,66 cFs
3/1	1,6 CT (1,6 CT)
3,1	The Namatri

STATE OF OREGON

WATER RESOURCES DEPARTMENT 725 Summer St. N.E. Ste. A BECFIPT # 135215 INVOICE # SALEM, OR 97301-4172 (503) 986-0900 / (503) 986-0904 (fax) APPLICATION 27/1 PERMIT BY: 7-13722 TRANSFER CASH: CHECK:# OTHER: (IDENTIFY) 5 250. Q TOTAL REC'D 4170 WRD MISC CASH ACCT TREASURY 1083 S 0407 COPIES S OTHER: (IDENTIFY) 0245 Cons. Water 0243 I/S Lease 0244 Muni Water Mgmt. Plan___ WRD OPERATING ACCT 4270 MISCELLANEOUS \$ COPY & TAPE FEES 0407 \$ RESEARCH FEES 0410 S 0408 MISC REVENUE: (IDENTIFY) S DEPOSIT LIAB. (IDENTIFY) TC162 S 0240 EXTENSION OF TIME RECORD FEE WATER RIGHTS: **EXAM FEE** S SURFACE WATER 0201 \$ 0202 \$ 0203 **GROUND WATER** S 0204 TRANSFER s 250.00 0205 LICENSE FEE **EXAMFEE** WELL CONSTRUCTION \$ 0219 0218 WELL DRILL CONSTRUCTOR \$ 0220 LANDOWNER'S PERMIT OTHER (IDENTIFY) 0536 TREASURY 0437 WELL CONST. START FEE 0211 WELL CONST START FEE S CARD # 0210 MONITORING WELLS \$ CARD # OTHER (IDENTIFY) TREASURY 0607 0467 HYDRO ACTIVITY LIC NUMBER S 0233 POWER LICENSE FEE (FW/WRD) 0231 HYDRO LICENSE FEE (FW/WRD) S S HYDRO APPLICATION TREASURY OTHER / RDX FUND TITLE OBJ. CODE **VENDOR#** \$ DESCRIPTION

RECEIPT:

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal