### For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? 

Yes No



If YES, list the certificate, water use permit, or ground water registration numbers: **C2817**.

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration modification application.

to	a ground water registration must be filed separately in a ground water registration modification applicatio
	Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)
Gr	round water supplemental Permit or Certificate #;  rface water primary Certificate #
For a	a change from Supplemental Irrigation Use to Primary Irrigation Use
lde	entify the primary certificate to be cancelled. Certificate #
For a	change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:
AN	D/OR
	Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For <i>proposed wells not yet constructed or built</i> , provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

### Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No.	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well	Source aquifer (sand, gravel, basalt, etc.)	Well specific rate (cfs or gpm). If less than full rate
#7R	No	NA	500'	12"	+1 to -500	0 to -20'	NA	(in feet)	Basalt	of water right
#11	No	NA	500'	12"	+1 to -500	0 to -20'	NA	UNK	Basalt	

SUPERSEDING

Received by OWRD

NOV 26 2024

Salem, OR

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

# Table 2. Description of Changes to Water Right Certificate # 93777

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

	The	listi List	ng th	nat ap	opear	s on th	ne cer	tificate	or "off" land BEFORE PRO right that wi	ls) DPOSED CHA III be changed	NGES	Proposed Changes (see				The	listir	P) ig as	PROPOSED (the "to" or "on" lands) as it would appear AFTER PROPOSED CHANGES								
Гwр	Rr	ng	Sec	1/4	1/4	Tax Lot	Gvt		Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)		"CODES" from previous page)	Ti	νp	Rr	ng	Sec	7/4	1/4	Tax Lot	Gvt Lot or DLC		New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date		
3 S	19	E	7	NE	NE	500		0.8	IR	1,2,3,4	2001	POU/APOA	34	S	19	Е	14	SW	sw	200		0.5	IR	7R,8,9,10,11	2001		
+	-	-		SE	NE			1.1				POU/APOA	34	S	19	E	14	SE	sw			0.5		777720			
+-	-	-	8	NE	NW			12.4				POU/APOA	34	S	19	E	14	SW	SE			0.6					
+	-	-	-	NW	NW			22.5				POU/APOA	34	S	19	E	15	NE	SW			4.5	IS		<del></del>		
+-				SW	NW			26.3				POU/APOA	34	s	19	Е	15	NW	sw			9.2	15				
-				SE	NW			18.2				POU/APOA	34	S	19	Е	15					0.9	IR				
	-											POU/APOA	34	S	19	E	15	SW	sw			25.6					
ļ.	ļ											POU/APOA	34	S	19	E	15					10.4	IS				
						,						POU/APOA					15	SE	SW			20.8	15				
_												POU/APOA		-+				NW	NE			2.4			-		
_												POU/APOA						NE	NW				IR				
												POU/APOA	$\rightarrow$	-		+	22		1400			0.4			-		
												POU/APOA		-		-+	-					0.4	IS				
				,							L	TOO/AFOA	54	3	19	E	22	NW	NW.			3.0	IR				

SUPERSEDING

Received by OWRD

NOV 26 2024

Salem, OR

		T	. ,	T		T						т				
						34	S	19	Е	23	NW	NE		0.6	IR	
				/	~	34	s	19	E	23	sw	NE		0.2		
						34	S	19	E	23	NE	NW		0.2		
					1.	34	S	19	E	23	NW	NW		0.6		
						34	S	19	E	23	SE	NW		0.5		
TOTAL ACRES:	81.3							,				ТОТ	AL ACRES:	36.0 IR 45.3 IS		

Additional Remarks: 45.3 acres proposed to be downgraded to supplemental (Certificate 2817 Moss Creek)

SUPERSEDING

Received by OWRD

NOV 26 2024

Salem, OR

#### **CERTIFICATE # 93778**

NOV 26 2024

<b>Description of Water Delivery:</b>	S۱	/stem
---------------------------------------	----	-------

Salem, OR

System capacity: 2.42 cubic feet per second (cfs) OR

gallons per minute (gpm)

## SUPERSEDING

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Water is pumped from POA's 8 & 9 and conveyed be pipe to center pivot sprinklers per T-11654

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

The transfer to fac	图 医多种性皮肤病 3	· 图1000 图1000 图1000 图	51.7.		. 1			7			
POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	1	-wp		Rng	Sec		4 14	Ta Lo DL or Gov Lo	t, Meaşûred Distances C (from a recognized Yt
1	Authorized Proposed	LAKE 4564	33	S	19	E	17	sw	NW	500	2600' S & 50' E from NW cor, Sec 17
2	Authorized Proposed	LAKE 51182	33	S	19	.E	7	NE	SE	500	1690' S & 770' W from SE cor, Sec 7
3	Authorized Proposed	LAKE 50941	33	s	19	E	8	SE	NE	500	2048' S & 563' W from NE cor, Sec 8
4	<ul><li>✓ Authorized</li><li>✓ Proposed</li></ul>	LAKE 51031	33	S	19	E	8	NW	NW	500	325' S & 4704' W from NE cor, Sec 8
7R	☐ Authorized ☐ Proposed	NOT BUILT	34	s	19	E	23	NE	NW	200	95' S & 3010' W from NE cor, Sec 23
8	☐ Authorized ☐ Proposed	LAKE 52491	34	S	19	E	15	SE	SE	200	800' N & 650' W from SE cor, Sec 15
9	Authorized Proposed	LAKE 52492	34	S	19	E	15	sw	sw	200	825' N & 1080' E from SW cor, Sec 15
10	☐ Authorized ☐ Proposed	LAKE 52770	34	S	19	Е	22	NW	NE	200	510' N & 3530' E from NW cor, Sec 22
11	☐ Authorized ☐ Proposed	NOT BUILT	34	s	19	Е	23	SE	NW	200	1480' S & 3175' W from NE cor, Sec 23

Check al	l type(s)	of change(s)	proposed below	(change	"CODES"	are provide	d in parentheses):
		Lice (DOLI)	· ·				

1 1400 01 030 (1 00)		Supplemental Use to Primary Use (S to P)
Character of Use (USE)		Point of Appropriation/Well (POA)
Point of Diversion (POD)	$\boxtimes$	Additional Point of Appropriation (APOA)
Additional Point of Diversion (APOD)		Substitution (SUB)
Surface Water POD to Ground Water		Government Action POD (GOV)

POA (SW/GW)

# SUPERSEDING

Certificate # 93778

### For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands?  $\boxtimes$  Yes  $\square$  No

If YES, list the certificate, water use permit, or ground water registration numbers: C2817.



Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to n.

a p to a	orimary right proposed for transfer must be included in the transfer or be a ground water registration must be filed separately in a ground water re	e cancelled. Any change egistration modification application
	ubstitution (ground water supplemental irrigation will be substituted fo	
Gro	face water primary Certificate #;	Received by OWRD
For a	change from Supplemental Irrigation Use to Primary Irrigation Use	NOV 26 2024
Ider	ntify the primary certificate to be cancelled. Certificate #	Salem, OR
For a	change in point(s) of appropriation (well(s)) or additional point(s) of ag	
$\boxtimes$	Well log(s) are attached for each authorized and proposed well(s) that with the corresponding well(s) in Table 1 above and on the accompany <b>Tip</b> : You may search for well logs on the Department's web page at: <a href="http://apps.wrd.state.or.us/apps/gw/well-log/Default.aspx">http://apps.wrd.state.or.us/apps/gw/well-log/Default.aspx</a>	are clearly labeled and associated
AND	D/OR	
	Describe the construction of the authorized and proposed well(s) in Talhave a well log. For <i>proposed wells not yet constructed or built</i> , provide requested information element in the table. The Department recomme driller, geologist, or certified water right examiner to assist with assemble Table 3.	e "a best estimate" for each

### Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
#7R	No	NA	500'	12"	+1 to -500	0 to -20'	NA	UNK	Basalt	- Trace Tight
#11	No	NA	500′	12"	+1 to -500	0 to -20'	NA	UNK	Basalt	

NOV 26 2024

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

# Table 2. Description of Changes to Water Right Certificate # 93778

List the change proposed for the acreage in each ½ ½. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

		he l	isti	ng th	nat ap	pear	s on th	ie cer	tificate	or "off" land BEFORE PRO	osed change s) POSED CHAI II be changed.	VGES	Proposed Changes (see	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANG											
Tv		Rng		Sec		1/4	Tax Lot	Gvt <sup>-</sup>		Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	:	"CODES" from previous page)	Tv	/p	Rng	Se	C	1/4 1/4		Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from	Prior Dat
33	S	19	E	5	NE	SW	500		38.7	IR	1,2,3,4	1998	POU/APOA	34	S 1	.9	E 14	NV	v sw	200		7.9	IS	Table 1) 7R,8,9,10,11	199
	_	_			NW	SW			14.5				• •							<del> </del>		5.3	IR	,-,-,-,-	
					SW	sw			22.1							$\top$	_	SV	/ sw	-		-			
					SE	sw		*	40.0						+	+	15	+		+		29.5			
					NW	SE			23.1						+	+	13	-	-	-		32.0	IS		
					SW	SE			31.8						-	-		NV	V SE			14.1			
	1			8	NW	NE			4.8	-				_	_	_		SW	/ SE			15.8			
	+	-			NE																	13.2	IR		
	+	-				NW			16.1									SE	SE			35.0			
4	+	-+			NW	NW			2.5													5.0	IS		
-	-		_							4							22	NE	NE	<del>  </del>		23.5	IR		
	1													7		+	+-	NW	/ NE	-			-		
													· · · · · ·	+	+	+-	122	-	+			4.6			
						TOT	AL ACR	ES:	193.6								23	NW				7.7			
																				TAL ACR		118.8			
dc	itic	ona	l R	ema	rks:	74.8	acres	prop	osed to	be downe	graded to su	in plane										74.8 IS			

Received by OWRD

**SUPERSEDING** 

NOV 26 2024