T-13887

regular

٠

T-13887

Name City of Baxer City C/O Joyce Bornstedt Address 0 Box 1950 Box 1950	Name of Stream W Trib. of <u>Powder</u> Use <u>S. Wioch</u>	nucí	_County_Porter		Date <u>1-3-2022</u>	FEES PAID Amount <u>\$1,840.00</u>	Receipt # 137207
Initial notice date 1/18/2020			No. of Acres				
DPD issued date PD issued date <u>4/19/2024</u> PD notice date <u>4/23/2024</u> Date of FO <u>6/10/2024</u> Vol <u>131</u> Page <u>291-294</u>	Name of ditch App# App# App#	Per # Per # Per #	Cert # Cert # Cert #	PR Date PR Date PR Date	-	FEES REFUN	VDED Receipt #
	App#	Per #		_ PR Date	the second se		
	App#	Per #	Cert #	_ PR Date			
C-Date					-		
COBU due date							
Certificate issued							
Assignments:				_			
				-			
Irrigation District				_			
Agent GSI WS-robun Cook rce	ook@gsiws.	Con					
CWRE_ CC's list Baker aty Planning				_			
- Oversized map - Location							



Water Resources Department

725 Summer St NE, Suite A Salem, OR 97301 (503) 986-0900 www.oregon.gov/owrd

December 12, 2024

City of Baker City PO Box 650 Baker City, OR 97814

On December 9, 2024, the Water Resources Department received the Claim of Beneficial Use (COBU) for the following file:

T-13887

The COBU included a report and map. In the future the Department will review your submittal. At that time we will review these items and provide a final certificate, proposed certificate, or a request for additional information.

If you are interested in having your COBU reviewed sooner, you may pay to have your file processed immediately, using the Reimbursement Authority program, which is described at: https://www.oregon.gov/owrd/programs/WaterRights/RA/Pages/default.aspx

Customer Service phone: (503) 986-0900

If you sell the property, please contact the Department, or have the new owners contact the Department about the need to file an assignment.

Cc: file T-13887

# Checklist for Claims of Beneficial Use Received at CSG Counter

Application #:	WRD Reviewer:Corie	
Transfer #:T-13887		
Date Received: 12/9/2024		
CWRE Name: Trevor Grandy		
Priority Date (s):10/31/1977		

### Fees Required:

☐ YES NO ☐ A fee of \$230 must accompany this form for <u>permits</u> with priority dates of July 9, 1987, or later.

YES NO I A fee of \$230 must accompany this form for any <u>transfers</u> including a water right with a priority date of July 9, 1987, or later.

Example – A transfer involves 5 rights and one of the rights has a priority date of July 9, 1987, or later, the fee is required.

### Map Review:

Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b))

Application & permit #; or transfer # (OAR 690-014-0100(1))

Disclaimer (OAR 690-014-0170(5))

North arrow (OAR 690-310-0050(2)(c))

CWRE stamp and signature (OAR 690-014 & 310-0050)

Appropriate scale (1" = 1320', 1" = 400', or the original full-size scale of the county assessor map) (014 & 310)

Township, range, section, and tax lot numbers (OAR 690-310-0050(4))

### **Report Review:**

On form provided by the Department (OAR 690-014-0100(1))

Application & permit #; or transfer # (OAR 690-014)

✓ Ownership information (OAR 690-014)

Date of survey (OAR 690-014)

Person interviewed (OAR 690-014)

County (OAR 690-014)

CWRE stamp and signature (OAR 690-014-0100)

Signature(s) of all permittee of transfer holder (OAR 690-014-0100)

### Groundwater File Review:

Pump Test not required (Priority Date prior to December 20, 1988) \*If no, include pump test flyer w/acknowledgment letter Pump Test required (Priority Date on or after December 20, 1988)

Pump Test submitted

Pump Test not submitted

Number MONEY SLIP DATE: RECEIPT #: RECEMBER MON FIRTH NECO I ----HOP COMES ----MC OF CALINAL AC 4611 COPY & THE -ARCEND FRE 8207 ----CORU 0700 amor 18. SPECIAL INSTRUCTION

RETURN TO APPLICANT - LETTER ATTACHED

Fill in App or Transfer

C:\Users\ferrelja\Desktop\BLANK\_COBU\_Checklist-Permits and Transfers-20180201\_docxCOBU\_Checklist-Permits and Transfers-20180209

1.docxCOBU Checklist-Permits and Transfers-20

# CLAIM OF **BENEFICIAL USE** for Transfer New or Additional POA Only



OREGON Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

Received

DEC 0 9 2024

# A fee of \$230 must accompany this form for any Transfer final ordersOWRD including a water right with a priority date of July 9, 1987, or later.

Example - A transfer involves 5 rights and one of the rights has a priority date of July 9, 1987, or later, the fee is required. The water right involved in the transfer has a priority date of October 31, 1977; the fee is not required.

A separate form shall be completed for each transfer.

This form is subject to revision. Begin each new claim by checking for a new version of this form at: https://www.oregon.gov/OWRD/Forms/Pages/default.aspx The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. Every item must have a response. If any requested information does not apply to the claim, insert "NA." Do not delete or alter any section of this form unless directed by the form. The Department may require the submittal of additional information from any water user or authorized agent.

"Section 8" of this form is intended to aid in the completion of this form and should not be submitted.

A claim of beneficial use includes both this report and a map. If the map is being mailed separately from this form, please include a note with this form indicating such.

If you have questions regarding the completion of this form, please call 503-979-9103.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see:

https://www.oregon.gov/OWRD/programs/WaterRights/RA/Pages/default.aspx

# SECTION 1 GENERAL INFORMATION

### Type of Authorized Change

This Claim is being submitted for a transfer where the only authorized change was a change in point(s) of appropriation or additional point(s) of appropriation, or a combination of both. If additional changes were authorized, you will need to select a different form.

### 1. File Information

APPLICATION # T-13887

### 2. Property Owner (current owner information)

PPLICANT/BUSINESS NAME ity of Baker City		PHONE NO 541-523-	
Address PO Box 650			
CITY Baker City	STATE OR	ZIP 97814	E-MAIL bcpwdirector@bakercity.gov

If the current property owner is not the transfer holder of record, it is recommended that an assignment be filed with the Department. <u>Each</u> transfer holder of record must sign this form.

3. Transfer holder of record (this may, or may not, be the current property owner)

TRANSFER HOLDER OF RECORD		
City of Baker City		
ADDRESS		
PO Box 650		
Сіту	STATE	ZIP
Baker City	OR	97814

4. Date of Site Inspection:

9/25/2024

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	Association with the Project
Scott Foss	9/25/2024	Water System Operator

6. County:

Baker

7. If any property described in the place of use of the transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD			
ADDRESS			
Сіту	STATE	Zip	

Add additional tables for owners of record as needed

# SECTION 2 SIGNATURES

### **CWRE Statement**, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME Trevor Grandy			PHONE NO. ADDIT 971-200-8545		
ADDRESS					
GSI Water Solutions,	Inc., 147 Sw Shevlin Hixo	n Dr. Suite 201			

# Transfer Holder of Record Signature or Acknowledgement

Each transfer holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
( fare Portet	Joyce Bornstedt	Public Works Director	12/04/2024

## SECTION 3

### CLAIM DESCRIPTION

Note: The Claim <u>only</u> needs to describe the new or additional point(s) of appropriation. This Claim does not need to provide information for the original point(s) of appropriation unless the original point of appropriation is either a new or additional point of appropriation on another right involved in this transfer.

1. New or additional point of appropriation name or number:

(CORRESPOND TO MAP)	WELL (IF APPLICABLE)	TON	102289CWRE		Order)
(CORRESPOND TO MAP)	WELL	131.	annoedaaut .og	1	ORDER)
(POA) NAME OR NUMBER	WORK PERFORMED ON	THE	Sentilederaterquarter		(IF LISTED IN TRANSFER FINAL
POINT OF APPROPRIATION	WELL LOG ID # FOR A		WELL TAG #		SOURCE

Attach each well log available for the well (include the top for the original well and any subsequent alterations, reconstructions, or deepenings) – Attachment B

If well logs are available, items A and B below can be deleted

2. Variations:

Was the use developed differently from what was authorized by the transfer final order, or extension final? NO

If yes, describe below.

(e.g. "The order allowed three new/additional points of appropriation. The water user only developed one of the points.")

3. Claim Summary:

NEW OR ADDITIONAL POA	MAXIMUM RATE	CALCULATED THEORETICAL	AMOUNT OF WATER MEASURED
NAME OR #	AUTHORIZED	RATE BASED ON SYSTEM	
ASR 2	0.53 cfs	2.66 cfs	1.67 cfs

# **SECTION 4**

## SYSTEM DESCRIPTION

Are there multiple new or additional Points of Appropriation (POA)?

If "YES" you will need to copy and complete a separate Section 4.

POA Name or Number this section describes (only needed if there is more than one):



# A. POA System Information

Provide the following information concerning the point of appropriation. Information provided must describe the equipment used to appropriate water from the point of appropriation.

1. Pump Information

MANUFACTURER	MODEL	SERIAL NUMBER	Type (centrifugal, turbine or submersible)	INTAKE SIZE	DISCHARGE SIZE
Goulds	SWT-FFTM 12 FDHC	4964645	Turbine	14-inch	10-inch

### 2. Motor Information

MANUFACTURER	HORSEPOWER
Nidec Motor Corporation	200 Hp

### 3. Theoretical Pump Capacity

Horsepower	OPERATING PSI	LIFT FROM SOURCE TO PUMP *IF A WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
200 Hp	48.8 psi	105 ft	N/A	2.66 cfs

4. Provide pump calculations:

Q<sub>pump</sub> = (Hp)(efficiency) / (lift + psi head) Turbine efficiency = 7.04 ft<sup>4</sup> lb/sec/Hp (figure provided by OWRD) (48.8 psi)(2.54 ft of head/psi) = 124 ft of head (200)(7.04) / (105 + 124) = **6.15 cfs** 6.15 cfs x 448.8 gpm/cfs = **2,760 gpm** (See Attachment C pump capacity calculation sheets)

5. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
1.407 MG	1.410 MG	4 minutes	1.67 cfs (750 gpm)

Reminder: For pump calculations use the reference information at the end of this document.

Received

OWRD

NO

# B. Groundwater Source Information (Well and Sump)

3. Is the appropriation from a dug well (sump)?

If "NO", items 4 through 6 relating to this section may be deleted.

### C. Additional notes or comments related to the system:

ASR 2 is a City Aquifer Storage and Recovery well. The system includes separate meters for injection, purge water pumped to a nearby golf course pond, and water pumped to the City's distribution system.

# **SECTION 5**

## CONDITIONS

All conditions contained in the transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

### 1. Time Limits:

Describe how the water user has complied with each of the development timelines established in the transfer final order and any extensions of time issued for the transfer:

	DATE FROM TRANSFER	DATE THE NEW AND/OR ADDITIONAL POA(S) WERE READY FOR USE *THIS DATE MUST FALL BETWEEN THE "ISSUANCE DATE" AND THE "COMPLETENESS DATE"
ISSUANCE DATE	6/10/2024	
COMPLETENESS DATE FROM ORDER (C)	10/1/2025	9/25/2024

\* MUST BE WITHIN PERIOD BETWEEN TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETE THE CHANGE

2. Is there an extension final order(s)?

If "NO", you may delete the following table.

3. Measurement Conditions:

a. Does the transfer final order, or any extension final order require the installation of a meter or other approved measuring device? YES

### If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of appropriation.

- b. Has a meter been installed?
- c. Meter Information

POA NAME	MANUFACTURER	SERIAL #	CONDITION	CURRENT METER	DATE INSTALLED
OR #			(WORKING OR NOT)	READING	
ASR 2 -	Endress+Hauser	T106FC16000	Working	1.493 MG	April 2022
Distribution					
ASR 2 -	Endress+Hauser	T106FB16000	Working	1.407 MG	April 2022
Purge/pond					
ASR 2 -	Endress+Hauser	T2014E16000	Working	0.006 MG	April 2022
Injection					

If a meter has been installed, items d through f relating to this section may be deleted.

Received DEC 0 9 2024

NO

YES

- 4. Recording and reporting conditions
- a. Is the water user required to report the water use to the Department?
- If "NO", item b relating to this section may be deleted.

5. Ot	ner conditions required by the transfer final order or extension final order:	
a.	Were there special well construction standards?	NO
b.	Was submittal of a ground water monitoring plan required?	NO
с.	Other conditions?	YES

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

**Transfer Final Order Condition 4:** 

The quantity of water diverted at the new additional point of appropriation, together with that diverted at the original point of appropriation, shall not exceed the quantity of water lawfully available at the original point of appropriation.

The quantity of water diverted at the original point of appropriation together with that diverted at the new additional point of appropriation does not exceed the quantity of water available at the original point of appropriation.

### **Transfer Final Order Condition 6:**

Water shall be acquired from the same aquifer (water source) as the original point of appropriation. ASR 2 appropriates water from the same source as the original point of appropriation.

### SECTION 6

### ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION			
Attachment A	Claim of Beneficial Use Map			
Attachment B	ASR 2 Well Log – BAKE 52777			
Attachment C	Theoretical Pumping Calculations			
Attachment D				

Received DEC 0 9 2024 OWRD

NO

### **SECTION 7**

### CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on polyester film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

For the purpose of this Claim, the map identifying the location of the place of use does not require a new survey. The location of the place of use identified on the Claim map should be based on the original right of record at the time the transfer final order was issued. In transfers approved for additional points of appropriation, the original points must be identified the map based on the original right of record at the time the transfer final order was issued.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

The City of Baker City (City) is a municipal water supplier with a good understanding of their components and component locations. During the site inspection the CWRE did not independently survey the system component locations. The COBU map was created by GSI Water Solutions, Inc. mapping staff using Geographic Information System (GIS) software and spatial datasets provided by the City. The georeferenced data sources used in creating the COBU map are described on the map. Additional data and information specific to the City's wells, place of use, and the permittee's use of water under the water right described in this Claim of Beneficial Use report were obtained from the City.



ASR 2, BAKE \$2777: Located 64 feet South and 21 feet East from the center of Section 20. Township 9 South, Range 40 East (W M.)

JULY 11, 2023 OF OREG

1015:61301

20

Golf Course Well (BAKE 1153): Located 100 feet South and 100 feet West from the center ½ of Section 20, Township 9 South, Range 40 East (W.M.)

Date November 15, 2024 Data Sources BLM, ESRI OWRD, USGS

200

1 inch = 400 feet



· . - 194

Received DEC 0 9 2024 OWRD

# **Attachment A**

Claim of Beneficial Use Map Claim of Beneficial Use for Transfer T-13887 – City of Baker City



# **BAKE 52777**

STATE OF OREGON

WELL I.D. LABEL# L 128841

pg 1 of 2

WATER SUPPLY WELL REPORT	START CARD # 216491	
(as required by ORS 537.765 & OAR 690-205-0210)	ORIGINAL LOG #	
(1) LAND OWNER Owner Well LD ASR 2		
Owner wen LD.		
First Name Last Name	(9) LOCATION OF WELL (legal description)	
Company City of Baker City	County Baker Twp 9 S N/S Range 40 E	E/W WM
Address PO Box 650 City Baker City State OR Zin 97814	Sec 20 NE 1/4 of the SW 1/4 Tax Lot 100	
(2) TYPE OF WORK X New Well Deepening Conversion	Tax Map Number Lot	MS or DD
Alteration (complete 2a & 10) Abandonment(complete 5a)		
(2a) PRE-ALTERATION		MS or DD
Dia + From To Gauge Stl Pistc Wid Thrd	C Street address of well C Nearest address	
Casing:		
Material From To Amt sacks/lbs	2801 Indiana Ave, Baker City, OR 97814	
Scal:		
(3) DRILL METHOD	(10) STATIC WATER LEVEL	
KRotary Air Rotary Mud KCable KAuger Cable Mud		WL(ft)
X Reverse Rotary Other	Existing Well / Pre-Alteration	
	Completed Well 7/21/2021	86
(4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?	
Industrial/ Commercial Livestock Dewatering		245 *
	WATER BEAKING ZONES Deput water was this found	
Thernal Injection Other	SWL Date From To Est Flow SWL(psi) + S	WL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy	3/19/2021 245 299 n/m	n/m
Depth of Completed Well ft.	3/19/2021 329 654 2000+	86
BORE HOLE SEAL sacks/		
Dia From To Material From To Amt Ibs		
30 0 10 3/8 bentonite chig 0 40 135 sks		
24 10 106 Calculated 120		
20 106 319 Cement 40 312 757 sks		
16 317 654 Calculated 291	(11) WELL LOG Ground Elevation	
How was seal placed: Method A B X C D E		
X Other pour and probe bentonite chips	Gravel 3/4 minus with soil 0	To
	Gravel 3" minus with sand, tan, partially cemented 3	9
Backfill placed from ft. to ft. Material	Sand, tan, fine to medium, with some clay, tan 9	25
Filter pack from fl. to fl. Material Size	Clay, brown, dry, silty 25	30
Explosives used: Yes Type Amount	Clay, tan, sandy 30	90
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	Clay, blue and green, silty 90	150
Proposed Amount Actual Amount	Clay, blue and green, silty with layers of clay, sandy 150	210
	Clay, grey, medium 210	245
(6) CASING/LINER Dia + From To Gauge Stl Plstc Wid Thrd	Basalt, dark groy, medium, fractured, some vesicles 245	259
	Basalt, black and grey, medium, fractured, vesicular 259	269
	Basalt, black medium, some fractures and vesicular 269	279
12         304         313         .375         ○         ✗           ●         12         343         364         .375         ○         ✗	Basalt, black w/red, med, fractured, vesi, w/claystone, blue 279	289
0 12 343 364 .375 0 X	Basalt, black, fractured, vesicular, some claystone, blue 289	299
	Basalt, black, fractured, some vesicular w/some daystone, blue 299	314
● 12 458 479 .375 ● ○ ×	Basalt, red and brown, medium, fractured, vesicular 314	319
Shoe Inside Outside Other Location of shoe(s)	Basal, blk, med, frac wilenaes of basalt, red, med trac, vis. Sign & grey daystone 319	399
Temp casing Yes Dia From To	Basalt, grey, medium, some fractures 399	409
	Basall, blk, med, hard frac, visi, wibke claystone, s/basall, red, mod 409	429
(7) PERFORATIONS/SCREENS	Basalt, red and brown, med vesicular w/claystone, blue 429	433
Perforations Method		
	Date Started 10/14/2021 Completed 7-21-202	.1
	(unbonded) Water Well Constructor Certification	
Screen Liner Dia From To width length slots pipe size Scr Liner 12 313 343 150 PS	I certify that the work I performed on the construction, deepening, al	
Scr         Liner         12         313         150         PS           Scr         Liner         12         364         399         150         PS	abandonment of this well is in compliance with Oregon water s	iteration, or
Scr         Liner         12         408         458         150         PS	construction standards. Materials used and information reported above	supply well
Scr Liner 12 479 509 150 PS	the best of my knowledge and belief.	e are true to
Scr         Liner         12         475         505         150         FS           Scr         Liner         12         538         568         150         PS	X-117.7	1
	License Number 2033 Date 0-16-000	e/
(8) WELL TESTS: Minimum testing time is 1 hour	Signed The Signed	/
Pump     O Bailer     O Air     O Flowing Artesian		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification	
2045 19 72	I accept responsibility for the construction, deepening, alteration, or a	abandar
	work performed on this well during the construction dates reported above	abandonmen
	performed during this time is in compliance with Oregon water	cupality work
66 on the later by the second	construction standards. This report is true to the best of my knowledge	and belief
Temperature 66 °F Lab analysis Yes By		Contraction of the second second second
Research Manuel 195 From To Description Amount Units	License Number 1968 Date 8-16-202	1
riom to Description Amount Onits	Signed F. Ht. Deschool	
AUG 30 2021	Signed the Received	
	Contact Info (optional)	
	DEC 0 9 2024	
ORIGINAL - WATER RESOURCES I	EPAKIMENI OLO OU LOLI	

THOWERDOUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: 0.95

OWRD

Received DEC 0 9 2024 OWRD

# **Attachment B**

ASR 2 Well Log – BAKE 52777 Claim of Beneficial Use for Transfer T-13887 – City of Baker City

# **BAKE 52777**

sacks/

To Amt lbs

# WATER SUPPLY WELL REPORT -

To

From

То

Material

Gauge Stl Pistc Wid Thrd

Amt sacks/lbs

SEAL

From

### continuation page

+

Material

BORE HOLE

From

Dia

Dia

(2a) PRE-ALTERATION

From

(5) BORE HOLE CONSTRUCTION

To

### WELL I.D. LABEL# L 128841 START CARD # 216491 **ORIGINAL LOG #**

### Water Quality Concerns

From	om To Descriptio		Amount Units

### (10) STATIC WATER LEVEL

SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)
		-				
					H	
					H	
					H	

### (11) WELL LOG

Material	From	То
Basail, grey and brown, medium, some frectured and vesicular	433	434
Basalt, grey, medium, some fractured	434	439
Basalt, grey and brown, medium, some fractured	439	464
Basalt, gray, medium, fractured, some vesicular	464	478
Basalt, brown and grey, medium, fractured, vesicular	478	518
Basalt, grey & brown, med, frac, vesic, w/some claystone blue	518	543
Basalt, brown, medium, fractured, vesicular, with claystone, blue	543	548
Basalt, grey and brown, med, fract, vesicular, w/claystone blue	548	563
Basalt, red & grey, med, fract, vasic w/claystone, blue & green	563	573
Basall, brown & grey, med, fract, vesic, w/claystone, blue & gree	573	588
Basalt, red and brown, med, vesicular, frac, with claystone, blue	593	633
Basalt, gray & brown, med, vesic & fractured, w/claystone blue	533	648
Basait, red & bm, med, vesic, fract, w/claystono blue & basait, grey	648	654
	Receiv	ed
RECEIVED	DEC 09	2024
AUG 3 0 2021	OWR	D
OWRD		

### **Comments/Remarks**

- 3/8 steel plate bottom.

Screen assembly has an ~6" offset at 647' and reduces ID to ~5".
Top of screen assembly has a J receiver used to set screen in place.

	FILTE	ER PACK To	( Material	Size		Calculat		
	SING/		+ Fra	om To	Gauge	Sti Pl	stc Wid T	hre
		12 12 12		589	.375 .375 .375			
Perf	Casing/ n Liner		S/SCREE From 589		Scm/slot width 150	Slot length	# of slots p	Te ipe P
0) 11		PSTC.	Minimun	tasting	time is	1 hour		
A 1 1/1	i gal/min				Pump dep		uration (hr	1

Received DEC 0 9 2024 OWRD

# **Attachment C**

Theoretical Pumping Calculation Claim of Beneficial Use for Transfer T-13887 – City of Baker City

### Pump Capacity Calculation Sheet

using Department designed formula:

ASR 2

(hp)(efficiency) / (lift + psi head) = capacity in cfs

Efficiency:

Centrifugal = 6.61 Turbine = 7.04

### Data Entry (fill in underlined blanks)

HP =	200
Efficiency =	7.04
Lift =	105
PSI =	48.8

### **Results Calculated**

(hp)(efficiency) =	1408	
Head based on psi =	124.0	2.540416
Total dynamic head = (head + lift)	229.0	

Pump Capacity =

6.15 feet per second

Received DEC 0 9 2024 OWRD

# **Attachment D**

Transfer T-13887 Final Order Claim of Beneficial Use for Transfer T-13887 – City of Baker City

### BEFORE THE WATER RESOURCES DEPARTMENT OF THE STATE OF OREGON

)

))))

In the Matter of Transfer Application T-13887, Baker County FINAL ORDER APPROVING AN ADDITIONAL POINT OF APPROPRIATION

### Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

### Applicant

CITY OF BAKER CITY PO BOX 650 BAKER CITY, OR 97814 Received DEC 0 9 2024 OWRD

### **Findings of Fact**

- On January 3, 2022, CITY OF BAKER CITY filed an application for an additional point of appropriation under Certificate 54983. The Department assigned the application number T-13887.
- 2. Notice of the application for transfer was published on January 18, 2022, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- 3. On October 21, 2022, the Department requested an amended affidavit of use. The affidavit submitted with the transfer application lacked a signature and notarization.
- 4. On November 1, 2022, the applicant's agent submitted an amended affidavit of use.
- 5. On February 6, 2024, the Department sent a copy of the draft Preliminary Determination proposing to approve Transfer Application T-13887 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of March 7, 2023, for the applicant to

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

. 21

respond. The applicant requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.

- 6. On April 19, 2024, the Department issued a Preliminary Determination proposing to approve Transfer Application T-13887 and sent a copy to the applicant. Additionally, notice of the Preliminary Determination for the transfer application was published in the Department's weekly notice on April 23, 2024, pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notice.
- 7. The right to be transferred is as follows:

Certificate:	54983 in the name of CITY OF BAKER CITY (perfected under Permit G-7830)
Use:	SUPPLEMENTAL IRRIGATION of 42.1 ACRES
Priority Date:	OCTOBER 31, 1977
Rate:	0.53 CUBIC FOOT PER SECOND
Limit/Duty:	The amount of water used for irrigation, together with the amount
	secured under any other right existing for the same lands, is limited to a
	diversion of ONE-EIGHTIETH of one cubic foot per second, or its
	equivalent for each acre irrigated, and shall be further limited to a
	diversion of not to exceed 3 acre-feet per acre for each acre irrigated
	during the irrigation season of each year.
Source:	A WELL within the POWDER RIVER BASIN

### Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
95	40 E	wм	20	NE SW	A WELL - 100 FEET SOUTH AND 100 FEET WEST FROM THE C1/4 CORNER OF SECTION 20

### Authorized Place of Use:

Twp	Rng	Mer	Sec	Q-Q	Acres
9 S	40 E	WM	20	NE SW	24.8
95	40 E	WM	20	NW SW	3.9
95	40 E	WM	20	SW SW	4.1
95	40 E	WM	20	SE SW	9.3
Contraction of the second				TOTAL	42.1

Received DEC 0 9 2024

 Transfer Application T-13887 proposes an additional point of appropriation approximately 30 feet southwest from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
9 S	40 E	WM	20	NW SE	ASR2 - 64 FEET SOUTH AND 21 FEET EAST FROM THE CENTER OF SECTION 20

### Transfer Review Criteria (OAR 690-380-4010)

- 9. There is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing right were present within the five-year period prior to submittal of Transfer Application T-13887.
- 11. The proposed change, as conditioned, would not result in enlargement of the right.
- 12. The proposed change, as conditioned, would not result in injury to other water rights.
- 13. All other application requirements are met.

### **Conclusions of Law**

The additional point of appropriation proposed in Transfer Application T-13887 is consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000 If protests are not filed pursuant to OAR 690-380-4030, the application will be approved.

### Now, therefore, it is ORDERED:

- 1. The additional point of appropriation proposed in Transfer Application T-13887 is approved.
- 2. The right to the use of the water is restricted to beneficial use at the place of use described and is subject to all other conditions and limitations contained in Certificate 54983 and any related decree.
- 3. Water right Certificate 54983 is cancelled.
- 4. The quantity of water diverted at the new additional point of appropriation, together with that diverted at the original point of appropriation, shall not exceed the quantity of water lawfully available at the original point of appropriation.
- 5. Water Use Measurement Conditions:
  - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (both old and new).
  - b. The water user shall maintain the meters or measuring devices in good working order.
  - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

### Received

DEC 0 9 2024

OWRD

- Water shall be acquired from the same aquifer (water source) as the original point of appropriation.
- 7. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before October 1, 2025. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.
- After satisfactory proof of beneficial use is received, a new certificate confirming the right transferred will be issued.



Lisa J. Jaramiko, Fransfer and Conservation Section Manager, for DOUGLAS E. WOODCOCK, ACTING DIRECTOR Oregon Water Resources Department

Mailing Date: JUN 11 2024



December 4, 2024

Oregon Water Resources Department ATTN: Mr. Gerry Clark 725 Summer Street NE, Suite A Salem, OR 97301

Subject: Claim of Beneficial Use for Transfer T-13387 – Application G-8510 City of Baker City

Dear Gerry:

This Claim of Beneficial Use (COBU) is submitted on behalf of the City of Baker City (City) for Transfer T-13387. The water user has fully developed the changes approved in the transfer final order and is in compliance with all conditions included in the transfer final order.

If you have any questions regarding the enclosed COBU, please call me at (971) 200-8545.

Sincerely,

Trevor Grandy, RG, CWRE GSI Water Solutions, Inc.

Enclosures: Claim of Beneficial Use for Transfer T-13387

CC: Joyce Bornstedt, City of Baker City.



### Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904

June 10, 2024

City of Baker City PO Box 650 Baker City, OR 97814

**REFERENCE:** Transfer Application T-13887

Enclosed is a copy of the final order approving your water right transfer application.

The time allowed to complete the transfer is specified in the final order. YOU SHOULD GIVE PARTICULAR ATTENTION TO THE TIME LIMIT. The water right for any portion of the authorized change in character of use or change in place of use NOT carried out within the time allowed will be lost.

An extension of the time limit can be allowed <u>only</u> upon a showing that diligent effort has been made to complete the actual change(s) within the time allowed.

You are required to hire a Certified Water Rights Examiner (CWRE) to complete a Claim of Beneficial Use report and map which must be submitted to this Department within one year of the date you complete the change(s) or within one year of the completion date authorized in the transfer final order, whichever occurs first.

If you have any questions related to the approval of this transfer, you may contact your caseworker, Dante Luongo, by telephone at (971) 304-5006 or by e-mail at Dante.j.luongo@water.oregon.gov.

Sincerely,

Elype Richman

Elyse D. Richman Water Rights Services Support Transfers and Conservation Section

cc: Marcy J. Osborn, Watermaster Dist. # 8 (via email) Robyn Cook, Agent Baker City Planning Department, Local Government Enclosure

### BEFORE THE WATER RESOURCES DEPARTMENT OF THE STATE OF OREGON

In the Matter of Transfer Application T-13887, Baker County FINAL ORDER APPROVING AN ADDITIONAL POINT OF APPROPRIATION

### Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

### Applicant

CITY OF BAKER CITY PO BOX 650 BAKER CITY, OR 97814

### **Findings of Fact**

- On January 3, 2022, CITY OF BAKER CITY filed an application for an additional point of appropriation under Certificate 54983. The Department assigned the application number T-13887.
- Notice of the application for transfer was published on January 18, 2022, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- 3. On October 21, 2022, the Department requested an amended affidavit of use. The affidavit submitted with the transfer application lacked a signature and notarization.
- 4. On November 1, 2022, the applicant's agent submitted an amended affidavit of use.
- 5. On February 6, 2024, the Department sent a copy of the draft Preliminary Determination proposing to approve Transfer Application T-13887 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of March 7, 2023, for the applicant to

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

T-13887.djl

respond. The applicant requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.

- 6. On April 19, 2024, the Department issued a Preliminary Determination proposing to approve Transfer Application T-13887 and sent a copy to the applicant. Additionally, notice of the Preliminary Determination for the transfer application was published in the Department's weekly notice on April 23, 2024, pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notice.
- 7. The right to be transferred is as follows:

Certificate:	54983 in the name of CITY OF BAKER CITY (perfected under Permit G-7830)
Use:	SUPPLEMENTAL IRRIGATION of 42.1 ACRES
Priority Date:	OCTOBER 31, 1977
Rate:	0.53 CUBIC FOOT PER SECOND
Limit/Duty:	The amount of water used for irrigation, together with the amount
	secured under any other right existing for the same lands, is limited to a
	diversion of ONE-EIGHTIETH of one cubic foot per second, or its
	equivalent for each acre irrigated, and shall be further limited to a
	diversion of not to exceed 3 acre-feet per acre for each acre irrigated
	during the irrigation season of each year.
Source:	A WELL within the POWDER RIVER BASIN

### Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
9 S	40 E	WM	20	NE SW	A WELL - 100 FEET SOUTH AND 100 FEET WEST FROM THE C1/4 CORNER OF SECTION 20

### Authorized Place of Use:

Twp	Rng	Mer	Sec	Q-Q	Acres
95	40 E	WM	20	NE SW	24.8
95	40 E	WM	20	NW SW	3.9
95	40 E	WM	20	SW SW	4.1
95	40 E	WM	20	SE SW	9.3
The second second	August - Or			TOTAL	42.1

 Transfer Application T-13887 proposes an additional point of appropriation approximately 30 feet southwest from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
95	40 E	WM	20	NW SE	ASR2 - 64 FEET SOUTH AND 21 FEET EAST FROM THE CENTER OF SECTION 20

### Transfer Review Criteria (OAR 690-380-4010)

- There is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing right were present within the five-year period prior to submittal of Transfer Application T-13887.
- 11. The proposed change, as conditioned, would not result in enlargement of the right.
- 12. The proposed change, as conditioned, would not result in jnjury to other water rights.
- 13. All other application requirements are met.

### **Conclusions of Law**

The additional point of appropriation proposed in Transfer Application T-13887 is consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000 If protests are not filed pursuant to OAR 690-380-4030, the application will be approved.

### Now, therefore, it is ORDERED:

- 1. The additional point of appropriation proposed in Transfer Application T-13887 is approved.
- The right to the use of the water is restricted to beneficial use at the place of use described and is subject to all other conditions and limitations contained in Certificate 54983 and any related decree.
- 3. Water right Certificate 54983 is cancelled.
- 4. The quantity of water diverted at the new additional point of appropriation, together with that diverted at the original point of appropriation, shall not exceed the quantity of water lawfully available at the original point of appropriation.
- 5. Water Use Measurement Conditions:
  - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (both old and new).
  - b. The water user shall maintain the meters or measuring devices in good working order.
  - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

- Water shall be acquired from the same aquifer (water source) as the original point of appropriation.
- 7. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before October 1, 2025. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.
- After satisfactory proof of beneficial use is received, a new certificate confirming the right transferred will be issued.



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for DOUGLAS E. WOODCOCK, ACTING DIRECTOR Oregon Water Resources Department

Mailing Date: JUN 11 2024

### WATER RIGHT TRANSFER COVER SHEET

Transfer:	T- 1	.3887
-----------	------	-------

Transfer Specialist:

Transfer 7	Type.	Regula	ar Trans	for
riunsier	iype.	negui		sier

	LMITO
Applicant:	Agent: N/A
CITY OF BAKER CITY	ROBYN COOK 55 SW YAMHILL ST. SUITE 300 55 SW
PO BOX 650	YAMHILL ST SUITE 300 PORTLAND, OR 97204
BAKER CITY, OR 97814	Email: Phone:
Email: Phone:	
Irrigation District: N/A	CWRE: N/A
Email:	Email:
Affected Local Gov'ts: N/A	Affected Tribal Gov't: N/A
Baker City Planning Department	UNAVAILABLE
Email:	Email:
Current Landowner if other than Applicant: N/A	Receiving Landowner: N/A
Email:	Email:

# Water Rights Affected

File Marked	App. File # or Decree Name	Permit	Certificate	RR/CR Needed	RR/CR Nos.
	G8510	G7830	54983	Yes No	nity cit itos.
				Yes No	
				Yes No	

## Key Dates & Initial Actions:

Rec'd: January 3, 2022	Proposed Action(s): ADDITIONAL POINT OF APPROPRIATION			
Fees Pd: 1840.00	WM District: 8	ODFW District:		
Initial Public Notice: January 18, 2022	WM Review sent:	ODFW Review sent:		
Acknowledgement Letter Sent 🔀		GW Review sent: N/A		
County sent cc: of Ack Letter	BOR notified (date):			
Newspaper quote requested:	Request for news \$ sent:	News \$ received:		
Request to publish sent:	Affidavit of publication received:	Last day of publication:		

Document	Drafted	Peer Review	Changes Made	Coordinator	Changes Made	Signature Bin	Signature Date
DPD	Date: <u>2-6-</u> )3 Initials: AC	Date: 2-C-24 Initials: PKS	Date: <u>2-7-14</u> Initials: H2	Date: Initials:	Date:	CW Sent:	N/A
PD	Date: <u>2-12-29</u> Initials: A2	Date: 3-13-24 Initials: DKS	Date: 3-14-24 Initials: 07-	Date:	Date: <u>Data</u> Initials: 3-22-24	Date:	Date: 4/19/24
FO	Date: 372-24 Initials: AL	Date:	Date: 2229 Initials: 1955	Date: <u>ζ-2ζ-2</u> 4 Initials: <u>β</u> [ξ <u>S</u>	Date: 3-26-24 Initials: DC	Date:	Date: 6/11/24

Special Issues:

Special Order Volume: Vol. 13 Pages 291-294

	U.S. Postal Service <sup>™</sup>	SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
7E0P	CERTIFIED MAIL® RECEIPT Domestic Mail Only For delivery information, visit our website at www.usps.com	<ul> <li>Complete items 1, 2, and 3.</li> <li>Print your name and address on the reverse so that we can return the card to you.</li> <li>Attach this card to the back of the mailpiece,</li> </ul>	A. Signature X 1/100 General Agent B. Received by (Printed Name) C. Date of Delivery
F	OFFICIAL USE	or on the front if space permits.	Marisa FLZ, 4-24-29
	Certified Mail Fee \$ Extra Services & Fees (check box, add fee as appropriate)	1. Article Addressed to:	D. Is delivery address different from item 1? Yes RECEIVED address below: No
200	Return Receipt (bardcopy)     S     Return Receipt (electronic)     S     Postmark     Certified Mail Restricted Delivery     Here	City of Baker City PO Box 650	APR 2 6 2024
80 0	Adult Signature Required \$ Adult Signature Restricted Delivery \$ Postage	Baker City, OR 97814	OWRD
06	S Total Postage and Fees S		3. Service Type         □ Priority Mail Express®           □ Adult Signature         □ Registered Mail™           □ Adult Signature Restricted Delivery         □ Registered Mail Restricted
11.B	Sent To		Certified Mail® Certified Mail Restricted Delivery Signature Confirmation <sup>TM</sup>
5	Street and Apt. No., or PO Box No. City, State, 21P+4*	9590 9402 6816 1074 5410 03 2. Article Number (Transfer from service label)	Collect on Delivery     Collect on Delivery Restricted Delivery     Insured Mall
	PS Form 3800, April 2015 PSN 7530-02-000-8047 See Reverse for Ins	7018 0680 0002 0041 9037	Ornsured Mall Restricted Delivery (over \$500)
		PS Form 3811, July 2020 PSN 7530-02-000-9053 T-	13887 ER/DL TACS Domestic Return Receipt



# Oregon Tina Kotek, Governor

Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904 www.oregon.gov/owrd

April 19, 2024

VIA CERTIFIED MAIL AND E-MAIL

Applicant CITY OF BAKER CITY PO BOX 650 BAKER CITY, OR 97814

SUBJECT: Water Right Transfer Application T-13887

Please find enclosed the Preliminary Determination indicating that, based on the information available, the Department intends to approve application T-13887. This document is an intermediate step in the approval process; water may not be used legally as proposed in the transfer application until a Final Order has been issued by the Department. Please read this entire letter carefully to determine your responsibility for additional action.

A public notice is being published in the Department's weekly publication, simultaneously with issuance of the Preliminary Determination. The notice initiates a period in which any person may file either a protest opposing the decision proposed by the Department in the Preliminary Determination or a standing statement supporting the Department's decision. The protest period will end 30 days after the Department's notice.

If no protest is filed, the Department will issue a Final Order consistent with the Preliminary Determination. You should receive a copy of the Final Order about 30 days after the close of the protest period.

If a protest is filed, the application may be referred to a contested case proceeding. A contested case provides an opportunity for the proponents and opponents of the decision proposed in the Preliminary Determination to present information and arguments supporting their position in a quasi-judicial proceeding.

Please don't hesitate to contact me at 971 304-5006 or Dante.J.Luongo@water.oregon.gov, if I may be of assistance.

Sincerely,

Dante Luongo

### BEFORE THE WATER RESOURCES DEPARTMENT OF THE STATE OF OREGON

)

In the Matter of Transfer Application T-13887, Baker County PRELIMINARY DETERMINATION PROPOSING APPROVAL OF AN ADDITIONAL POINT OF APPROPRIATION

### Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

### Applicant

CITY OF BAKER CITY PO BOX 650 BAKER CITY, OR 97814

### **Findings of Fact**

- On January 3, 2022, CITY OF BAKER CITY filed an application for an additional point of appropriation under Certificate 54983. The Department assigned the application number T-13887.
- 2. Notice of the application for transfer was published on January 18, 2022, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- 3. On October 21, 2022, the Department requested an amended affidavit of use. The affidavit submitted with the transfer application lacked a signature and notarization.
- 4. On November 1, 2022, the applicant's agent submitted an amended affidavit of use.
- 5. On February 6, 2024, the Department sent a copy of the draft Preliminary Determination proposing to approve Transfer Application T-13887 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of March 7, 2023, for the applicant to respond. The applicant requested that the Department proceed with issuance of a

Pursuant to OAR 690-380-4030, any person may file a protest or standing statement within 30 days after the last date of publication of notice of this preliminary determination.

Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.

6. The right to be transferred is as follows:

Certificate:	54983 in the name of CITY OF BAKER CITY (perfected under Permit G-7830)
Use:	SUPPLEMENTAL IRRIGATION of 42.1 ACRES
Priority Date:	OCTOBER 31, 1977
Rate:	0.53 CUBIC FOOT PER SECOND
Limit/Duty:	The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.
Source:	A WELL within the POWDER RIVER BASIN

### Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
95	40 E	WM	20	NE SW	A WELL - 100 FEET SOUTH AND 100 FEET WEST FROM THE C1/4 CORNER OF SECTION 20

### Authorized Place of Use:

Twp	Rng	Mer	Sec	Q-Q	Acres
95	40 E	WM	20	NE SW	24.8
9 S	40 E	WM	20	NW SW	3.9
95	40 E	WM	20	SW SW	4.1
9 S	40 E	WM	20	SE SW	9.3
		1. 1. 1. 1.		TOTAL	42.1

 Transfer Application T-13887 proposes an additional point of appropriation approximately 30 feet southwest from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
9 S	40 E	WM	20	NW SE	ASR2 - 64 FEET SOUTH AND 21 FEET EAST FROM THE CENTER OF SECTION 20

### Transfer Review Criteria (OAR 690-380-4010)

- 8. There is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- 9. A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing right were present within the five-year period prior to submittal of Transfer Application T-13887.
- 10. The proposed change, as conditioned, would not result in enlargement of the right.
- 11. The proposed change, as conditioned, would not result in injury to other water rights.
- 12. All other application requirements are met.

### Determination and Proposed Action

The additional point of appropriation proposed in Transfer Application T-13887 appears to be consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000 If protests are not filed pursuant to OAR 690-380-4030, the application will be approved.

If Transfer Application T-13887 is approved, the final order will include the following:

- 1. The additional point of appropriation proposed in Transfer Application T-13887 is approved.
- 2. The right to the use of the water is restricted to beneficial use at the place of use described and is subject to all other conditions and limitations contained in Certificate 54983 and any related decree.
- 3. Water right Certificate 54983 is cancelled.
- 4. The quantity of water diverted at the new additional point of appropriation, together with that diverted at the original point of appropriation, shall not exceed the quantity of water lawfully available at the original point of appropriation.
- 5. Water Use Measurement Conditions:
  - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (both old and new).
  - b. The water user shall maintain the meters or measuring devices in good working order.
  - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
- 6. Water shall be acquired from the same aquifer (water source) as the original point of appropriation.
- 7. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before **October 1, 2025**. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water

8. After satisfactory proof of beneficial use is received, a new certificate confirming the right transferred will be issued.

Dated in Salem, Oregon on APR 1 9 2024

DOUGLAS E. WOODCOCK, ACTING DIRECTOR Oregon Water Resources Department

This Preliminary Determination was prepared by Dante J. Luongo. If you have questions about the information in this document, you may reach me at 971 304-5006 or Dante.J.Luongo@water.oregon.gov.

### Protests

Under the provisions of ORS 540.520(6) & (7) and OAR 690-380-4030, within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later, any person may file, jointly or severally, a protest expressing opposition of approval of the transfer application and disagreement with this Preliminary Determination or a standing statement in support of this Preliminary Determination. If this Preliminary Determination determines that a change in point of diversion or appropriation would result in injury, the applicant may file a notification of intent to pursue approval of the transfer under OAR 690-380-5030 to 690-380-5050. Protests and standing statements must be received by the Water Resources Department within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later.

Protests must be in writing and received in hard copy form with the appropriate statutory protest filing fee; protests cannot be filed by electronic mail. [OAR 690-002-0025(3) and 690-380-0100(9)]. The protest must include the following:

- The person's name, address, and telephone number;
- All reasonably ascertainable issues and all reasonably available arguments supporting the person's position by the close of the protest period. Failure to raise a reasonably ascertainable issue in a protest or failure to provide sufficient specificity to afford the Department an opportunity to respond to the issue may preclude consideration of the issue during the hearing;

- If you are the applicant, a protest fee of \$480 required by ORS 536.050; and
- If you are not the applicant, a protest fee of \$950 required by ORS 536.050 and proof of service of the protest upon the applicant.

### **Requests for Standing**

Under the provisions of OAR 690-380-4030(5), the Department shall provide to persons who have filed standing statements as defined under OAR 690-380-0100(11) notice of any differences between the Department's Preliminary Determination and the Final Order, notice of a hearing on the application under OAR 137-003-0535, and an opportunity to request limited party status or party status in the hearing.

Requests for standing must be received in the Water Resources Department no later than 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later. Requests for standing must be in writing, and must include the following:

- The requester's name, mailing address and telephone number;
- If the requester is representing a group, association or other organization, the name, address and telephone number of the represented group;
- A statement that the requester supports the preliminary determination as issued.

After the protest period has ended, the Director will either issue a Final Order or schedule a contested case hearing. The contested case hearing will be scheduled only if a protest has been filed under OAR 690-380-4030. In accordance with OAR 690-380-4200, notice and conduct of the hearing shall:

- Be under the applicable provisions of ORS 183.310 to 183.550, pertaining to contested cases, and the hearing shall be held in the area where the rights are located unless all parties stipulate otherwise; and
- If a protest has asserted that a water right to be transferred has been forfeited through non-use, include the notice and procedures described in OAR 690-017-0500 to 690-017-0900.

If after hearing the Department issues a proposed Final Order finding that a change in point of diversion or appropriation will result in injury, the applicant may file a notification of intent to pursue approval of the transfer under OAR 690-380-5030 to 690-380-5050 within 15 days of receipt of the proposed order. Notwithstanding 690-002-0175, if the applicant files a notification of intent to pursue approval of the transfer under of the transfer under 690-380-5030 to 690-380-5050, the deadline for filing exceptions to the proposed order shall be 30 days after the Department

provides notice to the parties that the transfer does not meet the requirements of 690-380-5030 to 690-380-5050.

If you do not request a hearing within 30 days after the close of the protest period, or if you withdraw a request for a hearing, notify the Department or the administrative law judge that you will not appear, or fail to appear at a scheduled hearing, the Director may issue a final order by default. If the Director issues a Final Order by default, the Department designates the relevant portions of its files on this matter, including all materials that you have submitted relating to this matter, as the record for purpose of proving a *prima facie* case upon default.

You may be represented by an attorney at the hearing. Legal aid organizations may be able to assist a party with limited financial resources. Generally, partnerships, corporations, associations, governmental subdivisions, or public or private organizations are represented by an attorney. However, consistent with OAR 690-002-0020 and OAR 690-137-0555, an agency representative may represent partnerships, corporations, associations, governmental subdivisions or public, or private organizations if the Department determines that appearance of a person by an authorized representative will not hinder the orderly and timely development of the record in this case.

Notice Regarding Servicemembers: Active-duty servicemembers have a right to stay proceedings under the federal Servicemembers Civil Relief Act. 50 U.S.C. App. §§501-597b. For more information contact the Oregon State Bar at 800-452-8260, the Oregon Military Department at 971-355-4127, or the nearest United States Armed Forces Legal Assistance Office through http://legalassistance.law.af.mil.

If you have questions about how to file a protest or if you have previously filed a protest and you want to know the status, please contact Will Davidson at 503-507-2749.

If you have questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at 503-986-0900.

Address any correspondence to: Oregon Water Resources Department, Transfer and Conservation Section, 725 Summer Street NE, Suite A, Salem OR 97301-1266.

# **Application for Water Right** Transfer **Evidence of Use Affidavit**



O R E G O N Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.wrd.state.or.us

	Please print	legibly	or type.					ach additional nust be attach		eed more spacing.
State o	f Oregon			)						OCT 26 2022
) ss County of <u>Multnomah</u> )										
I, <u>Roby</u>	<u>N COOK</u> , in my c	apacit	y as <u>CER</u>	TIFIED V	VATER	RIGHT EX	KAMINER,			OWRD
mailing	g address <u>55 SV</u>	V YAM	HILL STR	REET, S	UITE 3	300, POF	TLAND,	OR 97204	4	CARE INANCIALS
teleph	one number ( <u>5</u>	03)239	<u>-8799</u> ,	being f	irst d	uly swor	n depose	e and say:	1 158000 .0	AN REMEAS HOURSTANDS AN
1.	My knowledg	e of th	e exerc	ise or s	tatus	of the w	vater righ	nt is based or	(check one):	
	Perso	onal ob	servatio	on		$\boxtimes$	Profess	ional experti	se	
2.	I attest that:									
	<ul> <li>Water was used during the previous five years on the entire place of use for Certificate #; OR</li> <li>My knowledge is specific to the use of water at the following locations within the last five years:</li> </ul>									
	Certificate #	Tow	nship	Ran	ge	Mer	Sec	Va Va	Gov't Lot or DLC	Acres (if applicable)
OR	Confirming Co	rtifica	to #	har	boor	iccued	within th	o past five v	Dars: OP	
	Confirming Certificate # has been issued within the past five years; OR Part or all of the water right was leased instream at some time within the last five years. The instream lease number is: (Note: If the entire right proposed for transfer was not leased, additional evidence of use is needed for the portion <u>not</u> leased instream.); OR									
	and the second se	utted u	under O	RS 540	.610(	2) is atta	ched. Ce	ertificate 549	83 is a munic	of forfeiture for non-use ipal water right and a
	Water has be 10 years for C	en use	d at the	actual	curre	ent point	t of diver	sion or appr		more than
a	AMO				(co	ntinues	on revei	rse side)		

- 3. The water right was used for: (e.g., crops, pasture, etc.): IRRIGATION
- 4. I understand that if I do not attach one or more of the documents shown in the table below to support the above statements, my application will be considered incomplete.

Signature of Afriant

NT 9 & 202

OWRD

Signed and sworn to (or affirmed) before me this 24th day of October, 2022.



Many for Steensma NotaryPublic for Oregon

10/24/22

My Commission Expires: 3/22/25

Supporting Documents	Examples
Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of confirming water right certificate that shows issue date
Copies of receipts from sales of irrigated crops or for expenditures related to use of water	<ul> <li>Power usage records for pumps associated with irrigation use</li> <li>Fertilizer or seed bills related to irrigated crops</li> <li>Farmers Co-op sales receipt</li> </ul>
Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	<ul> <li>District assessment records for water delivered</li> <li>Crop reports submitted under a federal loan agreement</li> <li>Beneficial use reports from district</li> <li>IRS Farm Usage Deduction Report</li> <li>Agricultural Stabilization Plan</li> <li>CREP Report</li> </ul>
Aerial photos containing sufficient detail to establish location and date of photograph	Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added. Sources for aerial photos: OSU –www.oregonexplorer.info/imagery OWRD – www.wrd.state.or.us Google Earth – earth.google.com TerraServer – www.terraserver.com
Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number OCT 26 2
Municipal water right certificate	Copy of water right certificate

STATE OF OREGON

COUNTY OF

BAKER

· Minterman days .

### CERTIFICATE OF WATER RIGHT

### This is to certify, That THE CITY OF BAKER

of Box 650, Baker , State of OR 97814 , has made proof to the satisfaction of the Water Resources Director, of a right to the use of the waters of a well

a tributary of Powder River supplemental irrigation of 42.1 acres

for the purpose of

RECEIVED

OCT 2 6 2022

OWRD

under Permit No. G-7830 and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from October 31, 1977

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 0.53 cubic foot per second

or its equivalent in case of rotation, measured at the point of diversion from the well. The well is located in the NE 1/4 SW 1/4, Section 20, T9S, R4OE, WM; 100 feet South and 100 feet West from Center 1/4 corner Section 20.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to one-eightieth of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year,

and shall

conform to such reasonable rotation system as may be ordered by the proper state officer. A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

> 24.8 acres NE 1/4 SW 1/4 3.9 acres NW 1/4 SW 1/4 4.1 acres SW 1/4 SW 1/4 9.3 acres SE 1/4 SW 1/4 Section 20 Township 9 South, Range 40 East, WM

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

WITNESS the signature of the Water Resources Director, affixed

this date. October 23, 1986

/s/ William H. Young Water Resources Director

Recorded in State Record of Water Right Certificates, Volume 50 , page 54983

6497D/SA G-8510

690 10-GBC

### **Groundwater Transfer Review Summary Form**

Transfer/PA # T- 13887

.

2

GW Reviewer Phillip I. Marcy Date Review Completed: 01/20/2022

Summary of Same Source Review:

The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

### Summary of Injury Review:

The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

### Summary of GW-SW Transfer Similarity Review:

The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.

	OREGON	Oregon Water Resour 725 Summer Street NE, Salem, Oregon 97301-1 (503) 986-0900 www.wrd.state.or.us	Suite A	Ground Wat Water Rig Permit An GR Modif	nendment				
App	Application: T- <u>13887</u> Applicant Name: <u>City of Baker City</u>								
Prop	oosed Change	es: DPOA	⊠ APOA □ POU	$\Box SW \rightarrow GW$ $\Box OTHER$	RA				
Rev	iewer(s): <u>Pl</u>	nillip I. Marcy		D	ate of Review: <u>01.20/2022</u>				
		I	Date Reviewed	by GW Mgr. and I	Returned to WRSD: _JTI 2/1/22				
		provided in the app pproved because:	blication is insu	fficient to evaluate	e whether the proposed				
	The water w affected by t		d with the appli	ication do not corre	espond to the water rights				
				A server of the	ion of the well construction r proposed to be developed.				
	Other								
	•••••••••••••••••••••••••••••••••••••••								
1.	Basic description of the changes proposed in this transfer: <u>The applicant proposes to add an</u> additional point of appropriation (APOA) to existing right Certificate 54983.								
2.	2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA? Yes No Comments: Both the authorized POA (BAKE 1153) and the proposed APOA (BAKE 52777) are constructed to produce groundwater from permeable zones within the sequence of Powder River Volcanics.								
3.	a) Is there more than one source developed under the right (e.g., basalt and alluvium)? Yes No Only one well has been authorized previously, producing from Powder River Volcanics.								
	b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): <u>NA</u>								
	<ul> <li>limitations that will need to be placed on the proposed change (rate, duty, etc.): NA</li> <li>a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with another ground water right?</li> <li>□ Yes ⊠ No Comments: The proposed APOA well is about 30 feet from the authorized POA and produces from the same aquifer. Therefore, without enlargement, no increase in interference is anticipated as a result of the proposed changes.</li> <li>b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in</li> </ul>								
	Enough Brou	ndwater right not r			-Dury children				

1

.

Ground Water Review Form

5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?

Yes No Comments: Given the close proximity of the APOA well to the authorized POA, in addition to APOA well construction targeting Powder River Volcanics, there is no evidence to suggest that nearby surface water will be adversely impacted as a result of the proposed changes.

b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?

Stream: NA	🗆 Minimal	□ Significant

Stream: <u>NA</u>	🗌 Minimal	□ Significan
-------------------	-----------	--------------

Provide context for minimal/significant impact:

6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?

□ Yes □ No Comments: \_\_\_\_

- What conditions or other changes in the application are necessary to address any potential issues identified above: <u>None</u>
- 8. Any additional comments: <u>The proposed APOA well is constructed with a continuous casing and seal to a depth of 312' below land surface, opposed to a seal depth of only 20' for the authorized well (see attached diagram). Despite the differences in construction, these wells appear to produce from the same aquifer system as reflected by the similarity in water level elevations measured in October 2021 (see attached hydrograph). Due to these factors, redistribution of pumping to the proposed APOA is not anticipated to increase interference to nearby wells or surface water.</u>





BAKE 52777 has a continuous seal to 312' BLS versus 20' in authorized POA BAKE 1153 and penetrated multiple permeable zones within the Powder River Volcanics. Note the difference in scale between the two diagrams.



Page 4 of 4

Version: 20210204

Ground Water Review Form

Transfer Application: T- 13887





Water Resources Department 725 Summer St NE, Suite A Salem, OR 97301 (503) 986-0900 Fax (503) 986-0904

January 12, 2022

CITY OF BAKER CITY PO BOX 650 BAKER CITY, OR 97814

Reference: Application T-13887

On January 3, 2022, OWRD received your water right Permanent Transfer Application. The application was accompanied by \$1840.00. Our receipt number 137207 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to our groundwater staff to determine whether the proposed well accesses the same source of water as the original well or as the original POD.

This application <u>may</u> require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

Except as provided under ORS 540.510(3) for municipalities, you may not use water from the new point of appropriation until a final order approving the transfer application has been issued by the Department. In order to avoid any possible forfeiture of the water right, you should continue to use the water as described by your existing water right.

If the land is sold before the application is approved, the buyer's consent to the application will be required unless a recorded deed or other legal document clearly established that the water right was not conveyed in the sale.

Refer to the following page for a chart showing the steps and expected timelines for the processing of your application.

If you have any questions, please contact the Transfer Section at (503) 979-9931.

Cc: Watermaster Dist. #8, Marcy J. Osborn (via email) Baker City Planning Robyn Cook, Agent

Enclosure

### Regular Transfer Process (including "Proving Up" on the changes)

OAR 690 Division 380



STATE OF OREGON WATER RESOURCES DEPARTMENT 725 Summer St. N.E. Ste. A SALEM, OR 97301-4172 INVOICE #		
RECEIVED FROM: (1+) OF BUKER (1+) APPLICATION BY: PERMIT	CITY OF BAKER CITY • ACCOUNTS PAYABLE	105823
CASH: CHECK:# OTHER: (IDENTIFY)	OREGON WATER RESOURCES DEPARTMENT V# 5902	CHECK NO - 105823 12/27/2
1083         TREASURY         4170         WRD MISC CASH ACCT           0407         COPIES         \$         \$           OTHER:         (IDENTIFY)         \$         \$	INVOICE # WATER RIGHTS TRANS. H20 RIGHTS TRANS.;OLD GOLF 104 WATER UTILITY MAI	4-401-5200220 1,840.00
0243 I/S Lease 0244 Muni Water Mgmt. Plan 0245 Cons. Water 4270 WRD OPERATING ACCT		
MISCELLANEOUS 4/6/1/D 0407 COPY & TAPE FEES 0410 RESEARCH FEES \$	Baker City	RECEIVED
0408     MISC REVENUE: (IDENTIFY)     \$       TC162     DEPOSIT LIAB. (IDENTIFY)     \$		JAN 0 3 2022
0240       EXTENSION OF TIME         WATER RIGHTS:       EXAM FEE         0201       SURFACE WATER       \$       0202         0203       GROUND WATER       \$       0204         0205       TRANSFER       \$/,840.00       \$	Oregon	OWRD
0218 WELL CONSTRUCTION EXAM FEE 0219 \$ 0220 \$		
OTHER (IDENTIFY)		
0211 WELL CONST START FEE S CARD# 0210 MONITORING WELLS S CARD#		
Officer     Output       0607     TREASURY     0467       0233     POWER LICENSE FEE (FW/WRD)     \$       0231     HYDRO LICENSE FEE (FW/WRD)     \$       HYDRO APPLICATION     \$		
TREASURY OTHER / RDX		
FUND         TITLE           OBJ. CODE         VENDOR #           DESCRIPTION         \$	CITY OF BAKER CITY	TOTAL 1,840.00
RECEIPT: 137207 DATED:BY:		

### Application for Permanent Water Right Transfer



O R E G O N Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

### Part 1 of 5 - Minimum Requirements Checklist

This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included. RECEIVED For questions, please call (503) 986-0900, and ask for Transfer Section.

Check all iter	ns included with this application. (N/A = Not Applicable) JAN 0.3 2022
$\boxtimes$	Part 1 – Completed Minimum Requirements Checklist.
$\boxtimes$	Part 2 – Completed Transfer Application Map Checklist.
	Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator.
$\boxtimes$	Part 4 – Completed Applicant Information and Signature.
	<ul> <li>Part 5 – Information about Water Rights to be Transferred: How many water rights are to be transferred? <u>1</u> List them here: <u>54983 (Attachment A)</u></li> <li>Please include a separate Part 5 for each water right. (See instructions on page 6)</li> <li>NOTE: A separate transfer application is required for each water right unless the criteria in OAR 690-380-3220 are met.</li> </ul>
_	Attachments:
	Completed Transfer Application Map. (Attachment B)
	Completed Evidence of Use Affidavit and supporting documentation. (Attachment C)
□ ⊠ N/A	Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the land the water right is on.)
	Supplemental Form D – For water rights served by or issued in the name of an irrigation district. Complete when the transfer applicant is not the irrigation district.
⊠	Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if all of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone. (Attachment D)
	Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation. (Attachment E)
□ ⊠ N/A	Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500' from the surface water source and more than 1000' upstream or downstream from the point of diversion. See OAR 690-380-2130 for requirements and applicability.
	(For Staff Use Only) WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S): Application fee not enclosed/insufficient Map not included or incomplete Land Use Form not enclosed or incomplete Evidence of Use Form not enclosed or incomplete Additional signature(s) required Part is incomplete Other/Explanation

Staff:

Date:

1

503-

### Part 2 of 5 – Transfer Application Map

Your trans	Your transfer application will be returned if any of the map requirements listed below are not met.						
	sure that the transfer application map you submit includes all the required items and he existing water right map. Check all boxes that apply.						
X 🗌 N/A	Certified Water Right Examiner (CWRE) Stamp and Original Signature. For a list of CWREs, see <u>http://apps.wrd.state.or.us/apps/wr/cwre_license_view/</u> . CWRE stamp and signature are not required for substitutions.						
□ ⊠ N/A	If more than three water rights are involved, separate maps are needed for each water right.						
$\boxtimes$	Permanent quality printed with dark ink on good quality paper.						
	The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.						
$\square$	A north arrow, a legend, and scale.						
	The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department						
	Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.						
$\square$	Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.						
	Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.						
	Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches. (Attachment B)						
	Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.						
⊠ □ N/4	Proposed place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.						
	Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.						
⊠ □ N/4	If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – $42^{\circ}32'15.5''$ ) or degrees-decimal with five or more digits after the decimal (example – $42.53764^{\circ}$ ).						

### Part 3 of 5 - Fee Worksheet

	FEE WORKSHEET for PERMANENT TRANSFER (except Substitution)		
1	Base Fee (includes one type of change to one water right for up to 1 cfs)	1	\$1,360
	Types of change proposed:         Place of Use       Character of Use         Number of above boxes checked =       (2a)         Subtract 1 from the number in line 2a =       3 (2b) If only one change, this will be 0		
2	Multiply line 2b by \$1090 and enter » » » » » » » » » » » » » » » » » » »	2	\$0
3	Number of water rights included in transfer 1 (3a)         Subtract 1 from the number in 3a above: 0 (3b) If only one water right this will be 0         Multiply line 3b by \$610 and enter >> >> >> >> >> >> >> >> >> >> >> >> >>	3	\$0
4	Do you propose to add or change a well, or change from a surface water POD to a well?         No: enter 0       X Yes: enter \$480 for the 1 <sup>st</sup> well to be added or changed \$480 (4a)         Do you propose to add or change additional wells?         Xo: enter 0       Yes: multiply the number of additional wells by \$410(4b)         Add line 4a to line 4b and enter x       x x x x x x x x x x x x x x x x x x x	4	\$480
	Do you propose to change the place of use or character of use? No: enter 0 on line 5 Yes: enter the cfs for the portions of the rights to be transferred (see below*): (5a) Subtract 1.0 from the number in 5a above: 0 (5b)		ECEIVED
5	If 5b is 0 or less, enter 0 on line 5 » » » » » » » » » » » » » » » » » »	5	0WRD
0	Add entries on lines 1 through 5 above       >> >> >> >> >> >> >> >> >> >> >> >> >>	0	\$1,840
7	If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 » If no box is applicable, enter 0 on line 7 » » » » » » » » » » » » » » » » » »	-	\$0
8	Subtract line 7 from line 6 » » » » » » » » » » » » » » » » » »	-	\$1,840

Example for Line 5a calculation to transfer 45.0 acres of Primary Certificate 12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Certificate 87654 (1/80 cfs per acre) on the same land:

1. For irrigation calculate cfs for each water right involved as follows:

a. Divide total authorized cfs by total acres in the water right (for C12345, 1.25 cfs ÷100 ac); then multiply by the number of acres to be transferred to get the transfer cfs (x 45 ac= 0.56 cfs).

b. If the water right certificate does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For C87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs)

2. Add cfs for the portions of water rights on all the land included in the transfer; however do not count cfs for supplemental rights on acreage for which you have already calculated the cfs fee for the primary right on the same land. The fee should be assessed only once for each "on the ground" acre included in the transfer. (In this example, blank 5a would be only 0.56 cfs, since both rights serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0).

1	FEE WORKSHEET for SUBSTITUTION Base Fee (includes change to one well)	1	\$990.00
2	Number of wells included in substitution       (2a)         Subtract 1 from the number in 2a above:       (2b) If only one well this will be 0         Multiply line 2b by \$480 and enter >> >> >> >> >> >> >> >> >> >> >> >> >>	2	\$350.00
3	Add entries on lines 1 through 2 above » » » » » » Fee for Substitution:	3	

### Part 4 of 5 – Applicant Information and Signature

### **Applicant Information**

FAX NO.
bcpwdirector@bakercity. tor@bakercity.govgov
E

Agent Information - The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME GSI Water Solutions, Inc.	.; Attn: Robyn Co	ak	PHONE NO. 503-239-8799	ADDITIONAL CONTACT NO.			
ADDRESS 55 SW Yamhill Street, Su	ite 300		FAX NO.				
CITY         STATE         ZIP         E-MAIL           Portland         OR         97232         rcook@gsiws.com							
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT							

ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.

Explain in your own words what you propose to accomplish with this transfer application, and why: The purpose of this transfer application is to add another point of appropriation (BAKE 52777) to Certificate 54983.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

### **Check One Box**

- By signing this application, I understand that, upon receipt of the draft preliminary determination and prior to Department approval of the transfer, I will be required to provide landownership information and evidence that I am authorized to pursue the transfer as identified in OAR 690-380-4010(5); OR
- I affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; OR
- I affirm the applicant is an entity with the authority to condemn property and is acquiring by condemnation the property to which the water right proposed for transfer is appurtenant and have supporting documentation.

RECEIVED

JAN 0 3 2022

OWRD

By my signature below, I confirm that I understand:

- Prior to Department approval of the transfer application, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: <u>Baker City Herald</u>.
- Amendments to the application may only be made in response to the Department's Draft Preliminary
  Determination (DPD). The applicant will have a period of at least 30 days to amend the application to address any
  issues identified by the Department in the DPD, or to withdraw the application. Note that amendments may be
  subject to additional fees, pursuant to ORS 536.050.
- Failure to complete an approved change in place of use and/or change in character of use, will result in loss of the water right (OAR 690-380-6010).
- Refunds may only be granted upon request and, as set forth in ORS 536.050(4)(a), if the Director determines that a
  refund of all or part of a fee is appropriate in the interests of fairness to the public or necessary to correct an error
  of the Department.
- I (we) affirm that the information contained in this application is true and accurate.

licant signature

Michelle Owen, Public Works Director 12/14/2021
Print Name (and Title if applicable) Date

Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located? X Yes No\*

\*If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the water right(s) were conveyed.

Check the following boxes that apply:

- The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- The receiving landowner will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to this landowner.
- Both the receiving landowner and applicant will be responsible for completion of change(s). Copies of notices and correspondence should be sent to this landowner and the applicant.

At this time, are the lands in this transfer application in the process of being sold? Ves 🛛 No

If YES, and you know who the new landowner will be, please complete the receiving landowner information table below. If you do not know who the new landowner will be, then a request for assignment will have to be filed for at a later date.

If a property sells, the certificated water right(s) located on the land belong to the new owner, unless a sale agreement or other document states otherwise. For more information see: https://www.oregon.gov/owrd/WRDFormsPDF/Transfer Property Transactions.pdf

RECEIVING LANDOWNER N	IAME		PHONE NO.	ADDITION	ADDITIONAL CONTACT NO.			
ADDRESS				FAX NO.	RECEIVED			
СІТҮ	STATE	ZIP	E-MAIL		JAN 0 3 2022			
Describe any special of	wnership circumst	ances:			OWRD			
The confirming Certifi	cate shall be issued	in the name	of: Applicant R	eceiving Landov	the second by a straight of the second			

Check here if any of the water rights proposed for transfer are or will be located within or served by an irrigation or other water district. (Tip: Complete and attach Supplemental Form D.) Not Applicable

IRRIGATION DISTRICT NAME	ADDRESS	
CITY	STATE	ZIP

Check here if water for any of the rights supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

To meet State Land Use Consistency Requirements, you must list all county, city, municipal corporation, or tribal governments within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Baker City Planning Department	ADDRESS 1995 Third Street	
CITY	STATE	ZIP
Baker City	OR	97814

ENTITY NAME Baker County Planning Department	ADDRESS 1995 Third Street, St	e 131	
CITY	STATE	ZIP	
Baker City	OR	97814	

RECEIVED

JAN 0 3 2022

OWRD

### **INSTRUCTIONS for editing the Application Form**

RECEIVED

To add additional lines to tables within the forms or to copy and paste additional Part 5 pages, please save the application form to your computer. Unlock the document by using one of the following instructions for your Microsoft Word software version:

Microsoft Word 2003 JAN 0 3 2022 Unlock the document by one of the following: OWRD • Using the Tools menu => click Unprotect Document;

Using the Forms toolbar => click on the Protect/Unprotect icon.

To relock the document to enable the checkboxes to work, you will need to:

- Using the Tools menu => click Protect Document;
   OR
- Using the Forms toolbar => click on the Protect/Unprotect icon.

Once the application has been unlocked, you may:

- add additional rows to tables using the Table tools, and
- select and copy the pages of Part 5 and paste as many additional sets of Part 5 pages as needed at the end of the application.

After editing, re-lock the document to enable checkboxes to work.

### Microsoft Word 2007

- Unlock the document by clicking the Review tab, then click Protect Document, then click Stop Protect
- To relock the document, click Editing Restrictions, then click Allow Only This Type of Editing, select Filling In Forms from the drop-down menu, then check Yes, Start Enforcing Protection.

### Microsoft Word 2010

- Unlock the document by clicking the Review tab; toggle the Restrict Editing icon at the upper right, then click Stop Protect at the bottom right. Then uncheck the "Allow only this type of editing in the document: Filling in forms" in the "Editing restrictions" section on the right-hand list of options.
- To relock the document, check the Editing Restrictions/Allow Only This Type of Editing/Filling In Forms box from the drop-down menu, then check Yes, Start Enforcing Protection. You do not need to assign a password for the editing restrictions.

### **Other Alternatives:**

- Photocopy pages or tables in Part 5, <u>mark-through</u> any non-applicable information, insert/attach photocopied pages to document in the appropriate location, and manually amend page numbers as necessary (e.g. Page 5 6 of 9 10).
- You may refer to additional attachments that you may include, such as separately produced tables or spreadsheets to convey large numbers of rows of place of use listings, owner/property parcels, etc. You may contact the Department at 503-986-0900 and ask for Transfer Staff if you have questions.

13887

### Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

### CERTIFICATE # 54983

**Description of Water Delivery System** 

System capacity: \_\_\_\_\_ cubic feet per second (cfs) OR

gallons per minute (gpm) <u>N/A – This transfer is for a municipal water right</u> evidenced by Certificate 54983

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. The City's distribution map is included in Attachment B. Water is appropriated from the Golf Course Well and delivered to the place of use for supplemental irrigation when needed.

# Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	Tv	wp	R	ng	Sec	%	Х	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
A Well (Golf Course Well)	Authorized Proposed	BAKE 1153	9	s	40	E	20	NE	sw	100	100 feet South and 100 feet West from Center ¼ corner Section 20.
ASR 2 (BAKE 52777)	Authorized	BAKE 52777	9	s	40	E	20	NW	SE	Road	64 feet South and 21 feet East from the Center of Section 20.

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

Place of Use (POU)		Supplemental Use to Primary Use (S to P)
Character of Use (USE)		Point of Appropriation/Well (POA)
Point of Diversion (POD)	$\boxtimes$	Additional Point of Appropriation (APOA)
Additional Point of Diversion (APOD)		Substitution (SUB)
Surface Water POD to Ground Water POA (SW/GW)		Government Action POD (GOV)

### Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
  - No Complete all of Table 2 to describe the portion of the water right to be changed.

OWRD

JAN 032022

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions. Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

### Table 2. Description of Changes to Water Right Certificate # 54983

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.						Proposed Changes (see	aromado						CHANGE	S												
Twp	Rr	ng	Se	с	74	3⁄4	Tax Lo	Gvt tLot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Date	"CODES" from previous page)	Tw	q	Rng		Sec	%	3⁄4	Tax Lo	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date
	EXAMPLE																									
2 S	9	E	1	.5	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	s	9	E	1	NW	NW	500	1	10.0		POD #5	1901
														2	s	9	E	2	sw	NW	500		5.0	1 Care	POD #6	1901
APOA Entire Place of Use Supp Irr						A Well (Golf Course Well); ASR 2	10/31/197 7																			
					115	то	TAL AC	RES:												TOT	TAL AC	RES:	42.1			

Additional remarks: \_\_\_\_\_.

-	
පා	-0
8	RECEIVED
00	11
8 7	2022 & C MAL
1	OWRD
1	

### RECEIVED

JAN 0 3 2022

Certificate # 54983

### For Place of Use or Character of Use Changes

### OWRD

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? 🛛 Yes 🗌 No

If YES, list the certificate, water use permit, or ground water registration numbers: 79511; other (Municipal) rights are not for irrigation.

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # N/A: Surface water primary Certificate # N/A.

### For a change from Supplemental Irrigation Use to Primary Irrigation Use Not Applicable

Identify the primary certificate to be cancelled. Certificate #\_\_\_\_

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

 Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.
 Tip: You may search for well logs on the Department's web page at: <a href="http://apps.wrd.state.or.us/apps/gw/well\_log/Default.aspx">http://apps.wrd.state.or.us/apps/gw/well\_log/Default.aspx</a>

### AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

### Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
A Well (Golf Course Well)	Yes	BAKE 1153	349 ft	8-inch	+2-349 ft	0–20 ft	249–349 ft	85 ft	Basalt (Powder River Volcanics)	
ASR 2 (BAKE 52777)	Yes	BAKE 52777	654 ft	16-inch 12-inch	+3-313 ft 304-654 ft	0—312 ft	(see log)	86 ft	Basalt (Powder River Volcanics)	

### Application for Water Right Transfer Evidence of Use Affidavit



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.wrd.state.or.us

RECEIVED

JAN 0 3 2022

OWRD

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing. Supporting documentation must be attached.

State of Oregon	
-----------------	--

	1	5	S

County of MULTNOMAH)

I, ROBYN COOK, in my capacity as CERTIFIED WATER RIGHT EXAMINER,

mailing address 55 SW YAMHILL STREET, SUITE 300, PORTLAND, OR 97204

telephone number (503)239-8799, being first duly sworn depose and say:

1. My knowledge of the exercise or status of the water right is based on (check one):

Personal observation		Personal	observation
----------------------	--	----------	-------------

Professional expertise

- 2. I attest that:

Water was used during the previous five years on the entire place of use for Certificate # \_\_\_\_\_; OR

My knowledge is specific to the use of water at the following locations within the last five years:

Certificate #	Township		Ra	nge	Mer	Sec	Y4 Y4	Gov't Lot or DLC	Acres (if applicable)

### OR

Confirming Certificate # \_\_\_\_\_ has been issued within the past five years; OR

Part or all of the water right was leased instream at some time within the last five years. The instream lease number is: \_\_\_\_\_ (Note: If the entire right proposed for transfer was not leased, additional evidence of use is needed for the portion not leased instream.); OR

The water right is not subject to forfeiture and documentation that a presumption of forfeiture for non-use would be rebutted under ORS 540.610(2) is attached. <u>Certificate 54983 is a municipal water right and a</u> presumption of forfeiture would be rebutted under ORS 540.610(2)(a) and (b).

Water has been used at the actual current point of diversion or appropriation for more than 10 years for Certificate # \_\_\_\_\_(For Historic POD/POA Transfers)

(continues on reverse side)

13887

- 3. The water right was used for: (e.g., crops, pasture, etc.): IRRIGATION
- 4. I understand that if I do not attach one or more of the documents shown in the table below to support the above statements, my application will be considered incomplete.

# Signature of Affiant Date OWRD

Signed and sworn to (or affirmed) before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

### Notary Public for Oregon

My Commission Expires: \_\_\_\_

Supporting Documents	Examples
Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of confirming water right certificate that shows issue date
Copies of receipts from sales of irrigated crops or for expenditures related to use of water	<ul> <li>Power usage records for pumps associated with irrigation use</li> <li>Fertilizer or seed bills related to irrigated crops</li> <li>Farmers Co-op sales receipt</li> </ul>
Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	<ul> <li>District assessment records for water delivered</li> <li>Crop reports submitted under a federal loan agreement</li> <li>Beneficial use reports from district</li> <li>IRS Farm Usage Deduction Report</li> <li>Agricultural Stabilization Plan</li> <li>CREP Report</li> </ul>
Aerial photos containing sufficient detail to establish location and date of photograph	Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added. Sources for aerial photos: OSU –www.oregonexplorer.info/imagery OWRD – www.wrd.state.or.us Google Earth – earth.google.com TerraServer – www.terraserver.com
Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number

RECEIVED JAN 0 3 2022 OWRD

# **Attachment A**

Certificate 54983 Application for Water Right Transfer - Baker City

13887 ==

690-10-GBC

### STATE OF OREGON

COUNTY OF

BAKER

**CERTIFICATE OF WATER RIGHT** 

This is to certify, That THE CITY OF BAKER

of Box 650, Baker , State of OR 97814 , has made proof to the satisfaction of the Water Resources Director, of a right to the use of the waters of a well

Powder River a tributary of supplemental irrigation of 42.1 acres for the purpose of

under Permit No. G-7830 and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from October 31, 1977

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 0.53 cubic foot per second

or its equivalent in case of rotation, measured at the point of diversion from the well. The well is located in the NE 1/4 SW 1/4, Section 20, T9S, R40E, WM; 100 feet South and 100 feet West from Center 1/4 corner Section 20.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to one-eightieth of one cubic foot per second or its equivalent for each acre irrigated and shall be per acre, further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year,

conform to such reasonable rotation system as may be ordered by the proper state officer. A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

> 24.8 acres NE 1/4 SW 1/4 3.9 acres NW 1/4 SW 1/4 4.1 acres SW 1/4 SW 1/4 9.3 acres SE 1/4 SW 1/4 Section 20 Township 9 South, Range 40 East, WM

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

WITNESS the signature of the Water Resources Director, affixed

this date. October 23, 1986

/s/ William H. Young Water Resources Director

Recorded in State Record of Water Right Certificates, Volume 50 , page 54983

6497D/SA G-8510

RECEIVED JAN 0 3 2022

OWRD

and shall

- Station . And .

JAN 0 3 2022

OWRD

# **Attachment C**

Evidence of Use Affidavit Application for Water Right Transfer – Baker City

13887

# **Attachment D**

Land Use Form Application for Water Right Transfer – Baker City

JAN 03 2022

OWRD

# Attachment E

Well Logs Application for Water Right Transfer – Baker City 13887

	A SPORT NC.	95/1	HOE	20bd
WATER RESOURCES DEPARTMENT. SALEM, OREGON 97310 Within 70 days from the date	or print)	ro	******	
of well completion. V.'ATER RESOURCES DEPT	ove uns me) (10 119)			
(1) OWNER: SALEM, OREGON	(10) LOCATION OF WELL:			
(1) OWNER:	County SACE Driller's well n	umber		
		.1	1-	W.M.
Address jocker, Gregin		R. 40	E	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivisi	on corner		······································
New Well Deepening Reconditioning Abandon I If abandonment, describe material and procedure in Item 12.			Contraction of the	
	(11) WATER LEVEL: Completed w	ell.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	40	0	1t.
Rotary A Driven Domestic Industrial Municipal	Static level 80 ft. below land :	surface. D	ate 7.	- 13.11
Dug 🛛 Bored 🗋 Irrigation 😰 Test Well 🗋 Other	Artesian pressure lbs. per squar	e inch. D	ate	
CASING INSTALLED: Threaded D Welded X "Diam. from 25 7 ft. to 349 ft. Gage 1260	(12) WELL LOG: Diameter of well Depth drilled 349 ft. Depth of compl			9 tt.
" Dlam. from ft. to ft. Gage	Formation: Describe color, texture, grain size	and the second second second		
ft. Gage	and show thickness and nature of each stratu	im and aqu	ulfer per	netrated,
PERFORATIONS: Perforated? I Yes I No.	with at least one entry for each change of forma position of Static Water Level and indicate prin			
PERFORATIONS: Perforated? Ves INO.	MATERIAL	From	To	SWL
11- 1 - 211		1.25	1	
Size of perforations 18 In. by 2344 in. 1530 perforations from 249 ft. to 349 ft.	The Soil Fractured Desalt	1	2	
	Sand Stone Drik BA	12	55	
perforations from	In the By Clau	18	-10	
perforations from ft, to ft,	Sand Stone Red	551	70	
(7) SCREENS: Well screen installed?  Yes XNo	Sind Stone Blk.	10 2	148	
Manufacturer's Name	Bisatt Fractured	248 3	288	35
Type Model No	Bisch with Streak's Clay Blat	288	314	1
Diam Slot size Set from ft. to ft.	-unite			
Diam Slot size Set from ft. to ft.	Brsalt Red Con	314	ill	
(8) WELL TESTS: Drawdown is amount water level is	Bisalt Fractured Streaks		100	
iowered below state level	at lay Rive		128	1.
Was a pump test made? Ves No If yes, by whom?	Biss / hed CapRECEIVED	1212	36	25
Yield: 3,20 gal./min. with /4/ ft. drawdown after 3 hrs.	Drey pro.	127 1	11	22
Compressor" "	JAN 0 3 2022			
<u> </u>				
Bailer test gal./min. with ft. drawdown after hrs.	OWDO			
Artesian flow g.p.m.	OVAD			
oerature of water 4 7" Depth artesian flow encountered	Work started 7-10 197/ Complet	ed 9-1	5	1977
(9) CONSTRUCTION:	Date well drilling machine moved off of well	9-15	F	1977
Well seal-Material used (Emrnt Grout	Drilling Machine Operator's Certification:			
Well sealed from land surface to <u>20</u> ft.	This well was constructed under my	direct	super	vision.
Diameter of well bore to bottom of seal	Materials used and information reported best knowledge and belief.	above an	re true	to my
Diameter of well bore below seal in. j	[Signed] Charlet Stenson	Data 9-	18	1077
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)	Late that	.1	, a.a.ix
How was cement grout placed?	Drilling Machine Operator's License No.	60	7	
Runped TAH Dull PIPE	Water Well Contractor's Certification:			
and a second sec	This well, was drilled under my jurisd true to the best of my knowledge and be	liction and	d this r	eport is
Was a drive shoe used? [] Yes XNo Plugs Size: location ft.	In Multhrack 1 11.	£()		
Did any strata contain unusable water? Tyes XNo	(Perion, firm or corporation)	Ca (Ty)	pe or prir	nt)
Type of water? depth of strata	Address Francie City	Inga:	M	
Method of sealing strata off	18 ma Jul	e		
Was well gravel packed? Yes DNo Size of gravel 3/ 2e.4	[Signed]	tractor)	•••••••••••••••••••••••••••••••••••••••	
Gravel placed from 20 It to 3/19 It.	Contractor's License No. 572 Date	9-16	7	1027
	HEETS IF NECESSARY)			, 19
(OUL ADDITIONAL B	and a monodial (		SI	P*45656-119

BAKE 1153	· · · · · · · · · · · · · · · · · · ·
For Official Use Only by The Oregon Water Resources Department:	
Received Date: County Well Log ID # Well Identification Tag #	ŧ
11-14-13 BAKE 1153 L 106250	-
APPLICATION FOR WELL IDENTIFICATION TAG	
LANDOWNER INFORMATION Tag Bob	Attached by Maynard, Il inspector 11-7-13
Name: Baker MUNICIPAL GULF COVERE	I inspector III I
Mailing Address:	DEOENJER
City: Baker City State: OREGON_Zip: 979	
Return Well Tag to (if different than mailing address):	<u>JAN_0 3 2022</u>
	OWRD
WELL LOCATION INFORMATION	
County: BAKER Township: 9 5 North or South (circle one) Range: 40 E East	t <u>ar</u> West (circle
one), Section: 20 ACE 1/4 [ 4/4 Tax Lot #:	
Street Address of Well (if different than mailing address):	RECEIVED BY OWRD
	NOV 1 4 2013
N 44.76686 W-117.84034	SALEM, OB
WELL INFORMATION (Do Not Complete If Well Report is Attached)	
Type of Well (i.e. domestic, irrigation, etc):Date Well Constru	ucted:
Well Constructor/Company:	
Well Depth (in feet): Diameter of Well Casing (in inches):	
Landowner Who Had Well Constructed or Previous Owner at the Time Well was Constructed	(if known):
138	9.9.7
Other Information:	

Return to: Oregon Water Resources Department, Janet Halladey, 725 Summer St. NE, Suite A, Salem, OR 97301-1271, (503) 986-0854 or fax to 503-986-0902 App for tag

STATE OF OREGON BAKE	<b>52777</b> WELL I.D. LABEL# L 128841
WATER SUPPLY WELL REPORT	START CARD # 216491
(as required by ORS 537.765 & OAR 690-205-0210)	ORIGINAL LOG #
1) LAND OWNER Owner Well I.D. ASR 2	
First Name Last Name	(9) LOCATION OF WELL (legal description)
Company City of Baker City	County Baker Twp 9 S N/S Range 40 E E/W WM
Address PO Box 650	Sec 20 NE 1/4 of the SW 1/4 Tax Lot
City Baker City State OR Zip 97814	Sec         20         NE         1/4 of the         Otv         1/4         Tax Eot           Tax Map Number         Lot
TYPE OF WORK New Well Deepening Conversion	DMS or DD
Alteration (complete 2a & 10) Abandonment(complete	e 5a)
2a) PRE-ALTERATION Dia + From To Gauge Stl Pistc Wid Thrd	Long or DMS of DD
Casing:	
Material From To Amt_sacks/lbs	2801 Indiana Ave, Baker City, OR 97814
Seal:	
3) DRILL METHOD	(10) STATIC WATER LEVEL
X Rotary Air Rotary Mud X Cable X Auger Cable Mud	Date SWL(psi) + SWL(R)
Reverse Rotary     Other	Completed Well 7/21/2021 86
4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?
Industrial/ Commericial Livestock Dewatering	WATER BEARING ZONES Depth water was first found 245 *
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)
5) BORE HOLE CONSTRUCTION Special Standard (Attach	
Depth of Completed Well <u>654</u> ft.	copy)         3/19/2021         245         299         n/m         n/m           3/19/2021         329         654         2000+         86
DODELIOLE	acks/
Dia From To Material From To Amt	lbs
	sks
24         10         106         Calculated         120           20         106         317         Cement         40         312         757	sks
16 317 654 Calculated 291	(11) WELL LOG Ground Elevation
How was seal placed: Method A B X C D E	Material From To
X Other pour and probe bentonite chips	Gravel 3/4 minus with soil 0 3
Backfill placed from ft. to ft. Material	Gravel 3" minus with sand, tan, panially cemented 3 9
Filter pack from fl. to fl. Material Size	Sand, tan, fine to medium, with some clay, tan 9 25
Explosives used: Yes Type Amount	Clay, brown, dry, silty         25         30           Clay, tan, sandy         30         90
5a) ABANDONMENT USING UNHYDRATED BENTONITE	Clay, blue and green, silty 90 150
Proposed Amount Actual Amount	Clay, blue and green, silty with layers of clay, sandy 150 210
A CASING / INFR	Clay, grey, medium 210 245
6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wid T	Thrd Basalt, dark grey, medium, fractured, some vesicles 245 259
	Basalt, black and grey, medium, fractured, vesicular 259 269 Basalt, black medium, some fractures and vesicular 269 279
Image: 12         304         313         .375         Image: 12         Image: X           Image: 12         Image: 343         364         .375         Image: X         Image: X	Basall, black w/red, med, fractured, vesi, w/claystone, blue 279 289
	Basalt, black, fractured, vesicular, some claystone, blue 289 299
12         399         408         .375         ×           12         458         479         .375         ×	Basalt, black, fractured, some vesicular w/some claysione, blue 299 314
Shoe Inside Outside Other Location of shoc(s)	Basalt, red and brown, medium, fractured, vesicular 314 319 Basalt, dik, med, frac witenass of basalt, ind, med frac, vit, 6/gm & grey daystone 319 399
Temp casing Yes Dia From To	Basalt, grey, medium, some fractures 399 409
	Basall, blk, med, hard frac, visi, wiblue claystone, s/basall, red, mod 409 429
7) PERFORATIONS/SCREENS Perforations Method	Basalt, red and brown, med vesicular w/claystone, blue 429 433
Screens Type Vshaped Wire Wrap Material 304SS	Date Started 10/14/2021 Completed 7-21-2021
Perf/ Casing/ Screen Scrn/slot Slot # of Te	ele/Completed
	size (unbonded) Water Well Constructor Certification
	2S I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well
and a second sec	eonstruction standards. Materials used and information reported above are true to
	S the best of my knowledge and belief.
Scr Liner 12 538 568 150 P	PS License Number 2033 Date 0-16- COL
8) WELL TESTS: Minimum testing time is 1 hour	Signed 7 MMM
Pump     Dailer     Air     Flowing Artesian	
Yield gal/min_Drawdown Drill stem/Pump depth_Duration (hr)	(bonded) Water Well Constructor Certification
2045 19 72	I accept responsibility for the construction, deepening, alteration, or abandonment
	work performed on this well during the construction dates reported above. All work
	performed during this time is a compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
RECENTED = 195	
From To Description Amount 195	License Number 1968 Date 8-16-202)
	Signed E PRECEIVED
AUG 3 0 2021	Contact Info (optional)
	1111 0.0 0000
ORIGINAL - WATER RESOUR	RCES DEPARTMENT JAN 0 3 2022

THOWRDUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: 0.95

### **BAKE 52777**

WATER SUPPLY WELL REPORT continuation page

### WELL I.D. LABEL# L 128841 START CARD # 216491 ORIGINAL LOG #

#### Water Quality Concerns

From	То	Description	Amount	Units
				-
				-
			-	
_				-

#### (10) STATIC WATER LEVEL SV

WL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)

	RE	CEIV	ED	14	
	JAN	032	022		
	C	WR	0	14	

#### (11) WELL LOG

Material	From	То
Basalt, grey and brown, medium, some frectured and vesicular	433	434
Basalt, groy, medium, some fractured	434	439
Basalt, grey and brown, modium, some fractured	439	464
Basalt, gray, medium, fractured, some vesicular	464	478
Basalt, brown and groy, medium, fractured, vesicular	478	518
Basalt, grey & brown, med, frac, vesic, w/somo claystone blue	516	543
Basalt, brown, medium, fractured, vesicular, with claystone, blue	543	548
Basalt, grey and brown, med, fract, vesicular, wicksystone blue	548	563
Basalt, red & grey, med, fract, vesic wildaystone, blue & green	553	573
Basalt, brown & grey, med, fract, vesic, w/claystone, blue & gree	573	588
Basalt, red and brown, med, vesicular, frac, with claystone, blue	593	633
Basalt, gray & brown, med, vesic & fractured, w/claystone blue	533	648
Basalt, red & bm, med, vesle, fract, w/claystone blue & basalt, grey	648	654
RECEIVED		
AUG 3 0 2021		
OWRD		

#### **Comments/Remarks**

- 3/8 steel plate bottom.

- Screen assembly has an ~6" offset at 647' and reduces ID to ~5". - Top of screen assembly has a J receiver used to set screen in place.

13887

		77	-			Calculated		+
					-	Calculated		1
						Calculated		+
-					-	Calculated		1
FILTE	R PAC	K						
From	То	Mate	rial	Size	_			
From	То	Mate	erial	Size	7			
From	To	Mate	erial	Size				
			erial	Size	-			
ASING/	LINEF				Gauge	Stl Plstc	Wld	т
ASING/	LINEF	2			Gauge	Sti Piste	_	n
ASING/	LINEF	2	From	То		Sti Piste	Wld	TT

#### (7) PERFORATIONS/SCREENS

(6)

Screen	Casing/ Liner		From	То	Scm/slot width	Slot	Tele/ pipe size
Scr	Liner	12	589	649	150		PS
							-
-							 -
	-					-	

#### (8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)

#### (2a) PRE-ALTERATION Dia +

From То Gauge Stil Piste Wid Thrd Material From To Amt sacks/lbs

#### (5) BORE HOLE CONSTRUCTION

B Dia	ORE HOI From	To	Material	SEAL From	То	Amt	sacks lbs
				Cal	culated		
				Cal	culated		
				Ca	lculated		
				Ca	culated		-







RECEIVED JAN 03 2022 OWRD



WELL LOC: 100'S. & 100'W. FROM CENTER SEC 20

# FINAL PROOF SURVEY

Application No. G:8510. Permit No. G:7830... IN NAME OF

THE CITY OF BAKER

#2. 4-14-83 HE

RECEIVED JAN 0 3 2022 OWRD

# **Attachment B**

Application Maps Application for Water Right Transfer – Baker City Land Use Pd 12/2 Information Form



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

### RECEIVED

JAN 0 3 2022

### NOTE TO APPLICANTS

### OWRD

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; OR
- The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and <u>all</u> of the following apply:
  - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
  - b) The application involves a change in place of use only;
  - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; and
  - d) The application involves irrigation water uses only.

## NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

WR/FS

13887

# Land Use Information Form



O R E G O N Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD RECEIVED

JAN 0 3 2022

### Applicant(s): City of Baker City; Attn: Michelle Owen

Mailing Address: PO Box 650

City: Baker City

State: OR

Zip Code: 97814

Daytime Phone: 541-524-2031 OWRD

### A. Land and Location

Please include the following information for all tax lots where wrater will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or interaction uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information reseasted below

Township	Range	Section	14 14	Tax Lot #	Plen Designation (e.g., Rural Residential/RR-5)	Water to be:		Proposed Land Use:	
<u>95</u>	<u>40E</u>	<u>20</u>	NW SE	(Road)		Diverted	Conveyed	Used	
<u>95</u>	<u>40E</u>	<u>20</u>	NE SW	100		Diverted	Conveyed	🖾 Used	
<u>95</u>	<u>40E</u>	20	NW SW	100		Diverted	Conveyed	🛛 Used	
<u>95</u>	<u>40E</u>	<u>20</u>	<u>SW SW</u>	100		Diverted	Conveyed	🛛 Used	
<u>95</u>	<u>40E</u>	20	SE SW	100		Diverted	Conveyed	🛛 Used	

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Baker County; Baker City

### B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:
Permit to Use or Store Water 🛛 Water Right Transfer
Limited Water Use License Allocation of Conserved Water Exchange of Water
Source of water: Reservoir/Pond Ground Water Surface Water (name)
Estimated quantity of water needed: 0.53 🛛 cubic feet per second 🗌 gallons per minute 🔲 acre-feet
Intended use of water: Irrigation Commercial Industrial Domestic for household(s)
Municipal Quasi-Municipal Instream Other Supplemental Irrigation
Briefly describe:
A new well is being added to Certificate 54983 to provide supplemental water to the existing place of use.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3.  $\rightarrow$ 

-20

### For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

#### Please check the appropriate box below and provide the requested information

A Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): Table 2.2. 110 Parks and Open States

Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being pursued."

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		Obtained Denied	Being Pursued
	RECEIVED	Obtained  Denied	Being Pursued
	JAN 0.3 2022	Denied Not Being Purs	Being Pursued
			Being Pursued
	OWRD	Obtained Denied	Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: Hally Kerns Signature: Hally Litt	S     Title:       Phone: <u>541-523-</u>	
sign the receipt, you will have 30 c	entative: Please complete this form or sign the receipt b days from the Water Resources Department's notice date esume the land use associated with the proposed use of	e to return the completed Land Use
	Receipt for Request for Land Use Information	tion
Applicant name:		
City or County:	Staff contact:	
Signature:	Phone: Da	ite:
Revised 2/8/2010	Land Use Information Form - Page 3 of 3	13887 WR

/FS



BAKER CITY, OREGON

P.O. Box 650, Baker City, OR 97814-0650 541-523-6541 Voice/TDD www.bakercity.com

December 15, 2021

JAN 0 3 2022

Water Resources Department Kelly Starnes 725 Summer Street NE, Suite A Salem, Oregon 97301

OWRD

Dear Mr. Starnes:

Please find enclosed with this letter an Application for a Transfer. The City of Baker City (City) is submitting this Transfer Application to add an additional Point of Appropriation (POA) for supplemental irrigation under Certificate 54983. The additional POA is included in this Transfer application to allow the City flexibility in our operations.

If you have any questions regarding the enclosed information, please call me at 541-524-2031 or contact Robyn Cook (GSI Water Solutions) at 971-200-8505.

Sincerely,

nichle

Michelle Owen Public Works Director, Baker City

CC: Robyn Cook, RG, CWRE, GSI Water Solutions, Inc.

Enclosures: Water Right Transfer Application Check for application fee in the amount of \$1,840

# Permanent Transfer Application Intake Completion Checklist

Checked by       Type of Change(s) Proposed:       Substitution       Supplemental to Primary       POU       POD       APC         Calculated Fee:       Burface to the Winner Proposed:       Surface to Ground       USE       POA       EPO         Additional Observations:       U2.1       ACKES_JS=ALL=NC       How many rights to be Transferred?         Calculated Fee:       How many rights to be Transferred?       Certificate # S_1983         Additional Observations:       U2.1       ACKES_JS=ALL=NC       Certificate # S_1983         If OK and complete, check box to the left; if NOT, fill in.       I. Is applicant information complete? Have all applicants listed at the top of the page signed at the bottor if no, what is missing? Whose signature is missing?       Image: Supplicant indicate the place of use is in gr near an irrigation district? Is a Form D included?       N/N         If OS applicant indicate the place of use is in gr near an irrigation district? Is a Form D included?       N/N         Name of the district:       Image: Supplicant indicate the applicant(s) completed the entire page and does the information match the description of the explanation of the reasons for transfer on Part 4 of the application?         If no, you may need to contact the applicant or agent?       Image: Supplicant information GAR 690-380-320 for more than one WR met? Yes or No If no, then the transfer application CANNOT be accepted. See attached "3220" Decision Tree Flowcha         S. For multiple certificates do each of the certificates list	Check the Certificate(s) i	n WRIS		Transfer	# <b>T-</b>  3	388	7			
Preceived:       1840, 02       Mark the Proposed Changes       Gov Action       Sufface to Ground       Ust       POA       QOA         Calculated Fee:       How many rights to be Transferred?       Certificate # 5,97833         Additional Observations:       U2.1 ACKES       SSACES         Image: the set of the set			Substitution	Supplemental			APOD			
Additional Observations:          U2.1 At West JS=A(L wk             0.52 crs             0.51 crs crs             0.51 crs             0.51 crs	#1840,00		Gov Action		USE	POA	APOA			
Additional Observations:       U2.1 A CWES_JSERVES         0.53CKS       0.53CKS         f OK and complete, check box to the left; if NOT, fill in.       1. Is applicant information complete? Have all applicants listed at the top of the page signed at the bottor If no, what is missing? Whose signature is missing?         2. Does applicant indicate the place of use is in <u>or</u> near an irrigation district? Is a Form D included? []N/ Name of the district:         3. Part 5 of application, has the applicant(s) completed the entire page and does the information match the description of the explanation of the reasons for transfer on Part 4 of the application? If no, you may need to contact the applicant or agent?         4. Is there only one (1) water right included in this transfer application? If no, are the criteria of OAR 690-380-3220 for more than one WR met? Yes or No If no, are the criteria of OAR 690-380-3220 for more than one WR met? Yes or No If no, then the transfer application CANNOT be accepted. See attached "3220" Decision Tree Flowcha         5. For multiple certificates do each of the certificates listed on Application Page 1 have their own separate completed Part 5 tables 1 & 2?         6. Is the map prepared and signed by a CWRE? Does the map meet requirements? If no, what is missing?	Calculated Fee:									
<ul> <li>f OK and complete, check box to the left; if NOT, fill in.</li> <li>1. Is applicant information complete? Have all applicants listed at the top of the page signed at the bottor If no, what is missing? Whose signature is missing?</li> <li>2. Does applicant indicate the place of use is in or near an irrigation district? Is a Form D included? W Name of the district:</li> <li>3. Part 5 of application, has the applicant(s) completed the entire page and does the information match the description of the explanation of the reasons for transfer on Part 4 of the application? If no, you may need to contact the applicant or agent?</li> <li>4. Is there only one (1) water right included in this transfer application? If no, are the criteria of OAR 690-380-3220 for more than one WR met? Yes or No If no, then the transfer application CANNOT be accepted. See attached "3220" Decision Tree Flowcha</li> <li>5. For multiple certificates do each of the certificates listed on Application Page 1 have their own separate completed Part 5 tables 1 &amp; 2? Map waiver included? [ Yes No which certificate(s) are missing a separate Part 5 tables 1 &amp; 2? Map waiver included? [ Yes No what is missing? Map waiver included? [</li></ul>	Additional Observations:	42.1 Acres	JS=ALL WR	certificate # D	1100					
<ul> <li>1. Is applicant information complete? Have all applicants listed at the top of the page signed at the botto If no, what is missing? Whose signature is missing?</li> <li>2. Does applicant indicate the place of use is in <u>or</u> near an irrigation district? Is a Form D included? [N/ Name of the district:</li> <li>3. Part 5 of application, has the applicant(s) completed the entire page and does the information match the description of the explanation of the reasons for transfer on Part 4 of the application? If no, you may need to contact the applicant or agent?</li> <li>4. Is there only one (1) water right included in this transfer application? If no, are the criteria of OAR 690-380-3220 for more than one WR met? Yes or No If no, then the transfer application CANNOT be accepted. See attached "3220" Decision Tree Flowcher 5. For multiple certificates do each of the certificates listed on Application Page 1 have their own separate completed Part 5 tables 1 &amp; 2? If no, which certificate(s) are missing a separate Part 5 tables 1 &amp; 2? If no, which certificate(s) are missing a separate Part 5 tables 1 &amp; 2?</li> <li>6. Is the map prepared and signed by a CWRE? Does the map meet requirements? If no, what is missing?</li></ul>				1. J.						
<ul> <li>1. Is applicant information complete? Have all applicants listed at the top of the page signed at the botton if no, what is missing? Whose signature is missing?</li> <li>2. Does applicant indicate the place of use is in <u>or</u> near an irrigation district? Is a Form D included? Where the district:</li> <li>3. Part 5 of application, has the applicant(s) completed the entire page and does the information match the description of the explanation of the reasons for transfer on Part 4 of the application? If no, you may need to contact the applicant or agent?</li> <li>4. Is there only one (1) water right included in this transfer application? If no, are the criteria of OAR 690-380-3220 for more than one WR met? Yes or No if no, then the transfer application CANNOT be accepted. See attached "3220" Decision Tree Flowcher if no, then the transfer application CANNOT be accepted. See attached "3220" Decision Tree Flowcher if no, which certificates do each of the certificates listed on Application Page 1 have their own separate completed Part 5 tables 1 &amp; 2?</li> <li>6. Is the map prepared and signed by a CWRE? Does the map meet requirements? If no, what is missing?</li></ul>										
<ul> <li>1. Is applicant information complete? Have all applicants listed at the top of the page signed at the botton if no, what is missing? Whose signature is missing?</li> <li>2. Does applicant indicate the place of use is in <u>or</u> near an irrigation district? Is a Form D included? Where the district:</li> <li>3. Part 5 of application, has the applicant(s) completed the entire page and does the information match the description of the explanation of the reasons for transfer on Part 4 of the application? If no, you may need to contact the applicant or agent?</li> <li>4. Is there only one (1) water right included in this transfer application? If no, are the criteria of OAR 690-380-3220 for more than one WR met? Yes or No if no, then the transfer application CANNOT be accepted. See attached "3220" Decision Tree Flowcher if no, which certificates do each of the certificates listed on Application Page 1 have their own separate completed Part 5 tables 1 &amp; 2? If no, which certificate(s) are missing a separate Part 5 tables 1 &amp; 2?</li> <li>6. Is the map prepared and signed by a CWRE? Does the map meet requirements? If no, what is missing?</li></ul>	f OK and complete, check box	to the left: if NOT. fill in.					-			
<ul> <li>3. Part 5 of application, has the applicant(s) completed the entire page and does the information match the description of the explanation of the reasons for transfer on Part 4 of the application? If no, you may need to contact the applicant or agent?</li></ul>	If no, what is missing? 2. Does applicant indicate	Whose signature is missing	?							
<ul> <li>5. For multiple certificates do each of the certificates listed on Application Page 1 have their own separate completed Part 5 tables 1 &amp; 2? If no, which certificate(s) are missing a separate Part 5 tables 1 &amp; 2?</li> <li>6. Is the map prepared and signed by a CWRE? Does the map meet requirements? If no, what is missing? Map waiver included? Yes No</li> <li>7. If a change in point of appropriation (POA), have the well logs been included? N/A.</li> <li>8. If a change in place of use (POU) within Umatilla County, have the applicant(s) provided a Supplemental Form U? N/A.</li> <li>9. If all boxes on this checklist are checked (with no remaining deficiencies identified), ACCEPT the applic Put this application intake completeness check sheet in the transfer folder.</li> <li>OR: If all boxes to the left are NOT checked, then this application is deficient and CANNOT be accept the should be returned and the deficiencies listed in the "staff" section at the bottom of Application Page 1, unless the applicant or agent can resolve the deficiencies within 2-3 days.</li> </ul>	4. Is there only one (1) wa If no, are the criteria of	ter right included in this tr OAR 690-380-3220 for mo	ansfer applicat re than one W	tion? 'R met? Yes or I	And a	Tree	owchart			
<ul> <li>If no, what is missing? Map waiver included? Yes No</li> <li>7. If a change in point of appropriation (POA), have the well logs been included? N/A.</li> <li>8. If a change in place of use (POU) within Umatilla County, have the applicant(s) provided a Supplemental Form U? N/A.</li> <li>9. If all boxes on this checklist are checked (with no remaining deficiencies identified), ACCEPT the applie Put this application intake completeness check sheet in the transfer folder.</li> <li>OR: If all boxes to the left are NOT checked, then this application is deficient and CANNOT be accept the should be returned and the deficiencies listed in the "staff" section at the bottom of Application Page 1, unless the applicant or agent can resolve the deficiencies within 2-3 days.</li> </ul>	5. For multiple certificates separate completed Pa	s do each of the certificates rt 5 tables 1 & 2?	s listed on App	lication Page 1			<u></u>			
<ul> <li>8. If a change in place of use (POU) within Umatilla County, have the applicant(s) provided a Supplemental Form U? N/A.</li> <li>9. If all boxes on this checklist are checked (with no remaining deficiencies identified), ACCEPT the applie Put this application intake completeness check sheet in the transfer folder.</li> <li>OR: If all boxes to the left are NOT checked, then this application is deficient and CANNOT be accept the should be returned and the deficiencies listed in the "staff" section at the bottom of Application Page 1, unless the applicant or agent can resolve the deficiencies within 2-3 days.</li> </ul>	If no, what is missing?		N	Nap waiver inclu	uded?	Yes [	No			
<ul> <li>Supplemental Form U? N/A.</li> <li>9. If all boxes on this checklist are checked (with no remaining deficiencies identified), ACCEPT the applied Put this application intake completeness check sheet in the transfer folder.</li> <li>OR: If all boxes to the left are NOT checked, then this application is deficient and CANNOT be accept It should be returned and the deficiencies listed in the "staff" section at the bottom of Application Page 1, unless the applicant or agent can resolve the deficiencies within 2-3 days.</li> </ul>	7. If a change in point of a	ppropriation (POA), have t	he well logs be	en included?	N/A.					
Put this application intake completeness check sheet in the transfer folder. OR: If all boxes to the left are NOT checked, then this application is deficient and CANNOT be accept It should be returned and the deficiencies listed in the "staff" section at the bottom of Application Page 1, unless the applicant or agent can resolve the deficiencies within 2-3 days.	8. If a change in place of u Supplemental Form U?	use (POU) within Umatilla C	county, have th	ne applicant(s) p	provided	а				
It should be returned and the <b>deficiencies listed in the "staff" section at the bottom of</b> <b>Application Page 1</b> , <u>unless</u> the applicant or agent can resolve the deficiencies within 2-3 days.	<b>9.</b> If all boxes on this chec Put this application inta	klist are checked (with no r ke completeness check she	remaining defic eet in the trans	ciencies identifi sfer folder.	ed), ACC	EPT the	applicati			
Actions taken: Mone Date: 1/5/20	It should be retur	ned and the deficiencies li	sted in the "st	aff" section at f	the bott	om of				
	Actions taken:	re			Dat	te: 1/	5/200			

7-13887

# Permanent Transfer Application Intake Completion Checklist

	FEE WORKSHEET for PERMANENT TRANSFER (except Substitution)		
1	Base Fee (includes one type of change to one water right for up to 1 cfs)	1	\$1,360
	Types of change proposed: Place of Use Character of Use		
	Point of Diversion/Appropriation		
	Number of above boxes checked = (2a)		
	Subtract 1 from the number in line $2a = (2b)$ If only one change, this will be 0.		-
2	Multiply line 2b by \$1,090 and enter » » » » » » » » » » » » » » » » » » »	2	0
	Number of water rights included in transfer(3a)		
	Subtract 1 from the number in <b>3a</b> above: (3b) If only one water right this will be 0	2	0
3	Multiply line 3b by \$610 and enter » » » » » » » » » » » » » » » » » » »	3	0.
	Do you propose to add or change a well, change from a surface water POD to a		
	well, or Substitute a Suppl GW right for a Primary SW right?		
	No: enter 0 » » » » » » » » » » » » » » » » » »		
	Yes = <u>\$480 (4a)</u> If YES: enter the number of wells being proposed: <u>(4b)</u>		
	Subtract 1 from the number in line $4b = (4c)$ <i>If only one well this will be 0.</i>		
	Multiply line 4c by $$410 = (4d)$	-	
4	Add lines 4a and 4d and enter » » » » » » » » » » » » » » » » » » »	4	0
	Do you propose to change the place of use or character of use?		
	No: enter 0 on line 5 » » » » » » » » » » » » » » » » » »		
	Yes: enter the cfs for the portions of the rights to be transferred (see		
	example below*): (5a)		
	Subtract 1.0 from the number in 5a above:(5b)		
	If 5b is 0 or less, enter 0 on line 5 » » » » » » » » » » » » » » » » » »		
	If 5b is greater than 0, round up to the nearest whole number:(5c) and		
5	multiply 5c by \$350, then enter on line 5 » » » » » » » » » » » » » » » »	5	0
6	Add entries on lines 1 through 5 above » » » » » » » » » » Subtotal:	6	0
	Is this transfer:		
	necessary to complete a project funded by the Oregon Watershed		
	Enhancement Board (OWEB) under ORS 541.932?		-
	endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat?		
	If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 » » »		
7	If no box is applicable, enter 0 on line 7» » » » » » » » » » » » » » » » » » »	7	. 0
8	Subtract line 7 from line 6 » » » » » » » » » » » » » » » » » »	8	0
0	Subtractime / nontime o // // // // // // // // // natister ree.	0	