

regular

RA

Name City of CorvallisAddress 91130 N Willamette St
PO Box 8316
Corvallis OR 97331Change in POADate Filed 12/10/2021Initial notice date 11/18/2021

DPD issued date

PD issued date 8/31/2022PD notice date 8/9/2022Date of FO 10/1/2022 Vol 125 Page 846-49C-Date 10/1/2027COBU due date 10/1/2028

COBU Received date

Certificate issued

DESCRIPTION OF WATER RIGHT(S)

Name of Stream wellTrib. of McKenzie riverUse mini County lane

Quantity of water (CFS) No. of Acres

Name of ditch

App# 64283 Per # 64032 Cert # 44837 PR Date

App# Per # Cert # PR Date

App# Per # Cert # PR Date

App# Per # Cert # PR Date

App# Per # Cert # PR Date

FEES PAID		
Date	Amount	Receipt #
12-10-2021	1840.00	137058
12-10-2021	125.00	137045
1-31-2022	116516.92	137374
7-21-2022	162.00	138715

FEES REFUNDED		
Date	Amount	Receipt #

Assignments:

Irrigation District

Agent 48 Engineering & Consulting brooke-yb@

CWRE

CC's list lane county☐ - Oversized map - Location



Oregon

Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

October 4, 2022

CITY OF COBURG
PO BOX 8316
COBURG, OR 97408

REFERENCE: Transfer Application T-13888

Enclosed is a copy of the final order approving your water right transfer application.

The time allowed to complete the transfer is specified in the final order. YOU SHOULD GIVE PARTICULAR ATTENTION TO THE TIME LIMIT. The water right for any portion of the authorized change in character of use or change in place of use NOT carried out within the time allowed will be lost.

An extension of the time limit can be allowed only upon a showing that diligent effort has been made to complete the actual change(s) within the time allowed.

You are required to hire a Certified Water Rights Examiner (CWRE) to complete a Claim of Beneficial Use report and map which must be submitted to this Department within one year of the date you complete the change(s) or within one year of the completion date authorized in the transfer final order, whichever occurs first.

If you have any questions related to the approval of this transfer, you may contact your caseworker, Scott Grew, by telephone at (503) 986-0890 or by e-mail at Scott.A.Grew@oregon.gov.

Sincerely,

Julie C. Baustian
Water Rights Services Support
Transfers and Conservation Section

cc: Lanaya F. Blakely, Watermaster Dist. # 2 (via email)
Lane County Planning
4b Engineering & Consulting, Llc, Agent

Enclosure

BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON

In the Matter of Transfer Application	)	FINAL ORDER APPROVING A CHANGE IN
T-13888, Lane County	)	POINTS OF APPROPRIATION

Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

CITY OF COBURG, OREGON
PO BOX 8316
COBURG, OR 97408

Findings of Fact

1. On December 10, 2021, CITY OF COBURG, OREGON, filed an application to change the point of appropriation under Certificate 44837. The Department assigned the application number T-13888.
2. Notice of the application for transfer was published on January 18, 2022, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
3. On June 21, 2022, the Department sent a copy of the draft Preliminary Determination proposing to approve Transfer Application T-13888 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of July 21, 2022, for the applicant to respond. The applicant requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

4. On August 3, 2022, the Department issued a Preliminary Determination proposing to approve Transfer Application T-13888 and sent a copy to the applicant. Additionally, notice of the Preliminary Determination for the transfer application was published in the Department's weekly notice on August 9, 2022, and in the Register Guard newspaper on August 5 and 12, 2022, pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notice.

5. The right to be transferred is as follows:

Certificate: 44837 in the name of CITY OF COBURG (perfected under Permit G-4032)
Use: MUNICIPAL
Priority Date: MARCH 18, 1968
Rate: 0.10 CUBIC FOOT PER SECOND
Source: WELL NO. 4 a tributary of MCKENZIE RIVER

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
16 S	3 W	WM	29	NE NE	41	WELL NO. 4 - 77 FEET NORTH AND 74 FEET EAST FROM THE SW CORNER OF H.A. DAVIS DLC 41

Authorized Place of Use:

MUNICIPAL					
Twp	Rng	Mer	Sec	Q-Q	DLC
16 S	3 W	WM	28	NW NW	41
16 S	3 W	WM	28	NW NW	42
16 S	3 W	WM	29	NE NE	41
16 S	3 W	WM	29	NE NE	42
16 S	3 W	WM	29	NE NE	56
16 S	3 W	WM	29	NE NE	58

6. Transfer Application T-13888 proposes to move the authorized point of appropriation (with approximate distances as described below) to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Distance from Authorized Well in Miles (mi.)
16 S	3 W	WM	29	NE SW	NEW WELL #3 - 1911 FEET NORTH AND 3003 FEET WEST FROM THE SE CORNER OF SECTION 29	0.7 mi
16 S	3 W	WM	32	NE SE	NEW WELL #1 - 1747 FEET NORTH AND 1080 FEET WEST FROM THE SE CORNER OF SECTION 32	1.6 mi
16 S	3 W	WM	32	NE SE	NEW WELL #2 - 1938 FEET NORTH AND 1030 FEET WEST FROM THE SE CORNER OF SECTION 32	1.6 mi

Transfer Review Criteria (OAR 690-380-4010).

7. Water has been used within the last five years according to the terms and conditions of the right. There is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
8. A pump and pipeline sufficient to use the full amount of water allowed under the existing right were present within the five-year period prior to submittal of Transfer Application T-13888.
9. The proposed change would not result in enlargement of the right.
10. The proposed change would not result in injury to other water rights.
11. All other application requirements are met.

Conclusions of Law

The change in point of appropriation proposed in Transfer Application T-13888 appears to be consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000. If protests are not filed pursuant to OAR 690-380-4030, the application will be approved.


Now, therefore, it is ORDERED:

1. The change in point of appropriation proposed in Transfer Application T-13888 is approved.
2. The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificate 44837 and any related decree.
3. Water right Certificate 44837 is cancelled.
4. The quantity of water diverted at the new points of appropriation (New Wells 1, 2 and 3), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well No. 4).
5. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each new point of appropriation.
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

6. Water shall be acquired from the same aquifer (water source) as the original point of appropriation.
7. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before **October 1, 2027**. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the change and full beneficial use of the water.
8. After satisfactory proof of beneficial use is received, a new certificate confirming the right transferred will be issued.

Dated in Salem, Oregon on

OCT 04 2022



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
DOUGLAS E. WOODCOCK, ACTING DIRECTOR
Oregon Water Resources Department

Mailing date: **OCT 05 2022**

RA

WATER RIGHT TRANSFER COVER SHEET

Transfer: T- 13888

Transfer Specialist: *Scott*

Transfer Type: Regular Transfer

Applicant: CITY OF COBURG PO BOX 8316 COBURG, OR 97408 Email: _____ Phone: _____		Agent: ☐ N/A 4B engineering Email: _____ Phone: _____	
Irrigation District: ☐ N/A Email: _____		CWRE: ☐ N/A Email: _____	
Affected Local Gov'ts: ☐ N/A Lane County Email: _____		Affected Tribal Gov't: ☐ N/A UNAVAILABLE Email: _____	
Current Landowner if other than Applicant: ☐ N/A Email: _____		Receiving Landowner: ☐ N/A Email: _____	

Water Rights Affected

File Marked	App. File # or Decree Name	Permit	Certificate	RR/CR Needed	RR/CR Nos.
☐	G-4283	G-4032	44837	☐ Yes ☐ No	
☐				☐ Yes ☐ No	
☐				☐ Yes ☐ No	

Key Dates & Initial Actions:

Rec'd: December 10, 2021	Proposed Action(s): POINT OF APPROPRIATION		
Fees Pd: 1840.00	WM District: 2	ODFW District:	
Initial Public Notice: January 18, 2022	WM Review sent:	ODFW Review sent:	
Acknowledgement Letter Sent ☒		GW Review sent: ☐ N/A	
County sent cc: of Ack Letter ☐	BOR notified (date): ☐ N/A		
Newspaper quote requested:	Request for news \$ sent: 7/15/22	News \$ received: 7-21-22	
Request to publish sent:	Affidavit of publication received: 8/22/22	Last day of publication: 8-12-22	

the register Guard

Document	Drafted	Peer Review	Changes Made	Coordinator	Changes Made	Signature Bin	Signature Date
DPD	Date: 6/3/22 Initials: Scott	Date: 6/6/22 Initials: Jan	Date: _____ Initials: _____	Date: 6/13/22 Initials: PKS	Date: 6/21/22 Initials: Scott	CW Sent: 6/21/22	N/A
PD	Date: 7/15/22 Initials: Scott	Date: 7/15/22 Initials: AID	Date: _____ Initials: _____	Date: 7/25/22 Initials: PKS	Date: 7/27/22 Initials: Scott	Date: 7/27/22	8/3/2022
FO	Date: 9/6/22 Initials: Scott	Date: 9/7/22 Initials: AID	Date: _____ Initials: _____	Date: 9/15/22 Initials: PKS	Date: 9/22/22 Initials: Scott	Date: 9/22/22	10/04/2022

Special Issues: ~~WAITING FOR NEWSPAPER FEES~~

Special Order Volume: Vol. 125 Pages 8410-849

STATE OF OREGON
WATER RESOURCES DEPARTMENT
 725 Summer St. N.E. Ste. A
 SALEM, OR 97301-4172
 (503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **138715**

INVOICE #

RECEIVED FROM: Branch Engineering Inc APPLICATION
 BY: PERMIT
 TRANSFER T-13888
 CASH: CHECK: # 11131 OTHER: (IDENTIFY)
 TOTAL REC'D \$ 162.00

1083 TREASURY 4170 WRD MISC CASH ACCT
 0407 COPIES 46118 \$
0207 OTHER: (IDENTIFY) Newspaper Notice \$ 162.00
 0243 I/S Lease 0244 Muni Water Mgmt. Plan 0245 Cons. Water

4270 WRD OPERATING ACCT
 MISCELLANEOUS
 0407 COPY & TAPE FEES \$
 0410 RESEARCH FEES \$
 0408 MISC REVENUE: (IDENTIFY) \$
 TC162 DEPOSIT LIAB. (IDENTIFY) \$
 0240 EXTENSION OF TIME \$
 WATER RIGHTS:
 0201 SURFACE WATER EXAM FEE 0202 RECORD FEE \$
 0203 GROUND WATER EXAM FEE 0204 RECORD FEE \$
 0205 TRANSFER EXAM FEE LICENSE FEE \$
 WELL CONSTRUCTION
 0218 WELL DRILL CONSTRUCTOR EXAM FEE 0219 LICENSE FEE \$
 LANDOWNER'S PERMIT 0220 LICENSE FEE \$
 OTHER (IDENTIFY)

0536 TREASURY 0437 WELL CONST. START FEE
 0211 WELL CONST START FEE \$ CARD#
 0210 MONITORING WELLS \$ CARD#
 OTHER (IDENTIFY)

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER
 0233 POWER LICENSE FEE (FWWRD) \$
 0231 HYDRO LICENSE FEE (FWWRD) \$
 HYDRO APPLICATION \$

TREASURY OTHER / RDX
 FUND TITLE
 OBJ. CODE VENDOR #
 DESCRIPTION \$

RECEIPT: **138715** DATED: 07/21/22 BY: [Signature]

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

Attached is a check for \$ 162.00 (PCA #46118) for Newspaper Notice for Transfer T-13888 made out to Oregon Water Resources Department (or WRD)
 • "for T-13888 NOTICE" written on front of check

Mail to: Oregon Water Resources Department
 725 Summer St. NE, Suite A
 Salem, OR 97301-1266

RECEIVED
 JUL 21 2022
 OWRD

BRANCH ENGINEERING INC

Oregon Water Resources Department

Date 7/15/2022 Type Bill Reference T-13888

Original Amt. 162.00

Balance Due 162.00

7/18/2022 Discount

Check Amount

Payment 162.00
 162.00

11131

RECEIVED
 JUL 21 2022
 OWRD

Banner Bank Checkin

162.00

GANNETT

3500 CHAD DRIVE, SUITE 600, EUGENE, OREGON 97408
PHONE (541) 485-1234

Legal Notice Advertising

RECEIVED

AUG 22 2022

OWRD

Legal Notice 0000281534

OR WATER
725 SUMMER STREET NE SUITE A
SALEM, OR 97301

AFFIDAVIT OF PUBLICATION

STATE OF OREGON, }
COUNTY OF LANE, } ss.

I, Robert Jackson, being
first duly affirmed, depose and say that I am the Advertising
Manager, or the principal clerk, of The Register-Guard, a
newspaper of general circulation as defined in ORS 193.010
and 193.020; published at Eugene in the aforesaid county
and state; that the T-13889 Water Right Transfer printed
copy of which is hereto annexed, is publishing in the entire
issue of said newspaper in the following issues:

August 05, 2022
August 12, 2022

Notice of Preliminary Determination for Water Right Transfer T-13889

T-13889 filed by City of Coburg, Oregon,
PO Box 8316, Coburg, OR 97408, propos-
es a change of point of appropriation un-
der Certificate 37211. The right allows
the use of 0.31 cubic foot per second
from Well No. 3 in Sec. 32, T16S, R3W,
WM for municipal use in Sects. 32 and 33,
T16S, R3W, WM. The applicant proposes
to move the points of appropriation in
Sects. 29 and 32, T16S, R3W, WM. The
Water Resources Department proposes to
approve the transfer, based on the re-
quirements of ORS Chapter 540 and OAR
690-380-5000.

Any person may file, jointly or severally, a
protest or standing statement within 30
days after the last date of newspaper
publication of this notice, 08/12/2022.
Call (503) 979-9931 to obtain additional
information. If no protests are filed, the
Department will issue a final order con-
sistent with the preliminary determina-
tion.

281534 - August 12, 2022


Robert Jackson

Subscribed and affirmed to before me this August 12, 2022

Kristen Jane Disco

Notary Public of Oregon

Account #: 32101
INVOICE: 0000281534
Case: Notice of Preliminary Determinatio
Ad Price: \$135.00





Oregon
Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

August 2, 2022

VIA CERTIFIED MAIL AND E-MAIL

CITY OF COBURG, OREGON

PO BOX 8316

COBURG, OR 97408

SUBJECT: Water Right Transfer Application T-13888

Please find enclosed the Preliminary Determination indicating that, based on the information available, the Department intends to approve application T-13888. This document is an intermediate step in the approval process; water may not be used legally as proposed in the transfer application until a Final Order has been issued by the Department. Please read this entire letter carefully to determine your responsibility for additional action.

A public notice is being published in the Department's weekly publication and in the Eugene Register Guard newspaper, simultaneously with issuance of the Preliminary Determination. The notice initiates a period in which any person may file either a protest opposing the decision proposed by the Department in the Preliminary Determination or a standing statement supporting the Department's decision. The protest period will end 30 days after the last date of newspaper publication.

If no protest is filed, the Department will issue a Final Order consistent with the Preliminary Determination. You should receive a copy of the Final Order about 30 days after the close of the protest period.

If a protest is filed, the application may be referred to a contested case proceeding. A contested case provides an opportunity for the proponents and opponents of the decision proposed in the Preliminary Determination to present information and arguments supporting their position in a quasi-judicial proceeding.

Please contact me at scott.a.grew@water.oregon.gov or 503-986-0890 should you have questions.

Sincerely,

Scott Grew

Transfer Specialist

cc: Transfer Application file T-13888
Lanaya F. Blakely, District 2 Watermaster (via e-mail)
4b Engineering & Consulting, LLC, Agent for the applicant (via e-mail)

BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON

In the Matter of Transfer Application	)	PRELIMINARY DETERMINATION
T-13888, Lane County	)	PROPOSING APPROVAL OF A CHANGE IN
	)	POINTS OF APPROPRIATION

Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

CITY OF COBURG, OREGON
PO BOX 8316
COBURG, OR 97408

Findings of Fact

1. On December 10, 2021, CITY OF COBURG, OREGON, filed an application to change the point of appropriation under Certificate 44837. The Department assigned the application number T-13888.
2. Notice of the application for transfer was published on January 18, 2022, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
3. On June 21, 2022, the Department sent a copy of the draft Preliminary Determination proposing to approve Transfer Application T-13888 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of July 21, 2022, for the applicant to respond. The applicant requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.

Pursuant to OAR 690-380-4030, any person may file a protest or standing statement within 30 days after the last date of publication of notice of this preliminary determination.
--

4. The right to be transferred is as follows:

Certificate: 44837 in the name of CITY OF COBURG (perfected under Permit G-4032)
Use: MUNICIPAL
Priority Date: MARCH 18, 1968
Rate: 0.10 CUBIC FOOT PER SECOND
Source: WELL NO. 4 a tributary of MCKENZIE RIVER

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
16 S	3 W	WM	29	NE NE	41	WELL NO. 4 - 77 FEET NORTH AND 74 FEET EAST FROM THE SW CORNER OF H.A. DAVIS DLC 41

Authorized Place of Use:

MUNICIPAL					
Twp	Rng	Mer	Sec	Q-Q	DLC
16 S	3 W	WM	28	NW NW	41
16 S	3 W	WM	28	NW NW	42
16 S	3 W	WM	29	NE NE	41
16 S	3 W	WM	29	NE NE	42
16 S	3 W	WM	29	NE NE	56
16 S	3 W	WM	29	NE NE	58

5. Transfer Application T-13888 proposes to move the authorized point of appropriation (with approximate distances as described below) to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Distance from Authorized Well in Miles (mi.)
16 S	3 W	WM	29	NE SW	NEW WELL #3 - 1911 FEET NORTH AND 3003 FEET WEST FROM THE SE CORNER OF SECTION 29	0.7 mi
16 S	3 W	WM	32	NE SE	NEW WELL #1 - 1747 FEET NORTH AND 1080 FEET WEST FROM THE SE CORNER OF SECTION 32	1.6 mi
16 S	3 W	WM	32	NE SE	NEW WELL #2 - 1938 FEET NORTH AND 1030 FEET WEST FROM THE SE CORNER OF SECTION 32	1.6 mi

Transfer Review Criteria (OAR 690-380-4010)

6. Water has been used within the last five years according to the terms and conditions of the right. There is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
7. A pump and pipeline sufficient to use the full amount of water allowed under the existing right were present within the five-year period prior to submittal of Transfer Application T-13888.

8. The proposed change would not result in enlargement of the right.
9. The proposed change would not result in injury to other water rights.
10. All other application requirements are met.

Determination and Proposed Action

The change in point of appropriation proposed in Transfer Application T-13888 appears to be consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000. If protests are not filed pursuant to OAR 690-380-4030, the application will be approved.


If Transfer Application T-13888 is approved, the final order will include the following:

1. *The change in point of appropriation proposed in Transfer Application T-13888 is approved.*
2. *The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificate 44837 and any related decree.*
3. *Water right Certificate 44837 is cancelled.*
4. *The quantity of water diverted at the new points of appropriation (New Wells 1, 2 and 3), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well No. 4).*
5. *Water use measurement conditions:*
 - a. *Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each new point of appropriation.*
 - b. *The water user shall maintain the meters or measuring devices in good working order.*
 - c. *The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.*
6. *Water shall be acquired from the same aquifer (water source) as the original point of appropriation.*
7. *Full beneficial use of the water shall be made, consistent with the terms of this order, on or before **October 1, 2027**. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the change and full beneficial use of the water.*

8. *After satisfactory proof of beneficial use is received, a new certificate confirming the right transferred will be issued.*

Dated in Salem, Oregon on

AUG 03 2022



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department

This Preliminary Determination was prepared by Scott Grew. If you have questions about the information in this document, you may reach him at scott.a.grew@oregon.gov or 503-986-0890.

Protests should be addressed to the attention of Water Rights Services Division, Water Resources Department, 725 Summer St. NE, Suite A, Salem, OR 97301-1266.

Notice Regarding Service Members: Active duty servicemembers have a right to stay these proceedings under the federal Servicemembers Civil Relief Act. For more information contact the Oregon State Bar at 800-452-8260, the Oregon Military Department at 503-584-3571, or the nearest United States Armed Forces Legal Assistance Office through <http://legalassistance.law.af.mil>. The Oregon Military Department does not have a toll free number.



Oregon

Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

July 15, 2022

Applicant

CITY OF COBURG, OREGON
PO BOX 8316
COBURG, OR 97408

SUBJECT: Water Right Transfer Application T-13888

Your water right transfer is ready for issuance of the Preliminary Determination, once the Department receives payment for publication of the newspaper notice.

Items needed before the next phase of processing...

At this time you need to:

1. submit a check for \$ 162.00 (to cover cost of publication of the notice), made out to the Oregon Water Resources Department.
2. write **"for T-13888 NOTICE"** on the front of your check, and
3. submit it with the tracking stub at the bottom of this letter.

Mail the check to 725 Summer St. NE, Suite A, Salem, OR 97301-1266, **no later than August 13, 2022.**

What happens next...

Shortly after receiving payment, the Department will issue the Preliminary Determination, initiate publication in the Eugene Register Guard newspaper, and also publish the notice on the Department's weekly notice. Publication of the notice will initiate a protest period during which any person may file either a protest opposing the decision proposed by the Department in the Preliminary Determination or a standing statement supporting the Department's decision.

If we do not receive payment for newspaper notice by August 13, 2022, a Preliminary Determination may be issued denying the application as incomplete.

Please contact me at scott.a.grew@water.oregon.gov or 503-986-0890 should you have questions.

Sincerely,

Scott Grew

Transfer Specialist

✂-----
Attached is a check for \$ 162.00 (PCA #46118) for Newspaper Notice for Transfer T-13888 made out to Oregon Water Resources Department (or WRD)

- **"for T-13888 NOTICE" written on front of check**

Mail to: Oregon Water Resources Department
725 Summer St. NE, Suite A
Salem, OR 97301-1266

Caseworker: Scott

GREW Scott A * WRD

From: PHILLIPS Stacy H * WRD
Sent: Wednesday, July 6, 2022 12:19 PM
To: STARNES Patrick K * WRD
Cc: GREW Scott A * WRD
Subject: RE: Newspaper Estimate for Transfer Application T-13888

Hey Scott,

The quote came in for this notice. Total cost is \$162.00.

Thanks,

Stacy H. Phillips

Restoration Program Technician

725 Summer Street NE, Suite A, Salem, OR 97301

Office: 503-986-0898 | Work Cell: 503-979-9948



OREGON
WATER
RESOURCES
DEPARTMENT

Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

From: STARNES Patrick K * WRD <Patrick.K.STARNES@water.oregon.gov>
Sent: Friday, July 01, 2022 9:59 AM
To: PHILLIPS Stacy H * WRD <Stacy.H.PHILLIPS@water.oregon.gov>
Cc: GREW Scott A * WRD <Scott.A.GREW@water.oregon.gov>
Subject: Newspaper Estimate for Transfer Application T-13888

Hi Stacy –

Scott will need a quote for the attached **TRANSFER** Application notice to run in the Eugene Register Guard. Run time is two weeks.

Thanks!

Kelly

Kelly Starnes, Transfer Program Analyst

Oregon Water Resources Department

725 Summer St NE Suite A

Salem OR 97301-1271

Cell phone: 503-979-3511 Fax: 503-986-0903

E-mail: patrick.k.starnes@water.oregon.gov

Please Note: Under Oregon Law, messages to and from this e-mail address may be available to the public.

GREW Scott A * WRD

From: Brooke Shattuck <brooke.4b@outlook.com>
Sent: Thursday, July 7, 2022 11:15 AM
To: GREW Scott A * WRD
Subject: Re: T-13889 - Issuance of Draft Preliminary Determination - Action Required!

Scott,

Both of the proposed preliminary drafts look good for Coburg. Coburg does not have any issues with the conditions and all wells will have the required flowmeters.

Thank you,

Brooke Shattuck
4B Engineering & Consulting, LLC
503-580-8152

From: GREW Scott A * WRD <Scott.A.GREW@water.oregon.gov>
Sent: Wednesday, June 22, 2022 9:52 AM
To: Brooke Shattuck <brooke.4b@outlook.com>
Cc: GREW Scott A * WRD <Scott.A.GREW@water.oregon.gov>
Subject: RE: T-13889 - Issuance of Draft Preliminary Determination - Action Required!

Hello Brooke,

I will send a newspaper fee requests once I get the quotes from the newspaper. Once they are paid they will run in conjunction with the Preliminary Determinations.

Scott Grew
Transfer Specialist
Oregon Water Resources Department
503-986-0890

From: Brooke Shattuck <brooke.4b@outlook.com>
Sent: Wednesday, June 22, 2022 9:18 AM
To: GREW Scott A * WRD <Scott.A.GREW@water.oregon.gov>
Subject: Re: T-13889 - Issuance of Draft Preliminary Determination - Action Required!

I am confused by this email. Does the state place the ad and then send me a bill or do I need to place the ad and show proof of advertisement (like prior transfers). I know a lot of rules and processes have changed lately so I am just getting up to speed on everything.

Thanks!

Brooke Shattuck
4B Engineering & Consulting, LLC
503-580-8152

From: GREW Scott A * WRD <Scott.A.GREW@water.oregon.gov>
Sent: Tuesday, June 21, 2022 5:07 PM
To: brooke.4b@outlook.com <brooke.4b@outlook.com>
Cc: GREW Scott A * WRD <Scott.A.GREW@water.oregon.gov>; BLAKELY Lanaya F * WRD <Lanaya.F.BLAKEY@water.oregon.gov>
Subject: T-13889 - Issuance of Draft Preliminary Determination - Action Required!



Oregon
Kate Brown, Governor

Water Resources Department
725 Summer St NE, Suite A
Salem, OR 97301
(503) 986-0900
Fax (503) 986-0904

June 21, 2022

VIA E-MAIL

Applicant

CITY OF COBURG, OREGON
PO BOX 8316
COBURG, OR 97408

Reference: Water Right Transfer Application T-13889

Your water right transfer is in the first of three phases of processing. Enclosed is a draft of the Department's Preliminary Determination regarding Transfer Application T-13889. The document reflects the Department's conclusion that, based on the information currently available, the transfer will be approved. Your response and submittal of the items outlined below are required by **July 21, 2022**.

Required items needing your immediate attention:

1. Please carefully review the Draft Preliminary Determination to verify that it accurately reflects the changes you intend to make and to become familiar with the proposed conditions.
2. **Respond in writing** by July 21, 2022, with acknowledgement that you agree to the proposed action and conditions.
3. If you find any errors, please let me know.
4. Notice of this transfer will need to be published in a newspaper with general circulation in the area where the water rights are currently located. You will be responsible for the charges.

Conditions to your water right...

The Watermaster has required a water measurement devices at the new diversion points prior to diversion of water. Enclosed is a contact information sheet to assist you in pursuing additional information or approval of the required (or alternate) devices.



Oregon
Kate Brown, Governor

Water Resources Department
725 Summer St NE, Suite A
Salem, OR 97301
(503) 986-0900
Fax (503) 986-0904

June 21, 2022

VIA E-MAIL

Applicant

CITY OF COBURG, OREGON
PO BOX 8316
COBURG, OR 97408

Reference: Water Right Transfer Application T-13888

Your water right transfer is in the first of three phases of processing. Enclosed is a draft of the Department's Preliminary Determination regarding Transfer Application T-13888. The document reflects the Department's conclusion that, based on the information currently available, the transfer will be approved. Your response and submittal of the items outlined below are required by **July 21, 2022**.

Required items needing your immediate attention:

1. Please carefully review the Draft Preliminary Determination to verify that it accurately reflects the changes you intend to make and to become familiar with the proposed conditions.
2. **Respond in writing** by July 21, 2022, with acknowledgement that you agree to the proposed action and conditions.
3. If you find any errors, please let me know.
4. Notice of this transfer will need to be published in a newspaper with general circulation in the area where the water rights are currently located. You will be responsible for the charges.

Conditions to your water right...

The Watermaster has required a water measurement devices at the new diversion points prior to diversion of water. Enclosed is a contact information sheet to assist you in pursuing additional information or approval of the required (or alternate) devices.

Please note the proposed date by which all conditions must be met: October 1, 2027. If the required completion date is insufficient to comply with any of the conditions, you may request more time, at no cost to you, during this stage of processing. **Please let me know by the comment deadline if you will need more time and explain the reasons why.**

What happens next...

Once the Preliminary Determination is issued a publication period is required. Because there is more than ¼ mile between the new and the authorized points of appropriation the Department

will publish notice of the transfer in a local newspaper having a general circulation in the area of the water right at least once per week for two consecutive weeks. You are responsible for sending a check to cover the cost of publication prior to the issuance of the Preliminary Determination and publication of notice. As outlined in OAR 690-380-4020(3), publication costs include both the direct cost of the notice and indirect processing costs (not to exceed 20% of the direct costs) for processing.

Issuance of the Preliminary Determination will occur shortly after we receive:

1. Your written response to the conditions and proposed action in the Draft Preliminary Determination (e-mail is acceptable); and

If we do not receive the items listed above by July 21, 2022, a Preliminary Determination may be issued denying the application as incomplete.

Please contact me at scott.a.grew@water.oregon.gov or 503-986-0890 should you have questions.

Sincerely,

Scott Grew

Transfer Specialist

cc: Transfer Application file T-13888
Lanaya F. Blakely, District 2 Watermaster (via e-mail)
4b Engineering & Consulting, LLC, Agent for the applicant (via e-mail)

BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON

In the Matter of Transfer Application
T-13888, Lane County

)
) **D R A F T** PRELIMINARY
)
) DETERMINATION PROPOSING APPROVAL
) OF A CHANGE IN POINTS OF
) APPROPRIATION

Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

CITY OF COBURG, OREGON
PO BOX 8316
COBURG, OR 97408

Findings of Fact

1. On December 10, 2021, CITY OF COBURG, OREGON, filed an application to change the point of appropriation under Certificate 44837. The Department assigned the application number T-13888.
2. Notice of the application for transfer was published on January 18, 2022, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
3. The right to be transferred is as follows:

Certificate: 44837 in the name of CITY OF COBURG (perfected under Permit G-4032)
Use: MUNICIPAL
Priority Date: MARCH 18, 1968
Rate: 0.10 CUBIC FOOT PER SECOND
Source: WELL NO. 4 a tributary of MCKENZIE RIVER

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
16 S	3 W	WM	29	NE NE	41	WELL NO. 4 - 77 FEET NORTH AND 74 FEET EAST FROM THE SW CORNER OF H.A. DAVIS DLC 41

Authorized Place of Use:

Twp	Rng	Mer	Sec	Q-Q	DLC
16 S	3 W	WM	28	NW NW	41
16 S	3 W	WM	28	NW NW	42
16 S	3 W	WM	29	NE NE	41
16 S	3 W	WM	29	NE NE	42
16 S	3 W	WM	29	NE NE	56
16 S	3 W	WM	29	NE NE	58

4. Transfer Application T-13888 proposes to move the authorized point of appropriation (with approximate distances as described below) to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Distance from Authorized Well in Miles (mi.)
16 S	3 W	WM	29	NE SW	NEW WELL #3 - 1911 FEET NORTH AND 3003 FEET WEST FROM THE SE CORNER OF SECTION 29	0.7 mi
16 S	3 W	WM	32	NE SE	NEW WELL #1 - 1747 FEET NORTH AND 1080 FEET WEST FROM THE SE CORNER OF SECTION 32	1.6 mi
16 S	3 W	WM	32	NE SE	NEW WELL #2 - 1938 FEET NORTH AND 1030 FEET WEST FROM THE SE CORNER OF SECTION 32	1.6 mi

Transfer Review Criteria (OAR 690-380-4010)

- Water has been used within the last five years according to the terms and conditions of the right. There is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- A pump and pipeline sufficient to use the full amount of water allowed under the existing right(s) were present within the five-year period prior to submittal of Transfer Application T-13888.
- The proposed change would not result in enlargement of the right.
- The proposed change would not result in injury to other water rights.
- All other application requirements are met.

Determination and Proposed Action

The change in point of appropriation proposed in Transfer Application T-13888 appears to be consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000. If protests are not filed pursuant to OAR 690-380-4030, the application will be approved.

If Transfer Application T-13888 is approved, the final order will include the following:

- 1. The change in point of appropriation proposed in Transfer Application T-13888 is approved.*
- 2. The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificate 44837 and any related decree.*
- 3. Water right Certificate 44837 is cancelled.*
- 4. The quantity of water diverted at the new points of appropriation (New Wells 1, 2 and 3), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well No. 4).*
- 5. Water use measurement conditions:*
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each new point of appropriation.*
 - b. The water user shall maintain the meters or measuring devices in good working order.*
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.*
- 6. Water shall be acquired from the same aquifer (water source) as the original point of appropriation.*
- 7. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before **October 1, 2027**. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the change and full beneficial use of the water.*

8. *After satisfactory proof of beneficial use is received, a new certificate confirming the right transferred will be issued.*

Dated in Salem, Oregon on

D R A F T

Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department

This draft Preliminary Determination was prepared by Scott Grew. If you have questions about the information in this document, you may reach him at scott.a.grew@oregon.gov or 503-986-0890.

Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department
725 Summer St NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Transfer Application: T-13888

Review Due Date:

Applicant Name: City of Coburg

Proposed Changes: ☐ POU ☐ POD ☒ POA ☐ USE ☐ OTHER

Reviewer(s): L. Blakely

Date of Review: 02/14/2022

1. Do you have evidence that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? ☐ Yes ☒ No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2. Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? ☐ Yes ☒ No Generally characterize the frequency of any regulation or explain why regulation has not occurred:

GW is not regulated in this area.
3. Have headgate notices been issued for the source that serves the transferred right(s)?
☐ Yes ☒ No ☐ Records not available.
4. In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? ☐ Yes ☒ No If "Yes", explain:
5. In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? ☐ Yes ☒ No If "Yes", describe how the rights would be affected and list the rights most affected:

6. Check here ☐ if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most:

☒ N/A

7. For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses:

☒ N/A

8. For instream transfers that propose protection of a reach beyond the mouth of the source stream:

☒ N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? ☐ Yes ☐ No

9. For POU changes: ☒ N/A Is it likely the original place of use would continue to receive water from the same source? ☐ Yes ☐ No If "Yes", explain:

10. For POU or USE changes: ☒ N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste?

☐ Yes ☐ No If "Yes", explain:

11. For POU changes that involve micro-irrigation: ☒ N/A

- a. Has the applicant made changes (absent a transfer) to convert to micro-irrigation within the current place of use boundary of the water right proposed for transfer, and previously demonstrated to the Department through monitoring and site inspections by the Watermaster that the proposed transfer will not result in injury or enlargement?

☐ Yes ☐ No If "Yes", explain:

- b. Has a temporary transfer of this nature been previously filed and approved on the same lands (or portions thereof) as those lands involved in this transfer?

☐ Yes ☐ No If "Yes", answer the following:

- i. Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? ☐ Yes ☐ No If "Yes", explain:
- ii. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? ☐ Yes ☐ No If "No", explain:
- iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? ☐ Yes ☐ No If "No", explain:
- iv. Do you have any other observations regarding the temporary transfer? ☐ Yes ☐ No If "Yes", describe:
- v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- c. To the best of your knowledge, if this transfer is approved, does it appear that:

- i. "Injury" will occur to other water rights that share the same source?

☐ Yes ☐ No If "Yes", explain:

- ii. "Enlargement" of the water right being transferred will occur?

☐ Yes ☐ No If "Yes", explain:

12. Are there other issues not identified through the above questions that should be considered in determining whether the change "can be effected without injury to other rights"?

☐ Yes ☒ No If "Yes", explain:

13. What alternatives may be available for addressing any issues identified above:

14. Do conditions need to be included in the transfer order to avoid enlargement of the right or injury to other rights? ☐ No ☒ Yes, as checked and provided below:

☐ For POU changes that involve micro-irrigation, provide the monitoring and reporting conditions necessary to prevent injury/enlargement:

☐ A Headgate should be required prior to diverting water.

☒ Measurement Devices for POD or POA: (if this condition is selected, also fill in the top sections of Page 4)

a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, ☐ at each point of diversion/appropriation (new and existing) OR at each new point of diversion/appropriation ☒ with the exception that water rights issued to the Bureau of Reclamation or an irrigation district (or similar entity) are not subject to this condition.*

b. The water user shall maintain the meters or measuring devices in good working order.

c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

☐ Reservoir water use measurement: (if this condition is selected, also fill in the top sections of Page 4)

a. Before water use may begin under this order, the water user shall install staff gages, or, with prior approval of the Director, other suitable measuring devices, that measure the entire range and stage between empty and full in each reservoir. Staff gages shall be United States Geological Survey style.*

b. Before water use may begin under this order, if the reservoir is located in channel, weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, an adjustable outlet valve must be installed. The water user shall maintain such devices in good working order. A written waiver may be obtained, if in the judgment of the Director, the installation of weirs or other suitable measuring devices, or the adjustable outlet valve, will provide no public benefit.

* The following alternative device(s) should be substituted for the bold, underlined device in the above selected condition:

☐ Weir
☐ Parshall Flume
☐ Other: _____

☐ Submerged Orifice
☐ Flow Restrictor

Oregon Water Resources Department

Measurement Condition Information for the Applicant

(To be sent with the Draft Preliminary Determination or Final Order)

Transfer #: T- 13888

☒ In order to avoid enlargement of the right or injury to other rights, a totalizing flowmeter will be required to be installed prior to diversion of water, as a condition of this transfer:

☐ at each point of diversion/appropriation (new and existing) **OR**

☒ at each new point of diversion/appropriation.

For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:

Watermaster name: Lanaya Blakely

District: 2

Address: 125 E 8th Ave

City/State/Zip: Eugene, OR 97478

Phone: 541-913-1154

Email: Lanaya.F.Blakely@water.oregon.gov

Note: If a device other than the one specified in the Preliminary Determination or Final Order is approved by the Watermaster, fill out and mail the form below to the Salem office.

Approval of an Alternate Measurement Device

T- 13888

(to be filled out after consultation with the applicant, or after a site visit)

On behalf of the Director, I authorize use of the following suitable alternate measurement device:

Watermaster signature

District

Date

If this form is used for approval of an alternative measurement device, it must be mailed to:

Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

Groundwater Transfer Review Summary Form

Transfer/PA # T- 13888

GW Reviewer M. Thoma

Date Review Completed: 03/08/2022

Summary of Same Source Review:

- ☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Injury Review:

- ☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

- ☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Ground Water Review Form:

- ☒ Water Right Transfer
☐ Permit Amendment
☐ GR Modification
☐ Other

Application: T-13888

Applicant Name: City of Coburg

Proposed Changes: ☒ POA ☐ APOA ☐ SW→GW ☐ RA
☐ USE ☐ POU ☐ OTHER

Reviewer(s): M. Thoma

Date of Review: 3/8/2022

Date Reviewed by GW Mgr. and Returned to WRSD: JTI 5/29/22

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:


- ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- ☐ The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- ☐ Other _____

1. Basic description of the changes proposed in this transfer: The application proposes to change the POA on Cert. 44837 from the authorized well (LANE 7456) to three new POAs, two of which are existing wells (LANE 68362 and LANE 7553) and a third which has not been drilled yet.
2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?
☒ Yes ☐ No Comments: The proposed POAs and existing POAs are producing from alluvial material of the Willamette Valley aquifer system, most likely coarse alluvium associated with the Springfield Fan (Conlon et al., 2005) overlying finer-grained material described as the Lower Sedimentary Unit by Conlon et al. (2005).
3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?
☐ Yes ☒ No _____
- b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): _____

4. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?
☒ Yes ☐ No Comments: The proposed change would move appropriation under Cert. 44837 closer to several existing groundwater rights
- b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?
☐ Yes ☒ No If yes, explain: _____
5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?
☒ Yes ☐ No Comments: The proposed change would move the POAs under the existing certificate closer to the McKenzie River which would increase hydraulic interference with surface water.
- b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?
Stream: McKenzie River ☒ Minimal ☐ Significant
Provide context for minimal/significant impact: _____
6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?
☐ Yes ☐ No Comments: N/A
7. What conditions or other changes in the application are necessary to address any potential issues identified above: _____
8. Any additional comments: _____

References:

Conlon, T.D., Wozniak, K.C., Woodcock, D., Herrera, N.B., Fisher, B.J., Morgan, D.S., Lee, K.K., and Hinkle, S.R., 2005, Ground-Water Hydrology of the Willamette Basin, Oregon: U.S. Geological Survey Scientific Investigations Report 2005-5168, 83 p., 1 plate.



Groundwater Transfer Review Summary Form

Transfer/PA # T- 13888

GW Reviewer M. Thoma

Date Review Completed: 03/08/2022

Summary of Same Source Review:

- ☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Injury Review:

- ☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

- ☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Ground Water Review Form:

- ☒ Water Right Transfer
☐ Permit Amendment
☐ GR Modification
☐ Other

Application: T-13888

Applicant Name: City of Coburg

Proposed Changes: ☒ POA ☐ APOA ☐ SW→GW ☐ RA
☐ USE ☐ POU ☐ OTHER

Reviewer(s): M. Thoma

Date of Review: 3/8/2022

Date Reviewed by GW Mgr. and Returned to WRSD: JTI 5/29/22

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:


- ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- ☐ The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- ☐ Other _____

1. Basic description of the changes proposed in this transfer: The application proposes to change the POA on Cert. 44837 from the authorized well (LANE 7456) to three new POAs, two of which are existing wells (LANE 68362 and LANE 7553) and a third which has not been drilled yet.
2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?
☒ Yes ☐ No Comments: The proposed POAs and existing POAs are producing from alluvial material of the Willamette Valley aquifer system, most likely coarse alluvium associated with the Springfield Fan (Conlon et al., 2005) overlying finer-grained material described as the Lower Sedimentary Unit by Conlon et al. (2005).
3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?
☐ Yes ☒ No _____
- b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): _____

4. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?
☒ Yes ☐ No Comments: The proposed change would move appropriation under Cert. 44837 closer to several existing groundwater rights
- b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?
☐ Yes ☒ No If yes, explain: _____
5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?
☒ Yes ☐ No Comments: The proposed change would move the POAs under the existing certificate closer to the McKenzie River which would increase hydraulic interference with surface water.
- b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?
Stream: McKenzie River ☒ Minimal ☐ Significant
Provide context for minimal/significant impact: _____
6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?
☐ Yes ☐ No Comments: N/A
7. What conditions or other changes in the application are necessary to address any potential issues identified above: _____
8. Any additional comments: _____

References:

Conlon, T.D., Wozniak, K.C., Woodcock, D., Herrera, N.B., Fisher, B.J., Morgan, D.S., Lee, K.K., and Hinkle, S.R., 2005, Ground-Water Hydrology of the Willamette Basin, Oregon: U.S. Geological Survey Scientific Investigations Report 2005-5168, 83 p., 1 plate.



CITY OF COBURG RA R11-345-23 T-13888

Step	Review Step	Est. Time	Hourly Multiplier	Total Est. Hours	Individual	Hourly Rate	Est. Cost
4b	Front Desk Staff receipts received AA funds	0.07		0.07	Front Desk Staff	\$36.74	\$2.57
4c	Transfer Support process Application	0.50		0.50	Julie	\$31.37	\$15.69
5	Administrator signs AA	0.02		0.02	Dwight	\$92.21	\$1.84
6	NRS 1 Support enters workflow record in WRIS and updates RA spreadsheet	0.25		0.25	Stacy	\$29.53	\$7.38
7a	NRS 2 completes initial review of file for deficiencies	1.00	26%	1.26	Tamera	\$45.82	\$57.73
7b	NRS 2 consults with Kelly and/or Lisa	0.75	26%	0.95	Tamera	\$45.82	\$43.30
8a	NRS 2 writes and sends deficiency ltr (email and hard copy)	1.00	26%	1.26	Tamera	\$45.82	\$57.73
8b	NRS 2 addresses correspondence from app/agent regarding deficiencies	1.50	26%	1.89	Tamera	\$45.82	\$86.60
9	Watermaster completes review	1.00		0.25	District WM	\$54.02	\$54.02
10	Groundwater completes review	2.00		1.00	GW Staff	\$60.60	\$60.60
11	NRS 2 completes DPD, PN	5.50	26%	6.93	Tamera	\$45.82	\$317.53
12	Transfer staff peer reviews DPD, PN, RR	0.75		0.75	Transfer Staff	\$49.56	\$37.17
13	Transfer Analyst completes policy check at DPD stage	0.75		0.50	Kelly	\$64.34	\$48.26
14a	NRS 2 sends DPD to app/agent by email and/or mail	0.25	26%	0.32	Tamera	\$45.82	\$14.43
14b	NRS 2 drafts and sends revised DPD	2.00	26%	2.52	Tamera	\$45.82	\$115.47
14c	Transfer Staff peer reviews revised DPD	0.75		0.00	Transfer Staff	\$49.56	\$37.17
14d	Transfer Analyst peer reviews revised DPD	0.75		0.00	Kelly	\$64.34	\$0.00
15	NRS 2 reviews report of ownership	1.00	26%	1.26	Tamera	\$45.82	\$57.73
16	NRS 2 completes PD	0.75	26%	0.95	Tamera	\$45.82	\$43.30
17	Transfer Staff peer reviews PD	0.50		0.50	Transfer Staff	\$49.56	\$24.78
17a	Transfer Analyst peer reviews PD	0.50		0.50	Kelly	\$64.34	\$30.30
17b	Data Center reviews PD	5.50		5.50	DC Staff	\$38.03	\$209.17
18a	Transfer Analyst completes peer review of PN review for newspaper noticing	0.25		0.25	Kelly	\$64.34	\$16.09
18b	Transfer Support requests newspaper quote for PN publishing	0.08		0.08	Julie	\$31.37	\$2.51
18c	NRS 2 sends publishing fee request to applicant	0.25	26%	0.32	Tamera	\$45.82	\$14.43
18d	Transfer Support processes fee and newspaper publishing	0.08		0.08	Stacy	\$29.53	\$2.36
18e	Transfer Support processes public notice (dept notice)	0.30		0.30	Julie	\$31.37	\$9.41
19	Administrator signs PD	0.02		0.02	Lisa	\$74.90	\$1.50
20	Transfer Support issues PD, updates WRIS, copy to file, and mails hard copy to applicant	0.33		0.33	Julie	\$31.37	\$10.35
21	NRS 2 completes FO	0.75	26%	0.95	Tamera	\$45.82	\$43.30
22	Transfer Staff peer reviews FO	0.50		0.50	Transfer Staff	\$49.56	\$24.78
22a	Transfer Analyst peer reviews FO	0.50		0.50	Kelly	\$64.34	\$32.17
23	Administrator signs FO	0.02		0.02	Lisa	\$74.90	\$1.50
24	Transfer Support issues FO, updates WRIS, copy to file, record markings, and sends hard copy	0.33		0.33	Julie	\$31.37	\$10.35
25	NRS 1 closes out RA Contract	0.50		0.50	Stacy	\$29.53	\$14.77
TOTAL ESTIMATE HOURS				31.34	SUB-TOTAL ESTIMATE COST		\$1,506.29
					10% OVERHEAD		\$150.63
					TOTAL		\$1,656.92

Vendor Name: Oregon Water Resources Department

Vendor Number: ORWRD

Check Amount: 3,313.84

Check Date: 1/26/2022

Invoice Number

T-13888

Date

1/21/2022

Description

T-13889

1/21/2022

Amount
1,656.92
1,656.92STATE OF OREGON
WATER RESOURCES DEPARTMENT

725 Summer St. N.E. Ste. A

SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # 137374

INVOICE # _____

RECEIVED FROM:

City of Coburg
General Account

BY:

APPLICATION

See below

PERMIT

TRANSFER

CASH:

CHECK: #

OTHER: (IDENTIFY)

☐

87345

☐

TOTAL REC'D

\$ 3,313.84

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES

47124

\$

0412

OTHER:

(IDENTIFY)

2 @ \$1,656.92

\$ 3,313.84

0243 I/S Lease

0244 Muni Water Mgmt. Plan

0245 Cons. Water

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES

T-13888-R11345-23

\$

0410 RESEARCH FEES

T-13889-R11344-23

\$

0408 MISC REVENUE: (IDENTIFY)

\$

TC162 DEPOSIT LIAB. (IDENTIFY)

\$

0240 EXTENSION OF TIME

\$

WATER RIGHTS:

EXAM FEE

RECORD FEE

0201 SURFACE WATER

\$

0202

\$

0203 GROUND WATER

\$

0204

\$

0205 TRANSFER

\$

WELL CONSTRUCTION

EXAM FEE

LICENSE FEE

0218 WELL DRILL CONSTRUCTOR

\$

0219

\$

LANDOWNER'S PERMIT

0220

\$

OTHER

(IDENTIFY)

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE

\$

CARD#

0210 MONITORING WELLS

\$

CARD#

OTHER

(IDENTIFY)

0607 TREASURY 0467 HYDRO ACTIVITY

LIC NUMBER

0233 POWER LICENSE FEE (FWWRD)

\$

0231 HYDRO LICENSE FEE (FWWRD)

\$

HYDRO APPLICATION

\$

TREASURY

OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION _____

\$

RECEIPT: 137374

DATED: 1-31-2022

BY: [Signature]

RECEIVED
JAN 31 2022
8WRD

00000087347

**REIMBURSEMENT AUTHORITY
APPLICANT'S AGREEMENT**
Contract Number: R11-345-23

RECEIVED

JAN 31 2022

OWRD

This Agreement is between the Oregon Water Resources Department, hereafter OWRD, and City of Coburg, hereafter Applicant, hereafter known together as the parties.

OWRD Information	Applicant's Information	Applicant's Representative
Contact: Kelly Starnes	Name: City of Coburg	Name: 4B Engineering & Consulting, LLC
Title: Transfer Advisor	Contact:	Contact:
Address: 725 Summer Street, NE, Suite A Salem, OR 97301-1266	Address: 91136 N. Willamette St. PO Box 8316 Coburg, OR 97408	Address: 4454 71 st Ave. SE Salem, OR 97317
Phone: 503 979-3511	Phone: (541) 682-7850	Phone: (503) 580-8152
Fax: 503 986-0901	Fax:	Fax:
Email: patrick.k.starnes@water.oregon.gov	Email:	Email: brooke.4b@outlook.com

Purpose The purpose of this Agreement is to expedite the processing of the Transfer Application. (Application Number: T-13888)

1. **Authority.** The OWRD has been authorized pursuant to ORS 536.055 to enter into a voluntary agreement with any applicant, permittee or regulated entity (collectively Applicant) for expediting or enhancing a regulatory process. In making this agreement, OWRD shall require the applicant to pay the full cost of expedited process.
2. **Restrictions.** Applicant and OWRD agree that this Agreement shall not be construed to restrict in any way the decisions and actions by OWRD. OWRD shall be free to exercise independent judgment consistent with existing laws and regulations.
3. **Effective Date and Duration.** Unless otherwise terminated by non-deposit of funds by the Applicant, this Agreement shall become effective on the date on which both parties have signed the Agreement and the full deposit of the estimated cost of the proposed service.
4. **Consideration.**
 - a. Applicant shall pay OWRD in advance for actual costs incurred by OWRD. The estimated maximum reimbursement payable to OWRD under this Agreement is \$1,656.92. Applicant agrees to pay the full amount of \$1,656.92 to OWRD prior to commencement of any work stated in this Agreement. This payment will be placed in an account administered by OWRD and drawn upon as costs are actually incurred. If the actual cost of performing the work is less than payments received, OWRD will refund the unspent balance. If the actual cost of processing exceeds the estimate, the Applicant can either elect to terminate this Agreement or amend the Agreement to reflect the increase in cost.
 - b. The costs stated in this Agreement do not include the statutory application processing and filing fees.
5. **Confidentiality.** Applicant agrees that any information provided to or acquired by OWRD under this Agreement will be subject to the Oregon Public Records Law and shall be considered public records.
6. **Indemnity.** Applicant shall defend, save, hold harmless, and indemnify the State of Oregon, OWRD, and their officers, employees, and agents from and against all claims, suits, actions, losses, damages, liabilities, costs, and expenses of any nature resulting from or arising out of, or relating to the activities of Applicant or its representatives, officers, employees, contractors, or agents under this Agreement or with respect to the expedited service. The Applicant acknowledges that the Oregon Water Resources Department cannot and does not guarantee a favorable review under the subject regulatory process.

7. **Termination.** Applicant may request to terminate this agreement only in writing at anytime during the process. The Applicant agrees to pay for the work done by OWRD up until the time of the written termination request. OWRD, upon receiving such written termination request from the Applicant, will refund any unspent balance.
8. **Funds Authorized and Available.** By its execution of this Agreement, Applicants certify that sufficient funds are authorized and available to cover the expenditures contemplated by this Agreement.
9. **Duration of Estimate.** The Estimate of Time to completion is **approximately** 120 days once this Agreement has been fully executed and payment of the estimated cost deposited. If the Applicant's Agreement is not received by the Department within thirty (30) days of mailing the Agreement, the Applicant may need to re-apply for a new estimate. NOTE: Any time estimate is approximate; No guarantee of Final Order issuance of a date is certain. Duration estimates do not include any statutory waiting periods.
10. **Completion Date.** OWRD, by the execution of this Agreement does not guarantee the completion date indicated in this Agreement. Completion date is only an estimate and may be affected by the Department's workload, issues arising from the processing of the requested services and Applicant's timely response to requests for additional information.
IMPORTANT: Due to COVID-19 and actions taken by the State of Oregon to facilitate teleworking as a tool to help prevent the spread of the disease, Department processes for Reimbursement Authority may be unavoidably delayed.
11. **Captions.** The captions or headings in this Agreement are for the convenience only and in no way define, limit, or describe the scope, or intent, of any provision of this Agreement.
12. **Amendment and Merger.** The terms of this Agreement shall not be waived, altered, modified, supplemented, or amended in any manner whatsoever, except by written instrument signed by both parties. Such waiver, consent, modification or change, if made, shall be effective only in the specific instance and for the specific purpose given. There are no understandings, agreements or representations, oral or written, not specified herein regarding this Agreement.
13. **Signatures.** All parties, by the authorized representative's signature below, hereby acknowledge that they have read this Agreement, understand it and agree to be bound by its terms and conditions.

For Applicant:

One Health City Administrator
Name/Title:

1-28-2022

Date

For OWRD:

Dwight French
Dwight French - Administrator

2-4-2022

Date

Mail signed Agreement to:

Stacy Phillips
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

RECEIVED

JAN 31 2022

OWRD

RECEIVED

31 2022

OWRD

CITY OF COBURG RA R11-345-23 T-13888				
Front Desk Staff receipts received AA funds				
Transfer Support process Application				
Administrator signs AA				
NRS 1 Support enters workflow record in WRIS and updates RA spreadsheet				
NRS 2 completes initial review of file for deficiencies				
NRS 2 consults with Kelly and/or Lisa				
NRS 2 writes and sends deficiency ltr (email and hard copy)				
NRS 2 addresses correspondence from app/agent regarding deficiencies				
Watermaster completes review				
Groundwater completes review				
NRS 2 completes DPD, PN				
Transfer staff peer reviews DPD, PN, RR				
Transfer Analyst completes policy check at DPD stage				
NRS 2 sends DPD to app/agent by email and/or mail				
NRS 2 drafts and sends revised DPD				
Transfer Staff peer reviews revised DPD				
Transfer Analyst peer reviews revised DPD				
NRS 2 reviews report of ownership				
NRS 2 completes PD				
Transfer Staff peer reviews PD				
Transfer Analyst peer reviews PD				
Data Center reviews PD				
Transfer Analyst completes peer review of PN review for newspaper noticing				
Transfer Support requests newspaper quote for PN publishing				
NRS 2 sends publishing fee request to applicant				
Transfer Support processes fee and newspaper publishing				
Transfer Support processes public notice (dept notice)				
Administrator signs PD				
NRS 2 completes FO				
Transfer Staff peer reviews FO				
Transfer Analyst peer reviews FO				
Administrator signs FO				
Transfer Support issues FO, updates WRIS, copy to file, record markings, and sends hard copy				
NRS 1 closes out RA Contract				
TOTAL ESTIMATE HOURS		31.34		
			TOTAL	\$1,656.92

Vendor: Oregon Water Resources Department
 Vendor No. ORWRD
 Invoice Number 44837 Transfer
 Date 11/15/2021
 Description

Check Date: 12/02/2021
 Check Amount: 125.00

Invoice Amount: 125.00

RECEIVED

DEC 10 2021

OWRD

STATE OF OREGON
 WATER RESOURCES DEPARTMENT

725 Summer St. N.E. Ste. A
 SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # 137045

INVOICE # _____

RECEIVED FROM: City of Coburg
 BY: General Account

APPLICATION
 PERMIT
 TRANSFER T-13888

CASH: ☐ CHECK: # 87204 OTHER: (IDENTIFY) ☐

TOTAL REC'D \$ 125.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES 47124 R11345-23 \$
0412 OTHER: (IDENTIFY) Transfer Reimbursement \$ 125.00
Authority
 0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES \$
 0410 RESEARCH FEES \$
 0408 MISC REVENUE: (IDENTIFY) \$
 TC162 DEPOSIT LIAB. (IDENTIFY) \$
 0240 EXTENSION OF TIME \$

WATER RIGHTS:

0201 SURFACE WATER EXAM FEE 0202 RECORD FEE \$
 0203 GROUND WATER EXAM FEE 0204 RECORD FEE \$
 0205 TRANSFER EXAM FEE

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR EXAM FEE 0219 LICENSE FEE \$
 LANDOWNER'S PERMIT 0220 LICENSE FEE \$

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE \$ CARD#
 0210 MONITORING WELLS \$ CARD#
 OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FWWRD) \$
 0231 HYDRO LICENSE FEE (FWWRD) \$
 HYDRO APPLICATION \$

TREASURY OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION _____ \$

RECEIPT: 137045

DATED 12-10-2021 BY: Mindy Carlson



OREGON WATER RESOURCES DEPARTMENT
TRANSFER REIMBURSEMENT AUTHORITY
ESTIMATE APPLICATION



ORS 536.055 authorizes the Oregon Water Resources Department to expedite or enhance regulatory processes voluntarily requested under the agreement.
Please contact Transfer Personnel before submitting this request; as the application fee is a non-refundable \$125.00 fee per request. Checks submitted for this application should be separate from Transfer fees.
The purpose of this application is to obtain estimates of the cost and time required to process a Transfer Application Request. There is a non-refundable application fee of \$125.00 per request.

REQUEST	TYPE	FILE NUMBER
☒	Transfer Application	For Cert Transfer Number <u>T-13888</u> <u>44837</u>

Applicant Information		Applicant's Representative/Contact
Name:	City of Coburg	4B Engineering & Consulting, LLC
Address:	91136 N. Willamette Street (PO Box 8316)	4454 71 st Ave SE
	Coburg, Oregon 97408	Salem, Oregon 97317
Phone:	541-682-7850	503-580-8152
Fax:		
E-Mail Address:		Brooke.4b@outlook.com

I understand the following:

- That upon receipt of my non-refundable application fee of \$ 125.00, OWRD will, within fourteen (14) days, notify me in writing of the estimate of costs and time frame for the expedited service.
- That this fee covers the reimbursement authority staff to evaluate and provide the estimate for processing of the request.
- That OWRD will, within fourteen (14) days, notify me in writing of the estimates of costs and time frame for the expedited service.
- That upon receiving the estimate I may agree or decline to enter into a formal contract to pay the estimated cost in advance to initiate the expedited service.
- An Incomplete or Inaccurate application may delay the process and increase the cost to process my request.
- Expedited processing does not guarantee a favorable review of my request.
- Send completed Application and payment to:

Oregon Water Resources Department
Transfer Reimbursement Authority Program
725 Summer St. NE, Suite A
Salem, OR 97301-1271

I certify that I am the (check one):

☒ Applicant ☐ Applicant's Representative ☐ Other (Please specify) _____

Name: ANNE L. HEATH, CITY ADMINISTRATION

Signature: [Signature]

OWRD USE ONLY: Reimbursement Authority Number: R11- 345 -23

RECEIVED
JAN 05 2022
OWRD



OREGON WATER RESOURCES DEPARTMENT
TRANSFER REIMBURSEMENT AUTHORITY
ESTIMATE APPLICATION



ORS 536.055 authorizes the Oregon Water Resources Department to expedite or enhance regulatory processes voluntarily requested under the agreement.
Please contact Transfer Personnel before submitting this request; as the application fee is a non-refundable \$125.00 fee per request. Checks submitted for this application should be separate from Transfer fees.
The purpose of this application is to obtain estimates of the cost and time required to process a Transfer Application Request. There is a non-refundable application fee of \$125.00 per request.

REQUEST	TYPE	FILE NUMBER
☒	Transfer Application	For Cert Transfer Number 44837

	Applicant Information	Applicant's Representative/Contact
Name:	City of Coburg	4B Engineering & Consulting, LLC
Address:	91136 N. Willamette Street (PO Box 8316) Coburg, Oregon 97408	4454 71 st Ave SE Salem, Oregon 97317
Phone:	541-682-7850	503-580-8152
Fax:		
E-Mail Address:		Brooke.4b@outlook.com

I understand the following:

- That upon receipt of my non-refundable application fee of \$ 125.00, OWRD will, within fourteen (14) days, notify me in writing of the estimate of costs and time frame for the expedited service.
- That this fee covers the reimbursement authority staff to evaluate and provide the estimate for processing of the request.
- That OWRD will, within fourteen (14) days, notify me in writing of the estimates of costs and time frame for the expedited service.
- That upon receiving the estimate I may agree or decline to enter into a formal contract to pay the estimated cost in advance to initiate the expedited service.
- An Incomplete or inaccurate application may delay the process and increase the cost to process my request.
- Expedited processing does not guarantee a favorable review of my request.
- Send completed Application and payment to:

Oregon Water Resources Department
Transfer Reimbursement Authority Program
725 Summer St. NE, Suite A
Salem, OR 97301-1271

I certify that I am the (check one):

☒ Applicant ☐ Applicant's Representative ☐ Other (Please specify) _____

Name: ANNE L. HEATH, CITY ADMINISTRATION

Signature: [Signature]

OWRD USE ONLY: Reimbursement Authority Number: R11- 345 -23



Resources Department
1 NE, Suite A
97101-1266
OR

Application for Extension of Time for Municipal and Quasi-Municipal Water Use Permits

Make use of this form, *Application for Extension of Time for Municipal and Quasi-Municipal Water Use Permits*, only if the permit uses the word "Municipal" or "Quasi-municipal" in the description of the purpose or use to which water is to be applied.

TO THE DIRECTOR OF THE OREGON WATER RESOURCES DEPARTMENT

A separate extension application must be submitted for each permit as per OAR 690-315-0070(2). This page, with an original signature by the permit holder of record, must accompany the extension of time application.

This application and a summary of review criteria and procedures that are generally applicable to this application are available at <http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml>

I, City of Coburg, Oregon

NAME OF PERMIT HOLDER [OAR 690-315-0070(1) and (3)(a)]

Anne Heath

NAME OF CONTACT

91136 N. Willamette Street
ADDRESS

Coburg
CITY

OR
STATE

97408
ZIP

541-682-7850
PHONE

E-MAIL ADDRESS

the permit holder of: Application Number G-13877

Permit Number G-13183
[OAR 690-315-0070(3)(b)]


do hereby request that the time in which to:

- ☒ complete construction (of diversion/appropriation works and/or purchase and installation of the equipment necessary to the use of water), which time now expires on October 1, 2020, be extended to October 1, 2030,

and/or the time in which to:

- ☒ apply water to full beneficial use under the terms and conditions of the permit, which time now expires on October 1, 2020, be extended to October 1, 2030.

I am the permittee, or have written authorization from the permittee, to apply for an extension of time under this permit. I certify that the information I have provided in this application is true and correct to the best of my knowledge.


Signature

12-15-2021
Date



Oregon
Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

January 12, 2022

CITY OF COBURG
PO BOX 8316
COBURG, OR 97408

Reference: Application T-13889, T-13888

On December 10, 2021, OWRD received your water right Permanent Transfer Application. The application was accompanied by \$1840.00. Our receipt number 137059, 137058 are enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to our groundwater staff to determine whether the proposed well accesses the same source of water as the original well or as the original POD.

This application may require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

Except as provided under ORS 540.510(3) for municipalities, you may not use water from the new point of appropriation until a final order approving the transfer application has been issued by the Department. In order to avoid any possible forfeiture of the water right, you should continue to use the water as described by your existing water right.

If the land is sold before the application is approved, the buyer's consent to the application will be required unless a recorded deed or other legal document clearly established that the water right was not conveyed in the sale.

Refer to the following page for a chart showing the steps and expected timelines for the processing of your application.


If you have any questions, please contact the Transfer Section at (503) 979-9931.

Cc: Watermaster Dist. #2, Lanaya F. Blakely (*via email*)
4B Engineering & Consulting, Agent
Lane County Planning

Enclosure

Regular Transfer Process (including "Proving Up" on the changes)

OAR 690 Division 380



Vendor: Oregon Water Resources Department
 Vendor No. ORWRD Vendor Account No:
 Invoice Number 44837
 Date 11/15/2021
 Description

Check Date:
 Check Amount:

12/02/2021
 1,840.00
 Invoice Amount
 1,840.00

RECEIVED

DEC 10 2021

OWRD

STATE OF OREGON
 WATER RESOURCES DEPARTMENT
 725 Summer St. N.E. Ste. A
 SALEM, OR 97301-4172
 (503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # 137058

INVOICE #

RECEIVED FROM: <u>City of Coburg</u>	APPLICATION
BY: <u>General Account</u>	PERMIT
CASH: ☐ CHECK: ☒ <u>8792</u> OTHER: (IDENTIFY) ☐	TRANSFER <u>T-13888</u>
	TOTAL REC'D <u>\$1,840.00</u>

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES \$
 OTHER: (IDENTIFY) \$
 0243 I/S Lease 0244 Muni Water Mgmt. Plan 0245 Cons. Water

4270 WRD OPERATING ACCT

MISCELLANEOUS 46110

0407 COPY & TAPE FEES	\$
0410 RESEARCH FEES	\$
0408 MISC REVENUE: (IDENTIFY)	\$
TC162 DEPOSIT LIAB. (IDENTIFY)	\$
0240 EXTENSION OF TIME	\$

WATER RIGHTS:	EXAM FEE	RECORD FEE
0201 SURFACE WATER	\$	\$
0203 GROUND WATER	\$	\$
0205 TRANSFER	\$ <u>1840.00</u>	
WELL CONSTRUCTION	EXAM FEE	LICENSE FEE
0218 WELL DRILL CONSTRUCTOR	\$	\$
LANDOWNER'S PERMIT		\$
OTHER (IDENTIFY)		

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE	\$	CARD#
0210 MONITORING WELLS	\$	CARD#
OTHER (IDENTIFY)		

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FWWRD)	\$
0231 HYDRO LICENSE FEE (FWWRD)	\$
HYDRO APPLICATION	\$

TREASURY OTHER / RDX

FUND _____ TITLE _____
 OBJ. CODE _____ VENDOR # _____
 DESCRIPTION _____ \$

RECEIPT: 137058

DATED: 12-10-2021BY: Mindy Carls

Application for Permanent Water Right Transfer

Part 1 of 5 – Minimum Requirements Checklist



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

JAN 05 2022

OWRD

Check all items included with this application. (N/A = Not Applicable)

- ☐ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Transfer Application Map Checklist.
- ☒ Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator. If you have questions, call Customer Service at (503) 986-0801.
- ☒ Part 4 – Completed Applicant Information and Signature.
- ☒ Part 5 – Information about Water Rights to be Transferred: **How many water rights are to be transferred? 1 List them here: 44837**
Please include a separate Part 5 for each water right. (See instructions on page 6)

Attachments:

- ☒ Completed Transfer Application Map.
- ☒ Completed Evidence of Use Affidavit and supporting documentation.
- ☐ ☒ N/A Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the land the water right is on.)
- ☐ ☒ N/A Supplemental Form D – For water rights served by or issued in the name of an irrigation district. Complete when the transfer applicant is not the irrigation district.
- ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if all of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.
- ☐ ☒ N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500' from the surface water source and more than 1000' upstream or downstream from the point of diversion. See OAR 690-380-2130 for requirements and applicability.

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

- | | |
|--|--|
| ☐ Application fee not enclosed/insufficient | ☐ Map not included or incomplete |
| ☐ Land Use Form not enclosed or incomplete | ☐ Evidence of Use Form not enclosed or incomplete |
| ☐ Additional signature(s) required | ☐ Part _____ is incomplete |

Other/Explanation _____

Staff: _____ 503-986-0 _____

Date: ____/____/____

13888

Part 2 of 5 – Transfer Application Map

Your transfer application will be returned if any of the map requirements listed below are not met.

Please be sure that the transfer application map you submit includes all the required items and matches the existing water right map. Check all boxes that apply.

- ☒ ☐ N/A Certified Water Right Examiner (CWRE) Stamp and Original Signature. For a list of CWREs, see http://apps.wrd.state.or.us/apps/wr/cwre_license_view/. CWRE stamp and signature are not required for substitutions.
- ☐ ☒ N/A If **more than three** water rights are involved, separate maps are needed for each water right.
- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- ☒ Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
- ☐ ☒ N/A Proposed place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.
- ☒ ☐ N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

FEE WORKSHEET for PERMANENT TRANSFER (except Substitution)			
1	Base Fee (includes one type of change to one water right for up to 1 cfs)	1	\$1,160
	Types of change proposed: ☐ Place of Use ☐ Character of Use ☒ Point of Diversion/Appropriation Number of above boxes checked = <u>1 (2a)</u> Subtract 1 from the number in line 2a = <u>0 (2b)</u> <i>If only one change, this will be 0</i> Multiply line 2b by \$930 and enter » » » » » » » » » » » » » » » »	2	0
3	Number of water rights included in transfer <u>1 (3a)</u> Subtract 1 from the number in 3a above: <u>0 (3b)</u> <i>If only one water right this will be 0</i> Multiply line 3b by \$520 and enter » » » » » » » » » » » » » » » »	3	0
4	Do you propose to add or change a well, or change from a surface water POD to a well? ☐ No: enter 0 » ☒ Yes: enter \$410 »	4	410
5	Do you propose to change the place of use or character of use? ☒ No: enter 0 on line 5 » ☐ Yes: enter the cfs for the portions of the rights to be transferred (see example below*): _____ (5a) Subtract 1.0 from the number in 5a above: _____ (5b) If 5b is 0 or less, enter 0 on line 5 » If 5b is greater than 0, round up to the nearest whole number: _____ (5c) and multiply 5c by \$350, then enter on line 5 » » » » » » » » » » » » » » » »	5	0
6	Add entries on lines 1 through 5 above » » » » » » » » » » Subtotal:	6	1570
7	Is this transfer: ☐ necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? ☐ endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 » If no box is applicable, enter 0 on line 7 » » » » » » » » » » » » » » » »	7	0
8	Subtract line 7 from line 6 » » » » » » » » » » » » » » » » Transfer Fee:	8	1570

1. For irrigation calculate cfs for each water right involved as follows:
 - a. Divide total authorized cfs by total acres in the water right (*for C12345, 1.25 cfs ÷ 100 ac*); then multiply by the number of acres to be transferred to get the transfer cfs (*× 45 ac = 0.56 cfs*).
 - b. If the water right certificate does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (*For C87654, 45.0 ac × 0.0125 cfs/ac = 0.56 cfs*)
2. Add cfs for the portions of water rights on all the land included in the transfer; however **do not count cfs for supplemental rights on acreage for which you have already calculated the cfs fee for the primary right on the same land**. The fee should be assessed only once for each "on the ground" acre included in the transfer. (*In this example, blank 5a would be only 0.56 cfs, since both rights serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0*).

FEE WORKSHEET for SUBSTITUTION				
1	Base Fee (includes change to one well)	1	\$840.00	
	Number of wells included in substitution _____ (2a) Subtract 1 from the number in 2a above: _____ (2b) <i>If only one well this will be 0</i>			
2	Multiply line 2b by \$410 and enter » » » » » » » » » » » » » » » »	2		
3	Add entries on lines 1 through 2 above » » » » » » Fee for Substitution	3	-	

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME City of Coburg, Oregon		PHONE NO. 541-682-7850	ADDITIONAL CONTACT NO. RECEIVED
ADDRESS 91136 N. Willamette Street (PO Box 8316)		FAX NO. JAN 05 2022	
CITY Coburg	STATE OR	ZIP 97408	E-MAIL OWRD
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.			

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME 4B Engineering & Consulting, LLC		PHONE NO. 503-580-8152	ADDITIONAL CONTACT NO.
ADDRESS 4454 71st Ave SE		FAX NO.	
CITY Salem	STATE OR	ZIP 97317	E-MAIL brooke.4b@outlook.com
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.			

Explain in your own words what you propose to accomplish with this transfer application, and why:
Transfer of water right from abandoned Well #1 to new Wells #1-3.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".


Check One Box

- ☐ By signing this application, I understand that, upon receipt of the draft preliminary determination and prior to Department approval of the transfer, I will be required to provide landownership information and evidence that I am authorized to pursue the transfer as identified in OAR 690-380-4010(5); OR
- ☒ I affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; OR
- ☐ I affirm the applicant is an entity with the authority to condemn property and is acquiring by condemnation the property to which the water right proposed for transfer is appurtenant and have supporting documentation.

By my signature below, I confirm that I understand:

- Prior to Department approval of the transfer application, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: The Register Guard.
- Amendments to the application may only be made in response to the Department's Draft Preliminary Determination (DPD). The applicant will have a period of at least 30 days to amend the application to address any issues identified by the Department in the DPD, or to withdraw the application. Note that amendments may be subject to additional fees, pursuant to ORS 536.050.
- Failure to complete an approved change in place of use and/or change in character of use, will result in loss of the water right (OAR 690-380-6010).

I (we) affirm that the information contained in this application is true and accurate.


Applicant signature

Anne Heath
Print Name (and Title if applicable)

December 20, 2020
Date

Applicant signature

Print Name (and Title if applicable)

Date

Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located? ☒ Yes ☐ No If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the water right is/were conveyed.

Check the following boxes that apply:

- ☒ The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- ☐ The receiving landowner will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to this landowner.
- ☐ Both the receiving landowner and applicant will be responsible for completion of change(s). Copies of notices and correspondence should be sent to this landowner and the applicant.

At this time, are the lands in this transfer application in the process of being sold? ☐ Yes ☒ No

If YES, and you know who the new landowner will be, please complete the receiving landowner information table below. If you do not know who the new landowner will be, then a request for assignment will have to be filed for at a later date.

If a property sells, the certificated water right(s) located on the land belong to the new owner, unless a sale agreement or other document states otherwise. For more information see:

https://www.oregon.gov/owrd/WRDFormsPDF/Transfer_Property_Transactions.pdf

RECEIVING LANDOWNER NAME			PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS				FAX NO.
CITY	STATE	ZIP	E-MAIL	

RECEIVED

JAN 05 2022

Describe any special ownership circumstances here: _____

- ☐ Check here if any of the water rights proposed for transfer are or will be located within or served by an irrigation or other water district. (Tip: Complete and attach Supplemental Form D.)

IRRIGATION DISTRICT NAME	ADDRESS		
CITY	STATE	ZIP	

- ☐ Check here if water for any of the rights supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME	ADDRESS		
CITY	STATE	ZIP	

 To meet State Land Use Consistency Requirements, you must list all county, city, municipal corporation, or tribal governments within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Lane County, Oregon	ADDRESS 3050 N. Delta Hwy		
CITY Eugene	STATE OR	ZIP 97408	

ENTITY NAME	ADDRESS		
CITY	STATE	ZIP	

13888

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 44837

RECEIVED

Description of Water Delivery System

JAN 05 2022

System capacity: 0.10 cubic feet per second (cfs) OR

_____ gallons per minute (gpm)

OWRD

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Municipal water is delivered through waterlines within the service limits.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-_____)	Twp	Rng	Sec	¼	¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Abandoned Well #1	☒ Authorized ☐ Proposed	LANE 7456	16 S	3 W	29	NE	NE		351'-0" South and 1,080'-7" West from the NE corner of Section 29.
New Well #1	☐ Authorized ☒ Proposed	LANE 68362	16 S	3 W	32	NE	SE		1,746'-8" North and 1,080'-1" West from the SE corner of Section 32.
New Well #2	☐ Authorized ☒ Proposed	LANE 7553	16 S	3 W	32	NE	SE		1,937'-7" North and 1,030'-3" West from the SE corner of Section 32.
New Well #3	☐ Authorized ☒ Proposed	TBD-NOT DRILLED YET	16 S	3 W	29	NE	SW		1,910'-10" North and 3,002'-8" West from the SE corner of Section 29.

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| ☐ Place of Use (POU) | ☐ Supplemental Use to Primary Use (S to P) |
| ☐ Character of Use (USE) | ☒ Point of Appropriation/Well (POA) |
| ☐ Point of Diversion (POD) | ☐ Additional Point of Appropriation (APOA) |
| ☐ Additional Point of Diversion (APOD) | ☐ Substitution (SUB) |
| ☐ Surface Water POD to Ground Water POA (SW/GW) | ☐ Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

☒ Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.

☐ No Complete all of Table 2 to describe the portion of the water right to be changed.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

List the change proposed for the acreage in each $\frac{1}{4}$ $\frac{1}{4}$. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.										Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.																	
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date								
EXAMPLE																												
2	S	9	E	15	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	S	9	E	1	NW	NW	500	1	10.0		POD #5	1901		
														2	S	9	E	2	SW	NW	500		5.0		POD #6	1901		
16	S	3	W	29	NE	NE				MUNI	ABANDON WELL #1	1968	POA	16	S	3	W	32	NE	SE	2002			MUNI	NEW WELL #1	1968		
													POA	16	S	3	W	32	NE	SE				MUNI	NEW WELL #2	1968		
													POA	16	S	3	W	29	NE	SW	3100			MUNI	NEW WELL #3	1968		
TOTAL ACRES:														TOTAL ACRES:														

RECEIVED

JAN 05 2022

OWRD

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? ☒ Yes ☐ No

If YES, list the certificate, water use permit, or ground water registration numbers: 37211.



Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # _____;

Surface water primary Certificate # _____.

RECEIVED

JAN 05 2022

For a change from Supplemental Irrigation Use to Primary Irrigation Use

Identify the primary certificate to be cancelled. Certificate # _____

OWRD

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- ☒ Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:

http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

- ☒ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-_____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right
Abandon Well #1	Yes	LANE 7456	201'	12"	0'-201.4'	30'	35'-94'	5'-4"	Sand and gravel	300 GPM
New Well #1	Yes	LANE 68362	194'	12"	0'-194'		110'-167'	9.5	Sand and gravel	475 GPM
New Well #2	Yes	LANE 7553	200'	10"	+2'-84' 101'-122' 167'-200'	74'	85'-99' 120'-167'	23'	Sand and gravel	475 GPM

13888

New Well #3	No	N/A	Unknown	12"	Unknown	60'	Unknown	Unknown	Sand and gravel	Unknown
----------------	----	-----	---------	-----	---------	-----	---------	---------	--------------------	---------

RECEIVED

JAN 05 2022

OWRD

13888



Contact Information (Click to Collapse...)

▼ Current contact information

OWNER:
▶ CITY OF COBURG
BOX 328 CITY HALL
COBURG, OR 97401

Water Right Information (Click to Collapse...)

Status: Non-Cancelled
County: Lane
File Folder Location: Salem
Watermaster District: 2

Scanned Documents (Click to Expand...)

Point(s) of Diversion (Click to Collapse...)

▶ POD 1 - WELL NO 4 > MCKENZIE RIVER

Place(s) of Use (Click to Collapse...)

▶ Use - MUNICIPAL USES
(Primary); Priority Date: 3/18/1968

Water Right Genealogy (Click to Collapse...)

No genealogy records available for this water right, try the family link below instead.

[View Water Rights in same Family](#) [Report Errors with Water Right Data](#)

Workflow (Click to Collapse...)

- ▶ Application: G 4283
- ▶ Permit: G 4032 [document](#), [paper map](#)
- ▼ Certificate: 44837 [document](#), [paper map](#)
 - ▶ Signature: 10/17/1977
 - ▶ Type: Original
 - ▶ [View right with Web Mapping](#)
 - ▶ [View Places of Use from Water Rights in the Same Area](#)
 - ▶ [View Reported Water Use](#)

RECEIVED

JAN 05 2022

OWRD

[Add TRS grouping](#)

13888

RECEIVED
DEC 11 1967
STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 44927

RECEIVED
JAN 18 1968
STATE ENGINEER
SALMON, OREGON

Permit No. G- G 4032

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, City of Coburg
(Name of applicant)
of City Hall, Coburg
(Postoffice Address), county of Lane
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

June 1906, Coburg, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated McKenzie River
(Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.67 cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is municipal

4. The well or other source is located 77 ft. N and 74 ft. E from the SW corner of the H. A. Davis DLC No. 41 (the well is approximately
(Section or subdivision)
351 feet South and 1121 feet West of the N. E. corner of Section 29
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NE 1/4 of the NE 1/4 of Sec. 29, Twp. 16S, R. 3W, W. M., in the county of Lane

5. The Pipeline
(Canal or pipe line) to be 0.05 miles in length, terminating in the NE 1/4 of the NE 1/4 of Sec. 29, Twp. 16S, R. 3W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Coburg Well No. 3 (Sears)

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one drilled well
(Give number of wells, tunnels, etc.) having a diameter of 12 inches and an estimated depth of 201 feet. It is estimated that 201 feet of the well will require 0.25 inch steeldrilling. Depth to water table is estimated 6 feet
(Kind) (Feet)
on November 4, 1963.

13888

G 4032

(b) At miles from headgate: width on top (at water line)
 feet; width on bottom feet; depth of water feet;
 grade feet fall per one thousand feet.

(c) Length of pipe, 250 ft.; size at intake, 6 in.; in size at _____ ft. from intake _____ in.; size at place of use 6 in.; difference in elevation between intake and place of use, 0 + _____ ft. Is grade uniform? Yes Estimated capacity, 0.67 sec. ft.

10. If pumps are to be used, give size and type deepwell turbine pump, 10-inch bowls, 1 stage, 300 gpm at 152 feet of head, 95 foot setting.

Give horsepower and type of motor or engine to be used 20 Horsepower electric motor.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use ~~(Municipal service area)~~

[illegible]

(If more space required, attach separate sheet)

Character of soil 4-17-35

Kind of crops raised

13888

RECEIVED

JAN 05 2022

OWRD

MUNICIPAL SUPPLY—

13. To supply the city of Goburg
 in Lane county, having a present population of 900
 and an estimated population of 6850 in 1975

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 10,000
 began
15. Construction work ~~will~~ ^{was} begin on or before October 8, 1963
16. Construction work ~~will~~ ^{was} completed on or before July 1, 1964
17. The water ~~will~~ ^{was} completely applied to the proposed use on or before July 1, 1964
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Certificates GR-1197 and GR-1198, Permit G-1580, and application for permit for Goburg Well No. 4.

City of Goburg
Raleigh E. Manley
 Raleigh E. Manley, Mayor

Remarks:

The well was drilled, the pump installed and the water appropriated in
1963 and 1964.

RECEIVED

JAN 05 2022

OWRD

STATE OF OREGON, }
 County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____

WITNESS my hand this _____ day of _____, 19____

STATE ENGINEER

By

13888

ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.67 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well No. 3

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

RECEIVED

JAN 05 2022

OWRD

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 18, 1968

Actual construction work shall begin on or before October 23, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 23rd day of October, 1968

Chris L. Wheeler
STATE ENGINEER

Application No. G-4283

Permit No. G-4032

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 18th day of March
1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

1 October 23, 1968

Recorded in book No. of
Ground Water Permits on page G 4032

88 CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 162

State Printed

\$25.00

STATE OF OREGON

COUNTY OF LANE

RECEIVED

JAN 05 2022

CERTIFICATE OF WATER RIGHT

OWRD

This Is to Certify, That CITY OF COBURG

of Box 328, City Hall, Coburg, State of Oregon, 97401, has made proof to the satisfaction of the Water Resources Director, of a right to the use of the waters of Well No. 4

a tributary of McKenzie River for the purpose of municipal

under Permit No. G-4032 and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from March 18, 1968 that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 0.10 cubic foot per second

or its equivalent in case of rotation, measured at the point of diversion from the stream. The point of diversion is located in the NE $\frac{1}{4}$ NE $\frac{1}{4}$, as projected within H. A. Davis DLC 41, Section 29, T. 16 S., R. 3 W., W. M., 77 feet North and 74 feet East from the SW Corner, H. A. Davis DLC 41

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ----- of one cubic foot per second per acre,

and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

NW $\frac{1}{4}$ NW $\frac{1}{4}$
As projected within H. A. Davis DLC 41 & Robert B. Cochran DLC 42
Section 28

NE $\frac{1}{4}$ NE $\frac{1}{4}$
As projected within H. A. Davis DLC 41, Robert B. Cochran
DLC 42, John James Brown DLC 56, & Mannawether Brown DLC 58
Section 29
T. 16 S., R. 3 W., W. M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described, and is subject to the existing minimum flow policies established by the Water Policy Review Board.

WITNESS the signature of the Water Resources Director, affixed

this date, October 17, 1977

James E. Saxson
Water Resources Director

Recorded in State Record of Water Right Certificates, Volume 36, page 44837

13888

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

RECORDED
JAN 10 1963

WATER WELL REPORT

STATE OF OREGON
(Please type or print)

G-4283

State Well No.

State Permit No.

16/3W-29 A

(1) OWNER: City of Colburg
Name WALTER R. SEAR
Address RT# 2 Box 447
EURENE Colburg, Oregon

(2) LOCATION OF WELL:
County LANE Driller's well number
1/4 1/4 Section 29 T. 16 R. 3 W.M.
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):
New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐
abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):
Domestic ☒ Industrial ☐ Municipal ☒ Irrigation ☐ Test Well ☐ Other ☐
(5) TYPE OF WELL:
Rotary ☐ Driven ☐ Cable ☒ Jetted ☐ Dug ☐ Bored ☐

(6) CASING INSTALLED: Threaded ☐ Welded ☒
12" Diam. from 0 ft. to 201.4 ft. Gage 14
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

(7) PERFORATIONS: Perforated? ☒ Yes ☐ No
Type of perforator used
Size of perforations 1/2 in. by 3 in.
472 perforations from 35 ft. to 94 ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

(8) SCREENS: Well screen installed? ☐ Yes ☒ No
Manufacturer's Name _____
Type _____ Model No. _____
in. Slot size _____ Set from _____ ft. to _____ ft.
Diam. Slot size _____ Set from _____ ft. to _____ ft.

(9) CONSTRUCTION:
Well seal—Material used in seal BENTONITE
Depth of seal 30 ft. Was a packer used? _____
Diameter of well bore to bottom of seal 16 in.
Were any loose strata cemented off? ☐ Yes ☒ No Depth _____
Was a drive shoe used? ☒ Yes ☐ No
Was well gravel packed? ☐ Yes ☐ No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.
Did any strata contain unusable water? ☐ Yes ☐ No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(10) WATER LEVELS:
Static level 5 4" ft. below land surface Date 11-4-63
Artesian pressure _____ lbs. per square inch Date _____

(11) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? ☐ Yes ☐ No If yes, by whom?
Yield: 300 gal./min. with 59 ft. drawdown after 5 hrs.
" " " " " "
" " " " " "
Bailer test gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? ☐ Yes ☒ No

(12) WELL LOG: Diameter of well below casing 12
Depth drilled 201 ft. Depth of completed well 200 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
TOP SOIL	0	4
GRAVEL SEALED WITH BENTONITE	4	30
SAND & GRAVEL	30	33
SAND & GRAVEL BROWN SAND	33	35
SAND & GRAVEL	35	50
BAILED 20GPM @ 39'		
CLAY SAND & GRAVEL	50	51
SAND & GRAVEL CEMENTED	51	66
SAND & SMALL GRAVEL	66	94
SAND & CLAY	94	106
TAN CLAY	106	120
BLUE CLAY	120	166
BLUE CLAY WITH BROWN CLAY	166	201

RECEIVED

JAN 05 2022

OWRD

Work started 10-8 1963 Completed 11-5 1963
Date well drilling machine moved off of well 11-5 1963

(13) PUMP:
Manufacturer's Name _____
Type: _____ H.P. _____

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME MARK CHRISTENSEN
(Person, firm or corporation) (Type or print)

Address 3500 W. 18th EURENE

Drilling Machine Operator's License No. 97

[Signed] Mark M. Christensen
(Water Well Contractor)

Contractor's License No. 97 Date 11-10, 1963

(USE ADDITIONAL SHEETS IF NECESSARY) 13888

Oregon Water Resources Department
Groundwater Information System

Groundwater Site: LANE 7456

[Main](#) [Help](#)
[Return](#) [Contact Us](#)

Site Identification (Click to Collapse...)

GW LogID: LANE 7456 [Well Log Database](#)
 GW Well Tag Number:
 Tag Verified on Well: No
 Site Type: WELL
 Primary Use: PUBLIC SUPPLY
 Unused Status:
 Site Source Organization:
 Site Source OWRD:
 Established By: KARL WOZNAK
 Established Date: 11/21/2001
 Bonded Company:
 Stage: COMPLETE

Location (Click to Collapse...)

Latitude/Longitude
 Latitude: 44.15560500 Horiz. Error: 25.00
 Longitude: -123.07161900 Datum: WGS1984
 Lat/Long Source: MAP 24K
 Location
 TRSQ: WM 16.00S3.00W29NENE
 Tax Map:
 Taxlot:
 24 Quad: COBURG
 Basin: 2 - Willamette
 County: Lane
 WM District: 2
 WM Region: NW
 LSD Elev: 385.00 Accy: 10.00 Datum: NGVD1929
 Elev Source:

[Groundwater Mapping Tool](#)

USDA FSA, GeoEye, Maxar | Oregon Water Resources Departm... Powered by Esri

Water Rights (Click to Collapse...)

Water Right PODs

POD	WRIS Details	Application	Permit	Cert	Transfers	Claim	supplemental	priority_date	Season of Use	max_rate_cfs	rate_cfs	rate_cfs_est	TRSQ
POD 1 - WELL NO 4 > MCKENZIE RIVER	WRIS	G 4283	G 4032	44837				3/18/1968	1/1 - 12/31	0.100	0.100		WM16.00S3.00W29NENE

Well Construction History (Click to Collapse...)

Well Construction History

Well Log id	Well Log	Work Type	Startcard	Well Tag	Owner Name	First Water	Max Case Diam.	Max Case Depth	Max Seal Depth	Max Depth	Completed Depth	Complete Date
LANE 7456	Log	NEW			CITY OF COBURG		12	201.40	30.00	201.00	200.00	11/5/1963

Well Log	Aquifer	Aq at Max Depth	System Aquifer	Regional USGS Aquifer	Local USGS Aquifer
LANE 7456	Quaternary-Late Tertiary sediment Aq	Quaternary-Late Tertiary sediment Aq	Quaternary-Late Tertiary Sediment Aquifers		

Well Test

Well Log	Test Type	Yield(gpm)	Drawdown	Duration (hr)	Calculated Specific Capacity (gpm/ft)
LANE 7456	Pump	300.0	59.0	5.0	5.08

Lithology (Click to Collapse...)

Lithology


Start Depth	End Depth	Prim. Lithology	Lithology Desc.	Water Bearing Zone	Water Bearing Zone Wt	Download Diagram
0.00	4.00	Soil	Soil			
4.00	30.00	Gravel	Gravel & Clay			
30.00	33.00	Sand	Sand & Gravel			
33.00	35.00	Sand	Sand & Gravel			

RECEIVED

JAN 05 2022

OWRD

35.00	50.00 Sand	Sand & Gravel
50.00	51.00 Clay	Clay & Sand
51.00	66.00 Gravel	Cemented Gravel
66.00	94.00 Sand	Sand & Gravel
94.00	106.00 Sand	Sand & Clay
106.00	120.00 Clay	Yellow Clay
120.00	166.00 Clay	Blue Clay
166.00	201.00 Clay	Clay



13888

Measured Water Level

(Click to Collapse...)

Records/Page: 20

Find

Measured Water Level

Date	Time	Water Level (BLSL)	WL Elev (ft AMSL)	Organization	OWRD	Method	Status	MP Height
11/4/1963		5.33	379.67	DRILLER	WELL LOG	REPORTED	STATIC	

Available Data

(Click to Collapse...)

Aquifer Test Completed:
Geophysical Log Completed:

Water Chemistry:
Flowing Well:
Saline:
Rock Geochemistry:

OWRD Recorder:
Other OWRD Recorder:

RECEIVED
JAN 05 2022
OWRD

Other Identifiers

(Click to Collapse...)

Other Identifiers

Identity Name	Identity	Is Duplicate	Description	Link
OWRD GWR 014	165/03W-29AAB		Frank, J.F. and Johnson, N.A., 1970, Selected ground-water data in the Eugene-Springfield area, southern Willamette Valley, Oregon, State of Oregon, Ground Water Report No. 14.	
USGS SITE ID	440921123041001		U.S. Geological Survey Siteid	Report

13888

OWRD

RECEIVED
JAN 05 2022

LANE 68362

(1) LAND OWNER _____ Well Number Well #1
 Name City of Coburg
 Address P.O. Box 8326
 City Coburg State OR Zip 97408

(3) DRILL METHOD: ☐ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger
☐ Other _____

(4) PROPOSED USE:

☐ Domestic ☒ Community ☐ Industrial ☐ Irrigation

☐ Thermal ☐ Injection ☐ Livestock ☐ Other _____

(5) BORE HOLE CONSTRUCTION:
Special Construction approval ☐ Yes ☐ No Depth of Completed Well 197 ft.
Explosives used ☐ Yes ☐ No Type _____ Amount _____

HOLE			SEAL			
Diameter	From	To	Material	From	To	Spchs or pounds

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E
☐ Other _____
 Backfill placed from _____ ft. to _____ ft. Material _____
 Gravel placed from _____ ft. to _____ ft. Size of gravel _____

(6) CASING/LINER:

	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:	12	3	17		☒	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
liner:					☐	☐	☐	☐
					☐	☐	☐	☐

Drive Shoe used ☐ Inside ☐ Outside ☐ None
Final location of shoe(s)

(7) PERFORATIONS/SCREENS:

☐ Perforations Method _____

☐ Screens Type _____ Material _____

From	To	Slot size	Number	Diameter	Telephone size	Coating	Layer
110	167					☒	☐
						☐	☐
						☐	☐
						☐	☐
						☐	☐

(B) WELL TESTS: Minimum testing time is 1 hour

☐ Pump Yield g/min	☐ Baker Drawdown	☐ Air Drill stem at	☐ Flowing Artesian Time
			1 hr.

Temperature of water _____ Depth Artesian Flow Found _____
 Was a water analysis done? ☐ Yes By whom _____
 Did any strata contain water not suitable for intended use? ☐ Too little
☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other _____
 Depth of strata: _____

(7) LOCATION OF WELL by legal description:
County Lane Latitude _____ Longitude _____
Township 16S N of 3 Range 30 E of W WM.
Section 32 NE 1/4 SE 1/4
Tax Lot _____ Lot _____ Block _____ Subdivision _____
Street Address of Well (or nearest address) 32501 Columbia Loop Rd

(10) STATIC WATER LEVEL:
9.5 ft. below land surface. Date 3/25/09
 Artesian pressure _____ lb. per square inch Date _____

(11) WATER BEARING ZONES:

Depth at which water was first found _____

From	To	Estimated Flow Rate	SWL

(12) WELL LOG: _____
Ground Elevation _____ 390

[illegible]

Date started	Completed
--------------	-----------

SOURCE OF DATA/INFO Department
Files, Wallog LANE 7573 to Wallog
and down hole video

COMPILED BY: Marc A Norton

DATE: 4. 24. 2009

WELL INFORMATION REPORT

11/16/2000

T 11252

13888

LANE 7553



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Application for Well ID Number

L 94516

4-4-08 by MM

Log Lane 7553

Do not complete if the well already has a Well I.D. Number.

I. OWNER INFORMATION

Current Owner Name (please print): City of Coburg Public Works
Mailing Address: PO Box 8316
City, State, Zip: Coburg OR 97408
Mailing Address (to send Well I.D.): _____
City, State, Zip: _____

RECEIVED

JAN 05 2022

OWRD

II. WELL INFORMATION (Do not complete this section if the well report is attached.)

Township: 16 S (North/South) Range: 3 W (East/West) Section: 32
Tax Lot: 2002 County: Lane NE 1/4 SE 1/4
Street Address of Well, City: Funk Rd.
Owner at time the well was constructed, (if known): City
If the property had a different street address in the past: _____

III. GENERAL WELL INFORMATION (Do not complete this section if the well report is attached)

Use of Well (domestic, irrigation, commercial, industrial, monitoring): _____
Date Well Constructed: _____ Total Well Depth: _____ Casing Diameter: _____
Other Information: 44.13284, -123.07029 by M. Norton
2nd casing at above cement floor @ GL
SUBMITTED BY (please print): Michael Mattick
PHONE: _____ District 2 Watermaster
220 5th St.
Springfield, Oregon 97477

Send application to Oregon Water Resources Department, Suite A, Salem, Oregon 97301-1266;
fax (503) 986-0902. Applications are processed and Well I.D. Numbers are mailed every Tuesday.



RECEIVED

Last Updated: 8/21/2007

Well I.D. Number/1

APR 15 2008

WCC

WATER RESOURCES DEPT
SALEM OREGON

13888

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT LANE
LANE 7553
STATE OF OREGON
7553
RECEIVED
(Do not write above this line)

State Well No. 165/3W-32-d

State Permit No.

AUG 25 1977

(1) OWNER: WATER RESOURCES DEPT.
Name CITY OF COBURG
Address COBURG, OREGON

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☐ Driven ☐
Cable ☐ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☒
Irrigation ☐ Test Well ☐ Other ☐

CASING INSTALLED:

10" Diam. from 42 ft. to 85 ft. Gage 365
10" Diam. from 75 ft. to 84 ft. Gage 365
10" Diam. from 101 ft. to 122 ft. Gage 365
10" Diam. from 167 ft. to 200 ft. Gage 365

PERFORATIONS:

Perforated? ☐ Yes ☒ No.

Type of perforator used

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☒ Yes ☐ No

Manufacturer's Name JOHNSON WELL SCREEN

Type TELESCOPE Model No. S. STEEL
Diam. 10 Slot size 130 Set from 85 ft. to 99 ft.
Diam. 10 Slot size 50-160 Set from 120 ft. to 167 ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? ☒ Yes ☐ No If yes, by whom? CARTER'S

Yield: 475 gal./min. with 57 ft. drawdown after 12 hrs.

Ball test gal./min. with ft. drawdown after hrs.

Artesian flow f.p.m.

Temperature of water 52° Depth artesian flow encountered 10.5 ft.

CONSTRUCTION:

Well seal—Material used CEMENT

Well sealed from land surface to 74 ft.

Diameter of well bore to bottom of seal 14 in.

Diameter of well bore below seal 10 in.

Number of sacks of cement used in well seal 91

How was cement grout placed? GROUT PUMP

Bottom up

Was a drive shoe used? ☒ Yes ☐ No Plugs _____

Did any strata contain unusable water? ☐ Yes ☒ No

Type of water? _____ Depth of strata _____

Method of sealing strata off _____

Was well gravel packed? ☐ Yes ☒ No Size of gravel: _____

Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County LANE Driller's well number 2960-22W
1/4 SE 1/4 Section 32 T. 16 S. 3W W.M.

Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 14 ft.

Static level 23 ft. below land surface. Date 4-29-77

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 10"

Depth drilled 200 ft. Depth of completed well 200 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
CLAY, GRAVEL & COBBLES	0	4	
COBBLES, GRAVEL & SAND	4	26	
COARSE SAND	26	32	
GRAVEL, SAND, BROWN CLAY	32	38	
GRAVEL, SAND	38	74	
BROWN CLAY, SAND & GRAVEL	74	83	
GRAVEL - MEDIUM	83	92	23
GRAVEL, SAND, SMALL COBBLES	92	99	
BROWN CLAY, SAND & GRAVEL	99	103	
BLUE & BLACK CLAY, SAND & GRAV.	103	119	
GRAVEL, SAND	119	133	
WELL GRADED SAND	133	137	
GRAVEL, SAND & BLUE CLAY	137	142	
BLUE CLAY, SAND & GRAVEL	142	154	
GRAVEL, SAND & BLUE CLAY	154	167	
BLUE CLAY, SAND & GRAVEL	167	189	
CEMENTED SAND & GRAVEL	189	198	23
CRUMBLY SHALE	198	200	

Work started 4-4-77 19 Completed JULY 22 19 77

Date well drilling machine moved off of well JUNE 22, 19 77

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] _____ Date JULY 22, 19 77

(Drilling Machine Operator) _____

Drilling Machine Operator's License No. 972

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name _____ (Person, firm or corporation) (Type of print)

Address 350 S. 3RD STREET, SPRINGFIELD, OREGON

[Signed] _____ (Water Well Contractor)

Contractor's License No. 126 Date JULY 22, 19 77

(USE ADDITIONAL SHEETS IF NECESSARY)

UP-0000-112

11252

13888

Application for Water Right Transfer Evidence of Use Affidavit



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing.
Supporting documentation must be attached.

State of Oregon)
County of LANE) ss

RECEIVED

JAN 05 2022

OWRD

I, ANNE HEATH, in my capacity as CITY ADMINISTRATOR FOR CITY OF COBURG,
mailing address 91136 N. WILLAMETTE STREET (PO BOX 8316) COBURG, OREGON 97408
telephone number (541)682-7850, being first duly sworn depose and say:

1. My knowledge of the exercise or status of the water right is based on (check one):

☒ Personal observation ☐ Professional expertise

2. I attest that:

☐ Water was used during the previous five years on the **entire** place of use for
Certificate # ____; **OR**

☐ My knowledge is specific to the use of water at the following locations within the last five years:

Certificate #	Township	Range	Mer	Sec	1/4 1/4	Gov't Lot or DLC	Acres (if applicable)

OR

- ☐ Confirming Certificate # ____ has been issued within the past five years; **OR**
- ☐ Part or all of the water right was leased instream at some time within the last five years. The
instream lease number is: ____ (Note: If the entire right proposed for
transfer was not leased, additional evidence of use is needed for the portion not leased instream.); **OR**
- ☐ The water right is not subject to forfeiture and documentation that a presumption of forfeiture for
non-use would be rebutted under ORS 540.610(2) is attached.
- ☒ Water has been used at the actual current point of diversion or appropriation for more than
10 years for Certificate # 44837 (For Historic POD/POA Transfers)

(continues on reverse side)

13888

3. The water right was used for: (e.g., crops, pasture, etc.): MUNICIPAL WATER USE

4. I understand that if I do not attach one or more of the documents shown in the table below to support the above statements, my application will be considered incomplete.

RECEIVED

JAN 05 2022


OWRD


Signature of Affiant

DECEMBER 11, 2020
Date

Signed and sworn to (or affirmed) before me this 11 day of Dec, 2021.





Notary Public for Oregon

My Commission Expires: April 1, 2023

Supporting Documents	Examples
☐ Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of confirming water right certificate that shows issue date
☐ Copies of receipts from sales of irrigated crops or for expenditures related to use of water	• Power usage records for pumps associated with irrigation use • Fertilizer or seed bills related to irrigated crops • Farmers Co-op sales receipt
☐ Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	• District assessment records for water delivered • Crop reports submitted under a federal loan agreement • Beneficial use reports from district • IRS Farm Usage Deduction Report • Agricultural Stabilization Plan • CREP Report
☐ Aerial photos containing sufficient detail to establish location and date of photograph	Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added. Sources for aerial photos: OSU – www.oregonexplorer.info/imagery OWRD – www.wrd.state.or.us Google Earth – earth.google.com TerraServer – www.terra-server.com
☐ Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number

13888

13888



SHEET INDEX
 C1.0 COVER & NOTES
 C2.0 SITE PLAN
 C3.0 WELL CONSTRUCTION DETAILS



UTILITY REPRESENTATIVES:
 WATER - CITY OF COBURG 541-912-8291
 SEWER - LANE SANITARIAN 541-682-3754
 ELECTRIC - EPUD 541-746-1583
 GAS - NW NATURAL 503-220-2427
 FIRE - COBURG RURAL FIRE 541-686-1573
 TELEPHONE - CENTURY LINK 541-484-7796

CIVIL ENGINEER:
 BRANCH ENGINEERING, INC.
 310 5TH STREET
 SPRINGFIELD, OR 97477
 CONTACT: DAMIEN GILBERT, P.E.
 CHRIS MORRIS, E.I.T.
 PHONE: (541) 746-0637

OWNER:
 THE CITY OF COBURG
 91136 N. WILLAMETTE STREET
 COBURG, OR 97408
 CONTACT: BRIAN HARMON
 PHONE: (541) 228-8281

GENERAL CONSTRUCTION NOTES:

- WELL DRILLING CONTRACTOR'S ACCESS SHALL BE PER THE DEFINED WELLFIELD ACCESS ROAD ONLY.
- WELL DRILLING CONTRACTOR SHALL REMOVE ALL MUD, SEDIMENT AND DRILLING TAILINGS AND DISPOSE OF PER CITY ENGINEER'S RECOMMENDATIONS AND OAR REGULATIONS.
- ALL WORK SHALL MEET THE FOLLOWING SPECIFICATIONS "2018 OREGON STANDARD SPECIFICATIONS FOR CONSTRUCTION" AND THE "2018 OREGON STANDARD DRAWINGS".
- THE LOCATION UTILITIES SHOWN ON THE PLANS IS APPROXIMATE. THE CONTRACTOR SHALL CALL THE "ONE-CALL" UTILITY LOCATION NUMBER, 1-800-332-2344, FOR FIELD LOCATION AND DEPTH BEFORE EXCAVATING.
- OREGON LAW REQUIRES THE CONTRACTOR TO FOLLOW RULES ADOPTED BY OREGON UTILITY NOTIFICATION CENTER. THOSE RULES ARE SET FORTH IN OAR 952-001-0010 THROUGH OAR 952-001-0090. THE CONTRACTOR MAY OBTAIN COPIES OF THE RULES BY CALLING THE CENTER. (NOTE: THE TELEPHONE NUMBER FOR THE OREGON UTILITY NOTIFICATION CENTER IS (503) 232-1987).
- CONTRACTOR SHALL FIELD VERIFY UNDERGROUND FACILITIES DURING THE CONSTRUCTION PERIOD. CONTRACTOR SHALL BE HELD RESPONSIBLE FOR THE CORRECTION OF ANY UNDERGROUND UTILITY FACILITIES DAMAGED BY CONTRACTOR'S WORK.
- THE CONTRACTOR SHALL COMPLY WITH ALL REQUIREMENTS OF ORS 757.541 TO 757.571. THE CONTRACTOR SHALL NOTIFY EACH UNDERGROUND UTILITY AT LEAST 48 BUSINESS-DAY HOURS, BUT NOT MORE THAN 10 BUSINESS DAYS, PRIOR TO EXCAVATING, BORING, OR POTHOLING.
- RESTORE ALL DISTURBED AREAS TO PRE-CONSTRUCTION CONDITIONS AND PERMANENTLY STABILIZE ALL AREAS DISTURBED DURING THE COURSE OF THE PROJECT.
- CONTRACTOR SHALL OBTAIN ALL NECESSARY LOCAL, COUNTY, AND STATE PERMITS REQUIRED FOR DRILLING A WELL.
- CONTRACTOR SHALL EMPLOY EROSION CONTROL MEASURES AS NECESSARY TO PREVENT SEDIMENT FROM ENTERING STORMWATER COLLECTION SYSTEMS. CONTRACTOR SHALL INSTALL AND MAINTAIN EROSION AND SEDIMENT CONTROL DURING CONSTRUCTION (ANY TIME OF YEAR) PER THE REQUIREMENTS OF "2018 OREGON STANDARD SPEC. FOR CONSTRUCTION" & THE "2018 OREGON STANDARD DRAWINGS", LANE COUNTY AND THE OREGON DEQ.
- ALL CONSTRUCTION AND MATERIALS SHALL CONFORM TO THE PLANS AND PROJECT SPECIFICATIONS.
- CONTRACTOR SHALL KEEP AND MAINTAIN A CURRENT SET OF DRAWINGS ON SITE. CONTRACTOR TO KEEP ACCURATE "AS-BUILT" RECORD COPY OF PLANS. "AS-BUILT" PLANS TO BE RETURNED TO OWNER AT COMPLETION OF PROJECT.
- CONTRACTOR SHALL MAINTAIN ACCESS TO ALL HOMES AND BUSINESSES AT ALL TIMES. PROVIDE WRITTEN NOTICE TO ALL PROPERTY OWNERS AT LEAST TWO BUSINESS DAYS IN ADVANCE OF WORK.
- CONTRACTOR SHALL NOTIFY CITY ENGINEER AND OWNER 48 HOURS BEFORE STARTING CONSTRUCTION, AND 24 HOURS BEFORE RESUMING WORK AFTER SHUTDOWNS EXCEPT FOR NORMAL RESUMPTION OF WORK FOLLOWING SATURDAY, SUNDAYS, OR HOLIDAYS. CONTRACTOR SHALL NOTIFY THE CITY ENGINEER A MINIMUM OF 48 HOURS PRIOR TO ANY TESTING OR REQUIRED INSPECTION.
- ANY ALTERATION OR VARIANCE FROM THESE PLANS, EXCEPT MINOR FIELD ADJUSTMENT NEEDED TO MEET EXISTING FIELD CONDITIONS, SHALL FIRST BE APPROVED BY THE CITY ENGINEER. ANY ALTERATIONS OR VARIANCE FROM THESE PLANS SHALL BE DOCUMENTED ON CONSTRUCTION FIELD PRINTS AND TRANSMITTED TO THE CITY ENGINEER. ANY PROPOSED CHANGES IN CONSTRUCTION PLANS MUST BE SUBMITTED IN WRITING AND APPROVED BY CITY ENGINEER PRIOR TO COMMENCING WORK.
- THE CONTRACTOR SHALL DISPOSE OF ALL REMOVED OR REPLACED MATERIAL AND EQUIPMENT IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS, EXCEPT THOSE ITEMS DESIGNATED BY THE OWNER FOR SALVAGED ITEMS SHALL REMAIN THE PROPERTY OF THE OWNER, AND SHALL BE CAREFULLY REMOVED AND STORED AS DIRECTED.
- WORK HOUR LIMITATIONS. ALL WORK SHALL BE CONDUCTED BETWEEN THE FOLLOWING HOURS:
 WEEKDAYS: 7 AM TO 6 PM OR DARKNESS, WHICHEVER IS EARLIEST.
- CONTRACTOR TO COORDINATE AND WORK WITH PROPERTY OWNERS.



Branch
ENGINEERING

civil • transportation
 structural • geotechnical
 SURVEYING
 510 5th Street
 Springfield, OR 97477
 p. 541.746.0637
 www.BranchEngineering.com
 branch@brancheng.com

**CITY OF COBURG SECONDARY WELLFIELD
 CONSTRUCTION PLANS**
 91430 STALLINGS LANE
 COBURG, OR
 97408

DATE: SEPTEMBER 11, 2020
 DRAWN BY: CM
 DESIGNED BY: CM
 PROJECT NO: 18-004C
 COVER SHEET

C1.0

RECEIVED

JAN 05 2022

OWRD



Handwritten notes: "New", "1/11/22", and "a" with a checkmark.

WELLFIELD CONSTRUCTION NOTES

- (100) CONSTRUCT MUNICIPAL WATER WELL PER DETAILS, SHEET C3.0.
- (101) FUTURE WELLFIELD ACCESS ROAD AND WELLHEAD PAD, CONSTRUCTED BY OTHERS.
- (102) FUTURE ACCESS ROAD GATE, CONSTRUCTED BY OTHERS.
- (103) FUTURE REINFORCED CONCRETE WELL SLAB, CONSTRUCTED TO TOP OF EXISTING GRADE AND TO DRAIN AWAY FROM WELL. CONSTRUCTED BY OTHERS.

LEGEND

- PROPERTY LINE
- - - RIGHT-OF-WAY CENTER LINE
- × × FENCE
- CONTOUR LINE
- 1 POWER POLE
- ASPHALT EDGE
- EXISTING BUILDING
- GRAVEL
- CONCRETE



RECEIVED

JAN 05 2022

OWRD



Branch
ENGINEERING

Civil • Transportation
Structural • Geotechnical
SURVEYING
810 SW 1st
Tomball, TX 77475
P: 281.748.8837
www.BranchEngineering.com
Tomball, TX • Albany, OR


CITY OF COBURG SECONDARY WELLFIELD
CONSTRUCTION PLANS
91430 STALLINGS LANE
COBURG, OR
97408

Revisions:

DATE: SEPTEMBER 11, 2020
DRAWN BY: CM
DESIGNED BY: CM
PROJECT NO: 18-004C
SITE PLAN

Sheet: C2.0

13888



1 TYPICAL ALLUVIAL WATER WELL
SCALE: N.T.S.

NOTES:

1. THE NEW MUNICIPAL WATER WELL DRILLING, CONSTRUCTION, TESTING AND USE SHALL ADHERE TO OAR 333-061-0050(2) & OAR 690-200 THRU 690-210 AND ORS 537.535-537.595.
2. IRON AND STEEL MATERIALS SHALL BE AMERICAN MADE. SEE PROJECT MANUAL FOR MORE INFORMATION.
3. NEW WELL SHALL BE DRILLED USING AIR ROTARY DRILL METHOD ONLY.
4. ALL BGS ELEVATIONS WILL BE DETERMINED AFTER INITIAL BOREHOLE IS DRILLED. DRILLER TO PROVIDE BELOW GROUND SURFACE STRATA TO CITY ENGINEER FOR ANALYSIS.
5. WELL TO BE INITIALLY DEVELOPED ONCE SCREENED CASING IS CONSTRUCTED AND A FINAL DEVELOPMENT POST CASING SEAL CONSTRUCTION.
6. WELL TO BE PUMP TESTED FOR YIELD AND DRAW DOWN POST FINAL DEVELOPMENT FOR A MINIMUM OF 24 HOURS. DRILLER TO PROVIDE RESULTS TO CITY ENGINEER. 400 GPM IS OPTIMAL YIELD, TEST PUMP CAPABLE OF APPROXIMATELY 800 GPM.

CITY OF COBURG SECONDARY WELLFIELD
CONSTRUCTION PLANS
91430 STALLINGS LANE
COBURG, OR
97408

Revised:

DATE: SEPTEMBER 11, 2020
DRAWN BY: CM
DESIGNED BY: CM
PROJECT NO: 18-004C
WELL
CONSTRUCTION
DETAIL
SHEET

C3.0

RECEIVED

JAN 05 2022

OWRD



13888

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

RECEIVED

JAN 05 2022

NOTE TO APPLICANTS

OWRD

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; OR
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and all of the following apply:
 - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
 - b) The application involves a change in place of use only;
 - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; and
 - d) The application involves irrigation water uses only.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

13888

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

RECEIVED
JAN 05 2022

OWRD

Applicant(s): City of Coburg

Mailing Address: 91136 N. Willamette Street (PO Box 8316)

City: Coburg

State: Oregon Zip Code: 97408

Daytime Phone: 541-682-7850

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
<u>16S</u>	<u>3W</u>	<u>20</u>	<u>SE, SE</u>	<u>All</u>	_____	☒ Diverted	☒ Conveyed	☒ Used	_____
<u>16S</u>	<u>3W</u>	<u>21</u>	<u>SW, SW</u>	<u>All</u>	_____	☒ Diverted	☒ Conveyed	☒ Used	_____
<u>16S</u>	<u>3W</u>	<u>28</u>	<u>NE, NW</u>	<u>All</u>	_____	☒ Diverted	☒ Conveyed	☒ Used	_____
<u>16S</u>	<u>3W</u>	<u>28</u>	<u>NW, NW</u>	<u>All</u>	_____	☒ Diverted	☒ Conveyed	☒ Used	_____

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Water will be diverted, conveyed, and used within the City of Coburg city limits and water use areas.

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water ☒ Water Right Transfer ☐ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License ☐ Allocation of Conserved Water ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 0.10 ☒ cubic feet per second ☐ gallons per minute ☐ acre-feet

Intended use of water: ☐ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☒ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

Certificate 44837 transfer

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

RECEIVED

JAN 05 2022

OWRD

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- ☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): LC 16.290(2)(u)
- ☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being pursued."

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

This LUCS is modifying an existing approved use; see local file #: 509-PA21-05396

Name: Gareth Warr Title: LAND Technician - Planning
 Signature: [Signature] Phone: 541-682-6655 Date: 11/2/21
 Government Entity: Lane County - Land Management Division

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____
 City or County: _____ Staff contact: _____
 Signature: _____ Phone: _____ Date: _____

RECEIVED

JAN 05 2022

OWRD

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
16S	3W	28	NW, NE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	28	SW, NE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	28	NE, SW	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	28	SE, SW	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	28	NW, SE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	28	SW, SE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	33	NW, NW	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	33	NE, NW	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	33	SW, NW	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	33	SE, NW	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	33	NW, NE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	33	SW, NE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	33	SE, NE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	33	NW, SW	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	33	NE, SW	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	33	NW, SE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	33	NE, SE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	33	SW, SE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	33	SE, SE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	29	SW, SE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	32	NW, NE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	32	NE, NE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	32	SE, NE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
16S	3W	32	SE, SE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
17S	3W	4	NW, NE	ALL		☒ Diverted	☒ Conveyed	☒ Used	
17S	3W	4	NE, NE	ALL		☒ Diverted	☒ Conveyed	☒ Used	

13888

GAINES Tim

From: HEATH Anne
Sent: Tuesday, November 23, 2021 4:53 PM
To: GAINES Tim
Subject: FW: Final step in Coburg Water Rights
Attachments: Extension_Permit_muni_quasi_form.pdf

RECEIVED

DEC 10 2021

OWRD

Tim, I sent you this email on the 15th. Unfortunately, they were not included in the check run.

Can you please prepare these checks as soon as possible so that we can get this filed.

Thank you,

Anne L. Heath
City Administrator
541-682-7871
Anne.heath@ci.coburg.or.us

From: HEATH Anne
Sent: Monday, November 15, 2021 2:31 PM
To: Tim Gaines <tgaines@ci.harrisburg.or.us>
Subject: FW: Final step in Coburg Water Rights

Please prepare checks as requested below to Oregon Water Resources. Should be charged to the well development in the Water Fund.

Anne L. Heath
City Administrator
541-682-7871
Anne.heath@ci.coburg.or.us

Department: Water
Account: 004-024-603200
Approved: [Signature]
Date: 12/1/2021

From: Brooke Shattuck [<mailto:brooke.4b@outlook.com>]
Sent: Monday, November 15, 2021 1:53 PM
To: HEATH Anne <anne.heath@ci.coburg.or.us>
Cc: Chris Morris <ChrisM@branchengineering.com>
Subject: Final step in Coburg Water Rights

Anne,

I have received (finally) the sign-off from Lane County. We are ready to submit to ORWD so all I need are the checks from the city made out to Oregon Water Resources. Once I receive the checks, I can get them mailed off within 24 hours. As they are still in COVID periodicals and everyone is working from home I can't make an

appt for a face to face at this time for submission. I have also attached the form for Permit G-13183 Extension of Time. I need the bottom signed. The day you signed I somehow missed this form.

For Cert 44837 transfer

\$125.00

Made out to:

Oregon Water Resources

Transfer Reimbursement Authority

\$1,840.00

Made out to:

Oregon Water Resources

For Cert 37211 transfer

\$125.00

Made out to:

Oregon Water Resources

Transfer Reimbursement Authority

\$1,840.00

Made out to:

Oregon Water Resources

For Permit G-13183 Extension of Time

\$775.00

Made out to:

Oregon Water Resources

Brooke Shattuck
4B Engineering & Consulting, LLC
503-580-8152



*****WARNING: This email has been sent from OUTSIDE the City of Coburg. Please proceed with caution*****

RECEIVED

DEC 10 2021

OWRD

GAINES Tim

From: HEATH Anne
Sent: Tuesday, November 23, 2021 4:53 PM
To: GAINES Tim
Subject: FW: Final step in Coburg Water Rights
Attachments: Extension_Permit_muni_quasi_form.pdf

RECEIVED

DEC 10 2021

OWRD

Tim, I sent you this email on the 15th. Unfortunately, they were not included in the check run.

Can you please prepare these checks as soon as possible so that we can get this filed.

Thank you,

Anne L. Heath
City Administrator
541-682-7871
Anne.heath@ci.coburg.or.us

From: HEATH Anne
Sent: Monday, November 15, 2021 2:31 PM
To: Tim Gaines <tgaines@ci.harrisburg.or.us>
Subject: FW: Final step in Coburg Water Rights

Please prepare checks as requested below to Oregon Water Resources. Should be charged to the well development in the Water Fund.

Anne L. Heath
City Administrator
541-682-7871
Anne.heath@ci.coburg.or.us

Department: Water
Account: 004-024-603200
Approved: [Signature]
Date: 12/1/2021

From: Brooke Shattuck [<mailto:brooke.4b@outlook.com>]
Sent: Monday, November 15, 2021 1:53 PM
To: HEATH Anne <anne.heath@ci.coburg.or.us>
Cc: Chris Morris <ChrisM@branchengineering.com>
Subject: Final step in Coburg Water Rights

Anne,

I have received (finally) the sign-off from Lane County. We are ready to submit to ORWD so all I need are the checks from the city made out to Oregon Water Resources. Once I receive the checks, I can get them mailed off within 24 hours. As they are still in COVID periodicals and everyone is working from home I can't make an

appt for a face to face at this time for submission. I have also attached the form for Permit G-13183 Extension of Time. I need the bottom signed. The day you signed I somehow missed this form.

For Cert 44837 transfer

\$125.00

Made out to:

Oregon Water Resources

Transfer Reimbursement Authority

\$1,840.00

Made out to:

Oregon Water Resources

For Cert 37211 transfer

\$125.00

Made out to:

Oregon Water Resources

Transfer Reimbursement Authority

\$1,840.00

Made out to:

Oregon Water Resources

For Permit G-13183 Extension of Time

\$775.00

Made out to:

Oregon Water Resources

Brooke Shattuck

4B Engineering & Consulting, LLC

503-580-8152

*****WARNING: This email has been sent from OUTSIDE the City of Coburg. Please proceed with caution*****

RECEIVED

DEC 10 2021

OWRD

Application for Permanent Water Right Transfer

Part 1 of 5 – Minimum Requirements Checklist



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

Check all items included with this application. (N/A = Not Applicable)

- ☐ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Transfer Application Map Checklist.
- ☒ Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator. If you have questions, call Customer Service at (503) 986-0801.
- ☒ Part 4 – Completed Applicant Information and Signature.
- ☒ Part 5 – Information about Water Rights to be Transferred: How many water rights are to be transferred? 1 List them here: 44837
Please include a separate Part 5 for each water right. (See instructions on page 6)
- Attachments:**
- ☒ Completed Transfer Application Map.
- ☒ Completed Evidence of Use Affidavit and supporting documentation.
- ☐ ☒ N/A Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the land the water right is on.)
- ☐ ☒ N/A Supplemental Form D – For water rights served by or issued in the name of an irrigation district. Complete when the transfer applicant is not the irrigation district.
- ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if all of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.
- ☐ ☒ N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500' from the surface water source and more than 1000' upstream or downstream from the point of diversion. See OAR 690-380-2130 for requirements and applicability.

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

- | | |
|--|--|
| ☐ Application fee not enclosed/insufficient | ☐ Map not included or incomplete |
| ☐ Land Use Form not enclosed or incomplete | ☐ Evidence of Use Form not enclosed or incomplete |
| ☐ Additional signature(s) required | ☐ Part _____ is incomplete |

Other/Explanation _____

Staff: _____ 503-986-0 _____

Date: ____/____/____

Oregon Water Resources Department
Transfer Fee Calculation for Permanent (Non-District) Transfer

[Main](#) [Help](#)
[Return](#) [Contact Us](#)

Today's Date: Monday, November 15, 2021

Fee Calculation

Base Fee (includes one type of change to one water right for up to 1 cfs)

\$1,360.00

Fill in information below— Check each box that applies.

Types of Change Proposed:

☐ Place of Use☐ Point of Diversion (POD)/Appropriation (POA); and/or Additional POD/POA; and/or SW POD to GW POD☐ Character of Use

\$0.00

Enter total number of water rights included in transfer.

\$0.00

☐ Check this box if you propose to add or change a well, or change from a surface water POD to a well.

\$480.00

Enter total number of groundwater wells (POAs) included in transfer.

\$0.00

☐ Check this box if you propose to change the place of use or character of use for a NON-irrigation right.☐ Check this box if you propose to change the place of use or character of use for an irrigation right.

Total Transfer CFS(rounded up to the next whole cfs):

Subtotal:

\$1,840.00

Check each box that applies.

☐ The transfer is necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932.☐ The transfer is endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat.

Discount:

Transfer Fee:

\$1,840.00

[Return to Edit](#) [Clear](#)

[illegible]

1. For irrigation calculate cfs for each water right involved as follows:
 - a. Divide total authorized cfs by total acres in the water right (for C12345, 1.25 cfs +100 ac; then multiply by the number of acres to be transferred to get the transfer cfs ($\times 45 \text{ ac} = 0.56 \text{ cfs}$).
 - b. If the water right certificate does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For C87654, 45.0 ac $\times 0.0125 \text{ cfs/ac} = 0.56 \text{ cfs}$)
2. Add cfs for the portions of water rights on all the land included in the transfer; however do not count cfs for supplemental rights on acreage for which you have already calculated the cfs fee for the primary right on the same land. The fee should be assessed only once for each "on the ground" acre included in the transfer. (In this example, blank 5a would be only 0.56 cfs, since both rights serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0).

FEE WORKSHEET for SUBSTITUTION			
1	Base Fee (includes change to one well)	1	\$840.00
	Number of wells included in substitution _____ (2a)		
	Subtract 1 from the number in 2a above: _____ (2b) <i>If only one well this will be 0</i>		
2	Multiply line 2b by \$410 and enter » » » » » » » » » » » » » » » »	2	
3	Add entries on lines 1 through 2 above » » » » » » Fee for Substitution:	3	

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME City of Coburg, Oregon		PHONE NO. 541-682-7850	ADDITIONAL CONTACT NO.
ADDRESS 91136 N. Willamette Street (PO Box 8316)		FAX NO.	
CITY Coburg	STATE OR	ZIP 97408	E-MAIL
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.			

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME 4B Engineering & Consulting, LLC		PHONE NO. 503-580-8152	ADDITIONAL CONTACT NO.
ADDRESS 4454 71 st Ave SE		FAX NO.	
CITY Salem	STATE OR	ZIP 97317	E-MAIL brooke.4b@outlook.com
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.			

Explain in your own words what you propose to accomplish with this transfer application, and why:

Transfer of water right from abandoned Well #1 to new Wells #1-3.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

Check One Box

- ☐ By signing this application, I understand that, upon receipt of the draft preliminary determination and prior to Department approval of the transfer, I will be required to provide landownership information and evidence that I am authorized to pursue the transfer as identified in OAR 690-380-4010(5); OR
- ☒ I affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; OR
- ☐ I affirm the applicant is an entity with the authority to condemn property and is acquiring by condemnation the property to which the water right proposed for transfer is appurtenant and have supporting documentation.

By my signature below, I confirm that I understand:

- Prior to Department approval of the transfer application, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: The Register Guard.
- Amendments to the application may only be made in response to the Department's Draft Preliminary Determination (DPD). The applicant will have a period of at least 30 days to amend the application to address any issues identified by the Department in the DPD, or to withdraw the application. Note that amendments may be subject to additional fees, pursuant to ORS 536.050.
- Failure to complete an approved change in place of use and/or change in character of use, will result in loss of the water right (OAR 690-380-6010).

I (we) affirm that the information contained in this application is true and accurate.



Applicant signature

Anne Heath
Print Name (and Title if applicable)

December 20, 2020
Date

Applicant signature

Print Name (and Title if applicable)

Date

Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located? ☒ Yes ☐ No If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the water right(s) were conveyed.

Check the following boxes that apply:

- ☒ The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- ☐ The receiving landowner will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to this landowner.
- ☐ Both the receiving landowner and applicant will be responsible for completion of change(s). Copies of notices and correspondence should be sent to this landowner and the applicant.

At this time, are the lands in this transfer application in the process of being sold? ☐ Yes ☒ No

If YES, and you know who the new landowner will be, please complete the receiving landowner information table below. If you do not know who the new landowner will be, then a request for assignment will have to be filed for at a later date.

If a property sells, the certificated water right(s) located on the land belong to the new owner, unless a sale agreement or other document states otherwise. For more information see:

https://www.oregon.gov/owrd/WRDFormsPDF/Transfer_Property_Transactions.pdf

RECEIVING LANDOWNER NAME			PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS				FAX NO.
CITY	STATE	ZIP	E-MAIL	

Describe any special ownership circumstances here: _____

- ☐ Check here if any of the water rights proposed for transfer are or will be located within or served by an irrigation or other water district. (Tip: Complete and attach Supplemental Form D.)

IRRIGATION DISTRICT NAME	ADDRESS	
CITY	STATE	ZIP

- ☐ Check here if water for any of the rights supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP



To meet State Land Use Consistency Requirements, you must list all county, city, municipal corporation, or tribal governments within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME	ADDRESS	
Lane County, Oregon	3050 N. Delta Hwy	
CITY	STATE	ZIP
Eugene	OR	97408

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

INSTRUCTIONS for editing the Application Form

To add additional lines to tables within the forms or to copy and paste additional Part 5 pages, please **save the application form to your computer**. Unlock the document by using one of the following instructions for your Microsoft Word software version:

Microsoft Word 2003

Unlock the document by one of the following:

- Using the **Tools** menu => click **Unprotect Document**;
- OR
- Using the **Forms** toolbar => click on the **Protect/Unprotect** icon.

To relock the document to enable the checkboxes to work, you will need to:

- Using the **Tools** menu => click **Protect Document**;
- OR
- Using the **Forms** toolbar => click on the **Protect/Unprotect** icon.

Microsoft Word 2007

- Unlock the document by clicking the **Review** tab, then click **Protect Document**, then click **Stop Protect**
- To relock the document, click **Editing Restrictions**, then click **Allow Only This Type of Editing**, select **Filling In Forms** from the drop-down menu, then check **Yes, Start Enforcing Protection**.

Microsoft Word 2010

- Unlock the document by clicking the **Review** tab; toggle the **Restrict Editing** icon at the upper right, then click **Stop Protect** at the bottom right. Then uncheck the "Allow only this type of editing in the document: **Filling in forms**" in the "Editing restrictions" section on the right-hand list of options.
- To relock the document, check the **Editing Restrictions/Allow Only This Type of Editing/Filling In Forms** box from the drop-down menu, then check **Yes, Start Enforcing Protection**. You do not need to assign a password for the editing restrictions.

Other Alternatives:

- Photocopy pages or tables in Part 5, ~~mark through~~ any non-applicable information, insert/attach photocopied pages to document in the appropriate location, and manually amend page numbers as necessary (e.g. Page 5 6 of 9 10).
- You may refer to additional attachments that you may include, such as separately produced tables or spreadsheets to convey large numbers of rows of place of use listings, owner/property parcels, etc. You may contact the Department at 503-986-0900 and ask for Transfer Staff if you have questions.

Once the application has been unlocked, you may:

- add additional rows to tables using the **Table** tools, and
- select and copy the pages of Part 5 and paste as many additional sets of Part 5 pages as needed at the end of the application.

After editing, re-lock the document to enable checkboxes to work.

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # **44837**

Description of Water Delivery System

System capacity: **0.10** cubic feet per second (cfs) OR
_____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Municipal water is delivered through waterlines within the service limits.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or Is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # 1 -)	Twp	Rng	Sec	N, S, E, W	Lot, DLC, or Gov't Lot	Measured Distances (from a recognized survey corner)
Abandoned Well #1	☒ Authorized ☐ Proposed	LANE 7456	16 S	3 W	29	NE NE		351'-0" South and 1,080'-7" West from the NE corner of Section 29.
New Well #1	☐ Authorized ☒ Proposed	LANE 68362	16 S	3 W	32	NE SE		1,746'-8" North and 1,080'-1" West from the SE corner of Section 32.
New Well #2	☐ Authorized ☒ Proposed	LANE 7553	16 S	3 W	32	NE SE		1,937'-7" North and 1,030'-3" West from the SE corner of Section 32.
New Well #3	☐ Authorized ☒ Proposed	TBD-NOT DRILLED YET	16 S	3 W	29	NE SW		1,910'-10" North and 3,002'-8" West from the SE corner of Section 29.

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| ☐ Place of Use (POU) | ☐ Supplemental Use to Primary Use (S to P) |
| ☐ Character of Use (USE) | ☒ Point of Appropriation/Well (POA) |
| ☐ Point of Diversion (POD) | ☐ Additional Point of Appropriation (APOA) |
| ☐ Additional Point of Diversion (APOD) | ☐ Substitution (SUB) |
| ☐ Surface Water POD to Ground Water POA (SW/GW) | ☐ Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- ☒ Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- ☐ No Complete all of Table 2 to describe the portion of the water right to be changed.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

[illegible]

Additional remarks: _____.

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? ☒ Yes ☐ No

If YES, list the certificate, water use permit, or ground water registration numbers: 37211.



Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # _____;

Surface water primary Certificate # _____.

For a change from Supplemental Irrigation Use to Primary Irrigation Use

Identify the primary certificate to be cancelled. Certificate # _____

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- ☒ Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:

http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

- ☒ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If no existing well, OWRD Well ID Tag No. L-_____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened Intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right
Abandon Well #1	Yes	LANE 7456	201'	12"	0'-201.4'	30'	35'-94'	5'-4"	Sand and gravel	300 GPM
New Well #1	Yes	LANE 68362	194'	12"	0'-194'		110'-167'	9.5	Sand and gravel	475 GPM
New Well #2	Yes	LANE 7553	200'	10"	+2'-84' 101'-122' 167'-200'	74'	85'-99' 120'-167'	23'	Sand and gravel	475 GPM

New Well #3	No	N/A	Unknown	12"	Unknown	60'	Unknown	Unknown	Sand and gravel	Unknown
----------------	----	-----	---------	-----	---------	-----	---------	---------	--------------------	---------



Contact Information (Click to Collapse...)

▼ Current contact information

OWNER:
CITY OF COBURG
BOX 328 CITY HALL
COBURG, OR 97401

Water Right Information (Click to Collapse...)

Status: Non-Cancelled
County: Lane
File Folder Location: Salem
Watermaster District: 2

Scanned Documents (Click to Expand...)

Point(s) of Diversion (Click to Collapse...)

► POD 1 - WELL NO 4 > MCKENZIE RIVER

Place(s) of Use (Click to Collapse...)

► Use - MUNICIPAL USES
(Primary); Priority Date: 3/18/1968

Water Right Genealogy (Click to Collapse...)

-No genealogy records available for this water right, try the family link below instead.

[View Water Rights in same Family](#) [Report Errors with Water Right Data](#)

Workflow (Click to Collapse...)

► Application: G 4283
► Permit: G 4032 document, paper map
▼ Certificate: 44837 document, paper map
► Signature: 10/17/1977
► Type: Original
► [View right with Web Mapping](#)
► [View Places of Use from Water Rights in the Same Area](#)
► [View Reported Water Use](#)

[Add TRS grouping](#)

RECEIVED
DEC 11 1967
STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 44937

Permit No. G-4032

APPLICATION FOR A PERMIT

RECEIVED
JAN 16 1968
STATE ENGINEER
SALEM, OREGON

To Appropriate the Ground Waters of the State of Oregon

I, City of Goshburg
of City Hall, Goshburg, county of Lane
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

June 1906, Goshburg, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated McKenzie River

(Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.67 cubic
feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is municipal

4. The well or other source is located 77 ft. N and 74 ft. E from the SW
corner of the N. A. Davis DLG No. 41 (the well is approximately
351 feet South and 1121 feet West of the N. E. corner of Section 29)
(If preferably, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheets if necessary.)

being within the NE 1/4 of the NE 1/4 of Sec. 29, Twp. 16S, R. 3W,
W. M., in the county of Lane

5. The Pipeline to be 0.05 miles
in length, terminating in the NE 1/4 of the NE 1/4 of Sec. 29, Twp. 16S,
R. 3W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Goshburg Well No. 3 (Bears)

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of one drilled well having a
diameter of 12 inches and an estimated depth of 201 feet. It is estimated that 201
feet of the well will require 0.25 inch casing. Depth to water table is estimated 6 feet
on November 4, 1967.

MUNICIPAL SUPPLY-

12. To supply the city of Geburg
 in Lane county, having a present population of 900
 and an estimated population of 6850 in 1975

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 10,000
 began
 15. Construction work started on or before October 8, 1961
 was
 16. Construction work completed on or before July 1, 1964
 was
 17. The water was completely applied to the proposed use on or before July 1, 1964

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant Certificates GR-1197 and GR-1198, Permit G-1580, and application for permit for Geburg Well No. 4.

City of Geburg
Raleigh E. Manly, Mayor

Remarks:

The well was drilled, the pump installed and the water appropriated in 1963 and 1964.

STATE OF OREGON, }
 County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____

WITNESS my hand this _____ day of _____, 19____

STATE ENGINEER

By _____
 ASSISTANT

State Permit No. _____

(USE ADDITIONAL SHEETS IF NECESSARY)

LANE0007456

https://apps.wrd.state.or.us/apps/gw/gw_info/gw_info_report/gw_details.aspx?gw_site_i...

Oregon Water Resources Department
Groundwater Information System

Groundwater Site: LANE 7456


[Main](#) [Help](#)
[Return](#) [Contact Us](#)

Site Identification [\(Click to Collapse...\)](#)

GW LogID: LANE 7456 [Well Log Database](#)
GW Well Tag Number:
Tag Verified on Well: No
Site Type: WELL
Primary Use: PUBLIC SUPPLY
Unused Status:
Site Source Organization:
Site Source OWRD:
Established By: KARL WOZNIAK
Established Date: 11/21/2001
Bonded Company:
Stage: COMPLETE

Location [\(Click to Collapse...\)](#)

Latitude/Longitude
Latitude: 44.15560500 Horiz. Error: 25.00
Longitude: -123.07161900 Datum: WGS1984
Lat/Long Source: MAP 24K
Location
TRSOQ: WM 16 0053 00W29NENE
Tax Map:
Taxlot:
24 Quad: COBURG
Basin: 2 - Willamette
County: Lane
WM District: 2
WM Region: NW
LSD Elev: 365.00 Accy: 10.00 Datum: NGVD1929
Elev Source:
[Groundwater Mapping Tool](#)



Water Rights [\(Click to Collapse...\)](#)

Water Right PODs											
POD	WRS Details	Application	Permit	Cost	Transfers	Claim	Supplemental	Priority Date	Season of Use	Max Rate cfs	Rate cfs
POD 1: WELL NO. 4 - MCKENNA RIVER	WRS	G 4283	G 4032	44837				3/18/1968	1/1 - 12/31	0.100	0.100
											WM16.0053.00W29NENE

Well Construction History [\(Click to Collapse...\)](#)

Well Construction History											
Well Log ID	Well Log	Work Type	Start/End	Well Tag	Owner Name	First Water	Max Case Depth	Max Seal Depth	Max Depth	Completed Depth	Complete Date
LANE 7456	Log	NEW			CITY OF COBURG		12	201.40	30.00	201.00	11/3/1963
Well Log	Aquifer		At Max Depth		System Aquifer		Regional USGS Aquifer		Local USGS Aquifer		
LANE 7456	Quaternary-Late Tertiary sediment Aq		Quaternary-Late Tertiary sediment Aq		Quaternary-Late Tertiary Sediment Aquifers						

Well Test					
Well Log	Test Type	Yield (gpm)	Drawdown	Duration (hr)	Calculated Specific Capacity (gpm/ft)
LANE 7456	Pump	300.0	59.0	5.0	5.08


Lithology [\(Click to Collapse...\)](#)

Lithology					
Start Depth	End Depth	Prim. Lithology	Lithology Desc.	Water Bearing Zone	Water Bearing Zone Wt
0.00	4.00	Soil	Soil		
4.00	30.00	Gravel	Gravel & Clay		
30.00	33.00	Sand	Sand & Gravel		
33.00	35.00	Sand	Sand & Gravel		

LANE0007456

https://apps.wrd.state.or.us/apps/gw/gw_info/gw_info_report/gw_details.aspx?gw_site_i...

35.00	50.00 Sand	Sand & Gravel
50.00	51.00 Clay	Clay & Sand
51.00	66.00 Gravel	Cemented Gravel
66.00	94.00 Sand	Sand & Gravel
94.00	106.00 Sand	Sand & Clay
106.00	120.00 Clay	Yellow Clay
120.00	166.00 Clay	Blue Clay
166.00	201.00 Clay	Clay



Measured Water Level

(Click to Collapse...)

Records/Page: 20 Find

Measured Water Level

Date	Time	Water Level (BLSD)	W.L. Elev. (BAMS)	Organization	OWRD	Method	Status	MP Height
11/4/1963			5.33	379.67 DRILLER	WELL LOG	REPORTED	STATIC	

Available Data

(Click to Collapse...)

Aquifer Test Completed	Water Chemistry	OWRD Recorder:
Geophysical Log Completed	Flowing Well	Other OWRD Recorder
	Saline	
	Rock Geochemistry	

LANE0007456

https://apps.wrd.state.or.us/apps/gw/gw_info/gw_info_report/gw_details.aspx?gw_site_i...

Other Identifiers

(Click to Collapse...)

Other Identifiers				
Identify Name	Identify	Is Duplicate	Description	Link
OWRD GWR C14	161/C3W-29AA8		Frank, J.F. and Johnson, H.A., 1970, Selected ground-water data in the Eugene-Springfield area, southern Willamette Valley, Oregon, State of Oregon, Ground Water Report No. 14.	
USGS SITE ID	440921123041001		U.S. Geological Survey Siteid	Report

New
Well #1

94517

RECEIVED

MAY 29 2011

WATER RESOURCES DEPT
SALEM, OREGON

SOURCE OF DATA INFO Department
Files, Walling LANE 7523 Am wall #2
and down hole video

COMPILED BY: Marc A Norton

DATE: Aug 24, 2009

11/15/2000

I 11252

LANE 7553



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301-1266
(503) 946-0900
www.wrd.state.or.us

Application for
Well ID Number

L 94516

4-4-08 by MM

Log Lane 7553

Do not complete if the well already has a Well ID Number.

I. OWNER INFORMATION

Current Owner Name (please print): City of Coburg Public Works
Mailing Address: P.O. Box 8316
City, State, Zip: Coburg OR 97408
Mailing Address (to send Well ID): _____
City, State, Zip: _____

II. WELL INFORMATION (Do not complete this section if the well report is attached.)

Township: 16 S (North/South) Range: 3 W (East/West) Section: 32
Tax Lot: 2002 County: Lane NE 1/4 SE 1/4
Street Address of Well, City: Funk Rd.
Owner at time the well was constructed, (if known): City
If the property had a different street address in the past: _____

III. GENERAL WELL INFORMATION (Do not complete this section if the well report is attached.)

Use of Well (domestic, irrigation, commercial, industrial, monitoring): _____
Date Well Constructed: _____ Total Well Depth: _____ Casing Diameter: _____
Other Information: 44.13284, -123.07029 by M. Norton
2-6 casing at above cement floor & GL

SUBMITTED BY (please print): Michael Mattick
PHONE: _____ District 2 Watermaster
220 5th St.
Springfield, Oregon 97477

Send application to Oregon Water Res. site A; Salem, Oregon 97301-1266;
fax (503) 946-0902. Applications are processed and Well ID Numbers are mailed every Tuesday.

RECEIVED


APR 15 2008

WATER RESOURCES DEPT
SALEM OREGON

Last Updated: 8/21/2007

Well ID Number/L

WCC



SHEET INDEX
 C1.0 COVER & NOTES
 C2.0 SITE PLAN
 C3.0 WELL CONSTRUCTION DETAILS



GRAPHIC SCALE
 0 1000 2000

UTILITY REPRESENTATIVES:

WATER - CITY OF COBURG 541-912-8291
 SEWER - LAKE SANITARIAN 541-682-3734
 ELECTRIC - EPUD 541-746-1563
 GAS - NW NATURAL 503-220-2427
 FIRE - COBURG RURAL FIRE 541-686-1573
 TELEPHONE - CENTURY LINK 541-484-7796

CML ENGINEER:

BRANCH ENGINEERING, INC.
 310 5TH STREET
 SPRINGFIELD, OR 97477
 CONTACT: DAMIEN GILBERT, P.E.
 CHRIS MORRIS, E.I.T.
 PHONE: (541) 746-0537

OWNER:

THE CITY OF COBURG
 91136 N. WILKINETTE STREET
 COBURG, OR 97408
 CONTACT: BRIAN HARMON
 PHONE: (541) 220-8281

GENERAL CONSTRUCTION NOTES:

- WELL DRILLING CONTRACTOR'S ACCESS SHALL BE PER THE DEFINED WELLFIELD ACCESS ROAD ONLY.
- WELL DRILLING CONTRACTOR SHALL REMOVE ALL MUD, SEDIMENT AND DRILLING TAILINGS AND DISPOSE OF PER CITY ENGINEER'S RECOMMENDATIONS AND OAR REGULATIONS.
- ALL WORK SHALL MEET THE FOLLOWING SPECIFICATIONS "2018 OREGON STANDARD SPECIFICATIONS FOR CONSTRUCTION" AND THE "2018 OREGON STANDARD DRAWINGS".
- THE LOCATION UTILITIES SHOWN ON THE PLANS IS APPROXIMATE. THE CONTRACTOR SHALL CALL THE "ONE-CALL" UTILITY LOCATION NUMBER, 1-800-332-2344, FOR FIELD LOCATION AND DEPTH BEFORE EXCAVATING.
- OREGON LAW REQUIRES THE CONTRACTOR TO FOLLOW RULES ADOPTED BY OREGON UTILITY NOTIFICATION CENTER. THOSE RULES ARE SET FORTH IN OAR 952-001-0310 THROUGH OAR 952-001-0390. THE CONTRACTOR MAY OBTAIN COPIES OF THE RULES BY CALLING THE CENTER. (NOTE: THE TELEPHONE NUMBER FOR THE OREGON UTILITY NOTIFICATION CENTER IS (503) 232-1567).
- CONTRACTOR SHALL FIELD VERIFY UNDERGROUND FACILITIES DURING THE CONSTRUCTION PERIOD. CONTRACTOR SHALL BE HELD RESPONSIBLE FOR THE CORRECTION OF ANY UNDERGROUND UTILITY FACILITIES DAMAGED BY CONTRACTOR'S WORK.
- THE CONTRACTOR SHALL COMPLY WITH ALL REQUIREMENTS OF ORS 757.541 TO 757.571. THE CONTRACTOR SHALL NOTIFY EACH UNDERGROUND UTILITY AT LEAST 48 BUSINESS-DAY HOURS, BUT NOT MORE THAN 10 BUSINESS DAYS, PRIOR TO EXCAVATING, BORING, OR POTHOLING.
- RESTORE ALL DISTURBED AREAS TO PRE-CONSTRUCTION CONDITIONS AND PERMANENTLY STABILIZE ALL AREAS DISTURBED DURING THE COURSE OF THE PROJECT.
- CONTRACTOR SHALL OBTAIN ALL NECESSARY LOCAL, COUNTY, AND STATE PERMITS REQUIRED FOR DRILLING A WELL.
- CONTRACTOR SHALL EMPLOY EROSION CONTROL MEASURES AS NECESSARY TO PREVENT SEDIMENT FROM ENTERING STORMWATER COLLECTION SYSTEMS. CONTRACTOR SHALL INSTALL AND MAINTAIN EROSION AND SEDIMENT CONTROL DURING CONSTRUCTION (ANY TIME OF YEAR) PER THE REQUIREMENTS OF "2018 OREGON STANDARD SPEC. FOR CONSTRUCTION" & THE "2018 OREGON STANDARD DRAWINGS", LAKE COUNTY AND THE OREGON DEQ.
- ALL CONSTRUCTION AND MATERIALS SHALL CONFORM TO THE PLANS AND PROJECT SPECIFICATIONS.
- CONTRACTOR SHALL KEEP AND MAINTAIN A CURRENT SET OF DRAWINGS ON SITE. CONTRACTOR TO KEEP ACCURATE "AS-BUILT" RECORD COPY OF PLANS. "AS-BUILT" PLANS TO BE RETURNED TO OWNER AT COMPLETION OF PROJECT.
- CONTRACTOR SHALL MAINTAIN ACCESS TO ALL HOMES AND BUSINESSES AT ALL TIMES. PROVIDE WRITTEN NOTICE TO ALL PROPERTY OWNERS AT LEAST TWO BUSINESS DAYS IN ADVANCE OF WORK.
- CONTRACTOR SHALL NOTIFY CITY ENGINEER AND OWNER 48 HOURS BEFORE STARTING CONSTRUCTION, AND 24 HOURS BEFORE RESUMING WORK AFTER SHUTDOWNS EXCEPT FOR NORMAL RESUMPTION OF WORK FOLLOWING SATURDAY, SUNDAYS, OR HOLIDAYS. CONTRACTOR SHALL NOTIFY THE CITY ENGINEER A MINIMUM OF 48 HOURS PRIOR TO ANY TESTING OR REQUIRED INSPECTION.
- ANY ALTERATION OR VARIANCE FROM THESE PLANS, EXCEPT MINOR FIELD ADJUSTMENT NEEDED TO MEET EXISTING FIELD CONDITIONS, SHALL FIRST BE APPROVED BY THE CITY ENGINEER. ANY ALTERATIONS OR VARIANCE FROM THESE PLANS SHALL BE DOCUMENTED ON CONSTRUCTION FIELD PRINTS AND TRANSMITTED TO THE CITY ENGINEER. ANY PROPOSED CHANGES IN CONSTRUCTION PLANS MUST BE SUBMITTED IN WRITING AND APPROVED BY CITY ENGINEER PRIOR TO COMMENCING WORK.
- THE CONTRACTOR SHALL DISPOSE OF ALL REMOVED OR REPLACED MATERIAL AND EQUIPMENT IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS. EXCEPT THOSE ITEMS DESIGNATED BY THE OWNER FOR SALVAGED ITEMS SHALL REMAIN THE PROPERTY OF THE OWNER, AND SHALL BE CAREFULLY REMOVED AND STORED AS DIRECTED.
- WORK HOUR LIMITATIONS. ALL WORK SHALL BE CONDUCTED BETWEEN THE FOLLOWING HOURS:
 WEEKDAYS: 7 AM TO 6 PM OR DARKNESS, WHICHEVER IS EARLIEST.
- CONTRACTOR TO COORDINATE AND WORK WITH PROPERTY OWNERS.



CITY OF COBURG SECONDARY WELLFIELD CONSTRUCTION PLANS
 91430 STALLINGS LANE
 COBURG, OR 97408

DATE: SEPTEMBER 11, 2025
 DRAWN BY: CM
 CHECKED BY: CM
 PROJECT: COBURG
 SHEET: COVER SHEET

C1.0


Handwritten note:
 2
 #1/10m
 CM

WELLFIELD CONSTRUCTION NOTES

- (100) CONSTRUCT MUNICIPAL WATER WELL PER DETAILS, SHEET C3.0.
- (101) FUTURE WELLFIELD ACCESS ROAD AND WELLHEAD PAD, CONSTRUCTED BY OTHERS.
- (102) FUTURE ACCESS ROAD GATE, CONSTRUCTED BY OTHERS.
- (103) FUTURE REINFORCED CONCRETE WELL SLAB, CONSTRUCTED TO TOP OF EXISTING GRADE AND TO DRAIN AWAY FROM WELL, CONSTRUCTED BY OTHERS.

LEGEND

- PROPERTY LINE
- RIGHT-OF-WAY CENTER LINE
- FENCE
- CONTOUR LINE
- POWER POLE
- ASPHALT EDGE
- EXISTING BUILDING
- GRAVEL
- CONCRETE



Branch
ENGINEERING
INC.

CITY OF COBURG SECONDARY WELLFIELD
CONSTRUCTION PLANS
91410 STALLINGS LANE
COBURG, OR
97408



DATE: SEPTEMBER 11, 2020
DRAWN BY: CH
CHECKED BY: CH
SCALE: AS SHOWN
SHEET: SITE PLAN

C2.0

Application for Water Right Transfer Evidence of Use Affidavit



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing.
Supporting documentation must be attached.

State of Oregon)
) ss
County of LANE)

I, ANNE HEATH, in my capacity as CITY ADMINISTRATOR FOR CITY OF COBURG,
mailing address 91136 N. WILLAMETTE STREET (PO BOX 8316) COBURG, OREGON 97408
telephone number (541)682-7850, being first duly sworn depose and say:

1. My knowledge of the exercise or status of the water right is based on (check one):

☒ Personal observation ☐ Professional expertise

2. I attest that:

☐ Water was used during the previous five years on the **entire** place of use for
Certificate # ____; OR

☐ My knowledge is specific to the use of water at the following locations within the last five years:

Certificate #	Township	Range	Mer	Sec	1/4 1/4	Gov't Lot or DLC	Acres (if applicable)

OR

- ☐ Confirming Certificate # ____ has been issued within the past five years; OR
- ☐ Part or all of the water right was leased instream at some time within the last five years. The
instream lease number is: ____ (Note: If the entire right proposed for
transfer was not leased, additional evidence of use is needed for the portion not leased instream.); OR
- ☐ The water right is not subject to forfeiture and documentation that a presumption of forfeiture for
non-use would be rebutted under ORS 540.610(2) is attached.
- ☒ Water has been used at the actual current point of diversion or appropriation for more than
10 years for Certificate # 44837 (For Historic POD/POA Transfers)


(continues on reverse side)

3. The water right was used for: (e.g., crops, pasture, etc.): MUNICIPAL WATER USE
4. I understand that if I do not attach one or more of the documents shown in the table below to support the above statements, my application will be considered incomplete.

[Signature]
Signature of Affiant

DECEMBER 11, 2020
Date

Signed and sworn to (or affirmed) before me this 11 day of Dec, 2021.



Brooke C Blakemore
Notary Public for Oregon

My Commission Expires: April 1, 2023

Supporting Documents	Examples
☐ Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate) ☐ Copies of receipts from sales of irrigated crops or for expenditures related to use of water	Copy of confirming water right certificate that shows issue date • Power usage records for pumps associated with irrigation use • Fertilizer or seed bills related to irrigated crops • Farmers Co-op sales receipt
☐ Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	• District assessment records for water delivered • Crop reports submitted under a federal loan agreement • Beneficial use reports from district • IRS Farm Usage Deduction Report • Agricultural Stabilization Plan • CREP Report
☐ Aerial photos containing sufficient detail to establish location and date of photograph	Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added. Sources for aerial photos: OSU – www.oregonexplorer.info/imagery OWRD – www.wrd.state.or.us Google Earth – earth.google.com TerraServer – www.terra-server.com
☐ Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

NOTE TO APPLICANTS

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; OR
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and all of the following apply:
 - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
 - b) The application involves a change in place of use only;
 - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; and
 - d) The application involves irrigation water uses only.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Applicant(s): City of Coburg

Mailing Address: 91136 N. Willamette Street (PO Box 8316)

City: Coburg

State: Oregon Zip Code: 97408

Daytime Phone: 541-682-7850

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	1/4 1/4	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
16S	3W	20	SE, SE	All	_____	☒ Diverted	☒ Conveyed	☒ Used	_____
16S	3W	21	SW, SW	All	_____	☒ Diverted	☒ Conveyed	☒ Used	_____
16S	3W	28	NE, NW	All	_____	☒ Diverted	☒ Conveyed	☒ Used	_____
16S	3W	28	NW, NW	All	_____	☒ Diverted	☒ Conveyed	☒ Used	_____

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Water will be diverted, conveyed, and used within the City of Coburg city limits and water use areas.

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water ☒ Water Right Transfer ☐ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License ☐ Allocation of Conserved Water ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 0.10 ☒ cubic feet per second ☐ gallons per minute ☐ acre-feet

Intended use of water: ☐ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☒ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

Certificate 44837 transfer

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- ☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): LC 16.290(2)(u)
- ☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being pursued."

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

This LUC is modifying an existing approved use; see local file #: 509-PA21-05396

Name: Careth Warr Title: LMD Technician - Planning
 Signature: [Signature] Phone: 941-682-6355 Date: 11/2/21
 Government Entity: Lane County - Land Management Division

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____
 City or County: _____ Staff contact: _____
 Signature: _____ Phone: _____ Date: _____

[illegible]

Oregon Water Resources Department
Transfer Fee Calculation for Permanent (Non-District) Transfer[Main](#) [Help](#)
[Return](#) [Contact Us](#)

Today's Date: Monday, November 15, 2021

Fee Calculation

Base Fee (includes one type of change to one water right for up to 1 cfs)

\$1,360.00

Fill in information below-- Check each box that applies.

Types of Change Proposed:

- ☐ Place of Use
- ☒ Point of Diversion (POD)/Appropriation (POA); and/or Additional POD/POA; and/or SW POD to GW POD
- ☐ Character of Use

\$0.00

Enter total number of water rights included in transfer.

1

\$0.00

☒ Check this box if you propose to add or change a well, or change from a surface water POD to a well.

\$480.00

Enter total number of groundwater wells (POAs) included in transfer.

1

\$0.00

☐ Check this box if you propose to change the place of use or character of use for a NON-irrigation right.☐ Check this box if you propose to change the place of use or character of use for an irrigation right.

Total Transfer CFS(rounded up to the next whole cfs):

Subtotal:

\$1,840.00

Check each box that applies.

- ☐ The transfer is necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932.
- ☐ The transfer is endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat.

Discount:

Transfer Fee:


\$1,840.00

[Return to Edit](#) [Clear](#)

RECEIVED

JAN 05 2022

OWRD



APPLICATION: G-4283 PERMIT: G-4032 CERTIFICATE: 44837

WATER USE AREA- 

ABANDONED WELL #1 IS 351'-0" SOUTH AND 1,120'-7" WEST FROM THE NE CORNER OF SECTION 29.

NEW WELL #1 IS 1,746'-8" NORTH AND 1,080'-1" WEST FROM THE SE CORNER OF SECTION 32.

NEW WELL #2 IS 1,937'-7" NORTH AND 1,030'-3" WEST FROM THE SE CORNER OF SECTION 32.

NEW WELL #3 IS 1,910'-10" NORTH AND 3,002'-8" WEST FROM THE SE CORNER OF SECTION 29.

NOTE: MAP IS FOR SOLE PURPOSE
OF IDENTIFYING LOCATION OF WATER
RIGHT AND HAS NO INTENT TO DIMENSION
OR LOCATE ANY PROPERTY OWNERSHIP LINES

RECEIVED

JAN 05 2022

OWRD



CITY OF COBURG
WATER RIGHTS MAPPING
Scale: 1"=1,000'-0"

Permanent Transfer Application Intake Completion Checklist

Check the Certificate(s) in WRIS

Transfer # T-13888

Checked by: <u>[Signature]</u>	Type of Change(s) Proposed: Mark the Proposed Changes	Substitution	Supplemental to Primary	POU	POD	APOD
Date: <u>1/6/2021</u>		Gov Action	Surface to Ground	USE	<u>POA</u>	APOA
Fee Received:						
Calculated Fee:		How many rights to be Transferred?				
		Certificate # <u>44837</u>				
Additional Observations:						

If OK and complete, check box to the left; if NOT, fill in.

- ☒ 1. Is applicant information complete? Have all applicants listed at the top of the page signed at the bottom?
If no, what is missing? Whose signature is missing? _____
- ☒ 2. Does applicant indicate the place of use is in or near an irrigation district? Is a Form D included? ☐ N/A.
Name of the district: _____
- ☐ 3. Part 5 of application, has the applicant(s) completed the entire page and does the information match the description of the explanation of the reasons for transfer on Part 4 of the application?
If no, you may need to contact the applicant or agent? _____
- ☒ 4. Is there only one (1) water right included in this transfer application?
If no, are the criteria of OAR 690-380-3220 for more than one WR met? Yes or No _____
If no, then the transfer application CANNOT be accepted. See attached "3220" Decision Tree Flowchart.
- ☒ 5. For multiple certificates do each of the certificates listed on Application Page 1 have their own separate completed Part 5 tables 1 & 2?
If no, which certificate(s) are missing a separate Part 5 tables 1 & 2? _____
- ☐ 6. Is the map prepared and signed by a CWRE? Does the map meet requirements?
If no, what is missing? _____. Map waiver included? ☐ Yes ☐ No
- ☒ 7. If a change in point of appropriation (POA), have the well logs been included? ☐ N/A.
- ☒ 8. If a change in place of use (POU) within Umatilla County, have the applicant(s) provided a Supplemental Form U? ☒ N/A.
- ☒ 9. If all boxes on this checklist are checked (with no remaining deficiencies identified), ACCEPT the application.
Put this application intake completeness check sheet in the transfer folder.

OR: ☐ If all boxes to the left are NOT checked, then this application is deficient and CANNOT be accepted.
It should be returned and the deficiencies listed in the "staff" section at the bottom of Application Page 1, unless the applicant or agent can resolve the deficiencies within 2-3 days.

Actions taken:

Wet copies coming in
map

Date:

1/6/21

Contact Joan for email

Permanent Transfer Application Intake Completion Checklist

FEE WORKSHEET for PERMANENT TRANSFER (except Substitution)			
1	Base Fee (includes one type of change to one water right for up to 1 cfs)	1	\$1,360
	Types of change proposed: ☐ Place of Use ☐ Character of Use ☐ Point of Diversion/Appropriation Number of above boxes checked = _____ (2a) Subtract 1 from the number in line 2a = _____ (2b) If only one change, this will be 0. 2 Multiply line 2b by \$1,090 and enter » » » » » » » » » » » » » » » »	2	0
	Number of water rights included in transfer _____ (3a) Subtract 1 from the number in 3a above: _____ (3b) If only one water right this will be 0 3 Multiply line 3b by \$610 and enter » » » » » » » » » » » » » » » »	3	0
	Do you propose to add or change a well, change from a surface water POD to a well, or Substitute a Suppl GW right for a Primary SW right? ☐ No: enter 0 » ☐ Yes = \$480 (4a) If YES: enter the number of wells being proposed: _____ (4b) Subtract 1 from the number in line 4b = _____ (4c) If only one well this will be 0. Multiply line 4c by \$410 = _____ (4d) 4 Add lines 4a and 4d and enter » » » » » » » » » » » » » » » »	4	0
	Do you propose to change the place of use or character of use? ☐ No: enter 0 on line 5 » ☐ Yes: enter the cfs for the portions of the rights to be transferred (see example below*): _____ (5a) Subtract 1.0 from the number in 5a above: _____ (5b) If 5b is 0 or less, enter 0 on line 5 » » » » » » » » » » » » » » » » If 5b is greater than 0, round up to the nearest whole number: _____ (5c) and multiply 5c by \$350, then enter on line 5 » » » » » » » » » » » » » » » » 5	5	0
6	Add entries on lines 1 through 5 above » » » » » » » » » » Subtotal:	6	0
	Is this transfer: ☐ necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? ☐ endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 » » » 7 If no box is applicable, enter 0 on line 7» » » » » » » » » » » » » » » »	7	0
8	Subtract line 7 from line 6 » » » » » » » » » » » Transfer Fee:	8	