

T-13929

Temporary

T-13929

Name Ryan RennerRenner & SasserAddress PO Box 31Fort Rock Or 97735Change in POADate Filed 2/25/2022Initial notice date 3/8/2022

DPD issued date

PD issued date

PD notice date

Date of FO Vol Page

C-Date

COBU due date

COBU Received date

Certificate issued

DESCRIPTION OF WATER RIGHT(s)

Name of Stream WellTrib. of Fort Rock BasinUse Irrigation County lake

Quantity of water (CFS) No. of Acres

Name of ditch

App# 61015 Per # 69230 Cert # 521042 PR DateApp# 68551 Per # 67168 Cert # 521044 PR Date

App# Per # Cert # PR Date

App# Per # Cert # PR Date

App# Per # Cert # PR Date

FEES PAID		
Date	Amount	Receipt #
2-25-2022	\$1317.60	137565

FEES REFUNDED		
Date	Amount	Receipt #

Assignments:

Irrigation District

Agent John Short Water right Services JohnShort@USA.com

CWRE

CC's list lake County Planning☐ - Oversized map - Location

Groundwater Transfer Review Summary Form

Transfer/PA # T- 13929

GW Reviewer Gerald H. Grondin

Date Review Completed: 14 November 2022

Summary of Same Source Review:

☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Injury Review:

☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

☒ None of the Above

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Ground Water Review Form:

- ☒ Water Right Transfer
☐ Permit Amendment
☐ GR Modification
☐ Other

Application: T-13929

Applicant Name: Ryan & Jennifer Renner

Proposed Changes: ☒ POA ☐ APOA ☐ SW→GW ☐ RA
☐ USE ☒ POU ☐ OTHER

Reviewer(s): Gerald H. Grondin

Date of Review: 14 November 2022

Date Reviewed by GW Mgr. and Returned to WRSD: jti 2/16/23

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- ☐ The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- ☐ Other _____

1. Basic description of the changes proposed in this transfer: _____

This transfer application relates to two water right certificates (52644 & 52642). The transfer application proposes moving two POU segments (21.0 acres total: 2.0 acres and 19.0 acres respectively) within T25S/R14-sec 21 & 28 to a single POU center pivot within T25S/R14-sec 21 and transferring related groundwater pumpage (0.26 cfs total = 117.82 gpm total) from two POA/POD wells within T25S/R14-sec 21 & 28 to a single POA/POD well within T25S/R14-sec 21 as shown in attached maps.

2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?

☒ Yes ☐ No Comments: _____

Essentially yes, the "same aquifer" (source) given the same groundwater system will likely be tapped despite the authorized and proposed POA wells are constructed to varying depths and tap varying geologic units (see attached well logs). Long term groundwater level data indicates groundwater levels at wells in the vicinity of the currently authorized and proposed POA locations have similar elevations, seasonally fluctuate similarly, and show the same long-term trends (see attached hydrograph) despite being completed at varying depths and different geologic units.

Additionally, groundwater in the Fort Rock Valley-Christmas Valley area (Fort Rock Classified Area) is identified as a single groundwater system. Groundwater is found in both a shallower predominantly basin-fill sediment unit and a deeper predominantly volcanic rocks and sediments unit below. The predominantly basin fill sediment unit and the predominantly volcanic rocks and sediment unit both readily yield groundwater and the two units are hydraulically connected.

Miller (1984 and 1986) describes the groundwater source as the main groundwater reservoir. That reservoir includes groundwater in different geologic units. The reservoir has three characteristics. First, the "natural" groundwater level changes less than 1.5 feet annually, indicating the system is highly modulated. Second, the 1980s potentiometric surface was approximately 4292 feet elevation amsl basin-wide with Silver Lake an exception. Third, the reservoir consists of numerous water producing zones in several formations, all having an essentially common potentiometric level, and all being very transmissive in general.

3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?

☐ Yes ☒ No _____

Essentially no. Single hydraulically connected groundwater system. See discussion in part 2 above.

b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): _____

No estimate made and no limitation recommended. Single groundwater system. See item 2 and 3a above.

4. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?

☒ Yes ☐ No Comments: _____

The proposed POA well change will move groundwater pumping closer to the same groundwater right POA well within T25S/R14-sec 21. The calculated maximum additional seasonal groundwater level drawdown at that POA well is less than 0.20 feet. That POA well should be able to accommodate the seasonal drawdown change. The maximum additional seasonal groundwater level drawdown at other POA wells further away will be less.

The long-term impact on the groundwater system should be the same. That impact is to continue contributing to the ongoing annual Fort Rock Classified Area groundwater level decline (see the attached hydrograph...it shows an annual decline rate of about 0.35 feet per year).

- b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?

☐ Yes ☒ No If yes, explain: _____

See discussion in part 4a above.

5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?

☐ Yes ☒ No Comments: _____

No. The POA changes moves the net pumping further away from Paulina Marsh and Silver Lake. The seasonal drawdown at Paulina Marsh and at Silver Lake is calculated to be the same to less than current. The long-term interference should be the same.

- b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?

Stream: Silver Lake ☒ Minimal ☐ Significant

Stream: Paulina Marsh ☒ Minimal ☐ Significant

Provide context for minimal/significant impact: _____

See comment in part 5a above.

6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?

☐ Yes ☒ No Comments: _____

Not Applicable. No SW-GW transfer.

7. What conditions or other changes in the application are necessary to address any potential issues identified above: _____

Note: the proposed transfer is within the Fort Rock groundwater limited area.

The following are technical groundwater review recommendations. It is recognized that one or more technically recommended conditions may or may not be allowed under the transfer process rules and statutes. This technical groundwater review relies on other appropriate and authorized Department staff to make that determination.

"Large" flow meter condition for any proposed "To" POA and/or APOA well. Require the flow meter for any POA and/or APOA well to be properly installed and maintained. Each meter shall be either within 50 feet of the well head with a clearly visible monument adjacent to the meter or a surveyed location shall be provided and a clearly visible monument adjacent to the meter shall be installed for each meter more than 50 feet from the well head.

Condition 7P (well tag condition) for all the "To" and "From" POA wells.

Condition 7T (modified) for all "To" POA wells: "Prior to use, all POA wells shall be configured to allow a strictly clean water (no oil) static water level measurements with an electric-tape. That can include measurement access via an unobstructed vertical discharge pipe that allows the groundwater level to fluctuate freely within the discharge pipe (no valves, etc.). Otherwise, a dedicated measuring tube must be installed prior to use. The tube must be unobstructed, have a diameter of 3/4 inch (0.75 inch) or greater, and pursuant to figure 200-5 in OAR 690-200."

8. Any additional comments: _____


No additional comments.

References:

Miller, D.W., 1986, Appraisal of ground-water conditions in the Fort Rock Basin, Lake County, Oregon: Oregon Water Resources Department, Ground Water Report No. 31, 196 p and plates.

Groundwater Transfer Application T-13929

Ryan & Jennifer Renner




Green = Proposed Well
Yellow = Authorized Wells
Red = Groundwater PODs or Other Wells
Blue = Surface Water PODs



Groundwater Transfer Application T-13929


Ryan & Jennifer Renner



Green = Proposed Well
Yellow = Authorized Wells
Red = Groundwater PODs or Other Wells
Blue = Surface Water PODs



Observation Well Data



Drawdown Calculations Using Theis Equation

Theis Equation: $s = [Q/(4 \cdot T \cdot \pi)] [W(u)]$

$$u = (r^2 \cdot S)/(4 \cdot T \cdot t)$$

$$W(u) = (-\ln u) - (0.5772157) + (u/1 \cdot 1!) - (u^2/2 \cdot 2!) + (u^3/3 \cdot 3!) - (u^4/4 \cdot 4!) + \dots$$

s = drawdown (L)

T = transmissivity (L²/T)

S = storage coefficient (dimensionless)

pi = 3.141592654

r = radial distance (L)

t = time (T)

u = dimensionless

W(u) = well function

Transmissivity T (gpd/ft)	Transmissivity T (ft2/day)	Storage Coefficient S	Pumping Rate Q (gal/min)	Pumping Rate Q (ft3/sec)	Time t (days)	Distance r (feet)	pi	u	W(u)	Drawdown s (feet)	Drawdown Change s (feet)	Well	Comments	
								Note : W(u) calculation valid when u < 7.1						
	Note: yellow grid areas are where values are calculated								7.0000	1.1545E-04			W(u) calculation test	
"From" POA wells to Water Right Well closest to Proposed "To" Well LAKE 51302 (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001														
112,207.80	15,000.00	0.00100	11.22	0.03	30.00	2,630.00	3.14	0.0038	4.9882	0.0572		LAKE 126	Continuous Pumping at Full Rate	
112,207.80	15,000.00	0.00100	106.60	0.24	30.00	5,225.00	3.14	0.0152	3.6265	0.3948		LAKE 132	Continuous Pumping at Full Rate	
			117.82	0.26						0.4520				
"To" POA wells to Water Right Well closest to Proposed "To" Well LAKE 51302 (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001														
112,207.80	15,000.00	0.00100	117.82	0.26	30.00	2,818.00	3.14	0.0044	4.8507	0.5836		LAKE 51302	Continuous Pumping at Full Rate	
			117.82	0.26						0.5836	0.1317			
"From" POA wells to Water Right Well closest to Proposed "To" Well LAKE 51302 (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001														
112,207.80	15,000.00	0.00100	5.54	0.01	30.00	2,630.00	3.14	0.0038	4.9882	0.0282		LAKE 126	Continuous Pro-Rated Pumping	
112,207.80	15,000.00	0.00100	52.65	0.12	30.00	5,225.00	3.14	0.0152	3.6265	0.1950		LAKE 132	Continuous Pro-Rated Pumping	
			58.19	0.13						0.2232				
"To" POA wells to Water Right Well closest to Proposed "To" Well LAKE 51302 (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001														
112,207.80	15,000.00	0.00100	58.19	0.13	30.00	2,818.00	3.14	0.0044	4.8507	0.2882		LAKE 51302	Continuous Pro-Rated Pumping	
			58.19	0.13						0.2882	0.0650			
"From" POA wells to Water Right Well closest to Proposed "To" Well LAKE 51302 (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001														
112,207.80	15,000.00	0.00100	11.22	0.03	245.00	2,630.00	3.14	0.0005	7.0849	0.0812		LAKE 126	Continuous Pumping at Full Rate	
112,207.80	15,000.00	0.00100	106.60	0.24	245.00	5,225.00	3.14	0.0019	5.7133	0.6220		LAKE 132	Continuous Pumping at Full Rate	
			117.82	0.26						0.7032				
"To" POA wells to Water Right Well closest to Proposed "To" Well LAKE 51302 (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001														
112,207.80	15,000.00	0.00100	117.82	0.26	245.00	2,818.00	3.14	0.0005	6.9469	0.8359		LAKE 51302	Continuous Pumping at Full Rate	
			117.82	0.26						0.8359	0.1327			
"From" POA wells to Water Right Well closest to Proposed "To" Well LAKE 51302 (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001														
112,207.80	15,000.00	0.00100	5.54	0.01	245.00	2,630.00	3.14	0.0005	7.0849	0.0401		LAKE 126	Continuous Pro-Rated Pumping	
112,207.80	15,000.00	0.00100	52.65	0.12	245.00	5,225.00	3.14	0.0019	5.7133	0.3072		LAKE 132	Continuous Pro-Rated Pumping	
			58.19	0.13						0.3473				
"To" POA wells to Water Right Well closest to Proposed "To" Well LAKE 51302 (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001														
112,207.80	15,000.00	0.00100	58.19	0.13	245.00	2,818.00	3.14	0.0005	6.9469	0.4128		LAKE 51302	Continuous Pro-Rated Pumping	
			58.19	0.13						0.4128	0.0655			

Drawdown Calculations Using Theis Equation

Theis Equation: $s = \frac{Q}{4 \cdot T \cdot \pi} [W(u)]$

$u = \frac{r^2 S}{4 \cdot T \cdot t}$

$W(u) = (-\ln u) - (0.5772157) + (u/1 \cdot 1!) - (u^2/2 \cdot 2!) + (u^3/3 \cdot 3!) - (u^4/4 \cdot 4!) + \dots$

s = drawdown (L)

T = transmissivity (L²/T)

S = storage coefficient (dimensionless)

pi = 3.141592654

r = radial distance (L)

t = time (T)

u = dimensionless

W(u) = well function

Transmissivity T (gpd/ft)	Transmissivity T (ft ² /day)	Storage Coefficient S	Pumping Rate Q (gal/min)	Pumping Rate Q (ft ³ /sec)	Time t (days)	Distance r (feet)	pi	u	W(u)	Drawdown s (feet)	Drawdown Change s (feet)	Well	Comments
								Note : W(u) calculation valid when u < 7.1					
Note: yellow grid areas are where values are calculated								7.0000	1.1545E-04				W(u) calculation test
"From" POA wells to Paulina Marsh (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001													
112.207.80	15,000.00	0.00100	11.22	0.03	30.00	61,335.00	3.14	2.0900	0.0432	0.0005		LAKE 126	Continuous Pumping at Full Rate
112.207.80	15,000.00	0.00100	106.60	0.24	30.00	55,875.00	3.14	1.7345	0.0711	0.0077		LAKE 132	Continuous Pumping at Full Rate
			117.82	0.26						0.0082			
"To" POA wells to Paulina Marsh (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001													
112.207.80	15,000.00	0.00100	117.82	0.26	30.00	58,510.00	3.14	1.9019	0.0561	0.0067		LAKE 51302	Continuous Pumping at Full Rate
			117.82	0.26						0.0067	-0.0015		
"From" POA wells to Paulina Marsh (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001													
112.207.80	15,000.00	0.00100	5.54	0.01	30.00	61,335.00	3.14	2.0900	0.0432	0.0002		LAKE 126	Continuous Pro-Rated Pumping
112.207.80	15,000.00	0.00100	52.65	0.12	30.00	55,875.00	3.14	1.7345	0.0711	0.0038		LAKE 132	Continuous Pro-Rated Pumping
			58.19	0.13						0.0041			
"To" POA wells to Paulina Marsh (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001													
112.207.80	15,000.00	0.00100	58.19	0.13	30.00	58,510.00	3.14	1.9019	0.0561	0.0033		LAKE 51302	Continuous Pro-Rated Pumping
			58.19	0.13						0.0033	-0.0007		
"From" POA wells to Paulina Marsh (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001													
112.207.80	15,000.00	0.00100	11.22	0.03	245.00	61,335.00	3.14	0.2559	1.0261	0.0118		LAKE 126	Continuous Pumping at Full Rate
112.207.80	15,000.00	0.00100	106.60	0.24	245.00	55,875.00	3.14	0.2124	1.1738	0.1278		LAKE 132	Continuous Pumping at Full Rate
			117.82	0.26						0.1395			
"To" POA wells to Paulina Marsh (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001													
112.207.80	15,000.00	0.00100	117.82	0.26	245.00	58,510.00	3.14	0.2329	1.1000	0.1324		LAKE 51302	Continuous Pumping at Full Rate
			117.82	0.26						0.1324	-0.0072		
"From" POA wells to Paulina Marsh (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001													
112.207.80	15,000.00	0.00100	5.54	0.01	245.00	61,335.00	3.14	0.2559	1.0261	0.0058		LAKE 126	Continuous Pro-Rated Pumping
112.207.80	15,000.00	0.00100	52.65	0.12	245.00	55,875.00	3.14	0.2124	1.1738	0.0631		LAKE 132	Continuous Pro-Rated Pumping
			58.19	0.13						0.0689			
"To" POA wells to Paulina Marsh (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001													
112.207.80	15,000.00	0.00100	58.19	0.13	245.00	58,510.00	3.14	0.2329	1.1000	0.0654		LAKE 51302	Continuous Pro-Rated Pumping
			58.19	0.13						0.0654	-0.0035		

Drawdown Calculations Using Theis Equation

Theis Equation: $s = \frac{Q}{4\pi T} W(u)$

$u = \frac{r^2 S}{4 T t}$

$W(u) = (-\ln u) - (0.5772157) + (u/1*1) - (u^2/2*2!) + (u^3/3*3!) - (u^4/4*4!) + \dots$

s = drawdown (L)

T = transmissivity (L²/T)

S = storage coefficient (dimensionless)

pi = 3.141592654

r = radial distance (L)

t = time (T)

u = dimensionless

W(u) = well function

Transmissivity T (gpd/ft)	Transmissivity T (ft ² /day)	Storage Coefficient S	Pumping Rate Q (gal/min)	Pumping Rate Q (ft ³ /sec)	Time t (days)	Distance r (feet)	pi	u	W(u)	Drawdown s (feet)	Drawdown Change s (feet)	Well	Comments
								Note : W(u) calculation valid when u < 7.1					
Note: yellow grid areas are where values are calculated								7.0000	1.1545E-04				W(u) calculation test
"From" POA wells to Silver Lake (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001													
112,207.80	15,000.00	0.00100	11.22	0.03	30.00	102,660.00	3.14	5.8550	0.0004	0.0000		LAKE 126	Continuous Pumping at Full Rate
112,207.80	15,000.00	0.00100	106.60	0.24	30.00	96,880.00	3.14	5.2143	0.0009	0.0001		LAKE 132	Continuous Pumping at Full Rate
			117.82	0.26						0.0001			
"To" POA wells to Silver Lake (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001													
112,207.80	15,000.00	0.00100	117.82	0.26	30.00	99,090.00	3.14	5.4549	0.0007	0.0001		LAKE 51302	Continuous Pumping at Full Rate
			117.82	0.26						0.0001	0.0000		
"From" POA wells to Silver Lake (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001													
112,207.80	15,000.00	0.00100	5.54	0.01	30.00	102,660.00	3.14	5.8550	0.0004	0.0000		LAKE 126	Continuous Pro-Rated Pumping
112,207.80	15,000.00	0.00100	52.65	0.12	30.00	96,880.00	3.14	5.2143	0.0009	0.0000		LAKE 132	Continuous Pro-Rated Pumping
			58.19	0.13						0.0001			
"To" POA wells to Silver Lake (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001													
112,207.80	15,000.00	0.00100	58.19	0.13	30.00	99,090.00	3.14	5.4549	0.0007	0.0000		LAKE 51302	Continuous Pro-Rated Pumping
			58.19	0.13						0.0000	0.0000		
"From" POA wells to Silver Lake (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001													
112,207.80	15,000.00	0.00100	11.22	0.03	245.00	102,660.00	3.14	0.7169	0.3620	0.0041		LAKE 126	Continuous Pumping at Full Rate
112,207.80	15,000.00	0.00100	106.60	0.24	245.00	96,880.00	3.14	0.6385	0.4209	0.0458		LAKE 132	Continuous Pumping at Full Rate
			117.82	0.26						0.0500			
"To" POA wells to Silver Lake (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001													
112,207.80	15,000.00	0.00100	117.82	0.26	245.00	99,090.00	3.14	0.6679	0.3974	0.0478		LAKE 51302	Continuous Pumping at Full Rate
			117.82	0.26						0.0478	-0.0021		
"From" POA wells to Silver Lake (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001													
112,207.80	15,000.00	0.00100	5.54	0.01	245.00	102,660.00	3.14	0.7169	0.3620	0.0020		LAKE 126	Continuous Pro-Rated Pumping
112,207.80	15,000.00	0.00100	52.65	0.12	245.00	96,880.00	3.14	0.6385	0.4209	0.0226		LAKE 132	Continuous Pro-Rated Pumping
			58.19	0.13						0.0247			
"To" POA wells to Silver Lake (Transmissivity from Morgan (1988) and McFarland and Ryals (1991)): Used S = 0.001													
112,207.80	15,000.00	0.00100	58.19	0.13	245.00	99,090.00	3.14	0.6679	0.3974	0.0236		LAKE 51302	Continuous Pro-Rated Pumping
			58.19	0.13						0.0236	-0.0011		

NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No.

255/14E-21ba

State Permit No.

(1) OWNER:

Name Ralph H. PiepgrassAddress 11599 Ave. 338
Visalia California 93277

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☒ Driven ☐
Cable ☒ Jetted ☐
Dug ☒ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☒ Test Well ☐ Other ☐

CASING INSTALLED:

14" Diam. from 0 ft. to 121 ft. Gage 250k/21
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? ☐ Yes ☒ No.

Type of perforator used

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name

Type Model No.

Diam. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static levelWas a pump test made? ☒ Yes ☐ No If yes, by whom? Art ReedYield: 1700 gal./min. with 37 ft. drawdown after 6 hrs.

" " " "

" " " "

Baller test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water 54 Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used CementWell sealed from land surface to 121 ft.Diameter of well bore to bottom of seal 18 in.Diameter of well bore below seal 14 in.Number of sacks of cement used in well seal 10 sacks

Number of sacks of bentonite used in well seal sacks

Brand name of bentonite

Number of pounds of bentonite per 100 gallons
of water lbs./100 gals.Was a drive shoe used? ☒ Yes ☐ No Plug 1/2 X 5 Size: location 121 ft.Did any strata contain unusable water? ☐ Yes ☒ No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? ☐ Yes ☒ No Size of gravel:

Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Lake Driller's well numberNE 1/4 NW 1/4 Section 21 T. 25 R. 14 W.M.

Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 132 ft.Static level 44 ft. below land surface. Date 5-2-77

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 14 in.Depth drilled 370 ft. Depth of completed well 370 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top Soil	0	2	
Grey Clay	2	28	
Blue Clay	28	60	
Black Lava Rock	60	62	
Sand & Gravel	62	75	
Grey Clay	75	80	
Fine Sand & Gravel	80	88	
Broken Black Lava Rock	88	91	
Hard Grey clay	91	125	
Fine Gravel	125	133	40
Hard Brown clay	133	139	
Porous Grey Pack sand	139	167	
Fine Gravel	167	168	
Red Sandy clay	168	189	
Fine Black Gravel	189	190	
Red Sandy Clay	190	196	
Coarse Grey sand	196	199	
Red Sandy clay	199	209	
Soft Blue clay	209	224	

Work started 1-21-77 Completed 5-2-77Date well drilling machine moved off of well 5-2-77

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Silas Blaylock Date 5-11-77Drilling Machine Operator's License No. 383

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name Blaylock & Wood Well DrillingAddress Box 2 Silver Lake, Or. 97638[Signed] Silas BlaylockContractor's License No. 425 Date 5-11-77

NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No.

255/146-21ba

State Permit No.

(1) OWNER:

Name

Address

(2) TYPE OF WORK (check):

New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

 Rotary ☐ Driven ☐
 Cable ☐ Jetted ☐
 Dug ☐ Bored ☐

(4) PROPOSED USE (check):

 Domestic ☐ Industrial ☐ Municipal ☐
 Irrigation ☐ Test Well ☐ Other ☐

CASING INSTALLED:

Threaded ☐ Welded ☐

" Diam. from ft. to ft. Gage

" Diam. from ft. to ft. Gage

" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? ☐ Yes ☐ No.

Type of perforator used

Size of perforations in. by in.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☐ No

Manufacturer's Name

Type Model No.

Diam. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static levelWas a pump test made? ☐ Yes ☐ No If yes, by whom?

Yield: gal./min. with ft. drawdown after hrs.

" " " "

" " " "

Ballor test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used

Well sealed from land surface to ft.

Diameter of well bore to bottom of seal in.

Diameter of well bore below seal in.

Number of sacks of cement used in well seal sacks

Number of sacks of bentonite used in well seal sacks

Brand name of bentonite

Number of pounds of bentonite per 100 gallons

of water lbs./100 gals.

Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.Did any strata contain unusable water? ☐ Yes ☐ No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? ☐ Yes ☐ No Size of gravel:

Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County

Driller's well number

1/4

1/4 Section

T.

R.

W.M.

Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft.

Static level ft. below land surface. Date

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Fine Black Silinders	224	225	
Soft Grey Clay	225	253	
Fine Black Silinders	253	254	
Soft Grey Clay	254	261	
Fine Black Silinders	261	262	
Soft Grey Clay	262	310	
Fine Sand & Gravel	310	314	
Soft Grey Clay	314	346	
Fine Grey Sand	346	347	
Soft Grey Clay	347	365	
Fine Sand & Gravel	365	370	

Work started 19 Completed 19

Date well drilling machine moved off of well 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Date, 19

(Drilling Machine Operator)

Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name (Person, firm or corporation) (Type or print)

Address

[Signed] (Water Well Contractor)

Contractor's License No. Date, 19

WATER WELL REPORT
STATE OF OREGON

State Well No. 25s-14e-28aa

State Permit No. G-9230

Lake 132

(1) OWNER:

Name Dave Pick
Address 4235 W Antler
City Redmond State Oregon

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air ☒ Driven ☐ Domestic ☒ Industrial ☐ Municipal ☐
Rotary Mud ☐ Dug ☐ Irrigation ☒ Test Well ☐ Other ☐
Cable ☒ Bored ☐ Thermal: Withdrawal ☐ Reinjection ☐

(4) PROPOSED USE (check):

CASING INSTALLED: Steel ☒ Plastic ☐
Threaded ☐ Welded ☒
14" Diam. from +1 1/2 ft. to 9 1/2 ft. Gauge 250
" Diam. from ft. to ft. Gauge

LINER INSTALLED:

" Diam. from ft. to ft. Gauge

(6) PERFORATIONS:

Perforated? ☐ Yes ☒ No

Type of perforator used

Size of perforations in by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name

Type Model No.

Diam. Slot Size Set from ft. to ft.

Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? ☐ Yes ☒ No If yes, by whom?

Yield: gal/min. with ft. drawdown after hrs.

Art test 1300 gal/min. with drill stem at 100 ft. 2 hrs.

Bailer test gal/min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water 52 Depth artesian flow encountered 200 ft.

(9) CONSTRUCTION:

Special standards: Yes ☐ No ☒

Well seal—Material used Portland Cement, Type I

Well sealed from land surface to 20' ft.

Diameter of well bore to bottom of seal 18 in.

Diameter of well bore below seal 14 in.

Number of sacks of cement used in well seal 40 sacks

How was cement grout placed? Pressure pumped

Was pump installed? No Type HP Depth ft.

Was a drive shoe used? ☐ Yes ☒ No Plugs Size: location ft.

Did any strata contain unusable water? ☐ Yes ☒ No

Type of Water? depth of strata

Method of sealing strata off

Was well gravel packed? ☐ Yes ☒ No Size of gravel: ft.

Gravel placed from ft. to ft.

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the

(10) LOCATION OF WELL:

County Lake Driller's well number 84

16E 4 16E 4 Section 28 T. 25 S. R. 14 E. W.M.

Tax Lot # Lot Blk Subdivision

Address at well location: Fort Rock, Oregon

1310' from the South Line, and 1310' from the East

(11) WATER LEVEL: Completed well.

Depth at which water was first found 50 ft.

Static level 50 ft. below land surface. Date 12-20-80

Artesian pressure none lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 14

Depth drilled 280 ft. Depth of completed well 280 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top Soil Brown	0	4	
Brown Clay	4	43	
Course Black Sand WB	43	87	50
Gray Broken Rock	87	114	
Fine Black Sandstone	114	128	
Blue Clay	128	141	
Medium Black Sand	141	157	
Brown Clay	157	178	
Gravel Congl	178	205	
Blue Clay	205	215	
Brown Congl	215	234	
Brown Clay	234	247	
Brown Congl	247	280	

RECEIVED

FEB 9 1981

WATER RESOURCES DEPT
SALEM, OREGON

Work started 12-8-80 19 Completed 1-5-81 19

Date well drilling machine moved off of well 1-5-81 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Bill Williams Date 1-12-81
(Drilling Machine Operator)

Drilling Machine Operator's License No. 1231

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Bill Williams Well Drilling
(Person, firm or corporation) (Type or print)

Address P.O. Box 334, Redmond, Oregon 97756

[Signed] Bill Williams
(Water Well Contractor)

Contractor's License No. 782 Date Jan 12, 1981, 19

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
Within 30 days from the date of well completion.

LAKE 51302

LAKE
51302STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765)

Instructions for completing this report are on the last page of this form.

WELL I.D. # L 53610

START CARD # 144706

(1) OWNER:

Name Dave Picu Well Number _____
Address Po Box 130
City Fort Rock State OR Zip 97735

(2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment

(3) DRILL METHOD:

☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger
☐ Other _____

(4) PROPOSED USE:

☐ Domestic ☐ Community ☐ Industrial ☒ Irrigation
☐ Thermal ☐ Injection ☐ Livestock ☐ Other _____

(5) BORE HOLE CONSTRUCTION:

Special Construction approval ☐ Yes ☒ No Depth of Completed Well 260 ft.
Explosives used ☐ Yes ☒ No Type _____ Amount _____

HOLE		SEAL					
Diameter	From	To	Material	From	To	Sacks or pounds	
16"	0	59	Cement	59	40	10 Sack	
12"	59	260	Gr	25	0		

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E☒ Other 3 inch Pore Den of Pile PlugBackfill placed from 40 ft. to 25 ft. Material _____
Gravel placed from _____ ft. to _____ ft. Size of gravel _____

(6) CASING/LINER:

	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:	12"	1	59	250	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
Liner:					☐	☐	☐	☐
					☐	☐	☐	☐

Final location of shoe(s) _____

(7) PERFORATIONS/SCREENS:

		Method		Material			
		Type		Tele/pipe size			
From	To	Slot size	Number	Diameter	Casing	Liner	
					☐	☐	
					☐	☐	
					☐	☐	
					☐	☐	

(8) WELL TESTS: Minimum testing time is 1 hour

☐ Pump	☐ Bailer	☒ Air	☐ Flowing Artesian
Yield gal/min	Drawdown	Drill stem at	Time
1500		260	Ph.



Oregon

Tina Kotek, Governor

Water Resources Department

North Mall Office Building

725 Summer St NE, Suite A

Salem, OR 97301

Phone 503 986-0900

Fax 503 986-0904

www.oregon.gov/owrd

April 5, 2023

RYAN & JENNIFER RENNER

PO BOX 31

FORT ROCK, OR 97735

REFERENCE: District Temporary Transfer Application T-13929

Enclosed is a copy of the final order approving your TEMPORARY water right transfer application.

The temporary change shall be effective at the **beginning of the 2022 irrigation season**. The use shall revert to the original authorized place of use at the **end of the 2026 irrigation season**.

If you have any questions related to this transfer, you may contact your caseworker, Arla Davis, by telephone at 503-979-3129 or by e-mail at Arla.L.Davis@oregon.gov.

Sincerely,

Nila Kamis

Water Rights Services Support

Transfers and Conservation Section

cc: Jeremy T. Giffin, Watermaster Dist. # 11 (via email)

Lake County

John A. Short, Agent

Enclosure

BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON

In the Matter of Transfer Application	)	FINAL ORDER APPROVING A TEMPORARY
T-13929, Lake County	)	CHANGES IN PLACES OF USE AND POINTS
	)	OF APPROPRIATION

Authority

Oregon Revised Statute (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to temporarily transfer the place of use and, if necessary to convey the water to the temporary place of use, the point of appropriation authorized under an existing water right. Oregon Administrative Rule (OAR) Chapter 690, Division 380 implements the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

RYAN C. RENNER AND JENNIFER L. ELSASSER
PO BOX 31
FORT ROCK, OR 97735

Findings of Fact

1. On February 25, 2022, RYAN C. RENNER AND JENNIFER L. ELSASSER filed an application to temporarily change the places of use and change the points of appropriation to serve the proposed place of use under Certificates 52642 and 52644 for a period of 5 years. The Department assigned the application number T-13929.
2. Notice of the application for transfer was published on March 8, 2022, pursuant to OAR 690-380-4000.
3. The portion of the first right to be transferred is as follows:

Certificate: 52642 in the name of DAVE PICK (perfected under Permit G-9230)
Use: IRRIGATION of 19.0 ACRES
Priority Date: JANUARY 22, 1981
Rate: 0.24 CUBIC FOOT PER SECOND

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: A WELL, a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
25 S	14 E	WM	28	NW NE	WELL 2 - 1250 FEET SOUTH AND 1420 FEET WEST FROM THE NE CORNER OF SECTION 28

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
25 S	14 E	WM	28	NE NE	4.6
25 S	14 E	WM	28	NW NE	4.8
25 S	14 E	WM	28	SW NE	4.9
25 S	14 E	WM	28	SE NE	4.7
Total					19.0

4. Temporary Transfer Application T-13929 proposes to temporarily change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
25 S	14 E	WM	21	NE SE	5.1
25 S	14 E	WM	21	NW SE	4.4
25 S	14 E	WM	21	SW SE	4.5
25 S	14 E	WM	21	SE SE	5.0
Total					19.0

5. A change in point of appropriation is necessary to convey the water to the proposed temporary place of use. Temporary Transfer Application T-13929 proposes to move the authorized point of appropriation approximately 0.59 mile northeast to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
25 S	14 E	WM	21	NE SE	WELL 3 - 1490 FEET NORTH AND 40 FEET WEST FROM THE SE CORNER OF SECTION 21

6. The portion of the second right to be transferred is as follows:

Certificate: 52644 in the name of RALPH H. PIEPGRASS (perfected under Permit G-7768)

Use: IRRIGATION of 2.0 ACRES

Priority Date: NOVEMBER 30, 1977

Rate: 0.025 CUBIC FEET PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-

EIGHTIETH of one cubic foot per second per acre or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: A WELL, a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
25 S	14 E	WM	21	SW NW	WELL 1 - 1340 FEET SOUTH AND 1300 FEET EAST FROM THE NW CORNER OF SECTION 21

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
25 S	14 E	WM	21	NE NW	0.5
25 S	14 E	WM	21	NW NW	0.5
25 S	14 E	WM	21	SW NW	0.5
25 S	14 E	WM	21	SE NW	0.5
Total					2.0

7. Temporary Transfer Application T-13929 proposes to temporarily change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
25 S	14 E	WM	21	NE SE	0.5
25 S	14 E	WM	21	NW SE	0.5
25 S	14 E	WM	21	SW SE	0.5
25 S	14 E	WM	21	SE SE	0.5
Total					2.0

8. A change in point of appropriation is necessary to convey the water to the proposed temporary place of use. Temporary Transfer Application T-13929 proposes to move the authorized point of appropriation approximately 0.59 mile northeast to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
25 S	14 E	WM	21	NE SE	WELL 3 - 1490 FEET NORTH AND 40 FEET WEST FROM THE SE CORNER OF SECTION 21

Temporary Transfer Review Criteria

9. Water has been used within the last five years according to the terms and conditions of the rights. There is no evidence available that would demonstrate that the rights are subject to forfeiture under ORS 540.610.
10. A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing rights are present.

11. The proposed changes would prevent the lands from which the water right is removed during the period of the temporary transfer from receiving water under the transferred rights, as required by ORS 540.523(7).
12. The proposed changes would not result in injury to other water rights. This finding is made through an abbreviated review recognizing that the transfer may be revoked under ORS 540.523(5) if the Department later finds that the transfer is causing injury to any existing water right.

Conclusions of Law

The temporary changes in places of use and points of appropriation to serve the temporary place of use proposed in Temporary Transfer Application T-13929 are consistent with the requirements of ORS 540.523 and OAR 690-380-8000.

Now, therefore, it is ORDERED:

1. The temporary changes in places of use and points of appropriation to serve the temporary places of use proposed in Temporary Transfer Application T-13929 are approved.
2. The former place of use **shall not** be irrigated as part of these water rights during the 2022, 2023, 2024, 2025 and 2026 irrigation seasons.
3. The use shall revert to the authorized place of use at the end of the 2026 irrigation season. The authorization to use the temporary point of appropriation shall be terminated concurrently.
4. The approval of this temporary transfer may be revoked or modified if the Department finds the changes cause injury to any existing water right.
5. The quantity of water diverted at the proposed temporary points of appropriation shall not exceed the quantity of water lawfully available at the original points of appropriation.
6. A subsequent application for permanent transfer of Certificate 52642 and 52644 shall be subject to a full and complete review to determine consistency with the requirements of OAR Chapter 690, Division 380. Approval of this temporary transfer does not establish a precedent for approval of a subsequent application filed for a permanent transfer.
7. The use of water at the temporary place of use authorized by this transfer shall be in accordance with the terms and conditions of Certificate 52642 and 52644.
8. The time during which water is used under this approved temporary transfer does not apply toward a finding of forfeiture under ORS 540.610.


9. Water use measurement conditions:

- a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation.
- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

10. The use of the remaining water rights described by Certificates 52642 and 52644 shall continue to be in accordance with the terms and conditions of Certificates 52642 and 52644.

Dated in Salem, Oregon on

APR 05 2023



Lisa J. Jaramillo, Transfer and Conservation Section Manager for
DOUGLAS E. WOODCOCK, ACTING DIRECTOR
Oregon Water Resources Department

Mailing Date: **APR 06 2023**

WATER RIGHT TRANSFER COVER SHEET

Transfer: T- 13929

Transfer Specialist: *Aula*

Transfer Type: Temporary Transfer

Applicant: RYAN RENNER PO BOX 31 FORT ROCK, OR 97735 Email: _____ Phone: _____		Agent: ☐ N/A JOHN A. SHORT PO BOX 1830 BEND, OR 97709 Email: _____ Phone: _____	
Irrigation District: ☐ N/A Email: _____		CWRE: ☐ N/A Email: _____	
Affected Local Gov'ts: ☐ N/A Lake County Planning Department Email: _____		Affected Tribal Gov't: ☐ N/A UNAVAILABLE Email: _____	
Current Landowner if other than Applicant: ☐ N/A Email: _____		Receiving Landowner: ☐ N/A Email: _____	

Water Rights Affected

File Marked	App. File # or Decree Name	Permit	Certificate	RR/CR Needed		RR/CR Nos.
☐	G-10115	G9230	52642	☐ Yes	☒ No	—
☐	G8551	G7768	52644	☐ Yes	☒ No	—
☐				☐ Yes	☐ No	

Key Dates & Initial Actions:

Rec'd: February 25, 2022	Proposed Action(s): POINT OF APPROPRIATION; PLACE OF USE	
Fees Pd: 1317.60	WM District: 11	ODFW District:
Initial Public Notice: March 8, 2022	WM Review sent:	ODFW Review sent:
Acknowledgement Letter Sent ☒		GW Review sent: ☐ N/A
County sent cc: of Ack Letter ☐	BOR notified (date): ☐ N/A	
Newspaper quote requested:	Request for news \$ sent:	News \$ received:
Request to publish sent:	Affidavit of publication received:	Last day of publication:

Document	Drafted	Peer Review	Changes Made	Coordinator	Changes Made	Signature Bin	Signature Date
DPD	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	CW Sent: _____	N/A
PD	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____	Date: _____
FO	Date: 3/1/23 Initials: <i>AD</i>	Date: 3/2/23 Initials: <i>Stott</i>	Date: _____ Initials: _____	Date: 3/17/23 Initials: <i>PCS</i>	Date: 4/4/23 Initials: <i>AD</i>	Date: 4/4/23	Date: 4/5/23

Special Issues: Temporary

Special Order Volume: Vol. 128 Pages 44-48

STATE OF OREGON

COUNTY OF

LAKE

CERTIFICATE OF WATER RIGHT

This is to certify, That RALPH H. PIEPGRASS

of 29686 Road 221, Exeter, State of California 93221, has made
proof to the satisfaction of the Water Resources Director, of a right to the use of the waters of
a well

a tributary of Fort Rock Basin for the purpose of
irrigation of 122.0 acres

under Permit No. G-7768 and that said right to the use of said waters has been perfected in
accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from
November 30, 1977

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is
limited to an amount actually beneficially used for said purposes, and shall not exceed
1.53 cubic feet per second

or its equivalent in case of rotation, measured at the point of diversion from the well. The well is
located in the SW 1/4 NW 1/4, Section 21, T25S, R14E, WM; 1340 feet
South and 1300 feet East from the NW Corner, Section 21.

The amount of water used for irrigation, together with the amount secured under any other right
existing for the same lands, shall be limited to one-eightieth of one cubic foot per second
per acre, or its equivalent for each acre irrigated and shall be further limited
to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated
during the irrigation season of each year

and shall
conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is
appurtenant, is as follows:

30.5 acres NE 1/4 NW 1/4	0.5	30
30.5 acres NW 1/4 NW 1/4	0.5	30
30.5 acres SW 1/4 NW 1/4	0.5	30
30.5 acres SE 1/4 NW 1/4	0.5	30
Section 21		
Township 25 South, Range 14 East, WM	2.0	120.0

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein
described.

WITNESS the signature of the Water Resources Director, affixed

this date. December 17, 1984

/s/ William H. Young
Water Resources Director

Recorded in State Record of Water Right Certificates, Volume 47, page 52644

4397C

122 acres $\frac{0.0125}{1.53 \text{ CFS}}$

$\frac{0.0125}{\times 2.0}$
0.025 CFS

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add rows to tables within the form.

Water Right Certificate # 52644

RECEIVED

Description of Water Delivery System

FEB 25 2022

System capacity: 1.53 cubic feet per second (cfs) OR

_____ gallons per minute (gpm)

OWRD

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. **PIPED FROM WELL TO PIVOT.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or Is It Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-_____)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
WELL #1	☒ Authorized ☐ Proposed	LAKE 126	25 S	14 E	21	SW NW	1100	1340' S, 1300' E OF NW COR SEC 21
WELL #3	☐ Authorized ☒ Proposed	LAKE 51302 / L-53610	25 S	14 E	21	NE SE	1600	1490' N, 40' W OF SE COR SEC 28
	☐ Authorized ☐ Proposed							
	☐ Authorized ☐ Proposed							

4645 ft
0.89 mi

Check all type(s) of temporary change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|---|---|
| ☒ Place of Use (POU) | ☒ Appropriation/Well (POA) |
| ☐ Point of Diversion (POD) | ☐ Additional Point of Appropriation (APOA) |
| ☐ Additional Point of Diversion (APOD) | |

Check all type(s) of temporary change(s) due to drought proposed below (change "CODES" are provided in parentheses):

- | | |
|---|---|
| ☐ Place of Use (POU) | ☐ Point of Appropriation/Well (POA) |
| ☐ Character of Use (USE) | ☐ Additional Point of Appropriation (APOA) |
| ☐ Point of Diversion (POD) | ☐ Additional Point of Diversion (APOD) |

Will all of the proposed changes affect the entire water right?

- ☐ Yes Complete only the Proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- ☒ No Complete all of Table 2 to describe the portion of the water right to be changed.

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Temporary Changes to Water Right Certificate # 52644

List only the part of the right that will be changed. For the acreage in each ¼ ¼, list the change proposed. If more than one change, specify the acreage associated with each change. If more than one POD/POA, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the Certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.												Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.									
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acre	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp	Rng		Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acre	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date		
EXAMPLE																						
2	S	9	E 15 NE NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POA	2	S	9	E 1 NW NW	500	1	10.0		POD #5	1901		
"	"	"	"	"	"	"	EXAMPLE	"	"	"	2	S	9	E 2 SW NW	500		5.0		POD #6	1901		
25	S	14	E 21 NE NW	1100		0.5	IR	WELL #1	1977	POU & POA	25	S	14	E 21 NE SE	1600		0.5	IR	WELL #3	1977		
"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	NW SE	"	"	"	"	"		
"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	SW SE	"	"	"	"	"		
"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	SE SE	"	"	"	"	"		
TOTAL ACRES						2.0							TOTAL ACRES						2.0			

-0.025 CFS

Additional remarks: _____

RECEIVED

13929

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add rows to tables within the form.

Water Right Certificate # 52642

RECEIVED

Description of Water Delivery System

FEB 25 2022

System capacity: 1.68 cubic feet per second (cfs) OR

_____ gallons per minute (gpm)

OWRD

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. **PIPED FROM WELL TO PIVOT.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or Is It Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
WELL #2	☒ Authorized ☐ Proposed	LAKE 132	25	S	14	E	21	NW	NE	1100	1250' S, 1420' W OF NE COR SEC 28
WELL #3	☐ Authorized ☒ Proposed	LAKE 51302 / L- 53610	25	S	14	E	21	NE	SE	1600	1490' N, 40' W OF SE COR SEC 21
	☐ Authorized ☐ Proposed										

3088 Ft
0.59 mi

Check all type(s) of temporary change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|---|---|
| ☒ Place of Use (POU) | ☒ Appropriation/Well (POA) |
| ☐ Point of Diversion (POD) | ☐ Additional Point of Appropriation (APOA) |
| ☐ Additional Point of Diversion (APOD) | |

Check all type(s) of temporary change(s) due to drought proposed below (change "CODES" are provided in parentheses):

- | | |
|---|---|
| ☐ Place of Use (POU) | ☐ Point of Appropriation/Well (POA) |
| ☐ Character of Use (USE) | ☐ Additional Point of Appropriation (APOA) |
| ☐ Point of Diversion (POD) | ☐ Additional Point of Diversion (APOD) |

Will all of the proposed changes affect the entire water right?

- ☐ Yes Complete only the Proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- ☒ No Complete all of Table 2 to describe the portion of the water right to be changed.

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Temporary Changes to Water Right Certificate # 52642

List only the part of the right that will be changed. For the acreage in each ¼ ¼, list the change proposed. If more than one change, specify the acreage associated with each change. If more than one POD/POA, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the Certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.													Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.										
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp	Rng	Sec		¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date				
EXAMPLE																								
2	S	9	E 15 NE NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	S	9	E 1 NW NW	500	1	10.0		POD #5	1901				
"	"	"	" " " "	"	"	"	EXAMPLE	"	"	"	2	S	9	E 2 SW NW	500		5.0		POD #6	1901				
25	S	14	E 28 NE NE	1600		4.6	IR	WELL #2	1981	POU & POA	25	S	14	E 21 NE SE	1600		5.1	IR	WELL #3	1981				
"	"	"	" " " NW NE	"		4.8	"	"	"	"	"	"	"	" " " NW SE	"		4.4	"	"	"				
"	"	"	" " " SW NE	"		4.9	"	"	"	"	"	"	"	" " " SW SE	"		4.5	"	"	"				
"	"	"	" " " SE NE	"		4.7	"	"	"	"	"	"	"	" " " SE SE	"		5.0	"	"	"				
TOTAL ACRES						19.0																		
							TOTAL ACRES 19.0																	

- 0.024 CFS

Additional remarks: _____

RECEIVED

TACS

FEB 25 2022

OWRD

13923

STATE OF OREGON

COUNTY OF

LAKE

CERTIFICATE OF WATER RIGHT

This is to certify, That DAVE PICK

of 4235 West Antler, Redmond, State of Oregon 97756, has made
proof to the satisfaction of the Water Resources Director, of a right to the use of the waters of
a well

a tributary of Fort Rock Basin for the purpose of
irrigation of 134.0 acres

under Permit No. G-9230 and that said right to the use of said waters has been perfected in
accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from
January 22, 1981

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is
limited to an amount actually beneficially used for said purposes, and shall not exceed
1.68 cubic feet per second

or its equivalent in case of rotation, measured at the point of diversion from the well. The well is
located in the NW 1/4 NE 1/4, Section 28, T25S, R14E, WM; 1250 feet
South and 1420 feet West from the NE Corner, Section 28.

The amount of water used for irrigation, together with the amount secured under any other right
existing for the same lands, shall be limited to one-eightieth of one cubic foot per second
per acre, or its equivalent for each acre irrigated and shall be further limited
to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated
during the irrigation season of each year

and shall
conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is
appurtenant, is as follows:

32.4 acres NE 1/4 NE 1/4	4.6	27.8
33.6 acres NW 1/4 NE 1/4	4.8	28.8
34.9 acres SW 1/4 NE 1/4	4.9	30.0
33.1 acres SE 1/4 NE 1/4	4.7	28.4
Section 28		
Township 25 South, Range 14 East, WM	19.0	115.0

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein
described.

WITNESS the signature of the Water Resources Director, affixed

this date. December 17, 1984

/s/ William H. Young
Water Resources Director

Recorded in State Record of Water Right Certificates, Volume 47, page 52642

4374C

$$134 \text{ acres} \times 0.0125 = 1.68 \text{ cfs}$$

$$0.0125 \times 19.0 = 0.2375 \text{ or } 0.24 \text{ cfs}$$



Oregon
Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

March 8, 2022

RYAN RENNER
JENNIFER EL SASSER
PO BOX 31
FORT ROCK, OR 97735

Reference: Application T-13929

On February 25, 2022, OWRD received your water right Temporary Transfer Application. The application was accompanied by \$1317.60. Our receipt number 137565 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change.

Except as provided under ORS 540.510(3) for municipalities, you may not **temporarily** use water at the new place of use or from the new point of appropriation until a final order approving the temporary transfer application has been issued by the Department. Additionally, pursuant to OAR 690-380-8010, the lands from which an irrigation water right is to be temporarily transferred and the land to which the right is to be temporarily transferred may not both receive water during the same season. If the temporary transfer is approved during an irrigation season and water has already been used at the currently authorized location during that season, then the temporary transfer will not take effect until the following season.

If the land is sold before the temporary transfer is approved, the buyer's consent to the temporary transfer will be required unless a recorded deed or other legal document clearly established that the water right was not conveyed in the sale.

If you have any questions, please contact the Transfer Section at (503) 979-9931.

Cc: Watermaster Dist. #11, Jeremy T. Giffin (via email)
John A. Short, Agent
Lake County Planning Department

Enclosure

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

RECEIPT # **137565**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

INVOICE # _____

RECEIVED FROM: <u>Ryan Benner</u>		APPLICATION	
BY: <u>Jenny Benner</u>		PERMIT	
		TRANSFER	<u>1-13929</u>
CASH: ☐	CHECK: # <u>3980</u>	OTHER: (IDENTIFY)	
			TOTAL REC'D \$ <u>1,317.60</u>

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES \$ _____
 _____ OTHER: (IDENTIFY) \$ _____

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS 46110

0407 COPY & TAPE FEES \$ _____

0410 RESEARCH FEES \$ _____

0408 MISC REVENUE: (IDENTIFY) _____ \$ _____

TC162 DEPOSIT LIAB. (IDENTIFY) _____ \$ _____

0240 EXTENSION OF TIME \$ _____

WATER RIGHTS:	EXAM FEE		RECORD FEE
0201 SURFACE WATER	\$ _____	0202	\$ _____
0203 GROUND WATER	\$ _____	0204	\$ _____
0205 TRANSFER	\$ <u>1317.60</u>		
WELL CONSTRUCTION	EXAM FEE		LICENSE FEE
0218 WELL DRILL CONSTRUCTOR	\$ _____	0219	\$ _____
LANDOWNER'S PERMIT		0220	\$ _____
_____ OTHER (IDENTIFY) _____			

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE \$ _____ CARD# _____

0210 MONITORING WELLS \$ _____ CARD# _____

_____ OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD) \$ _____

0231 HYDRO LICENSE FEE (FW/WRD) \$ _____

_____ HYDRO APPLICATION \$ _____

TREASURY OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION _____ \$ _____

RECEIPT: **137565**

DATE: 7-25-2022 BY: Mindy Canale

Application for Water Right
Temporary or Drought Temporary Transfer
Part 1 of 5 – Minimum Requirements Checklist



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

This temporary transfer application will be returned if Parts 1 through 5
and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

FOR ALL TEMPORARY TRANSFER APPLICATIONS

FEB 25 2022

Check all items included with this application. (N/A = Not Applicable)

- ☒ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Temporary Transfer Application Map Checklist.
- ☒ Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the online fee calculator at:
http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator.
- ☒ Part 4 – Completed Applicant Information and Signature.
- ☒ Part 5 – Information about Transferred Water Rights: **How many water rights are to be transferred? 2 List them here: C-52642 & C-52644**
- Please include a separate Part 5 for each water right. (See instructions on page 6)
- ☒ ☐ N/A For standard Temporary Transfer (one to five years) **Begin Year: 2022 End Year: 2027.**
- ☐ ☒ N/A Temporary Drought Transfer (Only in counties where the Governor has declared drought)

Attachments:

- ☒ Completed Temporary Transfer Application Map.
- ☒ Completed Evidence of Use Affidavit and supporting documentation.
- ☒ Current recorded deed for the land **from** which the authorized place of use is temporarily being moved.
- ☐ ☒ N/A Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the land upon which the water right is located.)
- ☐ ☒ N/A Supplemental Form D – For water rights served by or issued in the name of a district. Complete when the temporary transfer applicant is not the district.
- ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation (if necessary to convey water to the proposed place of use).

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

- ☐ Application fee not enclosed/insufficient ☐ Map not included or incomplete
- ☐ Land Use Form not enclosed or incomplete
- ☐ Additional signature(s) required ☐ Part _____ is incomplete

Other/Explanation _____

Staff: _____ Phone: _____ Date: ____/____/____

Part 2 of 5 – Temporary Transfer Application Map Checklist

RECEIVED

FEB 25 2022

OWRD

Your temporary transfer application will be returned if any of the map requirements listed below are not met.

Please be sure that the temporary transfer application map you submit includes all the required items and matches the existing water right map. Check all boxes that apply.

- ☐ ☒ N/A If **more than three** water rights are involved, separate maps are needed for each water right.
- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet; the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated); the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet; or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- ☒ Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
- ☒ ☐ N/A Proposed temporary place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.
- ☒ ☐ N/A If you are proposing a change in point(s) of diversion or well(s) to convey water to the new temporary place of use, show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

FEE WORKSHEET for TEMPORARY (not drought) TRANSFERS					
1	Base Fee (includes temporary change to one water right for up to 1 cfs)		1	\$950.00	
2	Number of water rights included in transfer: <u>2 (2a)</u> Subtract 1 from the number in 3a above: <u>1 (2b)</u> If only one water right this will be 0 Multiply line 2b by \$310.00 and enter » » » » » » » » » » » » » » » »		2	\$310.00	
3	Do you propose to change the place of use for a non-irrigation use? ☒ No: enter 0 on line 3 » » » » » » » » » » » » » » » » ☐ Yes: enter the cfs for the portions of the rights to be transferred: _____ (3a) Subtract 1.0 from the number in 3a above: _____ (3b) If 3b is 0, enter 0 on line 3 » » » » » » » » » » » » » » » » If 3b is greater than 0, round up to the nearest whole number: _____ (3c) and multiply 4c by \$210.00, then enter on line 3		3	\$0	
4	Do you propose to change the place of use for an irrigation use? ☐ No: enter 0 on line 4 » » » » » » » » » » » » » » » » ☒ Yes: enter the number of acres in the footprint of the place of use for the portions of the rights to be transferred: <u>21 (4a)</u> Multiply the number of acres in 4a above by \$2.70 and enter on line 4 » »		4	\$57.60	
5	Add entries on lines 1 through 4 above » » » » » » » » » » Subtotal:		5	\$1317.60	
6	Is this transfer: ☐ necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? ☐ endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 5 by 0.5 and enter on line 6 » If no box is applicable, enter 0 on line 7 » » » » » » » » » » » » » » » »		6		
7	Subtract line 6 from line 5 » » » » » » » » » » » Transfer Fee:		7	\$1317.60	

1	Base Fee (includes drought application and recording fee for up to 1 cfs)	1	\$200.00
	Enter the cfs for the portions of the rights to be transferred (see example below*): _____ (2a) Subtract 1.0 from the number in 2a above: _____ (2b) If 2b is 0, enter 0 on line 2 » » » » » » » » » » » » » » » » If 2b is greater than 0, round up to the nearest whole number: _____ (2c) and multiply 2c by \$50, then enter on line 2 » » » » » » » » » »		
2		2	
3	Add entries on lines 1 through 2 above » » » » » » » » » » Transfer Fee:	3	

1. Divide total authorized cfs by total acres in the water right (for C12345, $1.25 \text{ cfs} \div 100 \text{ ac}$); then multiply by the number of acres to be transferred to get the transfer cfs ($\times 45 \text{ ac} = 0.56 \text{ cfs}$).
2. If the water right certificate does not list total cfs, but identifies the allowable use as $1/40$ or $1/80$ of a cfs per acre; multiply number of acres proposed for change by either 0.025 ($1/40$) or 0.0125 ($1/80$). (For C87654, $45.0 \text{ ac} \times 0.0125 \text{ cfs/ac} = 0.56 \text{ cfs}$)
3. Add cfs for the portions of water rights on all the land included in the transfer; however **do not count cfs for supplemental rights on acreage for which you have already calculated the cfs fee for the primary right on the same land**. The fee should be assessed only once for each "on the ground" acre included in the transfer. (In this example, blank 2a would be only 0.56 cfs , since both rights serve the same 45.0 acres. Blank 2b would be 0 and Line 2 would then also become 0).

RECEIVED

FEB 25 2022

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME RYAN C. RENNER & JENNIFER L. ELSASSER		PHONE NO. 541-408-6267	ADDITIONAL CONTACT NO.
ADDRESS PO BOX 31		FAX NO.	
CITY FORT ROCK	STATE OR	ZIP 97735	E-MAIL
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.			

OWRD



Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME JOHN A. SHORT / WATER RIGHT SERVICES, LLC		PHONE NO. 541-389-2837	ADDITIONAL CONTACT NO.
ADDRESS PO BOX 1830		FAX NO.	
CITY BEND	STATE OR	ZIP 97709	E-MAIL JOHNSHORT@USA.COM
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.			

Explain in your own words what you propose to accomplish with this transfer application and why:
MOVE A PORTION OF TWO PIVOTS TO ADJACENT PIVOT AND WELL TO MATCH FARMING PRACTICES.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

I (we) affirm that the information contained in this application is true and accurate.

	<u>RYAN C. RENNER</u>	<u>2-22-2022</u>
Applicant signature	Print Name (and Title if applicable)	Date
	<u>Jennifer L Renner</u>	<u>2-22-2022</u>
Applicant signature	Print Name (and Title if applicable)	Date

Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located? ☒ Yes ☒ No

If NO, include signatures of all landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent from all landowners or individuals/entities (and mailing and/or e-mail addresses) to which the water right(s) has been conveyed.

13929

☐ Check here if any of the water rights proposed for transfer are or will be located within or served by an irrigation or other water district. (NOTE: If this box is checked, you must complete and attach Supplemental Form D.)

RECEIVED

DISTRICT NAME N/A	ADDRESS	
CITY	STATE	ZIP

FEB 25 2022

OWRD

☐ Check here if water for any of the rights supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP



To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed and/or used.

ENTITY NAME LAKE COUNTY PLANNING DEPARTMENT	ADDRESS 513 CENTER ST	
CITY LAKEVIEW	STATE OR	ZIP 97630

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add rows to tables within the form.

Water Right Certificate # 52644

RECEIVED

FEB 25 2022

Description of Water Delivery System

System capacity: 1.53 cubic feet per second (cfs) OR

_____ gallons per minute (gpm)

OWRD

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. **PIPED FROM WELL TO PIVOT.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-_____)	Twp	Rng	Sec	¼	¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
WELL #1	☒ Authorized ☐ Proposed	LAKE 126	25 S	14 E	21	SW	NW	1100	1340' S, 1300' E OF NW COR SEC 21
WELL #3	☐ Authorized ☒ Proposed	LAKE 51302 / L-53610	25 S	14 E	21	NE	SE	1600	1490' N, 40' W OF SE COR SEC 28
	☐ Authorized ☐ Proposed								
	☐ Authorized ☐ Proposed								

Check all type(s) of temporary change(s) proposed below (change "CODES" are provided in parentheses):

- ☒ Place of Use (POU)
 ☒ Appropriation/Well (POA)
 ☐ Point of Diversion (POD)
 ☐ Additional Point of Appropriation (APOA)
 ☐ Additional Point of Diversion (APOD)

Check all type(s) of temporary change(s) due to drought proposed below (change "CODES" are provided in parentheses):

- ☐ Place of Use (POU)
 ☐ Point of Appropriation/Well (POA)
 ☐ Character of Use (USE)
 ☐ Additional Point of Appropriation (APOA)
 ☐ Point of Diversion (POD)
 ☐ Additional Point of Diversion (APOD)

Will all of the proposed changes affect the entire water right?

- ☐ Yes Complete only the Proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
 ☒ No Complete all of Table 2 to describe the portion of the water right to be changed.

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Temporary Changes to Water Right Certificate # 52644

List only the part of the right that will be changed. For the acreage in each $\frac{1}{4}$ $\frac{1}{4}$, list the change proposed. If more than one change, specify the acreage associated with each change. If more than one POD/POA, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the Certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.												Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.													
Twp	Rng	Sec	$\frac{1}{4}$ $\frac{1}{4}$	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp	Rng		Sec	$\frac{1}{4}$ $\frac{1}{4}$	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date						
EXAMPLE																										
2	S	9	E	15	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	S	9	E	1	NW	NW	500	1	10.0		POD #5	1901
"	"	"	"	"	"	"	"	"	"	EXAMPLE	"	"	"	2	S	9	E	2	SW	NW	500		5.0		POD #6	1901
25	S	14	E	21	NE	NW	1100		0.5	IR	WELL #1	1977	POU & POA	25	S	14	E	21	NE	SE	1600		0.5	IR	WELL #3	1977
"	"	"	"	"	NW	NW	"		"	"	"	"	"	"	"	"	"	"	NW	SE	"		"	"	"	"
"	"	"	"	"	SW	NW	"		"	"	"	"	"	"	"	"	"	"	SW	SE	"		"	"	"	"
"	"	"	"	"	SE	NW	"		"	"	"	"	"	"	"	"	"	"	SE	SE	"		"	"	"	"
TOTAL ACRES									2.0	TOTAL ACRES														2.0		

Additional remarks: _____

RECEIVED

FEB 25 2022

OWRD

13929

FEB 25 2022

OWRD

For Place of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? ☐ Yes ☒ No

If YES, list the certificate, water use permit, or ground water registration numbers: _____

Pursuant to ORS 540.525, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for temporary transfer can be included in the transfer or remain unused on the authorized place of use. If the primary water right does not revert soon enough to allow use of the supplemental right within five years, the supplemental right shall become subject to cancellation for nonuse under ORS 540.610.

If a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation is necessary to convey the water to the new temporary place of use you must provide:

- ☒ Well log(s) for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

AND/OR

- ☐ Describe the construction of the authorized and proposed well(s) in Table 3 below for any well that does not have a well log. For a *proposed well(s) not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the Department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right

13929

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add rows to tables within the form.

Water Right Certificate # **52642**

RECEIVED

Description of Water Delivery System

FEB 25 2022

System capacity: **1.68** cubic feet per second (cfs) OR

_____ gallons per minute (gpm)

OWRD

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. **PIPED FROM WELL TO PIVOT.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼	¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
WELL #2	☒ Authorized ☐ Proposed	LAKE 132	25 S	14 E	21	NW	NE	1100	1250' S, 1420' W OF NE COR SEC 28
WELL #3	☐ Authorized ☒ Proposed	LAKE 51302 / L-53610	25 S	14 E	21	NE	SE	1600	1490' N, 40' W OF SE COR SEC 21
	☐ Authorized ☐ Proposed								

Check all type(s) of temporary change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|---|---|
| ☒ Place of Use (POU) | ☒ Appropriation/Well (POA) |
| ☐ Point of Diversion (POD) | ☐ Additional Point of Appropriation (APOA) |
| ☐ Additional Point of Diversion (APOD) | |

Check all type(s) of temporary change(s) due to drought proposed below (change "CODES" are provided in parentheses):

- | | |
|---|---|
| ☐ Place of Use (POU) | ☐ Point of Appropriation/Well (POA) |
| ☐ Character of Use (USE) | ☐ Additional Point of Appropriation (APOA) |
| ☐ Point of Diversion (POD) | ☐ Additional Point of Diversion (APOD) |

Will all of the proposed changes affect the entire water right?

- ☐ Yes Complete only the Proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- ☒ No Complete all of Table 2 to describe the portion of the water right to be changed.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

List only the part of the right that will be changed. For the acreage in each $\frac{1}{4}$ $\frac{1}{4}$, list the change proposed. If more than one change, specify the acreage associated with each change. If more than one POD/POA, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the Certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.													Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.													
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp	Rng	Sec		¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date							
EXAMPLE																											
2	S	9	E	15	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	S	9	E	1	NW	NW	500	1	10.0		POD #5	1901	
"	"	"	"	"	"	"	"	"	"	EXAMPLE	"	"	"	2	S	9	E	2	SW	NW	500		5.0		POD #6	1901	
25	S	14	E	28	NE	NE	1600		4.6	IR	WELL #2	1981	POU & POA	25	S	14	E	21	NE	SE	1600		5.1	IR	WELL #3	1981	
"	"	"	"	"	NW	NE	"		4.8	"	"	"	"	"	"	"	"	"	NW	SE	"		4.4	"	"	"	
"	"	"	"	"	SW	NE	"		4.9	"	"	"	"	"	"	"	"	"	SW	SE	"		4.5	"	"	"	
"	"	"	"	"	SE	NE	"		4.7	"	"	"	"	"	"	"	"	"	SE	SE	"		5.0	"	"	"	
TOTAL ACRES									19.0					TOTAL ACRES									19.0				

RECEIVED

Temporary Transfer Application – Page 10 of 11

TACS

FEB 25 2022

OWRD

1392

FEB 25 2022

OWRD

For Place of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? ☐ Yes ☒ No

If YES, list the certificate, water use permit, or ground water registration numbers: _____



Pursuant to ORS 540.525, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for temporary transfer can be included in the transfer or remain unused on the authorized place of use. If the primary water right does not revert soon enough to allow use of the supplemental right within five years, the supplemental right shall become subject to cancellation for nonuse under ORS 540.610.

If a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation is necessary to convey the water to the new temporary place of use you must provide:

- ☒ Well log(s) for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

AND/OR

- ☐ Describe the construction of the authorized and proposed well(s) in Table 3 below for any well that does not have a well log. For a *proposed well(s) not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the Department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right

The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No. 255/14E-216a

State Permit No. _____

(1) OWNER:

Name Ralph H. PiepgrassAddress 11599 Ave. 328
Visalia California 93277

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☐ Driven ☐
Cable ☒ Jetted ☐
Dug ☒ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☒ Test Well ☐ Other ☐

CASING INSTALLED:

Threaded ☐ Welded ☒
1/4" Diam. from 0 ft. to 121 ft. Gage 250/111
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? ☐ Yes ☒ No.

Type of perforator used _____

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name _____

Type _____ Model No. _____

Diam. _____ Slot size _____ Set from ft. to ft.

Diam. _____ Slot size _____ Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static levelWas a pump test made? ☒ Yes ☐ No If yes, by whom? Art ReedYield: 1700 gal./min. with 37 ft. drawdown after 6 hrs.

" " " " " "

" " " " " "

Baller test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water 54 Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used CementWell sealed from land surface to 121 ft.Diameter of well bore to bottom of seal 18 in.Diameter of well bore below seal 14 in.Number of sacks of cement used in well seal 10 sacks

Number of sacks of bentonite used in well seal _____ sacks

Brand name of bentonite _____

Number of pounds of bentonite per 100 gallons

of water _____ lbs./100 gals.

Was a drive shoe used? ☒ Yes ☐ No Plug YX5 Size: location 121 ft.Did any strata contain unusable water? ☐ Yes ☒ No

Type of water? _____ depth of strata _____

Method of sealing strata off _____

Was well gravel packed? ☐ Yes ☒ No Size of gravel: _____

Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Lake Driller's well number _____NE 1/4 NW 1/4 Section 21 T. 25 R. 14 W.M.

Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 132 ft.Static level 44 ft. below land surface. Date 5-2-77

Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 14 in.Depth drilled 370 ft. Depth of completed well 370 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change in formation. Report each change in
position of Static Water Level and indicate pumping water-bearing strata.

MATERIAL	From	To	SWL
Top Soil	FEB 25 2022	2	
Grey Clay	2	28	
Blue Clay	28	60	
Black Lava Rock	60	62	
Sand & Gravel	62	75	
Grey Clay	75	80	
Fine Sand & Gravel	80	88	
Broken Black Lava Rock	88	91	
Hard Grey Clay	91	125	
Fine Gravel	125	133	40
Hard Brown Clay	133	139	
Porous Grey Pack sand	139	167	
Fine Gravel	167	168	
Red Sandy Clay	168	189	
Fine Black Gravel	189	190	
Red Sandy Clay	190	196	
Coarse Grey sand	196	199	
Red Sandy Clay	199	209	
Soft Blue clay	209	224	

Work started 1-21-77 Completed 5-2-77Date well drilling machine moved off of well 5-2-77

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Silas Blaylock Date 5-11-77

(Drilling Machine Operator)

Drilling Machine Operator's License No. 383

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name Blaylock & Wood Well Drilling

(Person, firm or corporation) (Type or print)

Address Box 2 Silver Lake, Or. 97268[Signed] Silas Blaylock

(Water Well Contractor)

Contractor's License No. 425 Date 5-11-77

(USE ADDITIONAL SHEETS IF NECESSARY)

SP-45658-119

13929

WATER WELL REPORT
STATE OF OREGON

State Well No. 255-148-28 aa

State Permit No. G-9230

Lake 132

(1) OWNER:

Name Dave Pick
Address 4235 W Antler
City Redmond State Oregon

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air ☒ Driven ☐ Domestic ☐ Industrial ☐ Municipal ☐
Rotary Mud ☐ Dug ☐ Irrigation ☒ Test Well ☐ Other ☐
Cable ☒ Bored ☐ Thermal: Withdrawal ☐ Reinjection ☐

(4) PROPOSED USE (check):

CASING INSTALLED: Steel ☒ Plastic ☐
14" Diam. from +1 1/2 ft. to 91 1/2 ft. Gauge 250
Threaded ☐ Welded ☒

LINER INSTALLED:

" Diam. from ft. to ft. Gauge

(6) PERFORATIONS:

Perforated? ☐ Yes ☒ No

Type of perforator used
Size of perforations in. by in.
..... perforations from ft. to ft.
..... perforations from ft. to ft.
..... perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name Model No.
Type
Diam. Slot Size Set from ft. to ft.
..... Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? ☐ Yes ☒ No If yes, by whom?
Yield: gal/min. with ft. drawdown after hrs.
.....
Pump test 1300 gal/min. with drill stem at 100 ft. 2 hrs.
Ball test gal/min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water 52 Depth artesian flow encountered none ft.

(9) CONSTRUCTION:

Special standards: Yes ☐ No ☒

Well seal—Material used Portland Cement Type I
Well sealed from land surface to 20' ft.
Diameter of well bore to bottom of seal 18 in.
Diameter of well bore below seal 14 in.
Number of sacks of cement used in well seal 40 sacks
How was cement grout placed? Pressure pumped

Was pump installed? No Type HP Depth ft.
Was a drive shoe used? ☐ Yes ☒ No Plug Size: location ft.
Did any strata contain unusable water? ☐ Yes ☒ No
Type of Water? depth of strata
Method of sealing strata off
Was well gravel packed? ☐ Yes ☒ No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Lake Driller's well number 84
NE 1/4 NE 1/4 Section 28 T. 25 S. R. 14 E W.M.
Tax Lot # Lot Blk Subdivision

Address at well location: Fort Rock, Oregon
1310' from the South Line, and 1310 from the East

(11) WATER LEVEL: Completed well.

Depth at which water was first found 50 ft.
Static level 50 ft. below land surface. Date 12-20-80
Artesian pressure none lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 14

Depth drilled 280 ft. Depth of completed well 280 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top Soil Brown	0	4	
Brown Clay	4	43	
Course Black Sand WB	43	87	50
Gray Broken Rock	87	114	
Fine Black Sandstone	114	128	
Blue Clay	128	141	
Medium Black Sand	141	157	
Brown Clay	157	178	
Gravel Congl	178	205	
Blue Clay	205	215	
Brown Congl	215	234	
Brown Clay	234	247	
Brown Congl	247	280	

RECEIVED

FEB 9 1981

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

FEB 25 2022

OWRD

Work started 12-8-80 19 Completed 1-5-81 19
Date well drilling machine moved off of well 1-5-81 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Bill Williams Date 1-12-81
(Drilling Machine Operator)

Drilling Machine Operator's License No. 1231

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Bill Williams Well Drilling
(Person, firm or corporation) (Type or print)

Address P.O. Box 334, Redmond, Oregon 97756

[Signed] Bill Williams
(Water Well Contractor)

Contractor's License No. 782 Date Jan 12, 1981, 19.....

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date of well completion.

13929

LAKE 51302

LAKE
51302

RECEIVED

FEB 25 2022

OWRD

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765)

Instructions for completing this report are on the last page of this form.

WELL I.D. # L 53610
START CARD # 144706(1) OWNER: Well Number _____
Name Dave Pick
Address P.O. Box 130
City FORT ROCK State OR Zip 97735(2) TYPE OF WORK
☒ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment(3) DRILL METHOD:
☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger
☐ Other(4) PROPOSED USE:
☐ Domestic ☐ Community ☐ Industrial ☒ Irrigation
☐ Thermal ☐ Injection ☐ Livestock ☐ Other(5) BORE HOLE CONSTRUCTION:
Special Construction approval ☐ Yes ☒ No Depth of Completed Well 260 ft.
Explosives used ☐ Yes ☒ No Type _____ Amount _____HOLE SEAL
Diameter From To Material From To Sacks or pounds
16" 0 59 Cement 59 40 10 Sack
12" 59 260 Dr 25 0How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E
☒ Other 3 inch Pour Ben of Hole Plug
Backfill placed from 40 ft. to 25 ft. Material _____
Gravel placed from _____ ft. to _____ ft. Size of gravel _____(6) CASING/LINER:
Diameter From To Gauge Steel Plastic Welded Threaded
Casing: 12" 1 59 150 ☒ ☐ ☒ ☐
Liner: _____

Final location of shoe(s)

(7) PERFORATIONS/SCREENS:
☐ Perforations Method _____
☐ Screens Type _____ Material _____
From To Slot size Number Diameter Tele/pipe size Casing Liner

(8) WELL TESTS: Minimum testing time is 1 hour

☐ Pump ☐ Bailor ☒ Air ☐ Flowing
Yield gal/min Drawdown Drill stem at Time
1500 260 Dr
Temperature of water 52 Depth Artesian Flow Found
Was a water analysis done? ☐ Yes By whom FEB 18 2005
Did any strata contain water not suitable for intended use? ☐ Too little
☐ Salty ☐ Muddy ☐ Odor ☐ Color
Depth of strata: _____
WATER RESOURCES DEPT
SALEM, OREGON

(9) LOCATION OF WELL by legal description:

County Laurel Latitude _____ Longitude _____
Township 25 N or S Range 14 E or W. WM.
Section 21 SE 1/4 SE 1/4
Tax Lot 1201 Lot _____ Block _____ Subdivision _____
Street Address of Well (or nearest address) 27986 SOTA
LAKE FORT ROCK OR

(10) STATIC WATER LEVEL:

37 ft. below land surface. Date 7-10-02
Artesian pressure _____ lb. per square inch. Date _____

(11) WATER BEARING ZONES:

Depth at which water was first found 60'

From	To	Estimated Flow Rate	SWL
<u>60'</u>	<u>260</u>	<u>1500</u>	<u>37</u>

(12) WELL LOG:

Ground Elevation _____

Material	From	To	SWL
<u>TOP SOIL</u>	<u>0</u>	<u>2</u>	
<u>Blow Clay</u>	<u>2</u>	<u>20</u>	
<u>Green Clay</u>	<u>20</u>	<u>35</u>	
<u>Gray Clay Stone hard</u>	<u>35</u>	<u>45</u>	
<u>Gray Basalt</u>	<u>45</u>	<u>63</u>	
<u>Blow Basalt</u>	<u>63</u>	<u>95</u>	
<u>Sand Bleed with stone</u>	<u>95</u>	<u>260</u>	
<u>Layered sand stone</u>			

RECEIVED

APR 14 2002

WATER RESOURCES DEPT.
SALEM, OREGON

RECEIVED

APR 15 2004

WATER RESOURCES DEPT.
SALEM, OREGONDate started 7-4-02 Completed 7-10-02

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number _____

Signed _____

Date _____

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 1654Signed [Signature]Date 7-26-02

ORIGINAL - WATER RESOURCES DEPARTMENT FIRST COPY - CONSTRUCTOR SECOND COPY - CUSTOMER

13929

894

M0571458

After Recording Return to:
RYAN RENNER
21886 N.E. BUTLER MARKET RD.
BEND, OR 97701

Until a change is requested all tax statements
Shall be sent to the following address:
(same as above)

Order No. 59324BW

State of Oregon } ss. Reel 57
County of Lake } ss. File 1458

I hereby certify that the within instrument
was received and filed for record on the
13 day of Feb 20 06
3:14 o'clock P. M. and recorded
on page 894 in book 246 record
of Deschutes of said County
Stacy Jeaney
County Clerk
By _____ Deputy

WARRANTY DEED

117954

DAVID M. PICK, TRUSTEE AND MARGARET E. PICK, TRUSTEE OF THE DOUBLE LAZY
P CL TRUST and DAVID M. PICK and MARGARET E. PICK, herein called grantor, convey(s) to
RYAN RENNER, herein called grantee, all that real property situated in the County of LAKE, State of
Oregon, described as:

The Northwest 1/4 of Section 21 in Township 25 South, Range 14 East of the Willamette Meridian in
Lake County, Oregon

251400-014

and covenant(s) that grantor is the owner of the above described property free of all encumbrances except
covenants, conditions, restrictions, reservations, rights, rights of way and easements of record, if any, and
apparent upon the land, contracts and/or liens for irrigation and/or drainage; and except any real property
taxes due but not yet payable, including farm deferred taxes;

and will warrant and defend the same against all persons who may lawfully claim the same, except as
shown above.

The true and actual consideration for this transfer is \$350,000.00.

BEFORE SIGNING OR ACCEPTING THIS INSTRUMENT, THE PERSON TRANSFERRING
FEE TITLE SHOULD INQUIRE ABOUT THE PERSON'S RIGHTS, IF ANY, UNDER
CHAPTER 1, OREGON LAWS 2005 (BALLOT MEASURE 37 (2004)). THIS INSTRUMENT
DOES NOT ALLOW USE OF THE PROPERTY DESCRIBED IN THIS INSTRUMENT IN
VIOLATION OF APPLICABLE LAND USE LAWS AND REGULATIONS. BEFORE SIGNING
OR ACCEPTING THIS INSTRUMENT, THE PERSON ACQUIRING FEE TITLE TO THE
PROPERTY SHOULD CHECK WITH THE APPROPRIATE CITY OR COUNTY PLANNING
DEPARTMENT TO VERIFY APPROVED USES AND TO DETERMINE ANY LIMITS ON
LAWSUITS AGAINST FARMING OR FOREST PRACTICES AS DEFINED IN ORS 30.930
AND TO INQUIRE ABOUT THE RIGHTS OF NEIGHBORING PROPERTY OWNERS, IF
ANY, UNDER CHAPTER 1, OREGON LAWS 2005 (BALLOT MEASURE 37 (2004)).

Dated: February 10, 2006

DOUBLE LAZY P CL TRUST

David M. Pick
DAVID M. PICK, TRUSTEE

Margaret E. Pick
MARGARET E. PICK, TRUSTEE

David M. Pick
DAVID M. PICK

Margaret E. Pick
MARGARET E. PICK

STATE OF OREGON, County of Deschutes) ss.

On February 10, 2006, personally
appeared the above named
DAVID M. PICK, TRUSTEE and
MARGARET E. PICK,
TRUSTEE of the DOUBLE
LAZY P CL TRUST and
DAVID M. PICK and
MARGARET E. PICK and
acknowledged the foregoing
instrument to be their voluntary
act and deed.

Before me: Bonnie C. Wilkins
Notary Public for Oregon
My commission expires: 2-19-2006

Official Seal



13929

RECEIVED

FEB 25 2022

OWRD

64
AFTER RECORDING RETURN TO:
HENDRIX BRINICH & BERTALAN, LLP
716 NW Harriman
Bend, OR 97701
541/382-4980

M0590962

788685

RECEIVED

FEB 25 2022

OWRD

MEMORANDUM OF CONTRACT

119732

This Memorandum shall be recorded and shall give notice of the following real estate transaction wherein Seller has sold real property to Buyer on a Contract of Sale for consideration:

SELLER: Double Lazy P CL Trust, Dave Pick and Meg Pick, Trustees

BUYER: Ryan Renner and Jenny Elsasser, not as tenants in common but with rights of survivorship

Until a change is requested, all tax statements shall be sent to the BUYER at the following address:

Ryan Renner
PO Box 31
Fort Rock, Or 97735

CONSIDERATION: \$1,085,000.00

DATE OF CONTRACT: July 12, 2006


CONTRACT SECURITY: Seller has retained an unpaid vendor's lien to secure the consideration.


By execution of this instrument, Sellers certify that they are not "foreign persons" as that term is defined in the Internal Revenue Code, Section 1445.

PROPERTY DESCRIPTION: Attached as Exhibit A.

DATED:

SELLER:
Double Lazy P CL Trust


Dave Pick, Trustee


Meg Pick, Trustee

BUYER:
Ryan Renner


Ryan Renner


Jenny Elsasser

Page 1 of 3, Memorandum of Contract

13929

STATE OF OREGON)
) ss.
County of Deschutes)

The foregoing instrument was acknowledged before me by Ryan Renner this 12th day of July, 2006.



Diane F. Mowry
Notary Public for Oregon
My Commission Expires:
9/12/08

RECEIVED

FEB 25 2022

OWRD

STATE OF OREGON)
) ss.
County of Deschutes)

The foregoing instrument was acknowledged before me by Dave Pick and Meg Pick, Trustees for Double Lazy P, CL Trust, this 12th day of July, 2006.



Diane F. Mowry
Notary Public for Oregon
My Commission Expires:
9/12/08

STATE OF OREGON)
) ss.
County of Deschutes)

12th The foregoing instrument was acknowledged before me by Jenny Elsasser this day of July, 2006.



Diane F. Mowry
Notary Public for Oregon
My commission expires: 9/12/08

M0590964

Preliminary Report

Order No.: 7168-788685
Page 7 of 7

Exhibit "A"

RECEIVED

FEB 25 2022

OWRD

Real property in the County of Lake, State of Oregon, described as follows:

Parcel 1

Land in Township 25 South, Range 14 East of the Willamette Meridian in Lake County, Oregon more particularly described as follows:

Section 21: The Southeast 1/4; EXCEPTING THEREFROM THE FOLLOWING: Commencing at the Southeast corner of the Southwest 1/4 of said Section 21; thence North along the East line of said Southwest 1/4 to the Northeast corner thereof; thence East along the East-West Center Section line of said Section 21 a distance of 89.62 feet; thence South 0°23'23" East a distance of 2662.76 feet more or less to the South line of said Section 21; thence North 89°40' West along the South line of said Section 21 a distance of 89.30 feet more or less to the point of beginning.

2514 00-033

Section 28: The Northeast 1/4.

Parcel 2

Parcel 2 of Partition Plat 2006-B-130, according to the Partition Plat filed July 31, 2006 in the Records of Lake County, in Lake County, Oregon.

Tax Parcel Number:

PP2006-130 L-2

Page 3 of 3, Memorandum of Contract

First American Title

State of Oregon } ss. Reel 59
County of Lake } File 962

I hereby certify that the within instrument was received and filed for record on the 21 day of Aug 20 06 at 2:21 o'clock P. M. and recorded on page 66 in book 268 record of Seeds of said County

By Stacy Feany County Clerk

13929

Application for Water Right Transfer Evidence of Use Affidavit



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing.
Supporting documentation must be attached.

State of Oregon)
County of DESCHUTES) ss

I, BRYCE M. WITHERS, in my capacity as WATER RIGHT SPECIALIST,

mailing address PO BOX 1830 BEND, OR 97709

telephone number (541)389-2837, being first duly sworn depose and say:

RECEIVED
FEB 25 2022
OWRD

1. My knowledge of the exercise or status of the water right is based on (check one):

☐ Personal observation ☒ Professional expertise

2. I attest that:

☒ Water was used during the previous five years on the **entire** place of use for
Certificate # 52642 & 52644; OR

☐ My knowledge is specific to the use of water at the following locations within the last five years:

Certificate #	Township	Range	Mer	Sec	¼ ¼	Gov't Lot or DLC	Acres (if applicable)

OR

- ☐ Confirming Certificate # _____ has been issued within the past five years; OR
- ☐ Part or all of the water right was leased instream at some time within the last five years. The
instream lease number is: _____ (Note: If the entire right proposed for
transfer was not leased, additional evidence of use is needed for the portion not leased instream.); OR
- ☐ The water right is not subject to forfeiture and documentation that a presumption of forfeiture for non-use
would be rebutted under ORS 540.610(2) is attached.
- ☐ Water has been used at the actual current point of diversion or appropriation for more than
10 years for Certificate # _____ (For Historic POD/POA Transfers)

(continues on reverse side)

3. The water right was used for: (e.g., crops, pasture, etc.): HAY

4. I understand that if I do not attach one or more of the documents shown in the table below to support the above statements, my application will be considered incomplete.

RECEIVED

FEB 25 2022

B. L. Miller

Signature of Affiant

February 11, 2022

Date

OWRD

Signed and sworn to (or affirmed) before me this 11 day of Feb, 2022.



Linda Lee Miller

Notary Public for Oregon

My Commission Expires: July 12, 2025

Supporting Documents	Examples
☐ Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of confirming water right certificate that shows issue date
☐ Copies of receipts from sales of irrigated crops or for expenditures related to use of water	• Power usage records for pumps associated with irrigation use • Fertilizer or seed bills related to irrigated crops • Farmers Co-op sales receipt
☐ Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	• District assessment records for water delivered • Crop reports submitted under a federal loan agreement • Beneficial use reports from district • IRS Farm Usage Deduction Report • Agricultural Stabilization Plan • CREP Report
☒ Aerial photos containing sufficient detail to establish location and date of photograph	Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added. Sources for aerial photos: OSU – www.oregonexplorer.info/imagery OWRD – www.wrd.state.or.us Google Earth – earth.google.com TerraServer – www.terra-server.com
☐ Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

RECEIVED

FEB 25 2022

OWRD

NOTE TO APPLICANTS

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; **OR**
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and all of the following apply:
 - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
 - b) The application involves a change in place of use only;
 - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; and
 - d) The application involves irrigation water uses only.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

Land Use Information Form

OREGON



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

RECEIVED

FEB 25 2022

OWRD

Applicant(s): RYAN C. RENNER & JENNIFER L. ELSASSER

Mailing Address: PO BOX 31

City: FORT ROCK

State: OR

Zip Code: 97735

Daytime Phone: _____

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	XX	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
<u>25S</u>	<u>14E</u>	<u>21</u>	____	<u>1100</u>	<u>FARM USE</u>	☒ Diverted	☒ Conveyed	☒ Used	<u>IR</u>
<u>25S</u>	<u>14E</u>	<u>21 & 28</u>	____	<u>1600</u>	<u>FARM USE</u>	☒ Diverted	☒ Conveyed	☒ Used	<u>IR</u>
____	____	____	____	____	____	☐ Diverted	☐ Conveyed	☐ Used	____
____	____	____	____	____	____	☐ Diverted	☐ Conveyed	☐ Used	____

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

LAKE COUNTY.

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water ☒ Water Right Transfer ☐ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License ☐ Allocation of Conserved Water ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 3.21 ☒ cubic feet per second ☐ gallons per minute ☐ acre-feet

Intended use of water: ☒ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☐ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

TRANSFER TO CHANGE PLACE OF USE AND POINTS OF APPROPRIATION TO MATCH FARMING PRACTICES.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

FEB 25 2022

For Local Government Use Only

OWRD

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- ☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): Lake County Zoning Ordinance Article 3 (R-2 Zone)
- ☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being pursued."

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

25-14- (1100 + 1600)


Name: Darwin Johnson Title: Planning Director
 Signature: [Signature] Phone: 541-947-6036 Date: 14 Feb 2022
 Government Entity: Lake County Planning Department

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____
 City or County: _____ Staff contact: _____
 Signature: _____ Phone: _____ Date: _____

T25S R14E, WM, LAKE COUNTY, OR



- Well
- Pipeline
- POU IR "ON" C-52642 (1/22/1981)
- POU IR "OFF" C-52642 (1/22/1981)
- POU IR "NO CHANGE" C-52642 (1/22/1981)
- POU IR "ON" C-52644 (11/30/1977)
- POU IR "OFF" C-52644 (11/30/1977)
- POU IR "NO CHANGE" C-52644 (11/30/1977)
- Section
- Quarter Quarter
- Tax Lot


Well Locations:

- #1 (LAKE 126): 1340' S, 1300' E of NW Cor Sec 21
- #2 (LAKE 132): 1250' S, 1420' W of NE Cor Sec 28
- #3 (LAKE 51302/L-53610): 1490' N, 40' W of SE Cor Sec 28

RECEIVED

FEB 25 2022

OWRD



TEMPORARY TRANSFER MAP Renner Ranch

Date: 2/10/2022

C-52642 & C-52644

This map is not intended
to provide legal dimensions
or locations of property
ownership lines.


WATER RIGHT SERVICES, LLC

PO BOX 1830, BEND, OR 97709


WWW.OREGONWATER.US 541-389-2837

johnshort@usa.com

CCB # 197121



T25S R14E, WM,
LAKE COUNTY, OR



13929

RECEIVED

FEB 25 2022

OWRD



"OREGONAERIAL2020" IMAGERY ESRI
Renner Ranch

Date: 2/10/2022

This map is not intended
to provide legal dimensions
or locations of property
ownership lines.

WATER RIGHT SERVICES, LLC

PO BOX 1830, BEND, OR 97709

WWW.OREGONWATER.US 541-389-2837

johnshort@usa.com

CCB # 197121

Regular Temporary Water Right Transfer Application Checklist

Checked by Jean

Date 3-2-22

T-13929

A temporary transfer must be for a change in place of use. A temporary change in POD/POA or APOD/APOA cannot be accepted as a stand-alone change.

5 years

52644)

52642

POU/POA

A change in POD/POA can accompany the temporary change in place of use, only if the proposed temporary POD/POA is supplying water to the proposed temporary place of use.

If OK, check box to left; if not, fill in the blank)

- ☒ 1. Page 1 of application: Are all attachments that have been checked actually included?
If not, what is missing? _____
- ☒ 2. Are fees included and correct?
If not, the correct fee would be: _____, so the amount missing is: _____
- ☒ 3. Part 4 of application: Have all the applicants listed at the top of the page signed at the bottom?
If not, whose signature is missing? _____
- ☒ 4. Are all listed certificates shown by WRIS as non-cancelled?
If not, which are cancelled? _____
For each cancelled certificate, if there has been a remaining right certificate issued that covers the lands in the left side of Table 2, list its number _____ and check the #4 box at left on this checklist.
- ☒ 5. If any certificate is in the name of a "district", is a Supplemental Form D from that district enclosed?
☒ N/A ☐ Form D needed from _____ (district)
6. If all #1-#5 boxes on this checklist are checked (with no remaining deficiencies identified), accept the application. Put this check sheet in the transfer folder.

If #1, #2, #3, #4 or #5 on this checklist is deficient, the application cannot be accepted. It should be returned and the deficiencies listed in the "staff" section at the bottom of Application Page 1, unless the applicant or agent can resolve the deficiencies within 2-3 days.