

T-13940

T-13940

Name City of Aumsville
Attn Steve Oshe
 Address 595 Main Street
Aumsville or 97325

Change in POV APOA
 Date Filed 3/7/2022
 Initial notice date 3/15/2022
 DPD issued date _____
 PD issued date _____
 PD notice date _____
 Date of FO 12/11/2024 Vol 133 Page 503-507

C-Date _____
 COBU due date _____
 COBU Received date _____
 Certificate issued _____

DESCRIPTION OF WATER RIGHT(S)

Name of Stream well
 Trib. of Beaver Creek
 Use mini County Minon
 Quantity of water (CFS) _____ No. of Acres _____
 Name of ditch _____
 App# GR 3543 Per # GR 3258 Cert # _____ PR Date _____
 App# _____ Per # _____ Cert # _____ PR Date _____
 App# _____ Per # _____ Cert # _____ PR Date _____
 App# _____ Per # _____ Cert # _____ PR Date _____
 App# _____ Per # _____ Cert # _____ PR Date _____

FEES PAID		
Date	Amount	Receipt #
<u>3-7-2022</u>	<u>\$1,250.00</u>	<u>137637</u>

FEES REFUNDED		
Date	Amount	Receipt #

Assignments: _____

Irrigation District _____

Agent GSI water solution- tedressler

CWRE _____

CC's list City of Aumsville

☐ - Oversized map - Location _____



Oregon

Tina Kotek, Governor

Water Resources Department

North Mall Office Building

725 Summer St NE, Suite A

Salem, OR 97301

Phone 503 986-0900

Fax 503 986-0904

www.oregon.gov/owrd

December 11, 2024

City of Aumsville
C/O Steve Oslie
595 Main St
Aumsville, OR 97325

REFERENCE: Groundwater Registration Modification Application T-13940

Enclosed is a copy of the final order approving recognition of your Groundwater Registration Modification application.

If you have any questions related to the approval of this application, you may contact your caseworker, Arla Davis, by telephone at (503) 979-3129 or by e-mail at Arla.I.davis@water.oregon.gov.

Sincerely,

Elyse D. Richman
Water Right Services Support
Transfers and Conservation Section

cc: Gregory J. Wacker, Watermaster Dist. # 16 (via email)
GSI Water Solutions Inc., Agent

Enclosure

BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON

In the Matter of Groundwater	)	FINAL ORDER APPROVING
Registration Modification Application	)	RECOGNITION OF ADDITIONAL POINTS OF
T-13940, MARION County	)	APPROPRIATION AND MODIFICATION IN
	)	PLACE OF USE

Authority

Oregon Revised Statutes (ORS) 537.610, 537.705 and 540.505 to 540.580 establish the process in which the holder of a certificate of registration may submit a request for recognition of modifications to the place of use, character of use or point of appropriation under a groundwater certificate of registration.

Oregon Administrative Rules (OAR) Chapter 690, Divisions 382 and 380 implement the statutes and provide the Department's procedures and criteria for evaluating groundwater registration modification applications.

Applicant

CITY OF AUMSVILLE
STEVE OSLIE, PUBLIC WORKS DIRECTOR
595 MAIN ST
AUMSVILLE, OR 97325

Findings of Fact

1. On March 7, 2022, the CITY OF AUMSVILLE filed a groundwater registration modification application for additional points of appropriation and to modify the place of use under Groundwater Registration GR-3543 (Certificate of Registration GR-3258). The Department assigned the application number T-13940.
2. Notice of the application for groundwater registration modification was published on March 15, 2022, pursuant to OAR 690-382-0600. No comments were filed in response to the notice.
3. On July 22, 2022, the Department received a request from the applicant to add an additional well, to change the names and locations of the proposed additional points of appropriation, to update well construction information for the additional points of appropriation, and to update transfer application agent information. Along with the requested revisions, the agent for the applicant provided a revised transfer application map and updated pages for the

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

transfer application, including Part 3 of 4 (applicant/agent information and Part 4 of 4 (Table 1 (location of existing and proposed wells), Table 2 (description of existing place of use to be modified and proposed place of use), and Table 3 (well construction details)).

4. On March 20, 2023, the agent for the applicant requested to update (to more accurately describe) the locations of the existing well and the three additional points of appropriation requested. The request included a revised Table 1 and application map. The updated application map does not show the location of the authorized well and the place of use has been modified from previous maps provided to the Department. In addition, the updated map includes another well, but it is not clear whether this new well is intended to be part of this transfer application. This new well (Reservoir Well) has not been reviewed by the Department's Groundwater Section and Watermaster.
5. On February 12, 2024, the Department sent a copy of the draft Preliminary Determination proposing to deny Groundwater Registration Modification Application T-13940 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of March 12, 2024, for the applicant to respond. The applicant requested that the Department proceed with issuance of a Preliminary Determination.
6. On February 19, 2024, the agent for the applicant contacted the Department via email that the Department's review and denial of Groundwater Registration Modification T-13940 included application pages and maps associated with the City of Aumsville's water right Transfer Application T-13938. An amended Table 1 with updated well locations and an updated application map were mailed to OWRD for Groundwater Registration Modification T-13940 on March 14, 2023.
7. On October 4, 2024, the Department issued a Preliminary Determination proposing to approve Groundwater Registration Modification Application T-13940 and sent a copy to the applicant. Additionally, notice of the Preliminary Determination for the Groundwater Registration Modification application was published on the Department's weekly notice on October 8, 2024, and in the Statesman Journal newspaper on October 8 and 15, 2024, pursuant to ORS 540.520 and OAR 690-382-0800. No protests were filed in response to the notices.
8. The groundwater registration to be modified is as follows:

Registration: GR-3543 (Certificate of Registration GR-3258), in the name of CITY OF AUMSVILLE

Use: MUNICIPAL USE

Tentative

Priority Date: AUGUST 1948

Quantity: 75.0 GALLONS PER MINUTE (GPM)

Source: A WELL within the BEAVER CREEK BASIN

Original Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
8 S	2 W	WM	25	SW SE	SOUTH 71 DEGREES 10 MINUTES EAST 157.6 FEET FROM THE NE CORNER OF BLOCK 1 TURNER ADDITION

Original Place of Use:

MUNICIPAL USES				
Twp	Rng	Mer	Sec	Q-Q
8 S	2 E	WM	25	NE SE
8 S	2 E	WM	25	NW SE
8 S	2 E	WM	25	SW SE
8 S	2 E	WM	25	SE SE

9. On March 24, 2023, the applicant submitted a revision to Table 1 (Location of Authorized and Proposed Points of Appropriation) for the groundwater registration modification application. The applicant has provided information on the location of the authorized Point of Appropriation (POA). The authorized POA may be more accurately described as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
8 S	2 W	WM	25	SE SE	BAKER WELL - 600 FEET NORTH AND 945 FEET WEST FROM THE SE CORNER OF SECTION 25

10. Groundwater Registration Modification Application T-13940 proposes additional points of appropriation with approximate distances from the existing point of appropriation as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances and Latitude/Longitude	Approx Distance from Authorized Well
8 S	2 W	WM	25	SE SW	BOONE WELL 3 - 1460 FEET NORTH AND 3680 FEET WEST FROM THE SE CORNER OF SECTION 25; 44.842229 DEGREES, -122.880209 DEGREES	0.45 mile northwest
8 S	2 W	WM	25	SE SW	MILL CREEK WELL 1A - 485 FEET NORTH AND 2745 FEET WEST FROM THE SE CORNER OF SECTION 25; 44.839630 DEGREES, -122.876499 DEGREES	0.35 mile southwest
8 S	2 W	WM	25	SE SW	MILL CREEK WELL 1B - 510 FEET NORTH AND 2745 FEET WEST FROM THE SE CORNER OF SECTION 25; 44.839979 DEGREES, -122.876451 DEGREES	0.35 mile southwest

11. Groundwater Registration Modification Application T-13940 proposes to modify the place of use under the ground water registration to:

MUNICIPAL USES
WITHIN THE SERVICE AREA OF CITY OF AUMSVILLE

Review Criteria for Groundwater Registration Modification Applications [OAR 690-382-0100(10), 690-382-0700(2), 690-382-1000(1) and 690-380-2110(2)]

12. The proposed modifications would not result in a state Scenic Waterway not receiving previously available water during periods in which stream flows are less than the quantities determined by the Department to be necessary to meet the requirements of ORS 390.835.
13. The proposed points of appropriation develop groundwater from the same aquifer as the authorized point of appropriation, as required by OAR 690-380-2110(2).
14. The proposed modifications, as conditioned, would not result in enlargement of the groundwater registration.
15. The proposed modifications, as conditioned, would not result in injury to other water rights.
16. All other application requirements are met.

Conclusions of Law

The additional points of appropriation and modification in place of use proposed in Groundwater Registration Modification T-13940 are consistent with the requirements of ORS 537.610, 537.705, 540.505 to 540.580 and OAR 690-382-1000.

Now, therefore, it is ORDERED:


1. The modifications to Registration Application GR-3543 (Certificate of Registration GR-3258) proposed in Groundwater Registration Modification Application T-13940 are recognized. Recognition of the modifications shall not be construed as a final determination of the right to appropriate groundwater under the certificate of registration or modification. Such a determination will occur in an adjudication proceeding under ORS 537.670 to 537.695.
2. The use of the water is restricted to beneficial use at the place of use described and is subject to all other conditions and limitations contained in Registration Application GR-3543 (Certificate of Registration GR-3258) and any related decree.
3. Approval of this groundwater registration modification application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new points of appropriation and the new place of use.
4. Water shall be acquired from the same aquifer (water source) as the original point of appropriation.
5. The combined quantity of water diverted at the proposed additional points of appropriation (BOONE WELL 3, MILL CREEK WELL 1A, AND MILL CREEK WELL 1B, together with that diverted at the original point of appropriation (BAKER WELL), shall not exceed the quantity of water lawfully available at the original point of appropriation (BAKER WELL).

6. Water use measurement conditions:

- a) Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation.
- b) The water user shall maintain the meters or measuring devices in good working order.
- c) The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Dated in Salem, Oregon on

DEC 11 2024



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
IVAN GALL, DIRECTOR
Oregon Water Resources Department

Mailing date: DEC 12 2024

STATE OF OREGON
WATER RESOURCES DEPARTMENT

725 Summer St. N.E. Ste. A

SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # 143828

INVOICE #

RECEIVED FROM: City of Aumsville

BY:

APPLICATION

PERMIT

TRANSFER

T-13740

CASH: CHECK: # OTHER: (IDENTIFY)

☐

57004

☐

TOTAL REC'D \$ 785.28

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES 46118 \$

0207 OTHER: (IDENTIFY) Newspaper Notice \$ 785.28

0243 I/S Lease 0244 Muni Water Mgmt. Plan 0245 Cons. Water

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES \$

0410 RESEARCH FEES \$

0408 MISC REVENUE: (IDENTIFY) \$

TC162 DEPOSIT LIAB. (IDENTIFY) \$

0240 EXTENSION OF TIME \$

WATER RIGHTS:

EXAM FEE

RECORD FEE

0201 SURFACE WATER \$ 0202 \$

0203 GROUND WATER \$ 0204 \$

0205 TRANSFER \$

WELL CONSTRUCTION

EXAM FEE

LICENSE FEE

0218 WELL DRILL CONSTRUCTOR \$ 0219 \$

LANDOWNER'S PERMIT

0220 \$

OTHER (IDENTIFY)

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE \$ CARD#

0210 MONITORING WELLS \$ CARD#

OTHER (IDENTIFY)

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD) \$

0231 HYDRO LICENSE FEE (FW/WRD) \$

HYDRO APPLICATION \$

TREASURY OTHER / RDX

FUND TITLE

OBJ. CODE VENDOR #

DESCRIPTION \$

RECEIPT: 143828

DATED: 9-16-24 BY: [Signature]

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

DATE	INVOICE	AMOUNT	NOTES
8/30/2024	GR MOD T-13940 NOTICE PCA #46118	\$785.28	

Received

SEP 16 2024

OWRD

REMITTANCE ADVICE

57004



Oregon

PO Box 631824 Cincinnati, OH 45263-1824

GANNETT

AFFIDAVIT OF PUBLICATION

ElyseD Richmond
TACS-PN
Oregon Depart. of Water Resources
725 Summer ST NE # A
Salem OR 97301-1266

STATE OF WISCONSIN, COUNTY OF BROWN

The Statesman Journal, of general circulation as defined by Sections 193.010 to 193.110, Oregon revised Statutes; printed and Published in Salem in Marion County, Oregon; and that this Public Notices is printed copy of which is hereby annexed was Published in said newspapers in the issue:

10/08/2024, 10/15/2024

and that the fees charged are legal.
Sworn to and subscribed before on 10/15/2024

Legal Clerk

Nancy Heyrman
Notary, State of WI, County of Brown

S.B. 21

My commission expires

Publication Cost: \$654.40

Tax Amount: \$0.00

Payment Cost: \$654.40

Order No: 10651913

Customer No: 816170

PO #:

of Copies:

1

THIS IS NOT AN INVOICE!

Please do not use this form for payment remittance.

PUBLIC NOTICE

Notice of Preliminary Determination for

Groundwater Registration Modification T-13940

T-13940 filed by Steve Oslie, City of Aumsville, 595 Main St, Aumsville, OR 97325, proposes additional points of appropriation and a modification in place of use under Groundwater Registration Application GR-3543 (Certificate of Registration GR-3258). The registration allows the use of 0.167 cubic foot per second from a well in Sec. 25, T8S, R2W, WM for municipal use in Sec. 25. The applicant proposes additional points of appropriation in Sec. 25, T8S, R2W, WM and to change the place of use to within the service boundary of City of Aumsville. The Water Resources Department proposes to approve the modification, based on the requirements of ORS Chapter 540 and OAR 690-382-1000.

Any person may file, jointly or severally, a protest or standing statement within 30 days after the last date of newspaper publication of this notice, 10/15/2024. Call (503)-986-0935 to obtain additional information. If no protests are filed, the Department will issue a final order consistent with the preliminary determination.

Statesman Journal
October 8, 15, 2024

Received

OCT 21 2024

OWRD

NANCY HEYRMAN
Notary Public
State of Wisconsin



Oregon

Tina Kotek, Governor

October 4, 2024

VIA CERTIFIED MAIL AND E-MAIL

CITY OF AUMSVILLE
STEVE OSLIE, PUBLIC WORKS DIRECTOR
595 MAIN ST
AUMSVILLE, OR 97325

SUBJECT: Groundwater Registration Modification T-13940

Please find enclosed the Preliminary Determination indicating that, based on the information available, the Department intends to approve application T-13940. This document is an intermediate step in the approval process; water may not be used legally as proposed in the groundwater registration modification application until a Final Order has been issued by the Department. Please read this entire letter carefully to determine your responsibility for additional action.

A public notice is being published in the Department's weekly publication and in the Statesman Journal newspaper, simultaneously with issuance of the Preliminary Determination. The notice initiates a period in which any person may file either a protest opposing the decision proposed by the Department in the Preliminary Determination or a standing statement supporting the Department's decision. The protest period will end 30 days after the Department's notice or 30 days after the last date of newspaper publication, whichever is later.

If no protest is filed, the Department will issue a Final Order consistent with the Preliminary Determination. You should receive a copy of the Final Order about 30 days after the close of the protest period.

If a protest is filed, the application may be referred to a contested case proceeding. A contested case provides an opportunity for the proponents and opponents of the decision proposed in the Preliminary Determination to present information and arguments supporting their position in a quasi-judicial proceeding.

Please do not hesitate to contact me at 503-979-3129 or arla.l.davis@water.oregon.gov if I may be of assistance.

Sincerely,

Arla L Davis

Arla L Davis
Groundwater Registration Modification Specialist
Transfers and Conservation Section

cc: GR Modification application file T-13940
Gregory J. Wacker, District 16 Watermaster (via e-mail)
GSI Water Solutions Inc., Agent for the applicant (via e-mail)

enc

7018 0680 0002 0041 9167

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee

\$

Extra Services & Fees (check box, add fee as appropriate)

☐ Return Receipt (hardcopy) \$

☐ Return Receipt (electronic) \$

☐ Certified Mail Restricted Delivery \$

☐ Adult Signature Required \$

☐ Adult Signature Restricted Delivery \$

Postage

\$

Total Postage and Fees

\$

Sent To

Street and Apt. No., or P.O. Box No.

City, State, ZIP+4®

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

Postmark
Here

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Groundwater	)	PRELIMINARY DETERMINATION
Registration Modification Application	)	PROPOSING APPROVAL OF RECOGNITION
T-13940, MARION County	)	OF ADDITIONAL POINTS OF APPROPRIATION
	)	AND MODIFICATION IN PLACE OF USE

Authority

Oregon Revised Statutes (ORS) 537.610, 537.705 and 540.505 to 540.580 establish the process in which the holder of a certificate of registration may submit a request for recognition of modifications to the place of use, character of use or point of appropriation under a groundwater certificate of registration.

Oregon Administrative Rules (OAR) Chapter 690, Divisions 382 and 380 implement the statutes and provide the Department's procedures and criteria for evaluating groundwater registration modification applications.

Applicant

CITY OF AUMSVILLE
STEVE OSLIE, PUBLIC WORKS DIRECTOR
595 MAIN ST
AUMSVILLE, OR 97325

Findings of Fact

1. On March 7, 2022, the CITY OF AUMSVILLE filed a groundwater registration modification application for additional points of appropriation and to modify the place of use under Groundwater Registration GR-3543 (Certificate of Registration GR-3258). The Department assigned the application number T-13940.
2. Notice of the application for groundwater registration modification was published on March 15, 2022, pursuant to OAR 690-382-0600. No comments were filed in response to the notice.
3. On July 22, 2022, the Department received a request from the applicant to add an additional well, to change the name and location of the proposed additional points of appropriation, to update well construction information for the additional points of appropriation, and to update transfer application agent information. Along with the requested revisions, the agent for the applicant provided a revised transfer application map and updated pages for the transfer application, including Part 3 of 4 (applicant/agent information and Part 4 of 4 (Table 1 (location of existing and proposed wells), Table 2 (description of existing place of use to be modified and proposed place of use), and Table 3 (well construction details)).

Pursuant to OAR 690-380-4030, any person may file a protest or standing statement within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later, of this preliminary determination.

4. On March 20, 2023, the agent for the applicant requested to update (to more accurately describe) the locations of the existing well and the three additional points of appropriation requested. The request included a revised Table 1 and application map. The updated application map does not show the location of the authorized well and the place of use has been modified from previous maps provided to the Department. In addition, the updated map includes another well, but it is not clear whether this new well is intended to be part of this transfer application. This new well (Reservoir Well) has not been reviewed by the Department's Groundwater Section and Watermaster.
5. On February 12, 2024, the Department sent a copy of the draft Preliminary Determination proposing to deny Groundwater Registration Modification Application T-13940 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of March 12, 2024, for the applicant to respond. The applicant requested that the Department proceed with issuance of a Preliminary Determination.
6. On February 19, 2024, the agent for the applicant contacted the Department via email that the Department's review and denial of Groundwater Registration Modification T-13940 included application pages and maps associated with the City of Aumsville's water right Transfer Application T-13938. An amended Table 1 with updated well locations and an updated application map were mailed to OWRD for Groundwater Registration Modification T-13940 on March 14, 2023.
7. The groundwater registration to be modified is as follows:

Registration: GR-3543 (Certificate of Registration GR-3258), in the name of CITY OF AUMSVILLE

Use: MUNICIPAL USE

Tentative

Priority Date: AUGUST 1948

Quantity: 75.0 GALLONS PER MINUTE (GPM)

Source: A WELL within the BEAVER CREEK BASIN

Original Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
8 S	2 W	WM	25	SW SE	SOUTH 71 DEGREES 10 MINUTES EAST 157.6 FEET FROM THE NE CORNER OF BLOCK 1 TURNER ADDITION

Original Place of Use:

MUNICIPAL USES				
Twp	Rng	Mer	Sec	Q-Q
8 S	2 E	WM	25	NE SE
8 S	2 E	WM	25	NW SE
8 S	2 E	WM	25	SW SE
8 S	2 E	WM	25	SE SE

8. On March 24, 2023, the applicant submitted a revision to Table 1 (Location of Authorized and Proposed Points of Appropriation) for the groundwater registration modification application. The applicant has provided information on the location of the authorized Point of Appropriation (POA). The authorized POA may be more accurately described as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
8 S	2 W	WM	25	SE SE	BAKER WELL - 600 FEET NORTH AND 945 FEET WEST FROM THE SE CORNER OF SECTION 25

9. Groundwater Registration Modification Application T-13940 proposes additional points of appropriation with approximate distances from the existing point of appropriation as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances and Latitude/Longitude	Approximate Distance from Authorized Well
8 S	2 W	WM	25	SE SW	BOONE WELL 3 - 1460 FEET NORTH AND 3680 FEET WEST FROM THE SE CORNER OF SECTION 25; 44.842229 DEGREES, -122.880209 DEGREES	0.45 mile northwest
8 S	2 W	WM	25	SE SW	MILL CREEK WELL 1A - 485 FEET NORTH AND 2745 FEET WEST FROM THE SE CORNER OF SECTION 25; 44.839630 DEGREES, -122.876499 DEGREES	0.35 mile southwest
8 S	2 W	WM	25	SE SW	MILL CREEK WELL 1B - 510 FEET NORTH AND 2745 FEET WEST FROM THE SE CORNER OF SECTION 25; 44.839979 DEGREES, -122.876451 DEGREES	0.35 mile southwest

10. Groundwater Registration Modification Application T-13940 proposes to modify the place of use under the ground water registration to:

MUNICIPAL USES
WITHIN THE SERVICE AREA OF CITY OF AUMSVILLE

Review Criteria for Groundwater Registration Modification Applications [OAR 690-382-0100(10), 690-382-0700(2), 690-382-1000(1) and 690-380-2110(2)]

11. The proposed modifications would not result in a state Scenic Waterway not receiving previously available water during periods in which stream flows are less than the quantities determined by the Department to be necessary to meet the requirements of ORS 390.835.
12. The proposed points of appropriation develop groundwater from the same aquifer as the authorized point of appropriation, as required by OAR 690-380-2110(2).
13. The proposed modifications, as conditioned, would not result in enlargement of the groundwater registration.
14. The proposed modifications, as conditioned, would not result in injury to other water rights.
15. All other application requirements are met.

Determination and Proposed Action

The additional points of appropriation and modification in place of use proposed in Groundwater Registration Modification T-13940 appear to be consistent with the requirements of ORS 537.610, 537.705, 540.505 to 540.580 and OAR 690-382-1000. If protests are not filed pursuant to OAR 690-382-0900 the modification will be approved.


If Groundwater Registration Modification Application T-13940 is approved, the final order will include the following:

- 1. The modifications to Registration Application GR-3543 (Certificate of Registration GR-3258) proposed in Groundwater Registration Modification Application T-13940 are recognized. Recognition of the modifications shall not be construed as a final determination of the right to appropriate groundwater under the certificate of registration or modification. Such a determination will occur in an adjudication proceeding under ORS 537.670 to 537.695.*
- 2. The use of the water is restricted to beneficial use at the place of use described and is subject to all other conditions and limitations contained in Registration Application GR-3543 (Certificate of Registration GR-3258) and any related decree.*
- 3. Approval of this groundwater registration modification application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new points of appropriation and the new place of use.*
- 4. Water shall be acquired from the same aquifer (water source) as the original point of appropriation.*
- 5. The combined quantity of water diverted at the proposed additional points of appropriation (BOONE WELL 3, MILL CREEK WELL 1A, AND MILL CREEK WELL 1B, together with that diverted at the original point of appropriation (BAKER WELL), shall not exceed the quantity of water lawfully available at the original point of appropriation (BAKER WELL).*

6. *Water use measurement conditions:*

- a) *Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation.*
- b) *The water user shall maintain the meters or measuring devices in good working order.*
- c) *The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.*

Dated in Salem, Oregon on **OCT 04 2024**


Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
IVAN GALL, DIRECTOR
Oregon Water Resources Department

This Preliminary Determination was prepared by Arla L Davis. If you have questions about the information in this document, you may reach me at 503-979-3129 or arla.l.davis@water.oregon.gov.

Protests

Under the provisions of ORS 540.520(6) & (7) and OAR 690-382-0900, within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-382-0800, whichever is later, any person may file, jointly or severally, a protest expressing opposition of approval of the groundwater registration application and disagreement with this Preliminary Determination or a standing statement in support of this Preliminary Determination. Protests and standing statements must be received by the Water Resources Department within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-382-0900, whichever is later.

Protests must be in writing and received in hard copy form with the appropriate statutory protest filing fee; protests cannot be filed by electronic mail. [OAR 690-002-0025(3) and 690-382-0900]. and include the following:

- The person's name, address, and telephone number;
- All reasonably ascertainable issues and all reasonably available arguments supporting the person's position by the close of the protest period. Failure to raise a reasonably ascertainable issue in a protest or failure to provide sufficient specificity to afford the Department an opportunity to respond to the issue may preclude consideration of the issue during the hearing;
- If you are the applicant, a protest fee of \$480 required by ORS 536.050; and

- If you are not the applicant, a protest fee of \$950 required by ORS 536.050 and proof of service of the protest upon the applicant.

Requests for Standing

Under the provisions of OAR 690-382-0900(5), the Department shall provide to persons who have filed standing statements as defined under OAR 690-382-0100(8) notice of any differences between the Department's Preliminary Determination and the Final Order, notice of a hearing on the application under OAR 137-003-0535, and an opportunity to request limited party status or party status in the hearing.

Requests for standing must be received in the Water Resources Department no later than 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-382-0900, whichever is later. Requests for standing must be in writing, and must include the following:

- The requester's name, mailing address and telephone number;
- If the requester is representing a group, association or other organization, the name, address and telephone number of the represented group;
- A statement that the requester supports the preliminary determination as issued.

After the protest period has ended, the Director will either issue a Final Order or schedule a contested case hearing. The contested case hearing will be scheduled only if a protest has been filed under OAR 690-382-0900. In accordance with OAR 690-382-1100, notice and conduct of the hearing shall:

- Be under the applicable provisions of ORS 183.310 to 183.550, pertaining to contested cases, and the hearing shall be held in the area where the rights are located unless all parties stipulate otherwise; and
- If a protest has asserted that a water right to be transferred has been forfeited through non-use, include the notice and procedures described in OAR 690-017-0500 to 690-017-0900.

If you do not request a hearing within 30 days after the close of the protest period, or if you withdraw a request for a hearing, notify the Department or the administrative law judge that you will not appear, or fail to appear at a scheduled hearing, the Director may issue a final order by default. If the Director issues a Final Order by default, the Department designates the relevant portions of its files on this matter, including all materials that you have submitted relating to this matter, as the record for purpose of proving a *prima facie* case upon default.

You may be represented by an attorney at the hearing. Legal aid organizations may be able to assist a party with limited financial resources. Generally, partnerships, corporations, associations, governmental subdivisions, or public or private organizations are represented by an attorney. However, consistent with OAR 690-002-0020 and OAR 690-137-0555, an agency

representative may represent partnerships, corporations, associations, governmental subdivisions or public, or private organizations if the Department determines that appearance of a person by an authorized representative will not hinder the orderly and timely development of the record in this case.

Notice Regarding Servicemembers: Active-duty servicemembers have a right to stay proceedings under the federal Servicemembers Civil Relief Act. 50 U.S.C. App. §§501-597b. For more information contact the Oregon State Bar at 800-452-8260, the Oregon Military Department at 971-355-4127, or the nearest United States Armed Forces Legal Assistance Office through <http://legalassistance.law.af.mil>.

If you have questions about how to file a protest or if you have previously filed a protest and you want to know the status, please contact Will Davidson at 503-507-2749.

If you have questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at 503-986-0900.

Address any correspondence to: Oregon Water Resources Department, Transfer and Conservation Section, 725 Summer Street NE, Suite A, Salem OR 97301-1266.

T-13940

Part 4 of 4 – Groundwater Registration Information

Please use a separate Part 4 for each registration being modified. See instructions on page 5, to copy and paste additional Part 4s, or to add additional rows to tables within the form.

Groundwater Registration # GR-3543 (Certificate # GR-3258)

Table 1. Location of Authorized and Proposed Point(s) of Appropriation (POA)

(Note: If the POA name is not specified in the registration, assign it a name or number here.)

POA Name or Number	Is this POA Authorized by the registration or is it Proposed?	OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Baker Well	☒ Authorized ☐ Proposed	MARI 10907	8	S	2	W	25	SE	SE	6500	600 feet North and 945 feet West from the SE corner of Section 25*
Boone Well 3	☐ Authorized ☒ Proposed		8	S	2	W	25	SE	SW	700	1460 feet North and 3680 feet West from the SE corner of Section 25 44.842229°, -122.880209°
Mill Creek Well 1A	☐ Authorized ☒ Proposed		8	S	2	W	25	SE	SW	1300	485 feet North and 2745 feet West from the SE corner of Section 25 44.839630°, -122.876499°
Mill Creek Well 1B	☐ Authorized ☒ Proposed		8	S	2	W	25	SE	SW	1300	510 feet North and 2745 feet West from the SE corner of Section 25 44.839979°, -122.876451°

*The location description provided here for the Baker Well is a more accurate description of the well's location than the location listed on the Groundwater Registration.

Check all type(s) of modifications(s) proposed below (modification "CODES" are provided in parentheses):

☒ Place of Use (POU)

☐ Point of Appropriation (well) (POA)

☐ Character of Use (USE)


☒ Additional Point of Appropriation (APOA)

13940 -

Received by OWRD

FEB 19 2024

Salem, OR



LEGEND

- Proposed Point of Appropriation (POA)
- Authorized Point of Appropriation (POA)
- Conveyance
- Authorized Place of Use (POU)
- Proposed Place of Use (POU)
- Service Area Boundary
- Donation Land Claim (DLC)
- City Boundary
- Railroad
- Watercourse
- Waterbody

Application for a Groundwater Registration Modification in the Name of City of Aumsville

GR-3543

Marion County

Township 8 South, Range 1, 2 West (W.M.)

LOCATION DESCRIPTION

PROPOSED POA

Boone Well 3: Located 1460 feet North and 3680 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.) 44.842229°, -122.880209°

Mill Creek Well 1A: Located 485 feet North and 2745 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.) 44.839630°, -122.876499°

Mill Creek Well 1B: Located 510 feet North and 2745 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.) 44.839979°, -122.876451°

AUTHORIZED POA

Baker Well
Located 600 feet North and 945 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.)

Received by OWRD

FEB 19 2024


Salem, OR

DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

Date: March 16, 2023

Data Sources: BLM, ESRI, OWRD, USGS, Marion Co.



13940 -



Oregon

Tina Kotek, Governor

Water Resources Department

North Mall Office Building

725 Summer St NE, Suite A

Salem, OR 97301

Phone 503 986-0900

Fax 503 986-0904

August 21, 2024

Applicant

CITY OF AUMSVILLE
ATTN: STEVE OSLIE
595 MAIN ST
AUMSVILLE, OR 97325

SUBJECT: Groundwater Registration Modification Application T-13940

Your water right Groundwater Registration Modification Application T-13940, is ready for issuance of the Preliminary Determination, once the Department receives payment for publication of the newspaper notice.

Items needed before the next phase of processing...

At this time you need to:

1. submit a check for \$785.28 (to cover cost of publication of the notice), made out to the Oregon Water Resources Department.
2. write **"for T-13940 NOTICE"** on the front of your check, and submit it with the tracking stub at the bottom of this letter.

Mail the check to 725 Summer St. NE, Suite A, Salem, OR 97301, no later than September 21, 2024.

What happens next... Shortly after receiving payment, the Department will issue the Preliminary Determination, initiate publication in the Statesman Journal newspaper, and also publish the notice on the Department's weekly notice. Publication of the notice will initiate a protest period during which any person may file either a protest opposing the decision proposed by the Department in the Preliminary Determination or a standing statement supporting the Department's decision.

If we do not receive payment for newspaper notice by September 21, 2024, a Preliminary Determination may be issued denying the application as incomplete.

Please contact me at 503-979-3129 or arla.l.davis@water.oregon.gov, if I may be of assistance.

Sincerely,

Arla L Davis

Arla L Davis
Groundwater Registration Modification Specialist
Transfer and Conservation Section

cc: GR Modification application file T-13940
Greg Wacker, District 16 Watermaster
Zach Pike-Urlacher, GSI Water Solutions Inc., Agent for the applicant (via e-mail)

✂-----

Attached is a check for \$785.28 (PCA #46118) for Newspaper Notice for GR MOD T-13940 made out to Oregon Water Resources Department (or WRD)

- **"for T- 13940 NOTICE"** written on front of check

Mail to: Oregon Water Resources Department
725 Summer St. NE, Suite A
Salem, OR 97301-1266

Caseworker: ARLA



Oregon

Tina Kotek, Governor

GROUNDWATER REGISTRATION MODIFICATION CASEWORKER COMPLETENESS CHECKLIST

DRAFT PRELIMINARY DETERMINATION

Water Resources Department
North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301

Transfer #: T-13940			Applicant: Steve Osle, City of Aumsville; Agent is GSI		GR- 3543	Caseworker: Laura Wilke Phone: 503-986-0900 Fax: 503-986-0904 www.Oregon.gov/OWRD
PR	CW	Coord	County: Marion	Previous GR-Mod? T-none identified with WRIS search - will check GR file be sure to consider & include any previous modification(s) made to the Groundwater Registration		
☐	☒	☐				
☐	☒	☐	Type of Modification: ☐ POA ☒ APOA ☒ POU ☐ USE			
☐	☒	☐	Name on Groundwater Registration***? City of Aumsville ** THE GROUNDWATER REGISTRATION <u>MUST</u> BE IN THE APPLICANT'S NAME or A REQUEST FOR ASSIGNMENT <u>MUST</u> ACCOMPANY THE GR-MOD APPLICATION			

File Completeness – Arranging Originals – Place in file underneath the Working File							
PR	CW	Coord	Order of documents	Is it in the hard file?			Notes
☐	☒	☐	Watermaster Review	☐ No	☒ Yes	☐ N/A	WM is requesting that measuring devices be installed at each well location associated with this GR Mod. Also identifies that these should be installed prior to any diversion of water. Send measurment form with DPD.
☐	☒	☐	Groundwater Review	☐ No	☒ Yes	☐ N/A	new wells should appropriate from same source based on additional well descriptions with the GR Mod application. the three additional wells are not yet drilled at time of review. There is a nearby well (water Right Cert 91652) that could be impacted - but this well has not yet fully developed into the alluvials. Nearby stream - Mill Creek - existing well is approx 320 feet from creek. Additional wells will be 75 to 250 feet from Mill Creek. May result in increase in interference with Mill Creek - expect the impact to be minimal, if any.
☐	☒	☐	Complete Application – including amended pages	☐ No	☒ Yes		Application received March 7, 2022, including Land Use only from City of Aumsville Revisions received July 22, 2022, including land use for Marion County ****Additional revisions received March 24, 2023 - better description of wells and



							application map. However, the map provided does not match the footprint of the original map - smaller area on revised??? - this updated map may be for related transfer T-13938, being processed via RA (Arla). ***Also, the revised page 4 of 4, Table 1, references the wrong QQ for Mill Creek Well 1B - should be SE SW and not SW SE - likely transposed.
☐	☒	☐	Application Map	☐ No	☒ Yes		Original application map received with GR Mod application on 3/7/2022 A revised map was received 7/22/2022 Another revised map was received 3/24/2023 - but the POU doesn't match the original map and one of the four wells shown isn't part of this transfer - may be error and updated map should be for T-13938??? Needs clarification. Coordinates for additional wells on 3/24/23 map, appear to be updated. But the 3/24 map shows Reservoir well and identifies the map as being for Certificate 89924, which is being modified under T-13938 via RA process. The previous map, received 7/22/2022, shows the Baker Well, which is the original well associated with GR-3543 there are streams on the transfer map - need to show direction of flow - Mill Cr and Beaver Cr. Map needs to include priority date and use type.
☐	☒	☐	Public Comments	☒ No	☐ Yes		No comments received - also checked for electronic comments - see review materials.
☐	☒	☐	Approved Assignment? Date Approved GR Assigned to?	☐ No	☐ Yes	☒ N/A	GR is in name of City of Aumsville - GR Mod filed by City of Aumsville
☐	☒	☐	Approved Land Use	☐ No	☒ Yes	☐ N/A	For City of Aumsville and Marion County
☐	☒	☐	Well Logs	☐ No	☒ Yes		well record for existing well and the application includes



Oregon

Tina Kotek, Governor

Water Resources Department

additional Wells Mill Office Building
725 Commercial Street NE, Suite A
7/22/2022 Salem, OR 97301

Phone: 503-986-0900

Fax: 503-986-0904

www.Oregon.gov/OWRD

☐	☒	☐	Supplemental Form D	☒ No	☐ Yes	☐ N/A	They are within Santiam Water Control District
☐	☒	☐	Superseded Application Pages	☐ No	☒ Yes	☐ N/A	see Complete Application and Application map notes above.
☐	☒	☐	Misc. Receipts, Ack Letter, etc.	☐ No	☒ Yes	☐ N/A	

Working File – on top of originals

PR	CW	Coord		Is it in the working file?			Notes
☐	☒	☐	Copy of Table 1 – show your work	☐ No	☒ Yes		
☐	☒	☐	Copy of Table 2 – show your work	☐ No	☒ Yes		
☐	☒	☐	Copy of App. Map - show your work	☐ No	☒ Yes		
☐	☒	☐	Copy of GR Cert – indicate quantity of water proposed for transfer	☐ No	☒ Yes		GR MOd is for entirety of GR-3543 - 75 GPM/0.167 CFS - no annual volume limit specified in GR
☐	☒	☐	Approved Assignment	☐ No	☐ Yes	☒ N/A	No assignment - both application and GR are in name of City of Aumsville
☐	☒	☐	Public Comments	☒ No	☐ Yes	☐ N/A	no comments received.
☐	☒	☐	Well Logs	☐ No	☒ Yes		one well record - for existing well

WM Review – Date Received: 4/4/2022

Review complete & in the hard file?? ☒ Yes

Digital File? ☒ Yes

Copy in Working File? ☒ Yes

PR	CW	Coord				Notes
☐	☒	☐	Enlargement?	☒ No	☐ Yes	
☐	☒	☐	Injury?	☒ No	☐ Yes	
☐	☒	☐	Same Source?	☐ No	☐ Yes	n/a
☐	☒	☐	GW Measurement Conditions? If yes, detach the WM contact sheet & send to applicant with the DPD	☐ No	☒ Yes	totalizing flow meter on each well and in place before use begins. - See WM review recommendations. ***Send copy of WM contact sheet with DPD
☐	☒	☐	Other Conditions?	☒ No	☐ Yes	

GW Review - Date Received: Original Review dated 2/10/2023 - UPdated review dated 3/16/2023 - need to put hard copy of UPdated review in transfer file & print copy for working file.

Review complete & in the hard file?? ☒ Yes

Digital File? ☒ Yes

Copy in Working File? ☒ Yes

PR	CW	Coord				Notes
☐	☒	☐	Enlargement?	☒ No	☐ Yes	
☐	☒	☐	Injury?	☒ No	☐ Yes	



☐	☒	☐	Same Source?	☐ No	☒ Yes	Also hydraulically connected to Mill Creek but impact, if any, is minimal
☐	☒	☐	Conditions to avoid Injury and/or Enlargement?	☒ No	☐ Yes	

Draft Preliminary Determination – formatted in Calibri 12pt font

Findings of Fact – in chronological order by date						
PR	CW	Coord				Notes
☐	☒	☐	Public Notice	☐ No	☒ Yes	Application noticed on 3/15/2022
☐	☒	☐	Assignment(s)	☒ No	☐ Yes	NO assignments needed for this transfer.
☐	☒	☐	Deficiencies and resolution	☐ No	☒ Yes	Application map deficiencies and clarification needed - see complete application notes above.
☐	☒	☐	Amended Application	☐ No	☒ Yes	amended on 7/22/2022 & then again on 3/24/2022 7/22 - amended to add an additional well, update well construction information, agent contact information, and provided land use for Marion Co. 3/24/2023 - amended additional well locations to better describe location - application page 4 of 4 and revised map.
☐	☒	☐	Public Comments	☒ No	☐ Yes	No public comments received - hard or electronic
☐	☒	☐	Layering	☒ No	☐ Yes	there are 6 rights for City of Aumville identified via WRIS search under City's name. Not layering since all 6 are for municipal use.
☐	☒	☐	From Lands – verify limit/duty	☒ No	☐ Yes	Municipal Not within or above a State Scenic Waterway
☐	☒	☐	To Lands	☐ No	☒ Yes	Meant to cover full service area of City of Aumville. Not within or above a State Scenic Waterway

“FROM and TO” Lands - Tables should be formatted in Calibri 10pt font

☐	☐	☐	POA/APOA - Measurement(s) in table from <u>ALL</u> authorized point(s) involved in transfer to proposed points	☐ No	☐ Yes	Updated POA locations in Table 1 (page 4 of 4) received 3/24/2023
☐	☐	☐	POU - Header description on both “FROM and TO” POU tables; include total number of acres	☐ No	☐ Yes	POU should just be described as the City of Aumville Service Area
☐	☒	☐	USE – Season of use	☐ No	☒ Yes	Year Round for Municipal Use

Special Findings

☐	☒	☐	Change in character of use – conditions to prevent enlargement	☒ No	☐ Yes	NO change in character of use requested.
☐	☒	☐	Cancellation(s)	☒ No	☐ Yes	Cancellations are not part of or required for this transfer.

Determination and Proposed Action



Oregon

Water Resources Department

North Mall Office Building

725 Summer Street NE, Suite A

Salem, OR 97301

Phone: 503-986-0900

Fax: 503-986-0904

www.Oregon.gov/OWRD

☐	☒	☐	Includes proposed changes	☐ No	☒ Yes
☐	☒	☐	Tina K. Korman OAR	☐ No	☒ Yes
☐	☒	☐	Cancellation/Abandonment	☒ No	☐ Yes

n/a

Conclusions of Law

☐	☒	☐	POA/APOA – Correct finding that identifies point(s) of appropriation	☐ No	☒ Yes	1 existing well (Baker Well) and three new wells (Boone Well and Mill Creek Wells - 1A and 1B)
☐	☒	☐	POU - delete finding if a change in POU is not proposed	☐ No	☒ Yes	Change is proposed - Original area only covered 4 quarter quarters in Section 25 and 24. Now to include full service area in T8S, R2W Section 25 and T8S, R1W, Section 30 and 31
☐	☒	☐	USE – delete finding if a change in USE is not proposed	☒ No	☐ Yes	NO change in character of use requested.

Cover Letter - formatted in Calibri 12pt font

PR	CW	Coord				Notes
☐	☒	☐	Dated	☐ No	☒ Yes	
☐	☒	☐	30-day deadline updated	☐ No	☒ Yes	
☐	☒	☐	Newspaper notice	☐ No	☒ Yes	newspaper notice is required - distance between existing well and new wells is 0.35 to 0.54 miles. Min distance for no newspaper notice is 0.25 (1/4) mile.
☐	☒	☐	Report of Ownership	☒ No	☐ Yes	NOT required - have checked statement on signature page of T-13940 that applicant is a municipality and that the right is in the name of a municipality. SEE OAR 690-382-0400(16)
☐	☒	☐	WM Conditions	☒ No	☒ Yes	see meter and measurement conditions requested by WM.
☐	☒	☐	CC – Agent and WM	☐ No	☐ Yes	District 16 WM - Greg Wacker GSI Water Solutions - Agent - see updated agent information in letter received 3/24/2023

Public/Newspaper Notice - formatted in Calibri 12pt font

PR	CW	Coord				Notes
☐	☒	☐	Saved as non-Macro Document	☐ No	☒ Yes	
☐	☒	☐	Include with DPD Peer Review	☐ No	☒ Yes	



WATER RIGHT TRANSFER COVER SHEET

Transfer: T- 13940

Transfer Specialist:

Transfer Type: GR Modification Transfer

Applicant: STEVE OSLIE 595 MAIN ST AUMSVILLE, OR 97325 Email: _____ Phone: _____		Agent: ☐ N/A GSI WATER SOLUTIONS INC. 55 SW YAMHILL ST SUITE 300 PORTLAND, OR 97204 Email: _____ Phone: _____	
Irrigation District: ☐ N/A Email: _____		CWRE: ☐ N/A Email: _____	
Affected Local Gov'ts: ☐ N/A Email: _____		Affected Tribal Gov't: ☐ N/A UNAVAILABLE Email: _____	
Current Landowner if other than Applicant: ☐ N/A Email: _____		Receiving Landowner: ☐ N/A Email: _____	

Water Rights Affected

File Marked	App. File # or Decree Name	Permit	Certificate	RR/CR Needed	RR/CR Nos.
☐	GR3543	GR3258		☐ Yes ☐ No	
☐				☐ Yes ☐ No	
☐				☐ Yes ☐ No	

Key Dates & Initial Actions:

Rec'd: March 7, 2022	Proposed Action(s): ADDITIONAL POINT OF APPROPRIATION; PLACE OF USE	
Fees Pd: 1250.00	WM District: 16	ODFW District:
Initial Public Notice: March 15, 2022	WM Review sent:	ODFW Review sent:
Acknowledgement Letter Sent ☒		GW Review sent: ☐ N/A
County sent cc: of Ack Letter ☐	BOR notified (date): ☐ N/A	
Newspaper quote requested:	Request for news \$ sent:	News \$ received:
Request to publish sent:	Affidavit of publication received:	Last day of publication:

Document	Drafted	Peer Review	Changes Made	Coordinator	Changes Made	Signature Bin	Signature Date
DPD	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	CW Sent: _____	N/A
PD	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____	Date: _____
FO	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____	Date: _____

Special Issues: _____

Special Order Volume: Vol. _____ Pages _____



Oregon
Kate Brown, Governor

Water Resources Department
725 Summer St NE, Suite A
Salem, OR 97301
(503) 986-0900
Fax (503) 986-0904

March 15, 2022

STEVE OSLIE
CITY OF AUMSVILLE
595 MAIN ST AUMSVILLE, OR 97325

Reference: Application T- 13940

On March 7, 2022, OWRD received your water Groundwater Registration Modification application. The application was accompanied by \$1250.00. Our receipt number 137637 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to our groundwater staff to determine whether the proposed well accesses the same source of water as the original well.

This application may require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

You may not use water for the new use, in the new place of use or from the new point of appropriation until a final order approving recognition of the groundwater registration modification application has been issued by the Department. If the land is sold before the modification is approved, the buyer's consent to the modification will be required unless a recorded deed or other legal document clearly established that the groundwater registration was not conveyed in the sale.

Please refer to the following page for a chart showing the steps and expected timelines for the processing of your application.


If you have any questions, please contact the Transfer Section at (503) 979-9931.

Cc: Watermaster Dist. #16, Gregory J. Wacker (via email)
Gsi Water Solutions Inc., Agent

Enclosure

Groundwater Registration Modification Process

OAR 690 Division 382



Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

NOTE TO APPLICANTS

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; **OR**
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and all of the following apply:
 - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
 - b) The application involves a change in place of use only;
 - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; and
 - d) The application involves irrigation water uses only.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

RECEIVED

JUL 22 2022

OWRD

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Applicant(s): City of Aumsville, ATTN: Steve Oslie

Mailing Address: 595 Main Street

City: Aumsville

State: OR

Zip Code: 97325

Daytime Phone: 503-749-1185

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
City of Aumsville Service Area – See Attached Map						☒ Diverted	☒ Conveyed	☒ Used	<u>Municipal</u>
<u>8S</u>	<u>2W</u>	<u>25</u>	<u>SESW</u>	<u>700</u>	<u>P</u>	☒ Diverted	☒ Conveyed	☒ Used	<u>Municipal</u>
<u>8S</u>	<u>2W</u>	<u>25</u>	<u>SESW</u>	<u>1300</u>	<u>P</u>	☒ Diverted	☒ Conveyed	☒ Used	<u>Municipal</u>

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

City of Aumsville; Marion County

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water
 ☐ Water Right Transfer
 ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License
 ☐ Allocation of Conserved Water
 ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 75 ☐ cubic feet per second ☒ gallons per minute ☐ acre-feet

Intended use of water: ☐ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☒ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

The City of Aumsville is proposing changes to one of the City's existing water rights for municipal supply, Groundwater Registration GR-3543. The proposed changes include adding three additional wells (Boone Well 3, Mill Creek Well 1A, and Mill Creek Well 1B), and changing the place of use to the City of Aumsville Service Area.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

RECEIVED

JUL 22 2022

OWRD

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- ☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s):
- ☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being pursued."

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
	RECEIVED	☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
	JUL 22 2022	☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
	OWRD	☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: Ron Hardy Title: City Administrator
 Signature: [Signature] Phone: 503-749-2030 Date: 7/8/22
 Government Entity: City of Astoria

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____
 City or County: _____ Staff contact: _____
 Signature: _____ Phone: _____ Date: _____

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

RECEIVED

JUL 22 2022

OWRD

NOTE TO APPLICANTS

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; OR
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and all of the following apply:
 - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
 - b) The application involves a change in place of use only;
 - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; and
 - d) The application involves irrigation water uses only.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

Land Use Information Form

OREGON Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD
WATER RESOURCES
DEPARTMENT

Applicant(s): City of Aumsville, ATTN: Steve Oslie

Mailing Address: 595 Main Street

City: Aumsville

State: OR

Zip Code: 97325

Daytime Phone: 503-749-1185

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
City of Aumsville Service Area – See Attached Map						☒ Diverted	☒ Conveyed	☒ Used	<u>Municipal</u>
<u>8S</u>	<u>2W</u>	<u>25</u>	<u>SESW</u>	<u>700</u>	<u>P</u>	☒ Diverted	☒ Conveyed	☒ Used	<u>Municipal</u>
<u>8S</u>	<u>2W</u>	<u>25</u>	<u>SESW</u>	<u>1300</u>	<u>P</u>	☒ Diverted	☒ Conveyed	☒ Used	<u>Municipal</u>

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

City of Aumsville; Marion County

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water
 ☐ Water Right Transfer
 ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License
 ☐ Allocation of Conserved Water
 ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 75 ☐ cubic feet per second ☒ gallons per minute ☐ acre-feet

Intended use of water: ☐ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☒ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

The City of Aumsville is proposing changes to one of the City's existing water rights for municipal supply, Groundwater Registration GR-3543. The proposed changes include adding three additional wells (Boone Well 3, Mill Creek Well 1A, and Mill Creek Well 1B), and changing the place of use to the City of Aumsville Service Area.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

RECEIVED

JUL 22 2022

OWRD

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): MCC 16.13.010 (4)

☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being pursued."

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: Jared Bradford Title: Associate Planner
 Signature: [Signature] Phone: 503-566-4173 Date: 7/19/2022
 Government Entity: Marion County Planning Division

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____
 City or County: _____ Staff contact: _____
 Signature: _____ Phone: _____ Date: _____



March 20, 2023

Kelly Starnes
Oregon Water Resources Department
725 NE Summer Street, Suite A
Salem, OR 97301

RE: Modification to Groundwater Registration Modification Application T-13940 in the Name of City of Aumsville

Dear Kelly:

GSI Water Solutions, Inc. (GSI) submitted groundwater registration modification application T-13940 in March 2022 on behalf of the City of Aumsville (City). The application proposes to add additional points of appropriation to Groundwater Registration GR-3543 and change the place of use authorized under the Groundwater Registration to the City's service area.

On behalf of the City, we are requesting to modify the pending groundwater registration modification application with the following changes:

- Modify the location of the proposed additional points of appropriation (APOA). The proposed physical location of the wells is unchanged; we have provided a correction in the location description.

Please find enclosed portions of the groundwater registration modification application and attachment package that have been modified.

If you have any questions regarding this request, please contact me at 541-753-0933.

Sincerely,

A handwritten signature in blue ink that reads "Zach Pike-Urlacher".

Zach Pike-Urlacher
Water Resources Consultant

RECEIVED

MAR 24 2023

OWRD

Enclosures: Modified pages for Groundwater Registration Modification Application T-13940



March 20, 2023

Kelly Starnes
Oregon Water Resources Department
725 NE Summer Street, Suite A
Salem, OR 97301

RE: Modification to Groundwater Registration Modification Application T-13940 in the Name of City of Aumsville

Dear Kelly:

GSI Water Solutions, Inc. (GSI) submitted groundwater registration modification application T-13940 in March 2022 on behalf of the City of Aumsville (City). The application proposes to add additional points of appropriation to Groundwater Registration GR-3543 and change the place of use authorized under the Groundwater Registration to the City's service area.

On behalf of the City, we are requesting to modify the pending groundwater registration modification application with the following changes:

- Modify the location of the proposed additional points of appropriation (APOA). The proposed physical location of the wells is unchanged; we have provided a correction in the location description.

Please find enclosed portions of the groundwater registration modification application and attachment package that have been modified.

If you have any questions regarding this request, please contact me at 541-753-0933.

Sincerely,

A handwritten signature in blue ink that reads "Zach Pike-Urlacher". The signature is written in a cursive, flowing style.

Zach Pike-Urlacher
Water Resources Consultant

RECEIVED
MAR 24 2023
OWRD

Enclosures: Modified pages for Groundwater Registration Modification Application T-13940

Part 4 of 4 – Groundwater Registration Information

Please use a separate Part 4 for each registration being modified. See instructions on page 5, to copy and paste additional Part 4s, or to add additional rows to tables within the form.

Groundwater Registration # GR-3543 (Certificate # GR-3258)

Table 1. Location of Authorized and Proposed Point(s) of Appropriation (POA)

(Note: If the POA name is not specified in the registration, assign it a name or number here.)

POA Name or Number	Is this POA Authorized by the registration or is it Proposed?	OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Baker Well	☒ Authorized ☐ Proposed	MARI 10907	8 S	2 W	25	SE SE	6500	600 feet North and 945 feet West from the SE corner of Section 25*
Boone Well 3	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW	700	1460 feet North and 3680 feet West from the SE corner of Section 25 44.842229°, -122.880209°
Mill Creek Well 1A	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW	1300	485 feet North and 2745 feet West from the SE corner of Section 25 44.839630°, -122.876499°
Mill Creek Well 1B	☐ Authorized ☒ Proposed		8 S	2 W	25	SW SE	1300	510 feet North and 2745 feet West from the SE corner of Section 25 44.839979°, -122.876451°

*The location description provided here for the Baker Well is a more accurate description of the well's location than the location listed on the Groundwater Registration.

Check all type(s) of modifications(s) proposed below (modification "CODES" are provided in parentheses):

☒ Place of Use (POU)

☐ Character of Use (USE)

☐ Point of Appropriation (well) (POA)


☒ Additional Point of Appropriation (APOA)

RECEIVED

MAR 24 2023

OWRD


Document Path: Y:\0475 Water Engineering\Source Figures\009 20 21 WR Tests\WR Transfer\mxd\wmmon



LEGEND

- Proposed Point of Appropriation (POA)
- Authorized Point of Appropriation (POA)
- Conveyance
- Authorized Place of Use (POU)
- Donation Land Claim (DLC)
- City Boundary
- Railroad
- Watercourse
- Waterbody

CERTIFIED WATER RIGHTS EXAMINER STAMP



Application for a Permanent Water Rights Transfer in the Name of City of Aumsville

RECEIVED

MAR 24 2023

OWRD

Certificate 89924

Marion County

Township 8 South, Range 1, 2 West (W.M.)

LOCATION DESCRIPTION

PROPOSED POA

Boone Well 3: Located 1460 feet North and 3680 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.) 44.842229°, -122.880209°

Mill Creek Well 1A: Located 485 feet North and 2745 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.) 44.839630°, -122.876499°

Mill Creek Well 1B: Located 510 feet North and 2745 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.) 44.839979°, -122.876451°

AUTHORIZED POA

Reservoir Well: Located 1100 feet North and 550 feet East from the SW corner of Section 30, Township 8 South, Range 1 West (W.M.)

DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.


Date: March 16, 2023

Data Sources: BLM, ESRI, OWRD, USGS, Marion Co.



0 660 1,320
1 inch = 1,320 feet






LEGEND

- Proposed Point of Appropriation (POA)
- Authorized Point of Appropriation (POA)
- Conveyance
- ▨ Authorized Place of Use (POU)
- Donation Land Claim (DLC)
- ▭ City Boundary
- Railroad
- ~ Watercourse
- Waterbody

CERTIFIED WATER RIGHTS EXAMINER STAMP



LOCATION DESCRIPTION

PROPOSED POA

Boone Well 3: Located 1460 feet North and 3680 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.) 44.842229°, -122.680209°
 Mill Creek Well 1A: Located 485 feet North and 2745 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.) 44.839630°, -122.676499°
 Mill Creek Well 1B: Located 510 feet North and 2745 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.) 44.839979°, -122.676451°

AUTHORIZED POA

Reservoir Well: Located 1100 feet North and 550 feet East from the SW corner of Section 30, Township 8 South, Range 1 West (W.M.)

Application for a Permanent Water Rights Transfer in the Name of City of Aumsville

RECEIVED

MAR 24 2023

OWRD

Certificate 89924

Marion County

Township 8 South, Range 1, 2 West (W.M.)


POU is different from shown previous poster

DISCLAIMER


This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

Date: March 16, 2023

Data Sources: BLM, ESRI, OWRD, USGS, Marion Co.



Not for GR-3543



LEGEND

- Proposed Point of Appropriation (POA)
- Authorized Point of Appropriation (POA)
- Conveyance
- Authorized Place of Use (POU)
- Proposed Place of Use (POU)
- Service Area Boundary
- Donation Land Claim (DLC)
- City Boundary
- Railroad
- Watercourse
- Waterbody

LOCATION DESCRIPTION

PROPOSED POA

Boone Well 3
Located 1265 feet North and 3715 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.)

Mill Creek Well 1A
Located 365 feet North and 2735 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.)

Mill Creek Well 1B
Located 500 feet North and 2720 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.)

AUTHORIZED POA
Baker Well
Located 565 feet North and 932 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.)

Application for a Groundwater Registration Modification in the Name of City of Aumsville GR-3543

Marion County

Township 8 South, Range 1, 2 West (W.M.)

RECEIVED


updated
JUL 22 2022
DESCON
OWRD
3-24-23
Map

DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

Date: July 11, 2022

Data Sources: BLM, ESRI, OWRD, USGS, Marion Co.



Part 4 of 4 – Groundwater Registration Information

Please use a separate Part 4 for each registration being modified. See instructions on page 5, to copy and paste additional Part 4s, or to add additional rows to tables within the form.

Groundwater Registration # GR-3543 (Certificate # GR-3258)

Table 1. Location of Authorized and Proposed Point(s) of Appropriation (POA)

(Note: If the POA name is not specified in the registration, assign it a name or number here.)

POA Name or Number	Is this POA Authorized by the registration or is it Proposed?	OWRD Well Log ID# (or Well ID Tag # L-)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Baker Well	☒ Authorized ☐ Proposed	MARI 10907	8 S	2 W	25	SE SE	6500	600 feet North and 945 feet West from the SE corner of Section 25* <i>update loc?</i>
Boone Well 3	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW	700	1460 feet North and 3680 feet West from the SE corner of Section 25 44.842229°, -122.880209° ✓
Mill Creek Well 1A	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW	1300	485 feet North and 2745 feet West from the SE corner of Section 25 44.839630°, -122.876499° ✓
Mill Creek Well 1B	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW SE	1300	510 feet North and 2745 feet West from the SE corner of Section 25 44.839979°, -122.876451° ✓

→ *The location description provided here for the Baker Well is a more accurate description of the well's location than the location listed on the Groundwater Registration.

Check all type(s) of modifications(s) proposed below (modification "CODES" are provided in parentheses):

☒ Place of Use (POU)

☐ Point of Appropriation (well) (POA)

☐ Character of Use (USE)

☒ Additional Point of Appropriation (APOA)

RECEIVED

MAR 24 2023

OWRD

Groundwater Registration # GR-3543 (Certificate # GR-3258)

For a modification in place of use or character of use:

Are there other water right certificates, water use permits, or Groundwater registrations associated with the "from" or "to" lands? ☐ Yes ☐ No N/A – GR-3543 is for municipal use so "layering" does not apply.

If YES, list the other certificate, water use permit, or other Groundwater registration numbers:



Pursuant to OAR 690-382-0200, any "layered" water use, such as an irrigation right that is supplemental to a primary irrigation right proposed for transfer, must be concurrently transferred with the registration or be cancelled. Any change to a water right must be filed separately in a transfer application. Any change to a water use permit must be filed separately with a permit amendment. Any modification to a Groundwater registration on the "to" lands must be filed separately with a Groundwater registration modification.

For modifications in point(s) of appropriation (well(s) or additional point(s) of appropriation:

- ☒ Well log(s) are attached for each well that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Attachment D)

AND/OR

- ☒ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide adequate information is likely to delay the processing of your modification application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-___	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (interval s)	Perforated or screened intervals (in feet)	Static water level of complete d well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
Baker Well	Yes	MARI 10907	75ft	6in	0-75ft	-	-	-	Alluvial	
Boone Well 3	No	-	190ft (est.)	10in (min.)	0-80ft 100-140ft (est.)	0-75ft (est.)	80-100ft 140-190ft (est.)	20 ft (est.)	Alluvial	
Mill Creek Well 1A	No	-	190ft (est.)	10in (min.)	0-80ft 100-140ft (est.)	0-75ft (est.)	80-100ft 140-190ft (est.)	20 ft (est.)	Alluvial	
Mill Creek Well 1B	No	-	190ft (est.)	10in (min.)	0-80ft 100-140 (est.)	0-75ft (est.)	80-100ft 140-190ft (est.)	20 ft (est.)	Alluvial	

RECEIVED

Please use and attach additional pages of Table 2 as needed.
See page 5 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer

Table 2. Description of Modifications to Registration GR-3543 (Certificate # GR-3258)

List only the part of the registration that will be modified. For the acreage in each $\frac{1}{4}$ $\frac{1}{4}$, list the modification proposed. If more than one modification, specify the acreage associated with each modification. If more than one POA, specify the acreage associated with each POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears in the registration BEFORE PROPOSED CHANGES List only that part or portion of the groundwater registration that will be changed.												Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.													
Twp	Rng	Sec	$\frac{1}{4}$	$\frac{1}{4}$	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	$\frac{1}{4}$	$\frac{1}{4}$	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POA(s) to be used (from Table 1)	Priority Date				
EXAMPLE																										
2	S	9	E	15	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	S	9	E	1	NW	NW	500	1	10.0		POD #5	1901
"	"	"	"	"	"	"	"	"	"	EXAMPLE	"	"	"	2	S	9	E	2	SW	NW	500		5.0		POD #6	1901
													POU/APOA											Municipal	Baker Well, Boone Well 3, Mill Creek Well 1A, Mill Creek Well 1B	August 1948
TOTAL ACRES											TOTAL ACRES															

Additional remarks: _____.

RECEIVED

JUL 22 2022

QWRD

Registration No. GR - 3543

Certificate No. GR - 3258

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

RECEIVED

MAR 07 2022

OWRD

TO THE STATE ENGINEER OF OREGON:

I, City of Aumsville,
 of Aumsville County of Marion
 (Mailing address)
 State of Oregon do hereby make application for a certificate of registration as evidence
 of a right to appropriate ground water.

1. Source from which water is withdrawn is pond well
 (Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: _____
 (Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 71° 10' E., 157.6 ft. from the NE corner of Block 1 of Turner Addition to
 (Give distance and bearing to corner of section or other legal subdivision)
 being within SW SE of Sec. 25 Twp. 8 S. Rge. 2 E.
 (Smallest legal subdivision) (N. or S.) (E. or W.)
 or (b) within limits of recorded platted property, town or city:

in Lot _____ Block _____ of _____
 (Name of plat or addition)

County of Marion
 (If within city or town, give name)

3. Construction Work was begun on August 1918; was completed on August 1918
 (Date) (Date)

and the ground water claimed was first used for the purposes set out below on September 1918
 (Date)

since which time the water has been used continuously
 (Continuously or intermittently)

from September 1918 to present July 31, 1958
 (Date) (Date)

4. Quantity of water claimed and used is 75 gallons per minute; _____ acre
 feet per year.

5. Purpose or Purposes for which water is used municipal

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 75 feet. Type drilled
 (Dug or drilled)
 diameter _____ inches. Elevation of ground at well site 71 feet, mean sea level.
 (As near as known)
 Depth to water table _____ feet.

7. Capacity of Well: 75 g.p.m. with 50 feet drawdown,
 _____ g.p.m. with _____ feet drawdown.

Date of test _____

If Flowing Well: Measured discharge _____ g.p.m. on _____ (Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____ (Date)

Water is controlled by _____
 (Cap, valve, etc.)

13940

MAR 07 2022

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

6	inch diameter	surface	from	to	75	feet
	inch diameter		from	to		feet
	inch diameter		from	to		feet
	inch diameter		from	to		feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

not available

(Number per foot and size of perforations, or describe screen)

from _____ to _____

from _____ to _____

from to

from _____ to _____

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

[illegible]

GR 3258

13940

Frank Wymore, Route 2, Salem, Oregon

- Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width, ft. Discharge g.p.m. Date of test

- Dimensions: _____

(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal or face of materials, as pertinent.)

- (a) Pump Peerless Centrifugal 5 H.P. Capacity 85 g.p.m.

• **Offshore:** 5000 and 6000

- (b) Motor Peerless 5 H.P.

(Type and horsepower)

- Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

RECEIVED

MAR 07 2022

OWRD

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

This well is supplemental to first well drilled that turned cloudy and is going to be cleared.


GR 3258

RECEIVED

MAR 07 2022

OWRD

Township 8 S Range 2 W W.M.
North



Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON

County of

Marion

SS.

I, Irvine Holmquist, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Irvine C. Holmquist
(Signature of Registrant)

City Recorder

Subscribed and sworn to before me this 1st day of October, 1958

My commission expires July 9, 1961

Irma C. D. Speer
(Notary Public)

(SEAL)

CERTIFICATE OF REGISTRATION

STATE OF OREGON

County of Marion

SS.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 1st day of August, 1958 at 8:00 o'clock A M. and has been duly recorded in said office in Book No. 14 of Registration Statements on page GR-3258

Witness my hand this 20th day of July, 1959

Lewis A. Stanley
(State Engineer)

By

13940
(Deputy)

GR-3258

OWRD Public Comment Management

No comments received

Public Comment Query Public Comment Detail

Request Criteria

Application

Certificate

Permit

Transfer T 13940

First Name

Last Name

Company Name

Email

Comment

Exclude NonConsent ☐ Yes

Search Clear

Display Rows/Page 10

STATE ENGINEER
Salem, Oregon

MARI
10907

MARI 10907

Well Record

STATE WELL NO. 8/2W-250
COUNTY Marion
APPLICATION NO. GR-3543

OWNER: City of Aumsville

MAILING
ADDRESS:

LOCATION OF WELL: Owner's No.

CITY AND
STATE:

Aumsville, Oregon

SW 1/4 SE 1/4 Sec. 25 T. 8 S. R. 2 E. W.M.


Bearing and distance from section or subdivision

corner S. 71° 10' E., 157.6 ft. from the NE corner
of Block 1 of Turner Addition to Aumsville

Altitude at well

TYPE OF WELL: Drilled Date Constructed Aug., 1948

Depth drilled 75 ft. Depth cased 75 ft.



Section 25

CASING RECORD:

6 inch casing set to 75 ft.

RECEIVED

MAR 07 2022

FINISH:

OWRD

AQUIFERS:

WATER LEVEL:

PUMPING EQUIPMENT: Type Peerless Centrifugal H.P. 5
Capacity 85 G.P.M.

WELL TESTS:

Drawdown 5.0 ft. after 75 hours G.P.M.

Drawdown ft. after hours G.P.M.

USE OF WATER Municipal Temp. °F., 19.

SOURCE OF INFORMATION Well Registration Statement

DRILLER or DIGGER Fred Wymore

ADDITIONAL DATA:

Log Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

13940

Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department
725 Summer St NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Transfer Application: T-13940

Review Due Date: 04/14/2022

Applicant Name: City of Aumsville

Proposed Changes: ☒ POU ☐ POD ☒ POA ☐ USE ☐ OTHER

Reviewer(s): G. Wacker

Date of Review: 04/04/2022

1. Do you have evidence that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? ☐ Yes ☒ No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2. Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? ☐ Yes ☒ No Generally characterize the frequency of any regulation or explain why regulation has not occurred:
3. Have headgate notices been issued for the source that serves the transferred right(s)?
☐ Yes ☒ No ☐ Records not available.
4. In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? ☐ Yes ☒ No If "Yes", explain:
5. In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? ☐ Yes ☒ No If "Yes", describe how the rights would be affected and list the rights most affected:

6. Check here ☐ if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most:

☒ N/A

7. For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses:

☒ N/A

8. For instream transfers that propose protection of a reach beyond the mouth of the source stream:

☒ N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? ☐ Yes ☐ No

9. For POU changes: ☐ N/A Is it likely the original place of use would continue to receive water from the same source? ☒ Yes ☐ No If "Yes", explain:

Existing municipal delivery area

10. For POU or USE changes: ☐ N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste?

☐ Yes ☒ No If "Yes", explain:

11. For POU changes that involve micro-irrigation: ☒ N/A

- a. Has the applicant made changes (absent a transfer) to convert to micro-irrigation within the current place of use boundary of the water right proposed for transfer, and previously demonstrated to the Department through monitoring and site inspections by the Watermaster that the proposed transfer will not result in injury or enlargement?

☐ Yes ☐ No If "Yes", explain:

- b. Has a temporary transfer of this nature been previously filed and approved on the same lands (or portions thereof) as those lands involved in this transfer?

☐ Yes ☐ No If "Yes", answer the following:

- i. Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? ☐ Yes ☐ No If "Yes", explain:

- ii. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? ☐ Yes ☐ No If "No", explain:

- iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- iv. Do you have any other observations regarding the temporary transfer? ☐ Yes ☐ No If "Yes", describe:

- v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- c. To the best of your knowledge, if this transfer is approved, does it appear that:

- i. "Injury" will occur to other water rights that share the same source? ☐ Yes ☐ No If "Yes", explain:

- ii. "Enlargement" of the water right being transferred will occur? ☐ Yes ☐ No If "Yes", explain:

12. Are there other issues not identified through the above questions that should be considered in determining whether the change "can be effected without injury to other rights"?

☐ Yes ☒ No If "Yes", explain:

13. What alternatives may be available for addressing any issues identified above:

14. Do conditions need to be included in the transfer order to avoid enlargement of the right or injury to other rights? ☐ No ☒ Yes, as checked and provided below:

☐ For POU changes that involve micro-irrigation, provide the monitoring and reporting conditions necessary to prevent injury/enlargement:

☐ A Headgate should be required prior to diverting water.

☒ Measurement Devices for POD or POA: (if this condition is selected, also fill in the top sections of Page 4)

*a. Before water use may begin under this order, the water user shall install a **totalizing flow meter***, or, with prior approval of the Director, another suitable measuring device, ☒ at each point of diversion/appropriation (new and existing) OR at each new point of diversion/appropriation ☐ with the exception that water rights issued to the Bureau of Reclamation or an irrigation district (or similar entity) are not subject to this condition.*

b. The water user shall maintain the meters or measuring devices in good working order.

c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

☐ Reservoir water use measurement: (if this condition is selected, also fill in the top sections of Page 4)

*a. Before water use may begin under this order, the water user shall install **staff gages***, or, with prior approval of the Director, other suitable measuring devices, that measure the entire range and stage between empty and full in each reservoir. Staff gages shall be United States Geological Survey style.*

b. Before water use may begin under this order, if the reservoir is located in channel, weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, an adjustable outlet valve must be installed. The water user shall maintain such devices in good working order. A written waiver may be obtained, if in the judgment of the Director, the installation of weirs or other suitable measuring devices, or the adjustable outlet valve, will provide no public benefit.

* The following alternative device(s) should be substituted for the bold, underlined device in the above selected condition:

☐ Weir
☐ Parshall Flume
☐ Other: _____

☐ Submerged Orifice
☐ Flow Restrictor

Oregon Water Resources Department

Measurement Condition Information for the Applicant

(To be sent with the Draft Preliminary Determination or Final Order)

Transfer #: T- 13940



In order to avoid enlargement of the right or injury to other rights, a _____ will
be required to be installed prior to diversion of water, as a condition of this transfer:



at each point of diversion/appropriation (new and existing) OR



at each new point of diversion/appropriation.

For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:

Watermaster name: Greg Wacker

District: 16

Address: 725 Summer St NE Ste A

City/State/Zip: Salem, OR 97301-1266

Phone: 971-719-6262

Email:

Note: If a device other than the one specified in the Preliminary Determination or Final Order is approved by the Watermaster, fill out and mail the form below to the Salem office.

Approval of an Alternate Measurement Device T-
(to be filled out after consultation with the applicant, or after a site visit)

On behalf of the Director, I authorize use of the following suitable alternate measurement device:

Watermaster signature

District

Date

If this form is used for approval of an alternative measurement device, it must be mailed to:

Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

Groundwater Transfer Review Summary Form

Transfer/PA # T- 13940

GW Reviewer Dennis Orlowski Date Review Completed: 02/10/2023

Summary of Same Source Review:

☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Injury Review:

☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.

*See Updated Review
completed 3-16-23
by Dennis.*



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Ground Water Review Form:

- ☐ Water Right Transfer
☐ Permit Amendment
☒ GR Modification
☐ Other

Application: T-13940

Applicant Name: City of Aumsville

Proposed Changes: ☐ POA ☒ APOA ☐ SW→GW ☐ RA
☐ USE ☒ POU ☐ OTHER

Reviewer(s): Dennis Orłowski

Date of Review: 02/10/2023

Date Reviewed by GW Mgr. and Returned to WRSD: jti 2/10/23

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- ☐ The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- ☐ Other _____

1. Basic description of the changes proposed in this transfer: This application relates to groundwater claim GR-3543, which is for municipal use by the City of Aumsville, Oregon.

Claim GR-3543 authorizes the use of a single well (MARI 10907, "Baker Well") to provide groundwater at an instantaneous maximum pumping rate of 0.1671 cfs (75 gpm).

This modification proposes to add the following three APOA (not yet drilled) to GR-3543:

- Boone Well 3
- Mill Creek Well 1A
- Mill Creek Well 1B

2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?
☒ Yes ☐ No Comments: The well log for the authorized POA (MARI 10907), which is 75 feet deep, does not provide a description of borehole stratigraphy. However, nearby well logs indicate that groundwater is obtained predominantly from thin (<5 ft) water-bearing sand beds encased in low-permeability clays/claystone or shale, generally referred to as the Willamette Aquifer system (Conlon and others, 2005; Woodward and others, 1998).

The three proposed APOA are planned to be approximately 190 feet deep, installed within similar alluvial deposits, and thus will obtain groundwater from the same source aquifer as the authorized POA (proposed screen intervals are discussed in Section 7 of this review).

3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?
☐ Yes ☒ No _____
- b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): Not applicable
4. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?
☐ Yes ☒ No Comments: The authorized POA and proposed APOA are all located within the City's service area where, other than several City wells, there are very few other existing groundwater users (either permitted or exempt wells). The non-City well nearest to the proposed APOA is MARI 10943, which is the authorized POA for certificate 96152 (primary irrigation of 0.8 acres, supplemental irrigation of 5.18 acres). However, MARI 10943 is relatively shallow with a total depth of 82 feet; although it does not fully penetrate the alluvial aquifer system, recommended modifications to the proposed construction for the three APOA (total well depth and sealed interval depths) should mitigate interference concerns with MARI 10943. Consequently, and particularly with these recommended changes, the proposed change is not expected to result in an increase in interference with this or other groundwater rights.
- b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?
☐ Yes ☒ No If yes, explain: _____
5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?
☒ Yes ☐ No Comments: The authorized POA MARI 10907 is approximately 320 feet from the nearest perennial reach of Mill Creek. The three proposed APOA locations range from about 75 feet to 250 feet from Mill Creek, with "Mill Creek 1A" location being the nearest to the creek. Due to the relative proximity of the three proposed APOA locations to Mill Creek, some increase in interference with the stream is expected.
- b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?
Stream: Mill Creek ☒ Minimal ☐ Significant
Stream: _____ ☐ Minimal ☐ Significant
Provide context for minimal/significant impact: Despite the relative nearness of all three proposed APOA to Mill Creek, the proposed change, at the maximum allowed rate of use, is expected to result in only a minimal increase (if any at all) in interference with Mill Creek, particularly if the recommended changes to proposed well construction presented in Section 7 are implemented.
- Significant thicknesses of low-permeability silt and clay that overlie the targeted water-bearing zones in the proposed APOAs will mitigate potential interference impacts to Mill Creek. Well logs for MARI 16312 and MARI 10914, the latter of which is a 320-ft deep City of Aumsville well located nearer the APOA locations, show approximately 150 to 175 feet of clay, gravelly clay, sandy clay, etc., that are above deeper water-bearing sand layers.

This thick accumulation of low-permeability material will mitigate pumping interference to Mill Creek caused by pumping of the proposed APOA. Furthermore, after new dynamic equilibrium conditions have been established, any long-term effects to Mill Creek caused by pumping at either the authorized POA or proposed APOA locations are expected to be similar.

6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?

☐ Yes ☒ No Comments: Not applicable.

7. What conditions or other changes in the application are necessary to address any potential issues identified above: Authorized POA MARI 10907 obtains groundwater primarily from thin sand beds assumed to present between approximately 25 and 75 ft bls (elevation range ~315-350 ft msl) (MARI 10914, the other nearby City well mentioned previously, obtains groundwater from the underlying CRBG aquifer system, not from the alluvial aquifer system).

The proposed construction for all three APOA shows two planned perforated or screened intervals: 80-100 ft bls and 140-190 ft msl. These intervals are all deeper than the likely water-bearing zone interval in the authorized POA MARI 10907 (total reported depth of only 75 feet), but will obtain groundwater from the same alluvial aquifer system.

The groundwater review for related transfer application T-13938 (completed 1/12/2023) recommended modifications to the proposed construction for these *same three APOA* to mitigate potential impacts to Mill Creek. Thus, to be consistent with the recommendations presented in the T-13938 review, the same following recommendations are presented here:

In order to mitigate potential impacts to Mill Creek, the following changes to proposed construction for the three APOA are recommended:

- a) Eliminate the upper perforated or screened interval planned between 80-100 ft bls.
- b) Extend the surface casing and sealed interval from ground surface to approximately 100 ft bls, or about elevation 250 ft msl (which is 25 feet deeper than the currently proposed seal depth).

The logs for MARI 10914 and other nearby wells show significant (~40 to 60 feet thick) and contiguous accumulations of clay above and below the recommended seal depth of 100 feet bls (elevation ~250 ft msl). Sealing deeper than is currently proposed (100 ft bls versus 75 ft bls) into these thick, low-permeability clay deposits will mitigate potential pumping interference to Mill Creek.

8. Any additional comments: None

This map displays the area around Aumsville, Oregon, with various geographical features and administrative boundaries. Key elements include:

- Township and Range Grid:** The map is overlaid with a grid indicating Township 26 North, 25 North, and 37 North, and Range 3 East.
- Aquifer Designations:** Different symbols represent Quaternary/Late Tertiary Sediment Aquifers (open circles), Quaternary/Late Tertiary Volcanic and Volcaniclastic Rock Aquifers (shaded areas), Late Tertiary Basalt Aquifers (solid black circles), and Unknown (dots).
- Water Rights:** Numerous water right numbers are plotted, such as MARI 64380, MARI 10917, MARI 10914, MARI 10943, MARI 10937, MARI 10927, MARI 62589, MARI 10010937, MARI 10010914, MARI 10010909, MARI 16312, MARI 10016312, MARI 63912, MARI 69939, MARI 11330, MARI 11330, MARI 63814, MARI 63750, MARI 69046, MARI 70278, MARI 10018050, MARI 63750, and MARI 120099.
- Proposed Wells:** Two specific locations are highlighted with boxes: "Proposed APOA (Boone Well 3)" near Booneville and "Proposed APOA (Mill Creek TA, 1B)" near Mill Creek.
- Authorized POA:** An area is labeled "Authorized POA MARI 10907".
- Geographical Features:** The map shows the intersection of Highway 30 and Highway 36, as well as local roads like "MILL CREEK AT MOUTH" and "WILLAMETTE RIVER".
- Legend:** Located in the bottom left corner, it defines the symbols used for different types of aquifers and wells.
- Scale and Orientation:** A scale bar at the bottom indicates distances from 0 to 5,280 feet. A north arrow points towards the top right of the page.

Groundwater Transfer Review Summary Form

Transfer/PA # T- 13940

GW Reviewer Dennis Orlowski Date Review Completed: 02/10/2023

Summary of Same Source Review:

☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Injury Review:

☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Ground Water Review Form:

- ☐ Water Right Transfer
☐ Permit Amendment
☒ GR Modification
☐ Other

Application: T-13940

Applicant Name: City of Aumsville

Proposed Changes: ☐ POA ☒ APOA ☐ SW→GW ☐ RA
☐ USE ☒ POU ☐ OTHER

Reviewer(s): Dennis Orlowski

Date of Review: 02/10/2023

Date Reviewed by GW Mgr. and Returned to WRSD: Jti 2/10/23

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- ☐ The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- ☐ Other _____

1. Basic description of the changes proposed in this transfer: This application relates to groundwater claim GR-3543, which is for municipal use by the City of Aumsville, Oregon.

Claim GR-3543 authorizes the use of a single well (MARI 10907, "Baker Well") to provide groundwater at an instantaneous maximum pumping rate of 0.1671 cfs (75 gpm).

This modification proposes to add the following three APOA (not yet drilled) to GR-3543:

- Boone Well 3
- Mill Creek Well 1A
- Mill Creek Well 1B

2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?
☒ Yes ☐ No Comments: The well log for the authorized POA (MARI 10907), which is 75 feet deep, does not provide a description of borehole stratigraphy. However, nearby well logs indicate that groundwater is obtained predominantly from thin (<5 ft) water-bearing sand beds encased in low-permeability clays/claystone or shale, generally referred to as the Willamette Aquifer system (Conlon and others, 2005; Woodward and others, 1998).

The three proposed APOA are planned to be approximately 190 feet deep, installed within similar alluvial deposits, and thus will obtain groundwater from the same source aquifer as the authorized POA (proposed screen intervals are discussed in Section 7 of this review).

3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?

☐ Yes ☒ No _____

b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): Not applicable

4. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?

☐ Yes ☒ No Comments: The authorized POA and proposed APOA are all located within the City's service area where, other than several City wells, there are very few other existing groundwater users (either permitted or exempt wells). The non-City well nearest to the proposed APOA is MARI 10943, which is the authorized POA for certificate 96152 (primary irrigation of 0.8 acres, supplemental irrigation of 5.18 acres). However, MARI 10943 is relatively shallow with a total depth of 82 feet; although it does not fully penetrate the alluvial aquifer system, recommended modifications to the proposed construction for the three APOA (total well depth and sealed interval depths) should mitigate interference concerns with MARI 10943. Consequently, and particularly with these recommended changes, the proposed change is not expected to result in an increase in interference with this or other groundwater rights.

b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?

☐ Yes ☒ No If yes, explain: _____

5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?

☒ Yes ☐ No Comments: The authorized POA MARI 10907 is approximately 320 feet from the nearest perennial reach of Mill Creek. The three proposed APOA locations range from about 75 feet to 250 feet from Mill Creek, with "Mill Creek 1A" location being the nearest to the creek. Due to the relative proximity of the three proposed APOA locations to Mill Creek, some increase in interference with the stream is expected.

b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?

Stream: Mill Creek

☒ Minimal ☐ Significant

Stream: _____

☐ Minimal ☐ Significant

Provide context for minimal/significant impact: Despite the relative nearness of all three proposed APOA to Mill Creek, the proposed change, at the maximum allowed rate of use, is expected to result in only a minimal increase (if any at all) in interference with Mill Creek, particularly if the recommended changes to proposed well construction presented in Section 7 are implemented.

Significant thicknesses of low-permeability silt and clay that overlie the targeted water-bearing zones in the proposed APOAs will mitigate potential interference impacts to Mill Creek. Well logs for MARI 16312 and MARI 10914, the latter of which is a 320-ft deep City of Aumsville well located nearer the APOA locations, show approximately 150 to 175 feet of clay, gravelly clay, sandy clay, etc., that are above deeper water-bearing sand layers.

This thick accumulation of low-permeability material will mitigate pumping interference to Mill Creek caused by pumping of the proposed APOA. Furthermore, after new dynamic equilibrium conditions have been established, any long-term effects to Mill Creek caused by pumping at either the authorized POA or proposed APOA locations are expected to be similar.

6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?

☐ Yes ☒ No Comments: Not applicable.

7. What conditions or other changes in the application are necessary to address any potential issues identified above: Authorized POA MARI 10907 obtains groundwater primarily from thin sand beds assumed to present between approximately 25 and 75 ft bls (elevation range ~315-350 ft msl) (MARI 10914, the other nearby City well mentioned previously, obtains groundwater from the underlying CRBG aquifer system, not from the alluvial aquifer system).

The proposed construction for all three APOA shows two planned perforated or screened intervals: 80-100 ft bls and 140-190 ft msl. These intervals are all deeper than the likely water-bearing zone interval in the authorized POA MARI 10907 (total reported depth of only 75 feet), but will obtain groundwater from the same alluvial aquifer system.

The groundwater review for related transfer application T-13938 (completed 1/12/2023) recommended modifications to the proposed construction for these same three APOA to mitigate potential impacts to Mill Creek. Thus, to be consistent with the recommendations presented in the T-13938 review, the same following recommendations are presented here:


In order to mitigate potential impacts to Mill Creek, the following changes to proposed construction for the three APOA are recommended:

- a) Eliminate the upper perforated or screened interval planned between 80-100 ft bls.
- b) Extend the surface casing and sealed interval from ground surface to approximately 100 ft bls, or about elevation 250 ft msl (which is 25 feet deeper than the currently proposed seal depth).

The logs for MARI 10914 and other nearby wells show significant (~40 to 60 feet thick) and contiguous accumulations of clay above and below the recommended seal depth of 100 feet bls (elevation ~250 ft msl). Sealing deeper than is currently proposed (100 ft bls versus 75 ft bls) into these thick, low-permeability clay deposits will mitigate potential pumping interference to Mill Creek.

8. Any additional comments: None

Application T-13940 City of Aumsville T8S, R2W, Section 25



Service Layer Credits: Copyright © 2013 National Geographic Society, iStockphoto



RECEIVED

JUL 22 2022

OWRD

July 19, 2022

Kelly Starnes
Oregon Water Resources Department
725 NE Summer Street, Suite A
Salem, OR 97301

RE: Modification to Groundwater Registration Modification Application T-13940 in the Name of City of Aumsville

Dear Kelly:

GSI Water Solutions, Inc. (GSI) submitted groundwater registration modification application T-13940 in March 2022 on behalf of the City of Aumsville (City). The application proposed to add two additional points of appropriation to Groundwater Registration GR-3543, and change the place of use authorized under the Groundwater Registration to the City's service area.

On behalf of the City, we are requesting to modify the pending groundwater registration modification application with the following changes:

- Changes to the agent (GSI) contact information,
- Change the name and location of the proposed additional points of appropriation (APOA),
- Add an additional APOA to the application, and
- Update the well construction details for the APOAs.

Additionally, the City is requesting that the groundwater review for this application be completed at the same time as the groundwater review for pending water right transfer application T-13938, which includes the same proposed wells as this groundwater registration modification application.

Please find enclosed portions of the groundwater registration modification application and attachment package that have been modified.

If you have any questions regarding this request, please contact me at 541-753-0933.

Sincerely,

A handwritten signature in blue ink that reads "Zach Pike-Urlacher". The signature is fluid and cursive, with the first name "Zach" being more prominent.

Zach Pike-Urlacher
Water Resources Analyst

Enclosures: Modified pages for Groundwater Registration Modification Application T-13940

STATE OF OREGON
WATER RESOURCES DEPARTMENT

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **137637**

INVOICE # _____

RECEIVED FROM: City of Aumsville

BY: _____

CASH: ☐ CHECK: # 55341 OTHER: (IDENTIFY) _____

APPLICATION _____
PERMIT _____
TRANSFER 1-13940

TOTAL REC'D \$ 1,250.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES \$ _____
OTHER: (IDENTIFY) \$ _____

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES \$ _____
0410 RESEARCH FEES \$ _____
0408 MISC REVENUE: (IDENTIFY) _____ \$ _____
TC162 DEPOSIT LIAB. (IDENTIFY) _____ \$ _____
0240 EXTENSION OF TIME \$ _____

WATER RIGHTS:

0201 SURFACE WATER EXAM FEE \$ _____ 0202 RECORD FEE \$ _____
0203 GROUND WATER EXAM FEE \$ _____ 0204 RECORD FEE \$ _____
0205 TRANSFER EXAM FEE \$ 1,250.00

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR EXAM FEE \$ _____ 0219 LICENSE FEE \$ _____
LANDOWNER'S PERMIT 0220 LICENSE FEE \$ _____
OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE \$ _____ CARD# _____
0210 MONITORING WELLS \$ _____ CARD# _____
OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD) \$ _____
0231 HYDRO LICENSE FEE (FW/WRD) \$ _____
HYDRO APPLICATION \$ _____

TREASURY OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION _____ \$ _____

RECEIPT: **137637**

DATED: 3-7-2022 BY: Mindy Carlson

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

DATE	INVOICE	AMOUNT	NOTES
------	---------	--------	-------

2/25/2022 GW REG MOD APPLICATION 2/17/2022 \$1,250.00

RECEIVED

MAR 07 2022

OWRD

REMITTANCE ADVICE

55341

Application for Groundwater Registration Modification



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Part 1 of 5 – Minimum Requirements Checklist

This Groundwater Registration Modification application will be returned if Parts 1 through 4 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

Check all included with this application (N/A = Not Applicable)

RECEIVED

MAR 07 2022

OWRD

- ☒ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Application Map Checklist.
- ☒ Part 3 – Completed Applicant Information and Signature.
- ☒ Part 4 – Completed Groundwater Registration Modification Application – Groundwater Registration Information. (Only one Groundwater registration per application, unless the Groundwater registrations to be modified are layered).
- ☒ Completed Groundwater Registration Modification Application Map (Does not have to be prepared by a Certified Water Right Examiner). **(Attachment B)**
- ☒ Groundwater registration modification fees – Amount enclosed: **\$1,250.** (\$875.00 for a place of use change only; \$1,250.00 for any other change or combination).

Attachments:

- ☐ ☒ N/A Request for Assignment Form and statutory fee. This form needs to be completed if the applicant owns the land to which the registration is appurtenant and is **not** the registration certificate holder of record. The Request for Assignment Form is available at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>.

Assignment is not needed for any person or entity who can demonstrate authorization to request recognition of a modification (e.g. legal representative, power of attorney, agent, etc.) or the applicant is named on the certificate of registration, or has been assigned to the certificate of registration.

- ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone. **(Attachment C)**
- ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation. **(Attachment D)**

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

- | | |
|--|--|
| ☐ Application fee not enclosed/insufficient | ☐ Map not included or incomplete |
| ☐ Land Use Form not enclosed or incomplete | ☐ Assignment Form and fee not enclosed/insufficient |
| ☐ Additional signature(s) required | ☐ Part _____ is incomplete |

Other/Explanation _____

Staff: _____ 503- _____ Date: ____/____/____

13940

Part 2 of 4 – Groundwater Registration Modification Map Checklist

Your Groundwater Registration Modification application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

RECEIVED
MAR 07 2022

OWRD

- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads and railroads.
- ☒ Major water delivery system features from the point(s) of appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes hachuring, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the registration is being changed, a separate hachuring is needed for the portion of the registration left unchanged.
- ☒ ☐ N/A If you are proposing a modification in place of use, show the proposed place of use with hachuring including priority date and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of appropriation with distance and bearing or coordinates from a recognized survey corner.
- ☒ ☐ N/A If you are proposing a modification in point(s) of appropriation, show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Moni - shows lines but no #'s - OK except lot #'s for well locations

Part 3 of 4 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME City of Aumsville, ATTN: Steve Oslie			PHONE NO. 503-749-1185	ADDITIONAL CONTACT NO.
ADDRESS 595 Main Street			FAX NO.	
CITY Aumsville	STATE OR	ZIP 97325	E-MAIL soslie@aumsville.us	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application

AGENT/BUSINESS NAME GSI Water Solutions, Inc. ATTN: Ted Ressler			PHONE NO. 971-200-8509	ADDITIONAL CONTACT NO.
ADDRESS 55 SW Yamhill St., Suite 300			FAX NO.	
CITY Portland	STATE OR	ZIP 97204	E-MAIL tressler@gsiws.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

RECEIVED
MAR 07 2022
OWRD

Explain in your own words what you propose to accomplish with this modification; and why:
The Applicant is proposing to add two points of appropriation (New Well 1 and New Well 2) to GR-3543, and to change the place of use to the City of Aumsville Service Area.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

☐ Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

(Check one box)

- ☐ By signing this application, I (we) understand that, upon receipt of the draft preliminary determination and prior to Department approval of the Groundwater modification, I (we) will be required to provide landownership information and evidence that I am authorized to pursue the modification as identified in OAR 690-382-0400(16)(a); OR
- ☒ I (we) affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; OR
- ☐ I (we) affirm that the applicant is an entity with the authority to condemn property and is acquiring the property to which the Groundwater registration proposed for modification is appurtenant by condemnation and have attached supporting documentation.

I understand that prior to Department approval of the groundwater registration modification, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the groundwater registration is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following paper: **Statesman Journal**.

I (we) affirm that the information contained in this application is true and accurate.



Steve Oslie
Applicant Signature

Steve Oslie, Public Works Director
Print Name (and Title if applicable)

2/17/2022
Date

Applicant Signature

Print Name (and Title if applicable)

Date

Is the applicant the sole owner of the land on which the Groundwater registration modification or portion thereof, is located? ☐ Yes ☐ No If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the Groundwater registration has been conveyed.

13940

Check the appropriate box, if applicable:

- ☐ Check here if the Groundwater registration proposed for modification is or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME N/A	ADDRESS	
CITY	STATE	ZIP

- ☐ Check here if water for the Groundwater registration is supplied under a water service agreement or other contract with a federal agency or other entity.

ENTITY NAME N/A	ADDRESS	
CITY	STATE	ZIP



To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME CITY OF AUMSVILLE	ADDRESS 595 MAIN STREET	
CITY Aumsville	STATE Oregon	ZIP 97325

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

RECEIVED

MAR 07 2022

OWRD

13940

Part 3 of 4 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME City of Aumsville, ATTN: Steve Osle			PHONE NO. 503-749-1185	ADDITIONAL CONTACT NO.
ADDRESS 595 Main Street				FAX NO.
CITY Aumsville	STATE OR	ZIP 97325	E-MAIL soslie@aumsville.us	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application

AGENT/BUSINESS NAME GSI Water Solutions, Inc. ATTN: Zach Pike-Urlacher			PHONE NO. 541-753-0933	ADDITIONAL CONTACT NO.
ADDRESS 1600 SW Western Boulevard, Suite 240				FAX NO.
CITY Corvallis	STATE OR	ZIP 97333	E-MAIL zpikeurlacher@gsiws.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Explain in your own words what you propose to accomplish with this modification; and why:
The Applicant is proposing to add three points of appropriation (Boone Well 3, Mill Creek Well 1A, and Mill Creek Well 1B) to GR-3543, and to change the place of use to "the City of Aumsville Service Area."

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

(Check one box)

- ☐ By signing this application, I (we) understand that, upon receipt of the draft preliminary determination and prior to Department approval of the Groundwater modification, I (we) will be required to provide landownership information and evidence that I am authorized to pursue the modification as identified in OAR 690-382-0400(16)(a); OR
- ☒ I (we) affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; OR
- ☐ I (we) affirm that the applicant is an entity with the authority to condemn property and is acquiring the property to which the Groundwater registration proposed for modification is appurtenant by condemnation and have attached supporting documentation.

I understand that prior to Department approval of the groundwater registration modification, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the groundwater registration is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following paper: Statesman Journal.

I (we) affirm that the information contained in this application is true and accurate.

RECEIVED

JUL 22 2022

OWRD

Applicant Signature **Steve Osle, Public Works Director** _____
Print Name (and Title if applicable) Date

Applicant Signature _____
Print Name (and Title if applicable) Date

Is the applicant the sole owner of the land on which the Groundwater registration modification or portion thereof is located? ☐ Yes ☐ No N/A-The applicant is a municipality and the purpose is municipal use.

Part 4 of 4 – Groundwater Registration Information

Please use a separate Part 4 for each registration being modified. See instructions on page 5, to copy and paste additional Part 4s, or to add additional rows to tables within the form.

Groundwater Registration # GR-3543 (Certificate # GR-3258)

Table 1. Location of Authorized and Proposed Point(s) of Appropriation (POA)

(Note: If the POA name is not specified in the registration, assign it a name or number here.)

POA Name or Number	Is this POA Authorized by the registration or Is it Proposed?	OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼¼	Tax Lot, D/C or Gov't Lot	Measured Distances (from a recognized survey corner)
Baker Well	☒ Authorized ☐ Proposed	MARI 10907	8 S	2 W	25	SE SE	6500	565 feet North and 932 feet West from the SE corner of Section 25*
Boone Well 3	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW	700	1265 feet North and 3715 feet West from the SE corner of Section 25
Mill Creek Well 1A	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW	1300	365 feet North and 2735 feet West from the SE corner of Section 25
Mill Creek Well 1B	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW	1300	500 feet North and 2720 feet West from the SE corner of Section 25

*The location description provided here for the Baker Well is a more accurate description of the well's location than the location listed on the Groundwater Registration.

Check all type(s) of modifications(s) proposed below (modification "CODES" are provided in parentheses):

- | | |
|--|--|
| ☒ Place of Use (POU) | ☐ Point of Appropriation (well) (POA) |
| ☐ Character of Use (USE) | ☒ Additional Point of Appropriation (APOA) |

Will all of the proposed changes affect the entire Groundwater registration?

☒ Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.

☐ No Complete all of Table 2 to describe the portion of the registration to be changed.

RECEIVED

JUL 22 2022

OWRD

Super Section 3-24-03

Part 4 of 4 – Groundwater Registration Information

Please use a separate Part 4 for each registration being modified. See instructions on page 5, to copy and paste additional Part 4s, or to add additional rows to tables within the form.

Groundwater Registration # GR-3543 (Certificate # GR-3258)

Table 1. Location of Authorized and Proposed Point(s) of Appropriation (POA)

(Note: If the POA name is not specified in the registration, assign it a name or number here.)

POA Name or Number	Is this POA Authorized by the registration or is it Proposed?	OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Baker Well	☒ Authorized ☐ Proposed	MARI 10907	8 S	2 W	25	SE SE	6500	565 feet North and 932 feet West from the SE corner of Section 25*
New Well 1	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW	700	1265 feet North and 3715 feet West from the SE corner of Section 25
New Well 2	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW	1300	365 feet North and 2735 feet West from the SE corner of Section 25

*The location description provided here for the Baker Well is a more accurate description of the well's location than the location listed on the Groundwater Registration.

Check all type(s) of modifications(s) proposed below (modification "CODES" are provided in parentheses):

- ☒ Place of Use (POU)
☐ Character of Use (USE)

☐ Point of Appropriation (well) (POA)
☒ Additional Point of Appropriation (APOA)

Will all of the proposed changes affect the entire Groundwater registration?

☒ Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.

☐ No Complete all of Table 2 to describe the portion of the registration to be changed.

suppressed
 3-24-23

RECEIVED

MAR 07 2022

13940

OWRD

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer

List only the part of the registration that will be modified. For the acreage in each $\frac{1}{4}$ $\frac{1}{4}$, list the modification proposed. If more than one modification, specify the acreage associated with each modification. If more than one POA, specify the acreage associated with each POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears in the registration BEFORE PROPOSED CHANGES List only that part or portion of the groundwater registration that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.														
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POA(s) to be used (from Table 1)	Priority Date						
EXAMPLE																										
2	S	9	E	15	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	S	9	E	1	NW	NW	500	1	10.0		POD #5	1901
"	"	"	"	"	"	"	"	"	"	EXAMPLE	"	"	"	2	S	9	E	2	SW	NW	500		5.0		POD #6	1901
													POU/APOA	City of Aumsville Service Area – See Attachment B								Municipal	Baker Well, New Well 1, New Well 2	8/30/ 1948		
TOTAL ACRES												TOTAL ACRES														

Additional remarks: _____.

superseated
T-22-22

RECEIVED

MAR 05 2022

QWRD

RECEIVED

MAR 07 2022

OWRD

For a modification in place of use or character of use:

Are there other water right certificates, water use permits, or Groundwater registrations associated with the "from" or "to" lands? ☐ Yes ☐ No N/A – GR-3543 is for municipal use so "layering" does not apply.

If YES, list the other certificate, water use permit, or other Groundwater registration numbers:

Pursuant to OAR 690-382-0200, any "layered" water use, such as an irrigation right that is supplemental to a primary irrigation right proposed for transfer, must be concurrently transferred with the registration or be cancelled. Any change to a water right must be filed separately in a transfer application. Any change to a water use permit must be filed separately with a permit amendment. Any modification to a Groundwater registration on the "to" lands must be filed separately with a Groundwater registration modification.

For modifications in point(s) of appropriation (well(s) or additional point(s) of appropriation:

- ☒ Well log(s) are attached for each well that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Attachment D)

AND/OR

- ☒ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide adequate information is likely to delay the processing of your modification application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-___	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of complete d well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
Baker Well	Yes	MARI 10907	75ft	6in	0-75ft	-	-	-	Alluvial	
New Well 1	No	-	230ft (est.)	12in (est.)	0-60ft (est.)	0-60ft (est.)	60-230ft (est.)	40ft (est.)	Alluvial	
New Well 2	No	-	230ft (est.)	12in (est.)	0-60ft (est.)	0-60ft (est.)	60-230ft (est.)	40ft (est.)	Alluvial	

superseded 7-22-22

RECEIVED

MAR 07 2022

OWRD

Attachment A

Groundwater Registration 3543

Application for a Groundwater Registration Modification – City of Aumsville

13940

RECEIVED

MAR 07 2022


OWRD

Attachment B

Application Map

Application for a Groundwater Registration Modification – City of Aumsville

13940



LEGEND

- | | | | |
|--|---|--|---------------------------|
| | Proposed Point of Appropriation (POA) | | Donation Land Claim (DLC) |
| | Authorized Point of Appropriation (POA) | | City Boundary |
| | Conveyance | | Railroad |
| | Authorized Place of Use (POU) | | Watercourse |
| | Proposed Place of Use (POU) | | Waterbody |
| | Service Area Boundary | | |

LOCATION DESCRIPTION

PROPOSED POA

Boone Well 3: Located 1460 feet North and 3680 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.) 44.842229°, -122.880209°

Mill Creek Well 1A: Located 485 feet North and 2745 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.) 44.839630°, -122.876499°

Mill Creek Well 1B: Located 510 feet North and 2745 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.) 44.839979°, -122.876451°

AUTHORIZED POA

Baker Well
Located 600 feet North and 945 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.)

Application for a Groundwater Registration Modification in the Name of City of Aumsville

GR-3543

Marion County


Township 8 South, Range 1, 2 West (W.M.)

DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

Date: February 15, 2024

Data Sources: BLM, ESRI, OWRD, USGS, Marion Co.



RECEIVED

MAR 07 2022

OWRD

Attachment C

Land Use Information Form

Application for a Groundwater Registration Modification - City of Aumsville

13940

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

RECEIVED

MAR 07 2022

OWRD

NOTE TO APPLICANTS

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; **OR**
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and all of the following apply:
 - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
 - b) The application involves a change in place of use only;
 - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; and
 - d) The application involves irrigation water uses only.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

RECEIVED

MAR 07 2022

OWRD

Applicant(s): City of Aumsville, ATTN: Steve Oslie

Mailing Address: 595 Main Street

City: Aumsville

State: OR

Zip Code: 97325

Daytime Phone: 503-749-1185

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
City of Aumsville Service Area – See Attached Map						☒ Diverted	☒ Conveyed	☒ Used	<u>Municipal</u>
<u>8S</u>	<u>2W</u>	<u>25</u>	<u>SESW</u>	<u>700</u>	<u>P</u>	☒ Diverted	☒ Conveyed	☒ Used	<u>Municipal</u>
<u>8S</u>	<u>2W</u>	<u>25</u>	<u>SESW</u>	<u>1300</u>	<u>P</u>	☒ Diverted	☒ Conveyed	☒ Used	<u>Municipal</u>
_____	_____	_____	_____	_____	_____	☐ Diverted	☐ Conveyed	☐ Used	_____

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

City of Aumsville

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water
 ☐ Water Right Transfer
 ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License
 ☐ Allocation of Conserved Water
 ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 75 ☐ cubic feet per second ☒ gallons per minute ☐ acre-feet

Intended use of water: ☐ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☒ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

The City of Aumsville is proposing changes to one of the City's existing water rights for municipal supply, Groundwater Registration GR-3543. The proposed changes include adding two additional wells (New Well 1 and New Well 2), and changing the place of use to the City of Aumsville Service Area.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

13940

MAR 07 2022

For Local Government Use Only

OWRD

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- ☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): Ord 700 section 9.02
- ☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: Ben Harding Title: City Administrator

Signature: [Signature] Phone: 503-249-2030 Date: 2-17-22

Government Entity: City of Ansoville

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____

City or County: _____ Staff contact: _____

Signature: _____ Phone: _____ Date: _____

RECEIVED

MAR 07 2022

OWRD

Attachment D

Well Log

Application for a Groundwater Registration Modification – City of Aumsville

13940



Oregon Water Resources Department
Water Rights Information Query Results

[Main](#)
[Help](#)
[Return](#)
[Contact Us](#)



Records/Page: 10

	Contacts	Application	Permit	Certificate	Claim	Decree	Transfers	Status
Select	OWNER: CITY OF AUMSVILLE STEVE OSLIE 595 MAIN ST AUMSVILLE, OR 97325	G14758	G13679					NC
Select	CITY OF AUMSVILLE 595 MAIN ST AUMSVILLE, OR 97325				GR3543		T13940 (Changes this right)	NC
Select	OWNER: CITY OF AUMSVILLE 595 MAIN ST AUMSVILLE, OR 97325	G6861	G6400	65917				NC
Select	OWNER: AUMSVILLE RURAL FIRE PROTECTION DISTRICT PO BOX 247 AUMSVILLE, OR 97325	R75661		69699				NC
Select	OWNER: CITY OF AUMSVILLE 595 MAIN ST AUMSVILLE, OR 97325	G12352	G11891	89924			T13938 (Changes this right)	NC
Select	OWNER: CITY OF AUMSVILLE 595 MAIN ST AUMSVILLE, OR 97325	G10926	G10223	96097				NC
Select	OWNER: CITY OF AUMSVILLE 595 MAIN ST AUMSVILLE, OR 97325	G1143	G1051	96098			T12046	NC

Download
Oregon


Water Resources Department
 North Mall Office Building
 725 Summer Street NE, Suite A
 Salem, OR 97301
 Phone: 503-986-0900
 Fax: 503-986-0904
www.Oregon.gov/OWRD






Water Resources Department

North Mall Office Building
Summer Street NE, Suite A
Salem, OR 97301
Phone: 503-986-0900
Fax: 503-986-0904
www.Oregon.gov/OW/RD



Distance (ft):





Oregon

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301
Phone: 503-986-0900
Fax: 503-986-0904
www.Oregon.gov/OWRD

Tina Kneek, Governor



Oregon Water Resources Department Water Rights Mapping Tool

Search
Return Contact Us

Search

Identify Non-Water Right Features

Tax Lots

Layers

Tools

Additional Measure Tools:

Buffer: Feet

Start Point: Clear All:

Measure Distance (ft):


510 ☐ N
2745 ☐ S
☐ E ☐ W

Bearing and Distance:

Degrees Minutes Seconds
☒ N ☒ E
☐ S ☐ W
(0-90) (0-60) (0-60)

Distance (ft):





08 2W 25DC
AUMSVILLE

Marion County, Oregon
SW1/4 SE1/4 SEC25 T6S R2W W.M.
SCALE 1" = 80'

LEGEND

LINE TYPES

- Taxlot Boundary
- Road Right-of-Way
- Railroad Right-of-Way
- Private Road ROW
- Subdivision/Plat Bndry
- Waterline - Taxlot Bndry

Historical Boundary

Easement

Railroad

Taxcode Line

Map Boundary

Waterline - Non Bndry

CORNER TYPES

- + 1/16TH Section Cor
- @ DLC Corner

NUMBERS

Tax Code Number
00 00 0

Acreage
0.28 AC

All acres listed are Net Acres, excluding any portions of the taxlot within public ROWs.

NOTES

Tick Marks: A tick mark in the road indicates that the labeled dimension extends into the public ROW

CANCELLED NUMBERS

1300
1301
1400
1401
1500
1501
1600
1601
1700
1701
1800
1801
1900
1901
2000
2001
2100
2101
2200
2201
2300
2301
2400
2401
2500
2501
2600
2601
2700
2701
2800
2801
2900
2901
3000
3001
3100
3101
3200
3201
3300
3301
3400
3401
3500
3501
3600
3601
3700
3701
3800
3801
3900
3901
4000
4001
4100
4101
4200
4201
4300
4301
4400
4401
4500
4501
4600
4601
4700
4701
4800
4801
4900
4901
5000
5001
5100
5101
5200
5201
5300
5301
5400
5401
5500
5501
5600
5601
5700
5701
5800
5801
5900
5901
6000
6001
6100
6101
6200
6201
6300
6301
6400
6401
6500
6501
6600
6601
6700
6701
6800
6801
6900
6901
7000
7001
7100
7101
7200
7201
7300
7301
7400
7401
7500
7501
7600
7601
7700
7701
7800
7801
7900
7901
8000
8001
8100
8101
8200
8201
8300
8301
8400
8401
8500
8501
8600
8601
8700
8701
8800
8801
8900
8901
9000
9001
9100
9101
9200
9201
9300
9301
9400
9401
9500
9501
9600
9601
9700
9701
9800
9801
9900
9901

Water Resources Department

Not for Assessment Purposes Only

725 Summer Street, N.E. Astoria, OR 97103


Phone: 360-325-7501

Fax: 360-325-7501

Internet: www.marioncounty.gov

DISCLAIMER: THIS MAP WAS PREPARED FOR ASSESSMENT PURPOSES ONLY. IT IS NOT TO BE USED FOR ANY OTHER PURPOSE. FOR ADDITIONAL MAPS, CONTACT THE COUNTY CLERK'S OFFICE.

08 2W 25DC



08 2W 25C
AUMSVILLE



MARION COUNTY, OREGON
SW 1/4 SEC 25 T8S R2W WM
SCALE 1" = 500'

LEGEND

LINE TYPES
 Taxlot Boundary
 Road Right-of-Way
 Railroad Right-of-Way
 Private Road ROW
 Subdivision/Plat Bndry
 Waterline - Taxlot Bndry

Historical Boundary
 Easement
 Railroad
 Taxcode
 Map Boundary
 Waterline - Non Bndry

CORNER TYPES
 + 1/16TH Section Cor.
 @ DLC Corner
 1/4 Section Cor.
 16, 15
 21, 22 Section Corner


NUMBERS
 Tax Code Number
 00 00 0
 Acreage
 25 AC
 All acres listed are Net Acres, excluding any portions of the taxlot within public ROWs

NOTES
 Tick Marks: A tick mark in the road indicates that the labeled dimension extends into the public ROW

CANCELLED NUMBERS

201
601
1100

Water Resources Department
 North Marion Office
 725 Sunset Blvd
 Aumsville, OR 97132
 Phone: (503) 339-0800
 Fax: (503) 339-0800
 Email: aumsville@marion.or.gov
 WWW.MARION.ORG



DISCLAIMER: THIS MAP WAS PREPARED FOR ASSESSMENT PURPOSES ONLY.
 FOR A COMPLETE LIST OF CANCELLED NUMBERS, SEE THE AUMSVILLE MAP.



Received by OWRD

FEB 19 2024

Salem, OR

March 14, 2023

Kelly Starnes
Oregon Water Resources Department
725 NE Summer Street, Suite A
Salem, OR 97301

RE: Modification to Groundwater Registration Modification Application T-13940 in the Name of City of Aumsville

Dear Kelly:

GSI Water Solutions, Inc. (GSI) submitted groundwater registration modification application T-13940 in March 2022 on behalf of the City of Aumsville (City). The application proposes to add additional points of appropriation to Groundwater Registration GR-3543 and change the place of use authorized under the Groundwater Registration to the City's service area.

On behalf of the City, we are requesting to modify the pending groundwater registration modification application with the following changes:

- Modify the location of the proposed additional points of appropriation (APOA). The proposed physical location of the wells is unchanged; we have provided a correction in the location description.

Please find enclosed portions of the groundwater registration modification application and attachment package that have been modified.

If you have any questions regarding this request, please contact me at 541-753-0933.

Sincerely,

A handwritten signature in blue ink that reads "Zach Pike-Urlacher". The signature is fluid and cursive, with the first and last names being more prominent.

Zach Pike-Urlacher
Water Resources Consultant

Enclosures: Modified pages for Groundwater Registration Modification Application T-13940

WATER RIGHT TRANSFER COVER SHEET

Transfer: T- 13940

Transfer Specialist:

Transfer Type: GR Modification Transfer

Laura

Applicant: STEVE OSLIE 595 MAIN ST AUMSVILLE, OR 97325 Email: _____ Phone: _____		Agent: ☐ N/A GSI WATER SOLUTIONS INC. 55 SW YAMHILL ST SUITE 300 PORTLAND, OR 97204 Email: _____ Phone: _____	
Irrigation District: ☐ N/A Email: _____		CWRE: ☐ N/A Email: _____	
Affected Local Gov'ts: ☐ N/A Email: _____		Affected Tribal Gov't: ☐ N/A UNAVAILABLE Email: _____	
Current Landowner if other than Applicant: ☐ N/A Email: _____		Receiving Landowner: ☐ N/A Email: _____	

Water Rights Affected

File Marked	App. File # or Decree Name	Permit	Certificate	RR/CR Needed	RR/CR Nos.
☐	GR3543	GR3258		☐ Yes ☐ No	
☐				☐ Yes ☐ No	
☐				☐ Yes ☐ No	

Key Dates & Initial Actions:

Rec'd: March 7, 2022	Proposed Action(s): ADDITIONAL POINT OF APPROPRIATION; PLACE OF USE	
Fees Pd: 1250.00	WM District: 16	ODFW District:
Initial Public Notice: March 15, 2022	WM Review sent:	ODFW Review sent:
Acknowledgement Letter Sent ☒		GW Review sent: ☐ N/A
County sent cc: of Ack Letter ☐	BOR notified (date): ☐ N/A	
Newspaper quote requested:	Request for news \$ sent:	News \$ received:
Request to publish sent:	Affidavit of publication received:	Last day of publication:

Document	Drafted	Peer Review	Changes Made	Coordinator	Changes Made	Signature Bin	Signature Date
DPD	Date: _____ Initials: _____	Date: <i>6/5/23</i> Initials: <i>ASD</i>	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	CW Sent: _____	N/A
PD	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____	Date: _____
FO	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____	Date: _____

Special Issues: _____

Special Order Volume: Vol. _____ Pages _____

STARNES Patrick K * WRD

From: ORLOWSKI Dennis R * WRD
Sent: Monday, March 13, 2023 9:54 AM
To: STARNES Patrick K * WRD; JARAMILLO Lisa J * WRD
Cc: DAVIS Arla L * WRD
Subject: RE: T-13938 (RA) and T-13940: NEED TO RE-REVIEW

Thanks Kelly.

From: STARNES Patrick K * WRD <Patrick.K.STARNES@water.oregon.gov>
Sent: Monday, March 13, 2023 9:53 AM
To: ORLOWSKI Dennis R * WRD <Dennis.R.ORLOWSKI@water.oregon.gov>; JARAMILLO Lisa J * WRD <Lisa.J.JARAMILLO@water.oregon.gov>
Cc: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>
Subject: RE: T-13938 (RA) and T-13940: NEED TO RE-REVIEW

Good Morning Dennis,

T-13940 is assigned to Julie Baustian. Julie is out for extended leave, so T-13940 will not be processed any time soon.

I will print out this e-mail discussion and put it into the file.

Kelly

Kelly Starnes, Transfer Program Analyst
Oregon Water Resources Department
725 Summer St NE Suite A
Salem OR 97301-1271
Cell phone: 503-979-3511 Fax: 503-986-0903
E-mail: patrick.k.starnes@water.oregon.gov

Please Note: Under Oregon Law, messages to and from
this e-mail address may be available to the public.

From: ORLOWSKI Dennis R * WRD <Dennis.R.ORLOWSKI@water.oregon.gov>
Sent: Monday, March 13, 2023 8:56 AM
To: JARAMILLO Lisa J * WRD <Lisa.J.JARAMILLO@water.oregon.gov>; STARNES Patrick K * WRD <Patrick.K.STARNES@water.oregon.gov>
Cc: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>
Subject: RE: T-13938 (RA) and T-13940: NEED TO RE-REVIEW

Thanks!

From: JARAMILLO Lisa J * WRD <Lisa.J.JARAMILLO@water.oregon.gov>
Sent: Monday, March 13, 2023 8:55 AM

To: ORLOWSKI Dennis R * WRD <Dennis.R.ORLOWSKI@water.oregon.gov>; STARNES Patrick K * WRD <Patrick.K.STARNES@water.oregon.gov>
Cc: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>
Subject: RE: T-13938 (RA) and T-13940: NEED TO RE-REVIEW

Hi Dennis,

I'm looping Kelly Starnes in on this since he'll have a better idea of which caseworker is (...or will be...) assigned to T-13940.

Kelly – Please see Dennis' email below.

Thanks,
Lisa

Lisa J. Jaramillo

Transfer and Conservation Section Manager
725 Summer Street NE, Suite A, Salem, OR 97301 | Phone: 503-871-1889 (work cell)



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

NOTE: OWRD offices are now open to the public. Given that many staff will continue teleworking remotely or have job duties that take them into the field on a regular basis, however, availability of staff in the office is not guaranteed 8 a.m. - 5 p.m. every day (M-F). OWRD's Salem office is closed for customer service drop-ins from Noon – 1pm. **Customers and visitors are encouraged to schedule an appointment in advance if they wish to meet in person with specific staff members.** Alternative methods for meeting, such as by phone or virtually via Teams, are also available.

From: ORLOWSKI Dennis R * WRD <Dennis.R.ORLOWSKI@water.oregon.gov>
Sent: Friday, March 10, 2023 2:10 PM
To: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>
Cc: JARAMILLO Lisa J * WRD <Lisa.J.JARAMILLO@water.oregon.gov>
Subject: T-13938 (RA) and T-13940: NEED TO RE-REVIEW

Hi Arla,

You're listed on WRIS as the caseworker for T-13938. T-13940 (GR mod) is very closely related to T-13938 (both City of Aumsville), but no caseworker is shown on WRIS, so I don't know if that is also you or not? If it is not you, would you please forward this email to that person?

The applicant's agent recently provided corrected proposed POA locations, but not until after I did my reviews of both transfer applications. So I need to redo both of those. Please hold off on further processing until those re-reviews come back to you.

Thanks,
Dennis

Dennis Orlowski, RG

Hydrogeologist, Groundwater Section
725 Summer Street NE, Suite A Salem, OR 97301 | Cell: 971-283-6429

Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department
725 Summer St NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Transfer Application: T-13940

Review Due Date: 04/14/2022

Applicant Name: City of Aumsville

Proposed Changes: ☒ POU ☐ POD ☒ POA ☐ USE ☐ OTHER

Reviewer(s): G. Wacker

Date of Review: 04/04/2022

1. Do you have evidence that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? ☐ Yes ☒ No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2. Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? ☐ Yes ☒ No Generally characterize the frequency of any regulation or explain why regulation has not occurred:
3. Have headgate notices been issued for the source that serves the transferred right(s)?
☐ Yes ☒ No ☐ Records not available.
4. In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? ☐ Yes ☒ No If "Yes", explain:
5. In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? ☐ Yes ☒ No If "Yes", describe how the rights would be affected and list the rights most affected:

6. Check here ☐ if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most:

☒ N/A

7. For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses:

☒ N/A

8. For instream transfers that propose protection of a reach beyond the mouth of the source stream:

☒ N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? ☐ Yes ☐ No

9. For POU changes: ☐ N/A Is it likely the original place of use would continue to receive water from the same source? ☒ Yes ☐ No If "Yes", explain:

Existing municipal delivery area

10. For POU or USE changes: ☐ N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste?

☐ Yes ☒ No If "Yes", explain:

11. For POU changes that involve micro-irrigation: ☒ N/A

- a. Has the applicant made changes (absent a transfer) to convert to micro-irrigation within the current place of use boundary of the water right proposed for transfer, and previously demonstrated to the Department through monitoring and site inspections by the Watermaster that the proposed transfer will not result in injury or enlargement?

☐ Yes ☐ No If "Yes", explain:

- b. Has a temporary transfer of this nature been previously filed and approved on the same lands (or portions thereof) as those lands involved in this transfer?

☐ Yes ☐ No If "Yes", answer the following:

- i. Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? ☐ Yes ☐ No If "Yes", explain:
- ii. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? ☐ Yes ☐ No If "No", explain:
- iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? ☐ Yes ☐ No If "No", explain:
- iv. Do you have any other observations regarding the temporary transfer? ☐ Yes ☐ No If "Yes", describe:
- v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- c. To the best of your knowledge, if this transfer is approved, does it appear that:

- i. "Injury" will occur to other water rights that share the same source?

☐ Yes ☐ No If "Yes", explain:

- ii. "Enlargement" of the water right being transferred will occur?

☐ Yes ☐ No If "Yes", explain:

12. Are there other issues not identified through the above questions that should be considered in determining whether the change "can be effected without injury to other rights"?

☐ Yes ☒ No If "Yes", explain:

13. What alternatives may be available for addressing any issues identified above:

14. Do conditions need to be included in the transfer order to avoid enlargement of the right or injury to other rights? ☐ No ☒ Yes, as checked and provided below:

☐ For POU changes that involve micro-irrigation, provide the monitoring and reporting conditions necessary to prevent injury/enlargement:

☐ A Headgate should be required prior to diverting water.

☒ Measurement Devices for POD or POA: (if this condition is selected, also fill in the top sections of Page 4)

a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, ☒ at each point of diversion/appropriation (new and existing) OR at each new point of diversion/appropriation ☐ with the exception that water rights issued to the Bureau of Reclamation or an irrigation district (or similar entity) are not subject to this condition.*

b. The water user shall maintain the meters or measuring devices in good working order.

c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

☐ Reservoir water use measurement: (if this condition is selected, also fill in the top sections of Page 4)

a. Before water use may begin under this order, the water user shall install staff gages, or, with prior approval of the Director, other suitable measuring devices, that measure the entire range and stage between empty and full in each reservoir. Staff gages shall be United States Geological Survey style.*

b. Before water use may begin under this order, if the reservoir is located in channel, weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, an adjustable outlet valve must be installed. The water user shall maintain such devices in good working order. A written waiver may be obtained, if in the judgment of the Director, the installation of weirs or other suitable measuring devices, or the adjustable outlet valve, will provide no public benefit.

* The following alternative device(s) should be substituted for the bold, underlined device in the above selected condition:

☐ Weir
☐ Parshall Flume
☐ Other: _____

☐ Submerged Orifice
☐ Flow Restrictor

Oregon Water Resources Department

Measurement Condition Information for the Applicant

(To be sent with the Draft Preliminary Determination or Final Order)

Transfer #: T- 13940



In order to avoid enlargement of the right or injury to other rights, a _____ will
be required to be installed prior to diversion of water, as a condition of this transfer:

at each point of diversion/appropriation (new and existing) **OR**

at each new point of diversion/appropriation.

For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:

Watermaster name: Greg Wacker

District: 16

Address: 725 Summer St NE Ste A

City/State/Zip: Salem, OR 97301-1266

Phone: 971-719-6262

Email:

Note: If a device other than the one specified in the Preliminary Determination or Final Order is approved by the Watermaster, fill out and mail the form below to the Salem office.

Approval of an Alternate Measurement Device

T-

(to be filled out after consultation with the applicant, or after a site visit)

On behalf of the Director, I authorize use of the following suitable alternate measurement device:

Watermaster signature

District

Date

If this form is used for approval of an alternative measurement device, it must be mailed to:

Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266



Oregon

Tina Kotek, Governor

Groundwater Transfer Review Summary Form

Water Resources Department
North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301
Phone: 503-986-0900
Fax: 503-986-0904
www.Oregon.gov/OWRD

Transfer/PA # T- 13940

GW Reviewer Dennis Orlowski Date Review Completed: 03/16/2023

Summary of Same Source Review:

- ☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Injury Review:

- ☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

- ☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.





Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Ground Water Review Form:

- ☐ Water Right Transfer
☐ Permit Amendment
☒ GR Modification
☐ Other

Application: T-13940

Applicant Name: City of Aumsville

Proposed Changes: ☐ POA ☒ APOA ☐ SW→GW ☐ RA
☐ USE ☒ POU ☐ OTHER

Reviewer(s): Dennis Orlowski

Date of Review: 03/16/2023

Date Reviewed by GW Mgr. and Returned to WRSD: _____

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- ☐ The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- ☐ Other _____

1. Basic description of the changes proposed in this transfer: This application relates to groundwater claim GR-3543, which is for municipal use by the City of Aumsville, Oregon.

Claim GR-3543 authorizes the use of a single well (MARI 10907, "Baker Well") to provide groundwater at an instantaneous maximum pumping rate of 0.1671 cfs (75 gpm).

This modification proposes to add the following three APOA (not yet drilled) to GR-3543:

- Boone Well 3
- Mill Creek Well 1A
- Mill Creek Well 1B

2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?
☒ Yes ☐ No Comments: The well log for the authorized POA (MARI 10907), which is 75 feet deep, does not provide a description of borehole stratigraphy. However, nearby well logs indicate that groundwater is obtained predominantly from thin (<5 ft) water-bearing sand beds encased in low-permeability clays/claystone or shale, generally referred to as the Willamette Aquifer system (Conlon and others, 2005; Woodward and others, 1998).

The three proposed APOA are planned to be approximately 190 feet deep, installed within similar alluvial deposits, and thus will obtain groundwater from the same source aquifer as the authorized POA.



Oregon

Ground Water Review Form
Tina Kotek, Governor

Water Resources Department

North Mall Office Building
Transfer Application T-13940
1725 Summer Street NE, Suite A
Salem, OR 97301
Phone: 503-986-0900
Fax: 503-986-0904
www.Oregon.gov/OWRD

3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?
☐ Yes ☒ No _____
 b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): Not applicable
4. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?
☐ Yes ☒ No Comments: The authorized POA and proposed APOA are all located within the City's service area where, other than several City wells, there are very few other existing groundwater users (either permitted or exempt wells). The non-City well nearest to the proposed APOA is MARI 10943, which is the authorized POA for certificate 96152 (primary irrigation of 0.8 acres, supplemental irrigation of 5.18 acres). However, MARI 10943 is relatively shallow with a total depth of 82 feet, and does not fully penetrate the alluvial aquifer system.
 b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?
☐ Yes ☒ No If yes, explain: _____
5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?
☒ Yes ☐ No Comments: The authorized POA MARI 10907 is approximately 320 feet from the nearest perennial reach of Mill Creek. The three proposed APOA locations range from about 165 feet to 400 feet from Mill Creek, with "Mill Creek 1A" location being the nearest to the creek. Due to the relative proximity of the three proposed APOA locations to Mill Creek, some increase in interference with the stream is expected.
 b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?
 Stream: Mill Creek ☒ Minimal ☐ Significant
 Stream: _____ ☐ Minimal ☐ Significant
 Provide context for minimal/significant impact: Despite the relative nearness of all three proposed APOA to Mill Creek, the proposed change, at the maximum allowed rate of use, is expected to result in only a minimal increase (if any at all) in interference with Mill Creek.
Significant thicknesses of low-permeability silt and clay that overlie the targeted water-bearing zones in the proposed APOAs will mitigate potential interference impacts to Mill Creek. Well logs for MARI 16312 and MARI 10914, the latter of which is a 320-ft deep City of Aumsville well located nearer the APOA locations, show approximately 150 to 175 feet of clay, gravelly clay, sandy clay, etc., that are above deeper water-bearing sand layers.
This thick accumulation of low-permeability material will mitigate pumping interference to Mill Creek caused by pumping of the proposed APOA. Furthermore, after new dynamic equilibrium conditions have been established, any long-term effects to Mill Creek caused by pumping at either the authorized POA or proposed APOA locations are expected to be similar.



6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?

☐ Yes ☒ No Comments: Not applicable.

What conditions or other changes in the application are necessary to address any potential issues identified above: None.

7. Any additional comments: None

Groundwater Transfer Review Summary Form

Transfer/PA # T- 13940

GW Reviewer Dennis Orlowski Date Review Completed: 02/10/2023

Summary of Same Source Review:

☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Injury Review:

☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Ground Water Review Form:

- ☐ Water Right Transfer
☐ Permit Amendment
☒ GR Modification
☐ Other

Application: T-13940

Applicant Name: City of Aumsville

Proposed Changes: ☐ POA ☒ APOA ☐ SW→GW ☐ RA
☐ USE ☒ POU ☐ OTHER

Reviewer(s): Dennis Orlowski

Date of Review: 02/10/2023

Date Reviewed by GW Mgr. and Returned to WRSD: jti 2/10/23

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- ☐ The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- ☐ Other _____

1. Basic description of the changes proposed in this transfer: This application relates to groundwater claim GR-3543, which is for municipal use by the City of Aumsville, Oregon.

Claim GR-3543 authorizes the use of a single well (MARI 10907, "Baker Well") to provide groundwater at an instantaneous maximum pumping rate of 0.1671 cfs (75 gpm).

This modification proposes to add the following three APOA (not yet drilled) to GR-3543:

- Boone Well 3
- Mill Creek Well 1A
- Mill Creek Well 1B

2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?
☒ Yes ☐ No Comments: The well log for the authorized POA (MARI 10907), which is 75 feet deep, does not provide a description of borehole stratigraphy. However, nearby well logs indicate that groundwater is obtained predominantly from thin (<5 ft) water-bearing sand beds encased in low-permeability clays/claystone or shale, generally referred to as the Willamette Aquifer system (Conlon and others, 2005; Woodward and others, 1998).

The three proposed APOA are planned to be approximately 190 feet deep, installed within similar alluvial deposits, and thus will obtain groundwater from the same source aquifer as the authorized POA (proposed screen intervals are discussed in Section 7 of this review).

3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?

☐ Yes ☒ No _____

b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): Not applicable

4. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?

☐ Yes ☒ No Comments: The authorized POA and proposed APOA are all located within the City's service area where, other than several City wells, there are very few other existing groundwater users (either permitted or exempt wells). The non-City well nearest to the proposed APOA is MARI 10943, which is the authorized POA for certificate 96152 (primary irrigation of 0.8 acres, supplemental irrigation of 5.18 acres). However, MARI 10943 is relatively shallow with a total depth of 82 feet; although it does not fully penetrate the alluvial aquifer system, recommended modifications to the proposed construction for the three APOA (total well depth and sealed interval depths) should mitigate interference concerns with MARI 10943. Consequently, and *particularly with these recommended changes*, the proposed change is not expected to result in an increase in interference with this or other groundwater rights.

b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?

☐ Yes ☒ No If yes, explain: _____

5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?

☒ Yes ☐ No Comments: The authorized POA MARI 10907 is approximately 320 feet from the nearest perennial reach of Mill Creek. The three proposed APOA locations range from about 75 feet to 250 feet from Mill Creek, with "Mill Creek 1A" location being the nearest to the creek. Due to the relative proximity of the three proposed APOA locations to Mill Creek, some increase in interference with the stream is expected.

b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?

Stream: Mill Creek

☒ Minimal ☐ Significant

Stream: _____

☐ Minimal ☐ Significant

Provide context for minimal/significant impact: Despite the relative nearness of all three proposed APOA to Mill Creek, the proposed change, at the maximum allowed rate of use, is expected to result in only a minimal increase (if any at all) in interference with Mill Creek, particularly if the recommended changes to proposed well construction presented in Section 7 are implemented.

Significant thicknesses of low-permeability silt and clay that overlie the targeted water-bearing zones in the proposed APOAs will mitigate potential interference impacts to Mill Creek. Well logs for MARI 16312 and MARI 10914, the latter of which is a 320-ft deep City of Aumsville well located nearer the APOA locations, show approximately 150 to 175 feet of clay, gravelly clay, sandy clay, etc., that are above deeper water-bearing sand layers.

This thick accumulation of low-permeability material will mitigate pumping interference to Mill Creek caused by pumping of the proposed APOA. Furthermore, after new dynamic equilibrium conditions have been established, any long-term effects to Mill Creek caused by pumping at either the authorized POA or proposed APOA locations are expected to be similar.

6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?

☐ Yes ☒ No Comments: Not applicable.

7. What conditions or other changes in the application are necessary to address any potential issues identified above: Authorized POA MARI 10907 obtains groundwater primarily from thin sand beds assumed to present between approximately 25 and 75 ft bls (elevation range ~315-350 ft msl) (MARI 10914, the other nearby City well mentioned previously, obtains groundwater from the underlying CRBG aquifer system, not from the alluvial aquifer system).

The proposed construction for all three APOA shows two planned perforated or screened intervals: 80-100 ft bls and 140-190 ft msl. These intervals are all deeper than the likely water-bearing zone interval in the authorized POA MARI 10907 (total reported depth of only 75 feet), but will obtain groundwater from the same alluvial aquifer system.

The groundwater review for related transfer application T-13938 (completed 1/12/2023) recommended modifications to the proposed construction for these *same three APOA* to mitigate potential impacts to Mill Creek. Thus, to be consistent with the recommendations presented in the T-13938 review, the same following recommendations are presented here:

In order to mitigate potential impacts to Mill Creek, the following changes to proposed construction for the three APOA are recommended:

- a) **Eliminate the upper perforated or screened interval planned between 80-100 ft bls.**
- b) **Extend the surface casing and sealed interval from ground surface to approximately 100 ft bls, or about elevation 250 ft msl (which is 25 feet deeper than the currently proposed seal depth).**

The logs for MARI 10914 and other nearby wells show significant (~40 to 60 feet thick) and contiguous accumulations of clay above and below the recommended seal depth of 100 feet bls (elevation ~250 ft msl). Sealing deeper than is currently proposed (100 ft bls versus 75 ft bls) into these thick, low-permeability clay deposits will mitigate potential pumping interference to Mill Creek.

8. Any additional comments: None

Groundwater Transfer Review Summary Form

Transfer/PA # T- 13940

GW Reviewer Dennis Orlowski Date Review Completed: 02/10/2023

Summary of Same Source Review:

☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Injury Review:

☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Ground Water Review Form:

- ☐ Water Right Transfer
☐ Permit Amendment
☒ GR Modification
☐ Other

Application: T-13940

Applicant Name: City of Aumsville

Proposed Changes: ☐ POA ☒ APOA ☐ SW→GW ☐ RA
☐ USE ☒ POU ☐ OTHER

Reviewer(s): Dennis Orlowski

Date of Review: 02/10/2023

Date Reviewed by GW Mgr. and Returned to WRSD: Jti 2/10/23

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- ☐ The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- ☐ Other _____

1. Basic description of the changes proposed in this transfer: This application relates to groundwater claim GR-3543, which is for municipal use by the City of Aumsville, Oregon.

Claim GR-3543 authorizes the use of a single well (MARI 10907, "Baker Well") to provide groundwater at an instantaneous maximum pumping rate of 0.1671 cfs (75 gpm).

This modification proposes to add the following three APOA (not yet drilled) to GR-3543:

- Boone Well 3
- Mill Creek Well 1A
- Mill Creek Well 1B

2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?
☒ Yes ☐ No Comments: The well log for the authorized POA (MARI 10907), which is 75 feet deep, does not provide a description of borehole stratigraphy. However, nearby well logs indicate that groundwater is obtained predominantly from thin (<5 ft) water-bearing sand beds encased in low-permeability clays/claystone or shale, generally referred to as the Willamette Aquifer system (Conlon and others, 2005; Woodward and others, 1998).

The three proposed APOA are planned to be approximately 190 feet deep, installed within similar alluvial deposits, and thus will obtain groundwater from the same source aquifer as the authorized POA (proposed screen intervals are discussed in Section 7 of this review).

3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?
☐ Yes ☒ No _____
- b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): Not applicable
4. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?
☐ Yes ☒ No Comments: The authorized POA and proposed APOA are all located within the City's service area where, other than several City wells, there are very few other existing groundwater users (either permitted or exempt wells). The non-City well nearest to the proposed APOA is MARI 10943, which is the authorized POA for certificate 96152 (primary irrigation of 0.8 acres, supplemental irrigation of 5.18 acres). However, MARI 10943 is relatively shallow with a total depth of 82 feet; although it does not fully penetrate the alluvial aquifer system, recommended modifications to the proposed construction for the three APOA (total well depth and sealed interval depths) should mitigate interference concerns with MARI 10943. Consequently, and particularly with these recommended changes, the proposed change is not expected to result in an increase in interference with this or other groundwater rights.
- b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?
☐ Yes ☒ No If yes, explain: _____
5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?
☒ Yes ☐ No Comments: The authorized POA MARI 10907 is approximately 320 feet from the nearest perennial reach of Mill Creek. The three proposed APOA locations range from about 75 feet to 250 feet from Mill Creek, with "Mill Creek 1A" location being the nearest to the creek. Due to the relative proximity of the three proposed APOA locations to Mill Creek, some increase in interference with the stream is expected.
- b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?
Stream: Mill Creek ☒ Minimal ☐ Significant
Stream: _____ ☐ Minimal ☐ Significant
Provide context for minimal/significant impact: Despite the relative nearness of all three proposed APOA to Mill Creek, the proposed change, at the maximum allowed rate of use, is expected to result in only a minimal increase (if any at all) in interference with Mill Creek, particularly if the recommended changes to proposed well construction presented in Section 7 are implemented.
- Significant thicknesses of low-permeability silt and clay that overlie the targeted water-bearing zones in the proposed APOAs will mitigate potential interference impacts to Mill Creek. Well logs for MARI 16312 and MARI 10914, the latter of which is a 320-ft deep City of Aumsville well located nearer the APOA locations, show approximately 150 to 175 feet of clay, gravelly clay, sandy clay, etc., that are above deeper water-bearing sand layers.

This thick accumulation of low-permeability material will mitigate pumping interference to Mill Creek caused by pumping of the proposed APOA. Furthermore, after new dynamic equilibrium conditions have been established, any long-term effects to Mill Creek caused by pumping at either the authorized POA or proposed APOA locations are expected to be similar.

6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?

☐ Yes ☒ No Comments: Not applicable.

7. What conditions or other changes in the application are necessary to address any potential issues identified above: Authorized POA MARI 10907 obtains groundwater primarily from thin sand beds assumed to present between approximately 25 and 75 ft bls (elevation range ~315-350 ft msl) (MARI 10914, the other nearby City well mentioned previously, obtains groundwater from the underlying CRBG aquifer system, not from the alluvial aquifer system).

The proposed construction for all three APOA shows two planned perforated or screened intervals: 80-100 ft bls and 140-190 ft msl. These intervals are all deeper than the likely water-bearing zone interval in the authorized POA MARI 10907 (total reported depth of only 75 feet), but will obtain groundwater from the same alluvial aquifer system.

The groundwater review for related transfer application T-13938 (completed 1/12/2023) recommended modifications to the proposed construction for these *same three APOA* to mitigate potential impacts to Mill Creek. Thus, to be consistent with the recommendations presented in the T-13938 review, the same following recommendations are presented here:


In order to mitigate potential impacts to Mill Creek, the following changes to proposed construction for the three APOA are recommended:

- a) **Eliminate the upper perforated or screened interval planned between 80-100 ft bls.**
- b) **Extend the surface casing and sealed interval from ground surface to approximately 100 ft bls, or about elevation 250 ft msl (which is 25 feet deeper than the currently proposed seal depth).**

The logs for MARI 10914 and other nearby wells show significant (~40 to 60 feet thick) and contiguous accumulations of clay above and below the recommended seal depth of 100 feet bls (elevation ~250 ft msl). Sealing deeper than is currently proposed (100 ft bls versus 75 ft bls) into these thick, low-permeability clay deposits will mitigate potential pumping interference to Mill Creek.

8. Any additional comments: None

Application T-13940 City of Aumsville T8S, R2W, Section 25



STARNES Patrick K * WRD

From: ORLOWSKI Dennis R * WRD
Sent: Monday, March 13, 2023 9:54 AM
To: STARNES Patrick K * WRD; JARAMILLO Lisa J * WRD
Cc: DAVIS Arla L * WRD
Subject: RE: T-13938 (RA) and T-13940: NEED TO RE-REVIEW

Thanks Kelly.

From: STARNES Patrick K * WRD <Patrick.K.STARNES@water.oregon.gov>
Sent: Monday, March 13, 2023 9:53 AM
To: ORLOWSKI Dennis R * WRD <Dennis.R.ORLOWSKI@water.oregon.gov>; JARAMILLO Lisa J * WRD <Lisa.J.JARAMILLO@water.oregon.gov>
Cc: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>
Subject: RE: T-13938 (RA) and T-13940: NEED TO RE-REVIEW

Good Morning Dennis,

T-13940 is assigned to Julie Baustian. Julie is out for extended leave, so T-13940 will not be processed any time soon.

I will print out this e-mail discussion and put it into the file.

Kelly

Kelly Starnes, Transfer Program Analyst
Oregon Water Resources Department
725 Summer St NE Suite A
Salem OR 97301-1271
Cell phone: 503-979-3511 Fax: 503-986-0903
E-mail: patrick.k.starnes@water.oregon.gov

Please Note: Under Oregon Law, messages to and from
this e-mail address may be available to the public.

From: ORLOWSKI Dennis R * WRD <Dennis.R.ORLOWSKI@water.oregon.gov>
Sent: Monday, March 13, 2023 8:56 AM
To: JARAMILLO Lisa J * WRD <Lisa.J.JARAMILLO@water.oregon.gov>; STARNES Patrick K * WRD <Patrick.K.STARNES@water.oregon.gov>
Cc: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>
Subject: RE: T-13938 (RA) and T-13940: NEED TO RE-REVIEW

Thanks!

From: JARAMILLO Lisa J * WRD <Lisa.J.JARAMILLO@water.oregon.gov>
Sent: Monday, March 13, 2023 8:55 AM

To: ORLOWSKI Dennis R * WRD <Dennis.R.ORLOWSKI@water.oregon.gov>; STARNES Patrick K * WRD <Patrick.K.STARNES@water.oregon.gov>
Cc: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>
Subject: RE: T-13938 (RA) and T-13940: NEED TO RE-REVIEW

Hi Dennis,

I'm looping Kelly Starnes in on this since he'll have a better idea of which caseworker is (...or will be...) assigned to T-13940.

Kelly – Please see Dennis' email below.

Thanks,
Lisa

Lisa J. Jaramillo

Transfer and Conservation Section Manager
725 Summer Street NE, Suite A, Salem, OR 97301 | Phone: 503-871-1889 (work cell)



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

NOTE: OWRD offices are now open to the public. Given that many staff will continue teleworking remotely or have job duties that take them into the field on a regular basis, however, availability of staff in the office is not guaranteed 8 a.m. - 5 p.m. every day (M-F). OWRD's Salem office is closed for customer service drop-ins from Noon – 1pm. Customers and visitors are encouraged to schedule an appointment in advance if they wish to meet in person with specific staff members. Alternative methods for meeting, such as by phone or virtually via Teams, are also available.

From: ORLOWSKI Dennis R * WRD <Dennis.R.ORLOWSKI@water.oregon.gov>
Sent: Friday, March 10, 2023 2:10 PM
To: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>
Cc: JARAMILLO Lisa J * WRD <Lisa.J.JARAMILLO@water.oregon.gov>
Subject: T-13938 (RA) and T-13940: NEED TO RE-REVIEW

Hi Arla,

You're listed on WRIS as the caseworker for T-13938. T-13940 (GR mod) is very closely related to T-13938 (both City of Aumsville), but no caseworker is shown on WRIS, so I don't know if that is also you or not? If it is not you, would you please forward this email to that person?

The applicant's agent recently provided corrected proposed POA locations, but not until after I did my reviews of both transfer applications. So I need to redo both of those. Please hold off on further processing until those re-reviews come back to you.

Thanks,
Dennis

Dennis Orłowski, RG

Hydrogeologist, Groundwater Section
725 Summer Street NE, Suite A Salem, OR 97301 | Cell: 971-283-6429



March 20, 2023

Kelly Starnes
Oregon Water Resources Department
725 NE Summer Street, Suite A
Salem, OR 97301

RE: Modification to Groundwater Registration Modification Application T-13940 in the Name of City of Aumsville

Dear Kelly:

GSI Water Solutions, Inc. (GSI) submitted groundwater registration modification application T-13940 in March 2022 on behalf of the City of Aumsville (City). The application proposes to add additional points of appropriation to Groundwater Registration GR-3543 and change the place of use authorized under the Groundwater Registration to the City's service area.

On behalf of the City, we are requesting to modify the pending groundwater registration modification application with the following changes:

- Modify the location of the proposed additional points of appropriation (APOA). The proposed physical location of the wells is unchanged; we have provided a correction in the location description.

Please find enclosed portions of the groundwater registration modification application and attachment package that have been modified.

If you have any questions regarding this request, please contact me at 541-753-0933.

Sincerely,

A handwritten signature in blue ink that reads "Zach Pike-Urlacher".

Zach Pike-Urlacher
Water Resources Consultant

RECEIVED

MAR 24 2023

OWRD

Enclosures: Modified pages for Groundwater Registration Modification Application T-13940

Part 4 of 4 – Groundwater Registration Information

Please use a separate Part 4 for each registration being modified. See instructions on page 5, to copy and paste additional Part 4s, or to add additional rows to tables within the form.

Groundwater Registration # GR-3543 (Certificate # GR-3258)

Table 1. Location of Authorized and Proposed Point(s) of Appropriation (POA)

(Note: If the POA name is not specified in the registration, assign it a name or number here.)

POA Name or Number	Is this POA Authorized by the registration or is it Proposed?	OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Baker Well	☒ Authorized ☐ Proposed	MARI 10907	8 S	2 W	25	SE SE	6500	600 feet North and 945 feet West from the SE corner of Section 25*
Boone Well 3	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW	700	1460 feet North and 3680 feet West from the SE corner of Section 25 44.842229°, -122.880209°
Mill Creek Well 1A	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW	1300	485 feet North and 2745 feet West from the SE corner of Section 25 44.839630°, -122.876499°
Mill Creek Well 1B	☐ Authorized ☒ Proposed		8 S	2 W	25	SW SE	1300	510 feet North and 2745 feet West from the SE corner of Section 25 44.839979°, -122.876451°

*The location description provided here for the Baker Well is a more accurate description of the well's location than the location listed on the Groundwater Registration.

Check all type(s) of modifications(s) proposed below (modification "CODES" are provided in parentheses):

☒ Place of Use (POU)

☐ Point of Appropriation (well) (POA)


☐ Character of Use (USE)

☒ Additional Point of Appropriation (APOA)

RECEIVED

MAR 24 2023

OWRD



LEGEND

- Proposed Point of Appropriation (POA)
- Authorized Point of Appropriation (POA)
- Conveyance
- Authorized Place of Use (POU)
- Donation Land Claim (DLC)
- City Boundary
- Railroad
- Watercourse
- Waterbody

Application for a Permanent Water Rights Transfer in the Name of City of Aumsville

RECEIVED

MAR 24 2023


OWRD

Certificate 89924

Marion County

Township 8 South, Range 1, 2 West (W.M.)

CERTIFIED WATER RIGHTS EXAMINER STAMP



LOCATION DESCRIPTION

PROPOSED POA

Boone Well 3: Located 1460 feet North and 3680 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.) 44 842229°, -122.880209°

Mill Creek Well 1A: Located 485 feet North and 2745 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.) 44 839630°, -122.876499°

Mill Creek Well 1B: Located 510 feet North and 2745 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.) 44 839979°, -122.876451°

AUTHORIZED POA


Reservoir Well: Located 1100 feet North and 550 feet East from the SW corner of Section 30, Township 8 South, Range 1 West (W.M.)

DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

Date: March 16, 2023

Data Sources: BLM, ESRI, OWRD, USGS, Marion Co.





July 19, 2022

Kelly Starnes
Oregon Water Resources Department
725 NE Summer Street, Suite A
Salem, OR 97301

RECEIVED

JUL 22 2022

OWRD

RE: Modification to Groundwater Registration Modification Application T-13940 in the Name of City of Aumsville

Dear Kelly:

GSI Water Solutions, Inc. (GSI) submitted groundwater registration modification application T-13940 in March 2022 on behalf of the City of Aumsville (City). The application proposed to add two additional points of appropriation to Groundwater Registration GR-3543, and change the place of use authorized under the Groundwater Registration to the City's service area.

On behalf of the City, we are requesting to modify the pending groundwater registration modification application with the following changes:

- Changes to the agent (GSI) contact information,
- Change the name and location of the proposed additional points of appropriation (APOA),
- Add an additional APOA to the application, and
- Update the well construction details for the APOAs.

Additionally, the City is requesting that the groundwater review for this application be completed at the same time as the groundwater review for pending water right transfer application T-13938, which includes the same proposed wells as this groundwater registration modification application.

Please find enclosed portions of the groundwater registration modification application and attachment package that have been modified.

If you have any questions regarding this request, please contact me at 541-753-0933.

Sincerely,

A handwritten signature in blue ink that reads "Zach Pike-Urlacher". The signature is written in a cursive, flowing style.

Zach Pike-Urlacher
Water Resources Analyst

Enclosures: Modified pages for Groundwater Registration Modification Application T-13940

Part 3 of 4 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME City of Aumsville, ATTN: Steve Oslie			PHONE NO. 503-749-1185	ADDITIONAL CONTACT NO.
ADDRESS 595 Main Street			FAX NO.	
CITY Aumsville	STATE OR	ZIP 97325	E-MAIL soslie@aumsville.us	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application

AGENT/BUSINESS NAME GSI Water Solutions, Inc. ATTN: Zach Pike-Urlacher			PHONE NO. 541-753-0933	ADDITIONAL CONTACT NO.
ADDRESS 1600 SW Western Boulevard, Suite 240			FAX NO.	
CITY Corvallis	STATE OR	ZIP 97333	E-MAIL zpikeurlacher@gsiws.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Explain in your own words what you propose to accomplish with this modification; and why:
The Applicant is proposing to add three points of appropriation (Boone Well 3, Mill Creek Well 1A, and Mill Creek Well 1B) to GR-3543, and to change the place of use to "the City of Aumsville Service Area."

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

☐ Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

(Check one box)

- ☐ By signing this application, I (we) understand that, upon receipt of the draft preliminary determination and prior to Department approval of the Groundwater modification, I (we) will be required to provide landownership information and evidence that I am authorized to pursue the modification as identified in OAR 690-382-0400(16)(a); OR
- ☒ I (we) affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; OR
- ☐ I (we) affirm that the applicant is an entity with the authority to condemn property and is acquiring the property to which the Groundwater registration proposed for modification is appurtenant by condemnation and have attached supporting documentation.

I understand that prior to Department approval of the groundwater registration modification, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the groundwater registration is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following paper: Statesman Journal.

I (we) affirm that the information contained in this application is true and accurate.

RECEIVED

JUL 22 2022

OWRD

Applicant Signature

Steve Oslie, Public Works Director

Print Name (and Title if applicable)

Date

Applicant Signature

Print Name (and Title if applicable)

Date

Is the applicant the sole owner of the land on which the Groundwater registration modification or portion thereof, is located? ☐ Yes ☐ No N/A-The applicant is a municipality and the purpose is municipal use.

Part 4 of 4 – Groundwater Registration Information

Please use a separate Part 4 for each registration being modified. See instructions on page 5, to copy and paste additional Part 4s, or to add additional rows to tables within the form.

Groundwater Registration # GR-3543 (Certificate # GR-3258)

Table 1. Location of Authorized and Proposed Point(s) of Appropriation (POA)

(Note: If the POA name is not specified in the registration, assign it a name or number here.)

POA Name or Number	Is this POA Authorized by the registration or is it Proposed?	OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Baker Well	☒ Authorized ☐ Proposed	MARI 10907	8 S	2 W	25	SE SE	6500	565 feet North and 932 feet West from the SE corner of Section 25*
Boone Well 3	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW	700	1265 feet North and 3715 feet West from the SE corner of Section 25
Mill Creek Well 1A	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW	1300	365 feet North and 2735 feet West from the SE corner of Section 25
Mill Creek Well 1B	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW	1300	500 feet North and 2720 feet West from the SE corner of Section 25

*The location description provided here for the Baker Well is a more accurate description of the well's location than the location listed on the Groundwater Registration.

Check all type(s) of modifications(s) proposed below (modification "CODES" are provided in parentheses):

- ☒ Place of Use (POU)
☐ Character of Use (USE)

☐ Point of Appropriation (well) (POA)
☒ Additional Point of Appropriation (APOA)

Will all of the proposed changes affect the entire Groundwater registration?

- ☒ Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- ☐ No Complete all of Table 2 to describe the portion of the registration to be changed.

RECEIVED

JUL 22 2022

OWRD

Please use and attach additional pages of Table 2 as needed.
See page 5 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer

Table 2. Description of Modifications to Registration GR-3543 (Certificate # GR-3258)

List only the part of the registration that will be modified. For the acreage in each ¼ ¼, list the modification proposed. If more than one modification, specify the acreage associated with each modification. If more than one POA, specify the acreage associated with each POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears in the registration BEFORE PROPOSED CHANGES List only that part or portion of the groundwater registration that will be changed.												Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.													
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POA(s) to be used (from Table 1)	Priority Date				
EXAMPLE																										
2	S	9	E	15	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	S	9	E	1	NW	NW	500	1	10.0		POD #5	1901
"	"	"	"	"	"	"	"	"	"	EXAMPLE	"	"	"	2	S	9	E	2	SW	NW	500		5.0		POD #6	1901
													POU/APOA	"City of Aumsville Service Area" – See Attachment B								Municipal	Baker Well, Boone Well 3, Mill Creek Well 1A, Mill Creek Well 1B	August 1948		
TOTAL ACRES											TOTAL ACRES															

Additional remarks: _____.

RECEIVED

JUL 22 2022

OWRD

Groundwater Registration # GR-3543 (Certificate # GR-3258)

For a modification in place of use or character of use:

Are there other water right certificates, water use permits, or Groundwater registrations associated with the "from" or "to" lands? ☐ Yes ☐ No N/A – GR-3543 is for municipal use so "layering" does not apply.

If YES, list the other certificate, water use permit, or other Groundwater registration numbers:

Pursuant to OAR 690-382-0200, any "layered" water use, such as an irrigation right that is supplemental to a primary irrigation right proposed for transfer, must be concurrently transferred with the registration or be cancelled. Any change to a water right must be filed separately in a transfer application. Any change to a water use permit must be filed separately with a permit amendment. Any modification to a Groundwater registration on the "to" lands must be filed separately with a Groundwater registration modification.

For modifications in point(s) of appropriation (well(s) or additional point(s) of appropriation:

- ☒ Well log(s) are attached for each well that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Attachment D)

AND/OR


- ☒ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide adequate information is likely to delay the processing of your modification application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (interval s)	Perforated or screened intervals (in feet)	Static water level of complete d well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
Baker Well	Yes	MARI 10907	75ft	6in	0-75ft	-	-	-	Alluvial	
Boone Well 3	No	-	190ft (est.)	10in (min.)	0-80ft 100-140ft (est.)	0-75ft (est.)	80-100ft 140-190ft (est.)	20 ft (est.)	Alluvial	
Mill Creek Well 1A	No	-	190ft (est.)	10in (min.)	0-80ft 100-140ft (est.)	0-75ft (est.)	80-100ft 140-190ft (est.)	20 ft (est.)	Alluvial	
Mill Creek Well 1B	No	-	190ft (est.)	10in (min.)	0-80ft 100-140 (est.)	0-75ft (est.)	80-100ft 140-190ft (est.)	20 ft (est.)	Alluvial	

RECEIVED



LEGEND

- | | |
|---|---|
|  Proposed Point of Appropriation (POA) |  Donation Land Claim (DLC) |
|  Authorized Point of Appropriation (POA) |  City Boundary |
|  Conveyance |  Railroad |
|  Authorized Place of Use (POU) |  Watercourse |
|  Proposed Place of Use (POU) |  Waterbody |
|  Service Area Boundary | |

LOCATION DESCRIPTION

PROPOSED POA

Boone Well 3

Located 1265 feet North and 3715 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.)

Mill Creek Well 1A

Located 365 feet North and 2735 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.)

Mill Creek Well 1B

Located 500 feet North and 2720 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.)

AUTHORIZED POA

Baker Well

Located 565 feet North and 932 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.)

Application for a Groundwater Registration Modification in the Name of City of Aumsville

GR-3543

Marion County

Township 8 South, Range 1, 2 West (W.M.)

RECEIVED

JUL 22 2022


OWRD

DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

Date: July 11, 2022

Data Sources: BLM, ESRI, OWRD, USGS, Marion Co



Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

NOTE TO APPLICANTS

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; **OR**
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and all of the following apply:
 - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
 - b) The application involves a change in place of use only;
 - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; and
 - d) The application involves irrigation water uses only.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

RECEIVED

JUL 22 2022

OWRD

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Applicant(s): City of Aumsville, ATTN: Steve Oslie

Mailing Address: 595 Main Street

City: Aumsville

State: OR

Zip Code: 97325

Daytime Phone: 503-749-1185

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:	Proposed Land Use:
City of Aumsville Service Area – See Attached Map						☒ Diverted ☒ Conveyed ☒ Used	<u>Municipal</u>
<u>8S</u>	<u>2W</u>	<u>25</u>	<u>SESW</u>	<u>700</u>	<u>P</u>	☒ Diverted ☒ Conveyed ☒ Used	<u>Municipal</u>
<u>8S</u>	<u>2W</u>	<u>25</u>	<u>SESW</u>	<u>1300</u>	<u>P</u>	☒ Diverted ☒ Conveyed ☒ Used	<u>Municipal</u>

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

City of Aumsville; Marion County

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water
 ☐ Water Right Transfer
 ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License
 ☐ Allocation of Conserved Water
 ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 75 ☐ cubic feet per second ☒ gallons per minute ☐ acre-feet

Intended use of water: ☐ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☒ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

The City of Aumsville is proposing changes to one of the City's existing water rights for municipal supply, Groundwater Registration GR-3543. The proposed changes include adding three additional wells (Boone Well 3, Mill Creek Well 1A, and Mill Creek Well 1B), and changing the place of use to the City of Aumsville Service Area.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

RECEIVED

JUL 22 2022

OWRD

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s):

☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being pursued."

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
	RECEIVED	☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
	JUL 22 2022	☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
	OWRD	☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: Ron Harty Title: City Administrator
 Signature: [Signature] Phone: 803-749-2030 Date: 7/18/22
 Government Entity: City of Asheville

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____
 City or County: _____ Staff contact: _____
 Signature: _____ Phone: _____ Date: _____

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

RECEIVED

JUL 22 2022

OWRD

NOTE TO APPLICANTS

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; OR
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and all of the following apply:
 - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
 - b) The application involves a change in place of use only;
 - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; and
 - d) The application involves irrigation water uses only.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Applicant(s): City of Aumsville, ATTN: Steve Oslie

Mailing Address: 595 Main Street

City: Aumsville

State: OR

Zip Code: 97325

Daytime Phone: 503-749-1185

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
City of Aumsville Service Area – See Attached Map						☒ Diverted	☒ Conveyed	☒ Used	<u>Municipal</u>
<u>8S</u>	<u>2W</u>	<u>25</u>	<u>SESW</u>	<u>700</u>	<u>P</u>	☒ Diverted	☒ Conveyed	☒ Used	<u>Municipal</u>
<u>8S</u>	<u>2W</u>	<u>25</u>	<u>SESW</u>	<u>1300</u>	<u>P</u>	☒ Diverted	☒ Conveyed	☒ Used	<u>Municipal</u>

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

City of Aumsville; Marion County

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water
 ☐ Water Right Transfer
 ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License
 ☐ Allocation of Conserved Water
 ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 75 ☐ cubic feet per second ☒ gallons per minute ☐ acre-feet

Intended use of water: ☐ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☒ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

The City of Aumsville is proposing changes to one of the City's existing water rights for municipal supply, Groundwater Registration GR-3543. The proposed changes include adding three additional wells (Boone Well 3, Mill Creek Well 1A, and Mill Creek Well 1B), and changing the place of use to the City of Aumsville Service Area.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

RECEIVED

JUL 22 2022

OWRD

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): MCC 16.13.010 (4)

☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being pursued."

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: Jared Bradford Title: Associate Planner
 Signature: [Signature] Phone: 503-566-4173 Date: 7/19/2022
 Government Entity: Marion County Planning Division

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____
 City or County: _____ Staff contact: _____
 Signature: _____ Phone: _____ Date: _____



RECEIVED

MAR 07 2022

OWRD

March 4, 2022

Kelly Starnes
Oregon Water Resources Department
725 NE Summer Street, Suite A
Salem, OR 97301

RE: Application for Groundwater Registration Modification for GR-3543 in the Name of City of Aumsville

Dear Kelly:

GSI Water Solutions, Inc. (GSI) is submitting the enclosed Groundwater Registration Modification on behalf of the City of Aumsville. The City holds Ground Water Registration GR-3543 which allows for the appropriation of 75 gpm for municipal use. The City is seeking to add two additional points of appropriation (New Well 1 and New Well 2) to GR-3543, and to change the place of use to the City of Aumsville Service Area.

The required application documents and fee of \$1,250 are enclosed.

Please contact me if you have any questions or concerns. My phone number is 541-753-0933.

Sincerely,

A handwritten signature in blue ink that reads "Zach Pike-Urlacher". The signature is written in a cursive, flowing style.

Zach Pike-Urlacher
Water Resources Analyst

Enclosures: Groundwater Registration Modification
Check for application fee in the amount of \$1,250



Oregon
Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

March 15, 2022

STEVE OSLIE
CITY OF AUMSVILLE
595 MAIN ST AUMSVILLE, OR 97325

Reference: Application T- 13940

On March 7, 2022, OWRD received your water Groundwater Registration Modification application. The application was accompanied by \$1250.00. Our receipt number 137637 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to our groundwater staff to determine whether the proposed well accesses the same source of water as the original well.

This application may require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

You may not use water for the new use, in the new place of use or from the new point of appropriation until a final order approving recognition of the groundwater registration modification application has been issued by the Department. If the land is sold before the modification is approved, the buyer's consent to the modification will be required unless a recorded deed or other legal document clearly established that the groundwater registration was not conveyed in the sale.

Please refer to the following page for a chart showing the steps and expected timelines for the processing of your application.


If you have any questions, please contact the Transfer Section at (503) 979-9931.

Cc: Watermaster Dist. #16, Gregory J. Wacker (via email)
Gsi Water Solutions Inc., Agent

Enclosure

Groundwater Registration Modification Process

OAR 690 Division 382



Application for Groundwater Registration Modification



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Part 1 of 5 – Minimum Requirements Checklist

This Groundwater Registration Modification application will be returned if Parts 1 through 4 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

Check all included with this application (N/A = Not Applicable)

RECEIVED

MAR 07 2022

OWRD

- ☒ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Application Map Checklist.
- ☒ Part 3 – Completed Applicant Information and Signature.
- ☒ Part 4 – Completed Groundwater Registration Modification Application – Groundwater Registration Information. (Only one Groundwater registration per application, unless the Groundwater registrations to be modified are layered).
- ☒ Completed Groundwater Registration Modification Application Map (Does not have to be prepared by a Certified Water Right Examiner). **(Attachment B)**
- ☒ Groundwater registration modification fees – Amount enclosed: **\$1,250.**
(\$875.00 for a place of use change only; \$1,250.00 for any other change or combination).

Attachments:

- ☐ ☒ N/A Request for Assignment Form and statutory fee. This form needs to be completed if the applicant owns the land to which the registration is appurtenant and is **not** the registration certificate holder of record. The Request for Assignment Form is available at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>.
Assignment is not needed for any person or entity who can demonstrate authorization to request recognition of a modification (e.g. legal representative, power of attorney, agent, etc.) or the applicant is named on the certificate of registration, or has been assigned to the certificate of registration.
- ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone. **(Attachment C)**
- ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation. **(Attachment D)**

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

- | | |
|--|--|
| ☐ Application fee not enclosed/insufficient | ☐ Map not included or incomplete |
| ☐ Land Use Form not enclosed or incomplete | ☐ Assignment Form and fee not enclosed/insufficient |
| ☐ Additional signature(s) required | ☐ Part _____ is incomplete |

Other/Explanation _____

Staff: _____ 503- _____ Date: ____/____/____

13940

Part 2 of 4 – Groundwater Registration Modification Map Checklist

Your Groundwater Registration Modification application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

RECEIVED
MAR 07 2022

OWRD

- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads and railroads.
- ☒ Major water delivery system features from the point(s) of appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes hachuring, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the registration is being changed, a separate hachuring is needed for the portion of the registration left unchanged.
- ☒ ☐ N/A If you are proposing a modification in place of use, show the proposed place of use with hachuring including priority date and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of appropriation with distance and bearing or coordinates from a recognized survey corner.
- ☒ ☐ N/A If you are proposing a modification in point(s) of appropriation, show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Part 3 of 4 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME City of Aumsville, ATTN: Steve Oslie			PHONE NO. 503-749-1185	ADDITIONAL CONTACT NO.
ADDRESS 595 Main Street			FAX NO.	
CITY Aumsville	STATE OR	ZIP 97325	E-MAIL soslie@aumsville.us	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application

AGENT/BUSINESS NAME GSI Water Solutions, Inc. ATTN: Ted Ressler			PHONE NO. 971-200-8509	ADDITIONAL CONTACT NO.
ADDRESS 55 SW Yamhill St., Suite 300			FAX NO.	
CITY Portland	STATE OR	ZIP 97204	E-MAIL tressler@gsiws.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

RECEIVED
MAR 07 2022
OWRD

Explain in your own words what you propose to accomplish with this modification; and why:
The Applicant is proposing to add two points of appropriation (New Well 1 and New Well 2) to GR-3543, and to change the place of use to the City of Aumsville Service Area.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".


☒ Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

(Check one box)

- ☐ By signing this application, I (we) understand that, upon receipt of the draft preliminary determination and prior to Department approval of the Groundwater modification, I (we) will be required to provide landownership information and evidence that I am authorized to pursue the modification as identified in OAR 690-382-0400(16)(a); OR
- ☒ I (we) affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; OR
- ☐ I (we) affirm that the applicant is an entity with the authority to condemn property and is acquiring the property to which the Groundwater registration proposed for modification is appurtenant by condemnation and have attached supporting documentation.

I understand that prior to Department approval of the groundwater registration modification, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the groundwater registration is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following paper: **Statesman Journal**.

I (we) affirm that the information contained in this application is true and accurate.


 Applicant Signature

Steve Oslie, Public Works Director 2/17/2022
 Print Name (and Title if applicable) Date

 Applicant Signature

 Print Name (and Title if applicable)

 Date

Is the applicant the sole owner of the land on which the Groundwater registration modification or portion thereof, is located? ☐ Yes ☐ No If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the Groundwater registration has been conveyed.

13940




Check the appropriate box, if applicable:

- ☐ Check here if the Groundwater registration proposed for modification is or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME N/A	ADDRESS	
CITY	STATE	ZIP

- ☐ Check here if water for the Groundwater registration is supplied under a water service agreement or other contract with a federal agency or other entity.

ENTITY NAME N/A	ADDRESS	
CITY	STATE	ZIP



To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME CITY OF AUMSVILLE	ADDRESS 595 MAIN STREET	
CITY Aumsville	STATE Oregon	ZIP 97325

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

RECEIVED

MAR 07 2022

OWRD

13940

Part 4 of 4 – Groundwater Registration Information

Please use a separate Part 4 for each registration being modified. See instructions on page 5, to copy and paste additional Part 4s, or to add additional rows to tables within the form.

Groundwater Registration # GR-3543 (Certificate # GR-3258)

Table 1. Location of Authorized and Proposed Point(s) of Appropriation (POA)

(Note: If the POA name is not specified in the registration, assign it a name or number here.)

POA Name or Number	Is this POA Authorized by the registration or is it Proposed?	OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Baker Well	☒ Authorized ☐ Proposed	MARI 10907	8 S	2 W	25	SE SE	6500	565 feet North and 932 feet West from the SE corner of Section 25*
New Well 1	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW	700	1265 feet North and 3715 feet West from the SE corner of Section 25
New Well 2	☐ Authorized ☒ Proposed		8 S	2 W	25	SE SW	1300	365 feet North and 2735 feet West from the SE corner of Section 25

*The location description provided here for the Baker Well is a more accurate description of the well's location than the location listed on the Groundwater Registration.

Check all type(s) of modifications(s) proposed below (modification "CODES" are provided in parentheses):

- ☒ Place of Use (POU)
☐ Character of Use (USE)

☐ Point of Appropriation (well) (POA)
☒ Additional Point of Appropriation (APOA)

Will all of the proposed changes affect the entire Groundwater registration?

- ☒ Yes
☐ No

Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.

Complete all of Table 2 to describe the portion of the registration to be changed.

RECEIVED

MAR 07 2022

13940

OWRD

Please use and attach additional pages of Table 2 as needed.
See page 5 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer

Table 2. Description of Modifications to Registration GR-3543 (Certificate # GR-3258)

List only the part of the registration that will be modified. For the acreage in each $\frac{1}{4}$ $\frac{1}{4}$, list the modification proposed. If more than one modification, specify the acreage associated with each modification. If more than one POA, specify the acreage associated with each POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears in the registration BEFORE PROPOSED CHANGES List only that part or portion of the groundwater registration that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.														
Twp	Rng	Sec	$\frac{1}{4}$ $\frac{1}{4}$	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	$\frac{1}{4}$ $\frac{1}{4}$	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POA(s) to be used (from Table 1)	Priority Date						
EXAMPLE																										
2	S	9	E	15	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	S	9	E	1	NW	NW	500	1	10.0		POD #5	1901
"	"	"	"	"	"	"	"	"	"	EXAMPLE	"	"	"	2	S	9	E	2	SW	NW	500		5.0		POD #6	1901
													POU/APOA	City of Aumsville Service Area – See Attachment B							Municipal	Baker Well, New Well 1, New Well 2	8/30/ 1948			
TOTAL ACRES											TOTAL ACRES															

Additional remarks: _____.

RECEIVED

MAR 07 2022

OWRD

MAR 07 2022

OWRD

For a modification in place of use or character of use:

Are there other water right certificates, water use permits, or Groundwater registrations associated with the "from" or "to" lands? ☐ Yes ☐ No N/A – GR-3543 is for municipal use so "layering" does not apply.

If YES, list the other certificate, water use permit, or other Groundwater registration numbers:



Pursuant to OAR 690-382-0200, any "layered" water use, such as an irrigation right that is supplemental to a primary irrigation right proposed for transfer, must be concurrently transferred with the registration or be cancelled. Any change to a water right must be filed separately in a transfer application. Any change to a water use permit must be filed separately with a permit amendment. Any modification to a Groundwater registration on the "to" lands must be filed separately with a Groundwater registration modification.

For modifications in point(s) of appropriation (well(s) or additional point(s) of appropriation:

- ☒ Well log(s) are attached for each well that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Attachment D)

AND/OR

- ☒ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide adequate information is likely to delay the processing of your modification application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-___	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
Baker Well	Yes	MARI 10907	75ft	6in	0-75ft	-	-	-	Alluvial	
New Well 1	No	-	230ft (est.)	12in (est.)	0-60ft (est.)	0-60ft (est.)	60-230ft (est.)	40ft (est.)	Alluvial	
New Well 2	No	-	230ft (est.)	12in (est.)	0-60ft (est.)	0-60ft (est.)	60-230ft (est.)	40ft (est.)	Alluvial	

RECEIVED

MAR 07 2022

OWRD

Attachment A

Groundwater Registration 3543

Application for a Groundwater Registration Modification – City of Aumsville

13940

Registration No. GR - 3543

Certificate No. GR - 3258

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

RECEIVED

MAR 07 2022

OWRD

TO THE STATE ENGINEER OF OREGON:

I, City of Aumsville
of Aumsville County of Marion
(Mailing address)
State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is drilled well
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: _____
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 71° 10' E., 157.6 ft. from the NE corner of Block 1 of Turner Addition to
(Give distance and bearing to corner of section or other legal subdivision)
being within SW 33 of Sec. 25 Twp. 8 S. Rge. 2
(Smallest legal subdivision) (N. or S.) (E. or W.)
or (b) within limits of recorded platted property, town or city:

in Lot _____ Block _____ of _____
(Name of plat or addition)
(If within city or town, give name) County of Marion

3. Construction Work was begun on August 1948; was completed on August 1948
(Date) (Date)
and the ground water claimed was first used for the purposes set out below on September 1948
(Date)
since which time the water has been used continuously
(Continuously or intermittently)
from September 1948 to present July 31, 1958
(Date) (Date)

4. Quantity of water claimed and used is 15 gallons per minute; _____ acre
feet per year.

5. Purpose or Purposes for which water is used municipal
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 75 feet. Type drilled
(Dug or drilled)
diameter _____ inches. Elevation of ground at well site (171) feet, mean sea level.
(As near as known)
Depth to water table _____ feet.

7. Capacity of Well: 25 g.p.m. with 50 feet drawdown,
_____ g.p.m. with _____ feet drawdown.

Date of test _____

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

13940

MAR 07 2022

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

Describe and show depth of shoe, plug, adapter, liner or other details:

from to
from to
from to
from to

[illegible]

GR 3258

13940

Fred Wymore, Route 2, Salem, Oregon

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions: _____

(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment: 4/10

(a) Pump Peerless Centrifugal 5 H.P. Capacity 85 g.p.m.

(Make, type and size)

(b) Motor Peerless 5 H.P.

(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

[illegible]

RECEIVED

MAR 07 2022

QWRD

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

This well is supplemental to first well drilled that turned cloudy and is going to be cleaned.


GR 3258

RECEIVED

MAR 07 2022

OWRD

Township 8 S Range 2 W W.M.
North



Locate well and acreage of irrigated land on plat.
Scale: 2" = 1 Mile

STATE OF OREGON

County of Marion } ss.

I, Irvine Holmquist, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Irvine E. Holmquist
(Signature of Registrant)

Subscribed and sworn to before me this 1st day of October, 1958

My commission expires July 9, 1961

Irma C. D. Peew
(Notary Public)

(SEAL)

CERTIFICATE OF REGISTRATION

STATE OF OREGON

County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 1st day of August, 1958 at 8:00 o'clock A. M. and has been duly recorded in said office in Book No. 14 of Registration Statements on page GR-3258

Witness my hand this 20th day of July, 1959

Lewis A. Stanley
(State Engineer)

By

(Deputy)

13940

GR - 3258

RECEIVED

MAR 07 2022

OWRD

Attachment B

Application Map

Application for a Groundwater Registration Modification – City of Aumsville

13940

RECEIVED

MAR 07 2022

OWRD

Attachment D

Well Log

Application for a Groundwater Registration Modification – City of Aumsville

13940

MARI 10907

STATE ENGINEER
Salem, Oregon

Well Record

STATE WELL NO. 8/2W-25Q
COUNTY Marion
APPLICATION NO. GR-3543

OWNER: City of Aumsville

MAILING
ADDRESS:

LOCATION OF WELL: Owner's No.

CITY AND
STATE: Aumsville, Oregon

SW 1/4 SE 1/4 Sec. 25 T. 8 S., R. 2 W., W.M.

Bearing and distance from section or subdivision

corner S. 71° 10' E., 157.6 ft. from the NE corner
of Block 1 of Turner Addition to Aumsville

Altitude at well

TYPE OF WELL: Drilled Date Constructed Aug., 1948

Depth drilled 75 ft. Depth cased 75 ft.

Section 25

CASING RECORD:

6 inch casing set to 75 ft.

RECEIVED

MAR 07 2022

FINISH:

OWRD

AQUIFERS:

WATER LEVEL:

PUMPING EQUIPMENT: Type Peerless Centrifugal H.P. 5
Capacity 85 G.P.M.

WELL TESTS:

Drawdown 50 ft. after hours 75 G.P.M.

Drawdown ft. after hours G.P.M.

USE OF WATER Municipal Temp. °F., 19

SOURCE OF INFORMATION Well Registration Statement


DRILLER or DIGGER Fred Wymore

ADDITIONAL DATA:

Log Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

13940



**Application for a Groundwater Registration
Modification in the Name of City of Aumsville**

GR-3543

Marion County

Township 8 South, Range 1, 2 West (W.M.)

- LEGEND**
- | | | | |
|--|---|--|---------------------------|
| | Proposed Point of Appropriation (POA) | | Donation Land Claim (DLC) |
| | Authorized Point of Appropriation (POA) | | City Boundary |
| | Conveyance | | Railroad |
| | Authorized Place of Use (POU) | | Watercourse |
| | Proposed Place of Use (POU) | | Waterbody |

LOCATION DESCRIPTION
PROPOSED POA

PROPOSED FOR
New Well 1
Located 1265 feet North and 3715 feet West from the SE corner
-1 Section 35, Township 8 South, Range 2 West (W.M.)

New Well 2
Located 365 feet North and 2735 feet West from the SE corner
of Section 25, Township 8 South, Range 2 West (W.M.)

AUTHORIZED POA

Baker Well
Located 565 feet North and 932 feet West from the SE corner
of Section 25, Township 8 South, Range 2 West (W.M.)

RECEIVED

MAR 07 2022


OWRD

DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

Date: February 3, 2022

Data Sources: BLM, ESRI, OWRD, USGS, Marion Co.



GSI
Water Solutions, Inc.

13940

RECEIVED

MAR 07 2022

OWRD

Attachment C

Land Use Information Form

Application for a Groundwater Registration Modification – City of Aumsville

13940

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

RECEIVED

MAR 07 2022

OWRD

NOTE TO APPLICANTS

In order for your application to be processed by the Water Resources Department (WRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be used and developed. The planning official may choose to complete the form while you wait, or return the receipt stub to you. Applications received by WRD without the Land Use Form or the receipt stub will be returned to you. Please be aware that your application will not be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and/or used only on federal lands; **OR**
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and all of the following apply:
 - a) The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
 - b) The application involves a change in place of use only;
 - c) The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; and
 - d) The application involves irrigation water uses only.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for or modifying a water right. The Water Resources Department (WRD) requires its applicants to obtain land-use information to be sure the water rights do not result in land uses that are incompatible with your comprehensive plan. Please complete the form or detach the receipt stub and return it to the applicant for inclusion in their water right application. You will receive notice once the applicant formally submits his or her request to the WRD. The notice will give more information about WRD's water rights process and provide additional comment opportunities. You will have 30 days from the date of the notice to complete the land-use form and return it to the WRD. If no land-use information is received from you within that 30-day period, the WRD may presume the land use associated with the proposed water right is compatible with your comprehensive plan. Your attention to this request for information is greatly appreciated by the Water Resources Department. If you have any questions concerning this form, please contact the WRD's Customer Service Group at 503-986-0801.

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

RECEIVED

MAR 07 2022

OWRD

Applicant(s): City of Aumsville, ATTN: Steve Oslie

Mailing Address: 595 Main Street

City: Aumsville

State: OR

Zip Code: 97325

Daytime Phone: 503-749-1185

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
City of Aumsville Service Area – See Attached Map						☒ Diverted	☒ Conveyed	☒ Used	<u>Municipal</u>
<u>8S</u>	<u>2W</u>	<u>25</u>	<u>SESW</u>	<u>700</u>	<u>P</u>	☒ Diverted	☒ Conveyed	☒ Used	<u>Municipal</u>
<u>8S</u>	<u>2W</u>	<u>25</u>	<u>SESW</u>	<u>1300</u>	<u>P</u>	☒ Diverted	☒ Conveyed	☒ Used	<u>Municipal</u>
_____	_____	_____	_____	_____	_____	☐ Diverted	☐ Conveyed	☐ Used	_____

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

City of Aumsville

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water
 ☐ Water Right Transfer
 ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License
 ☐ Allocation of Conserved Water
 ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 75 ☐ cubic feet per second ☒ gallons per minute ☐ acre-feet

Intended use of water: ☐ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☒ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

The City of Aumsville is proposing changes to one of the City's existing water rights for municipal supply, Groundwater Registration GR-3543. The proposed changes include adding two additional wells (New Well 1 and New Well 2), and changing the place of use to the City of Aumsville Service Area.



Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

13940

MAR 07 2022

For Local Government Use Only

OWRD

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): Ord 700 section 9.02

☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: Ken Harding Title: City Administrator

Signature: [Signature] Phone: 503-249-2050 Date: 2-17-22

Government Entity: City of Ansoville

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information



Applicant name: _____

City or County: _____ Staff contact: _____

Signature: _____ Phone: _____ Date: _____



RECEIVED

MAR 07 2022

OWRD

March 4, 2022

Kelly Starnes
Oregon Water Resources Department
725 NE Summer Street, Suite A
Salem, OR 97301

RE: Application for Groundwater Registration Modification for GR-3543 in the Name of City of Aumsville

Dear Kelly:

GSI Water Solutions, Inc. (GSI) is submitting the enclosed Groundwater Registration Modification on behalf of the City of Aumsville. The City holds Ground Water Registration GR-3543 which allows for the appropriation of 75 gpm for municipal use. The City is seeking to add two additional points of appropriation (New Well 1 and New Well 2) to GR-3543, and to change the place of use to the City of Aumsville Service Area.

The required application documents and fee of \$1,250 are enclosed.


Please contact me if you have any questions or concerns. My phone number is 541-753-0933.

Sincerely,

A handwritten signature in blue ink that reads "Zach Pike-Urlacher". The signature is fluid and cursive, written in a professional style.

Zach Pike-Urlacher
Water Resources Analyst

Enclosures: Groundwater Registration Modification
Check for application fee in the amount of \$1,250



LEGEND

- Proposed Point of Appropriation (POA)
- Authorized Point of Appropriation (POA)
- Conveyance
- ▨ Authorized Place of Use (POU)
- ▨ Proposed Place of Use (POU)

- ▭ Donation Land Claim (DLC)
- ▭ City Boundary
- Railroad
- Watercourse
- Waterbody

LOCATION DESCRIPTION

PROPOSED POA

New Well 1
Located 1265 feet North and 3715 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.)

New Well 2
Located 365 feet North and 2735 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.)

AUTHORIZED POA

Baker Well
Located 565 feet North and 932 feet West from the SE corner of Section 25, Township 8 South, Range 2 West (W.M.)

Application for a Groundwater Registration Modification in the Name of City of Aumsville

GR-3543

Marion County

Township 8 South, Range 1, 2 West (W.M.)

Superseded
RECEIVED
MAR 07 2022


DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

Date: February 3, 2022

Data Sources: BLM, ESRI, OWRD, USGS, Marion Co.

OWRD



13940

Groundwater Registration Modification (GR Mod) Application Checklist

Checked by Corey Date 3/9/22

(If OK, check box to left; if not, fill in the blank)

- ☒ 1. Is the name of the GR Mod applicant(s) the same as the GR claim holder(s) of record?

If not, one of the following must be included with the application:

- ☐ a) A written statement from the GR claim holder, consenting to the proposed GR Mod Application (if the GR claim holder(s) of record is the current property owner), *OR*.
- ☐ b) A concurrent "Request for Assignment" to move the GR claim into the GR Mod applicant's name must be submitted (if the GR Mod applicant(s) is the current property owner), *OR*
- ☐ c) A concurrent "Request for Assignment" to move the GR claim into the name of a third party (who now owns the property) must be submitted, and the third party will need to provide a written statement consenting to the proposed GR Mod Application.

If not, what is missing? _____

- ☒ 2. Page 1 of application: Are all attachments that have been checked actually included?

If not, what is missing? _____

- ☒ 3. Are fees included and correct?

If not, the correct fee would be: _____, so the amount missing is: _____

- If application proposes ONLY a change in place of use = \$875.00
- If application proposes any other change or combination of changes = \$1,250.00

- ☒ 4. Page 3 of application: Have all the applicants listed at the top of the page signed at the bottom?

If not, whose signature is missing? _____

- ☒ 5. If all #1-#4 boxes on this checklist are checked (with no remaining deficiencies identified), accept the application. Put this check sheet in the transfer folder.

If #1, #2, #3, or #4 on this checklist is deficient, the application CANNOT be accepted.

It should be returned and the deficiencies listed in the "staff" section at the bottom of Application Page 1, unless the applicant or agent can resolve the deficiencies within 2-3 days.

Groundwater Registration Modification (GR Mod) Application Checklist

Checked by Corey

Date 3/9/22

(If OK, check box to left; if not, fill in the blank)

- ☒ 1. Is the name of the GR Mod applicant(s) the same as the GR claim holder(s) of record?

If not, one of the following must be included with the application:

- ☐ a) A written statement from the GR claim holder, consenting to the proposed GR Mod Application (if the GR claim holder(s) of record is the current property owner), *OR*.
- ☐ b) A concurrent "Request for Assignment" to move the GR claim into the GR Mod applicant's name must be submitted (if the GR Mod applicant(s) is the current property owner), *OR*
- ☐ c) A concurrent "Request for Assignment" to move the GR claim into the name of a third party (who now owns the property) must be submitted, *and* the third party will need to provide a written statement consenting to the proposed GR Mod Application.

If not, what is missing? _____

- ☒ 2. Page 1 of application: Are all attachments that have been checked actually included?

If not, what is missing? _____

- ☒ 3. Are fees included and correct?

If not, the correct fee would be: _____, so the amount missing is: _____

- If application proposes ONLY a change in place of use = \$875.00
- If application proposes any other change or combination of changes = \$1,250.00

- ☒ 4. Page 3 of application: Have all the applicants listed at the top of the page signed at the bottom?

If not, whose signature is missing? _____

- ☒ 5. If all #1-#4 boxes on this checklist are checked (with no remaining deficiencies identified), accept the application. Put this check sheet in the transfer folder.

If #1, #2, #3, or #4 on this checklist is deficient, the application CANNOT be accepted.

It should be returned and the deficiencies listed in the "staff" section at the bottom of Application Page 1, unless the applicant or agent can resolve the deficiencies within 2-3 days.