T-13974

Permit Amendment

RA

T-13974

Address 20315 NE Sandy Blvd. Fairview, OB 97024 Ikwloods@5star-group.com Change in POU	Name of Stream A	Creek Basin			Date <u>4-7-2022</u> <u>4-7-2022</u> <u>4-26-2022</u>	\$1,342-78	
Date Filed 4-7-2022	Use Invigation; Con	mmercial Uses		man			
Initial notice date <u>4-19-2022</u>			No. of Acres				
DPD issued date	Name of ditch	D A	0.1."	DD D + planlam			
PD issued date		Per # <u>G-16560</u>		PR Date 7/30/200		FFFC DEFUN	DED
PD notice date Date of FO_105 2000 Vol 125 Page 1000	App#		Cert #			FEES REFUN	
Date of FO_10151 2000 Vol_120 Page 100 01	App#	Per #	Cert #			Amount	Receipt #
		Per #		the second s			the second s
	App#	Per #	Cert #	PR Date			
C-Date							
COBU due date							
COBU Received date							
Certificate issued							
Assignments:				_			
				_			
Irrigation District							
Agent Doann Hamilton - phydmhegm	all.com						
CWRE CC's list Multhomah County							
- Oversized map - Location							



Water Resources Department

725 Summer St NE, Suite A Salem, OR 97301 (503) 986-0900 Fax (503) 986-0904

October 5, 2022

LYNNIA K. WOODS 20905 NE SANDY BLVD FAIRVIEW, OR 97024-9772

REFERENCE: Permit Amendment Application T-13974

Enclosed is a copy of the order approving your Permit Amendment application.

Also enclosed is a superseding permit that incorporates the amendments approved by the final order contained herein. Please read this document and abide by the requirements.

If you have any questions related to this transfer, you may contact your caseworker, Arla Davis, by telephone at 503-979-3129 or by e-mail at Arla.L.Davis@oregon.gov.

Sincerely, u

Julie C. Baustian Water Rights Services Support Transfers and Conservation Section

cc: Amy J. Landvoigt, Watermaster Dist. # 20 (via email) Multnomah County Planning Department Doann Hamilton, Agent

Enclosure

BEFORE THE WATER RESOURCES DEPARTMENT OF THE STATE OF OREGON

In the Matter of Permit Amendment)	FINAL ORDER
T-13974, Multnomah County) .	APPROVING A CHANGE IN PLACE OF USE

Authority

Oregon Revised Statute (ORS) 537.211 establishes the process in which a water right permit holder may submit a request to change the point of appropriation and/or place of use authorized under an existing water right permit.

Applicant

LYNNIA K. WOODS or LYNNIA K. PELFREY 20315 NE SANDY BLVD FAIRVIEW, OR 97024

Findings of Fact

- On April 7, 2022, LYNNIA K. WOODS or LYNNIA K. PELFREY, filed an application to change the place of use under Permit G-16560. The Department assigned the application number T-13974.
- On July 1, 2021, the Department approved an extension of time for complete application of water to October 1, 2026.
- On March 11, 2022, the Department approved an assignment of the permit to Lynnia K. Woods or Lynnia K. Pelfrey.
- 4. Notice of the application for the permit amendment was published in the Department's weekly notice on April 19, 2022, pursuant to ORS 540.520(5).
- 5. Permit Amendment Application T-13974 proposes to change the place of use of the permit to:

		IRRIGA	TION		
Twp	Rng	Mer	Sec	Q-Q	Acres
1 N	ЗE	WM	21	SE SW	0.35
1 N	3 E	WM	28	NE NW	1.4

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 and OAR 690-01-0005 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Permit Amendment Review Criteria

- The change would not result in injury to other water rights.
- 7. The proposed place of use is owned and/or controlled by the permit holder.
- The change does not enlarge the permit.
- 9. The change does not alter any other terms of the permit.
- 10. The proposed place of use is contiguous to the authorized place of use.

Conclusions of Law

The change in place of use proposed by Permit Amendment Application T-13974 is consistent with the requirements of ORS 537.211.

Now, therefore, it is ORDERED:

- 1. The change in place of use proposed by Permit Amendment Application T-13974 is approved.
- 2. Permit G-18821, in the name of LYNNIA K. WOODS OR LYNNIA K. PELFRY, is issued to replace Permit G-16560 and incorporates the amendments approved by this order, the extension of time and the assignment. Permit G-16560, in the name of HENRY H. PELFREY and LYNNIA K. WOODS, is no longer of any force or effect.
- 3. The former place of use shall no longer be irrigated as part of this permit.
- 4. All other terms and conditions of Permit G-18821 remain the same.

OCT 0 5 2022 Dated in Salem, Oregon on any Transfer and Conservation Section Manager, for DOUGLAS E. WOODCOCK, ACTING DIRECTOR

Oregon Water Resources Department OCT 0 6 2022

Mailing Date:

STATE OF OREGON

COUNTY OF MULTNOMAH

TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

LYNNIA K. WOODS or LYNNIA K. PELFREY 20315 NE SANDY BLVD FAIRVIEW, OR 97024

This superseding permit is issued to describe an amendment for a change in place of use proposed under Permit Amendment T-13974 and approved by Special Order Volume $\underline{125}$ Page $\underline{\$00}$, entered on $\underline{0CT}$ 0 5 2022; and to describe an extension of time for complete application of water approved on July 1, 2021, and an assignment approved March 11, 2022. This permit superseded permit G-16560.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-17087

SOURCE OF WATER: WELL 1 AND WELL 2 IN FAIRVIEW CREEK BASIN

PURPOSE OR USE: COMMERCIAL USES AND IRRIGATION USE ON 1.75 ACRES

MAXIMUM RATE: 0.033 CUBIC FOOT PER SECOND (CFS), NOT TO EXCEED 0.022 CFS FOR IRRIGATION USE

PERIOD OF USE: COMMERCIAL USES - YEAR ROUND IRRIGATION USE - MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: JULY 30, 2008

WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
1 N	3 E	WM	28	NE NW	WELL 1 - 475 FEET SOUTH AND 400 FEET WEST FROM THE NE CORNER OF J ZIMMERMAN DLC 39
1 N	3 E	WM	28	NE NW	WELL 2 - 220 FEET SOUTH AND 390 FEET WEST FROM THE NE CORNER OF J ZIMMERMAN DLC 39

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and acre-feet for each acre irrigated during the irrigation season of each year.

Application G-17087/T-13974.ald

Water Resources Department

Permit G-18821

THE PLACE OF USE IS LOCATED AS FOLLOWS:

	COMM	ERCIAL U	SES	
Twp	Rng	Mer	Sec	Q-Q
1 N	3 E	WM	28	NE NW

		IRRIGAT	ION		
Twp	Rng	Mer	Sec	Q-Q	Acres
1 N	3 E	WM	21	SE SW	0.35
1 N	3 E	WM	28	NE NW	1.4
				Total	1.75

Permit Amendment T-13974 Conditions:

The former place of use shall no longer be irrigated as part of this permit.

Extension of Time Conditions:

The permit holder must submit a completed Progress Report Form to the Department by October 1, 2024.

At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with the terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250.

The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30-day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.

Original Permit Conditions:

Measurement, recording and reporting conditions:

The Director may require the permittee to install a totalizing flow meter or other suitable measuring device as approved by the Director at each point of appropriation. If the Director notifies the permittee to install a totalizing flow meter or other measuring device, the permittee shall install such device within the period stated in the notice. Such installation period shall not be less than 90 days unless special circumstances warrant a shorter installation period. Once installed, the permittee shall maintain the meter or measuring device in good working order and shall allow the watermaster access to the meter or measuring device.

The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water-use information, the periods of water use and the place and nature of use of water under the permit.

To monitor the effect of water use from the well(s) authorized under this permit, the Department requires the water user to obtain, from a qualified individual (see below), and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

Measurements must be made according to the following schedule:

Before Use of Water Takes Place

Initial and Annual Measurements

The Department requires the permittee to report an initial water level measurement in the month specified above once well construction is complete and annually thereafter until use of water begins; and

After Use of Water has Begun

Seven Consecutive Annual Measurements

Following the first year of water use, the user shall report seven consecutive annual static water level measurements. The first of these seven annual measurements will establish the reference level against which future annual measurements will be compared. Based on an analysis of the data collected, the Director may require the user to obtain and report additional annual static water level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- A. Identify each well with its associated measurement; and
- B. Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method used to obtain each well measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

A. Annual water level measurements reveal an average water level decline of three or more feet per year for five consecutive years; or

Application G-17087/T-13974.ald

Water Resources Department

Permit G-18821

- B. Annual water level measurements reveal a water level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water level measurements reveal a water level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non-use or restricted use shall continue until the water level rises above the decline level which triggered the action or until the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

The well(s) shall produce ground water only from the Sand and Gravel Aquifer ground water reservoir between 160 feet and 1000 feet below land surface.

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well(s) shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

If the riparian area is disturbed in the process of developing a point of appropriation, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet existing state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

Prior to receiving a certificate of water right, the permit holder shall submit to the Water Resources Department the results of a pump test meeting the Department's standards for each point of appropriation (well), unless an exemption has been obtained in writing under OAR 690-217. The Director may require water-level or pump-test data every ten years thereafter.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The original permit was issued August 17, 2009. Completion of construction and application of the water was to be made within five years from permit issuance (August 17, 2009). By Extension of Time Final Order dated July 1, 2021, the completion of construction and application of water was extended to October 1, 2026. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued

OCT 0 5 2022

Lisa J. Jaramillo, Transfer and Conservation Section Manager for DOUGLAS E. WOODCOCK, ACTING DIRECTOR Oregon Water Resources Department

Application G-17087/T-13974.ald Basin 2 Water Resources Department Volume 26 Columbia R & MISC WWM Permit G-18821 20

	Permit Amendment Checklist	
Transfer: T- 13974 Transfer Type: Permit Amendment	signed 5-2-2022	Transfer Specialist:
Applicant Name/Address/email: LYNNIA K. WOODS 20905 NE SANDY BLVD FAIRVIEW, OR 97024-9772	Agent Name/Address/email: DOANN HAMILTON 18487 S VALLEY VISTA RD MULINO, OR 97042-8741	Rec Landowner Name/Address:
CWRE Name/Number:	Irr. District Name/Address:	Affected Gov'ts Name/Address: County Of Multnomah
Commentor(s): Name/Address:	Current Landowner Name/Address (if different than applicant):	

Permit(s) Affected

Records Marked	Records Copied	App File No. or Decree Name	Permit No.	Superseding Permit No.
		G-17087	G-16560	6-18821

Key Dates & Initial Actions

Rec'd: April 7, 2022	Proposed Action(s): PLACE O	F USE
Fees Pd: 1360.00	WM District:20	ODFW District:
Initial Notice: UNAVAILABLE	WM Review sent: Done:	ODFW Review sent: Done:
Acknowledgement Letter Sent:	Date: April 18, 2022	GW Review sent: Done:

Processing Dates & Actions

Deficiency Contact(s): _____

Draft Mailed: ____ If yes, date rec'd okay from agent/applicant: WM measurement sheet sent; need? Yes or No

Newspaper: <u>Pou only</u> - no PN Anot required Date quote requested: <u>NA</u> Request for news \$ sent:

News \$ received: Request to publish sent to newspaper: ____ Affidavit of publication received: _____ Dates of publication: _____

Final Order

Draft Order & Superseding Permit Review (Optional)	Final Order & Superseding Permit Review (Salem
Reviewer: Jour	Reviewer:
Date: 9/19/19	Date:
Coordinator: PKS	Coordinator:
Date: 9/23/22	Date:
Signature Bin Date:	Signature Bin Date:
Comments/Special Issues: * Mary B. roud Nor	
Comments/Special Issues: * Mary b. rova Nor Il Order Volume: Vol: 25, Pages 200-67	Final Order Signature Date: 10 5 2022

	T-13974
Appl	ication
<u>PR</u>	<u>CW</u>
	The type of change is clearly indicated.
	The application is appropriately signed.
	Appropriate fees were paid. N/A If overpayment, Refund Request submitted
	and use form matches affected tax lots and is signed by proper official. (from ALL affected Govt's)
	N/A Ditch company, district, and/or BOR, sent a copy of the application and map, if appropriate.
	All required attachments received.
	All required attachments received.
App	lication Map
<u>PR</u>	<u>CW</u>
	The map size and scale are accurate and appropriate per OAR 690-380-3100(1)(b)(c)&(d).
	All authorized and proposed POD's/POA's and POU are properly described on the map.
	The POD/POA location description(s) on the map match the PA application and permit descriptions.
	Map acres (to, from and rr, if applicable) match Table 2 on the PA application and as applicable, on the permit
	Have permit map(s).
Det	ermining the "From" and "To" Lands (make working copy of application and permit(s))
<u>PR</u>	<u>cw</u>
	Only the authorized POD's/POA's and/or POU's to be transferred are listed (Tables 1 & 2).
	PA application and permit tabulations (acreage) match. (Mark on appl. and permit copies and note corrections needed
	ALL Mark on permit the acreage and amount of water being transferred.
Perr	nit Ownership
	The applicant(s) is/are the holder(s) of the permit.
	All holders of the permit have signed the application or
	N/A If necessary, there is a notarized, signed statement of consent from permit holders other than applicant.
	N/A If necessary, the permit has been assigned to permit amendment applicant.
Eval	uation Materials
	Application complete Permit Land Use form N/A Plat card
	Amendment Map Permit Map Fees paid N/A Well logs
Revi	ews/comments/conditions received?
N/	
N/	
	Type of device, if applicable: totalizing flow meter: at new at existing and new
Injur	y: Yes No
Enla	rgement: Yes No
	litions to avoid enlargement/injury –
	ODFW conditions:
	GW Conditions:

RECEIPT #	wat 137990	ER RESOUR 725 Summer SALEM, OF	F OREGON CES DEPARTM St. N.E. Ste. A R 97301-4172 (503) 986-0904 (fax)	IENT INVOICE # .	*
RECEIVED FR	on Lynnia.	K Wal	de	APPLICATION	
BY:	OM: A finite	1). 0000	4.2	PERMIT	
ы.		TRANSFER	7.13974		
CASH: 0	CHECK:#1065	THER: (IDENTIFY)		TOTAL REC'D	\$1,342.78
1083	TREASURY	4170 WRD	MISC CASH AC	СТ	
0407 0412	COPIES 4712	24 DENTIFY TANS	RII 360	ant Authority	\$ \$1,342.78
0243 I/S	Lease 0244	Muni Water Mgmt. F		Cons. Water	
	And the second second		OPERATING AC	CI	
0407 0410 0408 TC162 0240 0201 0203 0205 0218 0218	MISCELLANEOUS COPY & TAPE FEE RESEARCH FEES MISC REVENUE: DEPOSIT LIAB. (I EXTENSION OF TI WATER RIGHTS: SURFACE WATER GROUND WATER TRANSFER WELL CONSTRUC WELL DRILL CONS LANDOWNER'S PI OTHER TREASURY	IDENTIFY) DENTIFY) ME CTION STRUCTOR ERMIT (IDENTIFY) 0437 WELL	EXAM FEE \$ \$ \$ EXAM FEE \$. CONST. START		\$ \$ \$ \$ \$ RECORD FEE \$ \$ \$ LICENSE FEE \$ \$ \$
0211	WELL CONST STA		S	CARD#	
0210	MONITORING WE	LLS	\$	CARD#	
	OTHER	(IDENTIFY)			
0607	TREASURY	0467 HYDR	O ACTIVITY	LIC NUMBER	
0233	POWER LICENSE	FEE (FW/WRD)			\$
0231	HYDRO LICENSE	FEE (FW/WRD)			S
	HYDRO APPLICAT	ION			\$
	TREASURY	OTHE	R / RDX		
FUND OBJ. CO DESCRII	DE	_ TITLE _ VENDOR #		B	\$
RECEIPT: 1	37990	DATED	16 2012 BY.	gr	<u> </u>

Party of a star of a start a same set of a

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

REIMBURSEMENT AUTHORITY APPLICANT'S AGREEMENT Contract Number: R11-368-23

This Agreement is between the Oregon Water Resources Department, hereafter OWRD, and Lynnia K. Woods or Lynnia K. Pelfrey, hereafter Applicant, hereafter known together as the parties.

OWRD Information		Applicant's Information		Applicant's Representative	
Title:	Kelly Starnes Transfer Advisor 725 Summer Street, NE, Suite A Salem, OR 97301-1266	Name: Address:	Lynnia K. Woods or Lynnia K. Pelfrey 20315 NE Sandy Blvd. Fairview, OR 97024	Name: Contact: Address:	Pacific Hydro-Geology, Inc. Doann Hamilton 18487 S. Valley Vista Rd. Mulino, OR 97042
Phone: Fax: Email:	503 979-3511 503 986-0901 patrick.k.starnes@water.oregon.gov	Phone: Fax: Email:	(503) 661-5093 Ikwoods@5star-group.com	Phone: Fax: Email:	(503) 349-6946 (503) 632-5983 phgdmh@gmail.com

Purpose The purpose of this Agreement is to expedite the processing of the Transfer Application. (Application Number: T-13974)

- Authority. The OWRD has been authorized pursuant to ORS 536.055 to enter into a voluntary agreement with any
 applicant, permittee or regulated entity (collectively Applicant) for expediting or enhancing a regulatory process. In
 making this agreement, OWRD shall require the applicant to pay the full cost of expedited process.
- Restrictions. Applicant and OWRD agree that this Agreement shall not be construed to restrict in any way the decisions and actions by OWRD. OWRD shall be free to exercise independent judgment consistent with existing laws and regulations.
- Effective Date and Duration. Unless otherwise terminated by non-deposit of funds by the Applicant, this Agreement shall become effective on the date on which both parties have signed the Agreement and the full deposit of the estimated cost of the proposed service.
- 4. Consideration.
 - a. Applicant shall pay OWRD in advance for actual costs incurred by OWRD. The estimated maximum reimbursement payable to OWRD under this Agreement is \$1,342.78. Applicant agrees to pay the full amount of \$1,342.78 to OWRD prior to commencement of any work stated in this Agreement. This payment will be placed in an account administered by OWRD and drawn upon as costs are actually incurred. If the actual cost of performing the work is less than payments received, OWRD will refund the unspent balance. If the actual cost of processing exceeds the estimate, the Applicant can either elect to terminate this Agreement or amend the Agreement to reflect the increase in cost.
 - b. The costs stated in this Agreement do not include the statutory application processing and filing fees.
- Confidentiality. Applicant agrees that any information provided to or acquired by OWRD under this Agreement will be subject to the Oregon Public Records Law and shall be considered public records.
- 6. Indemnity. Applicant shall defend, save, hold harmless, and indemnify the State of Oregon, OWRD, and their officers, employees, and agents from and against all claims, suits, actions, losses, damages, liabilities, costs, and expenses of any nature resulting from or arising out of, or relating to the activities of Applicant or its representatives, officers, employees, contractors, or agents under this Agreement or with respect to the expedited service. The Applicant acknowledges that the Oregon Water Resources Department cannot and does not guarantee a favorable review under the subject regulatory process.

- Termination. Applicant may request to terminate this agreement only in writing at anytime during the process. The Applicant agrees to pay for the work done by OWRD up until the time of the written termination request. OWRD, upon receiving such written termination request from the Applicant, will refund any unspent balance.
- Funds Authorized and Available. By its execution of this Agreement, Applicants certify that sufficient funds are authorized and available to cover the expenditures contemplated by this Agreement.
- 9. Duration of Estimate. The Estimate of Time to completion is approximately 120 days once this Agreement has been fully executed and payment of the estimated cost deposited. If the Applicant's Agreement is not received by the Department within thirty (30) days of mailing the Agreement, the Applicant may need to re-apply for a new estimate. NOTE: Any time estimate is approximate; No guarantee of Final Order issuance of a date is certain. Duration estimates do not include any statutory waiting periods.
- 10. Completion Date. OWRD, by the execution of this Agreement does not guarantee the completion date indicated in this Agreement. Completion date is only an estimate and may be affected by the Department's workload, issues arising from the processing of the requested services and Applicant's timely response to requests for additional information. IMPORTANT: Due to COVID-19 and actions taken by the State of Oregon to facilitate teleworking as a tool to help prevent the spread of the disease, Department processes for Reimbursement Authority may be unavoidably delayed.
- Captions. The captions or headings in this Agreement are for the convenience only and in no way define, limit, or describe the scope, or intent, of any provision of this Agreement.
- 12. Amendment and Merger. The terms of this Agreement shall not be waived, altered, modified, supplemented, or amended in any manner whatsoever, except by written instrument signed by both parties. Such waiver, consent, modification or change, if made, shall be effective only in the specific instance and for the specific purpose given. There are no understandings, agreements or representations, oral or written, not specified herein regarding this Agreement.
- Signatures. All parties, by the authorized representative's signature below, hereby acknowledge that they have read this Agreement, understand it and agree to be bound by its terms and conditions.

For Applicant:

For OWRD:

ame/Title

Dwight French – Administrator

Mail signed Agreement to:

Stacy Phillips Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, OR 97301-1266 4-22-22 Date

APR 2 6 2022

Page 2 of 2

LYNNIA K. WOODS OR LYNNIA K. PELFREY RA# R11-368-23 T-13974				
Receipts received AA funds				
Transfer Support process Application				
Administrator signs AA				
NRS 1 enters workflow record in WRIS and updates RA spreadsheet				
NRS 2 completes initial review of file for deficiencies				
NRS 2 consults with Kelly and/or Lisa				
NRS 2 sends def. Itr (email and hard copy)				
NRS 2 addresses correspondence from app/agent regarding def.				
Watermaster completes review				
Groundwater completes review				
NRS 2 completes FO, Permit, and PN				
Transfer Staff completes peer review of FO, Permit, and PN				
Transfer Analyst completes policy check at FO & Permit stage				
Data Center Reviews PD and superseding permit				
NRS 2 sends FO and Permit to app/agent by email and/or mail				
Administrator signs FO and Permit				
Transfer Support issues FO and Permit, updates WRIS, copy to file, and mails hard copy to applicant				
NRS 1 closes out RA Contract				
TOTALE	STIMATE HOURS	23.27		
			TOTAL	\$1,342.78

STATE OF OREGON WATER RESOURCES DEPARTMENT 725 Summer St. N.E. Ste. A SALEM, OR 97301-4172 (503) 986-0900 / (503) 986-0904 (fax)							
RECEIVED FRO	OM: Lynnia	K. Woo	ds		APPLICATION		
BY:		PERMIT					
					TRANSFER	1-13974	
CASH: 0	CHECK:# 1057		ITIFY)	Т	OTAL REC'D	\$/25.00	
1083	TREASURY	4170 V	RD MISC CASH	ACC	Т		
0407	COPIES 4710	4	R11368	-93		\$	
0412		IDENTIFY)	rons for Rein	burse	ement	\$125.00	
0040 1/01	-	Muni Water	Authority	0245 C	ons. Water		
0243 1/5 1	Lease 0244	All senses and the selection	RD OPERATIN	ellore and			
			AD OPERATIN	GACC			
0407	MISCELLANEOUS					\$	
0407	COPY & TAPE FE					\$	
0410	RESEARCH FEES					\$	
0408	MISC REVENUE:					\$	
TC162	DEPOSIT LIAB. (\$	
0240	EXTENSION OF T	IME				RECORD FEE	
	WATER RIGHTS:		EXAM F	EE	0000	\$	
0201	SURFACE WATEF	-	\$		0202	s	
0203	GROUND WATER		\$		0204	Ľ	
0205	TRANSFER	1.0	\$			LICENSE FEE	
	WELL CONSTRUC		EXAM F	EE	0219	S	
.0218	WELL DRILL CON LANDOWNER'S P		\$		0220	s	
	_ OTHER	(IDENTIFY)					
0536	TREASURY	0437 V	VELL CONST. S	TART	FEE		
0211	WELL CONST ST	RT FEE	\$		CARD#	•	
0210	MONITORING WE	LLS	\$		CARD#		
	_ OTHER	(IDENTIFY)					
0607	TREASURY	0467 H	YDRO ACTIVIT	Y LI	C NUMBER	A CONTRACT	
0233	POWER LICENSE					\$	
0231	HYDRO LICENSE					\$	
0251			-,			\$	
	_ HYDRO APPLICA					Č	
	TREASURY	C	THER / RDX	Jul and			
FUND		_ TITLE		_			
OBJ. CO	DE	_ VENDOR #				6	
DESCRIP	TION			-		\$	
RECEIPT: 1	37853	DATE	4-7.202	BY:	Mingh	Cadlyn	

a star company of a star of the star of th

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Bulf Copy - Fiscal



OREGON WATER RESOURCES DEPARTMENT TRANSFER REIMBURSEMENT AUTHORITY ESTIMATE APPLICATION



ORS 536.055 authorizes the Oregon Water Resources Department to expedite or enhance regulatory processes voluntarily requested under the agreement.

Please contact Transfer Personnel before submitting this request; as the application fee is a non-refundable \$125.00 fee per request. Checks submitted for this application should be separate From Transfer fees.

The purpose of this application is to obtain estimates of the cost and time required to process a Transfer Application Request. There is a non-refundable application fee of \$125.00 per request.

REQUEST	TYPE	FILE NUMBER
×	Transfer Application	Transfer Number 7,13974 NA

	Applicant Information	Applicant's Representative/Contact
Name:	Lynnia K. Woods or Lynnia K. Pelfrey	Pacific Hydro-Geology, Inc. c/o Doann Hamilton
Address:	20315 NE Sandy Blvd.	18487 S. Valley Vista Road
	Fairview, OR 97024	Mulino, OR 97042
Phone:	503-661-5093	(503) 349-6946 cell
Fax:		(503) 632-5983
E-Mail Address:	lkwoods@5star-group.com	phgdmh@gmail.com

I understand the following:

- That upon receipt of my non-refundable application fee of \$ 125.00, OWRD will, within fourteen (14) days, notify me in writing of the estimate of costs and time frame for the expedited service.
- That this fee covers the reimbursement authority staff to evaluate and provide the estimate for processing of the request.
- That OWRD will, within fourteen (14) days, notify me in writing of the estimates of costs and time frame for the
 expedited service.
- That upon receiving the estimate I may agree or decline to enter into a formal contract to pay the estimated cost in advance to initiate the expedited service.
- An incomplete or inaccurate application may delay the process and increase the cost to process my request.
- Expedited processing does not guarantee a favorable review of my request.
- Send completed Application and payment to:
 - Oregon Water Resources Department Transfer Reimbursement Authority Program 725 Summer St. NE, Suite A Salem, OR 97301-1271

APR 0.7 2022

OWRD

I certify that I am the (check one):	
Applicant Applicant's Representative Other (Please specify)	

Name: Lynnia K. Woods	
Agrinite reteries	
Sec. 1	
Signature: w cala	

OWRD USE ONLY: Reimbursement Authority Number: R11-368 -23





Water Resources Department 725 Summer St NE, Suite A Salem, OR 97301 (503) 986-0900 Fax (503) 986-0904

April 18, 2022

LYNNIA K. WOODS 20905 NE SANDY BLVD FAIRVIEW, OR 97024-9772

Reference: Application T-13974

On April 7, 2022, OWRD received your water right Permit Amendment Application. The application was accompanied by \$1360.00. Our receipt number 137857 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change.

This application <u>may</u> require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

Except as provided under ORS 540.510(3) for municipalities, you may not use water in the new place of use until a final order approving the application has been issued by the Department.

Refer to the following page for a chart showing the steps and expected timelines for the processing of your application.


If you have any questions, please contact the Transfer Section at (503) 979-9931.

Cc: Watermaster Dist. #20, Amy J. Landvoigt (via email) Doann Hamilton, Agent Multnomah County

Enclosure

Permit Amendment Process

ORS 537.211 Changes: POD/POA, Place of Use



RECEIPT # 1	_{wat} .37857	ER RESOUR 725 Summe SALEM, O	DF OREGON CES DEPARTM or St. N.E. Ste. A DR 97301-4172 (503) 986-0904 (fax)	INVOICE #	
	. Islania I	K. Woods		APPLICATION	
RECEIVED FROM					
BY:	1-12971				
CASH: CH	ECK:# 1056	THER: (IDENTIFY	, [TRANSFER	\$1,360.00
1000	TREASURY	4170 WDD	MISC CASH AC	CT	
1083	TREASURY	4170 WRD	MISC CASH AC		0
0407	COPIES				S
	OTHER: (I	DENTIFY)			\$
0243 I/S Le	ase 0244	Muni Water Mgmt.	Plan 0245	Cons. Water	_
	-		OPERATING AG		
	MISCELLANEOUS	Contraction of the second			
0407	COPY & TAPE FEE		46110		\$
	RESEARCH FEES	.5			\$
0410		(IDENTIEN)			S
0408	MISC REVENUE:	Second second second			\$
TC162	DEPOSIT LIAB. (I	A CONTRACTOR			\$
0240	EXTENSION OF TI	ME			RECORD FEE
	WATER RIGHTS:		EXAM FEE		
0201	SURFACE WATER		\$	0202	\$
0203	GROUND WATER		S	0204	\$
0205	TRANSFER		\$1360.00		
	WELL CONSTRUC	TION	EXAM FEE		LICENSE FEE
0218	WELL DRILL CONS	STRUCTOR	\$	0219	\$
	LANDOWNER'S PE	ERMIT		0220	S
	OTHER	(IDENTIFY)			
0536	TREASURY	0437 WEL	L CONST. STAR	T FEE	
0211	WELL CONST STA	RT FEE	S	CARD#	
0210	MONITORING WEI	LLS	\$	CARD#	
	OTHER				
		(IDENTIFY)			
0607	TREASURY	0467 HYDI	RO ACTIVITY	LIC NUMBER	
0233	POWER LICENSE	FEE (FW/WRD)	-		\$
0231	HYDRO LICENSE	FEE (FW/WRD)	L		\$
	HYDRO APPLICAT	ION			S
			ER / RDX	-	
L	TREASURY	UTH	CR/RUX		
FUND					
OBJ. COD	E	VENDOR #			
DESCRIPT					S
RECEIPT: 13	7857	DATED:	7.2022	Mind	-Cadsin
Distr	ibution - White Conv	- Customer, Yellow	Conv - Fiscal Blue (Conv - File Buff C	nov - Eiscal

Application for **Permit Amendment**



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

Part 1 of 5 - Minimum Requirements Checklist

	This permit amendment application <u>will be returned</u> if Parts 1 through 5 and all required attachments are not completed and included. For questions, please call (503) 986-0900, and ask for Transfer Section.	APR 0.7 2022
	Check all items included with this application. (N/A = Not Applicable)	OWRD
\boxtimes	Part 1 – Completed Minimum Requirements Checklist.	
\boxtimes	Part 2 – Completed Application Map Checklist.	
	Part 3 – Application Fee, payable by check to the Oregon Water Resources Departm completed Fee Worksheet, page 3. Try the new online fee calculator at: <u>http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator</u> .	nent, and
\boxtimes	Part 4 – Completed Applicant Information and Signature.	
	Part 5 – Information about Permits to be Amended: Number of permits to be amen List the Permits here: <u>Permit G-16560</u> Please include a separate Part 5 for each permit. (See instructions on page 6)	nded: <u>1</u>
	Completed Permit Amendment Application Map (Does not have to be prepared by Water Right Examiner).	a Certified
	N/A Request for Assignment Form and statutory fee. The request for assignment form h completed if the applicant is not the permit holder of record and needs to be assign permit; or the landowner of the proposed place of use is not the permit holder of re needs to be assigned to the permit (the Request for Assignment Form is available or <u>https://www.oregon.gov/OWRD/Forms/Pages/default.aspx</u>). Assignment is not need applicant is the permit holder of record.	ed to the ecord and nline at
	Assignment was mailed to the Department by client on March 3, 2022	
	N/A Affidavit(s) of Consent are required from all permit holder(s) of record if the permit to the applicant or other permit holders of record that are not listed as applicants.	is not assigned
	N/A Oregon Water Resources Department's Land Use Information Form with approval a (or signed land use form receipt stub) from each local land use authority in which w diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, only on federal lands or if all of the following apply: a) a change in place of use only, structural changes, c) the use of water is for irrigation only, and d) the use is located irrigation district or an exclusive farm use zone.	ater is to be and/or used b) no
	N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or add point(s) of appropriation.	litional
	N/A Geologist Report for a change from a surface water point of diversion to a ground w appropriation (well), if the proposed well is more than 500 feet from the surface wa more than 1000 feet upstream or downstream from the point of diversion. (ORS 54)	ter source and
	(For Staff Use Only)	
	WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):	
	Revised 7 Staff:	The lot of the lot of the

	Your	permit amendment application <u>will be returned</u> if any of the map requirements below are not met.	isted				
	Please requir	e be sure that the map you submit includes all the items listed below and meets rements of OAR 690-380-3100, however, the map does <u>not</u> have to be prepared b Certified Water Right Examiner. Check all boxes that apply.	^{y a} REC	CEIVEI			
	N/A	If more than three permits are involved, separate maps for each permit.	APR	0.7 2022			
\boxtimes		Permanent quality printed with dark ink on good quality paper.	01	WRD			
		The size of the map can be $8\frac{1}{2} \times 11$ inches, $8\frac{1}{2} \times 14$ inches, 11×17 inches, or up to inches. For 30 x 30 inch maps, one extra copy is required.	o 30 x 30)			
\boxtimes		A north arrow, a legend, and scale.					
	The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre- approved by the Department.						
		Township, Range, Section, ¼¼, DLC, Government Lot, and other recognized publi survey lines.	c land				
\boxtimes		Tax lot boundaries (property lines) are required. Tax lot numbers are recommended	led.				
		Major physical features including rivers and creeks showing direction of flow, lake reservoirs, roads, and railroads.	es and				
		Major water delivery system features from the point(s) of diversion/appropriation main pipelines, canals, and ditches.	n such a:	s			
		Existing place of use that includes separate hachuring for each water use permit, date, and use including number of acres in each quarter-quarter section, governm in each quarter-quarter section as projected within government lots, donation lar other recognized public land survey subdivisions. If less than the entirety of the p being changed, a separate hachuring is needed for the portion of the permit left of	nent lot, nd claim ermit is	s, or			
	□ N/A	If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and use number of acres in each quarter-quarter section, government lot, or in each quar section as projected within government lots, donation land claims, or other recogn public land survey subdivisions.	e includi ter-quar	0			
		Existing point(s) of diversion or well(s) with distance and bearing or coordinates f recognized survey corner. This information can be found in your water use permi					
	⊠ N/A	If you are proposing a change in point(s) of diversion or well(s), show the propose location and label it clearly with distance and bearing or coordinates. If GPS coord are used, latitude-longitude coordinates may be expressed as either degrees-min seconds with at least one digit after the decimal (example – 42°32'15.5") or degr with five or more digits after the decimal (example – 42.53764°).	dinates	imal			

Part 3 of 5 - Fee Worksheet

	FEE WORKSHEET for PERMIT AMENDMENT						
1	Base Fee (includes one type of change to one permit for up to 1 cfs) RECEIVED	1	\$1,360				
	Types of change proposed: APR 0.7 2022 Place of Use Point of Diversion/Appropriation						
2	Number of above boxes checked = <u>1 (2a)</u> Subtract 1 from the number in line 2a = <u>0 (2b)</u> <i>If only one change, this will be</i> Multiply line 2b by \$1090 and enter » » » » » » » » » » » » » » » » » » »	2	\$0				
3	Number of permits included in Permit Amendment <u>1 (3a)</u> Subtract 1 from the number in 3a: <u>0 (3b)</u> <i>If only one permit this will be 0</i> Multiply line 3b by \$610 and enter » » » » » » » » » » » » » » » » » » »	3	\$0				
	Do you propose to add or change a well, or change from a surface water POD to a well? No: enter 0 Yes: enter \$480 for the 1 st well to be added or changed (4a)						
4	Do you propose to add or change additional wells? No: enter 0 Yes: multiply the number of additional wells by \$410 (4b) Add line 4a to line 4b and enter » >> >> >> >> >> >> >> >> >>>>>>>>>>	4	\$0				
	Do you propose to change the place of use?						
	Yes: enter the cfs for the portions of the permits to be amended (see below*):0.033 (5a) Subtract 1.0 from the number in 5a above: -0.967 (5b)						
	If 5b is 0, enter 0 on line 5 » » » » » » » » » » » » » » » » » »	10112					
5	by \$350, then enter on line 5 » » » » » » » » » » » » » » » » » »	5	\$0 \$1,360				
0	Is this permit amendment:	0	\$1,300				
7	If no box is applicable, enter 0 on line 7» » » » » » » » » » » » » » » » »	7	\$0				
8	Subtract line 7 from line 6 » » » » » » » » » » » » » » » » » Permit Amendment Fee:	8	\$1,360				

*Example for Line 5a calculation to transfer 45.0 acres of Primary Permit S-12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Permit S-87654 (1/80 cfs per acre) on the same land:

- 1. For irrigation calculate cfs for each permit involved as follows:
 - a. Divide total authorized cfs by total acres in the permit (for S-12345, 1.25 cfs ÷100 ac); then multiply by the number of acres to be changed to get the application cfs (x 45 ac= 0.56 cfs).
 - b. If the water right permit does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For S-87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs)
- 2. Add cfs for the portions of permits on all the land included in the application; however do not count cfs for supplemental permits on acreage for which you have already calculated the cfs fee for the primary permit on the same land. The fee should be assessed only once for each "on the ground" acre included in the application. (In this example, blank 5a would be only 0.56 cfs, since both permits serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0).

Part 4 of 5 - Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME			PHONE NO.	ADDITIONAL CONTA	CT NO.
Lynnia K. Woods or Lynnia K. Pelfrey			(503) 661-5093		
ADDRESS	125 19 19			FAX NO.	DECENT
20315 NE Sandy Blvd.					RECEIVED
CITY	STATE	ZIP	E-MAIL	172	
Fairview	OR	97024	Ikwoods@5star-gro	up.com	APR 0.7 2022
BY PROVIDING AN E-MAIL A	DDRESS, CONSE	NT IS GIVEN TO RE	CEIVE ALL CORRESPONDENCE	FROM THE DEPARTM	ENT
ELECTRONICALLY. COPIES O					OWRD
					OVVRD

Agent Information - The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME	7/ 15 15 15 15		PHONE NO.	ADDITIONAL CONTACT NO.
Doann Hamilton / Pac	ific Hydro-Geology,	Inc.	(503) 632-5016	(503) 632-5983 (Cell)
ADDRESS				FAX NO.
18487 S. Valley Vista F	Road			(503) 632-5983
CITY	STATE	ZIP	E-MAIL	
Mulino	phgdmh@gmail.com	n		
BY PROVIDING AN E-M	AIL ADDRESS, CONSE	NT IS GIVEN TO RE	CEIVE ALL CORRESPONDENCE	

ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.

Explain in your own words what you propose to accomplish with this permit amendment; and why: The actual place of use for irrigation, as developed, differs from the footprint of the authorized place of use. While in the process of preparing a Claim of Beneficial Use, we were informed by Department staff that we would not be allowed to change the place of use at time of proof to an adjacent tax lot (which we own) that was not included in the original permit, but instead, we needed to file a permit amendment application (we note, however, that the criteria listed above in the checklist on Page 1 indicate that a Land Use Information Form is not required).

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Is the applicant the permit holder of record? Xes No

If NO, include either:

A completed assignment form (with required statutory assignment fee), assigning all or a portion of the permit to the applicant(s), OR

An affidavit of consent from the permit holder(s) of record that gives permission for the applicant to amend the permit.

Has the Completion ("C") Date of the permit(s) in this application expired?

If YES, this application will not be accepted by the Department.

If NO, what are the completion dates of the permit(s)? October 1, 2026

- If the permit completion date expires while the Permit Amendment Application is pending, the Department will
 not approve the Permit Amendment Application until an Extension of Time Application is approved for the permit.
- You may consider using the Reimbursement Authority process to expedite the processing of this Permit Amendment Application if the completion date of the permit expires within 6 months of the date of filing this application.

By my signature below, I confirm that I understand:

 Prior to Department approval of the permit amendment, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the permit is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: <u>Gresham Outlook.</u> I (we) affirm that the information contained in this application is true and accurate.

ature

Lynnia K. Woods, and principale, and Title if applicable, Date

3-15-2022

Applicant Signature

Print Name (and Title if applicable)

Date

Check one of the following:

The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.

The permit holder(s) of record will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to the permit holder(s) of record.

Check the appropriate box, if applicable:

Check here if any of the permits proposed for amendment are or will be located within or served by an irrigation or other water district.


IRRIGATION DISTRICT NAME	ADDRESS	
CITY	STATE	ZIP

Check here if water for any of the permits supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME NA	ADDRESS	
CITY	STATE	ZIP

To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Multnomah County Planning	ADDRESS 1600 SE 190 th Avenue	
CITY	STATE	ZIP
Portland	Oregon	97233



Please use a separate Part 5 for each permit being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

PERMIT # G-16560

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	Twp		Rng		Sec	X4 X4		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)	
Well 1	Authorized	NA	1	N	3	E	28	NE	NW	DLC 39	475 feet south and 400 feet west from the NE corner DLC 39	
Well 2	Well 2 Authorized		1	N	3	E	28	NE	NW	DLC 39	220 feet south and 390 feet west from the NE corner DLC 39	

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

Place of Use (POU)

Point of Diversion (POD)

Point of Appropriation/Well (POA)

Additional Point of Appropriation (APOA)

- Additional Point of Diversion (APOD)
- Surface water POD to Ground Water POA (SW/GW)

Will all of the proposed changes affect the entire water use permit?

- Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the permit to be changed.

For a change in place of use:

Does the permit holder of record own or control the land TO which the place of use is being moved? ⊠ Yes □ No

If NO, the landowner of the land TO which the place of use is being **moved must be assigned to the permit** as a permit holder of record by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

Is the proposed place of use contiguous to the authorized place of use? 🛛 Yes 🗌 No

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use **unless** the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

RECEIVED

OWRD

APR 0.7 2022

Revised 7/1/2021

Permit Amendment Application - Page 6 of 8

TACS

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions. Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer

Table 2. Description of Changes to Water Use Permit # G-16530

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

	AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed POD(s) or DOA(s)							Proposed	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.										SES					
Ţ	мр	R	ng	Sec	34	1 %	Tax Lo	A REAL PROPERTY OF	Acres (if applicable)	POA(s) (name or	Priority Date	Changes (see "CODES" from previous page)	T	wp	R	ng	Sec	1/4	%	Tax Lot	Gvt Lot or DLC	l (if	POD(s) or POA(s) to be used (from Table 1)	Priority Date
1	N	3	E	28	NE	NW	4108	DLC 39	1.75	Wells 1 and 2	7-30- 2008	POU	1	N	3	E	21	SE	sw	4108, 4109	DLC 39	0.35	Wells 1 and 2	7-30-2008
													1	N	3	E	28	NE	NW	4105, 4106, 4108	DLC 39	1.4	Wells 1 and 2	7-30-2008
														-										
-																								
-																								
						TOT	TAL ACE	RES	1.75			farm an an an	1						T	OTAL AC	RES	1.75	1.2.5	

Additional remarks: None.

RECEIVED
APR 0 7 2022
OWRD

Permit Amendment Application - Page 7 of 8

Are there other water rights certificates, water use permits or ground water registrations associated with the "from" or "to" lands? Yes No

If YES, list the other certificate, permit, or ground water registration numbers: NA

If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation: NA

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: <u>http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx</u>)

AND/OR

. . .

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	ls well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
NA										
		A.								
		N. C. S. S. S.							DEO	

RECEIVED

APR 0 7 2022

OWRD

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

MULT 102469

06-16-2010

WELL LABEL # L 80772

START CARD # 1009188

(1) LAND OWNER Over Well ID (1) LAND OWNER Over Well ID (2) FYRAMELINET Last Name <u>priprecy</u> (3) Mathematic Transmitter in the state of the priprecy See <u>28</u> <u>ME</u> 14 of the <u>NW</u> NS Respiration <u>E</u> (2) TYPE OF WORK [Shew Well]D Depending [Conversion] Conversion] See <u>28</u> <u>ME</u> 14 of the <u>NW</u> NS Respiration <u>E</u> (3) Motion Additionation <u>1</u> for the priprecy Since (Respirational Low Conversion] Since (Respirational Low Conversion] Since (Respirational Low Conversion] (4) PROPOSED USE [Domestic [Dringinion] Conversion] Since (Respirational Low Conversion] Since (Respirational Low Conversion] (5) BORE HOLE SEAL [See <u>10</u> See <u>10</u> Se			
First Name ELENKY Last Name PID_FEREY Address 20065 NE SANDY DLVD Company Dist_ACGREGATE TENERCHANCE, INC. Address 20065 NE SANDY DLVD State: 0R Zip 97024 Cy FARVEW State: 0R Zip 97024 Cy BORL HOLE Adverss Rown Obs: Protocol Cy BORL HOLE Domestic Litripation Community Information Community Information SWL (psi) SWL (psi) Point Orom Too Material Community Filtripation Community Information Material Sec. 1 SWL (psi) SWL (psi) SWL (psi) Point Orom Too Material Sec. 2 SWL (psi) SWL (psi) SWL (psi) Packfil phone No. R. Material Sec. 2 SWL (psi) SWL (psi) SWL (psi) Point Orom Too Material Sec. 2	(1) LAND OWNER Owner Well I.D.	(9) LOCATION OF WELL (legal description)	
Comparing Dirt & ACGREGORIZE INTERCHANCE, INC. Address 20095 NEX NOVP BL/DW City TAPE OF MORK [S Now Wild] Despening City TAPE OF WORK [S Now Wild] Despening Comparing Conversion Alteration (repain/scondition) Alteration (repain/scondition) Alteration (repain/scondition) Conversion Alteration (repain/scondition) Alteration (repain/scondition) Conversion Alteration (repain/scondition) Conversion Alteration (repain/scondition) Conversion	First Name HENRY Last Name pro rary		E/W WM
Address 2005 NE SANDY HLVD C(r) FAIVEW State OR Zip 97024 C(r) FAIVEW State OR Zip 97024 Lat	Company DIRT & AGGREGATE INTERCHANCE INC	Sec 28 NE 1/4 of the NW 1/4 Tax Lot 410/	8
City FARVEW State OK Zip 97024 (2) TYPE OF WORK Developing Conversion Alteration (repair/recordition) Alkandoment DMS or DD (3) DRLL METHOD Alkandoment Steer affects of well Nearest adfress (4) PROPOSED USE Domestic California Conversion Alkendo Steer affects of well Nearest adfress (5) SORE HOLE CONSTRUCTION Special Standard Conversion Alkendo Depth of Completed Well Depth well predecycling Dia From To Material From To Steel Steel Steel Dia From To Material Steel Steel Steel Steel To Depth of Completed Well All 000 ft Steel Steel To Steel To Steel afters from To ft ft All of ft Steel Steel To Steel S	Address 20905 NE SANDY BLVD		
(2) TYPE OF WORK New Well Deepening Conversion Attaction (repair/cecoding)	City FAIRVIEW State OR Zip 97024	Lat ° ' " or	DMS or DD
			DMS or DD
(3) DRILL METHOD			
Botany Ariz	Andration (repair/recondition)	3600 PELFREY AVE	
IDUSTIONS Promestic Minight in the second standard Ministry Material Second		FAIRVIEW, OR 97024	
Imported Well Ownersite Irrigation Community Imported Well Livestock Developing Since 100Le S	Rotary Air Rotary Mud Cable Auger Cable Mud	(10) STATIC WATER LEVEL	
(1) PKOPOSED USE Donestic & Jernation (and the product of the construction) (appendix construction) (ap	Reverse Rotary Other		SWL(ft)
Bornerical Livestock Deveatering Thermal [injection] Other Bornerical Line Depth other Bornerical Prom To Anterial From To Anterial The maint Depth other Bornerical Prom To Anterial From To Anterial Filer pack from ft. to Anterial Size Bornerical Prom To Anterial From Bornerical Prom ft. to Bornerical Prom ft. to Bornerical Prom ft. to Bornerical Prom ft. to Costing Liner ft. to Bornerical Prom ft. to Costing Liner ft. to Storeen Streen Servision Storeen Streen Servision Storeen Streen Servision Other Anterial Servision ft. to Storeen Streen Servision Storeen Streen Servision Other Leasing Streen	(4) PROPOSED USE Domestic Irrigation Community		
Image:		REPERTURN CONTRACTOR	
(c) BORE HOLE CONSTRUCTION Special Standard ☐ Antack copy. Depth of Completed Well _2000_ ft. Dia From To Material Pint To Material State 201 Cound Elevation How was seal placed Material Backfill place from _ft to _ft. Material Size Explosives used: Tes Type Amount Cochain Linet Dia Tom To Material Stop			6
Depth of Completed Well 2400 n n 12 n 16 36 17 16 16 16 36 16 36 17 16 10 16 16 16 17 16 17 16 10 17 16 10 17 16 22 22 10 10 17 16 22 22 22 10 10 17 16 22 22 22 24 10 17 16 22 22 22 10 10 17 10 12 10 10 10 10 10 10 10 10 10 10 <			The second of the second se
BORE HOLE SEAL o sate/of Dia From To Material 12 0 160 240 75 12 0 160 240 75 5 14 0 160 240 75 5 10 160 240 75 5 5 10 160 240 75 5 5 10 160 240 75 5 5 10 160 240 75 5 5 10 160 240 75 5 5 10 160 16 <t< td=""><td></td><td></td><td>CONTRACTOR AND ADDRESS OF</td></t<>			CONTRACTOR AND ADDRESS OF
Dia From To Material From To 12 160 160 240 250 Cement 160 88 S 13 240 250 Cement 160 240 75 S How was seal placed: Method A B C D E Backfill placed from ft. to ft. Material Stzze E Stad, gravel and cobies, brown 23 107 Edad, gravel and cobies, brown 23 107 Edad, gravel and cobies, brown 23 240 228 240 Cost inc fter pack from fter material Stze Stad, gravel and basalt boulders 240 250 Stoc Inside Outside Other Location of shec(s) Stoc To Stad, gravel and basalt boulders 240 250 Stoc Inside Stoc To Gauge Still Form To Gauge Still Form		05-10-2010 240 230 40	
Image:			
8 240 250 How was seal placed: Method A B C D Backfill placed from ft. to ft. Material Size Backfill placed from ft. to ft. Material Size Explosives used: res Type Amount Dial Grad gravel and cobbles, brown 0 23 Sand, gravel and large basal boulders, brown 0.2 102 142 128 Sone Inside Dutside ft. bordel 102 142 128 Sone Inside Other Location of shoe(s) Sand, gravel and basalt boulders 1242 228 Sone Inside Other Location of shoe(s) Sand, gravel and basalt boulders 240 250 Sone Inside Other Location of shoe(s) Sone	12 0 160 Cement 0 160 88 S		
How was seal placed: Method A B C D How was seal placed: Method A B C D E Backfill placed from ft. to ft. Material Sizee			
How was set placed: Method A B C D Bother Backfill placed from f. to f. Material Size Backfill placed from f. to f. Material Size Explosives used: I'ves Type Amount Idag Sind, gravel and coblects Idag Idag <td>8 240 250</td> <td>(11) WELL LOG Ground Elevation</td> <td></td>	8 240 250	(11) WELL LOG Ground Elevation	
Other	How was seal placed: Method A MB MC D D		To
Backfill placed from ft. to ft. Material Size Filter pack from ft. to ft. Material Size Explosives used: Ives Type Amount Ives (c) CASING/LINER From To Gauge Stl Plate Wild Thrd Shoc Ives Ives Ives Ives Ives Shoc Ives Dia From To Ives			
Filter pack from f. to f. Material Size Explosives used: res Type Amount idd, greed and small basalt boulders idd2 228 GO CASINGLINER Gauge Stl Piste Wid Thrd idd, greed and small boulders idd2 240 Sand, gravel and basalt boulders idd2 228 240 Sand, gravel and basalt boulders idd2 228 240 Sand, gravel and basalt boulders idd2 240 250 Sand, gravel and basalt boulders idd2 idd2 idd2 Temp casing Per Dia From To material Perfor Casing/Screen SerrAilet Slot # of Tele/ Tele/ Date Started 01.072.010 Completed 05.16.2010 Imbodied Water Well Constructor Certification Imbodied Water Well Constructor Certification Imbodied Water Well Constructor, depening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Misrails used and information			
Explosives used:rst Type Amount	Filter pack from ft. to ft. Material Size	Clay, green 107	and the second se
(a) CASINGLINER 240 240 (b) A and graved and basalt boulders 228 240 (c) CASINGLINER 1 240 250 (c) CASINGLINER 1 240 250 (c) CASINGLINER 1 240 250 (c) CASINGLINER 240 250 (c) CASINGLINER 1 240 250 (c) CASINGLINER (c) Casing Liner 0 0 (c) Casing Yereen Serren's Type Material 0 Sereen Liner Dia From To Vield ral/min (c) Pump Bailer Air Flowing Artesian Date Started 01-07-2010 Completed 05.16-2010 (c) BWELL TESTS: Minimum testing time is 1 hour (b) Pump Bailer Air Flowing Artesian Yield ral/min 200 2 1 Date Constructor Certification Temperature 52 *F Lab analysis Yes By Obving Artesian Yield ral/min Towordown Contraction standards. This report is true to the best of my knowledge and belief. License Number 171 Contructin standards. This report is true to the best			228
Image: Construction data provide in the provide in theprovide in theprovide in the provide in the provide in t		Read and had had had had had had had had had ha	22.000
8 3 240 250 Participation Partin the partin the participatin the participatin the pa	(6) CASING/LINER	Sand, graver and basan bounders 240	250
Reference			
Shoe Inside Outside Other Location of shoe(s) Temp casing Yes Dia From To (7) PERFORATIONS/SCREENS Perforations Material Date Started Date Started Perf/S Casing/ Screen Scrw/slot Slot # of Tele/ recen Dia From To width length slots pipe size Image: Screen Scrw/slot Slot # of Tele/ Date Started Ocmpleted 05-16-2010 (monded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief. License Number Date Date Signed (bonded) Water quality concerns? Yes (describe below) Duration (hr) From To Description Amount Units From To Description Amount Units Water quality concerns? Yes (describe below) I Conconstruction standards. This report is true to the bes		RECEIVED	T. S. C.
Shoe Inside Outside Other Location of shoe(s) Temp casing Yes Dia From To (7) PERFORATIONS/SCREENS Perforations Material Date Started Date Started Perf/S Casing/ Screen Scrw/slot Slot # of Tele/ recen Dia From To width length slots pipe size Image: Screen Scrw/slot Slot # of Tele/ Date Started Ocmpleted 05-16-2010 (monded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief. License Number Date Date Signed (bonded) Water quality concerns? Yes (describe below) Duration (hr) From To Description Amount Units From To Description Amount Units Water quality concerns? Yes (describe below) I Conconstruction standards. This report is true to the bes		TILOLIVED	
Shoe Inside Outside Other Location of shoe(s) Temp casing Yes Dia From To (7) PERFORATIONS/SCREENS Perforations Material Date Started Date Started Perf/S Casing/ Screen Scrw/slot Slot # of Tele/ recen Dia From To width length slots pipe size Image: Screen Scrw/slot Slot # of Tele/ Date Started Ocmpleted 05-16-2010 (monded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief. License Number Date Date Signed (bonded) Water quality concerns? Yes (describe below) Duration (hr) From To Description Amount Units From To Description Amount Units Water quality concerns? Yes (describe below) I Conconstruction standards. This report is true to the bes		ADD 0 7 2020	
Temp casing Yes Dia From To (7) PERFORATIONS/SCREENS Perf/S Casing/ Screen Scrn/slot Slot # of Tele/ Creen Liner Dia From To width length slots pipe size Image: the started		APR U.J ZUZZ	
(7) PERFORATIONS/SCREENS Performations Method Screens Type Material Performations Method Screens Type Material Performations Method Date Started 01-07-2010 Completed 05-16-2010 Completed 05-16	Shoe Inside Outside Other Location of shoe(s)		
(7) PERFORATIONS/SCREENS Performations Method Screens Type Material Performations Method Screens Type Material Performations Method Date Started 01-07-2010 Completed 05-16-2010 Completed 05-16	Temp casing Yes Dia From To	OWDD	
Perforations Method Screens Type Material Perf/S Casing/Screen Scrn/slot Slot # of Teren Dia From To width length slots pipe size Image: Screen Scrn/slot Slot # of Tele/ Date Completed 05-16-2010 Image: Screen Scrn/slot Slot # of Tele/ Date Completed 05-16-2010 Image: Screen Scrn/slot Slot # of Tele/ Date Completed 05-16-2010 Image: Screen Scrn/slot Slot # of Tele/ Date Completed 05-16-2010 Image: Screen Screen </td <td>(7) PERFORATIONS/SCREENS</td> <td>OUND</td> <td></td>	(7) PERFORATIONS/SCREENS	OUND	
Perf/S Casing/Screen Scrn/slot Slot # of Tele/ slots Date Started Old Operation Image: construction of the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Material sued and information reported above are true to the best of my knowledge and belief. (8) WELL TESTS: Minimum testing time is 1 hour Image: construction of the construction of			
creen Liner Dia From To width length slots pipe size Image: State S	Screens Type Material		
creen Liner Dia From To width length slots pipe size Image: State S	Perf/S Casing/ Screen Scrn/slot Slot # of Tele/	Data Startad	
I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief. (8) WELL TESTS: Minimum testing time is 1 hour I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief. (8) WELL TESTS: Minimum testing time is 1 hour I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well best of my knowledge and belief. Yield gal/min Air Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 40 200 2 I certify that the work I performed on this well during the construction, deepening, alteration, or abandonment work performed on this well during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief. Water quality concerns? Yes (describe below) License Number 1371 Date 06-16-2010 Electronically Filed Signed GALE BROCKETT (E-filed) Signed GALE BROCKETT (E-filed)		Date Started 01-07-2010 Completed 05-16-2010	
abandonment of this well is in compliance with Oregon water supply well abandonment of this well is in compliance with Oregon water supply well (8) WELL TESTS: Minimum testing time is 1 hour Pump Bailer Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 40 200 40 200 2 °F Lab analysis Yes (describe below) Water quality concerns? Yes (describe below) From To Description Amount From Description Amount Units From Description Amount Units Electronically Filed Signed Date 066-16-2010			
(8) WELL TESTS: Minimum testing time is 1 hour Icense Number Date (9) Pump Bailer Air Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 40 200 2 remperature 52 °F Lab analysis Yes Yes (describe below) Amount Units From To Description Amount Units License Number 1371 Date 06-16-2010 Date Construction standards. This report is true to the best of my knowledge and belief. License Number Date Date 06-16-2010		I certify that the work I performed on the construction, deepening	g, alteration, or
(8) WELL TESTS: Minimum testing time is 1 hour Date O Pump O Bailer Air O Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 40 200 2 40 200 2 Femperature 52 °F Lab analysis Yes °F Lab analysis Yes By Water quality concerns? Yes (describe below) Amount Units From To Description Amount Units Electronically Filed Signed Date 06-16-2010 Signed GALE BROCKETT (E-filed) Date 06-16-2010 06-16-2010		abandonment of this well is in compliance with Oregon wate	er supply well
Pump Bailer Air Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 40 200 2 40 200 2 Temperature 52 °F Lab analysis Yes Yes (describe below) Mater quality concerns? Yes (describe below) From To Description Amount Units License Number 1371 Date 06-16-2010 Signed Signed Signed GALE BROCKETT (E-filed) Signed Signed Signed		the best of my knowledge and belief.	ove are true to
Pump Bailer Air Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 40 200 2 40 200 2 Temperature 52 °F Lab analysis Yes Yes (describe below) Mater quality concerns? Yes (describe below) From To Description Amount Units License Number 1371 Date 06-16-2010 Signed Signed Signed GALE BROCKETT (E-filed) Signed Signed Signed	(8) WELL TESTS: Minimum testing time is 1 hour	License Number Date	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 40 200 2 40 200 2 6 200 2 1 accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief. Water quality concerns? Yes (describe below) From To Description Amount License Number 1371 Date 06-16-2010 Signed GALE BROCKETT (E-filed)	· · · · · · · · · · · · · · · · · · ·		
40 200 2 40 200 2 40 200 2 6 1 1 6 1 1 7 1 1 6 1 1 7 1 1 1 1 1 <		Signed	
au I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief. From To Description Amount Units Electronically Filed Date <u>06-16-2010</u> Signed GALE BROCKETT (E-filed)		(banded) Water Well Constructor Cartification	
Temperature 52 °F Lab analysis Yes By Water quality concerns? Yes (describe below) From To Description Amount Units Electronically Filed Date 06-16-2010 Signed GALE BROCKETT (E-filed)	40		
Temperature 52 °F Lab analysis Yes By performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief. Water quality concerns? Yes (describe below) Items 1371 Date 06-16-2010 Electronically Filed Signed GALE BROCKETT (E-filed) Date 06-16-2010		Work performed on this well during the construction dates reported	about All
Water quality concerns? Yes (describe below) Construction standards. This report is true to the best of my knowledge and belief. From To Description Amount Units Electronically Filed Signed GALE BROCKETT (E-filed)	Temperature 52 °F Lab analysis Yes By	performed during this time is in compliance with Oregon wat	er sumply well
From To Description Amount Units License Number 1371 Date 06-16-2010 Electronically Filed Signed GALE BROCKETT (E-filed)	Water quality concerns? Yes (describe below)	construction standards. This report is true to the best of my knowled	dge and belief.
Electronically Filed Signed GALE BROCKETT (E-filed)			
		Electronically Filed	

ORIGINAL - WATER RESOURCES DEPARTMENT THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK

Page 1 of 2

WATER SUPPLY WELL REPORT continuation page

MULT 102469

WELL I.D. # L 80772

Page 2 of 2

06-16-2010

START CARD # 1009188

(5) BORE HOLE CONSTRUCTION

(10) STATIC WATER LEVEL Water Bearing Zones

Water Dearing Zone.

Dia	ORE HO	To	Material	SEAL From	То	Amt	sacks
			2				
					-		
							-
F	FILTEF	To M	aterial Size				
Ĺ		10					
H							

From

+

То

Gauge Stl Plstc Wld Thrd

(11) WELL LOG

Material	From	То
	-	
	-	
RECEIVED	-	
APR 0.7 2022		
ALLY DIJ 2022		
OWRD	-	
OUND		

(7) PERFORATIONS/SCREENS

(6) CASING/LINER Casing Liner Dia

Casing/ Liner	From	То	Scrn/slot width	Slot	# of slots	Tele/ pipe size
				T		
				1		
					-	
		-				-
 			-			
		_	-		1	

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
			ALL STREET
	A CONTRACTOR OF THE OWNER		

Water Quality Concerns

From	То	Description	Amount	Units
				1
		and a start of the start of the		

Comments/Remarks

Seal installed 3 ft. down from current surface per contractors request actual finished grade to be lowered. STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765) **MULT 102713**

WELL I.D. # L 80772

START CARD # 1010545


Instructions for completing this report are on the last page of this form.				
(1) LAND OWNER Well Number Name Henry Pelfrey & Lynnia Words C/O Dirt & Aggregate Address 20905 NE, Sandy Blvd, Interchange	(9) LOCATION OF WELL (legal description) County Multhomah Tax Lot 4108 Lot			
City Fairview State OR Zip 97024	Township 1N Wor S Range 3E For W WM			
(2) TYPE OF WORK New Well Deepening Alteration (repair/recondition) Abandonment Conversion	Section 28 NE 1/4 NW 1/4 Lat ° ' " or (degrees or decimal) Long ° ' " or (degrees or decimal)			
(3) DRILL METHOD Cable Auger Cable Mud Other	Street Address of Well (or nearest address) <u>3600 Pelfrey Ave.</u> Fairview, OR			
(4) PROPOSED USE Domestic Community Industrial Irrigation Thermal Injection Livestock Other	(10) STATIC WATER LEVEL <u>16'7''</u> ft. below land surface. Date <u>7-13-10</u> ft. below land surface. Date			
	Artesian pressure Ib. per square inch Date			
(5) BORE HOLE CONSTRUCTION Special Construction: Yes No Depth of Completed Well <u>260'10</u> ft. Explosives used: Yes No Type Amount	(11) WATER BEARING ZONES Depth at which water was first found			
BORE HOLE SEAL Diameter From To Material From To Sacks or Pounds Existing - see attached well report	From 240 260'10'' Estimated Flow Rate 40' SWL 16'7''			
How was seal placed: Method A B C D E Other	(12) WELL LOG Ground Elevation Material From To SWL Deepened see existing well log			
Gravel placed from 238 ft. to 260'10H. Size of gravel 6 x 9 sand	Deepened see existing well log			
(6) CASING/LINER Diameter From To Gauge Steel Plastic Welded Threaded Casing: Existing - see report attached	Sand & gravel, basalt boulders 240 260 16'7"			
	RECEIVED			
Liner:	APR 0.3 2022 RECEIVED			
Drive Shoe used Inside Outside None	JUL 2 0 2010			
Final location of shoe(s)	OWRD WATER RESOURCES DEPT			
(7) PERFORATIONS/SCREENS	SALEM, OBEGON			
Perforations Method				
Screens Type Material	Date Started 7-12-10 Completed 7-13-10			
From To Slot Number Diameter Tokuppe Casing Liner 237'10'' 242'10'' Riser 5'' Pipe 0 0 242'10'' 247'10'' 25 5'' Pipe 0 0 247'10'' 258'6'' 50 5'' Pipe 0 0 258'6'' 260'10'' Tail 5'' Pipe 0 0	(unbonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief. Terry Johnson WWC Number 1321 Date 7-15-10			
(8) WELL TESTS: Minimum testing time is 1 hour Pump Bailer Air Flowing Artesian	Signed Trace Contract			
Yield gal/min Drawdown Drill stem at Time . 60 .52'1" 1 hr.	(bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well constructions stundards. This report is the base of the base of			
Temperature of water Depth Artesian Flow Found	supply well construction standards. This report is true to the best of my knowledge and belief. Ron Aspaas			
Did any strata contain water not suitable for intended use?	WWC Number Date Date			
Salty Muddy Odor Colored Other Depth of strata:	WWC Number 1445 Date 7-15-10 Signed Oran Oran			

ORIGINAL - WATER RESOURCES DEPARTMENT


FIRST COPY - CONSTRUCTOR

SECOND COPY - CUSTOMER 06/16/200-


.




RECEIVED



RECEIVED





Permit Amendment Application Checklist					
Checked b	1 - 10-1				
	Permit # 6-14540				
,	+ pinding Assignment, Wed 3-3-22				
	Permit Amendments are authorized for changes in				
	POD/POA, APOD/APOA, or POU.				
TO ONE A					
(1f OK, c)	heck box to left; if not, fill in the blank)				
	Is the name of the Permit Amendment applicant the same as the Water Right Permit holder(s) of record?				
	If not, one of the following must be included with the application:				
	 a) An affidavit of consent from all Permit holder(s) or the other Permit holders that have not signed the Permit Amendment application form, consenting to the proposed Permit Amendment application; OR, 				
	b) A completed Request for Assignment form (and statutory fee) to move all (or portion) of the permit into the Permit Amendment applicant's name. "Md m 3-3-22"				
	If not, what is missing?				
K 2	Page 1 of application: Are all attachments that have been checked actually included?				
	If not, what is missing?				
. /.	Are fees included and correct? Fee Paid: 1340				
c	If not, the correct fee would be:, so the amount missing is:				
. /	Part 4 of application: Have all the applicants listed at the top of the page signed at the bottom?				
L	If not, whose signature is missing?				
TA E	Are the Permit completion date(s) current? Extraction Volto				
. 2 5.	If the Permit completion date has expired, we CANNOT accept the application.				
6 .	If all #1-#5 boxes on this checklist are checked (with no remaining deficiencies identified), accept the application. Put this check sheet in the transfer folder.				
	If #1, #2, #3, #4 or #5 on this checklist is deficient, the application CANNOT be accepted. It should be returned and the deficiencies listed in the "staff" section at the bottom of Application Page 1, unless the applicant or agent can resolve the deficiencies within 2-3 days.				

Assoriganed THE F13174

Revised 3/14/19.pks