

GR-MOD

Name Eugene Country Club
clb Rich Spurlin
 Address 255 Country Club Rd.
Eugene, OR 97401
rspurlin@eugeneccountryclub.com

DESCRIPTION OF WATER RIGHT(S)

Name of Stream A WellTrib. of Merriams Slough BasinUse IrrigationCounty Lane

Quantity of water (CFS)

No. of Acres

Name of ditch

App# GR-188Per # —Cert # GR-174PR Date 5/31/1953

App#

Per #

Cert #

PR Date

App#

Per #

Cert #

PR Date

App#

Per #

Cert #

PR Date

App#

Per #

Cert #

PR Date

Change in APOA
 Date Filed 5/20/2022
 Initial notice date 6/7/2022
 DPD issued date
 PD issued date 11/22/2024
 PD notice date 11/26/2024
 Date of FO 1/8/2025 Vol 133 Page 664-667

C-Date
 COBU due date
 COBU Received date
 Certificate issued

FEES PAID

Date 05/29/22 Amount 1,250.00 Receipt # 158215

FEES REFUNDED

Date Amount Receipt #

Assignments:

Irrigation District

Agent Doann Hamilton - phgdmh@gmail.com

CWRE

CC's list Lane County

☐ - Oversized map - Location

WATER RIGHT TRANSFER COVER SHEET

Transfer: T- 14006

Transfer Specialist: *Joan*

Transfer Type: GR Modification Transfer

Applicant: EUGENE COUNTRY CLUB C/O RICH SPURLIN 255 COUNTRY CLUB RD EUGENE, OR 97401 Email: _____ Phone: _____		Agent: <input type="checkbox"/> N/A DOANN HAMILTON 18487 S VALLEY VISTA RD MULINO, OR 97042-8741 Email: _____ Phone: _____	
Irrigation District: <input type="checkbox"/> N/A Email: _____		CWRE: <input type="checkbox"/> N/A Email: _____	
Affected Local Gov'ts: <input type="checkbox"/> N/A Lane County Email: _____		Affected Tribal Gov't: <input type="checkbox"/> N/A UNAVAILABLE Email: _____	
Current Landowner if other than Applicant: <input type="checkbox"/> N/A Email: _____		Receiving Landowner: <input type="checkbox"/> N/A Email: _____	

Water Rights Affected

File Marked	App. File # or Decree Name	Permit	Certificate	RR/CR Needed	RR/CR Nos.
<input type="checkbox"/>	GR-188	—	GR-174	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	— NA
<input type="checkbox"/>				<input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/>				<input type="checkbox"/> Yes <input type="checkbox"/> No	

Key Dates & Initial Actions:

Rec'd: May 20, 2022	Proposed Action(s): ADDITIONAL POINT OF APPROPRIATION	
Fees Pd: 1250.00	WM District: 2	ODEW District: —
Initial Public Notice: June 7, 2022	WM Review sent: <i>Rec'd</i>	ODEW Review sent: —
Acknowledgement Letter Sent <input checked="" type="checkbox"/>		GW Review sent: <i>Rec'd</i> <input type="checkbox"/> N/A
County sent cc: of Ack Letter <input checked="" type="checkbox"/>	BOR notified (date): <input checked="" type="checkbox"/> N/A	
Newspaper quote requested:	Request for news \$ sent:	News \$ received:
Request to publish sent:	Affidavit of publication received:	Last day of publication:

Document	Drafted	Peer Review	Changes Made	Coordinator	Changes Made	Signature Bin	Signature Date
DPD	Date: <i>6/25/24</i> Initials: <i>Joan</i>	Date: <i>6/28/24</i> Initials: <i>Scott</i>	Date: _____ Initials: <i>Corey</i>	Date: _____ Initials: <i>/</i>	Date: _____ Initials: <i>/</i>	CW Sent: <i>9/2/24</i>	N/A
PD	Date: _____ Initials: <i>Joan</i>	Date: <i>9/25/24</i> Initials: <i>Dante</i>	Date: _____ Initials: _____	Date: _____ Initials: <i>Corey</i>	Date: <i>11/20/24</i> Initials: <i>Joan</i>	Date: <i>11/20/24</i> Initials: <i>Joan</i>	Date: <i>11/22/24</i>
FO	Date: <i>11/26/24</i> Initials: <i>Joan</i>	Date: <i>11/27/24</i> Initials: <i>Scott</i>	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____	Date: <i>1/8/25</i>

Special Issues: 2 APOA's No POWA / measurement devices / watermaster #2

Special Order Volume: Vol. 133 Pages 664-667

Kanaya



Oregon

Tina Kotek, Governor

Water Resources Department

North Mall Office Building
725 Summer St NE, Suite A
Salem, OR 97301
Phone 503 986-0900
Fax 503 986-0904
www.oregon.gov/owrd

January 8, 2025

Eugene Country Club
C/O Rich Spurlin
255 Country Club Rd
Eugene, OR 97401

REFERENCE: Groundwater Registration Modification Application T-14006

Enclosed is a copy of the final order approving recognition of your Groundwater Registration Modification application.

If you have any questions related to the approval of this application, you may contact your caseworker, Joan Smith, by telephone at (503) 986-0892 or by e-mail at Joan.M.Smith@water.oregon.gov.

Sincerely,

David V. Jones Jr
Water Right Services Support
Transfers and Conservation Section

cc: Lanaya F. Blakely, Watermaster Dist. # 2 (via email)
Doann Hamilton, Agent
Lane County, Local Government

Enclosure

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Groundwater)	FINAL ORDER APPROVING
Registration Modification Application)	RECOGNITION OF ADDITIONAL
T-14006, Lane County)	POINTS OF APPROPRIATION

Authority

Oregon Revised Statutes (ORS) 537.610, 537.705 and 540.505 to 540.580 establish the process in which the holder of a certificate of registration may submit a request for recognition of modifications to the place of use, character of use or point of appropriation under a groundwater certificate of registration.

Oregon Administrative Rules (OAR) Chapter 690, Divisions 382 and 380 implement the statutes and provide the Department's procedures and criteria for evaluating groundwater registration modification applications.

Applicant

EUGENE COUNTRY CLUB
C/O RICH SPURLIN
255 COUNTRY CLUB RD
EUGENE, OR 97401

Findings of Fact

1. On May 20, 2022, Eugene Country Club C/O Rich Spurlin filed a groundwater registration modification application for additional points of appropriation under Registration Application GR-188 (Certificate of Registration GR 174). The Department assigned the application number T-14006
2. Notice of the application for groundwater registration modification was published on June 7, 2022, pursuant to OAR 690-382-0600. No comments were filed in response to the notice.

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

3. On August 2, 2024, the Department sent a copy of the draft Preliminary Determination proposing to approve Groundwater Registration Modification Application T-14006 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of September 2, 2024, for the applicant to respond. The applicant requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the Groundwater Registration Modification.
4. On November 22, 2024, the Department issued a Preliminary Determination proposing to approve Groundwater Registration Modification Application T-14006 and sent a copy to the applicant. Additionally, notice of the Preliminary Determination for the Groundwater Registration Modification application was published on the Department's weekly notice on November 26, 2024, pursuant to ORS 540.520 and OAR 690-382-0800. No protests were filed in response to the notice.

5. The groundwater registration to be modified is as follows:

Registration: GR-188 (Certificate of Registration GR-174), in the name of THE EUGENE COUNTRY CLUB (BY CHARLES CAPPLES)

Use: IRRIGATION of 142.33 ACRES

Tentative

Priority Date: MAY 1953

Quantity: 1000 GALLONS PER MINUTE; 412.30 ACRE FEET PER YEAR

Season of Use: APRIL TO OCTOBER

Source: PUMP WELL

Original Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
17 S	3 W	WM	29	NW NW	SOUTH 69 DEGREES 49 MINUTES EAST, 1985 FEET FROM THE SE CORNER OF YOUNG DLC 53

Original Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
17 S	3 W	WM	19	SE SE	11.00
17 S	3 W	WM	20	SW SW	12.20
17 S	3 W	WM	29	NW NW	40.08
17 S	3 W	WM	29	SW NW	37.00
17 S	3 W	WM	29	NW SW	0.75
17 S	3 W	WM	30	NE NE	33.80
17 S	3 W	WM	30	SE NE	7.50
Total					142.33

6. Groundwater Registration Modification Application T-14006 proposes additional points of appropriation with approximate distances in feet from the original well (WELL 1) to:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances	Approximate distance in feet from the original point of appropriation
17 S	3 W	WM	29	NW NW	53	WELL 3 - 725 FEET SOUTH AND 300 FEET EAST FROM THE NW CORNER OF SECTION 29	478 feet southwest
17 S	3 W	WM	29	NW NW	53	WELL 4 - 430 FEET SOUTH AND 910 FEET EAST FROM THE NW CORNER OF SECTION 29	574 feet southeast

Review Criteria for Groundwater Registration Modification Applications

[OAR 690-382-0100(10), 690-382-0700(2), 690-382-1000(1) and 690-380-2110(2)]

7. The proposed modification would not result in a state Scenic Waterway not receiving previously available water during periods in which stream flows are less than the quantities determined by the Department to be necessary to meet the requirements of ORS 390.835.
8. The proposed points of appropriation develop groundwater from the same aquifer as the authorized point of appropriation, as required by OAR 690-380-2110(2).
9. The proposed modification, as conditioned, would not result in enlargement of the registration.
10. The proposed modification, as conditioned, would not result in injury to other water rights.
11. All other application requirements are met.

Conclusions of Law

The additional points of appropriation proposed in Groundwater Registration Modification T-14006 are consistent with the requirements of ORS 537.610, 537.705, 540.505 to 540.580 and OAR 690-382-1000.


Now, therefore it is ORDERED:

1. The modification to Registration Application GR-188 (Certificate of Registration GR 174) proposed in Groundwater Registration Modification Application T-14006 is recognized. Recognition of the modification shall not be construed as a final determination of the right to appropriate groundwater under the certificate of registration or modification. Such a determination will occur in an adjudication proceeding under ORS 537.670 to 537.695.
2. The use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Registration Application GR-188 (Certificate of Registration GR 174) and any related decree.

3. Approval of this groundwater registration modification application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new points of appropriation.
4. Water shall be acquired from the same aquifer (water source) as the original point of appropriation.
5. The combined quantity of water diverted at the proposed additional points (Wells 3 and 4) of appropriation, together with that diverted at the original point of appropriation (Well 1), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 1).
6. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Dated in Salem, Oregon on

JAN 08 2025


Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
IVAN GALL, DIRECTOR
Oregon Water Resources Department

Mailing date: JAN 09 2025



Oregon

Tina Kotek, Governor

November 22 2024

EUGENE COUNTRY CLUB
C/O RICH SPURLIN
255 COUNTRY CLUB RD
EUGENE, OR 97401

VIA CERTIFIED MAIL AND E-MAIL

SUBJECT: Groundwater Registration Modification T-14006

7022 3330 0000 2912 3346

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee

\$

Extra Services & Fees (check box, add fee as appropriate)

☐ Return Receipt (hardcopy) \$

☐ Return Receipt (electronic) \$

☐ Certified Mail Restricted Delivery \$

☐ Adult Signature Required \$

☐ Adult Signature Restricted Delivery \$

Postage

\$

Total Postage and Fees

\$

Sent To

Street and Apt. No., or PO Box No.

City, State, ZIP+4®

Postmark
Here

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

Please find enclosed the Preliminary Determination indicating that, based on the information available, the Department intends to approve application T-14006. This document is an intermediate step in the approval process; water may not be used legally as proposed in the groundwater registration modification application until a Final Order has been issued by the Department. Please read this entire letter carefully to determine your responsibility for additional action.

A public notice is being published in the Department's weekly publication, simultaneously with issuance of the Preliminary Determination. The notice initiates a period in which any person may file either a protest opposing the decision proposed by the Department in the Preliminary Determination or a standing statement supporting the Department's decision. The protest period will end 30 days after the Department's notice.

If no protest is filed, the Department will issue a Final Order consistent with the Preliminary Determination. You should receive a copy of the Final Order about 30 days after the close of the protest period.

If a protest is filed, the application may be referred to a contested case proceeding. A contested case provides an opportunity for the proponents and opponents of the decision proposed in the Preliminary Determination to present information and arguments supporting their position in a quasi-judicial proceeding.

Please do not hesitate to contact me at Please don't hesitate to contact me at 503-986-0896 or Joan.M.Smith@water.oregon.gov if I may be of assistance.

Sincerely,

Joan Smith

Groundwater Registration Modification Specialist
Transfers and Conservation Section

cc: GR Modification application file T-14006
Lanaya F. Blakely, District 2 Watermaster (via e-mail)
Doann Hamilton, Agent for the applicant (via e-mail)

enc

Oregon Water Resources Department

Measurement Condition Information for the Applicant

(To be sent with the Draft Preliminary Determination or Final Order)

Transfer #: T- 14006



In order to avoid enlargement of the right or injury to other rights, a totalizing flow meter will be required to be installed prior to diversion of water, as a condition of this transfer:



at each point of diversion/appropriation (new and existing) OR



at each new point of diversion/appropriation.

For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:

Watermaster name: Lanaya Blakely

District: 2

Address: 125 E. 8th Ave

City/State/Zip: Eugene, OR 97401

Phone: 541-913-1154

Email: Lanaya.F.Blakely@water.oregon.gov

Note: If a device other than the one specified in the Preliminary Determination or Final Order is approved by the Watermaster, fill out and mail the form below to the Salem office.

Approval of an Alternate Measurement Device

T-

(to be filled out after consultation with the applicant, or after a site visit)

On behalf of the Director, I authorize use of the following suitable alternate measurement device:

Watermaster signature

District

Date

If this form is used for approval of an alternative measurement device, it must be mailed to:

Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Groundwater)	PRELIMINARY DETERMINATION
Registration Modification Application)	PROPOSING APPROVAL OF RECOGNITION
T-14006, Lane County)	OF ADDITIONAL POINTS OF
)	APPROPRIATION

Authority

Oregon Revised Statutes (ORS) 537.610, 537.705 and 540.505 to 540.580 establish the process in which the holder of a certificate of registration may submit a request for recognition of modifications to the place of use, character of use or point of appropriation under a groundwater certificate of registration.

Oregon Administrative Rules (OAR) Chapter 690, Divisions 382 and 380 implement the statutes and provide the Department's procedures and criteria for evaluating groundwater registration modification applications.

Applicant

EUGENE COUNTRY CLUB
C/O RICH SPURLIN
255 COUNTRY CLUB RD
EUGENE, OR 97401

Findings of Fact

1. On May 20, 2022, Eugene Country Club C/O Rich Spurlin filed a groundwater registration modification application for additional points of appropriation under Registration Application GR-188 (Certificate of Registration GR 174). The Department assigned the application number T-14006
2. Notice of the application for groundwater registration modification was published on June 7, 2022, pursuant to OAR 690-382-0600. No comments were filed in response to the notice.

Pursuant to OAR 690-380-4030, any person may file a protest or standing statement within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later, of this preliminary determination.

3. On August 2, 2024, the Department sent a copy of the draft Preliminary Determination proposing to approve Groundwater Registration Modification Application T-14006 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of September 2, 2024, for the applicant to respond. The applicant requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the Groundwater Registration Modification.

4. The groundwater registration to be modified is as follows:

Registration: GR-188 (Certificate of Registration GR-174), in the name of THE EUGENE COUNTRY CLUB (BY CHARLES CAPPLES)

Use: IRRIGATION of 142.33 ACRES

Tentative

Priority Date: MAY 1953

Quantity: 1000 GALLONS PER MINUTE; 412.30 ACRE FEET PER YEAR

Season of Use: APRIL TO OCTOBER

Source: PUMP WELL

Original Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
17 S	3 W	WM	29	NW NW	SOUTH 69 DEGREES 49 MINUTES EAST, 1985 FEET FROM THE SE CORNER OF YOUNG DLC 53

Original Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
17 S	3 W	WM	19	SE SE	11.00
17 S	3 W	WM	20	SW SW	12.20
17 S	3 W	WM	29	NW NW	40.08
17 S	3 W	WM	29	SW NW	37.00
17 S	3 W	WM	29	NW SW	0.75
17 S	3 W	WM	30	NE NE	33.80
17 S	3 W	WM	30	SE NE	7.50
Total					142.33

5. Groundwater Registration Modification Application T-14006 proposes additional points of appropriation with approximate distances in feet from the original well (WELL 1) to:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances	Approximate distance in feet from the original point of appropriation
17 S	3 W	WM	29	NW NW	53	WELL 3 - 725 FEET SOUTH AND 300 FEET EAST FROM THE NW CORNER OF SECTION 29	478 feet southwest
17 S	3 W	WM	29	NW NW	53	WELL 4 - 430 FEET SOUTH AND 910 FEET EAST FROM THE NW CORNER OF SECTION 29	574 feet southeast

***Review Criteria for Groundwater Registration Modification Applications
[OAR 690-382-0100(10), 690-382-0700(2), 690-382-1000(1) and 690-380-2110(2)]***

6. The proposed modification would not result in a state Scenic Waterway not receiving previously available water during periods in which stream flows are less than the quantities determined by the Department to be necessary to meet the requirements of ORS 390.835.
7. The proposed points of appropriation develop groundwater from the same aquifer as the authorized point of appropriation, as required by OAR 690-380-2110(2).
8. The proposed modification, as conditioned, would not result in enlargement of the registration.
9. The proposed modification, as conditioned, would not result in injury to other water rights.
10. All other application requirements are met.

Determination and Proposed Action


The additional points of appropriation proposed in Groundwater Registration Modification T-14006 appear to be consistent with the requirements of ORS 537.610, 537.705, 540.505 to 540.580 and OAR 690-382-1000. If protests are not filed pursuant to OAR 690-382-0900, the modification will be approved.

If Groundwater Registration Modification T-14006 is approved, the final order will include the following:

1. *The modification to Registration Application GR-188 (Certificate of Registration GR 174) proposed in Groundwater Registration Modification Application T-14006 is recognized. Recognition of the modification shall not be construed as a final determination of the right to appropriate groundwater under the certificate of registration or modification. Such a determination will occur in an adjudication proceeding under ORS 537.670 to 537.695.*
2. *The use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Registration Application GR-188 (Certificate of Registration GR 174) and any related decree.*
3. *Approval of this groundwater registration modification application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new points of appropriation.*
4. *Water shall be acquired from the same aquifer (water source) as the original point of appropriation.*

5. *The combined quantity of water diverted at the proposed additional points (Wells 3 and 4) of appropriation, together with that diverted at the original point of appropriation (Well 1), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 1).*
6. *Water use measurement conditions:*
 - a. *Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).*
 - b. *The water user shall maintain the meters or measuring devices in good working order.*
 - c. *The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.*

Dated in Salem, Oregon on **NOV 22 2024**


Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
IVAN GALL, DIRECTOR
Oregon Water Resources Department

This Preliminary Determination was prepared by Joan Smith. If you have questions about the information in this document, you may reach me at 503-986-0896 or Joan.M.Smith@water.oregon.gov.

Protests

Under the provisions of ORS 540.520(6) & (7) and OAR 690-382-0900, within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-382-0800, whichever is later, any person may file, jointly or severally, a protest expressing opposition of approval of the groundwater registration application and disagreement with this Preliminary Determination or a standing statement in support of this Preliminary Determination. Protests and standing statements must be received by the Water Resources Department within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-382-0900, whichever is later.

Protests must be in writing and received in hard copy form with the appropriate statutory protest filing fee; protests cannot be filed by electronic mail. [OAR 690-002-0025(3) and 690-382-0900]. and include the following:

- The person's name, address, and telephone number;
- All reasonably ascertainable issues and all reasonably available arguments supporting the person's position by the close of the protest period. Failure to raise a reasonably ascertainable issue in a protest or failure to provide sufficient specificity to afford the Department an opportunity to respond to the issue may preclude consideration of the issue during the hearing;
- If you are the applicant, a protest fee of \$480 required by ORS 536.050; and
- If you are not the applicant, a protest fee of \$950 required by ORS 536.050 and proof of service of the protest upon the applicant.

Requests for Standing

Under the provisions of OAR 690-382-0900(5), the Department shall provide to persons who have filed standing statements as defined under OAR 690-382-0100(8) notice of any differences between the Department's Preliminary Determination and the Final Order, notice of a hearing on the application under OAR 137-003-0535, and an opportunity to request limited party status or party status in the hearing.

Requests for standing must be received in the Water Resources Department no later than 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-382-0900, whichever is later. Requests for standing must be in writing, and must include the following:

- The requester's name, mailing address and telephone number;
- If the requester is representing a group, association or other organization, the name, address and telephone number of the represented group;
- A statement that the requester supports the preliminary determination as issued.

After the protest period has ended, the Director will either issue a Final Order or schedule a contested case hearing. The contested case hearing will be scheduled only if a protest has been filed under OAR 690-382-0900. In accordance with OAR 690-382-1100, notice and conduct of the hearing shall:

- Be under the applicable provisions of ORS 183.310 to 183.550, pertaining to contested cases, and the hearing shall be held in the area where the rights are located unless all parties stipulate otherwise; and
- If a protest has asserted that a water right to be transferred has been forfeited through non-use, include the notice and procedures described in OAR 690-017-0500 to 690-017-0900.

If you do not request a hearing within 30 days after the close of the protest period, or if you withdraw a request for a hearing, notify the Department or the administrative law judge that you will not appear, or fail to appear at a scheduled hearing, the Director may issue a final order by default. If the Director issues a Final Order by default, the Department designates the relevant portions of its files on this matter, including all materials that you have submitted relating to this matter, as the record for purpose of proving a *prima facie* case upon default.

You may be represented by an attorney at the hearing. Legal aid organizations may be able to assist a party with limited financial resources. Generally, partnerships, corporations, associations, governmental subdivisions, or public or private organizations are represented by an attorney. However, consistent with OAR 690-002-0020 and OAR 690-137-0555, an agency representative may represent partnerships, corporations, associations, governmental subdivisions or public, or private organizations if the Department determines that appearance of a person by an authorized representative will not hinder the orderly and timely development of the record in this case.

Notice Regarding Servicemembers: Active-duty servicemembers have a right to stay proceedings under the federal Servicemembers Civil Relief Act. 50 U.S.C. App. §§501-597b. For more information contact the Oregon State Bar at 800-452-8260, the Oregon Military Department at 971-355-4127, or the nearest United States Armed Forces Legal Assistance Office through <http://legalassistance.law.af.mil>.

If you have questions about how to file a protest or if you have previously filed a protest and you want to know the status, please contact Will Davidson at 503-507-2749.

If you have questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at 503-986-0900.

Address any correspondence to: Oregon Water Resources Department, Transfer and Conservation Section, 725 Summer Street NE, Suite A, Salem OR 97301-1266

18487 S. Valley Vista Rd.
Mulino, Oregon 97042
(503) 632-5016 Phone
(503) 632-5983 Fax

Pacific Hydro-Geology Inc.

Received

AUG 05 2024

OWRD

Memo

To: Oregon Water Resources Department / Joan Smith

From: Doann Hamilton, CWRE

CC:

Date: August 2, 2024

Re: GR Modification T-14006.


On August 2, 2024 the Draft Preliminary Determination (DPD) for our client Eugene Country Club Groundwater Registration Modification T-14006 on GR-188 was issued. Reviewing the DPD, we realized there was an error on the map with the description of the well location for the authorized well. Attached is the revised map to correct this error.



T.17S. R.3W. Sec. 19, 20, 29 & 30, W.M.

Received
AUG 05 2024

OWRD



Authorized Well 1 (LANE 11455) is located South 69° 49' east, 1,985 feet From SE corner, DLC 53.


Proposed Well 3 is located 725 feet south and 300 feet east from the NW corner, Section 29.

Proposed Well 4 is located 430 feet south and 910 feet east from the NW corner, Section 29.

Area (142.33 Acres) irrigated under GR-188, priority date: May 31, 1953.

----- Tax lot boundary — ■ — Donation Land Claim boundary Water main line

Scale: 1" = 1,320'



This map was prepared for the purpose of identifying the location of a water right only and is not intended to provide legal dimensions or location of property ownership lines.

Groundwater Registration Modification Map GR-188

Pacific Hydro-Geology Inc.

02/2022
Rev: 08/2024

Eugene Country Club
T.17S. R.3W. Sec. 19, 20, 29 & 30, W.M.

Groundwater Transfer Review Summary Form

Transfer/PA # T- 14006

GW Reviewer Andrew Wentworth Date Review Completed: 10/27/2023

Summary of Same Source Review:

☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Injury Review:

☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Ground Water Review Form:

- ☐ Water Right Transfer
☐ Permit Amendment
☒ GR Modification
☐ Other

Application: T-14006

Applicant Name: Eugene Country Club

Proposed Changes: ☐ POA ☒ APOA ☐ SW→GW ☐ RA
☐ USE ☐ POU ☐ OTHER

Reviewer(s): Andrew Wentworth

Date of Review: 10/27/2023

Date Returned to WRSD: 10/27/2023

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- ☐ The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- ☐ Other _____

1. Basic description of the changes proposed in this transfer: This proposed transfer pertains to Claim GR-188. The proposed changes are as follows:

Claim GR-188: primary irrigation 142.33 acres; $Q_{max} = 2.228$ cfs

• Additional POA:

- Authorized POA: LANE 11455 ("Well 1")
- Proposed APOA: PROP 331 ("Well 3"); a proposed well to be constructed to a depth not exceeding 100 feet, that produces water from the same alluvial aquifer as the Authorized POA.
- Proposed APOA: PROP 332 ("Well 4"); a proposed well to be constructed to a depth not exceeding 100 feet, that produces water from the same alluvial aquifer as the Authorized POA.

2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?
☒ Yes ☐ No Comments: The authorized POA draws water from the alluvial aquifer that is identified in the well log from 8–40 feet below ground surface (bgs). The proposed APOAs specify the alluvial aquifer as the target as well as a total depth of 100 feet bgs. The available evidence from nearby well logs indicates that the alluvial aquifer does not extend to the full proposed depth of 100 feet. It is therefore assumed for the purposes of this evaluation that the proposed APOAs will be constructed to only obtain groundwater from the same shallow alluvial aquifer system, and not necessarily extend to the full proposed depth of 100 feet if the bottom of the alluvial aquifer is encountered at a shallower depth.

3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?
☐ Yes ☒ No _____
- b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): Not applicable
4. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?
☒ Yes ☐ No Comments: The nearest groundwater right with a senior priority date (03/01/1940) is GR-4018, which has a single POA (LANE 11460). Proposed APOA Well 4 is 360 feet closer to LANE 11460 than the authorized POA.
- b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?
☐ Yes ☒ No If yes, explain: If the closest proposed POA were to be pumped at the maximum authorized rate for the full duration of the irrigation season (214 days), interference drawdown at LANE 11460 would be approximately 1–6 feet, which is 0.1–0.5 feet greater than the amount of interference expected from pumping the authorized POA under the same conditions.
5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?
☒ Yes ☐ No Comments: The nearest surface water sources are Dedrick Slough and the Willamette River. Proposed APOA Well 3 is farther from Debrick Slough and 400 feet closer to the Willamette River (2,450 feet) compared to the authorized POA (2,850 feet). Proposed APOA Well 4 is farther away from both surface water sources than the authorized POA.
- b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?
Stream: Willamette River ☒ Minimal ☐ Significant
Provide context for minimal/significant impact: The expected increase in depletions to the Willamette River was assessed using the Hunt (1999) analytical stream depletion model (see attached Stream Depletion Analyses). Results indicate that stream depletions due to pumping could likely increase by 1 percent of the average rate of withdrawal after 214 days of continuous pumping (i.e., the end of the irrigation season) as a result of the proposed change. As such, the change in degree of interference with surface water is expected to be minimal.
6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?
☐ Yes ☐ No Comments: N/A
7. What conditions or other changes in the application are necessary to address any potential issues identified above: N/A
8. Any additional comments: Ensure that the proposed APOAs meet well construction standards, specifically that the wells are not open to both the alluvial and deeper consolidated aquifer.

References Used:

Application File: T-14006

Claim File: GR-188

Conlon, T.D., Wozniak K.C., Woodcock, D., Herrera, N.B., Fisher B.J., Morgan, D.S., Lee K.K., and Hinkle S.R. 2005. Ground-Water Hydrology of the Willamette Basin, Oregon. USGS Numbered Series 2005-5168. Scientific Investigations Report. U. S. Geological Survey, Reston, VA.

Gannett, M.W. and Caldwell, R., 1998, Geologic framework of the Willamette Lowland aquifer system, Oregon and Washington, Professional Paper 1424-A, 32 p: U. S. Geological Survey, Reston, VA.

Herrera, N.B., Burns, E.R., and Conlon, T.D., 2014, Simulation of Groundwater Flow and the Interaction of Groundwater and Surface Water in the Willamette Basin and Central Willamette Subbasin, Oregon, Scientific Investigations Report 2014-5136. U.S. Geological Survey, Reston, VA


Hunt, B., 1999, Unsteady Stream Depletion from Ground Water Pumping, Groundwater, vol. 37, p. 98-102.

O'Connor, J. E., Sarna-Wojcicki, A., Wozniak, K. C., Polette, D. J., Fleck, R. J., 2001, Origin, Extent, and Thickness of Quaternary Units in the Willamette Valley, Oregon, Professional Paper 1620: U. S. Geological Survey, Reston, VA.

Theis, C.V., 1935, The relation between the lowering of the piezometric surface and the rate and duration of discharge of a well using groundwater storage, American Geophysical Union Transactions, vol. 16, p. 519-524.

Woodward, D.G., Gannett, M.W., and Vaccaro, J.J., 1998, Hydrogeologic framework of the Willamette Lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-B, 82 p.

T-14006



Service Layer Credits: Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Theis Time-Drawdown Worksheet


v. 5.00

Calculates Theis nonequilibrium drawdown and recovery at any arbitrary radial distance, r , from a pumping well for 3 different T values and radial distance, r , from a pumping well for 3 different T values and 2 different S values.

Written by Karl C. Wozniak September 1992. Last modified December 17, 2019


Input Data:	Var Name	Scenario 1	Scenario 2	Scenario 3	Units	
Total pumping time	t		214		d	
Radial distance from pumped well	r		2050		ft	Q conversions
Pumping rate	Q		2.228		cfs	999.93 gpm
Hydraulic conductivity	K	550	600	2450	ft/day	2.23 cfs
Aquifer thickness	b		30		ft	133.68 cfm
Storativity	S 1		0.2			192,499.20 cfd
	S 2		0.003			4.42 af/d
Transmissivity Conversions	T f2pd	16500	18000	73500	ft ² /day	
	T ft2pm	11.4583333	12.5	51.0416667	ft ² /min	
	T gpd/ft	123420	134640	549780	gpd/ft	

Use the Recalculate button if recalculation is set to manual



Reported values of transmissivity and storativity for the Upper Sedimentary Unit (Woodward et al. 1998) were used to estimate aquifer properties in the vicinity of the proposed wells.

Hunt (1999) Stream Depletion Analysis – Proposed APOA Well 3 Depletion of the Willamette River




Application type:	T
Application number:	14006
Well number:	3
Stream Number:	1
Pumping rate (cfs):	2.228
Pumping duration (days):	214.0
Pumping start month number (3=March)	3.0

Parameter	Symbol	Scenario 1	Scenario 2	Scenario 3	Units
Distance from well to stream	a	2450.0	2450.0	2450.0	ft
Aquifer transmissivity	T	16500.0	18000.0	73500.0	ft ² /day
Aquifer storativity	S	0.05	0.1	0.2	-
Aquitard vertical hydraulic conductivity	Kva	0.01	0.03	0.06	ft/day
Not used		10.0	20.0	30.0	
Aquitard thickness below stream	babs	3.0	3.0	3.0	ft
Not used		0.2	0.2	0.2	
Stream width	ws	450.0	450.0	450.0	ft

Stream depletion for Scenario 2:

Days	10	330	360	30	60	90	120	150	180	210	240	270	300
Depletion (%)	2	17	15	9	17	22	27	30	33	36	30	24	20
Depletion (cfs)	0.04	0.39	0.34	0.20	0.37	0.50	0.59	0.67	0.74	0.80	0.68	0.54	0.45

Hunt (1999) Stream Depletion Analysis – Authorized POA LANE 11455 Depletion of the Willamette River



Application type:	T
Application number:	14006
Well number:	1
Stream Number:	1
Pumping rate (cfs):	2.228
Pumping duration (days):	214.0
Pumping start month number (3=March)	3.0

Parameter	Symbol	Scenario 1	Scenario 2	Scenario 3	Units
Distance from well to stream	a	2850.0	2850.0	2850.0	ft
Aquifer transmissivity	T	16500.0	18000.0	73500.0	ft ² /day
Aquifer storativity	S	0.05	0.1	0.2	-
Aquitard vertical hydraulic conductivity	Kva	0.01	0.03	0.06	ft/day
Not used		10.0	20.0	30.0	
Aquitard thickness below stream	babs	3.0	3.0	3.0	ft
Not used		0.2	0.2	0.2	
Stream width	ws	450.0	450.0	450.0	ft

Stream depletion for Scenario 2:

Days	10	330	360	30	60	90	120	150	180	210	240	270	300
Depletion (%)	1	18	15	7	15	20	25	28	31	34	30	24	20
Depletion (cfs)	0.03	0.39	0.35	0.16	0.33	0.45	0.55	0.63	0.69	0.75	0.67	0.54	0.4

WILKE Laura K * WRD

From: Rich Spurlin <rspurlin@eugenecountryclub.com>
Sent: Thursday, July 27, 2023 12:26 PM
To: WILKE Laura K * WRD
Cc: BAUSTIAN Julie C * WRD
Subject: RE: Application T-14006

Laura,

Thank you for the update. I am a neophyte in submitting requests through the a few of the state agencies and appreciate the explanation. I am sorry to learn about the staff workload, which I suspect was created during the pandemic. Thank to you and others for the efforts.

-Rich



Rich Spurlin, CCM CCE
General Manager

EUGENE COUNTRY CLUB

255 Country Club Road, Eugene, OR 97401
p 541.345.0181 c 541.954.0771 e rspurlin@eugenecountryclub.com
w eugenecountryclub.com

From: WILKE Laura K * WRD <Laura.K.WILKE@water.oregon.gov>
Sent: Thursday, July 27, 2023 12:16 PM
To: Rich Spurlin <rspurlin@eugenecountryclub.com>
Cc: BAUSTIAN Julie C * WRD <Julie.C.BAUSTIAN@water.oregon.gov>
Subject: FW: Application T-14006

Greetings – I'm the current caseworker for Groundwater Registration Applications. I checked your application file, and it looks like we're still awaiting a review from our Groundwater Section. It could be another year or so, given current staff loads, before we see a groundwater review back for this application. I wish I had better news to share.

Please feel free to contact me if you have any additional questions.

Laura Wilke
Transfer Caseworker
Ph: (971) 375-7492

From: BAUSTIAN Julie C * WRD <Julie.C.BAUSTIAN@water.oregon.gov>
Sent: Wednesday, July 26, 2023 10:11 AM
To: WILKE Laura K * WRD <Laura.K.WILKE@water.oregon.gov>
Subject: FW: Application T-14006

Good morning,

Would you mind answering this email?

Julie Baustian

Office Specialist 2
725 Summer Street NE Ste A
Salem, Oregon 97301
(503)979-9931

From: Rich Spurlin <rspurlin@eugencountryclub.com>
Sent: Tuesday, July 25, 2023 5:29 PM
To: BAUSTIAN Julie C * WRD <Julie.C.BAUSTIAN@water.oregon.gov>
Cc: Phil Lagao <plagao@eugencountryclub.com>
Subject: RE: Application T-14006

You don't often get email from rspurlin@eugencountryclub.com. [Learn why this is important](#)

Hello Julie,

I am checking in with you to inquire about any updates as to our modification application. Soon after we submitted the application in May 2022, I was provided with an estimated timeline that process would take approximately one year for full review. Would you be able to provide me with any new information and/or let me know if there is anything awaiting from me to complete the process?

Thank you,

-Rich



Rich Spurlin, CCM CCE
General Manager

EUGENE COUNTRY CLUB
255 Country Club Road, Eugene, OR 97401
p 541.345.0181 c 541.954.0771 e rspurlin@eugencountryclub.com
w eugencountryclub.com

From: STARNES Patrick K * WRD <Patrick.K.STARNES@water.oregon.gov>
Sent: Friday, December 2, 2022 12:53 PM
To: Rich Spurlin <rspurlin@eugencountryclub.com>
Cc: PHILLIPS Stacy H * WRD <Stacy.H.PHILLIPS@water.oregon.gov>; BAUSTIAN Julie C * WRD <Julie.C.BAUSTIAN@water.oregon.gov>
Subject: FW: Application T-14006
Importance: High

Good Afternoon Rich,

Unfortunately, the Department has no authority to expedite the processing of GR Modification Applications per Stacy's letter.

Some good news is that the Department has hired a caseworker, Julie Baustian, to process GR Modification applications exclusively. When Julie gets trained up for her new duties, she will be able to trim the number of pending applications

down. So when the Groundwater review for T-14006 is complete, the application should not have to wait too long for processing.

If you have any questions, please do not hesitate to contact me.

Sincerely,

Kelly

Kelly Starnes, Transfer Program Analyst
Oregon Water Resources Department
725 Summer St NE Suite A
Salem OR 97301-1271
Cell phone: 503-979-3511 Fax: 503-986-0903
E-mail: patrick.k.starnes@water.oregon.gov

Please Note: Under Oregon Law, messages to and from
this e-mail address may be available to the public.

From: PHILLIPS Stacy H * WRD <Stacy.H.PHILLIPS@water.oregon.gov>
Sent: Monday, November 28, 2022 12:59 PM
To: STARNES Patrick K * WRD <Patrick.K.STARNES@water.oregon.gov>
Subject: FW: Application T-14006
Importance: High

Hey Kelly,

I'm forwarding this email, because he sent it to you, but the email address for you was typed in wrong. Just making sure you get it.

Thanks,

Stacy H. Phillips

Restoration Program Technician
725 Summer Street NE, Suite A, Salem, OR 97301
Office: 503-986-0898 | Work Cell: 503-979-9948



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

From: Rich Spurlin <rspurlin@eugenecountryclub.com>
Sent: Monday, November 28, 2022 12:19 PM
To: patrick.k.starnes@water.oregon.gov
Cc: PHILLIPS Stacy H * WRD <Stacy.H.PHILLIPS@water.oregon.gov>; BLAKELY Lanaya F * WRD <Lanaya.F.BLAKEY@water.oregon.gov>
Subject: RE: Application T-14006

Hello Patrick,

I received notification from the Water Resources Department that our application and fee for Reimbursement Authority on GR-Mod Application T-14006 was not accepted. Is there a different form or process that I should follow to expedite our well application submitted in November 2021?

Thank you in advance for the assistance.

Best regards,

-Rich



Rich Spurlin, CCM CCE
General Manager

EUGENE COUNTRY CLUB
255 Country Club Road, Eugene, OR 97401
p 541.345.0181 c 541.954.0771 e rspurlin@eugencountryclub.com
w eugencountryclub.com

From: BLAKELY Lanaya F * WRD <Lanaya.F.BLAKEY@water.oregon.gov>
Sent: Tuesday, October 25, 2022 3:28 PM
To: Rich Spurlin <rspurlin@eugencountryclub.com>
Subject: Re: Application T-14006

Hi Rich,

Transfers are processed in the order received. Unfortunately there is a backlog of pending Transfer applications and your application is still waiting to be assigned a caseworker. If you would like to expedite the processing you can pay an additional cost and go through the Reimbursement Authority program, more info [here](#).

From: Rich Spurlin <rspurlin@eugencountryclub.com>
Sent: Tuesday, October 25, 2022 3:03:45 PM
To: BLAKELY Lanaya F * WRD <Lanaya.F.BLAKEY@water.oregon.gov>
Subject: Application T-14006

Hello Lanaya,

I am inquiring about the status of our well application (T-14006). In accordance with the Groundwater Registration Modification Process, it would appear from the general timeline of events, we may be close to a decision. May I burden you to provide me with an updates?

Thank you,

-Rich

Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department
725 Summer St NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Transfer Application: T-14006

Review Due Date:

Applicant Name: Eugene Country Club

Proposed Changes: ☐ POU ☐ POD ☒ POA ☐ USE ☐ OTHER

Reviewer(s): L. Blakely

Date of Review: 06/07/2022

1. Do you have evidence that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? ☐ Yes ☒ No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2. Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? ☐ Yes ☒ No Generally characterize the frequency of any regulation or explain why regulation has not occurred:

GW has not been regulated in this area.
3. Have headgate notices been issued for the source that serves the transferred right(s)?
☐ Yes ☒ No ☐ Records not available.
4. In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? ☐ Yes ☒ No If "Yes", explain:
5. In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? ☐ Yes ☒ No If "Yes", describe how the rights would be affected and list the rights most affected:

6. Check here ☐ if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most:

☒ N/A

7. For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses:

☒ N/A

8. For instream transfers that propose protection of a reach beyond the mouth of the source stream:

☒ N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? ☐ Yes ☐ No

9. For POU changes: ☒ N/A Is it likely the original place of use would continue to receive water from the same source? ☐ Yes ☐ No If "Yes", explain:

10. For POU or USE changes: ☒ N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste? ☐ Yes ☐ No If "Yes", explain:

11. For POU changes that involve micro-irrigation: ☒ N/A

a. Has the applicant made changes (absent a transfer) to convert to micro-irrigation within the current place of use boundary of the water right proposed for transfer, and previously demonstrated to the Department through monitoring and site inspections by the Watermaster that the proposed transfer will not result in injury or enlargement?

☐ Yes ☐ No If "Yes", explain:

- b. Has a temporary transfer of this nature been previously filed and approved on the same lands (or portions thereof) as those lands involved in this transfer?

☐ Yes ☐ No If "Yes", answer the following:

- i. Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? ☐ Yes ☐ No If "Yes", explain:

- ii. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? ☐ Yes ☐ No If "No", explain:

- iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- iv. Do you have any other observations regarding the temporary transfer?

☐ Yes ☐ No If "Yes", describe:

- v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- c. To the best of your knowledge, if this transfer is approved, does it appear that:

- i. "Injury" will occur to other water rights that share the same source?

☐ Yes ☐ No If "Yes", explain:

- ii. "Enlargement" of the water right being transferred will occur?

☐ Yes ☐ No If "Yes", explain:

12. Are there other issues not identified through the above questions that should be considered in determining whether the change "can be effected without injury to other rights"?

☐ Yes ☒ No If "Yes", explain:

13. What alternatives may be available for addressing any issues identified above:

14. Do conditions need to be included in the transfer order to avoid enlargement of the right or injury to other rights? ☐ No ☒ Yes, as checked and provided below:

☐ For POU changes that involve micro-irrigation, provide the monitoring and reporting conditions necessary to prevent injury/enlargement:

☐ A Headgate should be required prior to diverting water.

☒ Measurement Devices for POD or POA: (if this condition is selected, also fill in the top sections of Page 4)

a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, ☒ at each point of diversion/appropriation (new and existing) OR at each new point of diversion/appropriation ☐ with the exception that water rights issued to the Bureau of Reclamation or an irrigation district (or similar entity) are not subject to this condition.*

b. The water user shall maintain the meters or measuring devices in good working order.

c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

☐ Reservoir water use measurement: (if this condition is selected, also fill in the top sections of Page 4)

a. Before water use may begin under this order, the water user shall install staff gages, or, with prior approval of the Director, other suitable measuring devices, that measure the entire range and stage between empty and full in each reservoir. Staff gages shall be United States Geological Survey style.*

b. Before water use may begin under this order, if the reservoir is located in channel, weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, an adjustable outlet valve must be installed. The water user shall maintain such devices in good working order. A written waiver may be obtained, if in the judgment of the Director, the installation of weirs or other suitable measuring devices, or the adjustable outlet valve, will provide no public benefit.

* The following alternative device(s) should be substituted for the bold, underlined device in the above selected condition:

☐ Weir
☐ Parshall Flume
☐ Other: ____

☐ Submerged Orifice
☐ Flow Restrictor



Oregon

Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

June 8, 2022

EUGENE COUNTRY CLUB
C/O RICH SPURLIN
255 COUNTRY CLUB RD
EUGENE, OR 97401

Reference: Application T- 14006

On May 20, 2022, OWRD received your water Groundwater Registration Modification application. The application was accompanied by \$1250.00. Our receipt number 138215 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to our groundwater staff to determine whether the proposed well accesses the same source of water as the original well.

This application may require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

You may not use water from the new point of appropriation until a final order approving recognition of the groundwater registration modification application has been issued by the Department. If the land is sold before the modification is approved, the buyer's consent to the modification will be required unless a recorded deed or other legal document clearly established that the groundwater registration was not conveyed in the sale.

Please refer to the following page for a chart showing the steps and expected timelines for the processing of your application.


If you have any questions, please contact the Transfer Section at (503) 979-9931.

Cc: Watermaster Dist. #2, Lanaya F. Blakely (via email)
Doann Hamilton, Agent
Lane County

Enclosure

Groundwater Registration Modification Process

OAR 690 Division 382



**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **138215**

INVOICE # _____

RECEIVED FROM: Eugene Country Club

BY: _____

CASH: _____ CHECK: # _____ OTHER: (IDENTIFY) _____

☐
☒

4103

☐

APPLICATION	
PERMIT	
TRANSFER	<u>T-14006</u>

TOTAL REC'D \$ 1,250.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES \$ _____

OTHER: (IDENTIFY) \$ _____

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES \$ _____

0410 RESEARCH FEES \$ _____

0408 MISC REVENUE: (IDENTIFY) \$ _____

TC162 DEPOSIT LIAB. (IDENTIFY) \$ _____

0240 EXTENSION OF TIME \$ _____

WATER RIGHTS:

0201 SURFACE WATER \$ _____ 0202 \$ _____

0203 GROUND WATER \$ _____ 0204 \$ _____

0205 TRANSFER \$ 1250.00

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR \$ _____ 0219 \$ _____

LANDOWNER'S PERMIT 0220 \$ _____

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE \$ _____ CARD# _____

0210 MONITORING WELLS \$ _____ CARD# _____

OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD) \$ _____

0231 HYDRO LICENSE FEE (FW/WRD) \$ _____

HYDRO APPLICATION \$ _____

TREASURY OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION \$ _____

RECEIPT: **138215**

DATED: 5.20.2023

BY: _____

Application for Groundwater Registration Modification



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Part 1 of 5 – Minimum Requirements Checklist

This Groundwater Registration Modification application will be returned if Parts 1 through 4 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

MAY 20 2022

OWRD

Check all included with this application (N/A = Not Applicable)

- ☒ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Application Map Checklist.
- ☒ Part 3 – Completed Applicant Information and Signature.
- ☒ Part 4 – Completed Groundwater Registration Modification Application – Groundwater Registration Information. (Only one Groundwater registration per application, unless the Groundwater registrations to be modified are layered).
- ☒ Completed Groundwater Registration Modification Application Map (Does not have to be prepared by a Certified Water Right Examiner).
- ☒ Groundwater registration modification fees – Amount enclosed: \$ 1,250.00. (\$875.00 for a place of use change only; \$1,250.00 for any other change or combination).

Attachments:

- ☐ ☒ N/A Request for Assignment Form and statutory fee. This form needs to be completed if the applicant owns the land to which the registration is appurtenant and is **not** the registration certificate holder of record. The Request for Assignment Form is available at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>.
Assignment is not needed for any person or entity who can demonstrate authorization to request recognition of a modification (e.g. legal representative, power of attorney, agent, etc.) or the applicant is named on the certificate of registration, or has been assigned to the certificate of registration.
- ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if all of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

- | | |
|--|--|
| <input type="checkbox"/> Application fee not enclosed/insufficient | <input type="checkbox"/> Map not included or incomplete |
| <input type="checkbox"/> Land Use Form not enclosed or incomplete | <input type="checkbox"/> Assignment Form and fee not enclosed/insufficient |
| <input type="checkbox"/> Additional signature(s) required | <input type="checkbox"/> Part _____ is incomplete |

Other/Explanation _____

Staff: _____ 503-_____ Date: ____/____/____

Part 2 of 4 – Groundwater Registration Modification Map Checklist

Your Groundwater Registration Modification application will be returned if any of the map requirements listed below are not met.

RECEIVED

MAY 20 2022

OWRD

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads and railroads.
- ☒ Major water delivery system features from the point(s) of appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes hachuring, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the registration is being changed, a separate hachuring is needed for the portion of the registration left unchanged.
- ☐ ☒ N/A If you are proposing a modification in place of use, show the proposed place of use with hachuring including priority date and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of appropriation with distance and bearing or coordinates from a recognized survey corner.
- ☒ ☐ N/A If you are proposing a modification in point(s) of appropriation, show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Part 3 of 4 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME Eugene Country Club c/o Rich Spurlin			PHONE NO. (541) 345-0181	ADDITIONAL CONTACT NO. (541) 954-0771 cell
ADDRESS 255 Country Club Rd			FAX NO.	
CITY Eugene	STATE OR	ZIP 97401	E-MAIL rspurlin@eugeneccountryclub.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

RECEIVED

MAY 20 2022

OWRD

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application

AGENT/BUSINESS NAME Doann Hamilton/Pacific Hydro-Geology, Inc.			PHONE NO. (503) 632-5016	ADDITIONAL CONTACT NO. (503) 349-6946 (cell)
ADDRESS 18487 S. Valley Vista Road			FAX NO. (503) 632-5983	
CITY Mulino	STATE OR	ZIP 97042	E-MAIL phgdmh@gmail.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Explain in your own words what you propose to accomplish with this modification; and why:

The existing authorized well, LANE 11455, is very old, raising concerns about its ongoing reliability. We hope to add up to two new wells to be drilled, to provide backup source(s) for our system.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

☐ Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)


(Check one box)

- ☒ By signing this application, I (we) understand that, upon receipt of the draft preliminary determination and prior to Department approval of the Groundwater modification, I (we) will be required to provide landownership information and evidence that I am authorized to pursue the modification as identified in OAR 690-382-0400(16)(a); OR
- ☐ I (we) affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; OR
- ☒ I (we) affirm that the applicant is an entity with the authority to condemn property and is acquiring the property to which the Groundwater registration proposed for modification is appurtenant by condemnation and have attached supporting documentation.

I understand that prior to Department approval of the groundwater registration modification, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the groundwater registration is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following paper: Register Guard.

I (we) affirm that the information contained in this application is true and accurate.




Applicant Signature

Rich Spurlin, General Manager
Print Name and title if applicable

04/29/2022

Date

Applicant Signature

Print Name and title if applicable

Date

Is the applicant the sole owner of the land on which the Groundwater registration modification or portion thereof, is located? ☒ Yes ☐ No If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the Groundwater registration has been conveyed.

Check the appropriate box, if applicable:

- ☐ Check here if the Groundwater registration proposed for modification is or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME NA	ADDRESS	
CITY	STATE	ZIP

- ☐ Check here if water for the Groundwater registration is supplied under a water service agreement or other contract with a federal agency or other entity.

ENTITY NAME NA	ADDRESS	
CITY	STATE	ZIP

To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Lane County Planning	ADDRESS 125 East 8th Avenue	
CITY Eugene	STATE Oregon	ZIP 97401

RECEIVED

MAY 20 2022

OWRD

Is the applicant the sole owner of the land on which the Groundwater registration modification or portion thereof, is located? ☒ Yes ☐ No *If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the Groundwater registration has been conveyed.*

Check the appropriate box, if applicable:

- ☐ Check here if the Groundwater registration proposed for modification is or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME NA	ADDRESS	
CITY	STATE	ZIP

- ☐ Check here if water for the Groundwater registration is supplied under a water service agreement or other contract with a federal agency or other entity.

ENTITY NAME NA	ADDRESS	
CITY	STATE	ZIP

To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Lane County Planning	ADDRESS 125 East 8th Avenue	
CITY Eugene	STATE Oregon	ZIP 97401

RECEIVED

MAY 20 2022

OWRD

Part 4 of 4 – Groundwater Registration Information

Please use a separate Part 4 for each registration being modified. See instructions on page 5, to copy and paste additional Part 4s, or to add additional rows to tables within the form.

Groundwater Registration # GR-188 (Certificate # GR-174)

Table 1. Location of Authorized and Proposed Point(s) of Appropriation (POA)

(Note: If the POA name is not specified in the registration, assign it a name or number here.)

POA Name or Number	Is this POA Authorized by the registration or is it Proposed?	OWRD Well Log ID# (or Well ID Tag # L-____)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 1	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LANE 11455	17	S	3	W	29	NW	NW	DLC 53	South 69° 49' east 1,985 feet from the SE corner, DLC 53.
Well 3	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	NA	17	S	3	W	29	NW	NW	DLC 53	725 feet south and 300 feet east from the NW corner, Section 29.
Well 4	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	NA	17	S	3	W	29	NW	NW	DLC 53	430 feet south and 910 feet east from the NW corner, Section 29.

Check all type(s) of modification(s) proposed below (modification "CODES" are provided in parentheses):

- ☐ Place of Use (POU)
☐ Character of Use (USE)

☐ Point of Appropriation (well) (POA)
☒ Additional Point of Appropriation (APOA)

Will all of the proposed changes affect the entire Groundwater registration?

- ☒ Yes
☐ No

Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.

Complete all of Table 2 to describe the portion of the registration to be changed.

RECEIVED

MAY 20 2022

OWRD

Please use and attach additional pages of Table 2 as needed.
See page 5 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer

Table 2. Description of Modifications to Registration GR-188 (Certificate # GR-174)

List only the part of the registration that will be modified. For the acreage in each ¼ ¼, list the modification proposed. If more than one modification, specify the acreage associated with each modification. If more than one POA, specify the acreage associated with each POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears in the registration BEFORE PROPOSED CHANGES List only that part or portion of the groundwater registration that will be changed.										Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.												
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POA(s) to be used (from Table 1)	Priority Date			
										APOA	17	S	3	W	19	SE	SE	1302	DLC 53	11.0	IR	Wells 1,3,4	5-31- 1953
										APOA	17	S	3	W	20	SW	SW	1302	DLC 53	12.2	IR	Wells 1,3,4	5-31- 1953
										APOA	17	S	3	W	29	NW	NW	1302	DLC 53, Lot 11	40.08	IR	Wells 1,3,4	5-31- 1953
										APOA	17	S	3	W	29	SW	NW	1302	NA	37.0	IR	Wells 1,3,4	5-31- 1953
										APOA	17	S	3	W	29	NW	SW	1302	Lot 1	0.75	IR	Wells 1,3,4	5-31- 1953
										APOA	17	S	3	W	30	NE	NE	1302	DLC 53, Lot 12	33.8	IR	Wells 1,3,4	5-31- 1953
										APOA	17	S	3	W	30	SE	NE	1302	Lot 11	7.5	IR	Wells 1,3,4	5-31- 1953
TOTAL ACRES											TOTAL ACRES						142.33						

Additional remarks: None.

RECEIVED

MAY 20 2022

OWRD

Groundwater Registration # GR-188 (Certificate # GR-174)

For a modification in place of use or character of use: NA

Are there other water right certificates, water use permits, or Groundwater registrations associated with the "from" or "to" lands? ☐ Yes ☐ No

If YES, list the other certificate, water use permit, or other Groundwater registration numbers:
NA

Pursuant to OAR 690-382-0200, any "layered" water use, such as an irrigation right that is supplemental to a primary irrigation right proposed for transfer, must be concurrently transferred with the registration or be cancelled. Any change to a water right must be filed separately in a transfer application. Any change to a water use permit must be filed separately with a permit amendment. Any modification to a Groundwater registration on the "to" lands must be filed separately with a Groundwater registration modification.

For modifications in point(s) of appropriation (well(s) or additional point(s) of appropriation:

- ☒ Well log(s) are attached for each well that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.
(Tip: You may search for well logs on the Department's web page at:
http://apps.wrd.state.or.us/apps/gw/well_log/)

RECEIVED

MAY 20 2022

OWRD

AND/OR

- ☒ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide adequate information is likely to delay the processing of your modification application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-___	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right
Well 1	Yes	LANE 11455	See Well Log LANE 11455							Not less than full rate of registration
Well 3	No	NA	100	10 inch	0 to 100	0 to 20	TBD	NA	Alluvial	
Well 4	No	NA	100	10 inch	0 to 100	0 to 20	TBD	NA	Alluvial	

LANE 11455

STATE ENGINEER
Salem, Oregon

Well Record

STATE WELL NO. 17/3W-29D(1)
COUNTY Lane
APPLICATION NO. GR-188

OWNER: Eugene Country Club -
Charles Capples

MAILING ADDRESS: 255 Country Club Rd.
CITY AND STATE: Eugene, Oregon

LOCATION OF WELL: Owner's No. 1

NW 1/4 NW 1/4 Sec. 29 T. 17 S. R. 3 W., W.M.

Bearing and distance from section or subdivision

corner S. 69° 49' E. 1985 ft. to SE cor.

Charles W. Young DLC 53

0 21			

Altitude at well 416 ft. Interpolated (surveyed)

TYPE OF WELL: drilled Date Constructed May 1953

Depth drilled 65' Depth cased 60'

Section 29

CASING RECORD: 14 - in. casing set from 10 to 60 ft.

RECEIVED

MAY 20 2022

FINISH: Perforated from 10 to 60 ft.

OWRD

AQUIFERS: Sand & gravel from 8 to 40 ft.

WATER LEVEL: 6 to 10 ft. below land surface Aug. 7, 1953

PUMPING EQUIPMENT: Type Fairbanks Morse deep well turbine H.P. 125 elec.
Capacity 1390 G.P.M.

WELL TESTS:
Drawdown slight? ft. after hours pumping 1000 G.P.M.
Drawdown ft. after hours G.P.M.

USE OF WATER irrigation 142.33 acres Temp. °F. 19

SOURCE OF INFORMATION Reg. St. GR-188

DRILLER or DIGGER

ADDITIONAL DATA:

Log X Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

LANE 11455 p2

State Well No. 17/3W-29D(1)
County _____ Lane _____
Application No. GR-188

Owner: Eugene Country Club - Charles Capples Owner's No. 1

Driller: _____ Date Drilled May 1953



RECEIVED
MAY 20 2022
OWRD

T.17S. R.3W. Sec. 19, 20, 29 & 30, W.M.

RECEIVED

MAY 20 2022

OWRD



Authorized Well 1 (LANE 11455) is located South $19^{\circ} 49'$ east, 1,985 feet From SE corner, DLC 53.

Proposed Well 3 is located 725 feet south and 300 feet east from the NW corner, Section 29.

Proposed Well 4 is located 430 feet south and 910 feet east from the NW corner, Section 29.

Area (142.33 Acres) irrigated under GR-188, priority date: May 31, 1953.

----- Tax lot boundary — • — Donation Land Claim boundary Water main line

Scale: 1" = 1,320'



This map was prepared for the purpose of identifying the location of a water right only and is not intended to provide legal dimensions or location of property ownership lines.



Groundwater Registration Modification Map
GR-188

Pacific Hydro-Geology Inc.

02/2022

Eugene Country Club
T.17S. R.3W. Sec. 19, 20, 29 & 30, W.M.

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

RECEIVED

MAY 20 2022

OWRD

Applicant(s): Eugene Country Club c/o Tim Cloninger

Mailing Address: 255 Country Club Rd

City: Eugene

State: OR

Zip Code: 97401

Daytime Phone: (541) 344-9772

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
<u>17S</u>	<u>3W</u>	<u>30</u>	—	<u>30 10</u> <u>01302</u>	<u>R-1 Low-Density Residential</u>	<input checked="" type="checkbox"/> Diverted	<input checked="" type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	<u>IR</u>
—	—	—	—	—	—	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	—
—	—	—	—	—	—	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	—

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Lane County City of Eugene

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water
 ☐ Water Right Transfer
 ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License
 ☐ Allocation of Conserved Water
 ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 1,000 ☐ cubic feet per second ☒ gallons per minute ☐ acre-feet

Intended use of water: ☒ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☐ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

This Land Use Information Form is to accompany a Groundwater Registration Modification Application that proposes to add two wells to Groundwater Registration GR-188.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

For Local Government Use Only

OWRD

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- ☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): EC 9.1240
- ☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being pursued."

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: Reid Nemer Title: Land Use Supervisor
 Signature: [Signature] Phone: 541-682-5534 Date: 4/11/22
 Government Entity: City of Eugene

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____
 City or County: _____ Staff contact: _____
 Signature: _____ Phone: _____ Date: _____

Groundwater Registration Modification (GR Mod) Application Checklist

Checked by Joan

Date 5/24/22

(If OK, check box to left; if not, fill in the blank)

- ☒ 1. Is the name of the GR Mod applicant(s) the same as the GR claim holder(s) of record?

If not, one of the following must be included with the application:

- ☐ a) A written statement from the GR claim holder, consenting to the proposed GR Mod Application (if the GR claim holder(s) of record is the current property owner), **OR**.
- ☐ b) A concurrent "Request for Assignment" to move the GR claim into the GR Mod applicant's name must be submitted (if the GR Mod applicant(s) is the current property owner), **OR**
- ☐ c) A concurrent "Request for Assignment" to move the GR claim into the name of a third party (who now owns the property) must be submitted, and the third party will need to provide a written statement consenting to the proposed GR Mod Application.

If not, what is missing? _____

- ☒ 2. Page 1 of application: Are all attachments that have been checked actually included?

If not, what is missing? _____

- ☒ 3. Are fees included and correct?

If not, the correct fee would be: _____, so the amount missing is: _____

- If application proposes ONLY a change in place of use = \$875.00
- If application proposes any other change or combination of changes = \$1,250.00

- ☒ 4. Page 3 of application: Have all the applicants listed at the top of the page signed at the bottom?

If not, whose signature is missing? _____

- ☒ 5. If all #1-#4 boxes on this checklist are checked (with no remaining deficiencies identified), accept the application. Put this check sheet in the transfer folder.

If #1, #2, #3, or #4 on this checklist is deficient, the application CANNOT be accepted.

It should be returned and the deficiencies listed in the "staff" section at the bottom of Application Page 1, unless the applicant or agent can resolve the deficiencies within 2-3 days.

APOA
GR MOD-
GR-188 - GR174

T-14006

GR-188 cat GR174