

T-14091

Permit Amendment

T-14091

RA

Name City of PendletonAttn: Bob PattersonAddress 500 SW Dorion Ave.Pendleton, OR 97801bob.patterson@ci.pendleton.or.usChange in APOA / POLUDate Filed 9-19-2022Initial notice date 9-27-2022

DPD issued date _____

PD issued date _____

PD notice date _____

Date of FO 6/26/2024 Vol 131 Page 469-472

C-Date _____

COBU due date _____

COBU Received date _____

Certificate issued _____

DESCRIPTION OF WATER RIGHT(S)

Name of Stream A WellTrib. of Umatilla River BasinUse Municipal Uses County Umatilla

Quantity of water (CFS) _____ No. of Acres _____

Name of ditch _____

App# G-3443 Per # G-3225 Cert # — PR Date 4/4/1966

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

FEES PAID

Date	Amount	Receipt #
9-19-2022	\$1,840.00	139157
12-1-2022	\$125.00	139645
12-28-2022	\$1,033.30	139828

FEES REFUNDED

Date	Amount	Receipt #
------	--------	-----------

Assignments: _____

Irrigation District _____

Agent _____

CWRE _____

CC's list _____

☐ - Oversized map - Location _____



Oregon

Tina Kotek, Governor

Water Resources Department

North Mall Office Building

725 Summer St NE, Suite A

Salem, OR 97301

Phone 503 986-0900

Fax 503 986-0904

June 26, 2024

City of Pendleton
Attn: Bob Patterson
500 SW Dorion Ave
Pendleton, OR 97801

REFERENCE: Permit Amendment Application T-14091

Enclosed is a copy of the order approving your Permit Amendment application.

Also enclosed is a superseding permit that incorporates the amendments approved by the final order contained herein. Please read this document and abide by the requirements.

If you have any questions related to the approval of this permit amendment, you may contact your caseworker, Arla Davis, by telephone at (503) 979-3129 or by e-mail at Arla.l.davis@water.oregon.gov.

Sincerely,

Elyse D. Richman
Water Rights Services Support
Transfers and Conservation Section

cc: Gregory M. Silbernagel, Watermaster Dist. # 5 (via email)

Enclosure

BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON

In the Matter of Permit Amendment)	FINAL ORDER APPROVING AN ADDITIONAL
T-14091, Umatilla County)	POINT OF APPROPRIATION AND A CHANGE
)	IN PLACE OF USE

Authority

Oregon Revised Statute (ORS) 537.211 establishes the process in which a water right permit holder may submit a request to change the point of appropriation and/or place of use authorized under an existing water right permit.

Applicant

CITY OF PENDLETON
ATTN: BOB PATTERSON
500 SW DORION AVE
PENDLETON, OR 97801

Findings of Fact

1. On September 19, 2022, CITY OF PENDLETON, ATTN: BOB PATTERSON, filed an application to add an additional point appropriation under Permit G-3225. The Department assigned the application number T-14091.
2. On December 23, 1968, the Department approved an extension of time for complete application of water to October 1, 1973.
3. On January 3, 1978, the Department approved an extension of time for complete application of water to October 1, 1978.
4. On September 22, 1980, the Department approved an extension of time for complete application of water to October 1, 1983.
5. On May 1, 1984, the Department approved an extension of time for complete application of water to October 1, 1988.
6. On March 8, 1989, the Department approved an extension of time for complete application of water to October 1, 1993.

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

7. On April 20, 2009, the City of Pendleton submitted documentation attesting to its voluntary agreement to a reduction of authorized use Under Permit G-3225 from 6.7 CFS to 2.0 CFS from WELL #7 (identified as WELL 10), to be effective upon issuance of a Final Order approving the City of Pendleton's Extension of Time application for Permit G-3225, dated May 20, 2009.
8. On June 25, 2009, the Department approved an extension of time for complete application of water to October 1, 2076, and reduced the rate of authorized use from WELL #7 (identified as WELL 10) to 2.0 CFS.
9. On November 8, 2012, the Department approved a Water Management and Conservation Plan, recorded at Special Order Volume 88, Pages 710-711. The approved plan contained the following condition: *"The limitation of the diversion of water under Permit G-3225 established in the Final Order incorporating Settlement Agreement for Extension of Time of Permit G-3225 (issued on June 25, 2009) remains unchanged. Subject to other limitations or conditions of the permit, therefore, the City of Pendleton remains authorized to divert up to 1.07 CFS of water under Permit G-3225."*
10. On January 11, 2013, the Department approved a Reconsideration and Modification of the Final Order approving the Water Management and Conservation Plan, recorded at Special Order Volume 88, pages 1175-1178. The Reconsideration and Modification of the Final Order approving the Water Management and Conservation Plan contained the following condition: *"The limitation of the diversion of water under Permit G-3225 established in the Final Order incorporating Settlement Agreement for Extension of Time of Permit G-3225 (issued on June 25, 2009) is removed. Subject to other limitations or conditions of the permit, the City of Pendleton is authorized to divert up to 4.67 CFS of water under Permit G-3225"*.
11. Notice of the application for the permit amendment was published in the Department's weekly notice on September 27, 2022, pursuant to ORS 540.520(5).
12. On May 6, 2024, the Department contacted the agent for the applicant regarding deficiencies in the application and map, specifically the description of proposed WELL 11B is not clear and the Place of Use described on the Application map is not authorized under Permit G-3225.
13. On June 13, 2024, the agent for the applicant submitted amended application pages and maps, satisfying the deficiency. The applicant also requested that the place of use of Permit G-3225 be changed to: WITHIN THE URBAN GROWTH BOUNDARY and CITY LIMITS OF THE CITY OF PENDLETON.
14. Permit Amendment Application T-14091 proposes an additional point of appropriation approximately 288.0 feet from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
2 N	32 E	WM	8	SW NE	WELL #11B - LAT: 45.668496 LONG: -118.834906

15. Permit Amendment Application T-14091 proposes to change the place of use of the permit to:

MUNICIPAL WATER SUPPLY
WITHIN THE URBAN GROWTH BOUNDARY and CITY LIMITS OF THE CITY OF PENDLETON

Permit Amendment Review Criteria

16. The change would not result in injury to other water rights.

17. The change does not enlarge the permit.

18. The change does not alter any other terms of the permit.

Conclusions of Law

The additional point of appropriation proposed by Permit Amendment Application T-14091 is consistent with the requirements of ORS 537.211.


Now, therefore, it is ORDERED:

1. The additional point of appropriation proposed by Permit Amendment Application T-14091 is approved.
2. Approval of this permit amendment application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new point of appropriation.
3. Permit G-18898, in the name of CITY OF PENDLETON, is issued to replace Permit G-3225, and incorporates the amendments approved by this order, the extensions of time and the Water Management and Conservation Plan. Permit G-3225, in the name of CITY OF PENDLETON, is no longer of any force or effect.
4. The combined quantity of water diverted at the new additional point of appropriation (WELL 11B), together with that diverted at the original points of appropriation (WELL 10 and WELL 11), shall not exceed the quantity of water lawfully available at the original points of appropriation (WELL 10 and WELL 11).
5. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

6. Water shall be acquired from the same aquifer as the original points of appropriation (WELL 10 and WELL 11).

7. All other terms and conditions of Permit G-18898 G-3225 remain the same.

Dated in Salem, Oregon on JUN 26 2024



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
DOUGLAS E. WOODCOCK, ACTING DIRECTOR
Oregon Water Resources Department

Mailing Date: JUN 27 2024

STATE OF OREGON

COUNTY OF UMATILLA

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CITY OF PENDLETON
PO BOX 190
PENDLETON OR 97801

This superseding permit is issued to describe an amendment for an additional point of appropriation and a change in place of use proposed under Permit Amendment Application T-14091 and approved by Special Order Vol. 131, Page ~~469~~, entered JUN 26 2024, and to describe extensions of time for complete application of water approved December 23, 1968, January 3, 1978, September 22, 1980, May 1, 1984, and March 8, 1989 and an extension of time incorporating settlement agreement approved June 25, 2009 and a Reconsideration and Modification of a WMCP Final Order approved January 11, 2013. This permit supersedes Permit G-3225.

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 8.7 cubic feet per second (CFS) measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from three wells being 2.0 CFS from Well #10 (WELL #7 – MISSION WELL) and 6.7 CFS from Wells #11 and #11B.

The use to which this water is to be applied is Municipal Water Supply

DATE OF PRIORITY: APRIL 4, 1966

AUTHORIZED POINT OF APPROPRIATION:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
2 N	33 E	WM	14	NE SE	WELL #10 (WELL #7 – MISSION WELL) - NORTH 30° 00' 40" WEST, 2275 FEET FROM THE SE CORNER OF SECTION 14
2 N	32 E	WM	8	SW NE	WELL #11 – SOUTH 38° 37' WEST 2706.71 FEET FROM THE NE CORNER OF SECTION 8.
2 N	32 E	WM	8	SW NE	WELL #11B - LAT: 45.668496 LONG: -118.834906

AUTHORIZED PLACE OF USE:

MUNICIPAL WATER SUPPLY
WITHIN THE URBAN GROWTH BOUNDARY and CITY LIMITS OF THE CITY OF PENDLETON

Permit Amendment T-14091 Conditions:

The combined quantity of water diverted at the new additional point of appropriation (Well 11B), together with that diverted at the original points of appropriation (WELL # 10 (WELL #7 – MISSION WELL) and WELL #11), shall not exceed the quantity of water lawfully available at the original points of appropriation (WELL # 10 (WELL #7 – MISSION WELL) and WELL #11).

Water use measurement conditions:

- a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer as the original points of appropriation (WELL # 10 (WELL #7 – MISSION WELL) and WELL #11).

Extension of Time Incorporating Settlement Agreement Conditions:**Municipal Use Extension Condition**

The water user shall develop a plan to monitor and report the impact of water use under this permit on water levels within the aquifer that provides water to the permitted wells. The plan shall be submitted to the Department within one year of the date of the Extension Order is issued and shall be subject to the approval of the Department. At a minimum, the plan shall include a program to periodically measure static water levels within the permitted wells or an adequate substitute such as water levels in nearby wells.

Development Limitations

Diversion of water beyond 1.07 cfs under Permit G-3225 shall only be authorized upon issuance of a final order approving a Water Management and Conservation Plan under OAR Chapter 690, Division 86. The required Water Management and Conservation Plan shall be submitted to the Department within 3 years from the date this extension becomes final.

The deadline established in this order for submittal of a Water Management and Conservation Plan shall not relieve a permittee of any existing or future requirements for submittal of a Plan at an earlier date as established through other orders of the Department. A Plan submitted to meet the requirements of this order may also meet the Plan submittal requirements of other Department orders.

Special Order Diminishing Permit G-3225

Pursuant to a settlement agreement, the maximum use authorized under Permit G-3225 from Well #7 (Mission Well) is hereby reduced to 2.0 CFS.

Water Management and Conservation Plan Conditions:

Pursuant to the settlement agreement the City of Pendleton submitted an affidavit voluntarily cancelling 4.7 CFS of authorized use from Well #7, the Mission Well, on April 20, 2009. 2.0 CFS from Well #7 (identified as Well 10), to be effective upon issuance of a Final Order approving the City of Pendleton's Extension of Time application for Permit G-3225, dated May 20, 2009.

The final order approving the City of Pendleton's Water Management and Conservation Plan, entered at Special Order Volume 88, Pages 710 and 711, is modified to acknowledge receipt of additional information revising the City's plan (incorporated into the final revised plan), to include findings to support the Department granting access to greater rates of diversion of water under the City's extended Permits G-2410 and G 3225, and to replace Conditions #2 and #3 limiting the diversion of water under extended Permits G-2410 and G 3225 with the following:

"The limitation of the diversion of water under Permit G-2410 established in the Final Order Incorporating Settlement Agreement for Extension of Time of Permit G-2410 (issued on June 25, 2009) is removed. Subject to other limitations or conditions of the permit, the City of Pendleton is authorized to divert up to 7.56 cfs of water under Permit G-2410."; and

"The limitation of the diversion of water under Permit G-3225 established in the Final Order Incorporating Settlement Agreement for Extension of Time of Permit G-3225 (issued on June 25, 2009) is removed. Subject to other limitations or conditions of the permit, the City of Pendleton is authorized to divert up to 4.67 cfs of water under Permit G-3225."

The City of Pendleton Water Management and Conservation Plan, as revised, is approved and shall remain in effect until November 8, 2022, unless this approval is rescinded pursuant to OAR 690-086-0920.

The City of Pendleton shall submit an updated plan meeting the requirements of OAR Chapter 690, Division 086 (effective November 1, 2002) within 10 years and no later than May 8, 2022.

The City of Pendleton shall submit a progress report containing the information required under OAR 690-086-0120(4) by November 8, 2017.

The deadline established herein for the submittal of an updated Water Management and Conservation Plan (consistent with OAR Chapter 690, Division 086) shall not relieve the City of Pendleton from any existing or future requirement(s) for submittal of a Water Management and Conservation Plan at an earlier date as established through other final orders of the Department.

All remaining portions of the final order approving the City of Pendleton's Water Management and Conservation Plan, entered at Special Order Volume 88, Pages 710 and 711, are affirmed and the final order, as modified herein, is issued.

Original Permit Conditions:

The wells shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.


The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 4, 1966.

The original permit was issued January 18, 1967. Actual construction work was to begin on or before January 18, 1968. Complete application of the water to the proposed use was to be made on or before October 1, 1969. By Extension of Time Final order dated June 25, 2009, the deadline for completing construction and for complete application of water to use was extended to October 1, 2076.

Dated in Salem, Oregon on JUN 26 2024



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
DOUGLAS E. WOODCOCK, ACTING DIRECTOR
Oregon Water Resources Department

DAVIS Arla L * WRD

From: Bob Patterson <Bob.Patterson@pendletonor.gov>
Sent: Friday, June 14, 2024 9:34 AM
To: DAVIS Arla L * WRD; Josh Adams; Scott Roe; Jeff Brown
Cc: SILBERNAGEL Greg M * WRD
Subject: RE: T-14901: City Resubmittal

Greetings Arla,

Yes, for the authorized and proposed wells, our POU will be "WITHIN THE URBAN GROWTH BOUNDARY and CITY LIMITS OF THE CITY OF PENDLETON."

I believe this best describes where we use water and give flexibility for future growth. I have proofed the attachments in your email this morning. On behalf of the City of Pendleton, I concur with the information and would like to move to issuance.

Thank you so much for your working with us – this is another milestone for the City of Pendleton. Water metering of each well is incorporated into our plans for pumping water for beneficial use.

I assume our well design will now be eligible for review by the Department with this issuance – do we need to reach back out to Jen Woody to initiate?

Thanks again and cheers,
Bob



Bob Patterson, PE
Public Works Director
Email: bob.patterson@pendletonor.gov
Phone: 541-966-0241 Fax: 541-966-0251 Cell: 541.969.3067
Public Works Department
500 SW Dorion Avenue
Pendleton, Oregon, 97801

pendletonor.gov

Working every day to be the premier city in Eastern Oregon

From: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>
Sent: Friday, June 14, 2024 9:18 AM
To: Bob Patterson <Bob.Patterson@pendletonor.gov>; Josh Adams <Josh.Adams@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; Jeff Brown <Jeff.Brown@pendletonor.gov>
Cc: SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>
Subject: RE: T-14901: City Resubmittal

STOP and VERIFY - This message came from outside of the City of Pendleton.

Good Morning Bob,

I was finally able to open and view the maps that Josh Adams sent on Wednesday and they look fine to me. Just to make sure I understand, the City is also now wanting to change the POU description to "WITHIN THE URBAN GROWTH BOUNDARY

and CITY LIMITS OF THE CITY OF PENDLETON". This was not a change originally included in the application, so I need to make sure that I am interpreting the request accurately. Also I have attached a draft version of the final order and the permit. Please review and let me know if there are any comments. If I hear back from you today, I will be able to submit it for signature and then a final order will be issued within a few days, completing this transfer. I know you are retiring in the next couple of weeks and would like to complete this if possible, so keeping that in mind, please let me know how I can help to try to make that a reality for you. Hope you have a great weekend!

Arla L. Davis

She/Her/Hers

Water Rights Transfer Specialist

Transfer and Conservation Section

725 Summer St. NE, Suite A | Salem, OR 97301 | Phone: 503-979-3129



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

Work Schedule: Mon-Th – 6:00 a.m. to 4:30 p.m.

NOTE: The Salem office is now open to the public. Given that many staff will continue teleworking remotely or have job duties that take them into the field on a regular basis, availability of staff in the office is not guaranteed 8:00 a.m. – 5:00 p.m. every day. **Customers and visitors are encouraged to schedule an appointment in advance if they wish to meet in person with specific staff members.** Alternative methods for meeting, such as by phone or virtually via Teams, are also available.

From: Bob Patterson <Bob.Patterson@pendletonor.gov>

Sent: Thursday, June 13, 2024 3:18 PM

To: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>; Josh Adams <Josh.Adams@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; Jeff Brown <Jeff.Brown@pendletonor.gov>

Cc: SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>

Subject: RE: T-14901: City Resubmittal

Greetings Arla,

Thanks for checking.

I will check with Greg and we will work on providing a shared drive link for downloading in hopes you will not see blank maps.

Cheers,
Bob

From: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>

Sent: Thursday, June 13, 2024 3:15 PM

To: Bob Patterson <Bob.Patterson@pendletonor.gov>; Josh Adams <Josh.Adams@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; Jeff Brown <Jeff.Brown@pendletonor.gov>

Cc: SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>

Subject: RE: T-14901: City Resubmittal

STOP and VERIFY - This message came from outside of the City of Pendleton.

Hello Bob,

My internet connection has restored and I was able to locate the emails/maps from Josh Adams. Unfortunately while the attachments were attached to the emails and I was able to open and download the attachments, they are blank. The trouble seems to be my email. If possible, if perhaps Josh could send them to Greg Silbernagel and Greg could put them either in our file pick up or send them to me, perhaps I would be able to actually view what is on the document. Everything else you sent looks great!

Arla L. Davis

She/Her/Hers

Water Rights Transfer Specialist

Transfer and Conservation Section

725 Summer St. NE, Suite A | Salem, OR 97301 | Phone: 503-979-3129



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

Work Schedule: Mon-Th – 6:00 a.m. to 4:30 p.m.

NOTE: The Salem office is now open to the public. Given that many staff will continue teleworking remotely or have job duties that take them into the field on a regular basis, availability of staff in the office is not guaranteed 8:00 a.m. – 5:00 p.m. every day. **Customers and visitors are encouraged to schedule an appointment in advance if they wish to meet in person with specific staff members.** Alternative methods for meeting, such as by phone or virtually via Teams, are also available.

From: Bob Patterson <Bob.Patterson@pendletonor.gov>

Sent: Thursday, June 13, 2024 3:05 PM

To: Josh Adams <Josh.Adams@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; Jeff Brown <Jeff.Brown@pendletonor.gov>

Cc: SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>; DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>

Subject: T-14901: City Resubmittal

Greetings All,

I just spoke with Arla. She is working on a plethora of files at the moment.

She is hopeful to look at our submittals by COB tomorrow, if not then, early Monday.

We will circle back to her by email Monday before noon if we do not hear back from her before then.

Cheers,
Bob

DAVIS Arla L * WRD

From: Bob Patterson <Bob.Patterson@pendletonor.gov>
Sent: Thursday, June 13, 2024 8:26 AM
To: Josh Adams; DAVIS Arla L * WRD
Cc: Jeff Brown; Scott Roe; SILBERNAGEL Greg M * WRD
Subject: RE: Permit Amendment T-14091 - Deficiency - ACTION REQUIRED!!
Attachments: T-14901 - Pendleton - Well 11B - Land Use Form - Executed.pdf; T-14901 - Pendleton - Updated Table 1 and Table 2.doc; City of Pendleton - Current Authorized Place of USE.docm

Greetings Arla,

Please find attached:

- T-14901 Updated Land Use Form: Corrected and signed by City Planner, Julie Chase, with the Authorized Place of Use incorporated.
- T-14901 Updated Table 1 and Table 2
- City of Pendleton – Current Authorized Place of Use

Please let me know if you these are satisfactory or need additional corrections.

Hopefully, we are much closer to addressing the deficiencies you called out.

Cheers,
Bob

From: Bob Patterson
Sent: Thursday, June 13, 2024 8:11 AM
To: Josh Adams <Josh.Adams@pendletonor.gov>; 'DAVIS Arla L * WRD' <Arla.L.DAVIS@water.oregon.gov>
Cc: Jeff Brown <Jeff.Brown@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>
Subject: RE: Permit Amendment T-14091 - Deficiency - ACTION REQUIRED!!

Greetings Arla,

Josh sent you two PDF files in separate emails yesterday afternoon.

Please let us know if you got the 5 MB 11x17 and/or the 24 MB 30x30 PDF map files.

If not, we will arrange to share a drop folder with you.

Cheers,
Bob

From: Josh Adams <Josh.Adams@pendletonor.gov>
Sent: Wednesday, June 12, 2024 4:22 PM
To: 'DAVIS Arla L * WRD' <Arla.L.DAVIS@water.oregon.gov>; Bob Patterson <Bob.Patterson@pendletonor.gov>
Cc: Jeff Brown <Jeff.Brown@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>
Subject: RE: Permit Amendment T-14091 - Deficiency - ACTION REQUIRED!!

Hello Arla,

My name is Josh, and I'm the GIS technician for the City of Pendleton.
I've prepared some maps for the Permit Amendment T-14091. I have two maps prepared at different scales.
Please take a look at these maps and let me know if they're acceptable.
I'll be sending them separately because of their large file sizes.

Thank you,
Josh Adams

From: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>
Sent: Wednesday, June 12, 2024 11:08 AM
To: Bob Patterson <Bob.Patterson@pendletonor.gov>
Cc: Jeff Brown <Jeff.Brown@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>; Josh Adams <Josh.Adams@pendletonor.gov>
Subject: RE: Permit Amendment T-14091 - Deficiency - ACTION REQUIRED!!

STOP and VERIFY - This message came from outside of the City of Pendleton.

Good Morning Bob,

The Lat/Long in decimal format: 45.66849600 / -118.83490600 would be preferred as it is a little easier to use in our mapper and is normally less confusing with our review process in the transfer program, however either format is fine.

Hope that helps!

Arla L. Davis

She/Her/Hers
Water Rights Transfer Specialist
Transfer and Conservation Section
725 Summer St. NE, Suite A | Salem, OR 97301 | Phone: 503-979-3129



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

Work Schedule: Mon-Th – 6:00 a.m. to 4:30 p.m.

NOTE: The Salem office is now open to the public. Given that many staff will continue teleworking remotely or have job duties that take them into the field on a regular basis, availability of staff in the office is not guaranteed 8:00 a.m. – 5:00 p.m. every day. **Customers and visitors are encouraged to schedule an appointment in advance if they wish to meet in person with specific staff members.** Alternative methods for meeting, such as by phone or virtually via Teams, are also available.

From: Bob Patterson <Bob.Patterson@pendletonor.gov>
Sent: Wednesday, June 12, 2024 11:01 AM
To: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>
Cc: Jeff Brown <Jeff.Brown@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; SILBERNAGEL Greg M * WRD

<Greg.M.SILBERNAGEL@water.oregon.gov>; Josh Adams <Josh.Adams@pendletonor.gov>

Subject: RE: Permit Amendment T-14091 - Deficiency - ACTION REQUIRED!!

Greetings Arla,

Please confirm if we can use lat/long for the "measured distance" in Table 1 in lieu of the measurement from a survey corner.

For lat/long, I have the following information from Anderson-Perry & Associates:

Well 11 (authorized): 45° 40' 06.88604839" N / 118° 50' 05.27458774" W

Well 11B (proposed): 45° 40' 06.41632352" N / 118° 50' 05.57411808" W

As reported on the Well 11B well log by Holt Services, lat/long in decimal format: 45.66849600 / -118.83490600

If this works better for OWRD, it works better for us.

Thanks,
Bob

From: Bob Patterson

Sent: Wednesday, June 12, 2024 10:31 AM

To: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>

Cc: Jeff Brown <Jeff.Brown@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>; Josh Adams <Josh.Adams@pendletonor.gov>


Subject: RE: Permit Amendment T-14091 - Deficiency - ACTION REQUIRED!!

Greetings Arla,

I just downloaded this information. I will begin working on getting the information update and sent back to you.

I will also be visiting with our GIS Tech on the map development and submittal.

Cheers and thanks,
Bob



Bob Patterson, PE
Public Works Director
Email: bob.patterson@pendletonor.gov
Phone: 541-966-0241 Fax: 541-966-0251 Cell: 541.969.3067
Public Works Department
500 SW Dorion Avenue
Pendleton, Oregon, 97801

pendletonor.gov

Working every day to be the premier city in Eastern Oregon

From: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>

Sent: Friday, June 7, 2024 4:38 PM

To: Bob Patterson <Bob.Patterson@pendletonor.gov>

Cc: Jeff Brown <Jeff.Brown@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>; Josh Adams <Josh.Adams@pendletonor.gov>

Subject: RE: Permit Amendment T-14091 - Deficiency - ACTION REQUIRED!!

STOP and VERIFY - This message came from outside of the City of Pendleton.

Hi Again Bob,

I have put the files in a folder located here: <http://filepickup.wrd.state.or.us/files/Patterson%20-%20City%20of%20Pendleton/> Please let me know if you still aren't able to gain access to them and I can try something different next week. Hope you have a fantastic weekend!

Arla L. Davis

She/Her/Hers

Water Rights Transfer Specialist

Transfer and Conservation Section

725 Summer St. NE, Suite A | Salem, OR 97301 | Phone: 503-979-3129



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

Work Schedule: Mon-Th – 6:00 a.m. to 4:30 p.m.

NOTE: The Salem office is now open to the public. Given that many staff will continue teleworking remotely or have job duties that take them into the field on a regular basis, availability of staff in the office is not guaranteed 8:00 a.m. – 5:00 p.m. every day. **Customers and visitors are encouraged to schedule an appointment in advance if they wish to meet in person with specific staff members.** Alternative methods for meeting, such as by phone or virtually via Teams, are also available.

From: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>

Sent: Friday, June 7, 2024 2:40 PM

To: Bob Patterson <Bob.Patterson@pendletonor.gov>

Cc: Jeff Brown <Jeff.Brown@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>; Josh Adams <Josh.Adams@pendletonor.gov>

Subject: Re: Permit Amendment T-14091 - Deficiency - ACTION REQUIRED!!

Hi Bob,

I actually resent the email this morning

From: Bob Patterson <Bob.Patterson@pendletonor.gov>

Sent: Friday, June 7, 2024 2:01:15 PM

To: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>

Cc: Jeff Brown <Jeff.Brown@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>; Josh Adams <Josh.Adams@pendletonor.gov>

Subject: RE: Permit Amendment T-14091 - Deficiency - ACTION REQUIRED!!

Greetings Arla,

Our spam filter only keeps emails with attachments for 30-days. Unfortunately, your May 8th email with attachments are no longer in our spam filter.

As such, do you have the ability to provide a share folder link that we can simply download the files from?

This would be the easiest way to get them to us. If not, resend and I will ask IT to check our spam filter again.

Cheers,
Bob

From: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>
Sent: Friday, June 7, 2024 9:51 AM
To: Bob Patterson <Bob.Patterson@pendletonor.gov>
Cc: Jeff Brown <Jeff.Brown@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>; Josh Adams <Josh.Adams@pendletonor.gov>
Subject: RE: Permit Amendment T-14091 - Deficiency - ACTION REQUIRED!!

STOP and VERIFY - This message came from outside of the City of Pendleton.

Good Morning Bob,

I figured it may have been an oversight on my part, however I did send a follow up email on May 8, 2024 with the attached information to you, Jeff Brown, Scott Roe, and Josh Adams. Do you need more information beyond what I sent or perhaps you did not receive the email? Sometimes my emails will end up in the junk/SPAM folder. I just resent the email to you again with the attachments included. Please let me know if you don't receive it. Thank you for reaching out to me so quickly.

Arla L. Davis

She/Her/Hers

Water Rights Transfer Specialist

Transfer and Conservation Section

725 Summer St. NE, Suite A | Salem, OR 97301 | Phone: 503-979-3129



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

Work Schedule: Mon-Th – 6:00 a.m. to 4:30 p.m.

NOTE: The Salem office is now open to the public. Given that many staff will continue teleworking remotely or have job duties that take them into the field on a regular basis, availability of staff in the office is not guaranteed 8:00 a.m. – 5:00 p.m. every day. Customers and visitors are encouraged to schedule an appointment in advance if they wish to meet in person with specific staff members. Alternative methods for meeting, such as by phone or virtually via Teams, are also available.

From: Bob Patterson <Bob.Patterson@pendletonor.gov>
Sent: Friday, June 7, 2024 9:45 AM
To: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>
Cc: Jeff Brown <Jeff.Brown@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>; Josh Adams <Josh.Adams@pendletonor.gov>
Subject: RE: Permit Amendment T-14091 - Deficiency - ACTION REQUIRED!!

Greetings Arla,

I have been meaning to circle back to you. You noted that you would send us updated information for Table 1, page 7, and Table 2, page 8 to assist us.

I will circle back to our GIS Tech with the map size information and we will make our final push to get you the updated map information next week.

Cheers,
Bob

From: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>
Sent: Friday, June 7, 2024 9:41 AM
To: Bob Patterson <Bob.Patterson@pendletonor.gov>
Cc: Jeff Brown <Jeff.Brown@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>; Josh Adams <Josh.Adams@pendletonor.gov>
Subject: RE: Permit Amendment T-14091 - Deficiency - ACTION REQUIRED!!

STOP and VERIFY - This message came from outside of the City of Pendleton.

Good Morning Bob,

I have not received any amended application pages or maps for Permit Amendment T-14091, and the deadline of May 22, 2024 has passed. Is additional time needed to complete the amended pages or is the applicant planning to withdraw the application? I see below that there was a question about the scale of the map. All of the requirements for the map are included in the application on Page 2 "Permit Amendment Map Checklist" and I have included all of that information below. Please let me know how I can assist you to help move this application forward. Hope you have a great weekend.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner.

- If more than three permits are involved, separate maps for each permit.
- Permanent quality printed with dark ink on good quality paper.
- The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- A north arrow, a legend, and scale.
- The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- Existing place of use that includes separate hachuring for each water use permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the permit is being changed, a separate hachuring is needed for the portion of the permit left unchanged.
- If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water use permit.

- If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Arla L. Davis

She/Her/Hers

Water Rights Transfer Specialist

Transfer and Conservation Section

725 Summer St. NE, Suite A | Salem, OR 97301 | Phone: 503-979-3129



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

Work Schedule: Mon-Th – 6:00 a.m. to 4:30 p.m.

NOTE: The Salem office is now open to the public. Given that many staff will continue teleworking remotely or have job duties that take them into the field on a regular basis, availability of staff in the office is not guaranteed 8:00 a.m. – 5:00 p.m. every day. **Customers and visitors are encouraged to schedule an appointment in advance if they wish to meet in person with specific staff members.** Alternative methods for meeting, such as by phone or virtually via Teams, are also available.

From: Bob Patterson <Bob.Patterson@pendletonor.gov>

Sent: Tuesday, May 7, 2024 2:53 PM

To: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>

Cc: Jeff Brown <Jeff.Brown@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>; Josh Adams <Josh.Adams@pendletonor.gov>

Subject: RE: Permit Amendment T-14091 - Deficiency - ACTION REQUIRED!!


Greetings Arla,

Thanks for the discussion this morning. I look forward to addressing / correcting the information on page 7 (table 1) and page 8 (table 2), along with providing an updated service area map.

I discussed the map with our GIS Technician, Josh Adams, after our call. The basic information for the map will be the Urban Growth Boundary, City Limits, water main locations. Josh is looking at the ability to provide Section lines and note each section. We would provide two maps – one with structure background and one with satellite imagery.

Is there a specific scale or any other information OWRD needs for our service area map to accompany the corrections? If so, please let Josh and me know so we make sure the information is provided.

Cheers,
Bob



Bob Patterson, PE
Public Works Director
Email: bob.patterson@pendletonor.gov
Phone: 541-966-0241 Fax: 541-966-0251 Cell: 541.969.3067
Public Works Department
500 SW Dorion Avenue
Pendleton, Oregon, 97801

Working every day to be the premier city in Eastern Oregon

From: DAVIS Arla L * WRD <Arla.L.DAVIS@water.oregon.gov>

Sent: Monday, May 6, 2024 7:55 AM

To: Bob Patterson <Bob.Patterson@pendletonor.gov>

Cc: Jeff Brown <Jeff.Brown@pendletonor.gov>; Scott Roe <Scott.Roe@pendletonor.gov>; SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>

Subject: Permit Amendment T-14091 - Deficiency - ACTION REQUIRED!!

Importance: High

STOP and VERIFY - This message came from outside of the City of Pendleton.

Good Morning Bob,

I have completed my review of this application and map and have forwarded the order to our data entry section. They discovered some deficiencies in the application map, and I will need to work with you to get these deficiencies addressed before I can move forward and send you the quote for the required newspaper notice. These two items will need to be addressed asap. I will set a **deadline of May 13, 2024**, for submittal of a new revised map with the accurate information requested below. In addition to the map, an amended Table 1 (page 6) with the accurate description of Well 11B, that matches the location and description information on the map, must also be submitted. If additional time is needed, please let me know:

The measured distance description provided for the new point of appropriation, does not include directional descriptions to indicate clearly where the well is located.

Location of new Well 11B:

- 3108 FEET – (3108 FEET in which direction??) FROM THE SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ (a clearer description would be the Center $\frac{1}{4}$ corner or the SW Corner, SWNE) OF SECTION 8
- If the above clarification description is not preferred, the applicant may also describe the location of Well 11B with Lat/Long coordinates, as existing Well 11 is described.

The Place of Use (POU) of the existing POU is not accurate. There are no changes to POU requested.

- The following Place of Use (POU) is located on the permit but does not appear on the map – NENE, T2N, R32E, Section 8/ NWNE, T2N, R32E, Section 8/ NENE, T2N, R32E, Section 12
- The following POU is located on the map, however is not authorized under Permit S-3225 - SWNE, T2N, R32E, Section 12 is on the map

Arla L. Davis

She/Her/Hers

Water Rights Transfer Specialist

Transfer and Conservation Section

725 Summer St. NE, Suite A | Salem, OR 97301 | Phone: 503-979-3129



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

Work Schedule: Mon-Th – 6:00 a.m. to 4:30 p.m.

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

NAME Bob Patterson, Public Works Director/Jeff Brown, Asst. Public Works Director			PHONE 541.966.0202
MAILING ADDRESS 500 SW Dorion Avenue			
CITY Pendleton	STATE OR	ZIP 97801	EMAIL bob.patterson@pendletonor.gov/jeff.brown@pendletonor.gov

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts, may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
					Municipal	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

City of Pendleton, located in Umatilla County

NOTE: A separate Land Use Information Form must be completed and submitted for each county and city, as applicable.

B. Description of Proposed Use

Type of application to be filed with the Oregon Water Resources Department:

- ☐ Permit to Use or Store Water
 ☐ Water Right Transfer
 ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License
 ☐ Exchange of Water
 ☐ Allocation of Conserved Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 2,500 ☐ cubic feet per second ☒ gallons per minute ☐ acre-feet

Intended use of water:
 ☐ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☒ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

See attachment for authorized place of use.

Note to applicant: For new water right applications only, if the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt on the bottom of page 4 and include it with the application filed with the Oregon Water Resources Department.

See Page 4 →

Received by OWRD

JUN 13 2024

COPY

For Local Government Use Only

Received by OWRD

The following section must be completed by a planning official from each county and city listed, unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- ☒ Land uses to be served by the proposed water use(s), including proposed construction, are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): Ordinance 3845 and 3236
- ☐ Land uses to be served by the proposed water use(s), including proposed construction, involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being Pursued."

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued

Local governments are invited to express special land use concerns or make recommendations to the Oregon Water Resources Department regarding this proposed use of water in the box below or on a separate sheet.

Name: Julie M Chase Title: City Planner
Signature: Julie M Chase Date: June 11, 2024
Governmental Entity: City of Pendleton Phone: 541 966 0261

Receipt Acknowledging Request for Land Use Information

Note to Local Government Representative:

Please complete this form and return it to the applicant. For new water right applications only, if you are unable to complete this form while the applicant waits, you may complete this receipt and return it to the applicant. If you sign the receipt, you will have 30 days from the date of OWRD's Public Notice of the application to submit the completed Land Use Information Form to Oregon Water Resources Department. Please note while OWRD can accept a signed receipt as part of intake for an application for a new permit to use or store water, a completed Land Use Information Form is required for all other applications.

Applicant Name: _____

Staff Name: _____ Title: _____

Staff Signature: _____ Date: _____

Governmental Entity: _____ Phone: _____

YCOPY

Received by OWRD

JUN 13 2024

Authorized Place of Use:

Twp	Rng	Mer	Sec	Q-Q
2 N	32 E	WM	1	NE SW
2 N	32 E	WM	1	NW SW
2 N	32 E	WM	1	SW SW
2 N	32 E	WM	1	SE SW
2 N	32 E	WM	1	NE SE
2 N	32 E	WM	1	NW SE
2 N	32 E	WM	1	SW SE
2 N	32 E	WM	1	SE SE
2 N	32 E	WM	2	NE SW
2 N	32 E	WM	2	NW SW
2 N	32 E	WM	2	SW SW
2 N	32 E	WM	2	SE SW
2 N	32 E	WM	2	NE SE
2 N	32 E	WM	2	NW SE
2 N	32 E	WM	2	SW SE
2 N	32 E	WM	2	SE SE
2 N	32 E	WM	3	NE SW
2 N	32 E	WM	3	NW SW
2 N	32 E	WM	3	SW SW
2 N	32 E	WM	3	SE SW
2 N	32 E	WM	3	NE SE
2 N	32 E	WM	3	NW SE
2 N	32 E	WM	3	SW SE
2 N	32 E	WM	3	SE SE
2 N	32 E	WM	4	NE SW
2 N	32 E	WM	4	NW SW
2 N	32 E	WM	4	SW SW
2 N	32 E	WM	4	SE SW
2 N	32 E	WM	4	NE SE
2 N	32 E	WM	4	NW SE
2 N	32 E	WM	4	SW SE
2 N	32 E	WM	4	SE SE
2 N	32 E	WM	5	NE NW
2 N	32 E	WM	5	NW NW
2 N	32 E	WM	5	SW NW
2 N	32 E	WM	5	SE NW
2 N	32 E	WM	5	NE SW
2 N	32 E	WM	5	NW SW
2 N	32 E	WM	5	SW SE
2 N	32 E	WM	5	SE SE
2 N	32 E	WM	8	NE NE
2 N	32 E	WM	8	NW NE
2 N	32 E	WM	9	NE NE
2 N	32 E	WM	9	NW NE
2 N	32 E	WM	9	SW NE
2 N	32 E	WM	9	SE NE
2 N	32 E	WM	9	NE NW
2 N	32 E	WM	9	NW NW
2 N	32 E	WM	9	SW NW
2 N	32 E	WM	9	SE NW
2 N	32 E	WM	9	NE SE
2 N	32 E	WM	9	NW SE
2 N	32 E	WM	9	SW SE

Twp	Rng	Mer	Sec	Q-Q
2 N	32 E	WM	9	SE SE
2 N	32 E	WM	10	NE NE
2 N	32 E	WM	10	NW NE
2 N	32 E	WM	10	SW NE
2 N	32 E	WM	10	SE NE
2 N	32 E	WM	10	NE NW
2 N	32 E	WM	10	NW NW
2 N	32 E	WM	10	SW NW
2 N	32 E	WM	10	SE NW
2 N	32 E	WM	10	NE SW
2 N	32 E	WM	10	NW SW
2 N	32 E	WM	10	SW SW
2 N	32 E	WM	10	SE SW
2 N	32 E	WM	10	NE SE
2 N	32 E	WM	10	NW SE
2 N	32 E	WM	10	SW SE
2 N	32 E	WM	10	SE SE
2 N	32 E	WM	11	NE NE
2 N	32 E	WM	11	NW NE
2 N	32 E	WM	11	SW NE
2 N	32 E	WM	11	SE NE
2 N	32 E	WM	11	NE NW
2 N	32 E	WM	11	NW NW
2 N	32 E	WM	11	SW NW
2 N	32 E	WM	11	SE NW
2 N	32 E	WM	11	NE SW
2 N	32 E	WM	11	NW SW
2 N	32 E	WM	12	NE NE
2 N	32 E	WM	12	NW NE
2 N	32 E	WM	12	NE NW
2 N	32 E	WM	12	NW NW
2 N	32 E	WM	12	SW NW
2 N	32 E	WM	12	SE NW
2 N	32 E	WM	15	NE NW
2 N	32 E	WM	15	NW NW
2 N	32 E	WM	15	SW NW
2 N	32 E	WM	15	SE NW
2 N	32 E	WM	16	NE NE
2 N	32 E	WM	16	NW NE
2 N	32 E	WM	16	SW NE
2 N	32 E	WM	16	SE NE
2 N	32 E	WM	16	NE NW
2 N	32 E	WM	16	NW NW
2 N	32 E	WM	16	SW NW
2 N	32 E	WM	16	SE NW
2 N	32 E	WM	16	NE SW
2 N	32 E	WM	16	NW SW
2 N	32 E	WM	16	SW SW
2 N	32 E	WM	16	SE SW
2 N	32 E	WM	16	NW SE
2 N	33 E	WM	6	NE SW
2 N	33 E	WM	6	NW SW
2 N	33 E	WM	6	SW SW
2 N	33 E	WM	6	SE SW

Salem, OR


COPY

Twp	Rng	Mer	Sec	Q-Q
2 N	33 E	WM	6	NE SE
2 N	33 E	WM	6	NW SE
2 N	33 E	WM	6	SW SE
2 N	33 E	WM	6	SE SE
2 N	33 E	WM	7	NE NE
2 N	33 E	WM	7	NW NE
2 N	33 E	WM	7	SW NE
2 N	33 E	WM	7	SE NE
2 N	33 E	WM	7	NE NW
2 N	33 E	WM	7	NW NW
2 N	33 E	WM	7	SW NW
2 N	33 E	WM	7	SE NW
3 N	32 E	WM	31	SW NE
3 N	32 E	WM	31	SE NE
3 N	32 E	WM	31	NE SE
3 N	32 E	WM	32	NW NE
3 N	32 E	WM	32	SW NE
3 N	32 E	WM	32	NW NW
3 N	32 E	WM	32	NE SW
3 N	32 E	WM	32	NW SW
3 N	32 E	WM	32	SW SW
3 N	32 E	WM	32	SE SW
3 N	32 E	WM	32	NE SE
3 N	32 E	WM	32	NW SE
3 N	32 E	WM	32	SW SE

Received by OWRD

JUN 13 2024

Salem, OR



City of Pendleton
Permit Amendment T-14091

Well 11: Authorized (45.668579 / -118.834799)
SOUTH 38° 37' WEST 2706.71 FEET FROM THE NE
CORNER OF SECTION 8.

Well 11B: Proposed (45.668496 / -118.834906)

- Address Numbers
- Tax Lots
- Township Range
- Quarter Quarters
- Water Main
- City Limits
- Urban Growth Boundary
- River

Received by OWRD
JUN 13 2024
Salem, OR

0 200 400 800 Feet

Groundwater Transfer Review Summary Form

Transfer/PA # T- 14091

GW Reviewer J. Hootsmans Date Review Completed: 9/7/2023

Summary of Same Source Review:

- ☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Injury Review:

- ☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

- ☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Ground Water Review Form:

- ☐ Water Right Transfer
☒ Permit Amendment
☐ GR Modification
☐ Other

Application: T-14091

Applicant Name: City of Pendleton

Proposed Changes: ☐ POA ☒ APOA ☐ SW→GW ☒ RA
☐ USE ☐ POU ☐ OTHER

Reviewer(s): J. Hootsmans

Date of Review: 9/7/23

Date Reviewed by GW Mgr. and Returned to WRSD: JTI 12/28/23

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- ☐ The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- ☐ Other _____

1. Basic description of the changes proposed in this transfer: The applicant originally proposed replacing authorized Well 11 (UMAT 512) with Well 11B (UMAT 59063) on Permit G-3225. The new well is located approximately 50 feet southwest of authorized Well 11. The application was amended on April 6, 2023 from Point of Appropriation (POA) to Additional POA (APOA) after drilling the new well and not getting the desired production.

The authorized and proposed Points of Appropriation (POAs) associated with permit G-3225 and this transfer application are displayed in Table 1.

Table 1:

Permit	Authorized POAs/PODs	Proposed POAs/PODs
G-3225	UMAT 5590 (Well 10) UMAT 512 (Well 11)	UMAT 59063 (Well 11B)

2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?
☒ Yes ☐ No Comments: The area surrounding the applicant's properties are underlain by lava flows of the Columbia River Basalt Group (CRBG). Locally, the CRBG is composed of dozens of individual basalt flows and has a composite thickness of several thousand feet. Although unconfined ground water occurs near the surface of the basalts, most water occurs in confined aquifers that occupy thin rubble zones (interflow zones) at the contacts between lava flows. The interiors of the basalt flows generally have low porosity and permeability and act as confining beds. This geometry generally produces a stack of thin aquifers (interflow zones) separated by thick confining beds (flow interiors).

UMAT 512 (Well 11), one of the authorized POAs, is completed to a depth of 357 feet below ground surface (bgs) and cased to 30 feet bgs. Proposed POA Well 11B (UMAT 59063) was drilled to a depth of 400 feet bgs and cased/sealed to 257 feet bgs. These two wells are located in 2N 32E Sec 8.

The other authorized POA, UMAT 5590, is located approximately 9.1 miles from UMAT 512 in 2N 33E Sec 14.

3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?
☐ Yes ☒ No Both the authorized and proposed POA develop water-bearing zones in the CRBG aquifer system.

b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): _____

a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?

☐ Yes ☒ No Comments: Authorized POA UMAT 512 (Well 11A) and proposed POA UMAT 59063 (Well 11B) are completed to similar depths and are located within 50 feet of each other. Due their proximity and similar construction, interference with existing groundwater rights is not expected to increase.

Note: Permit G-3225 originally allowed a maximum instantaneous rate of 13.4 cfs, being 6.7 cfs from Well 10 / Mission Well #7 (UMAT 5590) and 6.7 cfs from Well 11A (UMAT 512). Special Order Volume 88 (January 11, 2013) subsequently limited production under Permit G-3225 to a total of 4.67 cfs, being 2.67 cfs from Well #11 (UMAT 512) and 2.0 cfs from Well 10 / Mission Well #7 (UMAT 5590).

b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?

☐ Yes ☐ No If yes, explain: _____

4. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?

☐ Yes ☒ No Comments: No, the proposed and authorized POA are located similar distances from nearby surface water sources, so interference is not expected to increase.

b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?

Stream: _____

☐ Minimal ☐ Significant

Stream: _____

☐ Minimal ☐ Significant


Provide context for minimal/significant impact: _____

5. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?
☐ Yes ☐ No Comments: N/A
6. What conditions or other changes in the application are necessary to address any potential issues identified above: N/A
7. Any additional comments: N/A

Well Location Map

T14091 City of Pendleton

1:80,000 scale



CITY OF PENDLETON/ BOB PATTERSON RA# R11-410-23 T-14091						
Review Step	Est. Time	Hourly Multiplier	Total Est. Hours	Individual	Hourly Rate	Est. Cost
Receipts received AA funds						
Transfer Support process Application						
Administrator signs AA						
NRS 1 enters workflow record in WRIS and updates RA spreadsheet						
NRS 2 completes initial review of file for deficiencies						
NRS 2 consults with Kelly and/or Lisa						
NRS 2 sends def. ltr (email and hard copy)						
NRS 2 addresses correspondence from app/agent regarding def.						
Watermaster completes review						
Groundwater completes review (when applicable)						
NRS 2 completes FO, Permit, and PN						
Transfer Staff completes peer review of FO, Permit, and PN						
Transfer Analyst completes policy check at FO & Permit stage						
Data Center Reviews PD and superseding permit						
Administrator signs FO and Permit						
Transfer Support issues FO and Permit, updates WRIS, copy to file, and mails hard copy to a						
NRS 1 closes out RA Contract						
TOTAL ESTIMATE HOURS			16.83	SUB-TOTAL ESTIMATE COST		
				10% OVERHEAD		
				TOTAL		\$1,033.30

Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department
725 Summer St NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Transfer Application: T-14091

Review Due Date:

Applicant Name: City of Pendleton

Proposed Changes: ☒ POU ☐ POD ☐ POA ☐ USE ☐ OTHER

Reviewer(s): Greg Silbernagel

Date of Review: 11/29/2022

1. Do you have evidence that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? ☐ Yes ☒ No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2. Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? ☐ Yes ☒ No Generally characterize the frequency of any regulation or explain why regulation has not occurred:
3. Have headgate notices been issued for the source that serves the transferred right(s)?
☐ Yes ☒ No ☐ Records not available.
4. In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? ☐ Yes ☒ No If "Yes", explain:
Defer to Groundwater section review.
5. In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? ☐ Yes ☒ No If "Yes", describe how the rights would be affected and list the rights most affected:

6. Check here ☐ if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most:

☒ N/A

7. For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses:

☒ N/A

8. For instream transfers that propose protection of a reach beyond the mouth of the source stream:

☒ N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? ☐ Yes ☐ No

9. For POU changes: ☐ N/A Is it likely the original place of use would continue to receive water from the same source? ☐ Yes ☐ No If "Yes", explain:

10. For POU or USE changes: ☐ N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste?

☐ Yes ☒ No If "Yes", explain:

11. For POU changes that involve micro-irrigation: ☒ N/A

- a. Has the applicant made changes (absent a transfer) to convert to micro-irrigation within the current place of use boundary of the water right proposed for transfer, and previously demonstrated to the Department through monitoring and site inspections by the Watermaster that the proposed transfer will not result in injury or enlargement?

☐ Yes ☐ No If "Yes", explain:

- b. Has a temporary transfer of this nature been previously filed and approved on the same lands (or portions thereof) as those lands involved in this transfer?

☐ Yes ☐ No If "Yes", answer the following:

- i. Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? ☐ Yes ☐ No If "Yes", explain:

- ii. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? ☐ Yes ☐ No If "No", explain:

- iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- iv. Do you have any other observations regarding the temporary transfer?

☐ Yes ☐ No If "Yes", describe:

- v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- c. To the best of your knowledge, if this transfer is approved, does it appear that:

- i. "Injury" will occur to other water rights that share the same source?

☐ Yes ☐ No If "Yes", explain:

- ii. "Enlargement" of the water right being transferred will occur?

☐ Yes ☐ No If "Yes", explain:

12. Are there other issues not identified through the above questions that should be considered in determining whether the change "can be effected without injury to other rights"?

☒ Yes ☐ No If "Yes", explain:

Defer to groundwater section review on effects to other water rights.

13. What alternatives may be available for addressing any issues identified above:

14. Do conditions need to be included in the transfer order to avoid enlargement of the right or injury to other rights? ☐ No ☒ Yes, as checked and provided below:

☐ For POU changes that involve micro-irrigation, provide the monitoring and reporting conditions necessary to prevent injury/enlargement:

☐ A Headgate should be required prior to diverting water.

☒ Measurement Devices for POD or POA: (if this condition is selected, also fill in the top sections of Page 4)

a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, ☒ at each point of diversion/appropriation (new and existing) OR at each new point of diversion/appropriation ☐ with the exception that water rights issued to the Bureau of Reclamation or an irrigation district (or similar entity) are not subject to this condition.*

b. The water user shall maintain the meters or measuring devices in good working order.

c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

☐ Reservoir water use measurement: (if this condition is selected, also fill in the top sections of Page 4)

a. Before water use may begin under this order, the water user shall install staff gages, or, with prior approval of the Director, other suitable measuring devices, that measure the entire range and stage between empty and full in each reservoir. Staff gages shall be United States Geological Survey style.*

b. Before water use may begin under this order, if the reservoir is located in channel, weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, an adjustable outlet valve must be installed. The water user shall maintain such devices in good working order. A written waiver may be obtained, if in the judgment of the Director, the installation of weirs or other suitable measuring devices, or the adjustable outlet valve, will provide no public benefit.

* The following alternative device(s) should be substituted for the bold, underlined device in the above selected condition:

☐ Weir
☐ Parshall Flume
☐ Other: ____

☐ Submerged Orifice
☐ Flow Restrictor

Oregon Water Resources Department

Measurement Condition Information for the Applicant

(To be sent with the Draft Preliminary Determination or Final Order)

Transfer #: T- 14091



In order to avoid enlargement of the right or injury to other rights, a **totalizing flowmeter** will be required to be installed prior to diversion of water, as a condition of this transfer:



at each point of diversion/appropriation (new and existing) **OR**



at each new point of diversion/appropriation.

For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:

Watermaster name: Greg Silbernagel

District: 5

Address: 116 SE Dorion Avenue

City/State/Zip: Pendleton, Oregon 97801

Phone: 541-969-1677

Email: Greg.M.Silbernagel@water.oregon.gov

Note: If a device other than the one specified in the Preliminary Determination or Final Order is approved by the Watermaster, fill out and mail the form below to the Salem office.

Approval of an Alternate Measurement Device

T-

(to be filled out after consultation with the applicant, or after a site visit)

On behalf of the Director, I authorize use of the following suitable alternate measurement device:

Watermaster signature

District

Date

If this form is used for approval of an alternative measurement device, it must be mailed to:

Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

VENDOR: OREGON Water Resources Dept.

07/08/2022

35579

35579

DATE

INVOICE #

PO #

DESCRIPTION

AMOUNT

7/5/2022

6/23/22

Well 118 Permit Amendment, FY23 - WTR

1,840.00

CITY OF PENDLETON
500 SW DOIRON AVE.
PENDLETON, OR 97601

RECEIVED

SEP 19 2022

OMRD

1,840.00

STATE OF OREGON
WATER RESOURCES DEPARTMENT

725 Summer St. N.E. Ste. A

SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # 139157

INVOICE #

RECEIVED FROM:

BY:

CASH:

CHECK: #

OTHER: (IDENTIFY)

☐☒ 35579☐

APPLICATION

PERMIT

TRANSFER

T-14091

TOTAL REC'D

\$1,840.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES

\$

OTHER: (IDENTIFY)

\$

0243 I/S Lease

0244 Muni Water Mgmt. Plan

0245 Cons. Water

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES

\$

0410 RESEARCH FEES

\$

0408 MISC REVENUE: (IDENTIFY)

\$

TC162 DEPOSIT LIAB. (IDENTIFY)

\$

0240 EXTENSION OF TIME

\$

WATER RIGHTS:

EXAM FEE

RECORD FEE

0201 SURFACE WATER

\$

0202

\$

0203 GROUND WATER

\$

0204

\$

0205 TRANSFER

\$ 1,840.00

WELL CONSTRUCTION

EXAM FEE

LICENSE FEE

0218 WELL DRILL CONSTRUCTOR

\$

0219

\$

LANDOWNER'S PERMIT

0220

\$

OTHER (IDENTIFY)

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE

\$

CARD#

0210 MONITORING WELLS

\$

CARD#

OTHER (IDENTIFY)

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FWWRD)

\$

0231 HYDRO LICENSE FEE (FWWRD)

\$

HYDRO APPLICATION

\$

TREASURY OTHER / RDX

FUND TITLE

OBJ. CODE VENDOR #

DESCRIPTION

\$

RECEIPT: 139157

DATE: 9-19-2022

BY: [Signature]

Part 1 of 5 – Minimum Requirements Checklist



For questions, please call (503) 986-0900, and ask for Transfer Section.

OWRD

Part 2 of 5 – Permit Amendment Map Checklist

Your permit amendment application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

RECEIVED
SEP 19 2022

OWRD

- ☐ ☒ N/A If more than three permits are involved, separate maps for each permit.
- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- ☒ Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes separate hachuring for each water use permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the permit is being changed, a separate hachuring is needed for the portion of the permit left unchanged.
- ☒ ☐ N/A If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water use permit.
- ☒ ☐ N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Part 3 of 5 – Fee Worksheet

FEE WORKSHEET for PERMIT AMENDMENT			
1	Base Fee (includes one type of change to one permit for up to 1 cfs)	1	\$1,360
2	Types of change proposed: <input type="checkbox"/> Place of Use <input checked="" type="checkbox"/> Point of Diversion/Appropriation Number of above boxes checked = <u>1</u> (2a) Subtract 1 from the number in line 2a = <u>0</u> (2b) <i>If only one change, this will be 0</i> Multiply line 2b by \$1090 and enter »	2	0
3	Number of permits included in Permit Amendment <u>1</u> (3a) Subtract 1 from the number in line 3a: <u>0</u> (3b) <i>If only one permit this will be 0</i> Multiply line 3b by \$610 and enter »	3	0
4	Do you propose to add or change a well, or change from a surface water POD to a well? <input type="checkbox"/> No: enter 0 <input checked="" type="checkbox"/> Yes: enter \$480 for the 1 st well to be added or changed <u>\$480</u> (4a) Do you propose to add or change additional wells? <input checked="" type="checkbox"/> No: enter 0 <input type="checkbox"/> Yes: multiply the number of additional wells by \$410 <u>0</u> (4b) Add line 4a to line 4b and enter »	4	\$480
5	Do you propose to change the place of use? <input checked="" type="checkbox"/> No: enter 0 on line 5 <input type="checkbox"/> Yes: enter the cfs for the portions of the permits to be amended (see below*): _____ (5a) Subtract 1.0 from the number in line 5a above: _____ (5b) If 5b is 0, enter 0 on line 5 » If 5b is greater than 0, round up to the nearest whole number: _____ (5c) and multiply 5c by \$350, then enter on line 5 »	5	0
6	Add entries on lines 1 through 5 above » » » » » » » » » » Subtotal:	6	\$1,840
7	Is this permit amendment: <input type="checkbox"/> necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? <input type="checkbox"/> endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 If no box is applicable, enter 0 on line 7 »	7	0
8	Subtract line 7 from line 6 » Permit Amendment Fee:	8	\$1,840

RECEIVED
SEP 19 2022
OWRD

***Example for Line 5a calculation** to transfer 45.0 acres of Primary Permit S-12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Permit S-87654 (1/80 cfs per acre) on the same land:

- For irrigation calculate cfs for each permit involved as follows:
 - Divide total authorized cfs by total acres in the permit (*for S-12345, 1.25 cfs ÷ 100 ac*); then multiply by the number of acres to be changed to get the application cfs ($\times 45 \text{ ac} = 0.56 \text{ cfs}$).
 - If the water right permit does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (*For S-87654, 45.0 ac \times 0.0125 cfs/ac = 0.56 cfs*)
- Add cfs for the portions of permits on all the land included in the application; however **do not count cfs for supplemental permits on acreage for which you have already calculated the cfs fee for the primary permit on the same land**. The fee should be assessed only once for each "on the ground" acre included in the application. (*In this example, blank 5a would be only 0.56 cfs, since both permits serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0.*)

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME Bob Patterson, City of Pendleton, Public Works Director			PHONE NO. (541) 966-0241	ADDITIONAL CONTACT NO.
ADDRESS			FAX NO. (541) 966-0251	
CITY Pendleton	STATE OR	ZIP 97801	E-MAIL bob.patterson@ci.pendleton.or.us	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME			PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS			FAX NO.	
CITY	STATE	ZIP	E-MAIL	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

RECEIVED
SEP 19 2022
OWRD

Explain in your own words what you propose to accomplish with this permit amendment; and why:
See Attachment

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

☐ Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Is the applicant the permit holder of record? ☒ Yes ☐ No

If NO, include either:

- ☐ A completed assignment form (with required statutory assignment fee), assigning all or a portion of the permit to the applicant(s), OR
- ☐ An affidavit of consent from the permit holder(s) of record that gives permission for the applicant to amend the permit.

Has the Completion ("C") Date of the permit(s) in this application expired? ☐ Yes ☒ No

If YES, this application will not be accepted by the Department.

If NO, what are the completion dates of the permit(s)? October 1st, 2076

- If the permit completion date expires while the Permit Amendment Application is pending, the Department will not approve the Permit Amendment Application until an Extension of Time Application is approved for the permit.
- You may consider using the Reimbursement Authority process to expedite the processing of this Permit Amendment Application if the completion date of the permit expires within 6 months of the date of filing this application.

By my signature below, I confirm that I understand:

- Prior to Department approval of the permit amendment, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the permit is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: _____

I (we) affirm that the information contained in this application is true and accurate.

Applicant Signature

Bob Patterson, Public Works Director

Print Name (and Title if applicable)

Date

Applicant Signature

Print Name (and Title if applicable)

Date



Check one of the following:

- ☒ The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- ☐ The permit holder(s) of record will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to the permit holder(s) of record.

Check the appropriate box, if applicable:

- ☐ Check here if any of the permits proposed for amendment are or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME	ADDRESS	
CITY	STATE	ZIP

- ☐ Check here if water for any of the permits supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP



To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME City of Pendleton	ADDRESS 500 SW Dorion Avenue	
CITY Pendleton	STATE Oregon	ZIP 97801

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

RECEIVED

SEP 19 2022

OWRD

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of the Proposed Water)	FINAL ORDER APPROVING A
Management and Conservation Plan for the)	WATER MANAGEMENT AND
City of Pendleton, Umatilla County)	CONSERVATION PLAN

Authority

OAR Chapter 690, Division 086, establishes the process and criteria for approving water management and conservation plans required under the conditions of permits, permit extensions and other orders of the Department.

Findings of Fact

1. The City of Pendleton submitted a Water Management and Conservation Plan (plan) to the Water Resources Department (Department) on June 4, 2012. The required statutory fee for review of the plan was received by the Department on June 29, 2012. The plan was required by conditions set forth in the final orders issued on June 25, 2009 approving Extensions of Time for Permits G-2410 and G-3225.
2. The Department published notice of receipt of the plan on July 10, 2012, as required under OAR Chapter 690, Division 086. No comments were received.
3. The Department provided written comments on the plan to the City on September 26, 2012, and in response, the City submitted a final revised plan on November 7, 2012.
4. The Department reviewed the final revised plan and finds that it is consistent with the relevant requirements under OAR Chapter 690, Division 086.

Conclusion of Law

The Water Management and Conservation Plan submitted by the City of Pendleton is consistent with the criteria in OAR Chapter 690, Division 086.


Now, therefore, it is ORDERED:

1. The City of Pendleton Water Management and Conservation Plan is approved and shall remain in effect until November 8, 2022, unless this approval is rescinded pursuant to OAR 690-086-0920.

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

2. The limitation of the diversion of water under Permit G-2410 established in the Final Order Incorporating Settlement Agreement for Extension of Time of Permit G-2410 (*issued on June 25, 2009*) remains unchanged. Subject to other limitations or conditions of the permit, therefore, the City of Pendleton remains authorized to divert up to 2.56 cfs of water under Permit G-2410.
3. The limitation of the diversion of water under Permit G-3225 established in the Final Order Incorporating Settlement Agreement for Extension of Time of Permit G-3225 (*issued on June 25, 2009*) remains unchanged. Subject to other limitations or conditions of the permit, therefore, the City of Pendleton remains authorized to divert up to 1.07 cfs of water under Permit G-3225.
4. The City of Pendleton shall submit an updated plan meeting the requirements of OAR Chapter 690, Division 086 (effective November 1, 2002) within 10 years and no later than May 8, 2022.
5. The City of Pendleton shall submit a progress report containing the information required under OAR 690-086-0120(4) by November 8, 2017.
6. The deadline established herein for the submittal of an updated Water Management and Conservation Plan (consistent with OAR Chapter 690, Division 086) shall not relieve the City of Pendleton from any existing or future requirement(s) for submittal of a Water Management and Conservation Plan at an earlier date as established through other final orders of the Department.

Dated at Salem, Oregon this 8 day of November, 2012.



Dwight French, Water Right Services Administrator for
PHILLIP C. WARD, DIRECTOR

Mailing date: NOV 14 2012



Oregon

John A. Kitzhaber, MD, Governor

January 11, 2013

G 3443

Water Resources Department
North Mall Office Building
725 Summer St. NE, Suite A
Salem, OR 97301
Phone 503-986-0900
FAX 503-986-0904
www.wrd.state.or.us

City of Pendleton
Attn: Bob Patterson, Public Works Director
500 SW Dorian Avenue
Pendleton, OR 97801

RE: Reconsideration Final Order on Pendleton's Water Management and Conservation Plan

Dear Mr. Patterson:

The City of Pendleton initially submitted a Water Management and Conservation Plan (plan) to the Water Resources Department (Department) on June 4, 2012. The Department published notice of receipt of the plan on July 10, 2012, as required under OAR Chapter 690, Division 086. No public comments on the plan were received.

On November 8, 2012, the Department issued a final order, entered at Special Order Volume 88, Pages 710 and 711 (copy attached), approving the City's plan.

The Department received a letter on December 20, 2012, from the City indicating they did not agree with the development limitations set forth in the November 8, 2012, final order. In addition, the City provided additional information on December 20, 2012, to request and justify access to a greater rate of diversion of water under each of their extended Permits G-2410 and G-3225. On January 8, 2013, the City submitted their final revised plan incorporating the additional information provided to the Department on December 20, 2012.

The Department reviewed the additional information submitted to revise the City's plan and determined it to be generally consistent with the relevant requirements under OAR Chapter 690, Division 086. Therefore, please find the enclosed Reconsideration Final Order that, along with the Final Order entered at Special Order Volume 88, Pages 710 and 711, approves the City's Final Revised Water Management and Conservation Plan and authorizes the diversion of up to 7.56 cfs of water under Permit G-2410 and up to 4.67 cfs of water under Permit G-3225.

Please note that the City's plan, as revised, shall remain in effect until November 8, 2022. Additionally, the City is required to submit a progress report to the Department by November 8, 2017, detailing progress made toward the implementation of conservation benchmarks scheduled in the plan. Finally, the City must submit an updated Water Management and Conservation Plan to the Department by May 8, 2022.

NOTE: The deadline established in the attached final order for submittal of an updated water management and conservation plan (consistent with OAR Chapter 690, Division 086) shall not relieve the City of Pendleton from any existing or future requirement(s) for submittal of a water management and conservation plan at an earlier date as established through other final orders of the Department.



BEFORE THE WATER RESOURCES DEPARTMENT
OF THE STATE OF OREGON

IN THE MATTER OF APPLICATION FOR)	
EXTENSION OF TIME FOR PERMIT G-3225)	ORDER DIMINISHING
IN THE NAME OF CITY OF PENDLETON)	PERMIT G-3225

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-080 and OAR 690-01-005 you may either petition for judicial review or petition the Director for reconsideration of this order.

Background:

Permit G-3225 was issued by the Water Resources Department (Department) on January 18, 1967. The permit authorizes the use of up to 13.4 cfs of water from two wells (6.7 cfs from Well 10, currently designated as Well #7 (Mission Well), and 6.7 cfs from Well 11) in the Umatilla River Basin for municipal purposes. It specified that construction of the water development project was to be completed by October 1, 1968, and that complete application of water was to be made on or before October 1, 1969.


The City of Pendleton applied for an extension of time to complete construction or perfect a water right for Permit G-3225. The City of Pendleton entered into a settlement agreement to resolve a protest to the proposed extension. In the settlement agreement the City of Pendleton agreed to the reduction of the authorized use under Permit G-3225 from Well #7 (Mission Well) by 4.7 cfs, from 6.7 cfs to 2.0 cfs. Permit G-3225 identifies Well #7 (Mission Well) as Well #10, but as stated above, it is currently designated as Well #7.

On April 20, 2009 the City of Pendleton submitted a document attesting to its voluntary agreement to a reduction of authorized use under Permit G-3225 from 6.7 cfs to 2.0 cfs from Well #7, to be effective upon issuance of a Final Order approving the City of Pendleton's Extension of Time application for Permit G-3225, dated May 20, 2009.

ORDER

The Department finds that there is 2.0 cfs remaining on Permit G-3225 from Well #7, and 6.7 cfs from Well #11. Pursuant to a settlement agreement, the maximum use authorized under Permit G-3225 from Well #7 (Mission Well) is hereby reduced to 2.0 cfs.

Dated at Salem, Oregon, on June 12, 2009.



Dwight French, Administrator of Water Rights and Adjudications Division
for Phillip C. Ward, Director

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of the Proposed Water)	RECONSIDERATION AND
Management and Conservation Plan for the)	MODIFICATION OF FINAL ORDER
City of Pendleton, Umatilla County)	

Authority

OAR Chapter 690, Division 086, establishes the process and criteria for approving water management and conservation plans required under the conditions of permits, permit extensions and other orders of the Department.

Findings of Fact

1. On November 8, 2012, the Oregon Water Resources Department (Department) issued a final order approving the City of Pendleton's (City) Water Management and Conservation Plan (plan). The final order is entered at Special Order Volume 88, Pages 710 and 711.
2. The conditions prescribed in the November 8, 2012, final order include the following development limitations:
 - "2. The limitation of the diversion of water under Permit G-2410 established in the Final Order Incorporating Settlement Agreement for Extension of Time of Permit G-2410 (*issued on June 25, 2009*) remains unchanged. Subject to other limitations or conditions of the permit, therefore, the City of Pendleton remains authorized to divert up to 2.56 cfs of water under Permit G-2410."; and
 - "3. The limitation of the diversion of water under Permit G-3225 established in the Final Order Incorporating Settlement Agreement for Extension of Time of Permit G-3225 (*issued on June 25, 2009*) remains unchanged. Subject to other limitations or conditions of the permit, therefore, the City of Pendleton remains authorized to divert up to 1.07 cfs of water under Permit G-3225."
3. On December 20, 2012, the Department received a letter from the City indicating they do not agree with the development limitations set forth in the final order. In addition, the City provided additional information to request and justify access to a greater rate of diversion of water under each of their extended Permits G-2410 and G-3225.
4. Upon receipt of the letter and additional information from the City on December 20, 2012, the Department determined on its own motion that the final order, entered at Special Order Volume 88, Pages 710 and 711, should be reconsidered.

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

5. The Department notified the City by letter dated December 21, 2012, of its decision to reconsider the final order and that following review of the additional information and re-evaluation of the City's plan, as revised, the Department will issue a new final order to modify, affirm or reverse the original decision, as appropriate.
6. On January 8, 2013, the Department received the City's final revised plan that incorporates the additional information provided to the Department on December 20, 2012.
7. The Department reviewed the additional information received and re-evaluated the City's final revised plan, and finds that the City's final revised plan contains all of the elements required under OAR 690-086-0125.
8. The projections of future water needs in the final revised plan demonstrate a need for 7.56 cfs of water available under Permit G-2410 and 4.67 cfs of water available under Permit G-3225 to help meet overall water demands anticipated in 20 years, while also providing a greater level of redundancy in the City's water supply. These projections are reasonable and consistent with the City's land use plan.
9. The system is fully metered and the rate structure includes a base rate and volumetric charge. Unaccounted-for water is estimated at 5.08 percent.
10. The final revised plan includes 5-year benchmarks for continuation and/or implementation of the following conservation measures: annual water audits, improving the methodology for estimating un-metered water; installation of fill stations for construction contractors at six locations; replacing all meter registers and upgrading the meter reading system to a mesh wireless system; meter testing; maintaining a website that provides public education on water conservation; provide technical assistance with leaks for customers flagged with high water usage; add five more parks to the City's computerized irrigation system; providing water conservation kits; annual water rate increases; providing tips residential customers on water reuse, recycling and non-potable water use on the City's webpage; and installing demonstration xeriscape projects in cooperation with the Parks Department.
11. The final revised plan also includes 5-year benchmarks for evaluation, development, and implementation of programs to: assess the feasibility of mailing brochures with water conservation information to customers; assess efficacy of future radio and newspaper ad campaigns related to water conservation; and perform a review of current water rates and staffing levels.
12. The final revised plan identifies the Umatilla River, North Fork Umatilla River, springs and ground water as the sources of the City's water rights; and accurately and completely describes Steelhead, Bull Trout, Inland Columbia Redband Trout, Pacific Lamprey and Western Brook Lamprey as listed streamflow-dependent species. The final revised plan also identifies that the mainstem Umatilla River above and through the City of Pendleton is listed as water quality limited for the following parameters: aquatic weeds or algae; flow modification; habitat modification; iron; pH; sedimentation and temperature. The City's ground water sources are not within the boundary of any designated critical ground water area.
13. The water curtailment element included in the final revised plan satisfactorily promotes water curtailment practices and includes a list of three stages of alert with concurrent curtailment actions.

14. The diversion of water under extended Permits G-2410 and G-3225 will be greater during the next 20 years and is consistent with OAR 690-086-0130(7), as follows:


- a. As evidenced by the 5-year benchmarks described in Findings of Fact #9 and #10, the final revised plan includes a schedule for development of conservation measures that would provide water at a cost that is equal to or lower than the cost of other identified sources.
- b. Considering that water savings generated by the conservation measures established in the final revised plan cannot alone fully meet the City's projected 20-year peak demand; that interconnection with other water suppliers in the region is not cost effective nor politically practical at this time; and that the City wishes to provide a greater amount of redundancy in their water supply while continuing to develop its Aquifer Storage and Recovery Program, the increased use of ground water under the City's extended Permits G-2410 and G-3225 is the most feasible and appropriate water supply alternative for the City at this time.
- c. The final revised plan documents that the City complies with all legal requirements under the Endangered Species Act and the Clean Water Act by maintaining fish screens at the Umatilla River Intake that meet Oregon Department of Fish and Wildlife and U.S. Fish and Wildlife standards, and with requirements under the Safe Drinking Water Act. Additionally, the final revised plan documents that the City continues to meet Oregon Water Resources Department, Oregon Department of Environmental Quality and Oregon Health Authority Drinking Water Program requirements associated with the City's Aquifer Storage and Recovery Program.

Now, therefore, it is **ORDERED**:

1. The final order approving the City of Pendleton's Water Management and Conservation Plan, entered at Special Order Volume 88, Pages 710 and 711, is modified to acknowledge receipt of additional information revising the City's plan (incorporated into the final revised plan), to include findings to support the Department granting access to greater rates of diversion of water under the City's extended Permits G-2410 and G-3225, and to replace Conditions #2 and #3 limiting the diversion of water under extended Permits G-2410 and G-3225 with the following:
 - "2. The limitation of the diversion of water under Permit G-2410 established in the Final Order Incorporating Settlement Agreement for Extension of Time of Permit G-2410 (issued on June 25, 2009) is removed. **Subject to other limitations or conditions of the permit, the City of Pendleton is authorized to divert up to 7.56 cfs of water under Permit G-2410.**"; and
 - "3. The limitation of the diversion of water under Permit G-3225 established in the Final Order Incorporating Settlement Agreement for Extension of Time of Permit G-3225 (issued on June 25, 2009) is removed. **Subject to other limitations or conditions of the permit, the City of Pendleton is authorized to divert up to 4.67 cfs of water under Permit G-3225.**"

2. The City of Pendleton Water Management and Conservation Plan, as revised, is approved and shall remain in effect until November 8, 2022, unless this approval is rescinded pursuant to OAR 690-086-0920.
3. The City of Pendleton shall submit an updated plan meeting the requirements of OAR Chapter 690, Division 086 (effective November 1, 2002) within 10 years and no later than May 8, 2022.
4. The City of Pendleton shall submit a progress report containing the information required under OAR 690-086-0120(4) by November 8, 2017.
5. The deadline established herein for the submittal of an updated Water Management and Conservation Plan (consistent with OAR Chapter 690, Division 086) shall not relieve the City of Pendleton from any existing or future requirement(s) for submittal of a Water Management and Conservation Plan at an earlier date as established through other final orders of the Department.
6. All remaining portions of the final order approving the City of Pendleton's Water Management and Conservation Plan, entered at Special Order Volume 88, Pages 710 and 711, are affirmed and the final order, as modified herein, is issued.

Dated at Salem, Oregon this 11 day of January, 2013.



Dwight French, Water Right Services Administrator for
PHILLIP C. WARD, DIRECTOR

Mailing date: JAN 25 2013

GREW Scott A * WRD

From: GREW Scott A * WRD
Sent: Wednesday, April 5, 2023 5:41 PM
To: tim.smith@ci.pendleton.or.us; Bob.Patterson@ci.pendleton.or.us
Cc: GREW Scott A * WRD
Subject: RE: T-14091: Well 11B Transfer: Application

Good evening Bob and Tim,

Your Watermaster Greg Silbernagel forwarded me Bob's message about potentially amending the City of Pendleton's Permit Amendment to Additional Point of Appropriation from a Change in POA.

You certainly can do that and there is no additional fee as Well 11 as it is already existing (not a *new* well). All I would need is for you to send me an amended page 7 indicating that want it to be APOA. Cross out the POA one and initial it. It's fairly straightforward.

Let me know if you have any questions.

Scott Grew
Transfer Specialist
Oregon Water Resources Department
503-986-0890

☐ Proposed SEP 19 202

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|---|--|
| <input type="checkbox"/> Place of Use (POU) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input checked="" type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Surface water POD to Ground Water POA (SW/GW) |

OWRD

Will all of the proposed changes affect the entire water use permit?

Please use a separate Part 5 for each permit being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
(Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/PGA Name or Number	Is this POD/PGA Authorized by the permit or is it Proposed?	If PGA, OWD Well Log ID# (or Well ID Tag # 1-)	Trap	Seg	Sec	30 ft	Tax Loc DIE or (Box?) Lot	Measured Distances (from a recognized survey corner)
Well 11	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	L-94961	2 N	32 E	8	NW NW	700	3154' from SW 1/4 of NE 1/4 of section 8, T10 2N R32E
Well 11B	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed		2 N	32 E	8	NW NW	700	3205' from SW 1/4 of NE 1/4 of section 8, T10 2N R32E
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed							
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed							

RECEIVED
SEP 19 2022

OWRD

- | | |
|---|--|
| <input type="checkbox"/> Place of Use (POU) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Surface water POD to Ground Water POA (SW/GW) |

☐ **Yes** Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.

☒ **No** Complete all of Table 2 to describe the portion of the permit to be changed.

Does the permit holder of record own or control the land TO which the place of use is being moved?
☒ Yes ☐ No

If NO, the landowner of the land TO which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use unless the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

1901/2/10/29

Patent Application: Page 1 of 2

143

Subject: T-14091: Well 11B Transfer: Application

Greetings Greg,

I reviewed the fee worksheet for permit amendment on page 3. You are correct that we proposed to add or change a well for \$480, but we did not propos to add or change additional wells for an additional \$410.

Is it possible to amend this to include the original Well 11 and the new Well 11B for two wells under this transfer?

Based on your input, we will then reach out to Scott Grew.

Cheers,
Bob



Bob Patterson
Public Works Director
Email: bob.patterson@ci.pendleton.or.us
Phone: 541-966-0241 Fax: 541-966-0251
Pendleton Public Works Department
500 SW Dorion Avenue
Pendleton, Oregon, 97801
pendleton.or.us

Working every day to be the premier city in Eastern Oregon

GREW Scott A * WRD

From: SILBERNAGEL Greg M * WRD
Sent: Wednesday, April 5, 2023 9:04 AM
To: GREW Scott A * WRD
Subject: RE: T-14091: Well 11B Transfer: Application

Hi Scott,

Can you call/email Tim Smith directly and relay this information to him. They only want to add the original well to their transfer application T-14091.

His phone number is 541-379-1195
Email is tim.smith@ci.pendleton.or.us

Greg

From: GREW Scott A * WRD <Scott.A.GREW@water.oregon.gov>
Sent: Tuesday, April 4, 2023 12:30 PM
To: HACKETT Joshua A * WRD <Joshua.A.HACKETT@water.oregon.gov>; WOODY Jennifer L * WRD <Jennifer.L.WOODY@water.oregon.gov>; SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>
Cc: KOWITZ Chris C * WRD <Chris.C.KOWITZ@water.oregon.gov>; HOOTSMANS James A.S * WRD <James.A.S.HOOTSMANS@water.oregon.gov>; GREW Scott A * WRD <Scott.A.GREW@water.oregon.gov>
Subject: RE: T-14091: Well 11B Transfer: Application

Hello Greg,

They can amend the application prior to the completion of a GW review, but it depends on the changes. Typically if an applicant wants to amend the application I ask Groundwater if they can accommodate any potential changes.

Are they changing the location of the proposed well? If it is simply a change from a POA to an APOA that is not a big deal to Transfers. I would just need to have the amended pages for the application.

Have you been in contact with Bob Patterson? Let me know and I can talk to him specifically about the amendments and we can go from there.

Thank you,

Scott Grew
Transfer Specialist
Oregon Water Resources Department
503-986-0890

From: HACKETT Joshua A * WRD <Joshua.A.HACKETT@water.oregon.gov>
Sent: Tuesday, April 4, 2023 12:03 PM
To: WOODY Jennifer L * WRD <Jennifer.L.WOODY@water.oregon.gov>; SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>; GREW Scott A * WRD <Scott.A.GREW@water.oregon.gov>

Cc: KOWITZ Chris C * WRD <Chris.C.KOWITZ@water.oregon.gov>; HOOTSMANS James A.S * WRD
<James.A.S.HOOTSMANS@water.oregon.gov>
Subject: RE: T-14091: Well 11B Transfer: Application

James finished a draft of the review today. I haven't had a chance to look at it yet. From a Groundwater Section perspective it sounds like they need to amend the application, but I'll leave that up to Water Rights.

Josh Hackett, RG

Hydrogeologist

725 Summer St NE Suite A | Salem OR 97301 | Phone 503-437-5242



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

From: WOODY Jennifer L * WRD <Jennifer.L.WOODY@water.oregon.gov>
Sent: Tuesday, April 04, 2023 11:54 AM
To: SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>; GREW Scott A * WRD
<Scott.A.GREW@water.oregon.gov>; HACKETT Joshua A * WRD <Joshua.A.HACKETT@water.oregon.gov>
Cc: KOWITZ Chris C * WRD <Chris.C.KOWITZ@water.oregon.gov>
Subject: RE: T-14091: Well 11B Transfer: Application

I haven't had communications w/ Pendleton about this. Josh have you and is it on your review list?

Jen Woody, R.G.
Hydrogeologist
Oregon Water Resources Department
725 Summer St. NE, Suite A
Salem, OR 97301
503-437-5173

From: SILBERNAGEL Greg M * WRD <Greg.M.SILBERNAGEL@water.oregon.gov>
Sent: Tuesday, April 4, 2023 11:28 AM
To: GREW Scott A * WRD <Scott.A.GREW@water.oregon.gov>
Cc: KOWITZ Chris C * WRD <Chris.C.KOWITZ@water.oregon.gov>; WOODY Jennifer L * WRD
<Jennifer.L.WOODY@water.oregon.gov>
Subject: FW: T-14091: Well 11B Transfer: Application

Hi Scott,

At their own risk and knowingly doing so, the City of Pendleton drilled a new well prior to their transfer application T-14091 being processed. The wells are 40' apart and they claim the geology is different and that the new well doesn't produce as much as the old well. They would like to change their application from a "Change in POA" to an "Additional POA" so they can use both wells.

I informed them that typically this is not allowable but I wasn't sure where we were in the process so I agreed to assist them in finding the correct person for an official answer.

Could you help us with this? Jen, you are included as I am not sure where you are at in your review or communications you have had with them.

Thank you,

Greg

From: Bob Patterson <Bob.Patterson@ci.pendleton.or.us>
Sent: Monday, April 3, 2023 5:30 PM
To: Tim Smith <Tim.Smith@ci.pendleton.or.us>; SILBERNAGEL Greg M * WRD
<Greg.M.SILBERNAGEL@water.oregon.gov>
Subject: T-14091: Well 11B Transfer: Application

Greetings Tim,

I have found and placed the transfer application information in the following e-folder:
K:\PROJECTS\Water\Well Facilities\Well 11B\OWRD Transfer Info

Permit status link:

https://apps.wrd.state.or.us/apps/wr/wrinfo/wr_transfer_centric.aspx?transfer_char=T&transfer_nbr=14091

File was assigned 1/4/2023 in the processing history last entry. Scott Grew is the staff person responsible.

Greetings Greg,

I reviewed the fee worksheet for permit amendment on page 3. You are correct that we proposed to add or change a well for \$480, but we did not propos to add or change additional wells for an additional \$410.

Is it possible to amend this to include the original Well 11 and the new Well 11B for two wells under this transfer?

Based on your input, we will then reach out to Scott Grew.

Cheers,
Bob



Bob Patterson
Public Works Director
Email: bob.patterson@ci.pendleton.or.us
Phone: 541-966-0241 Fax: 541-966-0251
Pendleton Public Works Department
500 SW Dorion Avenue
Pendleton, Oregon, 97801
pendleton.or.us

Working every day to be the premier city in Eastern Oregon

RECEIVED

DEC 28 2022

Bob Patterson

From: Bob Patterson
Sent: Thursday, December 22, 2022 1:57 PM
To: 'PHILLIPS Stacy H * WRD'; Greg Lacquement
Cc: 'STARNES Patrick K * WRD'; Tim Smith; 'SILBERNAGEL Greg M * WRD'
Subject: RE: T-14091 Reimbursement Authority Applicant's Agreement - Action Requested
Attachments: 2022.12.22 - R11-410-23 - City of Pendleton - Water Rights Transfer Payment.pdf

OWRD
SALEM, OREGON

Greetings Stacy,

I have attached a copy of the check. I will place it in the mail, along with a copy of this email.

Cheers,
Bob

From: Bob Patterson
Sent: Friday, December 16, 2022 2:10 PM
To: 'PHILLIPS Stacy H * WRD' <Stacy.H.PHILLIPS@water.oregon.gov>; Greg Lacquement <Greg.Lacquement@ci.pendleton.or.us>
Cc: STARNES Patrick K * WRD <Patrick.K.STARNES@water.oregon.gov>; Tim Smith <Tim.Smith@ci.pendleton.or.us>; 'SILBERNAGEL Greg M * WRD' <Greg.M.SILBERNAGEL@water.oregon.gov>
Subject: RE: T-14091 Reimbursement Authority Applicant's Agreement - Action Requested

Greetings Stacy,

Thanks for sending the information with your email below. Please find attached my executed copy of the T-14091 RA Agreement awaiting the Dwight's signature.

I have also included our check request form. The payment will be cut next week and I will forward it to you then with a cover letter.

It is unfortunate that I did not find an OWRD on-line payment option for the reimbursement authority program. I checked, but only found it for other OWRD programs.

If I am mistaken, please direct me to the appropriate on-line portal. We much prefer to make payments under \$5,000 using our purchase VISA card.

Cheers,
Bob



Bob Patterson
Public Works Director
Email: bob.patterson@ci.pendleton.or.us
Phone: 541-966-0241 Fax: 541-966-0251 Cell: 541.969.3067
Public Works Department
500 SW Dorion Avenue
Pendleton, Oregon, 97801
pendleton.or.us

Working every day to be the premier city in Eastern Oregon

From: PHILLIPS Stacy H * WRD <Stacy.H.PHILLIPS@water.oregon.gov>
Sent: Friday, December 16, 2022 1:06 PM
To: Bob Patterson <Bob.Patterson@ci.pendleton.or.us>; Greg Lacquement <Greg.Lacquement@ci.pendleton.or.us>
Cc: STARNES Patrick K * WRD <Patrick.K.STARNES@water.oregon.gov>
Subject: T-14091 Reimbursement Authority Applicant's Agreement - Action Requested

STOP and VERIFY - This message came from outside of the City of Pendleton.

December 16, 2022

Bob Patterson
500 SW Dorian Ave
Pendleton, OR 97801
(via email)

RE: Transfer Application T-14091

Dear Mr. Patterson,

Enclosed is the Reimbursement Authority Applicant Agreement (Agreement) for Transfer T-14091. In order to commence work, the Agreement must be signed and accompanied with the full payment of the estimated maximum cost.

Current average processing time for transfer applications under Reimbursement Authority (RA) is up to twelve months.


Please read the Agreement thoroughly and follow the instructions to proceed with the expedited RA transfer process. To complete the requested service, please mail the signed contract and a check made out for the full amount of the estimated maximum cost to:

Oregon Water Resources Department
Attention: Stacy Phillips
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266

IMPORTANT: Due to recent staffing changes and training of new staff, Department processes for Reimbursement Authority may be unavoidably delayed.

If you have any questions, please contact me at (503) 986-0898 or via email: stacy.h.phillips@water.oregon.gov.

Sincerely,



Stacy H. Phillips
Natural Resource Specialist
Transfer and Conservation Section

cc: Greg Lacquement, via email
enclosure

CITY OF PENDLETON/ BOB PATTERSON RA# R11-410-23 T-14091						
Review Step	Est. Time	Hourly Multiplier	Total Est. Hours	Individual	Hourly Rate	Est. Cost
Receipts received AA funds						
Transfer Support process Application						
Administrator signs AA						
NRS 1 enters workflow record in WRIS and updates RA spreadsheet						
NRS 2 completes initial review of file for deficiencies						
NRS 2 consults with Kelly and/or Lisa						
NRS 2 sends def. ltr (email and hard copy)						
NRS 2 addresses correspondence from app/agent regarding def.						
Watermaster completes review						
Groundwater completes review (when applicable)						
NRS 2 completes FO, Permit, and PN						
Transfer Staff completes peer review of FO, Permit, and PN						
Transfer Analyst completes policy check at FO & Permit stage						
Data Center Reviews PD and superseding permit						
Administrator signs FO and Permit						
Transfer Support issues FO and Permit, updates WRIS, copy to file, and mails hard copy to a						
NRS 1 closes out RA Contract						
TOTAL ESTIMATE HOURS			16.83	SUB-TOTAL ESTIMATE COST		
				10% OVERHEAD		
				TOTAL		
				\$1,033.30		

RECEIVED

DEC 28 2022

OWRD
SALEM, OREGON

Part 5 of 5 – Water Use Permit Information

Please use a separate Part 5 for each permit being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

PERMIT # G3225

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
(Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	POA, POD, or APOA Name	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 11	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	L-94961	2 N	32 E	8	NW NW	700	3156' from SW 1/4 of NE 1/4 of section 8, TO 2N R32E
Well 11B	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed		2 N	32 E	8	NW NW	700	3108' from SW 1/4 of NE 1/4 of section 8, TO 2N R32E
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed							
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed							

RECEIVED
SEP 19 2022

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- ☐ Place of Use (POU)
 ☒ Point of Appropriation/Well (POA)
 ☐ Point of Diversion (POD)
 ☒ Additional Point of Appropriation (APOA)
 ☐ Additional Point of Diversion (APOD)
 ☐ Surface water POD to Ground Water POA (SW/GW)

OWRD

Will all of the proposed changes affect the entire water use permit?

- ☐ Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.

- ☒ No Complete all of Table 2 to describe the portion of the permit to be changed.

Received by OWRD

APR 06 2023

For a change in place of use:

Does the permit holder of record own or control the land TO which the place of use is being moved?

☒ Yes ☐ No

Salem, OR

If NO, the landowner of the land TO which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

Is the proposed place of use contiguous to the authorized place of use? ☒ Yes ☐ No

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use unless the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

SUPERSEDING

Part 5 of 5 – Water Use Permit Information

Please use a separate Part 5 for each permit being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

PERMIT # G3225

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 11	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	L-94961	2 N	32 E	8	NW NW	700	3156' from SW 1/4 of NE 1/4 of section 8, TO 2N R32E
Well 11B	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed		2 N	32 E	8	NW NW	700	3108' from SW 1/4 of NE 1/4 of section 8, TO 2N R32E
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed							
	<input type="checkbox"/> Authorized <input type="checkbox"/> Proposed							

RECEIVED

SEP 19 2022

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- ☐ Place of Use (POU)

☒ Point of Appropriation/Well (POA)

☐ Point of Diversion (POD)

☐ Additional Point of Appropriation (APOA)

☐ Additional Point of Diversion (APOD)

☐ Surface water POD to Ground Water POA (SW/GW)

OWRD

Will all of the proposed changes affect the entire water use permit?

- ☐ Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.

☒ No Complete all of Table 2 to describe the portion of the permit to be changed.

For a change in place of use:

Does the permit holder of record own or control the land TO which the place of use is being moved?

☒ Yes ☐ No

If NO, the landowner of the land TO which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

Is the proposed place of use contiguous to the authorized place of use? ☒ Yes ☐ No

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use **unless** the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer

Table 2. Description of Changes to Water Use Permit # G3225

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.										Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.									
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acre (if applicable)	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acre (if applicable)	POD(s) or POA(s) to be used (from Table 1)	Priority Date		
EXAMPLE																				
2	S	9	E 15 NE NW	100		15.0	POD #1 POD #2		POU/POD	2	S	9	E 15 NW NW	100	1	10.0	POD #5			
"	"	"	" " "	"	"	EXAMPLE	"		"	2	S	9	E 15 SW NW	200		5.0	POD #6			
TOTAL ACRES						35.87				TOTAL ACRES										

RECEIVED
SEP 19 2022
OWRD

Additional remarks: No change of "place of use" same as permit.

Are there other water rights certificates, water use permits or ground water registrations associated with the "from" or "to" lands? ☐ Yes ☐ No

If YES, list the other certificate, permit, or ground water registration numbers: _____



If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- ☐ Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

AND/OR

- ☒ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-_____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
Well 11B	No	N/A	400'	20"	260' Total	Sealed Ground to 260'	N/A	Expected 793'	Basalt	2,500gpm

RECEIVED

SEP 19 2022

Attachment #1

Explain in your own words what you propose to accomplish with this permit amendment; and why:

The City of Pendleton is proposing to develop a new well (Well 11B), near the current Well 11, permitted (permit G3225) for 6.7 CFS (3,000gpm).

The existing Well is located at the bottom of Houtama Road at our Wastewater Treatment and Resource Recovery.

Unfortunately, the current well bore is too small for municipal development – this has been used for domestic service to 3 connections, one of which is the City's Resource Recovery Facility. Due to the size of the existing well bore, we can only get 6- inch column into it, limiting our pumping capacity. We are targeting 2,500gpm, or 5.6 CFS, for a total of 3 million gallons per day. To do this, we would like to drill an adjoining well (Well 11B) within 48 feet of the existing well bore.

Our recent pump step test of increments from 500 to 750 gallons per minute showed instantaneous response within the first 60 seconds at each step, providing us with the basis that this would be a good candidate for our target flow. To do so we need a larger well bore to assess the true pumping specific capacity at this location in order to size for municipal production well equipment.

G-3225 – the permit authorizes two wells - Well #10 & Well #11 for 6.7 cfs each.

UMAT 5590 – (approx. 2 miles east of Wildhorse)

https://apps.wrd.state.or.us/apps/gw/gw_info/gw_info_report/gw_details.aspx?gw_site_id=925

UMAT 512 (WWTP on Houtama) -

https://apps.wrd.state.or.us/apps/gw/gw_info/gw_info_report/gw_details.aspx?gw_site_id=10231

RECEIVED

SEP 19 2022

OWRD

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Applicant(s): Bob Patterson, Public Works Director, City of Pendleton

Mailing Address: 500 SW Dorion Avenue

City: Pendleton State: OR Zip Code: 97801 Daytime Phone: (541) 966-0241

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
2N	32E	8	NW/NW	700	M2	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

City of Pendleton

RECEIVED
SEP 19 2022

B. Description of Proposed Use

OWRD

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water ☐ Water Right Transfer ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License ☐ Allocation of Conserved Water ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☐ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 2500 ☐ cubic feet per second ☒ gallons per minute ☐ acre-feet

Intended use of water: ☐ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☒ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

See Attachment

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- ☐ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s):
- ☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: _____ Title: _____ **RECEIVED**

Signature: _____ Phone: _____ Date: _____ **SEP 19 2022**

Government Entity: _____ **OWRD**

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: Jeff Cross City of Pendleton

City or County: Pendleton Staff contact: Jeff Cross

Signature: Jeff Cross Phone: _____ Date: 6/27/2022

NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON
(Please type or print)

State Permit No. _____

(1) OWNER:

Name CITY OF PENDLETON
Address PENDLETON, ORE.

(2) LOCATION OF WELL:

County UMATILLA Driller's well number 4222
NW 1/4 NW 1/4 Section 36 T. 2N R. 31E W.M.
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☒
Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☒
Irrigation ☐ Test Well ☐ Other ☐

(5) TYPE OF WELL:

Rotary ☒ Driven ☐
Cable ☒ Jetted ☐
Dug ☐ Bored ☐

(6) CASING INSTALLED:

Threaded ☐ Welded ☒
30" Diam. from 0 ft. to 8 ft. Gage 375
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(7) PERFORATIONS:

Perforated? ☐ Yes ☒ No

Type of perforator used

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(8) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name _____ Model No. _____
Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal _____
Depth of seal ft. Was a packer used? ☐ Yes ☒ No
Diameter of well bore to bottom of seal in
Were any loose strata cemented off? ☐ Yes ☒ No
Was a drive shoe used? ☐ Yes ☒ No
Was well gravel packed? ☐ Yes ☒ No Size of gravel _____
Gravel placed from ft. to ft.
Did any strata contain unusable water? ☐ Yes ☒ No
Type of water? _____ depth of strata _____
Method of sealing strata off _____

(10) WATER LEVELS:

Static level 99 ft. below land surface Date 1/19/66
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? ☐ Yes ☒ No If yes, by whom?

Yield: gal./min. with ft. drawdown after hrs.
APPROX 700 GPM WITH AIR

Bailer test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m. Date

Temperature of water Was a chemical analysis made? ☐ Yes ☒ No

(12) WELL LOG:

Diameter of well below casing 8

Depth drilled 357 ft. Depth of completed well 357 ft.

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
TOP SOIL GRAVEL AND BOULDERS	0	8
HARD GREY BASALT	8	28
MED. HARD GREY BASALT	28	97
RED LAUA	97	102
MED. HARD GREY BASALT	102	160
BROWN BROKEN BASALT	160	187
MED. HARD BLACK BASALT	187	208
HARD GREY BASALT	208	225
BROKEN GREY BASALT (WATER)	225	246
HARD GREY BASALT	246	260
BROWN BROKEN LAUA (WATER)	260	285
REDDISH BROWN LAUA	285	324
MED. HARD BLACK BASALT	324	330
HARD GREY BASALT	330	338
BROWN BROKEN LAUA (WATER)	338	352
HARD GREY BASALT	352	357

(A CEMENT PLUG HAS BEEN
PLACED IN 8 INCH HOLE AT
20-22 IN LEVEL THEN A
LID WELDED ON THE 30 INCH
CASING)

Work started NOV 15 1965 Completed JAN 20 1966
Date well drilling machine moved off of well JAN 20 1966


(13) PUMP:

Manufacturer's Name _____
Type: _____ H.P. _____

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME RJ STRASSER DRILLING CO
(Person, firm or corporation) (Type or print)
Address 8110 SE SUNSET LANE PORTLAND ORE
Drilling Machine Operator's License No. 56 AND 395
[Signed] Robert J. Strasser
(Water Well Contractor)
Contractor's License No. 10 Date FEB 25 1966



WELL DETAIL



PROGRESS

RECEIVED
SEP 19 2022
OWRD

CITY OF PENDLETON ENGINEERING DEPT.		
TEST HOLE DRILLING TEST HOLE NO. 2		
DATE: 8-10-66	NOT TO SCALE	SHEET 1 OF 1
DN. R. A. J.	CKD. K. W. C.	DWG. NO.

RECEIVED
R 4 1966

bc Extended to October 1, 1968

G 3225

Permit No. G-

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, City of Pendleton
(Name of applicant)
of P. O. Box 190, Pendleton, county of Umatilla
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

as authorized by Act of the Legislation Assembly of the State of Oregon, approved October 25, 1880.

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Umatilla River and Mc Kay Creek
(Name of stream)

tributary of Columbia and Umatilla River

2. The amount of water which the applicant intends to apply to beneficial use is 67 cubic feet per second or 3000 gallons per minute. for each well.

3. The use to which the water is to be applied is Municipal Water Supply

4. The well or other source is located #10 N. 30° 00' 40" W. 2275.0' SE
Sec 14 ft. S 38° 32' W 2706.71' from the NE
Sec 8 corner of
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

#10 NE 1/4 SE 1/4 14 2N 33E
(If there is more than one well, each must be described. Use separate sheet if necessary)
Being within the #11 SW 1/4 NE 1/4 of Sec. 8, Twp. 2N, R. 32E,
W. M., in the county of Umatilla

5. The Canal or pipe line to be _____ miles
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not Artesian

8. The development will consist of two wells having a
(Give number of wells, tunnels, etc.)
diameter of 30 inches and an estimated depth of 1000 feet. It is estimated that 310
feet of the well will require Steel casing. Depth to water table is estimated 100
(Kind) (Feet)

RECEIVED

SEP 19 2022

OWRD

SEE ATTACHED SHEET

Well #10
100

APPLICATION NO. _____

RECEIVED
APR 4 1968
STATE ENGINEER
CATTLE CREDIT

Item 12, Location of area to be irrigated, or place of use.

A. T 2N, R32E

'S 1/2	of	Section 1
S 1/2	of	Section 2
S 1/2	of	Section 3
S 1/2	of	Section 4
NW 1/4		
NE 1/4 SW 1/4		
NW 1/4 SW 1/4		
SE 1/4 SE 1/4		
SW 1/4 SE 1/4	of	Section 5
NW 1/4 NE 1/4		
NE 1/4 NE 1/4	of	Section 8
NE 1/4		
NW 1/4		
SE 1/4	of	Section 9
ALL	of	Section 10
NE 1/4		
NW 1/4		
NE 1/4 SW 1/4		
NW 1/4 SW 1/4	of	Section 11
NW 1/4		
NE 1/4 NE 1/4		
NW 1/4 NE 1/4	of	Section 12
NW 1/4	of	Section 15
NE 1/4		
NW 1/4		
SW 1/4		
NW 1/4 SE 1/4	of	Section 16

B. T3N, R32E

SE 1/4 NE 1/4		
SW 1/4 NE 1/4		
NE 1/4 SE 1/4	of	Section 31

RECEIVED

SEP 19 2022

OWRD

Application No. G-3443
Permit No.

G 3225

NW 1/4 NE 1/4
NW 1/4 NE 1/4
SW 1/4 NE 1/4
NE 1/4 SE 1/4
NW 1/4 SE 1/4
SW 1/4 SE 1/4
ALL of SW 1/4

of

Section 32

C. T2N, R33E

SW 1/4
SE 1/4

of

Section 6

NW 1/4
NE 1/4

of

Section 7

RECEIVED

SEP 19 2022

OWRD

MUNICIPAL SUPPLY—

G 3225

13. To supply the city of Pendleton, Oregon
in Umatilla county, having a present population of 15,000
and an estimated population of 25,000 in 1980.

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 200,000
15. Construction work will begin on or before July 1, 1967
16. Construction work will be completed on or before July 1, 1968
17. The water will be completely applied to the proposed use on or before August 1968
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. See Attached Sheet

CITY OF PENDLETON

Paul H. Nelson
Signature of applicant
City Manager, Pro-tem

Remarks:

RECEIVED

SEP 19 2022

OWRD

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion and correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 8, 1966.

WITNESS my hand this 8th day of April, 1966.

CHRIS L. WHEELER

By Harold Peterson
STATE ENGINEER
ASSISTANT

FILED
JUN 2 1966
STATE ENGINEER
OREGON

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 13.4 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells being 6.7 cfs from well #10 and 6.7 cfs from well #11

The use to which this water is to be applied is Municipal

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed _____ acre feet per acre for each acre irrigated during the irrigation season of each year; _____

RECEIVED

SEP 19 2022

OWRD

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 4, 1966

Actual construction work shall begin on or before January 18, 1968 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969

WITNESS my hand this 18th day of January, 1967

STATE ENGINEER

Application No. G-3444
Permit No. G-3225

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 4th day of April,
1966, at 10:30 o'clock A. M.

Returned to applicant:

Approved:

January 18, 1967

Recorded in book No. G 3225
Ground Water Permits on page _____

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 56

State Printing

446

R. J. Strasser Drilling Co.

8110 S. E. Sunset Lane
Portland, Oregon 97206
22 January 1966

RECEIVED
JAN 25 1966
STATE ENGINEER
SALEM, OREGON

Mr. Chris Wheeler, State Engineer
State Office Building
Salem, 10, Oregon

Dear Mr. Wheeler:

This letter is to confirm my conversation with Jack Sceva of your office on Thursday, Jan. 20, 1966, concerning the temporary abandonment of Test Hole #2 at the City of Pendleton, Oregon. Exact location of this hole in reference to section and township is forthcoming, however for the present, this test hole is located approximately 300 feet north of the City of Pendleton sewage disposal plant.

Initially a hole was dug with a backhoe from the surface to a depth of 10 feet, where basalt rock was encountered. The hole was cased with 30" o.d. pipe and backfilled around the casing. Following the installation of this starter pipe, our company drilled an eight inch pilot hole from the 10 foot to 277 feet. The hole was then reamed to 10 inch diameter and drilling continued to 330 feet with 10 inch open rock hole.

Prior to the reaming, a ten inch conductor pipe was installed through the 30" pipe to the top of solid rock at the 10 ft. depth and was grouted in place. The hole was caving very badly when the 330 foot depth was reached in drilling the 10 inch open hole, thus requiring 8" temporary casing to be installed. The 8" open hole was then drilled to the 358 foot depth. A strong aquifer was encountered between 338 feet and 358 feet. While drilling through this aquifer with air rotary, the well was producing in excess of 500 gpm. It was decided adequate information had been obtained from this test drilling to warrant reaming this well to a size adequate for a production well at some future date.

Due to fact we did not think it practical to cement a 20 foot section of 8" casing in the hole, I requested a variance in the minimum standard for surface sealing. The grouted 8" casing to 20 feet would have been very expensive to remove when the hole is reamed. Mr. Sceva suggested we bridge the hole at the 20 foot depth and place a two foot grout plug above the bridge and weld a water tight steel plate over the

RECEIVED

SEP 19 2022

OWRD

top of the surface casings. I readily agreed with Mr. Sceva as to his suggestion and this procedure was effected on Friday, January 21, 1966. Thus the final temporary abandonment consists of a 30" pipe placed to rock with a ten inch casing grouted inside it to a depth of 10 feet, and a cement plug two foot thick placed from 18 feet to 20 feet in the 10" open rock hole.

I wish to thank you and Jack Sceva for this variance. A practical decision and suggestion such as this elevates further my esteem and regard for you and Jack.

Very truly yours,

Robert L. Strasser

Robert L. Strasser, partner
R. J. STRASSER DRILLING CO.

RECEIVED

SEP 19 2022

OWRD

cc: Mr. Ray Struthers, Water Supt.
City of Pendleton, Oregon

Attachment #1

Explain in your own words what you propose to accomplish with this permit amendment; and why:

The City of Pendleton is proposing to develop a new well (Well 11B), near the current Well 11, permitted (permit G3225) for 6.7 CFS (3,000gpm).

The existing Well is located at the bottom of Houtama Road at our Wastewater Treatment and Resource Recovery.

Unfortunately, the current well bore is too small for municipal development – this has been used for domestic service to 3 connections, one of which is the City's Resource Recovery Facility. Due to the size of the existing well bore, we can only get 6- inch column into it, limiting our pumping capacity. We are targeting 2,500gpm, or 5.6 CFS, for a total of 3 million gallons per day. To do this, we would like to drill an adjoining well (Well 11B) within 48 feet of the existing well bore.

Our recent pump step test of increments from 500 to 750 gallons per minute showed instantaneous response within the first 60 seconds at each step, providing us with the basis that this would be a good candidate for our target flow. To do so we need a larger well bore to assess the true pumping specific capacity at this location in order to size for municipal production well equipment.

G-3225 – the permit authorizes two wells - Well #10 & Well #11 for 6.7 cfs each.

UMAT 5590 – (approx. 2 miles east of Wildhorse)

https://apps.wrd.state.or.us/apps/gw/gw_info/gw_info_report/gw_details.aspx?gw_site_id=925

UMAT 512 (WWTP on Houtama) -

https://apps.wrd.state.or.us/apps/gw/gw_info/gw_info_report/gw_details.aspx?gw_site_id=10231

RECEIVED

SEP 19 2022


OWRD

RECEIVED

SEP 19 2022

OWRD

Application Service Area



RECEIVED

SEP 19 2022

OWRD

2N32080000700

118° 50'
05.27458774° W 45°
40' 06.88604839° N

118° 50'
05.57411808° W 45°
40' 06.41632352° N

T02N R32E


T02N R32E

HOUTAMA

3109 FT
3156 FT



To learn more about data use and constraints, please contact the Bureau of Land Management.




ap anderson
perry
& associates, inc.

C
PENDLET
WATER SYST
WEL

SITE

0+00 1+00

PROPOSED WATERLINE CENTERLINE WITH ENGINEER'S STATIONING



NEW WATER LINE



EXISTING CASCADE NATURAL GAS (CNG) LINE



EXISTING COMMUNICATION LINES



EXISTING WATER LINES OR WATER SERVICES



EXISTING SANITARY SEWER LINES



EXISTING SANITARY SEWER MANHOLE


CONTRACTOR TO NOTE THAT ALL EXISTING UTILITIES SHOWN ARE APPROXIMATE LOCATIONS.
CONTRACTOR RESPONSIBLE TO CALL 811 FOR LOCATES PRIOR TO ANY EXCAVATION AND SHALL
POTHOLE ALL CROSSINGS FOR CONFIRMATION OF EXISTING UTILITY LOCATIONS.

RECEIVED

SEP 19 2022

OWRD

General Notes		
<p>BAR IS ONE INCH ON ORIGINAL DRAWING.</p> <p>IF NOT ONE INCH ON THIS SHEET, ADJUST SCALE ACCORDINGLY.</p>		
<p>REGISTERED PROFESSIONAL ENGINEER 53,842 OREGON JULY 21, 1988 TIMOTHY M. SIMONS</p> <p>RENEWAL: 06/30/2022 SIGNED: 04/27/2021</p>		
No.	Revisions/Issues	Date
<p>City Name and Address</p> <p>CITY OF PENDLETON ENGINEERING DEPT. 500 SW DORRISON AVE. PENDLETON, OR 97801 (541) 966-0203</p>		
<p>Project Name and Address</p> <p>SW HOUTAMA ROAD WATER LINE PROJECT</p>		
Project SW HOUTAMA WATER	Sheet L1	Date JANUARY 2021



General Notes

NOTES:

1) ALL FITTINGS SHALL BE RESTRAINED WITH EITHER THRUST BLOCKS OR BY USING RESTRAINED LENGTH. SEE STD DWG 407A-B, AND 408A-C.

2) REQUIRED RESTRAINED PIPE JOINTS SHALL BE RESTRAINED USING BELL RESTRAINTS OR GASKETED RESTRAINTS (FIELD LOK GASKETS)

BAR IS ONE INCH ON ORIGINAL DRAWING.
IF NOT ONE INCH ON THIS SHEET, ADJUST SCALE ACCORDINGLY.



RENEWAL: 06/30/2022
SIGNED: 04/27/2021

No. Revision/Issue Date

Plan Name and Address

CITY OF PENDLETON
ENGINEERING DEPT
500 SW DORIAN AVE.
PENDLETON, OR 97801
(541) 966-0203

Project Name and Address

SW HOUTAMA ROAD WATER LINE PROJECT



Project
SW HOUTAMA WATER
Date
MARCH 2021
Scale
1" = 40'

1

RECEIVED

SEP 19 2022

OWRD



General Notes

NOTES:

- 1) ALL FITTINGS SHALL BE RESTRAINED WITH EITHER THRUST BLOCKS OR BY USING RESTRAINED LENGTH. SEE STD DWG 407A-B, AND 408A-C.
- 2) REQUIRED RESTRAINED PIPE JOINTS SHALL BE RESTRAINED USING BELL RESTRAINTS OR GASKETED RESTRAINTS (FIELD LOK GASKETS)

BAR IS ONE INCH ON ORIGINAL DRAWING.
IF NOT ONE INCH ON THIS SHEET, ADJUST SCALE ACCORDINGLY.

REGISTERED PROFESSIONAL
ENGINEER
53,842
OREGON
JULY 21, 1998
TIMOTHY M. SIMONS

RENEWAL: 06/30/2022
SIGNED: 04/27/2021

No.	Revision/Issue	Date

City Name and Address

CITY OF PENDLETON
ENGINEERING DEPT.
500 SW DOROTHY AVE.
PENDLETON, OR 97901
(541) 966-0203

Project Name and Address


SW HOUTAMA ROAD WATER LINE PROJECT

<p>Project</p> <p>SW HOUTAMA WATER</p> <p>Date</p> <p>MARCH 2021</p> <p>Scale</p> <p>1" = 40'</p>	<p>Sheet</p> <p style="font-size: 2em;">2</p>
---	---

RECEIVED

SEP 19 2022

OWRD



General Notes

NOTES:

1) ALL FITTINGS SHALL BE RESTRAINED WITH EITHER THRUST BLOCKS OR BY USING RESTRAINED LENGTH. SEE STD DWG 407A-B, AND 408A-C.

2) REQUIRED RESTRAINED PIPE JOINTS SHALL BE RESTRAINED USING BELL RESTRAINTS OR GASKETED RESTRAINTS (FIELD LOK GASKETS)

BAR IS ONE INCH ON ORIGINAL DRAWING. IF NOT ONE INCH ON THIS SHEET, ADJUST SCALE ACCORDINGLY.



RENEWAL: 06/30/2022
SIGNED: 04/27/2021

No. Revision/Issue Date

File Name and Address
CITY OF PENDLETON
ENGINEERING DEPT
500 SW DORRIN AVE.
PENDLETON, OR 97801
(541) 966-0203



Project Name and Address
SW HOUTAMA ROAD WATER LINE PROJECT

Sheet
3
Date
MARCH 2021
Scale
1" = 40'

RECEIVED

SEP 19 2022

OWRD



General Notes

NOTES:

- 1) ALL FITTINGS SHALL BE RESTRAINED WITH EITHER THRUST BLOCKS OR BY USING RESTRAINED LENGTH. SEE STD DWG 407A-B, AND 408A-C.
- 2) REQUIRED RESTRAINED PIPE JOINTS SHALL BE RESTRAINED USING BELL RESTRAINTS OR GASKETED RESTRAINTS (FIELD LOK GASKETS)

BAR IS ONE INCH ON ORIGINAL DRAWING.
IF NOT ONE INCH ON THIS SHEET, ADJUST SCALE ACCORDINGLY.

REGISTERED PROFESSIONAL
ENGINEER
53,842
JULY 21, 1988
TIMOTHY M. SIMONS
RENEWAL: 06/30/2022
SIGNED: 04/27/2021

No.	Revisions/Issues	Date

City of Pendleton
ENGINEERING DEPT
500 SW DORRIN AVE.
PENDLETON, OR 97801
(541) 968-0203


Project Name and Address
SW HOUTAMA ROAD WATER LINE PROJECT

Project SW HOUTAMA WATER	Sheet 4
Date MARCH 2021	
Scale 1" = 40'	

RECEIVED

SEP 19 2022

OWRD



General Notes

NOTES:
 1) ALL FITTINGS SHALL BE RESTRAINED WITH EITHER THRUST BLOCKS OR BY USING RESTRAINED LENGTH. SEE STD DWG 407A-B, AND 408A-C.
 2) REQUIRED RESTRAINED PIPE JOINTS SHALL BE RESTRAINED USING BELL RESTRAINTS OR GASKETED RESTRAINTS (FIELD LOK GASKETS)

BAR IS ONE INCH ON ORIGINAL DRAWING.
 IF NOT ONE INCH ON THIS SHEET, ADJUST SCALE ACCORDINGLY.

REGISTERED PROFESSIONAL ENGINEER
 53,842
 OREGON
 JULY 21, 1988
 TIMOTHY M. SIMONS

RENEWAL: 06/30/2022
 SIGNED: 04/27/2021

No.	Revisions/Issues	Date

Plan Name and Address
 CITY OF PENDLETON
 ENGINEERING DEPT
 500 SW DORION AVE.
 PENDLETON, OR 97601
 (541) 966-0203

Project Name and Address
 SW HOUTAMA ROAD WATER LINE PROJECT


Project	Sheet
SW HOUTAMA WATER	5

Date: MARCH 2021
 Scale: 1" = 40'


RECEIVED

SEP 19 2022

OWRD



16" 11.25 DEGREE
MJ X MJ ELBOW



RECEIVED

SEP 19 2022

OWRD

General Notes

NOTES:

1) ALL FITTINGS SHALL BE RESTRAINED WITH EITHER THRUST BLOCKS OR BY USING RESTRAINED LENGTH. SEE STD DWG 407A-B, AND 408A-C.

2) REQUIRED RESTRAINED PIPE JOINTS SHALL BE RESTRAINED USING BELL RESTRAINTS OR GASKETED RESTRAINTS (FIELD LOK GASKETS)

BAR IS ONE INCH ON ORIGINAL DRAWING.

IF NOT ONE INCH ON THIS SHEET, ADJUST SCALE ACCORDINGLY.



RENEWAL: 06/30/2022
SIGNED: 04/27/2021

No.	Revision/Issue	Date

Plan Name and Address


CITY OF PENDLETON
ENGINEERING DEPT
500 SW DORRIS AVE.
PENDLETON, OR 97801
(541) 968-0203

Project Name and Address

SW HOUTAMA ROAD WATER LINE
PROJECT

Project: SW HOUTAMA WATER
Date: MARCH 2021
Scale: 1" = 40'

Sheet
6



RECEIVED

SEP 19 2022

OWRD

General Notes

NOTES:

- 1) ALL FITTINGS SHALL BE RESTRAINED WITH EITHER THRUST BLOCKS OR BY USING RESTRAINED LENGTH. SEE STD DWG 407A-B, AND 408A-C.
- 2) REQUIRED RESTRAINED PIPE JOINTS SHALL BE RESTRAINED USING BELL RESTRAINTS OR GASKETED RESTRAINTS (FIELD LOK GASKETS)

BAR IS ONE INCH ON ORIGINAL DRAWING.
0
IF NOT ONE INCH ON THIS SHEET, ADJUST SCALE ACCORDINGLY.



RENEWAL: 06/30/2022
SIGNED: 04/27/2021

No.	Revision/Issue	Date

Plan Name and Address



CITY OF PENDLETON
ENGINEERING DEPT
500 SW DORION AVE.
PENDLETON, OR 97801
(541) 956-0203

Project Name and Address

SW HOUTAMA ROAD WATER LINE PROJECT

Sheet
SW HOUTAMA WATER
Date
MARCH 2021
Scale
1" = 40'

7



General Notes

NOTES:

1) ALL FITTINGS SHALL BE RESTRAINED WITH EITHER THRUST BLOCKS OR BY USING RESTRAINED LENGTH. SEE STD DWG 407A-B, AND 408A-C.

2) REQUIRED RESTRAINED PIPE JOINTS SHALL BE RESTRAINED USING BELL RESTRAINTS OR GASKETED RESTRAINTS (FIELD LOK GASKETS)

BAR IS ONE INCH ON ORIGINAL DRAWING. IF NOT ONE INCH ON THIS SHEET, ADJUST SCALE ACCORDINGLY.



RENEWAL: 06/30/2022
SIGNED: 04/27/2021

No.	Revision/Issue	Date

City Name and Address

CITY OF PENDLETON
ENGINEERING DEPT
500 SW DORION AVE.
PENDLETON, OR 97801
(541) 956-0203

Project Name and Address


SW HOUTAMA ROAD WATER LINE PROJECT

Project Name and Address	Sheet
SW HOUTAMA ROAD WATER LINE PROJECT	8
Date	
Scale	1" = 40'

RECEIVED

SEP 19 2022

OWRD


$\frac{5}{9}$ 

NOTES:
1) ALL FITTINGS SHALL BE
RESTRAINED
WITH EITHER THRUST
BLOCKS OR BY USING
RESTRAINED LENGTH. SEE
STD DWG 407A-B, AND
408A-C

2) REQUIRED RESTRAINED
PIPE JOINTS SHALL BE
RESTRAINED USING BELL
RESTRAINTS OR GASKETED
RESTRAINTS (FIELD LOK
GASKETS)

BAR IS ONE INCH ON ORIGINAL DRAWING.

IF NOT ONE INCH ON
THIS SHEET, ADJUST
SCALE ACCORDINGLY.




No.	Revision/Issue	Date
-----	----------------	------

CITY OF PENDLETON
ENGINEERING DEPT
500 SW DORJON AVE.
PENDLETON, OR 97801
(541) 966-0203

SW HOUTAMA ROAD WATER LINE
PROJECT

Project SW HOUTAMA WATER	Sheet 9
Date MARCH 2021	
Scale 1" = 40'	



OWRD



General Notes

BAR IS ONE INCH ON
ORIGINAL DRAWING.
IF NOT ONE INCH ON
THIS SHEET, ADJUST
SCALE ACCORDINGLY.



RENEWAL: 06/30/2022
SIGNED: 04/27/2021

No.	Revision/Issue	Date

Plan Name and Address

CITY OF PENDLETON
ENGINEERING DEPT
500 SW DORIAN AVE.
PENDLETON, OR 97501
(341) 956-0203

Project Name and Address

SW HOUTAMA ROAD WATER LINE
PROJECT

Project SW HOUTAMA WATER	Sheet 10
Date MARCH 2021	
Scale 1" = 10'	

RECEIVED

SEP 19 2022

OWRD

Rod C. Anderson
4201 SW Houtama Road
Pendleton, Oregon, 97801
(541)969-8042

October 20th, 2022

Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301

Re: City of Pendleton Transfer Application T-14091


Dear Oregon Water Resource Department,

I have lived at the address above since August of 1991 and have a well, ID L20556, with a water right issued to me by the State of Oregon. My well is approximately 800' from the current and proposed City well. I have initial concerns with the new well and additional use of which are listed below:

- 1) In 1998, I had to drill a deeper well after the City began using their well near the Columbia Beverage Distribution Center next to Reith. That well is across the river from me and I believe that this new proposed well, which is much closer, will result in a similar situation. What is the review process and consideration to make sure my well doesn't go dry again?
- 2) I don't have the exact dates, but my neighbors also have had to drill new or deeper wells since I have lived here. I question the water quantity in the area. If 2500 gallons per minute of new pumpage is instantaneously available, what is the longevity of this source in the short and long term? If wells have gone dry without this increased pumpage, what prevents this when the city begins using more water?
- 3) I would like to request any reports or research related to water availability and localized impacts that have been conducted regarding the new proposed well. This seems like a lot of tax payer money that the City is spending to not have a good understanding of what or who may be impacted. Specifically, I would like to know if I have already been identified as being impacted.

Overall, I have been reading about groundwater level declines and do not fully understand how the City of Pendleton is allowed to do this based on the information provided in the application. If the current well doesn't produce enough to meet their needs, it seems that drilling a larger, deeper well will only speed up the already existing problem. I believe my concerns to be validated by my personal experience. It would cause me significant financial loss and hardship to be forced to drill deeper if the new well impacts me.

I look forward to your response and receiving more information regarding this matter.

Sincerely,


Rod C. Anderson

No authority to
consider comments
for permit amendment

RECEIVED

OCT 24 2022

OWRD

Kelly

STATE OF OREGON
WATER RESOURCES DEPARTMENT

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # 139828

INVOICE # _____

RECEIVED FROM: City of Pendleton
BY: _____

APPLICATION
PERMIT
TRANSFER T-14091

CASH: ☐ CHECK: # 36842 OTHER: (IDENTIFY) ☐

TOTAL REC'D \$ 1,033.30

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES 47124 R 11410-23 \$
0412 OTHER: (IDENTIFY) Transfer Reimbursement Authority \$ 1,033.30
0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES \$
0410 RESEARCH FEES \$
0408 MISC REVENUE: (IDENTIFY) _____ \$
TC162 DEPOSIT LIAB. (IDENTIFY) _____ \$
0240 EXTENSION OF TIME \$

WATER RIGHTS:

0201 SURFACE WATER EXAM FEE 0202 RECORD FEE \$
0203 GROUND WATER EXAM FEE 0204 RECORD FEE \$
0205 TRANSFER EXAM FEE \$

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR EXAM FEE 0219 LICENSE FEE \$
LANDOWNER'S PERMIT 0220 LICENSE FEE \$

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE \$ CARD# _____
0210 MONITORING WELLS \$ CARD# _____

OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD) \$
0231 HYDRO LICENSE FEE (FW/WRD) \$
HYDRO APPLICATION \$

TREASURY OTHER / RDX

FUND _____ TITLE _____
OBJ. CODE _____ VENDOR # _____
DESCRIPTION _____ \$

RECEIPT: 139828

DATE: 12/28/2022 BY: [Signature]

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

VENDOR: OREGON Water Resources Dept.
DATE 12/19/2022 INVOICE # R11-410-23
PO #

DESCRIPTION
Water Rights Transfer T-14091, Fee - WTR

12/22/2022

36842
AMOUNT 1,033.30

CITY OF PENDLETON
500 SW DOIRON AVE.
PENDLETON, OR 97801

RECEIVED

DEC 28 2022

OWRD
SALEM, OREGON

1,033.30

DEC 16 2022

Salem, OR

**REIMBURSEMENT AUTHORITY
APPLICANT'S AGREEMENT
Contract Number: R11-410-23**

This Agreement is between the **Oregon Water Resources Department**, hereafter OWRD, and **Bob Patterson**, hereafter Applicant, hereafter known together as the parties.


OWRD Information	Applicant's Information	Applicant's Representative
Contact: Kelly Starnes Title: Transfer Advisor Address: 725 Summer Street, NE, Suite A Salem, OR 97301-1266 Phone: 503 979-3511 Fax: 503 986-0901 Email: patrick.k.starnes@water.oregon.gov	Name: Bob Patterson Contact: <i>CITY OF PENDLETON</i> Address: 500 SW Dorian Ave Pendleton, OR 97801 Phone: (541) 966-0241 Fax: (541) 966-2051 Email: bob.patterson@ci.pendleton.or.us	Name: Greg Lacquement Contact: <i>CITY OF PENDLETON</i> Address: 1501 SE Byers Ave Pendleton, OR 97801 Phone: (541) 966-0249 Fax: (541) 276-5616 Email: greg.lacquement@ci.pendleton.or.us

Purpose The purpose of this Agreement is to expedite the processing of the **Transfer Application**. (Application Number: T-14091)

1. **Authority.** The OWRD has been authorized pursuant to ORS 536.055 to enter into a voluntary agreement with any applicant, permittee or regulated entity (collectively Applicant) for expediting or enhancing a regulatory process. In making this agreement, OWRD shall require the applicant to pay the full cost of expedited process.
2. **Restrictions.** Applicant and OWRD agree that this Agreement shall not be construed to restrict in any way the decisions and actions by OWRD. OWRD shall be free to exercise independent judgment consistent with existing laws and regulations.
3. **Effective Date and Duration.** Unless otherwise terminated by non-deposit of funds by the Applicant, this Agreement shall become effective on the date on which both parties have signed the Agreement and the full deposit of the estimated cost of the proposed service.
4. **Consideration.**
 - a. Applicant shall pay OWRD in advance for actual costs incurred by OWRD. The estimated maximum reimbursement payable to OWRD under this Agreement is \$1,033.30. Applicant agrees to pay the full amount of \$1,033.30 to OWRD prior to commencement of any work stated in this Agreement. This payment will be placed in an account administered by OWRD and drawn upon as costs are actually incurred. If the actual cost of performing the work is less than payments received, OWRD will refund the unspent balance. If the actual cost of processing exceeds the estimate, the Applicant can either elect to terminate this Agreement or amend the Agreement to reflect the increase in cost.
 - b. The costs stated in this Agreement do not include the statutory application processing and filing fees.
5. **Confidentiality.** Applicant agrees that any information provided to or acquired by OWRD under this Agreement will be subject to the Oregon Public Records Law and shall be considered public records.
6. **Indemnity.** Applicant shall defend, save, hold harmless, and indemnify the State of Oregon, OWRD, and their officers, employees, and agents from and against all claims, suits, actions, losses, damages, liabilities, costs, and expenses of any nature resulting from or arising out of, or relating to the activities of Applicant or its representatives, officers, employees, contractors, or agents under this Agreement or with respect to the expedited service. The Applicant acknowledges that the Oregon Water Resources Department cannot and does not guarantee a favorable review under the subject regulatory process.


7. **Termination.** Applicant may request to terminate this agreement only in writing at anytime during the process. The Applicant agrees to pay for the work done by OWRD up until the time of the written termination request. OWRD, upon receiving such written termination request from the Applicant, will refund any unspent balance.
8. **Funds Authorized and Available.** By its execution of this Agreement, Applicants certify that sufficient funds are authorized and available to cover the expenditures contemplated by this Agreement.
9. **Duration of Estimate.** The Estimate of Time to completion is **approximately** 120 days once this Agreement has been fully executed and payment of the estimated cost deposited. If the Applicant's Agreement is not received by the Department within thirty (30) days of mailing the Agreement, the Applicant may need to re-apply for a new estimate. NOTE: Any time estimate is approximate; No guarantee of Final Order issuance of a date is certain. Duration estimates do not include any statutory waiting periods.
10. **Completion Date.** OWRD, by the execution of this Agreement does not guarantee the completion date indicated in this Agreement. Completion date is only an estimate and may be affected by the Department's workload, issues arising from the processing of the requested services and Applicant's timely response to requests for additional information.
11. **Captions.** The captions or headings in this Agreement are for the convenience only and in no way define, limit, or describe the scope, or intent, of any provision of this Agreement.
12. **Amendment and Merger.** The terms of this Agreement shall not be waived, altered, modified, supplemented, or amended in any manner whatsoever, except by written instrument signed by both parties. Such waiver, consent, modification or change, if made, shall be effective only in the specific instance and for the specific purpose given. There are no understandings, agreements or representations, oral or written, not specified herein regarding this Agreement.
13. **Signatures.** All parties, by the authorized representative's signature below, hereby acknowledge that they have read this Agreement, understand it and agree to be bound by its terms and conditions.

For Applicant:

 Bob Patterson, PWD
Name/Title:

12/16/2022
Date

For OWRD:

 Dwight French – Administrator

12-30-2022
Date

Mail signed Agreement to:

Stacy Phillips
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

Received by OWRD

DEC 16 2022

Salem, OR

CITY OF PENDLETON
PAYABLES CHECK REQUEST

VENDOR #: OREG8


PAYEE: Oregon Water Resources Department
ADDRESS: Attn: Stacy Phillips
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266

DATE: December 16, 2022

TOTAL AMOUNT: \$1,033.03

Line Item Breakdown			Fund	Dept	Line Item	Proj	S Amount	P.O. #	Invoice #	Inv.
										Date Description & Purpose
1	610		51		62600		1,033.30		RA# R11-410-23	Water Right Transfer T-14091 Reimbursement Authority Agreement
2										
3										
4										Hold check and notify Bob Patterson
5										when the check is ready. It will be sent
6										with a cover letter and the agreement.
7										
8										
11										
12										
13										
14										
15										

TOTAL 1,033.30


Approved by Dept Head 12/16/2022

Reviewed by Finance Director _____

STATE OF OREGON
WATER RESOURCES DEPARTMENT

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **139645**

INVOICE # _____

RECEIVED FROM: City of Pendleton
BY: _____

APPLICATION	
PERMIT	
TRANSFER	T-14091

CASH: ☐ CHECK: # 36564 OTHER: (IDENTIFY) ☐

TOTAL REC'D \$125.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES 47124 R-11410-23 \$
0412 OTHER: (IDENTIFY) Reimbursement Authority \$125.00

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407	COPY & TAPE FEES	\$
0410	RESEARCH FEES	\$
0408	MISC REVENUE: (IDENTIFY) _____	\$
TC162	DEPOSIT LIAB. (IDENTIFY) _____	\$
0240	EXTENSION OF TIME	\$

WATER RIGHTS:

0201	SURFACE WATER	EXAM FEE	RECORD FEE
0203	GROUND WATER	\$	\$
0205	TRANSFER	\$	\$

WELL CONSTRUCTION

0218	WELL DRILL CONSTRUCTOR	EXAM FEE	LICENSE FEE
	LANDOWNER'S PERMIT	\$	\$

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211	WELL CONST START FEE	\$	CARD#
0210	MONITORING WELLS	\$	CARD#

OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233	POWER LICENSE FEE (FWWRD)	\$
0231	HYDRO LICENSE FEE (FWWRD)	\$
	HYDRO APPLICATION	\$

TREASURY OTHER / RDX

FUND _____ TITLE _____
OBJ. CODE _____ VENDOR # _____
DESCRIPTION _____ \$

RECEIPT: **139645** DATED: 12/1/2022 BY: _____

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

VENDOR: OREGON Oregon Water Resources Dept.
DATE 11/16/2022 INVOICE # 11/16/22 PO #

DESCRIPTION
Well 11B Expdited Transfer Application Fee - WTR

11/17/2022 36564
AMOUNT 125.00

CITY OF PENDLETON
500 SW DORON AVE.
PENDLETON, OR 97801

RECEIVED
DEC 01 2022
CWRD
SALEM, OREGON

125.00



OREGON WATER RESOURCES DEPARTMENT
TRANSFER REIMBURSEMENT AUTHORITY
ESTIMATE APPLICATION



ORS 536.055 authorizes the Oregon Water Resources Department to expedite or enhance regulatory processes voluntarily requested under the agreement.

Please contact Transfer Personnel before submitting this request; as the application fee is a non-refundable \$125.00 fee per request. Checks submitted for this application should be separate from Transfer fees.

The purpose of this application is to obtain estimates of the cost and time required to process a Transfer Application Request. There is a non-refundable application fee of \$125.00 per request.

REQUEST	TYPE	FILE NUMBER
<input checked="" type="checkbox"/>	Transfer Application	Transfer Number T-14091

	Applicant Information	Applicant's Representative/Contact
Name:	Bob PATTERSON	GREG LACQUEMENT
Address:	500 SW DORION AVE PENDLETON, OR 97801	1501 SE BYERS AVE PENDLETON, OR 97801
Phone:	(541) 966-0241	(541) 966-0249
Fax:	(541) 966-0251	(541) 276-5616
E-Mail Address:	bob.patterson@ci.pendleton.or.us	greg.lacquement@ci.pendleton.or.us

I understand the following:

- That upon receipt of my non-refundable application fee of \$ 125.00, OWRD will, within fourteen (14) days, notify me in writing of the estimate of costs and time frame for the expedited service.
- That this fee covers the reimbursement authority staff to evaluate and provide the estimate for processing of the request.
- That OWRD will, within fourteen (14) days, notify me in writing of the estimates of costs and time frame for the expedited service.
- That upon receiving the estimate I may agree or decline to enter into a formal contract to pay the estimated cost in advance to initiate the expedited service.
- An incomplete or inaccurate application may delay the process and increase the cost to process my request.
- Expedited processing does not guarantee a favorable review of my request.
- Send completed Application and payment to:

Oregon Water Resources Department
Transfer Reimbursement Authority Program
725 Summer St. NE, Suite A
Salem, OR 97301-1271

RECEIVED

DEC 01 2022

OWRD
SALEM, OREGON

I certify that I am the (check one):

☒ Applicant ☐ Applicant's Representative ☐ Other (Please specify) _____

Name: BOB PATTERSON

Signature: [Signature]

OWRD USE ONLY: Reimbursement Authority Number: R11-410 -23 Caseworker: T. Smith



Oregon
Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A
Salem, OR 97301
(503) 986-0900
Fax (503) 986-0904

September 27, 2022

CITY OF PENDLETON
PO BOX 190
PENDLETON, OR 97801

Reference: Application T-14091

On September 19, 2022, OWRD received your water right Permit Amendment Application. The application was accompanied by \$1840.00. Our receipt number 139157 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to our groundwater staff to determine whether the proposed well accesses the same source of water as the original well.

This application may require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

Except as provided under ORS 540.510(3) for municipalities, you may not use water point of appropriation until a final order approving the application has been issued by the Department.

Refer to the following page for a chart showing the steps and expected timelines for the processing of your application.

If you have any questions, please contact the Transfer Section at (503) 979-9931.


Cc: Watermaster Dist. #5, Gregory M. Silbernagel (via email)

Enclosure

Permit Amendment Process

ORS 537.211

Changes: POD/POA, Place of Use



Permit Amendment Application Checklist

Checked by Switt

Date 9/21/22

App # 6-3443

Permit # 6-3225

Permit Amendments are authorized for changes in POD/POA, APOD/APOA, or POU.

(If OK, check box to left; if not, fill in the blank)

- ☒ 1. Is the name of the Permit Amendment applicant the same as the Water Right Permit holder(s) of record?

If not, one of the following must be included with the application:

- ___ a) An affidavit of consent from all Permit holder(s) or the other Permit holders that have not signed the Permit Amendment application form, consenting to the proposed Permit Amendment application; **OR**,
___ b) A completed Request for Assignment form (and statutory fee) to move all (or portion) of the permit into the Permit Amendment applicant's name.

If not, what is missing? _____

- ☒ 2. Page 1 of application: Are all attachments that have been checked actually included?

If not, what is missing? _____

- ☒ 3. Are fees included and correct? Fee Paid: 1360

If not, the correct fee would be: _____, so the amount missing is: _____

- ☒ 4. Part 4 of application: Have all the applicants listed at the top of the page signed at the bottom?

If not, whose signature is missing? _____


- ☒ 5. Are the Permit completion date(s) current? 2076

If the Permit completion date has expired, we **CANNOT** accept the application.

- ☒ 6. If all #1-#5 boxes on this checklist are checked (with no remaining deficiencies identified), accept the application. Put this check sheet in the transfer folder.

If #1, #2, #3, #4 or #5 on this checklist is deficient, the application **CANNOT** be accepted.

It should be returned and the deficiencies listed in the "staff" section at the bottom of **Application Page 1**, unless the applicant or agent can resolve the deficiencies within 2-3 days.



City of Pendleton
Permit Amendment T-14091

Received by OWRD
JUN 13 2024
Salem, OR

- Well Locations: 11/11B
- Township Range
- Sections
- Water Main
- City Limits
- Urban Growth Boundary
- River