



April 22, 2025

Ms. Lisa Jaramillo  
Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1271

**Subject:** Application for a Permanent Water Right Transfer  
Certificate 96345, Hillsboro Landfill, Inc.

Ms. Jaramillo:

On behalf of the applicant, Hillsboro Landfill Inc., please find enclosed an Application for a Permanent Water Right Transfer involving Certificate 96345 accompanied by a check in the amount of \$1,840 for payment of the application filing fee.

If you have any questions regarding the enclosed application, you can reach me at 503-967-7050 x204. Please copy me on any correspondence regarding this application.

Respectfully submitted,

Theodore Ressler, RG, CWRE  
Summit Water Resources LLC

Cc: Ariel Oliver  
Nicholas Godfrey

Enclosures:

Application for a Permanent Water Right Transfer involving Certificate 96345  
Check #83795 in the amount of \$1,840

Received  
APR 24 2025  
OWRD

# Application for Permanent Water Right Transfer



Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266  
(503) 986-0900  
www.oregon.gov/OWRD

## Part 1 of 5 – Minimum Requirements Checklist

**This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.**

For questions, please call (503) 986-0900, and ask for Transfer Section.

Received  
APR 24 2025  
OWRD

Check all items included with this application. (N/A = Not Applicable)

- ☒ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Transfer Application Map Checklist.
- ☒ Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at:  
[http://apps.wrd.state.or.us/apps/misc/wrd\\_fee\\_calculator](http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator).
- ☒ Part 4 – Completed Applicant Information and Signature.
- ☒ Part 5 – Information about Water Rights to be Transferred: **How many water rights are to be transferred? 1 List them here: 96345**  
Please include a separate Part 5 for each water right. (See instructions on page 6)  
**NOTE: A separate transfer application is required for each water right unless the criteria in OAR 690-380-3220 are met.**

### Attachments:

- ☒ Completed Transfer Application Map. **Attachment 1**
- ☒ Completed Evidence of Use Affidavit and supporting documentation. **Attachment 3**
- ☐ ☒ N/A Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the land the water right is on.)
- ☐ ☒ N/A Supplemental Form D – For water rights served by or issued in the name of an irrigation district. Complete when the transfer applicant is not the irrigation district.
- ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone. **Attachment 4**
- ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation. **Attachment 5**
- ☐ ☒ N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500' from the surface water source and more than 1000' upstream or downstream from the point of diversion. See OAR 690-380-2130 for requirements and applicability.

### (For Staff Use Only)

#### WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

- |  |  |
|--|--|
| <input type="checkbox"/> Application fee not enclosed/insufficient | <input type="checkbox"/> Map not included or incomplete                  |
| <input type="checkbox"/> Land Use Form not enclosed or incomplete  | <input type="checkbox"/> Evidence of Use Form not enclosed or incomplete |
| <input type="checkbox"/> Additional signature(s) required          | <input type="checkbox"/> Part _____ is incomplete                        |

Other/Explanation \_\_\_\_\_

Staff: \_\_\_\_\_ 503- \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_



## Part 2 of 5 – Transfer Application Map

Your transfer application will be returned if any of the map requirements listed below are not met.

Please be sure that the transfer application map you submit includes all the required items and matches the existing water right map. Check all boxes that apply.

- ☒ ☐ N/A Certified Water Right Examiner (CWRE) Stamp and Original Signature. For a list of CWREs, see [http://apps.wrd.state.or.us/apps/wr/cwre\\_license\\_view/](http://apps.wrd.state.or.us/apps/wr/cwre_license_view/). CWRE stamp and signature are not required for substitutions.
- ☐ ☒ N/A If **more than three** water rights are involved, separate maps are needed for each water right.
- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- ☒ Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
- ☐ ☒ N/A Proposed place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.
- ☒ ☐ N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).



## FEE WORKSHEET for PERMANENT TRANSFER (except Substitution)

1. For irrigation calculate cfs for each water right involved as follows:
  - a. Divide total authorized cfs by total acres in the water right (*for C12345, 1.25 cfs ÷ 100 ac*); then multiply by the number of acres to be transferred to get the transfer cfs (*x 45 ac = 0.56 cfs*).
  - b. If the water right certificate does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (*For C87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs*)
2. Add cfs for the portions of water rights on all the land included in the transfer; however **do not count cfs for supplemental rights on acreage for which you have already calculated the cfs fee for the primary right on the same land**. The fee should be assessed only once for each "on the ground" acre included in the transfer. (*In this example, blank 5a would be only 0.56 cfs, since both rights serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0*).

FEE WORKSHEET for SUBSTITUTION			
1	Base Fee (includes change to one well)	1	\$990.00
	Number of wells included in substitution _____ (2a) Subtract 1 from the number in 2a above: _____ (2b) <i>If only one well this will be 0</i>		
2	Multiply line 2b by \$480 and enter » » » » » » » » » » » » » » »	2	
3	Add entries on lines 1 through 2 above » » » » » » <b>Fee for Substitution:</b>	3	N/A

14646 -

Received

APR 24 2025 TACS

OWRD



## Part 4 of 5 – Applicant Information and Signature

### Applicant Information

APPLICANT/BUSINESS NAME <b>Hillsboro Landfill, Inc.; Attn: Ariel Oliver</b>			PHONE NO. <b>541-612-1362</b>	ADDITIONAL CONTACT NO.
ADDRESS <b>3205 SE MINTER BRIDGE RD</b>				FAX NO.
CITY <b>Hillsboro</b>	STATE <b>OR</b>	ZIP <b>97123</b>	E-MAIL <b>aoliver5@wm.com</b>	
<b>BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.</b>				

**Agent Information** – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME <b>Ted Ressler, RG, CWRE / Summit Water Resources LLC</b>			PHONE NO. <b>503-701-4535 x204</b>	ADDITIONAL CONTACT NO.
ADDRESS <b>4784 SE 17<sup>th</sup> Avenue, Suite 111</b>				FAX NO.
CITY <b>Portland</b>	STATE <b>OR</b>	ZIP <b>97202</b>	E-MAIL <b>tressler@summitwr.com</b>	
<b>BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.</b>				

Explain in your own words what you propose to accomplish with this transfer application, and why: Groundwater appropriated under Certificate 96345 is used by Hillsboro Landfill, Inc. for Industrial Use purposes including but not limited to dust control. Two Points of Appropriation, NW3 and NW5, are currently authorized for use under the certification. To provide operational flexibility, an additional point of appropriation, NW6, is requested.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

### Check One Box

- ☒ By signing this application, I understand that, upon receipt of the draft preliminary determination and prior to Department approval of the transfer, I will be required to provide landownership information and evidence that I am authorized to pursue the transfer as identified in OAR 690-380-4010(5); **OR**
- ☐ I affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; **OR**
- ☐ I affirm the applicant is an entity with the authority to condemn property and is acquiring by condemnation the property to which the water right proposed for transfer is appurtenant and have supporting documentation.

Received  
APR 24 2025  
OWRD



Received


APR 24 2025

OWRD

By my signature below, I confirm that I understand:

- Prior to Department approval of the transfer application, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: Hillsboro Tribune.
- Amendments to the application may only be made in response to the Department's Draft Preliminary Determination (DPD). The applicant will have a period of at least 30 days to amend the application to address any issues identified by the Department in the DPD, or to withdraw the application. Note that amendments may be subject to additional fees, pursuant to ORS 536.050.
- Failure to complete an approved change in place of use and/or change in character of use, will result in loss of the water right (OAR 690-380-6010).
- Refunds may only be granted upon request and, as set forth in ORS 536.050(4)(a), if the Director determines that a refund of all or part of a fee is appropriate in the interests of fairness to the public or necessary to correct an error of the Department.

I (we) affirm that the information contained in this application is true and accurate.



Nicholas Godfrey  
Senior District Manager

Print Name (and Title if applicable)

4.11.23  
Date

Applicant signature

Print Name (and Title if applicable)

Date

Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located? ☒ Yes ☐ No\*

*\*If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the water right(s) were conveyed.*

Check the following boxes that apply:

- ☒ The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- ☐ The receiving landowner will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to this landowner.
- ☐ Both the receiving landowner and applicant will be responsible for completion of change(s). Copies of notices and correspondence should be sent to this landowner and the applicant.

At this time, are the lands in this transfer application in the process of being sold? ☐ Yes ☒ No

If YES, and you know who the new landowner will be, please complete the receiving landowner information table below. If you do not know who the new landowner will be, then a request for assignment will have to be filed for at a later date.

If a property sells, the certificated water right(s) located on the land belong to the new owner, unless a sale agreement or other document states otherwise. For more information see:

[https://www.oregon.gov/owrd/WRDFormsPDF/Transfer\\_Property\\_Transactions.pdf](https://www.oregon.gov/owrd/WRDFormsPDF/Transfer_Property_Transactions.pdf)

RECEIVING LANDOWNER NAME			PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS			FAX NO.	
CITY	STATE	ZIP	E-MAIL	
Describe any special ownership circumstances:				
The confirming Certificate shall be issued in the name of: <input checked="" type="checkbox"/> Applicant <input type="checkbox"/> Receiving Landowner				




☐ Check here if any of the water rights proposed for transfer are or will be located within or served by an irrigation or other water district. (**Tip: Complete and attach Supplemental Form D.**)

IRRIGATION DISTRICT NAME	ADDRESS	
CITY	STATE	ZIP

☐ Check here if water for any of the rights supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

 To meet State Land Use Consistency Requirements, you must list all county, city, municipal corporation, or tribal governments within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME <b>Washington County</b>	ADDRESS <b>155 N 1<sup>st</sup> Ave</b>	
CITY <b>Hillsboro</b>	STATE <b>OR</b>	ZIP <b>97124</b>

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

Received  
APR 24 2025  
OWRD



## INSTRUCTIONS for editing the Application Form

To add additional lines to tables within the forms or to copy and paste additional Part 5 pages, please **save the application form to your computer**. Unlock the document by using one of the following instructions for your Microsoft Word software version:

### Microsoft Word 2003

Unlock the document by one of the following:

- Using the **Tools** menu => click **Unprotect Document**;
- OR**
- Using the **Forms** toolbar => click on the **Protect/Unprotect** icon.

To relock the document to enable the checkboxes to work, you will need to:

- Using the **Tools** menu => click **Protect Document**;
- OR**
- Using the **Forms** toolbar => click on the **Protect/Unprotect** icon.

### Microsoft Word 2007

- Unlock the document by clicking the **Review** tab, then click **Protect Document**, then click **Stop Protect**
- To relock the document, click **Editing Restrictions**, then click **Allow Only This Type of Editing**, select **Filling In Forms** from the drop-down menu, then check **Yes, Start Enforcing Protection**.

### Microsoft Word 2010

- Unlock the document by clicking the **Review** tab; toggle the **Restrict Editing** icon at the upper right, then click **Stop Protect** at the bottom right. Then uncheck the "**Allow only this type of editing in the document: Filling in forms**" in the "Editing restrictions" section on the right-hand list of options.
- To relock the document, check the **Editing Restrictions/Allow Only This Type of Editing/Filling In Forms** box from the drop-down menu, then check **Yes, Start Enforcing Protection**. You do not need to assign a password for the editing restrictions.

### Other Alternatives:

- Photocopy pages or tables in Part 5, ~~mark-through~~ any non-applicable information, insert/attach photocopied pages to document in the appropriate location, and manually amend page numbers as necessary (e.g. Page ~~5~~ 6 of ~~9~~ 10).
- You may refer to additional attachments that you may include, such as separately produced tables or spreadsheets to convey large numbers of rows of place of use listings, owner/property parcels, etc. You may contact the Department at 503-986-0900 and ask for Transfer Staff if you have questions.

Once the application has been unlocked, you may:

- add additional rows to tables using the Table tools, and
- select and copy the pages of Part 5 and paste as many additional sets of Part 5 pages as needed at the end of the application.

After editing, re-lock the document to enable checkboxes to work.

Received

APR 24 2025

OWRD

14646 -

## Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

**CERTIFICATE # 96345**

### Description of Water Delivery System

System capacity: 0.36 cubic feet per second (cfs) **OR**  
 \_\_\_\_\_ gallons per minute (gpm)

**Received**  
**APR 24 2025**  
**OWRD**

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. **Groundwater is appropriated from each well using a submersible pump and delivered by closed pipe to the place of use or to water truck fill stations which subsequently convey the water to the place of use.**

**Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)**

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-____)	Twp	Rng	Sec	¼	¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
NW3	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	WASH-1130	1	S	2	W	7	NE SE	68 1870 Feet North and 360 Feet West from SW Corner, Section 8
NW5	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	WASH-9603	1	S	2	W	7	NE SE	68 2440 Feet North and 330 Feet West from SW Corner, Section 8
NW6	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	WASH-9628 WASH-119	1	S	2	W	8	NW SW	68 1680 Feet North and 120 Feet East from SW Corner, Section 8

**Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):**

- |  |  |
|--|--|
| <input type="checkbox"/> Place of Use (POU)                            | <input type="checkbox"/> Supplemental Use to Primary Use (S to P)            |
| <input type="checkbox"/> Character of Use (USE)                        | <input type="checkbox"/> Point of Appropriation/Well (POA)                   |
| <input type="checkbox"/> Point of Diversion (POD)                      | <input checked="" type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD)          | <input type="checkbox"/> Substitution (SUB)                                  |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV)                         |

**Will all of the proposed changes affect the entire water right?**

- ☒ Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- ☐ No Complete all of Table 2 to describe the portion of the water right to be changed.



Please use and attach additional pages of Table 2 as needed.  
See page 6 for instructions.

Do you have questions about how to fill-out the tables?  
Contact the Department at 503-986-0900, and ask for Transfer Staff.

**Table 2. Description of Changes to Water Right Certificate # 96345**

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change.  
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.												Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.													
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date				
EXAMPLE																										
2	S	9	E	15	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	S	9	E	1	NW	NW	500	1	10.0		POD #5	1901
													APOA	1	S	2	W	7	SW	NE					NW3,NW5, NW6	12/13/1990
													APOA	1	S	2	W	7	SE	NE					"	"
													APOA	1	S	2	W	7	NE	SE					"	"
													APOA	1	S	2	W	7	NW	SE					"	"
													APOA	1	S	2	W	7	SW	SE					"	"
													APOA	1	S	2	W	7	SE	SE					"	"
													APOA	1	S	2	W	8	NW	SW					"	"
													APOA	1	S	2	W	8	SW	SW					"	"
													APOA	1	S	2	W	18	NE	NE					"	"
													APOA	1	S	2	W	18	NW	NE					"	"
													APOA	1	S	2	W	18	SW	NE					"	"
													APOA	1	S	2	W	18	NE	NW					"	"
													APOA	1	S	2	W	18	SE	NW					"	"
TOTAL ACRES:											TOTAL ACRES:										N/A					

Received  
APR 24 2025  
OWRD

Additional remarks: The intent of this application is to add an additional POA (NW6) to the full rate of this certificate (0.36 cfs), to add NW3 as and additional POA to the rate of NW5, and NW5 as and additional POA to the rate of NW3. The desired result of the transfer would be authorization to appropriate up to 0.36 cfs from the combination of NW3, NW5, and NW6.



**For Place of Use or Character of Use Changes**

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? ☐ Yes ☐ No **N/A: This Transfer involves an Industrial Water Right that does not layer**

If YES, list the certificate, water use permit, or ground water registration numbers: \_\_\_\_\_.

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

**For Substitution** (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # \_\_\_\_\_;

Surface water primary Certificate # \_\_\_\_\_.

**For a change from Supplemental Irrigation Use to Primary Irrigation Use**

Identify the primary certificate to be cancelled. Certificate # \_\_\_\_\_

**For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation.**

- ☒ Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

**Tip:** You may search for well logs on the Department's web page at:

[http://apps.wrd.state.or.us/apps/gw/well\\_log/Default.aspx](http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

**AND/OR**

- ☐ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

**Table 3. Construction of Point(s) of Appropriation**

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-_____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right
NW3	Yes	No	182'	8"	183'	0-65	70'	23'	Sand	0.36
NW5	Yes	No	170'	8"	171'	0-62	71'	17'	Sand	0.36
NW6	Yes	No	170'	8"	171'	0--90	53'	33'	Sand	0.36



Received  
APR 24 2025  
OWRD

## Attachment 1

### Map

---

Received

APR 24 2025

OWRD

## Attachment 2

### Water Right Information

---



STATE OF OREGON  
COUNTY OF WASHINGTON  
CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

HILLSBORO LANDFILL INC  
7227 NE 55TH AVENUE  
PORTLAND OR 97218

confirms the right to the use of water perfected under the terms of Permit G-12247. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the well(s). The specific limits and conditions of the use are listed below.

SOURCE OF WATER: WELLS NW3 AND NW5 IN THE TUALATIN RIVER BASIN

PURPOSE OR USE: INDUSTRIAL USE

MAXIMUM RATE: 0.36 CUBIC FOOT PER SECOND (CFS), BEING 0.19 CFS FROM WELL NW3 AND 0.17 CFS FROM WELL NW5; FURTHER LIMITED TO A TOTAL VOLUME DIVERTED OF 50 ACRE FEET PER YEAR

DATE OF PRIORITY: DECEMBER 13, 1990

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
1 S	2 W	WM	7	NE SE	68	WELL NW3 - 1870 FEET NORTH AND 360 FEET WEST FROM SW CORNER, SECTION 8
1 S	2 W	WM	7	NE SE	68	WELL NW5 - 2440 FEET NORTH AND 330 FEET WEST FROM SW CORNER, SECTION 8

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q
1 S	2 W	WM	7	SW NE
1 S	2 W	WM	7	SE NE
1 S	2 W	WM	7	NE SE
1 S	2 W	WM	7	NW SE
1 S	2 W	WM	7	SW SE
1 S	2 W	WM	7	SE SE
1 S	2 W	WM	8	NW SW
1 S	2 W	WM	8	SW SW
1 S	2 W	WM	18	NE NE
1 S	2 W	WM	18	NW NE
1 S	2 W	WM	18	SW NE
1 S	2 W	WM	18	NE NW
1 S	2 W	WM	18	SE NW

Received  
APR 24 2025  
OWRD

**NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW**

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Measurement, recording, and reporting conditions:

- A. The water user shall maintain the meter or measuring device in good working order.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided, however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the water user to keep and maintain a record of the amount (volume) of water used and may require the water user to report water use on a periodic schedule as established by the Director. In addition, the Director may require the water user to report general water use information, the periods of water use, and the place and nature of use of water under the right. The Director may provide an opportunity for the water user to submit alternative reporting procedures for review and approval.

The well shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge to determine the water level elevation in the well at all times.

The Director may require water level or pump test results every ten years.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of the water shall be limited when it interferes with any prior surface or ground water rights.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

This certificate is issued to confirm a change in CHARACTER OF USE AND PLACE OF USE approved by an order of the Water Resources Director entered March 26, 2012, at Special Order Volume 87, Page 214, approving Transfer Application T-10882, and together with Certificate 87500, supercedes Certificate 85423, State record of Water Right Certificates.

Issued JUL 15 2022



Dwight French  
Water Right Services Division Administrator, for  
Thomas M. Byler, Director  
Oregon Water Resources Department

Received  
APR 24 2025  
OWRD



Received  
APR 24 2025  
OWRD

**Attachment 3**  
**Evidence of Use Affidavit**

---

# Application for Water Right Transfer Evidence of Use Affidavit



Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266  
(503) 986-0900  
www.wrd.state.or.us

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing.  
Supporting documentation must be attached.

State of Oregon )  
 ) ss  
County of WASHINGTON

I, NICHOLAS GODFREY, in my capacity as SENIOR DISTRICT MANAGER, HILLSBORO LANDFILL, INC.,  
mailing address 3205 SE MINTER BRIDGE RD HILLSBORO, OR 97123  
telephone number ((503))435-9248, being first duly sworn depose and say:

Received  
APR 24 2025  
OWRD

1. My knowledge of the exercise or status of the water right is based on (check one):

☐ Personal observation ☒ Professional expertise

2. I attest that:

☐ Water was used during the previous five years on the **entire** place of use for  
Certificate # \_\_\_\_\_; **OR**

☐ My knowledge is specific to the use of water at the following locations within the last five years:

Certificate #	Township	Range	Mer	Sec	¼ ¼	Gov't Lot or DLC	Acres (if applicable)

**OR**

- ☒ Confirming Certificate # 96345 has been issued within the past five years; **OR**
- ☐ Part or all of the water right was leased instream at some time within the last five years. The instream lease number is: \_\_\_\_\_ (Note: If the entire right proposed for transfer was not leased, additional evidence of use is needed for the portion not leased instream.); **OR**
- ☐ The water right is not subject to forfeiture and documentation that a presumption of forfeiture for non-use would be rebutted under ORS 540.610(2) is attached.
- ☐ Water has been used at the actual current point of diversion or appropriation for more than 10 years for Certificate # \_\_\_\_\_ (For Historic POD/POA Transfers)

(continues on reverse side)



3. The water right was used for: (e.g., crops, pasture, etc.): INDUSTRIAL USE

4. I understand that if I do not attach one or more of the documents shown in the table below to support the above statements, my application will be considered incomplete.

Signature of Affiant

Date

4-11-2025  
State of Oregon County of Yamhill

Signed and sworn to (or affirmed) before me this 11 day of April, 2025.



Notary Public for Oregon

My Commission Expires: August 04, 2028

Supporting Documents	Examples
<input checked="" type="checkbox"/> Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of <b>confirming</b> water right certificate that shows issue date
<input type="checkbox"/> Copies of receipts from sales of irrigated crops or for expenditures related to use of water	<ul style="list-style-type: none"><li>• Power usage records for pumps associated with irrigation use</li><li>• Fertilizer or seed bills related to irrigated crops</li><li>• Farmers Co-op sales receipt</li></ul>
<input type="checkbox"/> Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	<ul style="list-style-type: none"><li>• District assessment records for water delivered</li><li>• Crop reports submitted under a federal loan agreement</li><li>• Beneficial use reports from district</li><li>• IRS Farm Usage Deduction Report</li><li>• Agricultural Stabilization Plan</li><li>• CREP Report</li></ul>
<input type="checkbox"/> Aerial photos containing sufficient detail to establish location and date of photograph	<p>Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added.</p> <p>Sources for aerial photos: OSU – <a href="http://www.oregonexplorer.info/imagery">www.oregonexplorer.info/imagery</a> OWRD – <a href="http://www.wrd.state.or.us">www.wrd.state.or.us</a> Google Earth – <a href="http://earth.google.com">earth.google.com</a> TerraServer – <a href="http://www.terra-server.com">www.terra-server.com</a></p>
<input type="checkbox"/> Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number

Received

APR 24 2025

OWRD TACS

STATE OF OREGON  
COUNTY OF WASHINGTON  
CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

HILLSBORO LANDFILL INC  
7227 NE 55TH AVENUE  
PORTLAND OR 97218

confirms the right to the use of water perfected under the terms of Permit G-12247. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the well(s). The specific limits and conditions of the use are listed below.

SOURCE OF WATER: WELLS NW3 AND NW5 IN THE TUALATIN RIVER BASIN

PURPOSE OR USE: INDUSTRIAL USE

MAXIMUM RATE: 0.36 CUBIC FOOT PER SECOND (CFS), BEING 0.19 CFS FROM WELL NW3 AND 0.17 CFS FROM WELL NW5; FURTHER LIMITED TO A TOTAL VOLUME DIVERTED OF 50 ACRE FEET PER YEAR

DATE OF PRIORITY: DECEMBER 13, 1990

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
1 S	2 W	WM	7	NE SE	68	WELL NW3 - 1870 FEET NORTH AND 360 FEET WEST FROM SW CORNER, SECTION 8
1 S	2 W	WM	7	NE SE	68	WELL NW5 - 2440 FEET NORTH AND 330 FEET WEST FROM SW CORNER, SECTION 8

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q
1 S	2 W	WM	7	SW NE
1 S	2 W	WM	7	SE NE
1 S	2 W	WM	7	NE SE
1 S	2 W	WM	7	NW SE
1 S	2 W	WM	7	SW SE
1 S	2 W	WM	7	SE SE
1 S	2 W	WM	8	NW SW
1 S	2 W	WM	8	SW SW
1 S	2 W	WM	18	NE NE
1 S	2 W	WM	18	NW NE
1 S	2 W	WM	18	SW NE
1 S	2 W	WM	18	NE NW
1 S	2 W	WM	18	SE NW

Received  
APR 24 2025  
OWRD

**NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW**

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.



Measurement, recording, and reporting conditions:

- A. The water user shall maintain the meter or measuring device in good working order.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided, however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the water user to keep and maintain a record of the amount (volume) of water used and may require the water user to report water use on a periodic schedule as established by the Director. In addition, the Director may require the water user to report general water use information, the periods of water use, and the place and nature of use of water under the right. The Director may provide an opportunity for the water user to submit alternative reporting procedures for review and approval.

The well shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge to determine the water level elevation in the well at all times.

The Director may require water level or pump test results every ten years.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of the water shall be limited when it interferes with any prior surface or ground water rights.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

This certificate is issued to confirm a change in CHARACTER OF USE AND PLACE OF USE approved by an order of the Water Resources Director entered March 26, 2012, at Special Order Volume 87, Page 214, approving Transfer Application T-10882, and together with Certificate 87500, supercedes Certificate 85423, State record of Water Right Certificates.

Issued JUL 15 2022



Dwight French  
Water Right Services Division Administrator, for  
Thomas M. Byler, Director  
Oregon Water Resources Department

Received  
APR 24 2025  
OWRD

## **Attachment 4**

### **Land Use Information Form**

---



# Land Use Information Form



**Oregon Water Resources Department**  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266  
(503) 986-0900  
www.oregon.gov/OWRD

NAME Hillsboro Landfill, Inc.; Attn: Nick Godfrey			PHONE 503-435-9248	
MAILING ADDRESS 3205 SE MINTER BRIDGE RD				
CITY Hillsboro	STATE OR	ZIP 97123	EMAIL NGodfrey@wm.com	

## A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts, may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:	Proposed Land Use:
1 S	2 W	8	NWSW	1200	EFU*	<input checked="" type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input type="checkbox"/> Used	Industrial
						<input type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input type="checkbox"/> Used	
						<input type="checkbox"/> Diverted <input type="checkbox"/> Conveyed <input type="checkbox"/> Used	

Note\* The lands associated with Hillsboro Landfill, Inc. are operating under a Conditional Use Permit.

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Washington County
-------------------

**NOTE:** A separate Land Use Information Form must be completed and submitted for each county and city, as applicable.

## B. Description of Proposed Use

Type of application to be filed with the Oregon Water Resources Department:

- ☐ Permit to Use or Store Water    ☒ Water Right Transfer    ☐ Permit Amendment or Ground Water Registration Modification  
☐ Limited Water Use License    ☐ Exchange of Water    ☐ Allocation of Conserved Water

Source of water:    ☐ Reservoir/Pond    ☒ Ground Water    ☐ Surface Water (name) \_\_\_\_\_

Estimated quantity of water needed: 0.36    ☒ cubic feet per second    ☐ gallons per minute    ☐ acre-feet

Intended use of water:    ☐ Irrigation    ☐ Commercial    ☒ Industrial    ☐ Domestic for \_\_\_\_\_ household(s)  
☐ Municipal    ☐ Quasi-Municipal    ☐ Instream    ☐ Other \_\_\_\_\_

Briefly describe:

The applicant is requesting to add an additional well to appropriate groundwater under an existing water right (Certificate 96345) for industrial use purposes at the Hillsboro Landfill. There will be no physical changes to the existing water system and there will be no change in the rate of groundwater use already authorized under the existing water right.
--

**Note to applicant:** For new water right applications only, if the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt on the bottom of page 4 and include it with the application filed with the Oregon Water Resources Department.

See Page 4 →

Received  
APR 24 2025

OWRD

Received  
APR 24 2025

OWRD

## For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land use plan. Do not include approval for activities such as building or grading permits.

### Please check the appropriate box below and provide the requested information

- ☐ Land uses to be served by the proposed water use(s), including proposed construction, are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): \_\_\_\_\_
- ☒ Land uses to be served by the proposed water use(s), including proposed construction, involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being Pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
LD300229-SU/D	CDC Sec 340-5.2 Jend Sec 430-127-2	<input checked="" type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued

Local governments are invited to express special land use concerns or make recommendations to the Oregon Water Resources Department regarding this proposed use of water in the box below or on a separate sheet.

--

Name: MAITREYEE SINHA Title: SENIOR PLANNER

Signature: M. Sinha Date: 4.14.2025

Governmental Entity: WASHINGTON COUNTY Phone: 503.846.3835

### Receipt Acknowledging Request for Land Use Information

#### Note to Local Government Representative:

Please complete this form and return it to the applicant. For new water right applications only, if you are unable to complete this form while the applicant waits, you may complete this receipt and return it to the applicant. If you sign the receipt, you will have 30 days from the date of OWRD's Public Notice of the application to submit the completed Land Use Information Form to Oregon Water Resources Department. Please note while OWRD can accept a signed receipt as part of intake for an application for a new permit to use or store water, a completed Land Use Information Form is required for all other applications.

Applicant Name: \_\_\_\_\_

Staff Name: \_\_\_\_\_ Title: \_\_\_\_\_

Staff Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Governmental Entity: \_\_\_\_\_ Phone: \_\_\_\_\_



Received  
APR 24 2025  
OWRD

**Attachment 5**  
**Water Well Report/Well Log**

---

NW3

STATE OF OREGON  
**WATER WELL REPORT**  
 (as required by ORS 537.765)

WASH  
 1130

RECEIVED

MAY 11 1989

(START CARD) # 9982

**(1) OWNER:**

Name Oregon Garden Products  
 Address 3150 SE Minter Bridge Rd.  
 City Hillsboro State OR Zip 97123

Well Number: #3-89

**(9) LOCATION OF WELL by legal description:**

County Wash. Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
 Township 1S Nor S, Range 2W E or W, WM.  
 Section 7 NE ¼ SE ¼  
 Tax Lot \_\_\_\_\_ Lot \_\_\_\_\_ Block \_\_\_\_\_ Subdivision \_\_\_\_\_  
 Street Address of Well (or nearest address) 3150 SE Minter  
Bridge Rd., Hillsboro, OR 97123

**(2) TYPE OF WORK:**

☒ New Well ☐ Deepen ☐ Recondition ☐ Abandon

**(3) DRILL METHOD**

☐ Rotary Air ☒ Rotary Mud ☐ Cable  
☐ Other \_\_\_\_\_

**(4) PROPOSED USE:**

☐ Domestic ☐ Community ☐ Industrial ☒ Irrigation  
☐ Thermal ☐ Injection ☐ Other \_\_\_\_\_

**(5) BORE HOLE CONSTRUCTION:**

Special Construction approval Yes No Depth of Completed Well 182 ft.

Yes No ☒

Explosives used ☐ ☒ Type \_\_\_\_\_ Amount \_\_\_\_\_

HOLE			SEAL			Amount sacks or pounds
Diameter	From	To	Material	From	To	
13½	0	65	cem/gel	0	65	43 sacks
13½	65	182	sand pack	65	182	---
6½	182	209	drill gel			---

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E

☐ Other \_\_\_\_\_

Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_

Gravel placed from 65 ft. to 182 ft. Size of gravel #4 & #8 Aqua

**(6) CASING/LINER:**

	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:	8	+1	109	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	8	129	140	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	8	145	159	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	8	179	182	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner:					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) \_\_\_\_\_

**(7) PERFORATIONS/SCREENS:**

☐ Perforations Method \_\_\_\_\_  
☒ Screens Type Wire wound Material L.C. steel

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
109	129	.030		8	pipe	<input checked="" type="checkbox"/>	<input type="checkbox"/>
140	145	.030		8	pipe	<input checked="" type="checkbox"/>	<input type="checkbox"/>
159	179	.030		8	pipe	<input checked="" type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>

**(8) WELL TESTS: Minimum testing time is 1 hour**

☐ Pump ☐ Bailer ☒ Air ☐ Flowing  
☐ Artesian

Yield gal/min	Drawdown	Drill stem at	Time
66		70	1 hr.
82		80	2 hr.
92		90	4 hr.
103		100	5 hrs.

Temperature of water \_\_\_\_\_ Depth Artesian Flow Found \_\_\_\_\_

Was a water analysis done? ☐ Yes By whom \_\_\_\_\_

Did any strata contain water not suitable for intended use? ☐ Too little

☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other \_\_\_\_\_

Depth of strata: \_\_\_\_\_

**(10) STATIC WATER LEVEL:**

23 ft. below land surface. Date 4/25/89

Artesian pressure \_\_\_\_\_ lb. per square inch. Date \_\_\_\_\_

**(11) WATER BEARING ZONES:**

From	To	Estimated Flow Rate	SWL
109	129	100 gpm	23
140	145	"	"
159	179	"	"

**(12) WELL LOG:**

Ground elevation \_\_\_\_\_

Material	From	To	SWL
Rock & clay fill	0	1	
Gray clay	1	2	
Wood & fill material	2	27	
Soft brown silty clay	27	49	
Soft gray silty clay	49	109	
Medium to coarse black sand	109	129	
occ. clay interbed			
Sticky gray-brown clay	129	134	
Soft brown sandy clay	134	140	
Fine to coarse brown sand	140	144	
Sticky gray clay	144	161	
Medium to coarse brown sand	161	177	
Sticky gray clay	177	209	

Date started 3/16/89 Completed 4/26/89

**(unbonded) Water Well Constructor Certification:**

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.

WWC Number \_\_\_\_\_  
 Signed \_\_\_\_\_ Date \_\_\_\_\_

**(bonded) Water Well Constructor Certification:**

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. all work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 1266  
 Signed [Signature] Date 4/28/89

14646



NW5

APR 21 1989

WASH

009603

Sku/da

STATE OF OREGON  
WATER WELL REPORT  
(as required by ORS 537.765)

WATER RESOURCES DEPT.  
SALEM, OREGON

(START CARD) # 9983

## (1) OWNER:

Name Oregon Garden Products

Well Number: #5 - 89

Address

City

State

Zip

## (2) TYPE OF WORK:

☒ New Well ☐ Deepen ☐ Recondition ☐ Abandon

## (3) DRILL METHOD

☐ Rotary Air ☒ Rotary Mud ☐ Cable

☐ Other

## (4) PROPOSED USE:

☐ Domestic ☐ Community ☐ Industrial ☒ Irrigation

☐ Thermal ☐ Injection ☐ Other

## (5) BORE HOLE CONSTRUCTION:

Special Construction approval Yes No Depth of Completed Well 170 ft.

Yes No ☒Explosives used ☐ ☒ Type Amount

HOLE			SEAL			Amount sacks or pounds
Diameter	From	To	Material	From	To	
13 1/2	0	62	Cement	0	62	42 Sacks
	62	170	Sandpack	62	170	
6 1/2	170	210	Drillgel	170	210	

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E☐ Other

Backfill placed from ft. to ft. Material

Gravel placed from 62 ft. to 170 ft. Size of gravel #8 &amp; #4

## (6) CASING/LINER:

	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:	8	+1	95	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	8	135	146	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	8	156	161	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	8	166	170	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner:					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s)

## (7) PERFORATIONS/SCREENS:

☐ Perforations

Method

☒ Screens

Type Wire wound Material L.C. Steel

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
95	135	.030		8"	Pipe	<input checked="" type="checkbox"/>	<input type="checkbox"/>
146	156	.020		8"	Pipe	<input checked="" type="checkbox"/>	<input type="checkbox"/>
161	166	.030		8"		<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>

## (8) WELL TESTS: Minimum testing time is 1 hour

☐ Pump☐ Bailor☒ Air☐ Flowing  
Artesian

Yield gal/min	Drawdown	Drill stem at	Time
60		70	1 hr.
72		80	2 hr.
90		90	3 hr.

Temperature of water Depth Artesian Flow Found

Was a water analysis done? ☐ Yes By whomDid any strata contain water not suitable for intended use? ☐ Too little☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other

Depth of strata:

## (9) LOCATION OF WELL by legal description:

County Wash Latitude Longitude  
Township 1S N or S, Range 2W E or W, WM.  
Section 7 NE 1/4 SE 1/4  
Tax Lot Lot Block Subdivision  
Street Address of Well (or nearest address) 3150 SE Minter  
Bridge Rd. Hillsboro, OR 97123

## (10) STATIC WATER LEVEL:

17 ft. below land surface. Date 4/17/89

Artesian pressure lb. per square inch. Date

## (11) WATER BEARING ZONES:

Depth at which water was first found 92

From	To	Estimated Flow Rate	SWL
92	126	90 gpm	17
129	134	90 gpm	"
143	155	90 gpm	"
160	166	90 gpm	"

## (12) WELL LOG:

Ground elevation

Material	From	To	SWL
Topsoil	0	1	
Dark Brown Clay	1	3	
Soft Brown Silty Clay	3	13	
Fine Muddy Brown Sand	13	15	
Soft Lt. Gray - Brown Clay	15	17	
Soft Brown Silty Clay	17	45	
w/ Fine Sand Streaks			
Soft Gray Silty Clay	45	57	
Fine Gray Sand	57	65	
Soft Gray Silty Clay	65	92	
Fine to Medium Coarse Black Sand	92	108	
Sticky Gray Clay	108	109	
Fine to Coarse Black Sand	109	126	
Sticky Gray Clay	126	129	
Fine to Coarse Black Sand	129	134	
Sticky Gray Clay	134	140	
Sticky Brown Clay	140	143	
Fine to Coarse Brown Sand	143	155	
Sticky Light Brown Clay	155	161	
Fine to Coarse Brown Sand	161	166	
Sticky Gray Clay occ. Sand	166	210	
Streaks			

Date started 4/12/89 Completed 4/18/89

## (unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.

Signed \_\_\_\_\_ WWC Number \_\_\_\_\_  
Date APR 24 2025

## (bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. all work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.

Signed \_\_\_\_\_ WWC Number 1266  
Date 4/19/89

ORIGINAL &amp; FIRST COPY - WATER RESOURCES DEPARTMENT

SECOND COPY - CONSTRUCTOR

THIRD COPY - CUSTOMER

9809C 5/85

14646-







NW6

WASH

RECEIVED

STATE OF OREGON

## WATER WELL REPORT

(as required by ORS 537.765)

009628

MAY 9 1989

18/20/806

(START CARD) # 10626

## (1) OWNER:

Name Oregon Garden Products Well Number: TW 7 NW 6  
 Address 3150 S. E. Minter Bridge Rd.  
 City Hillsboro State OR Zip 97123

## (2) TYPE OF WORK:

☒ New Well ☐ Deepen ☐ Recondition ☒ Abandon Temporary

## (3) DRILL METHOD

☐ Rotary Air ☒ Rotary Mud ☐ Cable  
☐ Other

## (4) PROPOSED USE:

☐ Domestic ☐ Community ☐ Industrial ☐ Irrigation  
☐ Thermal ☐ Injection ☒ Other Test Well

## (5) BORE HOLE CONSTRUCTION:

Special Construction approval Yes ☐ No ☒ Depth of Completed Well --- ft.

Explosives used ☐ Yes ☒ No ☐ Type --- Amount ---

HOLE			SEAL			Amount sacks or pounds
Diameter	From	To	Material	From	To	
10"	0	18	Gran. Bentn.	0	18	8 sacks
6 1/2"	18	228	Drill gel			

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E

☒ Other poured into dry annulus

Backfill placed from --- ft. to --- ft. Material ---

Gravel placed from --- ft. to --- ft. Size of gravel ---

## (6) CASING/LINER:

	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:	6"	+1	19	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Liner:					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) ---

## (7) PERFORATIONS/SCREENS:

☐ Perforations Method ---  
☐ Screens Type --- Material ---

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>

## (8) WELL TESTS: Minimum testing time is 1 hour

☐ Pump ☐ Bailer ☐ Air ☐ Flowing  
☐ Artesian

Yield gal/min	Drawdown	Drill stem at	Time
			1 hr.

Temperature of water --- Depth Artesian Flow Found ---

Was a water analysis done? ☐ Yes By whom ---

Did any strata contain water not suitable for intended use? ☐ Too little

☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other ---

Depth of strata: ---

## (9) LOCATION OF WELL by legal description:

County Washington Latitude --- Longitude ---  
 Township 1 S N or S, Range 2 W E or W, WM.  
 Section 8 NW 1/4 SW 1/4  
 Tax Lot --- Lot --- Block --- Subdivision ---  
 Street Address of Well (or nearest address) 3150 S. E. Minter  
 Bridge Rd., Hillsboro, Oregon 97123

## (10) STATIC WATER LEVEL:

--- ft. below land surface. Date ---  
 Artesian pressure --- lb. per square inch. Date ---

## (11) WATER BEARING ZONES:

From	To	Estimated Flow Rate	SWL

## (12) WELL LOG:

Ground elevation ---

Material	From	To	SWL
Rock & clay fill	0	1	
Gray clay	1	2	
Soft brown clay	2	8	
Soft brown silty clay	8	15	
Fine brown muddy sand	15	38	
Soft gray silty clay	38	49	
Fine gray muddy sand	49	88	
Sticky dark gray clay	88	96	
Fine to med. black sand/some wood & clay	96	110	
Med. to coarse black sand	110	136	
Sticky gray clay	136	141	
Soft brown sandy clay	141	148	
Coarse brown & black sand	148	151	
Sticky light gray clay	151	156	
Soft light brown clay	156	158	
Coarse brown & black sand	158	164	
Sticky gray-brown clay	164	178'	
Soft gray clay	178	183	
Sticky light gray clay	183	196	
Soft brown clay	196	207	
Sticky gray clay	207	228	

Date started 5/17/89 Completed 5/19/89

## (unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.

Signed OWRD WWC Number --- Date ---

## (bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. all work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.

Signed B. J. [Signature] WWC Number 1266 Date 5/25/89

ORIGINAL &amp; FIRST COPY - WATER RESOURCES DEPARTMENT

SECOND COPY - CONSTRUCTOR

THIRD COPY - CUSTOMER

9809C 3/88

14646-