Application for Permit Amendment

Part 1 of 5 – Minimum Requirements Checklist



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

This permit amendment application <u>will be returned</u> if Parts 1 through 5 and all required attachments are not completed and included. For questions, please call (503) 986-0900, and ask for Transfer Section.

Check all items included with this application. (N/A = Not Applicable)

\boxtimes		Part 1 – Completed Minimum Requirements Checklist.	
\boxtimes		Part 2 – Completed Application Map Checklist.	
\boxtimes		Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, an completed Fee Worksheet, page 3. Try the new online fee calculator at: <u>http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator</u> .	d
\boxtimes		Part 4 – Completed Applicant Information and Signature.	
		Part 5 – Information about Permits to be Amended: Number of permits to be amended: <u>1</u> List the Permits here: <u>G-17486</u> Please include a separate Part 5 for each permit. (See instructions on page 6)	
\boxtimes		Completed Permit Amendment Application Map (Does not have to be prepared by a Certifi Water Right Examiner).	ied
	N/A	Request for Assignment Form and statutory fee. The request for assignment form has to be completed if the applicant is not the permit holder of record and needs to be assigned to the permit; or the landowner of the proposed place of use is not the permit holder of record and needs to be assigned to the permit (the Request for Assignment Form is available online at https://www.oregon.gov/OWRD/Forms/Pages/default.aspx). Assignment is not needed if t applicant is the permit holder of record.	he nd
	⊠ N/A	Affidavit(s) of Consent are required from all permit holder(s) of record if the permit is not a to the applicant or other permit holders of record that are not listed as applicants.	assigned
\boxtimes	□ N/A	Oregon Water Resources Department's Land Use Information Form with approval and sign (or signed land use form receipt stub) from each local land use authority in which water is t diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or only on federal lands or if all of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within irrigation district or an exclusive farm use zone.	to be used
\boxtimes	□ N/A	Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.	
	N/A	Geologist Report for a change from a surface water point of diversion to a ground water po appropriation (well), if the proposed well is more than 500 feet from the surface water sou more than 1000 feet upstream or downstream from the point of diversion. (ORS 540.531(2	rce and
		(For Staff Use Only)	
		WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S): Application fee not enclosed/insufficient Map not included or incomplete Land Use Form not enclosed or incomplete Part is incomplete Additional signature(s) required Part is incomplete	

Revised 7/1/2021

Staff:

Other/Explanation _

Permit Amendment Application – Page 1 of 9

Date:

Received

DEC 18 2024

OWRD

TACS

14579 -

Your permit amendment application will be returned if any of the map requirements listed
below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does <u>not</u> have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

	N/A	If more than three permits are involved, separate maps for each permit.
\bowtie		Permanent quality printed with dark ink on good quality paper.
\boxtimes		The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
\boxtimes		A north arrow, a legend, and scale.
\boxtimes		The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
\boxtimes		Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
\boxtimes		Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
\square		Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
\boxtimes		Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
		Existing place of use that includes separate hachuring for each water use permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the permit is being changed, a separate hachuring is needed for the portion of the permit left unchanged.
	□ N/A	If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
\boxtimes		Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water use permit.
	□ N/A	If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32′15.5″) or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Revised 7/1/2021

Permit Amendment Application – Page 2 of 9

14579 -

Received DEC 1 8 2024 OWRD

Part 3 of 5 – Fee Worksheet

	FEE WORKSHEET for PERMIT AMENDMENT						
1	Base Fee (includes one type of change to one permit for up to 1 cfs)	1	\$1,360				
	Types of change proposed:						
	Place of Use Point of Diversion/Appropriation						
	Number of above boxes checked =(2a)						
	Subtract 1 from the number in line 2a =(2b) <i>If only one change, this will be 0</i>						
2	Multiply line 2b by \$1090 and enter » » » » » » » » » » » » » » » » » » »	2					
	Number of permits included in Permit Amendment (3a)						
	Subtract 1 from the number in 3a: <u>(3b)</u> <i>If only one permit this will be 0</i>						
3	Multiply line 3b by \$610 and enter » » » » » » » » » » » » » » » » » » »	3					
	Do you propose to add or change a well, or change from a surface water POD to a well?						
	No: enter 0 Yes: enter \$480 for the 1 st well to be added or changed <u>(4a)</u>						
	Do you propose to add or change additional wells?						
	No: enter 0 Yes: multiply the number of additional wells by \$410 (4b)						
4	Add line 4a to line 4b and enter » » » » » » » » » » » » » » » » » » »	4					
	Do you propose to change the place of use?						
	No: enter 0 on line 5						
	Yes: enter the cfs for the portions of the permits to be amended (see below*):(5a)						
	Subtract 1.0 from the number in 5a above:(5b)						
	If 5b is 0, enter 0 on line 5 » » » » » » » » » » » » » » » » » »						
	If 5b is greater than 0, round up to the nearest whole number: <u>(5c)</u> and multiply 5c						
5	by \$350, then enter on line 5 » » » » » » » » » » » » » » » » » »	5					
0	Is this permit amendment:	0					
	necessary to complete a project funded by the Oregon Watershed Enhancement Board						
	(OWEB) under ORS 541.932?						
	endorsed in writing by ODFW as a change that will result in a net benefit to fish and						
	wildlife habitat?						
	If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7						
7	If no box is applicable, enter 0 on line 7» » » » » » » » » » » » » » » » »	7					
8	Subtract line 7 from line 6 » » » » » » » » » » » » » » » » » Permit Amendment Fee:	8	WAIVED				

<u>*Example for Line 5a calculation</u> to transfer 45.0 acres of Primary Permit S-12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Permit S-87654 (1/80 cfs per acre) on the same land:

- 1. For irrigation calculate cfs for each permit involved as follows:
 - a. Divide total authorized cfs by total acres in the permit (for S-12345, 1.25 cfs \div 100 ac); then multiply by the number of acres to be changed to get the application cfs (x 45 ac= 0.56 cfs).
 - b. If the water right permit does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For S-87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs)
- 2. Add cfs for the portions of permits on all the land included in the application; however **do not count cfs for supplemental permits on acreage for which you have already calculated the cfs fee for the primary permit on the same land**. The fee should be assessed only once for each "on the ground" acre included in the application. (In this example, blank 5a would be only 0.56 cfs, since both permits serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0).

 Revised 7/1/2021
 Permit Amendment Application – Page 3 of 9
 Received
 TACS

 DEC 18 2024

14579 -

OWRD

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME		PHONE NO.	ADDITIONAL CONTACT NO.					
Travis L. Singhose & Kelly R. Sing	hose		541-419-9092					
ADDRESS	FAX NO.							
PO Box 816								
СІТҮ	STATE	ZIP	E-MAIL					
Burns								
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT								
ELECTRONICALLY. COPIES OF THE	INAL ORD	ER DOCUMENTS	WILL ALSO BE MAILED.					

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME			PHONE NO.	ADDITIONAL CONTACT NO.
John A. Short / Water Right	Services, LLC	541-389-2837		
ADDRESS				FAX NO.
PO Box 1830				
СПТҮ	STATE	ZIP	E-MAIL	
Bend	OR	97709	johnshort@usa.com	n & brycewrs@gmail.com
BY PROVIDING AN E-MAIL AD	DRESS, CONSEN	NT IS GIVEN TO R	ECEIVE ALL CORRESPONDENCE	E FROM THE DEPARTMENT
ELECTRONICALLY. COPIES OF	THE FINAL ORD	ER DOCUMENTS	WILL ALSO BE MAILED.	

Explain in your own words what you propose to accomplish with this permit amendment; and why: This application is being submitted in conjunction with the Stipulated Agreement to Withdraw Protest, OAH Ref. No. 2023-OWRD-00127, Agency Case No. G-17753 (copy attached). Pursuant that Stipulated Agreement, the applicant has agreed to reduce the amount of acreage under Permit G-17486 from 309.8 acres to 130.2 acres and to reduce the authorized rate from 3.87 cfs to 1.63 cfs. Additionally, the applicant seeks to conform the described points of appropriation in the permit to reflect the location of the wells supplying the authorized use. The permit amendment fee is waived per Stipulation No. 2.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Is the applicant the permit holder of record? 🛛 Yes 🗌 No

If NO, include either:

- A completed assignment form (with required statutory assignment fee), assigning all or a portion of the permit to the applicant(s), OR
 - An affidavit of consent from the permit holder(s) of record that gives permission for the applicant to amend the permit.

Has the Completion ("C") Date of the permit(s) in this application expired? 🔀 Yes 🗌 No

If YES, this application will not be accepted by the Department.

If NO, what are the completion dates of the permit(s)? See explanation above and the Stipulated Agreement.

- If the permit completion date expires while the Permit Amendment Application is pending, the Department will not approve the Permit Amendment Application until an Extension of Time Application is approved for the permit.
- You may consider using the Reimbursement Authority process to expedite the processing of this Permit Amendment Application if the completion date of the permit expires within 6 months of the date of filing this application.

By my signature below, I confirm that I understand:

Prior to Department approval of the permit amendment, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the permit is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: Burns Times Herald

Revised 7/1/2021

Permit Amendment Application - Page 4 of 9

Received TACS DEC 18 2024 14579 -

OWRD

I (we) affirm that the information contained in this application is true and accurate.

Applicant Signatu Applicant nature

Travis L. Singhose Print Name (and Title if applicable)

<u>11~1</u>9-29 Date <u>11~1</u>9-29 Date

Kelly R. Singhose Print Name (and Title if applicable)

> Received DEC 18 2024 OWRD

Permit Amendment Application - Page 5 of 9

Check one of the following:

The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.

The permit holder(s) of record will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to the permit holder(s) of record.

Check the appropriate box, if applicable:

Check here if any of the permits proposed for amendment are or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME	ADDRESS	
СПҮ	STATE	ZIP

Check here if water for any of the permits supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME	ADDRESS	
СПУ	STATE	ZIP

To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME ADDRESS					
Harney County Planning Department	360 N. Alvord Ave	360 N. Alvord Ave			
CITY	STATE	ZIP			
Burns	OR	97720			

ENTITY NAME	ADDRESS				
СПҮ	STATE	ZIP			

ENTITY NAME	ADDRESS					
СІТҮ	STATE	ZIP				

Received

DEC 18 2024

OWRD

PERMIT # G-17486

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	Tv	vp	Rng Sec ½¼		%	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)		
Robey Well #1	☐ Authorized ⊠ Proposed	L-60075 HARN 52225/ 52882	25	S	31	E	15	NE	NW	2900	1260' S, 1370' E of NW COR SEC 15
Robey Well #2	Authorized		25	S	31	E	15	NW	NE	2900	1350' N, 1320' E of Cen Cor S 15
WELL C	☐ Authorized ⊠ Proposed	L-132049 HARN 52853	25	S	31	E	15	NW	NW	2900	590' S, 130' E of NW COR SEC 15
WELL D	☐ Authorized ⊠ Proposed	L-132038 HARN 52863	25	S	31	E	15	NW	NW	2900	1050' S, 120' E of NW COR SEC 15

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

Place of Use (POU)

- Point of Appropriation/Well (POA)
- Point of Diversion (POD)
- Additional Point of Appropriation (APOA)
 - Surface water POD to Ground Water POA (SW/GW)

Additional Point of Diversion (APOD)

Will all of the proposed changes affect the entire water use permit?

Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.

No Complete all of Table 2 to describe the portion of the permit to be changed.

For a change in place of use:

Does the permit holder of record own or control the land TO which the place of use is being moved? ⊠ Yes □ No

If NO, the landowner of the land TO which the place of use is being **moved must be assigned to the permit as a permit holder of record** by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

Is the proposed place of use contiguous to the authorized place of use? 🖂 Yes 🗌 No

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use **unless** the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

Revised 7/1/2021

Permit Amendment Application – Page 7 of 9

Receivedacs

DEC 18 2024

OWRD

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions. Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer

Table 2. Description of Changes to Water Use Permit # 17486

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

	AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.						POSED		PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.									ES						
т	List wp		y tha	at pa Sec			n of the Tax Lot	Gvt	Acres (if applicable	POD(s) or POA(s) (name or	Priority Date	Proposed Changes (see "CODES" from previous page)	Τv	vp	Rr	ng	Sec	1/4	7∕₄	Tax Lot	Gvt Lot or DLC	Acres (if	POD(s) or POA(s) to be used (from Table 1)	Priority Date
25	S	31	E	15	NW	NE	2900		0.7	Robey Well 2	1/13/2014	ΡΟΑ	25	S	31	E	15	NW	NE	2900		0.7	Robey Well 1, Well C, Well D	1/13/2014
25	s	31	E	15	sw	NE	2900		0.7	Robey Well 2	1/13/2014	ΡΟΑ	25	S	31	E	15	sw	NE	2900		0.7	Robey Well 1, Well C, Well D	1/13/2014
25	S	31	E	15	NE	NW	2900		33.9	Robey Well 2	1/13/2014	ΡΟΑ	25	S	31	E	15	NE	NW	2900		33.9	Robey Well 1, Well C, Well D	1/13/2014
25	S	31	E	15	NW	NW	2900		0.3/31.0	Robey Well 2	1/13/2014	POU & POA FOR 0.3 / POA FOR 31.0	25	S	31	E	15	NW	NW	2900		31.0	Robey Well 1, Well C, Well D	1/13/2014
25	s	31	E	15	sw	NW	2900		29.7	Robey Well 2	1/13/2014	ΡΟΑ	25	s	31	E	15	sw	NW	2900		29.7	Robey Well 1, Well C, Well D	1/13/2014
25	S	31	E	15	SE	NW	2900		33.9	Robey Well 2	1/13/2014	ΡΟΑ	25	S	31	E	15	SE	NW	2900		33.9	Robey Well 1, Well C, Well D	1/13/2014
												POU & POA	25	S	31	E	10	sw	sw	1600		0.1	Robey Well 1, Well C, Well D	1/13/2014
												POU & POA	25	S	31	E	10	SE	sw	1900		0.2	Robey Well 1, Well C, Well D	1/13/2014
						тот	AL ACR	RES	130.2										T	OTAL AC	RES	130.2	J	

Additional remarks: .

SUPERSEDING - RECEIVED BY OWRD APRIL 10, 2025

SUPERSEDED ON APRIL 10, 2025

Received

DEC 18 2024

OWRD

TACS

14579 -

_

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions. Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer

Table 2. Description of Changes to Water Use Permit # 17486

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

				; tha	t app	ears o	on the CHAI	certif NGES		ands) ORE PRC at will be c		Proposed			٦	⁻ he	listin			ld appe			ds) DSED CHANG	ES
τv			ng	Sec			Tax Lot	Gvt	Acres (if applicable	POD(s) or POA(s) (name or	Priority Date	Changes (see "CODES" from previous page)	τv	vp	Rr	ng	Sec	3⁄4	1⁄4	Tax Lot	Gvt Lot or DLC		POD(s) or POA(s) to be used (from Table 1)	Priority Date
												EXAMP	LE											
2	s	9	E	15	NE	NW	100		15.0	POD #1 POD #2		POU/POD	2	s	9	E	15	NW	NW	100	1	10.0	POD #5	24 C
"	"	"	"	"	"	"	"	"	EXAMPLE	"		"	2	S	9	E	15	SW	NW	200		5.0	POD #6	
25	s	31	E	15	NE	NE	2900		35.1	Robey Well 2	1/13/2014	POU/POA	25	s	31	E	15	NW	NE	2900		0.7	Robey Well 1, Well C, Well D	1/13/2014
"	"	"	"	"	NW	NE	"		37.2	"	u	u	"	"	"	"	15	sw	NE	2900		0.7	"	u
u	u	u	"	"	sw	NE	"		40.0	u	u	"	"	u	"	u	15	NE	NW	2900		33.9	"	u
"	"	u	"	"	SE	NE	"		37.5	"	u	"	"	"	"	"	15	NW	NW	2900		31.0	u	u
"	"	u	"	"	NE	NW	"		40.0	"	u	"	"	u	"	"	15	sw	NW	2900		29.7	u	u
"	"	"	"	"	NW	NW	"		40.0	u	u	u	u	u	"	u	15	SE	NW	2900		33.9	"	u
"	u	"	"	"	sw	NW	"		40.0	"	u	"	"	"	"	"	10	sw	sw	1600		0.1	u	u
"	u	"	"	u	SE	NW	"		40.0	u	u	u u	"	u	"	u	10	SE	sw	1900		0.2	"	u
		L		l	L	TOT	ALAC	RES	309.8			-Uccession and a second second second second							Т	OTAL AC	RES	130.2		

Additional remarks: Total acres have been reduced per the attached Stipulated Agreement to Withdraw Protest.

Permit Amendment Application – Page 8 of 9

Permit # 17486

Are there other water rights certificates, water use permits or ground water registrations associated with the "from" or "to" lands?
Yes No

If YES, list the other certificate, permit, or ground water registration numbers: _____

If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	ls well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). <u>If</u> less than full rate of water right

Received

DEC 18 2024

OWRD

TACS

BEFORE THE OFFICE OF ADMINISTRATIVE HEARINGS STATE OF OREGON for the OREGON WATER RESOURCES DEPARTMENT

)

)

))

)

))

In the Matter of:

Travis L. and Kelly R. Singhose

STIPULATED AGREEMENT TO WITHDRAW PROTEST

OAH Reference No. 2023-OWRD-00127 Agency Case No. G-17753

RECITALS

WHEREAS Permit G-17486 was issued on August 28, 2015, authorizing the use of 3.87 cfs from Well 2 in the Sage Hen Creek Basin for irrigation of 309.8 acres.

WHEREAS, on January 23, 2019, Travis L. and Kelly R. Singhose ("Applicant") applied for a permit amendment (Application T-13110), to amend the place of use and point of appropriation, and add additional points of appropriation, under Permit G-17486.

WHEREAS, on October 14, 2020, the Oregon Water Resources Department ("Department") issued a final order approving T-13110 with specified terms and conditions, canceling Permit G-17486, and issuing superseding Permit G-18470 to replace Permit G-17486.

WHEREAS, on December 2, 2020 the Department issued a Reconsideration Order rescinding the Final Order approving Application T-13110, denying the requested permit amendments, canceling the superseding permit, and reinstating Permit G-17486. The Department determined that the permit completion date for G-17486 had expired and that an approved extension of the completion date was required before Permit G-17486 could be amended.

WHEREAS, on February 11, 2021, the Applicant filed an Application for Extension of Time (G-17753 Extension Application), requesting the time to apply water to full beneficial use under the terms and conditions of Permit G-17486 be extended from August 28, 2020, to October 1, 2023.

WHEREAS, on June 15, 2021, the Department issued a Proposed Final Order approving the G-17753 Extension Application, but limiting use of water under Permit G-17486 to the amount already developed (1.63 cubic feet per second for irrigation of 130.2 acres).

WHEREAS, on July 30, 2021, the Applicant timely filed a protest of the Proposed Final Order.

WHEREAS, the Applicant and the Department (collectively, the "Parties") have agreed to a settle this matter pursuant to the stipulations identified below.

Page 1 - STIPULATED AGREEMENT TO WITHDRAW PROTEST

54119-76545 4881-0512-0441.2

NOW THEREFORE, the Applicant and the Department stipulate and agree to the following:

STIPULATIONS

- 1. The Applicant and the Department agree to jointly request the Administrative Law Judge to hold the contested case in this matter in abeyance until June 3, 2025.
- 2. The Applicant agrees to apply to the Department for a permit amendment materially similar to T-13110, but limited to the amount approved in the Proposed Final Order on the G-17753 Extension Application (1.63 cubic feet per second for irrigation of 130.2 acres). The Department will waive all application fees associated with the permit amendment application.
- **3.** Upon receipt of the permit amendment application, the Department will process the application on a priority basis. While the Department cannot predetermine the outcome of the application, the Department acknowledges that the full, intended execution of this Stipulated Agreement is contingent on the Department approving a permit amendment materially consistent with the approval issued on October 14, 2020, but limited to the amount approved in the Proposed Final Order on the G-17753 Extension Application (1.63 cubic feet per second for irrigation of 130.2 acres).
- 4. If the Department intends to issue a final order approving a permit amendment materially consistent with the approval issued on October 14, 2020, but limited to the amount approved in the Proposed Final Order on the G-17753 Extension Application (1.63 cubic feet per second for irrigation of 130.2 acres), the Department will notify the Applicant 14 days before issuance of the final order.
- 5. The Applicant will notify the Department within 7 days before issuance of the final order if it agrees that the final order approving the permit amendment is materially consistent with the approval issued on October 14, 2020, but limited to the amount approved in the Proposed Final Order on T-17753 (1.63 cubic feet per second for irrigation of 130.2 acres).
- 6. On the intended date of issuance of the final order described in Paragraph 4, the Applicant agrees to withdraw its protest in this matter, and the Department agrees to issue the final order described in Paragraph 4, and a final order on the G-17753 Extension Application that is materially consistent with the attached draft Final Order Incorporating Stipulated Agreement (Exhibit A).
- 7. The Department will withdraw this matter from the Office of Administrative Hearings within 7 days of the completion of each of the events described in Paragraph 6.
- 8. The Applicant and the Department stipulate that timely completion of each of the events described in Paragraphs 1 through 6 is a necessary condition of withdrawal of this matter from the Office of Administrative Hearings. If any such event is not completed in the manner and time required, the parties will meet and confer in an attempt to resolve the departure from the anticipated outcome. If the parties cannot resolve the issue, this Stipulated Agreement shall terminate, and the Applicant and the Department will request

Page 2 - STIPULATED AGREEMENT TO WITHDRAW PROTEST

54119-76545 4881-0512-0441.2

14579 =

DEC 18 2024

Received

the Office of Administrative Hearings to resume the contested case proceeding in this matter.

- 9. The Applicant and the Department each certify that they have read, understand, and agree with the entire Stipulated Agreement including the draft Final Order Incorporating Stipulated Agreement, have had a reasonable opportunity to request changes to the Stipulated Agreement, and have signed the Stipulated Agreement of their own free will and accord.
- 10. The Applicant and the Department understand and agree that this Stipulated Agreement and all documents incorporated by reference set forth the entire agreement entered into among the Applicant and the Department.
- 11. The Applicant and the Department understand and agree that this Stipulated Agreement, including timely completion of each of the events described in Paragraphs 1 through 6, and the Final Order Incorporating Stipulated Agreement issued pursuant to this Stipulated Agreement, constitute the complete and final resolution of the protest.
- 12. The Applicant and the Department agree that, upon the Department's timely issuance of the final orders as described in Paragraph 6, the Applicant waives any and all right to petition for judicial review of this Stipulated Agreement, and waives any and all right to request reconsideration, petition for judicial review, or appeal the Final Order Incorporating Stipulated Agreement. This provision does not prevent Applicant from participating in any proceeding initiated through a third-party challenge to the Final Order Incorporating Stipulated Agreement.
- 13. The Applicant and the Department represent, warrant, and agree that the person who executes this Stipulated Agreement on its behalf has the full right and authority to do so.

14. This Stipulated Agreement may be signed in counterparts.

IT IS SO AGREED.

On behalf of Travis L, and Kelly R. Singhose

Steven L. Shropshire

AUG. 7. 2024

On behalf of the Oregon Water Resources Department

Dwight Frenc

Page 3 - STIPULATED AGREEMENT TO WITHDRAW PROTEST

54119-76545 4881-0512-0441.2

Received DEC 18 2024

EXHIBIT A

Oregon Water Resources Department Water Right Services Division

Application for Extension of Time

In the Matter of the Application for an Extension of Time for Permit G-17486, Water Right Application G-17753, in the name of Travis L. and Kelly R. Singhose FINAL ORDER INCORPORATING STIPULATED AGREEMENT

)

)))

Permit Information

Application:	G-17753
Permit:	G-17486
Basin:	12 – Malheur Lake / Watermaster District 10
Date of Priority:	January 13, 2014
Source of Water:	Well 2 in Sage Hen Creek Basin
Purpose or Use:	irrigation of 309.8 acres
Maximum Rate:	3.87 cubic feet per second (cfs)

This Extension of Time request is being processed in accordance with Oregon Revised Statute 537.630 and 539.010(5), and Oregon Administrative Rule Chapter 690, Division 315.

Appeal Rights

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Application History

Permit G-17486 was issued by the Department on July 28, 2015. The permit specified complete application of water to beneficial use by August 28, 2020. On February 11, 2021, Travis L. and Kelly R. Singhose (Singhose) submitted an Application for Extension of Time for Permit G-17486. In accordance with OAR 690-315-0050(2), on June 15, 2021, the Department issued a Proposed Final Order proposing to extend the time to fully apply water to beneficial use to October 1, 2023. The protest period closed July 30, 2021, in accordance with OAR 690-315-0060(1). On July 30, 2021, Singhose submitted a timely protest to the proposed final order. On March 22, 2023, the Department referred the proposed order and protest to the Office of Administrative Hearings for a contested case hearing. The matter was assigned case number 2023-OWRD-00127.

Final Order: Permit G-17486

Page 1 of 4

14579 -

Received DEC 1 8 2024 OWRD

FINDINGS OF FACT

- 1. On [[DATE OF STIPULATED AGREEMENT]], the Department and Singhose entered into a Stipulated Agreement. The Stipulated Agreement is attached hereto and incorporated by reference.
- 2. In accordance with the Stipulated Agreement, on the date of this Final Order Incorporating Stipulated Agreement, Singhose withdrew its protest of the June 15, 2021 Proposed Final Order and the Department approved Singhose's [[DATE OF PERMIT AMENDMENT APPLICATION]] application to amend Permit G-17486 to, among other things, add wells HARN 52225/52882 (Robey Well 1), HARN 52853 (Well C), and HARN 52863 (Well D) as additional points of appropriation. Because the Department has approved Singhose's application to amend Permit G-17486, the "permit amendment condition" included in the June 15, 2011 Proposed Final Order is no longer necessary.
- 3. Except as expressly stated herein, the Department adopts and incorporates by reference the findings in the June 15, 2021 Proposed Final Order.
- 4. Findings of Fact 9 and 13 of the June 15, 2021 Proposed Final Order are modified to replace all references to "Robey Well 2" with "Robey Well 1." The February 11, 2021 Application for Extension of Time for Permit G-17486 shows that well HARN 52225/52882 is "Robey Well 1," and that "Robey Well 2" has not yet been drilled.
- 5. At the time of issuance of the June 15, 2021 Proposed Final Order, the Department found that it was reasonable to extend the deadline for applying water to full beneficial use within the terms and conditions of the Permit G-17486 to October 1, 2023, subject to certain limitations and conditions. To compensate for the time that has passed during the protest/contested case hearing process, the Department now finds that it is reasonable to extend the deadline for applying water to full beneficial use within the terms and conditions of the Permit G-17486 to October 1, 2023, subject to extend the deadline for applying water to full beneficial use within the terms and conditions of the Permit G-17486 to October 1, 2026.

LIMITATIONS AND CONDITIONS

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, any comments received, and information within the file, the permit may be extended subject to the limitations and conditions in the Proposed Final Order. Because the Department has approved Singhose's [[DATE]] application to amend Permit G-17486, the "permit amendment condition" included in the Proposed Final Order is no longer necessary, and the "meter installation" condition should be modified to require installation of meters in all wells included in the permit amendment application

Final Order: Permit G-17486

Received DEC 18 2024 Page 2 of 4

1. Meter Installation

The permit holder shall install the required meters within 6 months from the date of issuance of this Final Order approving this extension of time, on all wells identified for use in the Final Order approving permit amendment application [[APPLICATION NUMBER]], being [[INSERT LIST OF ALL WELLS AUTHORIZED BY PERMIT AMENDMENT]]. The permit holder shall submit evidence of installation that identifies the type of meter installed, the date the meter was installed, the well log identification, and the Well ID tag information for each well.

If the required evidence of installation is not submitted by ≤ 6 MONTHS FROM DATE OF FO>, the extension of time will be terminated.

3. Static Water Level Measurements

The permit holder shall make the required March static water level measurements for all wells utilized under this permit by no later than March 31, <u><YEAR></u>, and shall submit the measurements within 30 days from when the measurement is taken.

If the required March static water level measurements are not made by no later than March 31, [[YEAR]], and submitted within 30 days from when the measurement is taken, the extension of time will be terminated.

4. Development Limitation

The use of water under this permit shall be limited to no more than 1.63 cubic feet per second for irrigation of 130.2 acres. This represents the 130.2 acres developed at the authorized place of use under Permit G-17486 at one-eightieth of one cubic foot per second for each acre irrigated.

CONCLUSION OF LAW

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.630, 539.010(5) and OAR 690-315-0040(2).

ORDER

The extension of time for Application G-17753, Permit G-17486, therefore, is approved subject to the conditions contained herein. The deadline for applying water to full beneficial use within the terms and conditions of the permit is extended from August 28, 2020, to October 1, 2026.

Final Order: Permit G-17486

Received DEC 18 2024 OWRD Page 3 of 4

DATED:

Dwight French Water Right Services Division Administrator, for Ivan Gall, Director Oregon Water Resources Department

- If you have any questions about statements contained in this document, please contact the Permit Extension Specialist at (503) 979-3213.
- If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at (503) 986-0900

Received DEC 18 2024 OWRD

Final Order: Permit G-17486

. Well C	
Revision Request 11/18/2019 HARN 528	353 WELLAN LANDI #1
STATE OF OREGON WATER SUPPLY WELL REPORT	Well I.D. LABEL#1 $\angle 132049$ START CARD # 215732
(as required by ORS 537.765 & OAR 690-205-0210)	ORIGINAL LOG #
(1) LAND OWNER Owner Well I.D.	HARN 52853
First Name 1 14/15 St Last Name <u>strighuse</u>	(9) LOCATION OF WELL (legal description)
Address 79327 INPAVER SPAI. LW.	County <u>HHRN2</u> Twp <u>25</u> NS Range <u>31</u> GW WM Sec <u>15</u> <u>NG</u> 1/4 of the <u>NG</u> 1/4 Tax Lot <u>2900</u>
City <u><u><u>Surac</u></u>State <u>OR</u> Zip <u>97720</u> (2) TYPE OF WORK <u>New Well</u> <u>Deepening</u> Conversion</u>	Tax Map Number Lot
(2) I TPE OF WORK Alteration (complete 2a & 10) Abandonment(complete 5a)	Lat DMS or DD
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd	Long' or DMS or DD
<u>Material From To Amt sacks/lbs</u> Seal:	Dog MT. LN.
(3) DRILL METHOD	(10) STATIC WATER LEVEL
XRotary Air Rotary Mud XCable Auger Cable Mud Reverse Rotary Other	Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration
	Completed Well 10/31/19 304 3054
(4) PROPOSED USE Domestic Stringation Community	Flowing Artesiah? Dry Hole?
Thermal Injection Other	WATER BEARING ZONES Depth water was first found SWL Date From To Est Flow SWL(psi) + SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)	
Depth of Completed Well ft.	1-13/11 90 23 1 300 41-
BORE HOLE SEAL sacks/ <u>Dia</u> , From To Material From To Amt lbs	
16 0 257 BENTINITE O 20 84 SACK	∦ ├───┤──┤
Calculated 35 SKS	
	(11) WELL LOG Ground Elevation
How was seal placed: Method A B C D E	Material From To
Backfill placed from ft. to ft. Material	Brunn C/44 2 52
Filter pack from ft. to ft. Material Size	GRAY Cley w/ sund 52 257
Explosives used: Yes Type Amount	
(5a) ABANDONMENT USING UNHYDRATED BENTONITE Proposed Amount Pounds Actual Amount Pounds	
(6) CASING/LINER	
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	RECEIVED
	NOV 08 2013
Shoe Inside Outside Other Location of shoe(s)	
Temp casing Yes Dia From To To	
(7) PERFORATIONS/SCREENS Perforations Method FACTORY SLOT	
Screens Type Material	Date Started 9/23/14 Completed 10/31/14
Perf/S Casing/ Screen Scrn/slot Slot # of Tele/	(unbonded) Water Well Constructor Certification
creen Liner Dia From To width length slots pipe size	I certify that the work I performed on the construction, deepening, alteration, or
	abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
	License Number Date
(8) WELL TESTS: Minimum testing time is 1 hour Pump Strailer Air Flowing Artesian	Signed
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification
25 gal ma. / hR.	I accept responsibility for the construction, deepening, alteration, or abandonment
	work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well
Temperature 53 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and belief.
Water guality concerns? Yes (describe below) TDS amount 195 From To Description Amount Units	License Number 1557 Date 10/31/19
	License Number 1557 Date 10/31/19 Signed Brand Within 2
	Contact Info (optional)

ORIGINAL WATER RESOURCES DEPARTMENT THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: 0.95

HARN 528	63	
AMAN DED 3/12/2020 STATE OF OREGON WATER SUPPLY WELL REPORT		2038 5733
(as required by ORS 537.765 & OAR 690-205-0210) (1) LAND OWNER Owner Well I.D. First Name TRAVIS Last Name Sing hose Company 3S RANCLES Address 29327 Weyver Sl95 Rd. City Burns State OR Zip 97728	ORIGINAL LOG # (9) LOCATION OF WELL (legal description County Hornet Twp 2.5 No Rang Sec 15 NW 1/4 of the <u>Ariv</u> 1/4 Ta	ion) ge_ <u>31_(</u>)www x Lot_ <u>2900</u>
(2) TYPE OF WORK Alteration (complete 2a & 10) Abandonment(complete 5a) (2a) PRE-ALTERATION Dia + From To Gauge Stl Plste Wid Thrd Casing:	Tax Map Number Lo Lat ' or Long ' or C Street address of well Nearest address	DMS or DD DMS or DD
Material From To Amt sacks/lbs Seal:	(10) STATIC WATER LEVEL Existing Well / Pre-Alteration Completed Well Flowing Artesian?	
Industrial/ Commericial Livestock Dewatering Thermal Injection Other	WATER BEARING ZONES Depth water was fit SWL Date From To Est Flow SV	rst found 4.6 Pt
(5) BORE HOLE CONSTRUCTION Depth of Completed Well 240 ft. BORE HOLE Dia From To Material From To Amt lbs 16" 0 200 (Sen 4 ni 4 0 20 38 5KG 12" 200 255 Calculated 3 5KG	<u>/2/24/19 40 255 300 6</u>	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	(11) WELL LOG Ground Elevation Material T TOPSOIL BROWN Clay GREY Classe W/ Srand	To To To To To To To To To To
Explosives used: Yes Type Amount (5a) ABANDONMENT USING UNHYDRATED BENTONITE Proposed Amount Pounds Actual Amount Pounds		
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wid Thrd R 72 7 7 2 240 25 80 X	JAN 02200	
Temp casing Yes Dia From To (7) PERFORATIONS/SCREENS Perforations Method Perforations		
Screens Type Material Perf/S Tasing Screen Scrn/slot Slot # of Tele/ creen Liner Dia From To width length slots pipe size 12'' 49 240 3/16 6'' 3840, 250	Date Started 10/16/19 Completed (unbonded) Water Well Constructor Certification I certify that the work I performed on the construction abandonment of this well is in compliance with C construction standards. Materials used and information the best of my knowledge and belief. License Number Date	n, deepening, alteration, or Dregon water supply well
(8) WELL TESTS: Minimum testing time is 1 hour Pump Bailer Air Flowing Artesian <u>Yield cal/min</u> Drawdown Drill stem/Pump depth Duratiop (hr) <u>75 904/02</u> Temperature <u>52</u> °F Lab analysis Yes By Water guality concerns? Yes (describe below) TDS amount <u>795</u> Description Amount Units	Signed (bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, work performed on this well during the construction date performed during this time is in compliance with C construction standards. This report is true to the best of License Number 2882 Date 2	es reported above. All wor Dregon water supply we my knowledge and belief.

14579 -

CIAIAIO

	Page 1 of 2
STATE OF OREGON Robey Well T HARM	WELL I.D. LABEL# L 60075
WATER SUPPLY WELL REPORT	START CARD # 1027066
	2015 ORIGINAL LOG #
(1) LAND OWNER Owner Well I.D.	
First Name BRIAN Last Name ROBEY	(0) LOCATION OF WELL (legal description)
Company	(9) LOCATION OF WELL (legal description)
Address DOG MOUNTAIN LANE	County HARNEY Twp 25.00 S N/S Range 31.00 E E/W WM
City BURNS State OR Zip 97720	Sec <u>15</u> <u>NW</u> 1/4 of the <u>NW</u> 1/4 Tax Lot <u>2900</u>
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat ' OMS or DD
Alteration (complete 2a & 10) Abandonment(complete 5a)	
(2a) PRE-ALTERATION	Long' or DMS or DD
Dia+FromToGaugeStlPlsteWldThrdCasing:16 X 220.250 $\textcircled{\textcircled{0}}$ X \Box	5 MILES WEST OF HWY 205 OFF DOG MOUNTAIN
Material From To Amt sacks/lbs	.5 MILES WEST OF HWT 205 OFF DOG MOONTAIN
Seal:	
(3) DRILL METHOD	(10) STATIC WATER LEVEL
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft)
Reverse Rotary Other	Existing Well / Pre-Alteration 6/1/2015
(4) PROPOSED USE Domestic X Irrigation Community	Flowing Artesian? Dry Hole?
Industrial/ Commericial Livestock Dewatering	WATER BEARING ZONES Depth water was first found
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy	0
Depth of Completed Well 120.00 ft.	
BORE HOLE SEAL sacks	
Dia From To Material From To Amt lbs	
20 0 20 16 20 120 Calculated	┦└───┤
Calculated	(11) WELL LOG Ground Elevation
How was seal placed: Method A B C D E	Material From To
Other	
Backfill placed from ft. to ft. Material	
Filter pack from ft. to ft. Material Size	
Explosives used: Yes Type Amount	
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	
Proposed Amount Actual Amount	
(6) CASING/LINER	
Casing Liner Dia + From To Gauge Stl Plste Wld Thrd	
	Dank. D
0 12 X 1.5 117 .250 0 X	Hecalved
	DEC 18 2024
Shoe Inside Outside Other Location of shoe(s)	
	OWRD
Temp casing Yes Dia From To To	
(7) PERFORATIONS/SCREENS	
Perforations Method torch Screens Type Material	Date Started_6/1/2015 Completed _6/1/2015
Screens Type Material Perf/ Casing/Screen Scrn/slot Slot # of Tele/	
Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification
Perf Liner 12 57 117 .125 4 10	I certify that the work I performed on the construction, deepening, alteration, or
	abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
	the best of my knowledge and belief. License Number Date
	the best of my knowledge and belief. License Number Date
Pump Dailer Air Flowing Artesian	License Number Date Signed
Pump Bailer Air Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	License Number Date Signed
Pump Dailer Air Flowing Artesian	License Number Date Signed
Pump Bailer Air Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	License Number Date Signed
Pump Bailer Air Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 600 60 90 4	License Number Date Signed
Pump Bailer Air Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 600 60 90 4 Temperature 63 °F Lab analysis Yes By	License Number Date Signed
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 600 60 90 4	License Number Date Signed
Pump Bailer Air Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 600 60 90 4 Temperature 63 °F Lab analysis Yes By	License Number Date Signed
Pump Bailer Air Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 600 60 90 4 Temperature 63 °F Lab analysis Yes By	License Number Date Signed

ORIGINAL - WATER RESOURCES DEPARTMENT THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version:

Robey Well 1

Dage	2	of 2
1 age	4	012

WATER SUPPLY WELL REPORT -	HARM	N 52225	WELL I.D. LABEL# I		
continuation page	7/5	5/2015	START CARD #		
(2.) DDE ALTEDATION	//5		ORIGINAL LOG #		
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd		Water Quality	Concerns		
Dia + From To Gauge Stl Plste Wld Thrd		From To	Description	Amount	Units
Material From To Amt sacks/lbs					
		(10) STATIC	WATER LEVEL		
(5) BORE HOLE CONSTRUCTION		 Manufacture construction 		Flow SWL(psi) +	· SWL(ft)
BORE HOLE SEAL	sacks/				
Dia From To Material From To An	nt Ibs				
Calculated					
Calculated					
Calculated					
Calculated					
FILTER PACK					
From To Material Size		(11) WELL LO	JG		
			Material	From	То
(6) CASING/LINER					
Casing Liner Dia + From To Gauge Stl Plste Wlo	d Thrd				
	_				
	łН				
	I H				
	1 H				
	+ $+$ $+$				
(7) PERFORATIONS/SCREENS				Rece	ived
Perf/ Casing/ Screen Scrn/slot Slot # of					
Screen Liner Dia From To width length slots	pipe size			DEC 18	2024
				OW	RD
]				
		Comments/Re	emarks		
			d to be constructed properly	vithout a well log Su	rface seal
(8) WELL TESTS: Minimum testing time is 1 hour			n good condition, actually trie		
Yield gal/min Drawdown Drill stem/Pump depth Duration	(hr)		and installed 12 inch liner to	he surface with a sha	le trap at
		35 feet.			
		<u> </u>			

Robey Well	1
STATE OF OREGON HARN 5	2882 WELL I.D. LABEL# 1 60075
WATER SUPPLY WELL REPORT	START CARD # 215734
(as required by ORS 537.765 & OAR 690-205-0210)	ORIGINAL LOG # 52225
(1) LAND OWNER First Name 7 RAVIS Owner Well I.D. Last Name Singhose	-
Company 35 RANCHE	(9) LOCATION OF WELL (legal description) County Harney Twp 25 NO Range 31 OW WM
Address 29327 WEAVER SPGS LN.	Sec 15 NE 1/4 of the $NEA/4$ Tax Lot 2900
City Burns State Cat Zip Q7720 (2) TYPE OF WORK New Well New Well Conversion	Tax Map Number Lot
Alteration (complete 2a & 10) Abandonment(complete 5a)
(2a) PRE-ALTERATION Dia + From To Gauge Sti Plstc Wld Thrd	Long or DMS or DD
Casing: 12" + 2 117 250 0 C X	
Seal: To Amt sacks/lbs	31397 Doy MT LM. BUINS ON. 972
(3) DRILL METHOD	(10) STATIC WATER LEVEL
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration 1/2/2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 /
	Completed Well 3/27/28 40 FF
(4) PROPOSED USE Domestic Industrial/ Community	Flowing Artesian? Dry Hole?
Thermal Injection Other	WATER BEARING ZONES Depth water was first found SWL Date From To Est Flow SWL(psi) + SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Attach cop	
Depth of Completed Well <u>2.50</u> ft. BORE HOLE SEAL sack	
Dia From To Material From To Amt lbs	
10" 12. 250 Calculated	
How was seal placed: Method A B C D B	(11) WELL LOG Ground Elevation
Other	Material From To ORAY CIAY W/ STAND 117 146
Backfill placed from ft. to ft. Material	TAN clay w/ sAnd 145 180
Explosives used: Yes Type Amount	6 RAY clay w/ SAND 180 250
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	· · · · · · · · · · · · · · · · · · ·
Proposed Amount Pounds Actual Amount Pounds	
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plste Wid Three	RECEIVED
Casing (Liner) Dia + From To Gauge Stl Plstc Wid Three \Box \Box \Box \Box \Box \Box \Box \Box \Box \Box	
	APR: 1.5 2020 Received
	OWRD 0EC 18 2024
Shoe Inside Outside Other Location of shoe(s) 250 FT	
Temp casing Yes Dia From To To	OWRE
Perforations Method PLAZMA CV4	
Screens Type Material Perf/S Casing/ Screen Scrn/slot Slot # of Tele/	Date Started 12/28/14 Completed 3/27/20
creen Liner Dia From To width length slots pipe size	
10" 1210 250 3/8 6" 1920	I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well
	construction standards. Materials used and information reported above are true to the best of my knowledge and belief.
	License Number Date
(8) WELL TESTS: Minimum testing time is 1 hour	Signed
O Pump 🕅 Bailer O Air O Flowing Artesian	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or abandonment
	work performed on this well during the construction dates reported above. All work
Temperature 56 °F Lab analysis Yes By	performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
Water quality concerns? Yes (describe below) TDS amount (93	License Number 1882 Date 3/27/20
From To Description Amount Units	signed B-P With
	Contact Info (optional)
ORIGINAL WATER RESOURCES	DEPARTMENT
THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPART	MENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: 0.95

-:

Land Use Information Form



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

NOTE TO APPLICANTS

In order for your application to be processed by the Oregon Water Resources Department (OWRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be diverted, conveyed, used, and developed. The planning official may choose to complete the form while you wait or return the "Receipt Acknowledging Request for Land Use Information" to you. Applications received by OWRD without the Land Use Information Form, or the signed receipt, will be returned to you. **IMPORTANT:** Please note that while OWRD can accept a signed receipt as part of intake for an application for a new permit to use or store water, a completed Land Use Information Form is required for OWRD's acceptance of all other applications. Please be aware that your application cannot be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and used on federal lands only; OR
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and <u>all</u> of the following apply:
 - a. The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
 - b. The application involves a change in place of use only;
 - c. The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; <u>and</u>
 - d. The application involves irrigation water uses only.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for a new water right or modifying an existing water right. The Oregon Water Resources Department (OWRD) requires applicants to obtain land use information to ensure the water right does not result in land uses that are incompatible with your comprehensive plan. Please complete the form and return it to the applicant for inclusion in their application. **NOTE:** For new water right applications only, if you are unable to complete this form while the applicant waits, you may complete the "Receipt Acknowledging Request for Land Use Information" and return it to the applicant.

You will receive notice via OWRD's weekly Public Notice once the applicant formally submits their request to OWRD. The notice will give more information about OWRD's water right process and provide additional comment opportunities. If you previously only completed the receipt for an application for a new permit to use or store water, you will have 30 days from the Public Notice date to complete the Land Use Information Form and return it to OWRD. Your attention to this request for information is greatly appreciated. If you have questions concerning this form, please contact OWRD's Customer Service Group at 503-986-0900 or WRD_DL_customerservice@water.oregon.gov.

Received DEC 18 2024

OWRD

This page intentionally left blank.

Received DEC 18 2024 OWRD

Last Revised: 10/2023

OWRD

Land Use Information Form — Page 2 of 4

Land Use Information Form



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

NAME			PHONE	
Travis & Kelly Singhose			541-419-90	092
MAILING ADDRESS				
PO Box 816				
CITY	STATE	ZIP	EMAIL	
Burns	OR	97720	tksinghose@aol.com	

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts, may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	%%	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)		Water to be:		Proposed Land Use:
255	31E	15		2900	EFRU-2	Diverted	Conveyed	🛛 Used	IRRIGATION
255	31E	10		1600	EFRU-2	Diverted	Conveyed	🛛 Used	IRRIGATION
255	31E	10		1900	EFRU-2	Diverted	Conveyed	🛛 Used	IRRIGATION
						Diverted	Conveyed	Used Used	

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

HARNEY
HANNET

NOTE: A separate Land Use Information Form must be completed and submitted for each county and city, as applicable.

B. Description of Proposed Use

Type of application to be filed with the Oregon Water Resources Department:

Permit to Use or Store Water Water Right Transfer Limited Water Use License Exchange of Water		Permit Amendment or Ground Water Registration Modification				
Source of water:	Reservoir/Pond	Ground Water	Surface Wate	er (name)		
Estimated quantity of water needed: 1.63 🛛 cubic feet per second 🗌 gallons per minute 🗌 acre-feet						
Intended use of water	: 🛛 Irrigation	Commercial	Industrial	Domestic for _	household(s)	
Briefly describe:						
PERMIT AMENDMENT FOR EXISTING WATER RIGHT TO REARRANGE PLACE OF USE AND CHANGE WELL						

LOCATIONS.

Note to applicant: For new water right applications only, if the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt on the bottom of page 4 and include it with the application filed with the Oregon Water Resources Department.

See Page 4 🗲

OWRD

Land Use Information Form — Page 3 of 4

Last Revised: 10/2023

DEC 18 2024

Received

OWRD

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

Land uses to be served by the proposed water use(s), including proposed construction, are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): <u>EFRV-Z</u>/<u>HIZO</u>3.020

Land uses to be served by the proposed water use(s), including proposed construction, involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being Pursued."

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		Obtained Denied	Being Pursued
		Obtained Denied	Being Pursued
		Obtained Denied	Being Pursued
		Obtained Denied	 Being Pursued Not Being Pursued

Local governments are invited to express special land use concerns or make recommendations to the Oregon Water Resources Department regarding this proposed use of water in the box below or on a separate sheet.

Name: DAN Title: Signature: 201 Date: TANNA **Governmental Entity:** Phone:

Receipt Acknowledging Request for Land Use Information

Note to Local Government Representative:							
Please complete this form and return it to the applicant. For new water right applications only, if you are unable to complete							
this form while the applicant waits, you may complete this receipt and return it to the applicant. If you sign the receipt, you will							
have 30 days from the date of OWRD's Public Notice of the application to submit the completed Land Use Information Form to							
Oregon Water Resources Department. Please note while OWRD can accept a signed receipt as part of intake for an application							
for a new permit to use or store water, a completed Land Use Information Form is required for all other applications.							
Applicant Name:							
Staff Name:	Title:						
Staff Signature:							
Governmental Entity:	Phone:						
OWRD	Land Use Information Form — Page 4 of 4	Last Revised: 10/2023					
	Dee	eived					
	Hec	eiveu					

DEC 18 2024

OWRD

14579