Receipt # 139952

Receipt #

Regular

Name John & Loudean Elliott						
Traine Both 4 Locality Linge	DESCRIPTION	N OF WATER RIGHT(s)				FEES PAID
Address 18610 Taylor Rd.	DESCRIPTION	NOF WATER RIGHT(5)			Date	Amount Rece
Klamath Falk, OR 97603	Name of Stream_W	ell				3 \$1,840.00 139
Jelliott 1882@gmail.com	. Ivaine of otteam				- 401	7 - C 11 X 1 X
Change in POA	Trib. of unname	d Stream				
Date Filed 1-23-2023	Use Traigation		County Klamatt	^		
Initial notice date 1 - 31 - 2023		S)				
DPD issued date	Name of ditch_					
PD issued date 9 27 2023	App# G 10195	Per# G 9243	Cert # 65944	PR Date		
PD notice date. 10/3/2083	App#	Per #				FEES REFUNDED
Date of FO 11 20 2003 Vol 124 Page		Per #				Amount Rece
8	App#					
	App#		Trigger av			
C-Date 10112025	11					
COBU due date 10 11 (3000						
COBU Received date						
Certificate issued_						
A						
Assignments:						
						
Irrigation District Klamath Bosin Irrigati	an District					
O .						
Agent Adkins Engineering + Surveying inc-	- dscalas@adkin	sengineering.com				
CWRE Klamath County						
CC's list_						
000100						
- Oversized map - Location						



Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904

November 20, 2023

JOHN & LOUDEAN ELLIOTT 18610 TAYLOR RD KLAMATH FALLS, OR 97603

REFERENCE: Transfer Application T-14151

Enclosed is a copy of the final order approving your water right transfer application.

The time allowed to complete the transfer is specified in the final order. YOU SHOULD GIVE PARTICULAR ATTENTION TO THE TIME LIMIT. The water right for any portion of the authorized change in character of use or change in place of use NOT carried out within the time allowed will be lost.

An extension of the time limit can be allowed <u>only</u> upon a showing that diligent effort has been made to complete the actual change(s) within the time allowed.

You are required to hire a Certified Water Rights Examiner (CWRE) to complete a Claim of Beneficial Use report and map which must be submitted to this Department within one year of the date you complete the change(s) or within one year of the completion date authorized in the transfer final order, whichever occurs first.

If you have any questions related to the approval of this transfer, you may contact your caseworker, Scott Grew, by telephone at (503) 986-0890 or by e-mail at Scott.A.Grew@oregon.gov.

Sincerely,

Julie C. Baustian

Water Rights Services Support
Transfers and Conservation Section

cc: Danette M. Watson, Watermaster Dist. # 17 (via email)

Klamath County

Klamath Basin Irrigation District

Adkins Engineering And Surveying, Agent

Enclosure

OF THE STATE OF OREGON

In the Matter of Transfer Application) FINAL ORDER APPROVING A CHANGE IN T-14151, Klamath County) POINT OF APPROPRIATION

Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

JOHN ELLIOTT AND LOUDEAN ELLIOTT 18610 TAYLOR RD KLAMATH FALLS, OR 97603

Findings of Fact

- On January 23, 2023, JOHN ELLIOTT AND LOUDEAN ELLIOTT filed an application to change the point of appropriation under Certificate 65944. The Department assigned the application number T-14151.
- 2. Notice of the application for transfer was published on January 31, 2023, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- 3. On June 28, 2023, the Department sent a copy of the draft Preliminary Determination proposing to approve Transfer Application T-14151 to the applicants. The draft Preliminary Determination cover letter set forth a deadline of July 28, 2023, for the applicants to respond. The applicants requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicants are authorized to pursue the transfer.
- On July 24, 2023, the agent for the applicant submitted a corrected map and table 1 to correct a scrivener's error on the original application.

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

- 5. On September 27, 2023, the Department issued a Preliminary Determination proposing to approve Transfer Application T-14151 and sent a copy to the applicants. Additionally, notice of the Preliminary Determination for the transfer application was published in the Department's weekly notice on October 3, 2023, pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notice.
- 6. The right to be transferred is as follows:

Certificate: 65944 in the name of GARY D. OREM (perfected under Permit G-9243)

Use: IRRIGATION OF 16.3 ACRES

Priority Date: MARCH 4, 1981

Rate: 89.8 GALLONS PER MINUTE

Limit/Duty: The amount of water used for irrigation, together with the amount secured

under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of

each year.

Source: ONE WELL in the LOST RIVER BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
40 S	11 E	WM	32	SW NW	50 FEET NORTH AND 720 FEET EAST FROM THE W1/4 CORNER OF SECTION 32

Authorized Place of Use:

IRRIGATION								
Twp	Rng	Mer	Sec	Q-Q	Acres			
40 S	11 E	WM	32	SW NW	16.3			

7. The Department received information from the applicant that describes the location of the authorized point of diversion for Certificate 65944 as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
40 S	11 E	WM	32	SW NW	WELL 1 - 2590 FEET SOUTH AND 720 FEET EAST FROM THE NW CORNER OF SECTION 32

 Transfer Application T-14151 proposes to move the authorized point of appropriation approximately 25 feet from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
40 S	11 E	WM	32	SW NW	WELL 2 - 2565 FEET SOUTH AND 730 FEET EAST FROM THE NW CORNER OF SECTION 32

Transfer Review Criteria [OAR 690-380-0100(14), 690-380-4010(2) and OAR 690-380-2110(2)]

- Water has been used within the last five years according to the terms and conditions of the right. There is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- 10. A water delivery system sufficient to use the full amount of water allowed under the existing right was present within the five-year period prior to submittal of Transfer Application T-14151.
- The water right is subject to transfer as defined in ORS 540.505(4) and OAR 690-380-0100(14).
- 12. The proposed point of appropriation develops groundwater from the same aquifer as the authorized point of appropriation, as required by OAR 690-380-2110(2).
- 13. The proposed change would not result in enlargement of the right.
- 14. The proposed change would not result in injury to other existing water rights.
- 15. All other application requirements are met.

Conclusions of Law

The change in point of appropriation proposed in Transfer Application T-14151 is consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000.

Now, therefore, it is ORDERED:

- The change in point of appropriation proposed in Transfer Application T-14151 is approved.
- The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificate 65944 and any related decree.
- Approval of this transfer application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new point of appropriation.
- Water right Certificate 65944 is cancelled.
- 5. The quantity of water diverted at the new point of appropriation (Well 2) shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 1).
- Water shall be acquired from the same aquifer (water source) as the original point of appropriation.

- 7. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each new point of appropriation.
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
- 8. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before October 1, 2025. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the change and full beneficial use of the water.
- After satisfactory proof of beneficial use is received, a new certificate confirming the right transferred will be issued.

NOV 2 0 2023

Dated in Salem, Oregon on

Lisa J. Jaramillo, Transfer and Conservation Section Manager, for

DOUGLAS E. WOODCOCK, ACTING DIRECTOR

Oregon Water Resources Department

Mailing date: NOV 2 1 2023

WATER RIGHT TRANSFER COVER SHEET

Transfer: T- 14151

	1 12
Transfer Specialist.	Do
, ,	

Transfer Type: Regular Transfer						
Applicant:		Agent: N/A				
JOHN & LOUDEAN ELLIOTT		ADKINS ENGINEERING AND SURVEYING				
18610 TAYLOR RD		1435 ESPLANADE				
KLAMATH FALLS, OR 97603 Email: Ph	one:	KLAMATH FALLS,	OR 97601	Phone:		
Irrigation District: N/A	one.	Email: CWRE: N/A		Priorie.		
Klamath Basin		CWRE.				
Email:						
		Email:				
Affected Local Gov'ts: N/A		Affected Tribal Gov	t: N/A			
Klamath County Planning Department		UNAVAILABLE Email:				
Current Landowner if other than Applicant:	N/A	Receiving Landowne	er: N/A			
Email:		Email:				
Water Rights Affected		The state of				
File						
Marked App. File # or Decree Name	Permit	Certificate	RR/CR Needed	RR/CR Nos.		
G10195	G9243	65944	Yes No			
			Yes No			
Key Dates & Initial Actions:						
Rec'd: January 23, 2023	Proposed Action((s): POINT OF APPROPRIATION				
Fees Pd: 1840.00	WM District: 17		ODFW District:			
Initial Public Notice: January 31, 2023	WM Review sent		ODFW Review se	nt:		
Acknowledgement Letter Sent			GW Review sent:	□ N/A		
County sent cc: of Ack Letter	BOR notified (dat	e):				
Newspaper quote requested:	Request for news	\$ sent:	News \$ received:			
Request to publish sent:	Affidavit of public					
no newspa	per reg					
Document Drafted Peer Revi	Changes lew Made	Coordinator	Changes Signa Made / Bi	CHARLES MANAGEMENT		
DPD Date: \$125 L3 Date: \$16	Date:	Date: 6/14/23 D	ate: 0/28/28 CW Senitials: 2017 6/28			
PD Date: 8/25/23 Date: 9/20	77	Date: 9/19/73 D	ate.9/21/23 Date:	123 9/26/23 2		
FO Date: 9/21/23 Date: 9/24 Initials: 10		1000	nitials: 20# 11/9/	23 11 2d 202		
Special Issues: R Sent	IF the DAT	A 9/21/23	Characi	ay Dato		
Special Order Volume: Vol. Pag	es	-		114/23		
Transfer Cover Sheet WAT7	UNTIL ;	AFTER NO	V. 2, 23	Last Revised 10-29-18		
			Manager			



Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904 www.oregon.gov/owrd

VIA CERTIFIED MAIL AND E-MAIL

Applicant

JOHN ELLIOTT AND LOUDEAN ELLIOTT 18610 TAYLOR RD KLAMATH FALLS, OR 97603

SUBJECT: Water Right Transfer Application T-14151

Please find enclosed the Preliminary Determination indicating that, based on the information available, the Department intends to approve application T-14151. This document is an intermediate step in the approval process; water may not be used legally as proposed in the transfer application until a Final Order has been issued by the Department. Please read this entire letter carefully to determine your responsibility for additional action.

A public notice is being published in the Department's weekly publication simultaneously with issuance of the Preliminary Determination. The notice initiates a period in which any person may file either a protest opposing the decision proposed by the Department in the Preliminary Determination or a standing statement supporting the Department's decision. The protest period will end 30 days after the Department's notice.

If no protest is filed, the Department will issue a Final Order consistent with the Preliminary Determination. You should receive a copy of the Final Order about 30 days after the close of the protest period.

If a protest is filed, the application may be referred to a contested case proceeding. A contested case provides an opportunity for the proponents and opponents of the decision proposed in the Preliminary Determination to present information and arguments supporting their position in a quasi-judicial proceeding.

Please contact me at scott.a.grew@water.oregon.gov or 503-986-0890 503-986-0886 or Patrick.K.Starnes@wrd.state.or.usif I may be of assistance.

Sincerely,

Transfer Specialist

Scott Grew

Transfer and Conservation Section

cc: Transfer Application file T-14151

Garrett Steensland, District 17 Watermaster (via e-mail)

Adkins Engineering and Surveying, Agent for the applicant (via e-mail)

OF THE STATE OF OREGON

In the Matter of Transfer Application)	PRELIMINARY DETERMINATION
T-14151, Klamath County)	PROPOSING APPROVAL OF A CHANGE IN
)	POINT OF APPROPRIATION

Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

JOHN ELLIOTT AND LOUDEAN ELLIOTT 18610 TAYLOR RD KLAMATH FALLS, OR 97603

Findings of Fact

- On January 23, 2023, JOHN ELLIOTT AND LOUDEAN ELLIOTT filed an application to change the point of appropriation under Certificate 65944. The Department assigned the application number T-14151.
- 2. Notice of the application for transfer was published on January 31, 2023, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- 3. On June 28, 2023, the Department sent a copy of the draft Preliminary Determination proposing to approve Transfer Application T-14151 to the applicants. The draft Preliminary Determination cover letter set forth a deadline of July 28, 2023, for the applicants to respond. The applicants requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicants are authorized to pursue the transfer.
- On July 24, 2023, the agent for the applicant submitted a corrected map and table 1 to correct a scrivener's error on the original application.

Pursuant to OAR 690-380-4030, any person may file a protest or standing statement within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later, of this preliminary determination.

5. The right to be transferred is as follows:

Certificate:

65944 in the name of GARY D. OREM (perfected under Permit G-9243)

Use:

IRRIGATION OF 16.3 ACRES

Priority Date:

MARCH 4, 1981

Rate:

89.8 GALLONS PER MINUTE

Limit/Duty:

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of

each year.

Source:

ONE WELL in the LOST RIVER BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
40 S	11 E	WM	32	SW NW	50 FEET NORTH AND 720 FEET EAST FROM THE W1/4 CORNER OF SECTION 32

Authorized Place of Use:

		IRRI	GATION	1	
Twp	Rng	Mer	Sec	Q-Q	Acres
40 S	11 E	WM	32	SW NW	16.3

6. The Department received information from the applicant that describes the location of the authorized point of diversion for Certificate 65944 as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
40 S	22 5 100 22 50100	I1E WM 32 SW NW		WELL 1 - 2590 FEET SOUTH AND 720 FEET EAST	
403	11.6	VVIVI	32	244 1444	FROM THE NW CORNER OF SECTION 32

 Transfer Application T-14151 proposes to move the authorized point of appropriation approximately 25 feet from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
40 5	11 E	WM	32	SW NW	WELL 2 - 2565 FEET SOUTH AND 730 FEET EAST FROM THE NW CORNER OF SECTION 32

Transfer Review Criteria [OAR 690-380-0100(14), 690-380-4010(2) and OAR 690-380-2110(2)]

- Water has been used within the last five years according to the terms and conditions of the right. There is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- A water delivery system sufficient to use the full amount of water allowed under the existing right was present within the five-year period prior to submittal of Transfer Application T-14151.

- The water right is subject to transfer as defined in ORS 540.505(4) and OAR 690-380-0100(14).
- 11. The proposed point of appropriation develops groundwater from the same aquifer as the authorized point of appropriation, as required by OAR 690-380-2110(2).
- 12. The proposed change would not result in enlargement of the right.
- 13. The proposed change would not result in injury to other existing water rights.
- 14. All other application requirements are met.

Determination and Proposed Action

The change in point of appropriation proposed in Transfer Application T-14151 appears to be consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000. If protests are not filed pursuant to OAR 690-380-4030, the application will be approved.

115

If Transfer Application T-14151 is approved, the final order will include the following:

- 1. The change in point of appropriation proposed in Transfer Application T-14151 is approved.
- The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificate 65944 and any related decree.
- Approval of this transfer application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new point of appropriation.
- 4. Water right Certificate 65944 is cancelled.
- 5. The quantity of water diverted at the new point of appropriation (Well 2) shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 1).
- Water shall be acquired from the same aquifer (water source) as the original point of appropriation.
- 7. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each new point of appropriation.
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

- 8. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before October 1, 2025. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the change and full beneficial use of the water.
- After satisfactory proof of beneficial use is received, a new certificate confirming the right transferred will be issued.

Dated in Salem, Oregon on

SEP 2 7 2023

Lisa J Jaramillo, Transfer and Conservation Section Manager, for

DOUGLAS E. WOODCOCK, ACTING DIRECTOR

Oregon Water Resources Department

This Preliminary Determination was prepared by Scott Grew. If you have questions about the information in this document, you may reach him at scott.a.grew@water.oregon.gov or 503-986-0890.

Protests

Under the provisions of ORS 540.520(6) & (7) and OAR 690-380-4030, within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later, any person may file, jointly or severally, a protest expressing opposition of approval of the transfer application and disagreement with this Preliminary Determination or a standing statement in support of this Preliminary Determination. If this Preliminary Determination determines that a change in point of diversion or appropriation would result in injury, the applicant may file a notification of intent to pursue approval of the transfer under OAR 690-380-5030 to 690-380-5050. Protests and standing statements must be received by the Water Resources Department within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later.

Protests must be in writing and received in hard copy form with the appropriate statutory protest filing fee; protests cannot be filed by electronic mail. [OAR 690-002-0025(3) and 690-380-0100(9)]. The protest must include the following:

- The person's name, address, and telephone number;
- All reasonably ascertainable issues and all reasonably available arguments supporting the person's position by the close of the protest period. Failure to raise a reasonably ascertainable issue in a protest or failure to provide sufficient specificity to afford the

Department an opportunity to respond to the issue may preclude consideration of the issue during the hearing:

- If you are the applicant, a protest fee of \$480 required by ORS 536.050; and
- If you are not the applicant, a protest fee of \$950 required by ORS 536.050 and proof of service of the protest upon the applicant.

Requests for Standing

Under the provisions of OAR 690-380-4030(5), the Department shall provide to persons who have filed standing statements as defined under OAR 690-380-0100(11) notice of any differences between the Department's Preliminary Determination and the Final Order, notice of a hearing on the application under OAR 137-003-0535, and an opportunity to request limited party status or party status in the hearing.

Requests for standing must be received in the Water Resources Department no later than 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later. Requests for standing must be in writing, and must include the following:

- The requester's name, mailing address and telephone number;
- If the requester is representing a group, association or other organization, the name, address and telephone number of the represented group;
- A statement that the requester supports the preliminary determination as issued.

After the protest period has ended, the Director will either issue a Final Order or schedule a contested case hearing. The contested case hearing will be scheduled only if a protest has been filed under OAR 690-380-4030. In accordance with OAR 690-380-4200, notice and conduct of the hearing shall:

- Be under the applicable provisions of ORS 183.310 to 183.550, pertaining to contested
 cases, and the hearing shall be held in the area where the rights are located unless all
 parties stipulate otherwise; and
- If a protest has asserted that a water right to be transferred has been forfeited through non-use, include the notice and procedures described in OAR 690-017-0500 to 690-017-0900.

If after hearing the Department issues a proposed Final Order finding that a change in point of diversion or appropriation will result in injury, the applicant may file a notification of intent to pursue approval of the transfer under OAR 690-380-5030 to 690-380-5050 within 15 days of

receipt of the proposed order. Notwithstanding 690-002-0175, if the applicant files a notification of intent to pursue approval of the transfer under 690-380-5030 to 690-380-5050, the deadline for filing exceptions to the proposed order shall be 30 days after the Department provides notice to the parties that the transfer does not meet the requirements of 690-380-5030 to 690-380-5050.

If you do not request a hearing within 30 days after the close of the protest period, or if you withdraw a request for a hearing, notify the Department or the administrative law judge that you will not appear, or fail to appear at a scheduled hearing, the Director may issue a final order by default. If the Director issues a Final Order by default, the Department designates the relevant portions of its files on this matter, including all materials that you have submitted relating to this matter, as the record for purpose of proving a *prima facie* case upon default.

You may be represented by an attorney at the hearing. Legal aid organizations may be able to assist a party with limited financial resources. Generally, partnerships, corporations, associations, governmental subdivisions, or public or private organizations are represented by an attorney. However, consistent with OAR 690-002-0020 and OAR 690-137-0555, an agency representative may represent partnerships, corporations, associations, governmental subdivisions or public, or private organizations if the Department determines that appearance of a person by an authorized representative will not hinder the orderly and timely development of the record in this case.

Notice Regarding Servicemembers: Active-duty servicemembers have a right to stay proceedings under the federal Servicemembers Civil Relief Act. 50 U.S.C. App. §§501-597b. For more information contact the Oregon State Bar at 800-452-8260, the Oregon Military Department at 971-355-4127, or the nearest United States Armed Forces Legal Assistance Office through http://legalassistance.law.af.mil.

If you have questions about how to file a protest or if you have previously filed a protest and you want to know the status, please contact Will Davidson at 503-507-2749.

If you have questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at 503-986-0900.

Address any correspondence to: Oregon Water Resources Department, Transfer and Conservation Section, 725 Summer Street NE, Suite A, Salem OR 97301-1266.

GREW Scott A * WRD

From: BUCHHOLZ Sheila L * WRD

Sent: Tuesday, September 26, 2023 11:39 AM

 To:
 GREW Scott A * WRD

 Cc:
 MARTIN Duff A * WRD

 Subject:
 PD T-14151, snap 222126

Attachments: PD T-14151.pdf

Hi Scott! (& Nianila?),

This PD has been completed by data without issue!

Thanks & have a great day!


Sheila Buchholz

Data Technician 1

725 Summer St. NE, Suite A | Salem, Oregon 97301 Email: Sheila.L.Buchholz@water.oregon.gov



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking



Part 5 of 5 - Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 65944

Description of Water Delivery System

System capacity: 0.39 cubic feet per second (cfs)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use.

Water is diverted from Well 1 (KLAM 14772) to the west approximately 760' through 6" aluminum mainline pipe. From there, 3" aluminum lateral sprinkler lines are tied into risers located on the mainline approximately every 60'.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	To	wp	R	ng	Sec	34	1/4	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 1	Authorized Proposed	KLAM 14772	40	s	11	E	32	sw	NW	600	2,590' South & 720' East from the Northwest Corner of Section 32
Well 2	☐ Authorized ☐ Proposed	KLAM 61453	40	s	11	E	32	sw	NW	600	2,565' South & 730' East from the Northwest Corner of Section 32

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses): Place of Use (POU) Supplemental Use to Primary Use (S to P) Point of Appropriation/Well (POA) Character of Use (USE) Point of Diversion (POD) Additional Point of Appropriation (APOA) Additional Point of Diversion (APOD) Substitution (SUB) Surface Water POD to Ground Water Government Action POD (GOV) POA (SW/GW) Will all of the proposed changes affect the entire water right? Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes. No Complete all of Jable 2 to describe the portion of the water right to be changed. JUL 2 4 2023 SUPERSEDING

Salem, OR

GREW Scott A * WRD

From: Bryce McKinney <BMcKinney@adkinsengineering.com>

Sent: Monday, July 24, 2023 3:09 PM

To: GREW Scott A * WRD

Cc: jelliott1882@gmail.com; Dan Scalas

Subject: Transfer T-14151 Revisions

You don't often get email from bmckinney@adkinsengineering.com. Learn why this is important

Hi Scott,

It appears there were two errors in the Permanent Transfer application T-14151 that we submitted for John and Loudean Elliott. On the map, the well location for the Proposed Well 2 (KLAM 61453) should be "2565' south & 730' EAST from the northwest corner of section 32". Also, on page seven of the application the measured distance for Well 2 should say "2565' south & 730' EAST from the northwest corner of section 32". Do you need us to submit a new map and page seven with the corrections?

Thanks,



Bryce McKinney
Environmental Scientist

o / 541.884.4666 m / 503.737.4655 a / 1435 Esplanade Ave, Klamath Falls, OR 97601 w / AdkinsEngineering.com

GREW Scott A * WRD

From: Bryce McKinney <BMcKinney@adkinsengineering.com>

Sent: Tuesday, August 8, 2023 11:02 AM
To: GREW Scott A * WRD; John Elliott

Cc: Dan Scalas

Subject: RE: Application T-14151 Ownership Report

Attachments: 4055-01 Elliott Certificate 65944 Permanent Transfer Map signed and revised.pdf

Scott,

Attached is the revised transfer map. Please let me know if you need anything else.

Thanks,



Bryce McKinney Environmental Scientist

o / 541.884.4666 m / 503.737.4655 a / 1435 Esplanade Ave, Klamath Falls, OR 97601 w / AdkinsEngineering.com

From: Bryce McKinney

Sent: Monday, August 7, 2023 11:56 AM

To: GREW Scott A * WRD <Scott.A.GREW@water.oregon.gov>; John Elliott <jelliott1882@gmail.com>

Cc: Dan Scalas < DScalas@adkinsengineering.com > Subject: RE: Application T-14151 Ownership Report

Scott,

Please see the attached amended page 7. We can send you the amended map tomorrow.

Thanks,



Bryce McKinney
Environmental Scientist

o / 541.884.4666 m / 503.737.4655 a / 1435 Esplanade Ave, Klamath Falls, OR 97601 w / AdkinsEngineering.com

From: GREW Scott A * WRD < Scott.A.GREW@water.oregon.gov>

Sent: Friday, August 4, 2023 10:59 AM

To: John Elliott < jelliott1882@gmail.com>

Cc: Bryce McKinney < BMcKinney@adkinsengineering.com >; Dan Scalas < DScalas@adkinsengineering.com >; GREW Scott

A * WRD <Scott.A.GREW@water.oregon.gov>

Subject: RE: Application T-14151 Ownership Report

John,

I have received your Report of Ownership.

Once I receive the amended pages I can move forward on the preliminary determination.

Thank you, Scott

Scott Grew Transfer Specialist Oregon Water Resources Department 503-986-0890

From: John Elliott < ielliott1882@gmail.com > Sent: Friday, August 4, 2023 7:47 AM

To: GREW Scott A * WRD <scott.a.grew@water.oregon.gov>

Subject: Application T-14151 Ownership Report

Scott,
Attached is the Ownership Report concerning our property.
Please acknowledge receipt.
Thank you for your continued assistance.
John Elliott
541-281-9786

Sent from my iPhone

GREW Scott A * WRD

From: Bryce McKinney <BMcKinney@adkinsengineering.com>

Sent: Monday, August 7, 2023 11:56 AM
To: GREW Scott A * WRD; John Elliott

Cc: Dan Scalas

Subject: RE: Application T-14151 Ownership Report

Attachments: 4055-01 Elliott Permanent Transfer Application Certificate 65944 - page 7 revised.pdf

Scott,

Please see the attached amended page 7. We can send you the amended map tomorrow.

Thanks,



o / 541.884.4666 m / 503.737.4655 a / 1435 Esplanade Ave, Klamath Falls, OR 97601 w / AdkinsEngineering.com

From: GREW Scott A * WRD < Scott.A.GREW@water.oregon.gov>

Sent: Friday, August 4, 2023 10:59 AM
To: John Elliott <jelliott1882@gmail.com>

Cc: Bryce McKinney <BMcKinney@adkinsengineering.com>; Dan Scalas <DScalas@adkinsengineering.com>; GREW Scott

A * WRD <Scott.A.GREW@water.oregon.gov>
Subject: RE: Application T-14151 Ownership Report

John,

I have received your Report of Ownership.

Once I receive the amended pages I can move forward on the preliminary determination.

Thank you, Scott

Scott Grew
Transfer Specialist
Oregon Water Resources Department
503-986-0890

From: John Elliott < jelliott1882@gmail.com > Sent: Friday, August 4, 2023 7:47 AM

To: GREW Scott A * WRD < scott.a.grew@water.oregon.gov > Subject: Application T-14151 Ownership Report

Scott,
Attached is the Ownership Report concerning our property.
Please acknowledge receipt.
Thank you for your continued assistance.
John Elliott
541-281-9786

Sent from my iPhone



STATUS OF RECORD TITLE

FSBO

August 2, 2023 Title Number: 599231AM Title Officer: Jenni Addy Fee: \$200.00

Your Reference No.

We have searched the status of record title as to the following described property:

The SW1/4 NW1/4 of Section 32, Township 40 South, Range 11 East of the Willamette Meridian, Klamath County, Oregon, together with a perpetual right of way and easement for roadway purposes, being 20 feet in width along and parallel with the Westerly boundary of the NW1/4 NW1/4 of Section 32, Township 40 South, Range 11 East of the Willamette Meridian, Klamath County, Oregon.

Vestee:

John W. Elliott and Loudean Elliott, as Tenants by the Entirety

and dated as of July 13, 2023 at 7:30 a.m.

Received by OWRD

Said property is subject to the following on record matters:

AUG 04 2023

Salem, OR

Tax Information:

<u>Taxes</u> assessed under Code No. 018 Account No. 104862 <u>Map</u> No. 4011-03200-00600 NOTE: The 2022-2023 Taxes: \$3,372.69, are Paid

Taxes assessed under Code No. 018 Account No. 602306 Map No. 4011-03200-00600 NOTE: The 2022-2023 Taxes: \$19.38, are Paid

- 1. The 2023-2024 Taxes: A lien not yet due or payable.
- Taxes deferred, as disclosed by the tax roll, the premises herein described have been zoned or classified for farm use. At any time that said Land is disqualified for such use the property will be subject to additional taxes or penalties and interest.
- Special Assessment disclosed by the Klamath tax rolls: For: Fire Patrol Surcharge
- Special Assessment disclosed by the Klamath tax rolls: For: Klamath Lake Grazing
- Regulations, including levies, assessments, water and irrigation rights and easements for ditches and canals of Klamath Basin Improvement District. (No inquiry has been made)

Order No. 599231AM Page 2

- Right, title and interest of the public in and to those portions of the Land lying within roads, streets or highways.
- 7. An easement including the terms and provisions thereof, affecting the portion of said Land and for the purposes stated therein as set forth in instrument:

Granted To: State of Oregon Department of Environmental Quality

Recorded: August 23, 1988 Volume: M88, page 13596

8. A Deed of Trust, including the terms and provisions thereof, to secure the amount noted below and other amounts secured thereunder, if any:

Amount: \$145,000.00

Trustor/Grantor: John W. Elliott and Loudean Elliott Trustee: First American Title Insurance Company

Beneficiary: Mortgage Electronic Registration Systems, Inc. (MERS), solely as nominee for Stearns

Lending, Inc.

Dated: July 18, 2013 Recorded: July 23, 2013 Instrument No.: 2013-008357

NOTE: Any map or sketch enclosed as an attachment herewith is furnished for information purposes only to assist in property location with reference to streets and other parcels. No representation is made as to accuracy and the company assumes no liability for any loss occurring by reason of reliance thereon.


THIS IS NOT A TITLE REPORT, A COMMITMENT TO ISSUE TITLE INSURANCE OR A GUARANTEE OF ANY KIND. No liability is assumed with this report. The fee charged for this service does not include supplemental reports or other services. Further dissemination of the information in this report in a form purporting to insure title to the herein described land is prohibited by law.

"Superior Service with Commitment and Respect for Customers and Employees"

Received by OWRD


AUG 04 2023

Salem, OR



65944

T. 40S., R.IIE., W.M.



SCALE: 1"=1320"

FINAL PROOF SURVEY

UNDER

Application No. G-10195 Permit No. G-9243....
IN NAME OF

GARY D. OREM

Surveyed AUG. IB 19.87, by V.L. CHURCH

GREW Scott A * WRD

From: John Elliott < jelliott1882@gmail.com>
Sent: Thursday, July 27, 2023 12:59 PM

To: GREW Scott A * WRD

Cc: Dan Scalas; SKILES Tom D * WRD

Subject: Re: T-14151 - Issuance of Draft Preliminary Determination - Action Required!

With the correction of the "TO" location in Item 5 of the Draft Preliminary Determination respecting Application T-14151, which will remove "WEST" and replace it with "EAST", I accept the terms and conditions of the Draft Preliminary Determination. I understand that Bryce McKinney of Adkins Engineering and Scott Grew have coordinated amendments to the Application and maps to correct the location description.

I asked our local title company, Amerititle, to prepare the Ownership Report. They made a copy of OWRD's instructions regarding the preparation of the report. The fee for that has been paid. It should be ready within two weeks and will be forwarded to OWRD promptly following my review.

Please confirm your receipt of this acceptance.

Please contact me at 541-281-9786 should you need any clarification or have any questions.

Thank you for your continued assistance.

John Elliott Transfer Application T-14151

On Wed, Jun 28, 2023 at 11:47 AM GREW Scott A * WRD < Scott.A.GREW@water.oregon.gov > wrote:

June 28, 2023

VIA E-MAIL

Applicant

JOHN ELLIOTT AND LOUDEAN ELLIOTT

18610 TAYLOR RD

KLAMATH FALLS, OR 97603

Reference: Water Right Transfer Application T-14151

Your water right transfer is in the first of three phases of processing. Enclosed is a draft of the Department's Preliminary Determination regarding Transfer Application T-14151. The document reflects the Department's

conclusion that, based on the information currently available, the transfer will be approved. Your response and submittal of the items outlined below are required by July 28, 2023.

Required items needing your immediate attention:

- 1. Please carefully review the Draft Preliminary Determination to verify that it accurately reflects the changes you intend to make and to become familiar with the proposed conditions.
- 2. Respond in writing by July 28, 2023, with acknowledgement that you agree to the proposed action and conditions.
- 3. If you find any errors, please let me know.
- 4. REQUIRED: You must submit a Report of Ownership for the lands where the water right(s) are currently located (i.e., the FROM lands). This report:
 - a) Must be prepared by a title company;
 - b) Shall include a "prepared by" statement and the date the title company prepared the report printed on the cover sheet;
 - c) Must:
 - i. Be prepared no earlier than 3 months prior to the date of issuance of the Draft Preliminary Determination showing current ownership; **OR**
 - ii. Be prepared within 3 months of the date the water right conveyance agreement was recorded; OR
 - iii. Show ownership for the FROM land at the time a water right conveyance agreement was recorded.

If water right conveyance agreements are involved, it is helpful to provide copies of those agreements along with the Report of Ownership.

IMPORTANT: In order for the Department to clearly understand the date that the title company prepared the Report of Ownership, the title company must indicate/state the date that they prepared the report on the coversheet and/or first page of the report.

- d) Must include a list of owners at the time the report was generated; AND
- e) Must include a legal description of the property where the water right to be transferred is currently located (i.e., the FROM lands).



Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904 www.oregon.gov/owrd

June 28, 2023

VIA E-MAIL

Applicant

JOHN ELLIOTT AND LOUDEAN ELLIOT 18610 TAYLOR RD KLAMATH FALLS, OR 97603

Reference: Water Right Transfer Application T-14151

Your water right transfer is in the first of three phases of processing. Enclosed is a draft of the Department's Preliminary Determination regarding Transfer Application T-14151. The document reflects the Department's conclusion that, based on the information currently available, the transfer will be approved. Your response and submittal of the items outlined below are required by July 28, 2023.

Required items needing your immediate attention:

- Please carefully review the Draft Preliminary Determination to verify that it accurately reflects the changes you intend to make and to become familiar with the proposed conditions.
- 2. Respond in writing by July 28, 2023, with acknowledgement that you agree to the proposed action and conditions.
- 3. If you find any errors, please let me know.
- 4. REQUIRED: You must submit a Report of Ownership for the lands where the water right(s) are currently located (i.e., the FROM lands). This report:
 - a) Must be prepared by a title company;
 - Shall include a "prepared by" statement and the date the title company prepared the report printed on the cover sheet;
 - c) Must:
 - Be prepared no earlier than 3 months prior to the date of issuance of the Draft Preliminary Determination showing current ownership; OR
 - Be prepared within 3 months of the date the water right conveyance agreement was recorded; OR
 - Show ownership for the FROM land at the time a water right conveyance agreement was recorded.
 - If water right conveyance agreements are involved, it is helpful to provide copies of those agreements along with the Report of Ownership.

IMPORTANT: In order for the Department to clearly understand the date that the title company prepared the Report of Ownership, the title company must indicate/state the date that they prepared the report on the coversheet and/or first page of the report.

- d) Must include a list of owners at the time the report was generated; AND
- e) Must include a legal description of the property where the water right to be transferred is currently located (i.e., the FROM lands).
- 5. You must provide a notarized statement of consent signed by any landowner listed in the Report of Ownership who is <u>not</u> already included in the transfer application. The Department's statement of consent form (Consent By Deeded Landowner) is available at: https://www.oregon.gov/OWRD/WRDFormsPDF/consent to transfer form.pdf

Conditions of your water right...

The Watermaster has required a water measurement device(s) at the new diversion point(s) prior to diversion of water. Enclosed is a contact information sheet to assist you in pursuing additional information or approval of the required (or alternate) device(s).

Please note the proposed date by which all conditions must be met: October 1, 2024. If the required completion date is insufficient to comply with any of the conditions, you may request more time, at no cost to you, during this stage of processing. Please let me know by the comment deadline if you will need more time and explain the reasons why.

What happens next...

Once the preliminary determination is issued a publication period is required. The Department will publish a notice in their weekly publication, which opens a 30-day period in which the transfer can be protested.

Issuance of the Preliminary Determination will occur shortly after we receive:

- Your written response to the conditions and proposed action in the Draft Preliminary Determination (e-mail is acceptable); and
- The Report of Ownership, including affidavits of consent from any landowners shown in the ownership report who have not signed the transfer application. The title company must indicate/state the date that they prepared the ownership report on the coversheet and/or first page of the report.

If we do not receive the items listed above by July 28, 2023, a Preliminary Determination may be issued denying the application as incomplete.

Please contact me at scott.a.grew@water.oregon.gov or 503-986-0890 if I may be of assistance.

Sincerely,

Transfer Specialist

Scott Grew

Transfer and Conservation Section

cc: Transfer Application file T-14151

Garrett Steensland, District 17 Watermaster (via e-mail)

Adkins Engineering And Surveying, Agent for the applicant (via e-mail)

encs

Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department 725 Summer St NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

Transfer Application: T-14151

Review Due Date:

Appli	cant Name: John Elliott and Loudean Elliot
Prop	osed Changes: POU POD POA USE OTHER
Revie	ewer(s): Garrett Steensland Date of Review: 04/11/2023
1.	Do you have <u>evidence</u> that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? Yes No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2.	Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? Yes No Generally characterize the frequency of any regulation or explain why regulation has not occurred:
3.	Have headgate notices been issued for the source that serves the transferred right(s)? Yes ✓ No Records not available.
4.	In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? Yes No If "Yes", explain:
5.	In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? Yes No If "Yes", describe how the rights would be affected and list the rights most affected:

6.	Check here if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most:
7.	N/A For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses:
8.	✓ N/A For instream transfers that propose protection of a reach beyond the mouth of the source stream: ✓ N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? ✓ Yes No No
9.	For POU changes: N/A Is it likely the original place of use would continue to receive water from the same source? Yes No If "Yes", explain:
10.	For POU or USE changes: N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste? Yes No If "Yes", explain:
11	 For POU changes that involve micro-irrigation:

Watermaster Review Form

Transfer Application

Watermaster Review Form Transfer Application

(or portion	s thereof) as those lands involved in this transfer?
Yes	No If "Yes", answer the following:
	i. Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? Yes No If "Yes", explain
	ii. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? Yes No If "No", explain:
	iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? Yes No If "No", explain:
	iv. Do you have any other observations regarding the temporary transfer? Yes No If "Yes", describe:
	v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? Yes No If "No", explain:
c. To the	best of your knowledge, if this transfer is approved, does it appear that:
	i. "Injury" will occur to other water rights that share the same source? Yes No If "Yes", explain:
	ii. "Enlargement" of the water right being transferred will occur? Yes No If "Yes", explain:

		I through the above questions that should be considered in an be effected without injury to other rights"?
✓ Ye	No If "Yes", explain	n:
Applica Would	ant appears to propose mo	oving all use to this POA with well that has deeper bottom. w to see if it implacts groundwater similar to original POA.
13. What a	Iternatives may be available	for addressing any issues identified above:
Please	e see groundwater review,	and add totalizing flowmeter to new POA.
		the transfer order to avoid enlargement of the right or injury to checked and provided below:
F	or POU changes that involve	micro-irrigation, provide the monitoring and reporting conditions
n	ecessary to prevent injury/er	nlargement:
A	A Headgate should be require	d prior to diverting water.
	Measurement Devices for POD sections of Page 4)	O or POA: (if this condition is selected, also fill in the top
	a. Before water use may b	egin under this order, the water user shall install a totalizing flow meter*,
		ne Director, another suitable measuring device, at each point of
		w and existing) OR at each new point of diversion/appropriation
	The second secon	at water rights issued to the Bureau of Reclamation or an irrigation re not subject to this condition.
		nintain the meters or measuring devices in good working order.
	c. The water user shall allo however, where the meters	ow the Watermaster access to the meters or measuring devices; provided or measuring devices are located within a private structure, the access upon reasonable notice.
1000	eservoir water use measuren of Page 4)	nent: (if this condition is selected, also fill in the top sections
	a. Before water use may be	egin under this order, the water user shall install staff gages*,
		ne Director, other suitable measuring devices, that measure the entire mpty and full in each reservoir. Staff gages shall be United States
	suitable measuring devices adjustable outlet valve mus order. A written waiver ma	egin under this order, if the reservoir is located in channel, weirs or other must be installed upstream and downstream of the reservoir, and, an it be installed. The water user shall maintain such devices in good working by be obtained, if in the judgment of the Director, the installation of weirs or evices, or the adjustable outlet valve, will provide no public benefit.
	llowing alternative device(s) ed condition:	should be substituted for the bold, underlined device in the above
	Weir	Submerged Orifice
H	Parshall Flume	Flow Restrictor
	Other:	

Watermaster Review Form

TACS

Transfer Application

Watermaster Review Form Transfer Application

Oregon Water Resources Department

Measurement Condition Information for the Applicant

(To be sent with the Draft Preliminary Determination or Final Order)

Transfer #: T- 14151

Salem, OR 97301-1266

In order to avoid enlargement of the right or injury to other rights, a totalizing fl	
be required to be installed <u>prior to diversion of water</u> , as a condition of this trans	fer:
at each point of diversion/appropriation (new and existing) OR	
✓ at each new point of diversion/appropriation.	
For additional information, or to obtain approval of a different type of measurement device should contact the area Watermaster:	e, the applicant
Watermaster name: Garrett Steensland	
District: 17	
Address: 3125 Crosby Ave	
City/State/Zip: Klamath Falls, OR 97601	
Phone: 541-883-4182	
Email: garrett.m.steensland@water.oregon.gov	
Note : If a device other than the one specified in the Preliminary Determination or Final Or by the Watermaster, fill out and mail the form below to the Salem office.	rder is approved
***************************************	****
Approval of an Alternate Measurement Device T- (to be filled out after consultation with the applicant, or after a site visit)	
On behalf of the Director, I authorize use of the following suitable alternate measurement	device:
Watermaster signature District Date	
If this form is used for approval of an alternative measurement device, it must be mailed to:	
Oregon Water Resources Department	
725 Summer Street NE, Suite A	

TACS Page 5 of 5 Last revised May 2019

Groundwater Transfer Review Summary Form

Transfer/PA # T- 14151	
GW Reviewer <u>Grayson</u>	Fish Date Review Completed: 4/23/2023
Summary of Same Source	ce Review:
☐ The proposed chang 2110(2).	ge in point of appropriation is not within the same aquifer as per OAR 690-380-
Summary of Injury Revi	ew:
	er will result in another, existing water right not receiving previously available ly entitled or result in significant interference with a surface water source as per
Summary of GW-SW Tra	ansfer Similarity Review:
☐ The proposed SW-G\	W transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.
This is only a summary. basis for determinations	Documentation is attached and should be read thoroughly to understand the .

OREGON			Ground Wa	ter Review Form:			
also a	Oregon Water Reson 725 Summer Street N		⊠ Water Rig	ht Transfer			
WATER RESOURCES	Salem, Oregon 97301 (503) 986-0900		☐ Permit An	nendment			
DEPARTMENT	www.wrd.state.or.us		☐ GR Modif	ication			
			Other	*			
Application: T-1	4151		Applicant Name	: John and Loudean Elliott			
Proposed Change	es: 🛛 POA	☐ APOA	□ SW→GW	□RA			
	☐ USE	□ POU	☐ OTHER				
Reviewer(s): G	rayson Fish		1	Date of Review: <u>4/24/2023</u>			
		Date Reviewed	by GW Mgr. and l	Returned to WRSD: JTI 4/24/23			
	provided in the a approved because		ufficient to evaluate	e whether the proposed			
☐ The water w		led with the app	lication do not corr	espond to the water rights			
	The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.						
Other							
1. Basic descri	ption of the chang	ges proposed in	this transfer: The a	oplicant's previous			
	authorized POA "Well 1" (KLAM 14772) associated with Certificate 65944 has gone dry. The applicant seeks to change the authorized POA to proposed POA "Well 2" (KLAM						
The state of the s	POU changes are		POA to proposed P	OA Well 2 (KLAM			
			uifar (source) as the	existing authorized POA?			
	· Harriston and the second second		The second secon	(KLAM 14772) and			
	A "Well 2" (KL	The second secon	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW	lcanics of the Winema			
	ore than one sour	rce developed ur	nder the right (e.g.,	basalt and alluvium)?			
AND THE RESERVE OF THE PARTY OF	CONTRACTOR OF THE PARTY OF THE	The same of the sa	plied by each of the proposed change (r	e sources and describe any ate, duty, etc.):			
	proposed change, ce with another			e, likely result in an increase			
				approximately 25' feet away ith other water rights is			

another groundwater right not receiving the water to which it is legally entitled?

b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in

Ground Water Review Form

8. Any additional comments:

Yes No If yes, explain: 5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with another surface water source? Yes No Comments: The proposed POA "Well 2" is approximately 25' feet away from the authorized POA "Well 1". No change in interference with another surface water source is expected. b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any surface water sources resulting from the proposed change? ☐ Minimal ☐ Significant Stream: ☐ Minimal ☐ Significant Stream: Provide context for minimal/significant impact: 6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer? ☐ Yes ☐ No Comments: N/A 7. What conditions or other changes in the application are necessary to address any potential issues identified above:

Transfer Application: T- 14151

T-14151



Service Layer Godds: Sources: Est, HERE, Germin, USGS, Intermap, INCREMENT P. NRCan, Est Japan, METI, Est China (Hong Kong), Est Korea, Est (Thailand), NGCC, (c) OpenStreetMap constitutes, and the GIS User Community



Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904

January 25, 2023

JOHN & LOUDEAN ELLIOTT 18610 TAYLOR RD KLAMATH FALLS, OR 97603

Reference: Application T-14151

On January 23, 2023, the Department received your water right Permanent Transfer Application. The application was accompanied by \$1840.00. Receipt number 139952 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be as the original POD

This application <u>may</u> require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

Except as provided under ORS 540.510(3) for municipalities, you may not use water from the new point of appropriation until a final order approving the transfer application has been issued by the Department. In order to avoid any possible forfeiture of the water right, you should continue to use the water as described by your existing water right.

If the land is sold before the application is approved, the buyer's consent to the application will be required unless a recorded deed or other legal document clearly established that the water right was not conveyed in the sale.

Refer to the following page for a chart showing the steps and expected timelines for the processing of your application.

If you have any questions, please contact the Transfer Section at (503) 979-9931.

Cc: Watermaster Dist. #17, Danette M. Watson (via email)

Klamath County

Adkins Engineering and Surveying, Agent

Irrigation District: Klamath Basin & Ann Reece (if in District)

Enclosure

Regular Transfer Process (including "Proving Up" on the changes)

OAR 690 Division 380

Application Received (required information included)

Injury Review forms sent to Watermaster, and Groundwater staff and ODFW, as appropriate.

Notice of Application in WRD Weekly Notice (30-day Comment Period)

Review of the status of the right and the potential for enlargement or injury to other rights.

Draft Preliminary Determination

(WRD assessment of whether application should be approved or denied, considering injury review and any comments received) sent to applicant, with request for a report of ownership for the lands where the transfer right is.

Applicant Review of

Draft Preliminary Determination

(Opportunity for applicant to submit a report of land ownership and modify or withdraw proposed transfer—at least 30 days

Preliminary Determination Issued

Notice of Preliminary Determination

in WRD Weekly Notice and, if statutorily required, in newspaper once a week for 2 or 3 consecutive weeks.

Protest Period ends 30 days after WRD notice, or 30 days after last date of newspaper publication, whichever is later.



Period for developing authorized changes begins as soon as an order is issued approving the changes. If the certificate has been cancelled the right goes into an inchoate state.

Deadline for completion of the changes.

The applicant must make full beneficial use under terms and conditions of the order by the deadline, request an extension of time, or inform the Department that the change is not intended to be completed.

If the applicant decides not to complete a change in POD/POA, the Department will issue an order reverting the right to the original POD/POA and issue a new certificate. However, if any other type of change is not completed, the transferred portion of the right is forfeited.

An order may be issued, granting an extension of time for completing the changes.

Applicant submits a Claim of Beneficial Use prepared by a CWRE within one year after the completion deadline or the date of complete beneficial use. There is no provision for extending the deadline for submission of the Claim.

Water Right Services Division reviews the Claim, determines whether proof has been made and if so, issues a new certificate. Right is no longer inchoate, but perfected and subject to being transferred.

STATE OF OREGON

WATER RESOURCES DEPARTMENT

RECEIPT# 139952

RECEIPT:

725 Summer St. N.E. Ste. A SALEM, OR 97301-4172 (503) 986-0900 / (503) 986-0904 (fax)

INVOICE # _

	Louveun L. C	HOFF	PERMIT	7 11110
H: C	HECK:# OTHER: (IDENTIFY)	TRANSFER	T-14151
]	X 3116 0		TOTAL REC'D	\$ 1840.00
1083	TREASURY 4170 WRD	MISC CASH A	ССТ	
0407	COPIES			S
	OTHER: (IDENTIFY)			\$
02421/61		Dian 024	E Cone Water	
0243 I/S L	ease 0244 Muni Water Mgmt.	OPERATING A		
-				
0407	COPY & TAPE FEES	6/10		s
0410	RESEARCH FEES			S
0408	MISC REVENUE: (IDENTIFY)			\$
TC162	DEPOSIT LIAB. (IDENTIFY)			S
0240	EXTENSION OF TIME	-		S
0240	WATER RIGHTS:	EXAM FEE		RECORD FE
0201	SURFACE WATER	S	0202	S
0203	GROUND WATER	S	0204	\$
0205	TRANSFER	\$1,840,0	A	
	WELL CONSTRUCTION	EXAM FEE		LICENSE FE
0218	WELL DRILL CONSTRUCTOR	\$	0219	S
	LANDOWNER'S PERMIT		0220	S
	OTHER (IDENTIFY)			
	(IDENTIFY)			
0536	TREASURY 0437 WELI	L CONST. STAR	TFEE	
0211	WELL CONST START FEE	S	CARD	
0210	MONITORING WELLS	S	CARD	
	OTHER (IDENTIFY)			
0607	TREASURY 0467 HYDE	30 ACTIVITY	LIC NUMBER	
0233	POWER LICENSE FEE (FW/WRD)	TO NOTHING		Is
0231	HYDRO LICENSE FEE (FW/WRD)			\$
0.00	HYDRO APPLICATION			S
				-
	TREASURY OTHE	- Part I I I I I I I I I I I I I I I I I I I		
FUND_	TITLE	RE	CEIVED	
	DE VENDOR #		HE COUN	ITED

139952 DATED: 1-23-2023 BY:

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

Application for Permanent Water Right Transfer



OREGON Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

Part 1 of 5 - Minimum Requirements Checklist

This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

1		
hec	k all ite	ms included with this application. (N/A = Not Applicable)
\boxtimes		Part 1 – Completed Minimum Requirements Checklist.
		Part 2 – Completed Transfer Application Map Checklist.
		Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, an completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd fee calculator.
\boxtimes		Part 4 – Completed Applicant Information and Signature.
		Part 5 – Information about Water Rights to be Transferred: How many water rights are to be transferred? 1 List them here: Certificate 65944 Please include a separate Part 5 for each water right. (See instructions on page 6) NOTE: A separate transfer application is required for each water right unless the criteria in OAR 690-380-3220 are met.
		Attachments:
\boxtimes		Completed Transfer Application Map.
\boxtimes		Completed Evidence of Use Affidavit and supporting documentation.
The state of the s		
\boxtimes	□ N//	Supplemental Form D – For water rights served by or issued in the name of an irrigation district. Complete when the transfer applicant is not the irrigation district.
Oregon Water Resources Department's Land Use Information Form with approximation signature from each local land use authority in which water is to be diverted, co and/or used. Not required if water is to be diverted, conveyed, and/or used only lands or if all of the following apply: a) a change in place of use only, b) no structure changes, c) the use of water is for irrigation only, and d) the use is located within		Oregon Water Resources Department's Land Use Information Form with approval and signature from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if <u>all</u> of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
\boxtimes	_ N/A	Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.
	⊠ N//	Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500' from the surface water source and more than 1000' upstream or downstream from the point of diversion. See OAF 690-380-2130 for requirements and applicability.
		(For Staff Use Only)
		WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S): Application fee not enclosed/insufficient Map not included or incomplete Land Use Form not enclosed or incomplete Evidence of Use Form not enclosed or incomplete Additional signature(s) required Part is incomplete
		Other/Explanation

Part 2 of 5 - Transfer Application Map

Your transfer application will be returned if any of the map requirements listed below are not met.

		sure that the transfer application map you submit includes all the required items and he existing water right map. Check all boxes that apply.
	□ N/A	Certified Water Right Examiner (CWRE) Stamp and Original Signature. For a list of CWREs, see http://apps.wrd.state.or.us/apps/wr/cwre-license-view/ . CWRE stamp and signature are not required for substitutions.
	⊠ N/A	If more than three water rights are involved, separate maps are needed for each water right
\boxtimes		Permanent quality printed with dark ink on good quality paper.
\boxtimes		The size of the map can be $8\% \times 11$ inches, $8\% \times 14$ inches, 11×17 inches, or up to 30×30 inches. For 30×30 inch maps, one extra copy is required.
\boxtimes		A north arrow, a legend, and scale.
		The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
\boxtimes		Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
\boxtimes		Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
\boxtimes		Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
\boxtimes		Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
		Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
	□ N/A	Proposed place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
		Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.
	□ N/A	If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example $-42^{\circ}32'15.5''$) or degrees-decimal with five or more digits after the decimal (example -42.53764°).

Part 3 of 5 - Fee Worksheet

	FEE WORKSHEET for PERMANENT TRANSFER (except Substitution)					
1	Base Fee (includes one type of change to one water right for up to 1 cfs)	1	\$1,360			
	Types of change proposed: Place of Use Character of Use Point of Diversion/Appropriation Number of above boxes checked = 1(2a) Subtract 1 from the number in line 2a = 0(2b) If only one change, this will be 0					
2	Multiply line 2b by \$1090 and enter » » » » » » » » » » » » » » » » » » »	2	\$0			
3	Number of water rights included in transfer 1 (3a) Subtract 1 from the number in 3a above: 0 (3b) If only one water right this will be 0 Multiply line 3b by \$610 and enter » » » » » » » » » » » » » » » » » » »	3	\$0			
4	Do you propose to add or change a well, or change from a surface water POD to a well? No: enter 0 Yes: enter \$480 for the 1 st well to be added or changed \$480 (4a) Do you propose to add or change additional wells? No: enter 0 Yes: multiply the number of additional wells by \$410 (4b) Add line 4a to line 4b and enter » » » » » » » » » » » » » » » »	4	\$480			
5	Do you propose to change the place of use or character of use? No: enter 0 on line 5 Yes: enter the cfs for the portions of the rights to be transferred (see below*):(5a) Subtract 1.0 from the number in 5a above:(5b) If 5b is 0 or less, enter 0 on line 5 » » » » » » » » » » » » » » » » » »	-	¢o			
6	5c by \$410, then enter on line 5 » » » » » » » » » » » » » » » » » »		\$0 \$1,840			
0	Is this transfer: necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 »	0	AT,040			
7	If no box is applicable, enter 0 on line 7 » » » » » » » » » » » » » » » » » »	7	22.4			
8	Subtract line 7 from line 6 » » » » » » » » » » » » » » » Transfer Fee:	8	\$1,840			

*Example for Line 5a calculation to transfer 45.0 acres of Primary Certificate 12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Certificate 87654 (1/80 cfs per acre) on the same land:

1. For irrigation calculate cfs for each water right involved as follows:

a. Divide total authorized cfs by total acres in the water right (for C12345, 1.25 cfs ÷100 ac); then multiply by the number of acres to be transferred to get the transfer cfs (x 45 ac= 0.56 cfs).

b. If the water right certificate does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For C87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs)

Add cfs for the portions of water rights on all the land included in the transfer; however do not count cfs for supplemental
rights on acreage for which you have already calculated the cfs fee for the primary right on the same land. The fee should
be assessed only once for each "on the ground" acre included in the transfer. (In this example, blank 5a would be only 0.56
cfs, since both rights serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0).

	FEE WORKSHEET for SUBSTITUTION		G. CHERT
1	Base Fee (includes change to one well)	1	\$990.00
2	Number of wells included in substitution(2a) Subtract 1 from the number in 2a above:(2b) If only one well this will be 0 Multiply line 2b by \$480 and enter » » » » » » » » » » » » » »	2	
3	Add entries on lines 1 through 2 above » » » » Fee for Substitution:	3	

Part 4 of 5 - Applicant Information and Signature

Applicant Information

FAX NO.		
. E-MAIL jelliott1882@gmail.com		

Agent Information - The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME Adkins Engineering & Surveying, Inc.			ADDITIONAL CONTACT NO.	
			FAX NO.	
STATE	ZIP 97601	E-MAIL dscalas@adkinsengineering.com		
	STATE OR	STATE ZIP OR 97601	STATE ZIP E-MAIL	

Explain in your own words what you propose to accomplish with this transfer application, and why: The applicant's authorized well (KLAM 14772) has recently run dry. The applicant is proposing to transfer all of the authorized place of use to the new well (KLAM 61453) located approximately 25' northeast of the authorized well.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

-	Constant 1	-	way in	n
(r	1ec		ne	Box

By signing this application, I understand that, upon receipt of the draft preliminary determination and prior to
Department approval of the transfer, I will be required to provide landownership information and evidence that I am authorized to pursue the transfer as identified in OAR 690-380-4010(5); OR
I affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the
municipality or a predecessor; OR
I affirm the applicant is an entity with the authority to condemn property and is acquiring by condemnation the property to which the water right proposed for transfer is appurtenant and have supporting documentation.
property to make the make the proposed for transfer to apparentant and have supporting documentation.

By my signature below, I confirm that I understand:

- · Prior to Department approval of the transfer application, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: Herald and News.
- · Amendments to the application may only be made in response to the Department's Draft Preliminary Determination (DPD). The applicant will have a period of at least 30 days to amend the application to address any issues identified by the Department in the DPD, or to withdraw the application. Note that amendments may be subject to additional fees, pursuant to ORS 536.050.
- · Failure to complete an approved change in place of use and/or change in character of use, will result in loss of the

water right (OAR 690-380-6010).				
	orth in ORS 536.050(4)(a), if the Director determines that ts of fairness to the public or necessary to correct an erro			
I (we) affirm that the information contained in this applic	cation is true and accurate.			
	hn Elliott - Owner int Name (and Title if applicable) Date			
Loudean Elliott Lo Applicant signature Pr	int Name (and Title if applicable)			
Is the applicant the sole owner of the land on which the w located? Yes No*				
Check the following boxes that apply:				
The applicant is responsible for completion of cha sent to the applicant.	nge(s). Notices and correspondence should continue to be			
The receiving landowner will be responsible for completing the proposed change(s) after the f issued. Copies of notices and correspondence should be sent to this landowner.				
Both the receiving landowner and applicant will b and correspondence should be sent to this landowner.	e responsible for completion of change(s). Copies of notice wner and the applicant.			
At this time, are the lands in this transfer application in the	e process of being sold? Yes No			
	please complete the receiving landowner information tab Il be, then a request for assignment will have to be filed for			
If a property sells, the certificated water right(s) locate unless a sale agreement or other document states oth https://www.oregon.gov/owrd/WRDFormsPDF/Trans	erwise. For more information see:			
RECEIVING LANDOWNER NAME	PHONE NO. ADDITIONAL CONTACT NO.			
ADDRESS	FAX NO.			
CITY STATE ZIP	E-MAIL			
Describe any special ownership circumstances:				
The confirming Certificate shall be issued in the name of:	Applicant Receiving Landowner			

IRRIGATION DISTRICT NAME Klamath Basin Irrigation District	ADDRESS 6640 Kid Ln.	
CITY Klamath Falls	STATE OR	ZIP 97603
Ridilidili FdiiS	171	
Check here if water for any of the contract for stored water with a	e rights supplied under a wa	
Check here if water for any of the	e rights supplied under a wa	



To meet State Land Use Consistency Requirements, you must list all county, city, municipal corporation, or tribal governments within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Klamath County	ADDRESS 305 Main St.	
CITY	STATE	ZIP
Klamath Falls	OR	97601

Part 5 of 5 - Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 65944

Description of Water Delivery System

System capacity: 0.39 cubic feet per second (cfs)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use.

Water is diverted from Well 1 (KLAM 14772) to the west approximately 760' through 6" aluminum mainline pipe. From there, 3" aluminum lateral sprinkler lines are tied into risers located on the mainline approximately every 60'.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	T	wp	R	ng	Sec	У.	%	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 1	Authorized Proposed	KLAM 14772	40	s	11	E	32	sw	NW	600	2,590' South & 720' East from the Northwest Corner of Section 32
Well 2	☐ Authorized ☑ Proposed	KLAM 61453	40	s	11	E	32	sw	NW	600	2,565' South & 730' West from the Northwest Corner of Section 32

Check a	Il type(s) of change(s) proposed below (c	hange	"CODES" are provided in parentheses):
	Place of Use (POU)		Supplemental Use to Primary Use (S to P)
	Character of Use (USE)		Point of Appropriation/Well (POA)
	Point of Diversion (POD)		Additional Point of Appropriation (APOA)
	Additional Point of Diversion (APOD)		Substitution (SUB)
	Surface Water POD to Ground Water POA (SW/GW)		Government Action POD (GOV)
Will all	of the proposed changes affect the entire	wate	r right?
⊠ Yes	Complete only the Proposed ("to" or "or "CODES" listed above to describe the pro-		s) section of Table 2 on the next page. Use the changes.
No	Complete all of Table 2 to describe the p	ortion	of the water right to be changed.

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 65944

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

	The			hat	арр	ears	on th	e cer	tificate		ls) DPOSED CHAI ill be changed.		Proposed Changes (see			1	he	listir			uld ap		FTER F	on" lands) PROPOSED	CHANGES	
Twp	R	ng	Sec		14 3	4	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Date	"CODES" from previous page)	Tw	р	Rn	g	Sec	1/4	14	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date
1100000				and the same of									EXAMPLE													
2 5	9	E	15	N	E	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	S	9	E	1	NW	NW	500	1	10.0		POD #5	1901
														2	S	9	E	2	sw	NW	500		5.0		POD #6	1901
													POA	40	s	11	E	32	sw	NW	600		16.3	Primary Irrigation	Well 2	1981
						TOT	AL ACI	RES:												TO	TAL AC	RES:	16.3			

Additional remarks:_____

For F	Place of Use or Character of Use Changes
	e there other water right certificates, water use permits or ground water registrations associated th the "from" or the "to" lands? 🖂 Yes 🔲 No
If	YES, list the certificate, water use permit, or ground water registration numbers: KA 1000.
a	ursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to primary right proposed for transfer must be included in the transfer or be cancelled. Any change a ground water registration must be filed separately in a ground water registration modification application
For S	Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)
	ound water supplemental Permit or Certificate #; rface water primary Certificate #
For	a change from Supplemental Irrigation Use to Primary Irrigation Use
Ide	entify the primary certificate to be cancelled. Certificate #
For	a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:
	Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. Tip: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well-log/Default.aspx
AN	ND/OR
	Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For proposed wells not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.
Any w	B. Construction of Point(s) of Appropriation rell(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the repanying application map. Failure to provide the information will delay the processing of your transfer relation until it is received. The information is necessary for the department to assess whether the proposed

well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right

STATE OF OREGON

COUNTY OF KLAMATH

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

GARY D. OREM HC 62 BOX 18 MERRILL, OREGON 97633

confirms the right to use the waters of ONE WELL in the LOST RIVER BASIN for the purpose of IRRIGATING 16.3 ACRES.

The right has been perfected under Permit G-9243. The date of priority is MARCH 4, 1981. The right is limited to not more than 89.8 GALLONS PER MINUTE or its equivalent in case of rotation, measured at the well.

The well is located as follows:

SW 1/4 NW 1/4, SECTION 32, T 40 S, R 11 E, W.M.; 50 FEET NORTH AND 720 FEET EAST FROM THE WEST 1/4 CORNER OF SECTION 32.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year.

The right shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right, and to which such right is appurtenant, is as follows:

SW 1/4 NW 1/4, 16.3 ACRES SECTION 32 TOWNSHIP 40 SOUTH, RANGE 11 EAST, W.M.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

WITNESS the signature of the Water Resources Director, affixed JUNE 10, 1991.

/s/ WILLIAM II. YOUNG

William H. Young

Recorded in State Record of Water Right Certificates numbered 65944.

G-10195.LLC

Pump Capacity Calculation Sheet

using Department designed formula:

(hp)(efficiency) / (lift + psi head) = capacity in cfs

Efficiency:

Centrifugal = 6.61 Turbine = 7.04

Data Entry (fill in underlined blanks)

Results Calculated

(hp)(efficiency) = 140.8 Head based on psi = 228.6 Total dynamic head = 361.6 (head + lift)

Pump Capacity = 0.39 cubic feet per second

Date: 1/13/2023

Well 1

STATE OF OREGON	KLAM	61453	WELL I.D. LABEL#	L 145398	Harris	
WATER SUPPLY WELL REPORT	KLAWI	01433	START CARD#	1056947		
(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)	9/22/	2022	ORIGINAL LOG#			
(1) LAND OWNER Owner Well I.D.						
First Name JOHN & LOUDEAN Last Name ELLIOTT		(9) LOCATI	ON OF WELL (legal	description)	
Company			H Twp 40.00 S N			E/W WM
Address 18610 TAYLOR ROAD			W 1/4 of the NW			
City KLAMATH FALLS State OR Zip 97603		Tax Man Number	174 Of the 1777	Lot		
(2) ITIE OF WORK	ersion	I at	or 42.0462790	0		DMS or DD
Alteration (complete 2a & 10) Abandonment(co	omplete 5a)	Long	" or _121.55830	400		DMS or DD
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wid Thrd		© Stre	et address of well No	carest address		
Casing:			RD., KLAMATH FALLS, O			
Material From To Amt sacks/lbs						
Seal:						
(3) DRILL METHOD		(10) STATIC	WATER LEVEL Date	e cun ()	1	SWL(ft)
Rotary Air Rotary Mud Cable Auger Cable Mud		Existing Wel	1 / Pre-Alteration	e SWL(psi)	1	SWL(II)
Reverse Rotary Other		Completed V				192
(4) PROPOSED USE Domestic XIrrigation Community			Flowing Artesian?	Dry Hole?		
Industrial/ Commercial Livestock Dewatering		WATER BEARIN	G ZONES Depth w	ater was first fo	ound 192	2,00
Thermal Injection Other		SWL Date		t Flow SWL(p		SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (1) Depth of Completed Well 416.00 ft.	Attach copy)	6/15/2022	241 416	500		192
BORE HOLE SEAL	sacks/	-			\dashv	
Dia From To Material From To A	0.367					
	34 S					
10 34 416 Calculated 3	0.83					
Calculated		(11) WELL L	OG C LEL			
How was seal placed: Method A B C D	c		Oromia Elevano	From		T-
Other POURED DRY		Sandy Clay Top !	Material	1 0	T	To 2
Backfill placed from ft. to ft. Material		Brown & Black I		2	_	150
Filter pack fromft. toft. Material Size			va little bit of Red	150	0	241
		Black & Brown I	ava some Blue Streaks	24		256
Explosives used: Yes Type Amount Amount			ava some Black Sand	250		370
(5a) ABANDONMENT USING UNHYDRATED BENTONI	TE	Mostly Black Lav	va with Sand Interbeds	370)	416
Proposed Amount Actual Amount						
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc						
Casing Liner Dia + From To Gauge Stl Plstc 10 X 1.5 34 .250 • C	Wid Inra					
8 8 7 7 7 8 8	AHI					
B B B B B B B B B B B B B B B B B B B						
DO DO DO DO						
Shoe Inside Outside Other Location of shoe(s)						
Temp casing Yes Dia From + To						
(7) PERFORATIONS/SCREENS						
Perforations Method						
Screens Type Material		Date Started6/	7/2022 Com	pleted 6/15/2	022	
Perf/ Casing/ Screen Scrn/slot Slot # of Screen Liner Dia From To width length slots	Tele/	(unbonded) Wa	ter Well Constructor Certif	ication		
Screen Liner Dia From To width length slots	pipe size		work I performed on the co		enening	alteration or
		abandonment of	this well is in compliance	e with Orego	n water	supply well
		construction stan	dards. Materials used and in	formation repo	rted abo	we are true to
			nowledge and belief.			
		License Number	D	ate		
(8) WELL TESTS: Minimum testing time is 1 hour		Signed				
Pump	rtesian	Signed				
Yield gal/min Drawdown Drill stem/Pump depth Duration (h	nr)	(bonded) Water	Well Constructor Certifica	tion		
350 6 315 4		I accept responsi	bility for the construction, d	leepening, alter	ration, or	abandonment
		work performed	on this well during the constru	uction dates rep	orted ab	ove. All work
		performed during	g this time is in compliane	ce with Orego	n water	supply well
Temperature 70 °F Lab analysis Yes By			dards. This report is true to the		nowledge	e and belief.
Water quality concerns? Yes (describe below) TDS amount 260 From To Description Amount	Units	License Number	1385 D	ate 9/22/2022		
Troit to Description Amount	0.010	Signed ROBE	RT BUCKNER (E-filed)			
		Contact Info (opt				
		Connect into (opt	rendi)			

Page 1 of 5

WATER SUPPLY WELL REPORT continuation page

KLAM 61453

WELL I.D. LABEL# L 145398 START CARD # 1056947 ORIGINAL LOG#

9/22/2022

(2a) PRE-ALTERATION	Water Quality Concerns	
Dia + From To Gauge Stl Plste Wld Thrd	From To Description	Amount Units
	From 16 Description	Annual State of the State of th
HHAHH		
THE STATE OF THE S		
Material From To Amt sacks/lbs		
Tion To Ann Sacks to		
C PORP WOLL COLUMN LINES	(10) STATIC WATER LEVEL	
(5) BORE HOLE CONSTRUCTION	SWL Date From To Est Flow SW	VL(psi) + SWL(ft)
BORE HOLE SEAL sacks/		
Dia From To Material From To Amt lbs		
Calculated		
Calculated		
Calculated		
Calculated		
FILTER PACK	(11) WELL LOG	
From To Material Size		
	Material F	rom To
6) CASING/LINER		
oy chourdained		
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd		
RAH H H RAH H		
RAH H RAH H		
RAI H RAIL H		
RAI H RAHH		
T) DEDEODATIONS/SCREENS		
7) PERFORATIONS/SCREENS		
Perf/ Casing/ Screen Scm/slot Slot # of Tele/		
Screen Liner Dia From To width length slots pipe siz	c	
	-	
	Comments/Remarks	
	- Caratana C	
(8) WELL TESTS: Minimum testing time is 1 hour	This is a replacement irrigation well as the original one had	ad to many issues to
	be able and deepen. I have attached the water right info.	The system would
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	not accept the information in (4b) Water Rights. I will be	charged the \$300 fee
	but I feel it should be removed as this will be the well for	the existing
	certificate.	

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow **KLAM 61453**

9/22/2022

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 42.04627900 Datum: WGS84

Longitude: -121.55830400

Township/Range/Section/Quarter-Quarter Section:

WM40.00S11.00E32SWNW

Address of Well:


18610 TAYLOR RD., KLAMATH FALLS, OR 97603

Well Label: 145398

Printed: September 13, 2022

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor



9/22/2022

Map of Hole

STATE OF OREGON

COUNTY OF KLAMATH

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

GARY D. OREM HC 62 BOX 18 MERRILL, OREGON 97633

confirms the right to use the waters of ONE WELL in the LOST RIVER BASIN for the purpose of IRRIGATING 16.3 ACRES.

The right has been perfected under Permit G-9243. The date of priority is MARCH 4, 1981. The right is limited to not more than 89.8 GALLONS PER MINUTE or its equivalent in case of rotation, measured at the well.

The well is located as follows:

SW 1/4 NW 1/4, SECTION 32, T 40 S, R 11 E, W.M.; 50 FEET NORTH AND 720 FEET EAST FROM THE WEST 1/4 CORNER OF SECTION 32.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year.

The right shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right, and to which such right is appurtenant, is as follows:

SW 1/4 NW 1/4, 16.3 ACRES SECTION 32 TOWNSHIP 40 SOUTH, RANGE 11 EAST, W.M.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

WITNESS the signature of the Water Resources Director, affixed ${\it J}{\it UNE}$ 10, 1991.

/8/ WILLIAM G. YOUNG

William H. Young

Recorded in State Record of Water Right Certificates numbered 65944.

G-10195.LLC

14151

9/22/2022

0084		65944
	T. 40 S., R.IIE., W.M.	
	31 32	
T N	TEST TOWALL SWELL	
Mast House with		
	31 32 SCALE: I"=1 320'	
L	FINAL PROOF SURVEY	
	Application No. G-10195 Permit No. G-9243 IN NAME OF GARY D. OREM	
	Surveyed AUG. 18 19.87, by V.L. CHURCH	14151

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 9731 within 30 days from the date of well completion.

STATE OF OREGON
(Please type or print)

APR 2 9 1977
State Permit No.

(Do not write above this MATER RESOURCES DEPT.

SALEM DREGON

(1) OWNER:	County Klamath briller's well n			
Name Mr Gary Orem	county		-	TO BEST
Address Merrill, Oregon 97633	SW 14 Nw 14 Section 32 T. 40S			W.M.
	Bearing and distance from section or subdivis	ion corne	r Appr	ox
(2) TYPE OF WORK (check):	750 feet west and 2500 feet	sout	h of t	he
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	N.W. corner of S 32 T 40S R 11	E		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	-		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 150			ft.
Potoni de Potoni D	200	efnen	Date	
Cable Jetted Domestic Industrial Municipal				The state of the s
Dug Bored Irrigation & Test Well Other	Artesian pressure Ibs. per squar			
CASING INSTALLED: Threaded Welded W 250 ft. Gage 250	(12) WELL LOG: Diameter of well	inch i	dng +83	74 80 760 n.
Diam. fromft. Gage	Depth drilled 260 ft. Depth of compl	eted well	20	U A.
ft. toft. Gage	Formation: Describe color, texture, grain size			
Dittil I'dit	and show thickness and nature of each stratu- with at least one entry for each change of forma			
PERFORATIONS: Perforated? Yes \(\frac{1}{2} \) No.	position of Static Water Level and indicate prin	ctpal wat	er-bearin	ig strata.
Type of perforator used	MATERIAL	From	To	swL
Size of perforations in. by in.	Top soil	0	1	-
	Brown lava	1	80	
perforations from n. to n.	Brown lava conglomerate	80	1.00	
perforations from ft. to ft.	Brown grey lava	100	150	
perforations from it. to it.	Crevice in lava	150	151	133
(7) SCREENS: Well screen installed? Yes I No	Grey an brown lave	150	240	
Manufacturer's Name	Broken lava all colors	240	260	133
Type Model No	SCORED TAVA ATT COTOES	241	-cuv	
Diamft. toft.				
Diam ft. to ft.				
	- W			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? ☐ Yes 전 No It yes, by whom?				
d: gal./min. with tt. drawdown after hrs.				
air LIfted from 250 feet approx 400 G.P.M.				
" for two hours " "				
Bailer test gal./min. with TT drawdown after hrs.				
Artesian flow g.p.m.	B-bases and			
perature of water 72 Depth artesian flow encounteredfl.	Work started February 19 Complet	ed Mary	en	1977
(9) CONSTRUCTION:	Date well drilling machine moved off of well	March		19 77
Well scal-Material used Cement	Drilling Machine Operator's Certification:			
Well sealed from land surface to 20 tt.	This well was constructed under my	direct	super	vision.
Diameter of well bore to bottom of seal 14 in.	Materials used and information reported best knowledge and belief,	above a	are true	to my
number of well have below seed 10 to for 80 feet			100	
Number of sacks of cement used in well sealsacks	(Drilling Machine Operator)	Date .3	/20	., 19.7
Number of sacks of bentonite used in well sealsacks	Drilling Machine Operator's License No.	1012		
Brand name of bentonite				
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:			
of water lbs./100 gals.	This well was drilled under my jurisd	iction ar	d this r	eport is
Was a drive shoe used? Yes No Plugs -Size: location -ft.	true to the best of my knowledge and be	lief.		100000000000000000000000000000000000000
Did any strata contain unusable water Yes No	Name Wilson Drilling Contract (Person, firm or corporation)			
			pe or pri	
	Address P.L. Box 136, Merril	A DE	SEOU Z	1033_
Method of sealing strata off	[Signed] to alter I /e	close	,	
Was well gravel packed? Yes No Size of gravel:	(Water Well Cont			******
Gravel placed fromti. toft.	Contractor's License No. 169 Date 3	1/20/		1977
(USE ADDITIONAL SI	HEETS IF NECESSARY)		20	

Application for Water Right

Transfer

Evidence of Use Affidavit



OREGON Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.wrd.state.or.us

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing. Supporting documentation must be attached.

) ss					
ity of KLAMATH)							
IN ELLIOTT, in my o	capacity as (DWNER,					
ing address 1861	O TAYLOR RD.	, KLAMATH FAL	LS, OR 97	603			
hone number (<u>5</u>	41) 281-978	6, being first	duly swo	rn depos	and say:		
My knowledg	e of the exe	rcise or statu	s of the v	water righ	t is based o	n (check one):	
-	nal observa				onal expert		
2. Lattest that:							
_	r was used	during the pr	wious five	e vears a	o the entire	place of use f	0.5
	ficate # 6594		evious tiv	e years o	n the entire	place of use f	or
_			a usa afu	untar at t	ha fallawin	a lacations with	his the last five way
☐ IVIY KI		specific to th	e use of v	water at t	ne rollowing	Gov't Lot	hin the last five years
Certificate #	Township	Range	Mer	Sec	Y4 Y4	or DLC	(if applicable)
							TIET CONTRACTOR
Confirming Co	ertificate # _	has bee	en issued	within th	e past five y	rears; OR	
Part or all of t	the water rig	ght was lease	d instream	m at some	e time withi	n the last five	years. The
Part or all of t	the water rig e number is	ght was leased: (Note	d instream	m at some	t ime withi	n the last five	years. The
Part or all of t instream leas transfer was r	the water rig e number is not leased, a ht is not sub	ght was leased: (Note additional evid	d instream : If the ed dence of ture and	m at some ntire right use is need documen	e time withi t proposed t eded for the	n the last five for portion <u>not</u> le	

(continues on reverse side)

3. The water right was used for: (e.g., crops, pasture, etc.): PASTURE

4. I understand that if I do not attach one or more of the documents shown in the table below to support the above

statements, my application will be considered incomplete.


Signature of Affiant

Signed and sworn to (or affirmed) before me this 18 day of January 2023.

OFFICIAL STAMP DEIRDRE FAY HORTON NOTARY PUBLIC-OREGON COMMISSION NO. 1025442 MY COMMISSION EXPIRES JUNE 23, 2026

My Commission Expires: June 23, 2026

Supporting Documents	Examples
Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of confirming water right certificate that shows issue date
Copies of receipts from sales of irrigated crops or for expenditures related to use of water	Power usage records for pumps associated with irrigation use Fertilizer or seed bills related to irrigated crops Farmers Co-op sales receipt
Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	District assessment records for water delivered Crop reports submitted under a federal loan agreement Beneficial use reports from district IRS Farm Usage Deduction Report Agricultural Stabilization Plan CREP Report
Aerial photos containing sufficient detail to establish location and date of photograph	Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added. Sources for aerial photos: OSU —www.oregonexplorer.info/imagery OWRD — www.wrd.state.or.us Google Earth — earth.google.com TerraServer — www.terraserver.com
Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number



Land Use Information Form



OREGON Oregon Water Resources Department 725 Summer Street NE, Sulte A Salem, Oregon 97301-1266 (503) 986-0900

Applicant(s): John Elliott and Loudean Elliott

Mailing Address: 18610 Taylor Rd.

City: Klamath Falls

State: OR

Zip Code: 97603

Daytime Phone: 541-281-9786

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	XX	Tax Lot #	Plan Designation (e.g., Water to be: Rural Residential/RR-5)		Proposed Land Use:		
<u>40S</u>	11E	32	<u>SW NW</u>	600	Forestry/Range	☑ Diverted	□ Conveyed	⊠ Used	Primary Irrigation

Merrill, Klamath C	ounty, Oregor				
B. Description of Pro	posed Use				
Type of application to b	e filed with the	Water Resources Depa	rtment:		
Permit to Use or Sto	ore Water 🛛 V	Vater Right Transfer	Pern	nit Amendment or Groun nange of Water	d Water Registration Modification
Source of water: Re	servoir/Pond	Ground Water	☐ Surface Water	(name)	
Estimated quantity of v	vater needed: 0.2	20 🛭 cubic fee	et per second	gallons per minute	acre-feet
Intended use of water:	Irrigation Municipal	Commercial Quasi-Municipal	Industrial Instream	Domestic for Other	household(s)
Briefly describe:					
The applicant's au	thorized well	KLAM 14772) has	recently run o	iry. The applicant i	s proposing to transfer all
of the authorized	place of use to	the new well (KLA	AM 61453) loc	ated approximatel	y 25' northeast of the
authorized well.					

Note to applicant: If the Land Use Information Form cannot be completed while you walt, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

Revised 2/8/2010

Land Use Information Form - Page 2 of 3

WR/FS

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below are			
by your comprehensive plan. Cite applicable		e allowed outri	ght or are not regulated
Land uses to be served by the proposed water as listed in the table below. (Please attach de Record of Action/land-use decision and according periods have not ended, check "Being pursus	ocumentation of applicable land-use approvempanying findings are sufficient.) If approve	als which have	already been obtained.
Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Lan	d-Use Approval:
porting stary		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		Obtained Denled	☐ Being Pursued ☐ Not Being Pursued
regarding this proposed use of water below, or	on a separate sheet.		
E 11. 12) (Planni	us Dir
Name: Erik Nobyl	7 Title: Phone: _ 54/-85/-	Plannia SUIBoate:	1-18-2023
Name: Erik Nobel		Plannia SUIDate:	1-18-2023
Name: Frik Nobel Signature: Sovernment Entity: Klaus Note to local government representative: Pleasign the receipt, you will have 30 days from the information Form or WRD may presume the lan	Phone: 54/-85/- Phone: 54/-85/- Se complete this form or sign the receipt be Water Resources Department's notice date	low and return	it to the applicant. If you empleted Land Use ble with local
Name: Frik Nobel Signature: Sovernment Entity: Klaus Note to local government representative: Pleasing the receipt, you will have 30 days from the information Form or WRD may presume the land comprehensive plans.	Phone: 54/-85/- Phone: 54/-85/- See complete this form or sign the receipt be Water Resources Department's notice date in the disease of water associated with the proposed use of water Resources.	low and return to return the co rater is compati	it to the applicant. If you
Name: Fik Nobel Signature: Sovernment Entity: Klaus Note to local government representative: Plea Sign the receipt, you will have 30 days from the Information Form or WRD may presume the lan comprehensive plans. Receipt	Phone: 54/-85/- Phone: 54/-85/- Se complete this form or sign the receipt be Water Resources Department's notice date	low and return to return the co rater is compati	it to the applicant. If you empleted Land Use ble with local
Name: Frik Nobel Signature: Signature: Sovernment Entity: Klaus Note to local government representative: Pleasign the receipt, you will have 30 days from the information Form or WRD may presume the lan comprehensive plans.	Phone: S4/-85/- Phone: S4/-85/- SHCOUNTS se complete this form or sign the receipt be Water Resources Department's notice date d use associated with the proposed use of water Request for Land Use Information	low and return to return the co rater is compati on	it to the applicant. If you impleted Land Use ble with local

Revised 2/8/2010



OREGON Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301 (503) 986-0900 www.oregon.gov/OWRD

Ownership Update for Certificated Rights Only

NO FEES ARE REQUIRED TO SUBMIT THIS FORM

NOTICE: A certificate of water right typically stays with the land. To track water right ownership, the Department requests that this form be submitted to the Department. To update multiple rights, a separate form is required for each right. If you have any questions about this form, please contact your local watermaster, or call the Water Resources Department at (503) 986-0900.

Note: Use the assignment form to change ownership on pending applications, permits, transfers, groundwater registrations, or limited licenses.

Current Lar	ndowner Info	mation	1									
Name:	John	Elliott a	nd Loud	lean Elli	ott							HEFT
Mailing Add	dress: 1861	18610 Taylor Rd.										
City:	Klam	ath Fall:				State	: 0	OR	Zip:	97603	3	
Phone:	541-2	81-978	6			En	nail:	jelliott188	2@gm	ail.com		
Property In	formation											
County:	Klamath				Town	ship:	405	Range:	11E	S	ection:	32
Tax Lot #:	600											
Street Addr	ess of Water	Right:	18610	Taylor I	Rd., Kla	math I	Falls,	OR 97603				
	Water Right	Inform	ation									
	Application	: G-10	G-10195									
	Permit	t: G-9243										
	Certificate	: 6594	4									
Are all the l	ands associat	ed with	this wa	ter righ	t owne	d by t	he re	questor?	1	Yes	N	0
(If no, inclu	de a map sho	wing th	e portic	n of the	water	right	invol	ved)				
Signature a	de de de			1			_					
Name of individual completing form:			John	John Elliott					, ,			
Phone or email: 54			541-2	541-281-9786 / jelliott1882@gmail.com Date: //19/2					19/20			
Signature of requestor:				-	(lok	w	M. A	6/1	130	4	

Last updated: April 12, 2022

Request for Ownership Update for Certificated Rights Only

This form can be mailed to the address above or sent by email to wrd_dl_customerservice@water.oregon.gov

WR

Supplemental Form D

Water Right Transfers Within the Boundaries of or Served by an Irrigation District or other Water Supplier (Association, Ditch Co., etc.)

[For transfers submitted under OAR Chapter 690 Division 380]



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 503-986-0900 www.oregon.gov/OWRD

The Department requires non-district applicants to communicate with districts/water suppliers during the planning and preparation of transfer applications involving water rights having a point of diversion or appropriation (POD/POA) or place of use (POU) served by or located within the boundaries of an irrigation district, or other type of water supplier to which assessments are paid. In some cases consent will be required from the district or water supplier.

This form must be included with any transfer application that involves rights served by or located within the boundaries of a district or other type of water supplier.

1. APPLICANT INFORMATION

NAME JOHN ELLIOTT AND LOUDEAN ELLIO	PHONE (HM)		
PHONE (WK) 541-281-9786	CEL	L	FAX
ADDRESS 18610 TAYLOR RD.			
CITY KLAMATH FALLS	STATE	ZIP 97603	E-MAIL** JELLIOTT1882@GMAIL.COM

2. DISTRICT or WATER SUPPLIER INFORMATION

DISTRICT/WATER SUPPLIER NAME KLAMATH BASIN IRRIGATION DISTR	пст		PHONE (HM)
PHONE (WK) 541-882-6661	CEL	L	FAX
ADDRESS 6640 KID LN.			
CITY KLAMATH FALLS	STATE OR	ZIP 97603	E-MAIL** CHERRESE.WILSON@KLAMATHID.ORG

WATER RIGHTS ISSUED IN THE NAME OF, or LOCATED WITHIN, or SERVED BY AN IRRIGATION DISTRICT, OTHER DISTRICT, OR WATER SUPPLIER

a. List the water right(s) involved in this transfer:

	Application / Decree	Permit / Previous Transfer	Certificate	Is the water right in the name of a district, water supplier, or BOR*?		
1.	G-10195	G-9243	65944	YES		
2.				YES _		
3.				YES		

Attach additional pages for additional water rights if necessary.

*Bureau of Reclamation

^{**} By providing an e-mail address, the applicant and/or the district/water supplier consents to receive all correspondence from the Department electronically. Copies of final order documents will also be mailed.

		strict's/water supplier's connection to your points of diversion (POD) or appropriation of use (POU). [You may need to consult with your district/water supplier.]
CURREN	T ASSOCIA	TIONS Please answer the following "yes" or "no" questions:
YES 🗌	№ 🛛	One or more of the current POD(s) / POA(s) involved in the transfer are served by a district/water supplier or rely on BOR water.
YES 🛛	NO 🗌	All or a portion of the current POU involved in this proposed transfer receives water for either primary or supplemental irrigation from the district/water supplier; i.e., the POU is currently layered with a district or BOR water supplied water right(s).
PROPOS	ED ASSOC	ATIONS Please answer the following "yes" or "no" questions:
YES 🗌	NO 🛛	One or more of the proposed POD(s) / POA(s) involved in the transfer are currently served or will be served by a district/water supplier if the transfer is approved, or rely on BOR water.
YES 🔀	NO 🗌	All or a portion of the proposed POU involved in this proposed transfer currently receives or will receive either primary or supplemental irrigation from the district/water supplier; i.e., the POU will be layered with a district/water supplier or BOR water supplied water right(s).
OMMENTS	OR ADDIT	IONAL INFORMATION
. APPLICA	NT'S SIGN	ATURE
applica	ation by [cl	re notified the district/water supplier about the proposed water right transfer neck one]: one, postal mail, in person, or other (please specify)
15. (4)	ohu.	ne best of my knowledge the information contained in this Supplemental Form D is *** *** *** *** *** *** ***
. (WHEN R	EQUIRED)	DISTRICT OF WATER SUPPLIER CONSENT TO THE PROPOSED WATER RIGHT TRANSFER
istrict Mar	nager or W	ater Supplier consent is required if any box on this form is marked "YES."
he district,	/water sup	plier certifies the following:
(1) The dismaps;		r supplier has reviewed the applicant's proposed water right transfer application and
(2) The dis	strict/wate	r supplier consents to the proposed water right transfer application.
YES [] NO ⊠	After proof of completion, the confirming water right certificate is to remain in the name of the U.S. Bureau of Reclamation or the district/water supplier.
YES [No⊠	The district/water supplier will be responsible for submitting the claim of beneficial use prepared by a Certified Water Rights Examiner (CWRE).
Gon	RS	GENE R. SOUZA 17 JOH 2023
		lager / Water Supplier Name (print), Title Date
innlamental	Form D for I	Nivision 380 Transfers Within a District/Water Supplier Page 2 of 2 Last Revised 11, 2010



RECEIVED JAN 23 2023 OWRD

Date Received (Date Stamp Here)

OWRD Over-the-Counter Submission Receipt

Applicant Name(s) & Address:	John and	Landegn	Elliett	
18510 Taylor		Klamath F	alls OR	97,603
Transaction Type: Transfer				
Fees Received: \$ 840,	30.		4	* - **
☐ Cash ☐ Check;	Check No	3115		
	143	Check: John	John and	Loudean Ellio
Thank you for your submission. review your submittal as soon as If your submission is determined an acknowledgement letter stational statement of deficiencies that is a submission of deficiencies that is a submission.	to be complete, ng your submitte your submission	you will receive al is complete.	a receipt for the	ne fees paid and
If you have any questions, please at 503-986-0801 or 503-986-081		tact the Depart	ment's Custome	er Service staff
Sincerely, OWRD Customer Service Staff	A 1	t.		. *
Submission received by:	(Name of OW	RD staff)		· .
Instructions for OWPD staffs				

- · Complete this Submission Receipt and make two (2) copies. Place one copy with the check/cash; and place the other copy with the submission (i.e., the application or other document).
- Date-stamp all pages. (NOTE: Do not stamp check.)
- Give this original Submission Receipt to the applicant.
- Record Submission Receipt information on the "RECEIVED OVER THE COUNTER" log sheet.
- Fold and put one copy of the Submission Receipt with check/cash into the Safe slot. Place the other copy of the Submission Receipt with submission (application/other document) in the top drawer of filing cabinet.



Letter of Transmittal

To: OWR	D			D	ate:	January 20, 2023	
				R	E:	Transfer Cert. 6594	4
We are sen	ding you:						
□ Shop Dr Requests □ Specific	rawings	☐ Print☐ Subr		☐ Plans ☐ Change orde	rs	☐ Samples ☐ Sign & Return	☐ Pay
Copies	Date	D	escripti	on			
1	1/19/2	.3 A	pplicati	on for Permanen	t Transf	er Cert# 65944	
These are t ☐ For app ☐ For you ☐ As requ	ruse	as checke	ed belov	v:		Approved as submitted Approved as noted Returned for correction	s
Sincerely, Out Deirdre Hor Front Office		Ad	Bh	ا مر			
CC:	4055-03	1					

Delivered via:

UPS

Permanent Transfer Application Checklist

k th	e Certific	ates in WF	als		Transfer # T-	
Chec Date	ked by _Da	nte	Type of Change(s) Propo NO other changes allowe		listed	
Fee F \$184	Received:		□ POU □ POD □ APOD ☒ POA □ APOA □ USE			
	lated Fee:				How many rights to be Transferr	
Defic	iencies and	Observation	s: Under an Irrigation distric	et for KA 1000	Certificate #(s) 65944	
checl	k box; <u>if no</u>	, <u>fill in</u> .				
\boxtimes	at the	ottom?	mation complete? Have all t		at the top of the page signe	
\boxtimes	include	d a Form D?	icated that the place of use in N/A. Klamath Basin Irrigation D		tion district? Have they	
\boxtimes	match	the description	has the applicant complete n of the explanation of the r to contact the applicant or a	easons on Part 4 of t		
\boxtimes	separa	e completed	tes, do each of the certificat Part 5 tables 1 & 2? (compar tes are missing a separate Pa	re with OAR 690-380-	-3220-may need to return)	
\boxtimes		A CASA CONTRACTOR OF THE PROPERTY OF THE PROPE	ompleted and signed by a CW	A STATE OF THE PARTY OF THE PAR	and the state of t	
\boxtimes	6. If a cha	nge in point o	of appropriation, have the we	ell logs been included	AN NA.	
\boxtimes		nge in place o	of use within Umatilla County	y, have the applicant	(s) provided a Supplement	
			out the Minimum Requireme at is missing (check Evidence			
			ecklist are checked (with no check sheet in the transfer f		ies identified), accept the	
OR:	-					
	It should	be returned	cient, and CANNOT be accept and the deficiencies listed in dicant or agent can resolve t	the "staff" section		

Revised 12/2022.krf

Actions taken:

date

Permanent Transfer Application Checklist

FEE WORKSHEET for PERMANENT TRANSFER (except Substitution)			
1	Base Fee (includes one type of change to one water right for up to 1 cfs)	1	\$1,360
2	Types of change proposed: Place of Use Character of Use Point of Diversion/Appropriation Number of above boxes checked = (2a) Subtract 1 from the number in line 2a = (2b) If only one change, this will be 0 Multiply line 2b by \$930 and enter » » » » » » » » » » » » » »	2	0
3	Number of water rights included in transfer(3a) Subtract 1 from the number in 3a above:(3b) If only one water right this will be 0 Multiply line 3b by \$520 and enter » » » » » » » » » » » » » » »	3	0
4	Do you propose to add or change a well, or change from a surface water POD to a well? No: enter 0 » » » » » » » » » » » » » » » » » »	4	0
5	Do you propose to change the place of use or character of use? No: enter 0 on line 5 » » » » » » » » » » » » » » » » » »	5	0
6	Add entries on lines 1 through 5 above » » » » » » » » » Subtotal:	6	0
	Is this transfer: necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 »		
7	If no box is applicable, enter 0 on line 7» » » » » » » » » » » » » »	7	0
8	Subtract line 7 from line 6 » » » » » » » » » » » » Transfer Fee:	8	