T-14258

Regular

RA

Name_Whiskey hill Plants Lu Address_PO_DOX 1201 Canbay, OR 97013 Change in_APDCU Date Filed_5-24-2023 Initial notice date_10-13-2023	Name of Stream A Trib. of Publing Use NU Scry C Quantity of water (CF)	river bodsin	CountyC\CCK_I	ma.s.	Date 5-24-23 5-24-23 10-23-23 2-5-25	\$125.00	Receipt # 140784 140780 140984 144664
DPD issued date 2/12/2024 PD notice date 2/13/2024 Date of FO_4/18/2024 Vol_129_Page]149-1152 C-Date	Name of ditch App# G15149 App# App# App# App#	Per #	Cert #	PR Date 5-15- PR Date PR Date PR Date PR Date	Date	FEES REFU Amount	NDED Receipt #
Irrigation District Agent Doann Hamilton Pacific CWRE CC's list Clackmas County Dort of							



Water Resources Department

725 Summer St NE, Suite A Salem, OR 97301 (503) 986-0900 www.oregon.gov/owrd

February 6, 2025

Whiskey Hill Plants LLC PO Box 1201 Canby, OR 97013

On February 5, 2025, the Water Resources Department received the Claim of Beneficial Use (COBU) for the following file:

T-14258

The COBU included a report and map. In the future the Department will review your submittal. At that time we will review these items and provide a final certificate, proposed certificate, or a request for additional information.


If you are interested in having your COBU reviewed sooner, you may pay to have your file processed immediately, using the Reimbursement Authority program, which is described at: https://www.oregon.gov/owrd/programs/WaterRights/RA/Pages/default.aspx

Customer Service phone: (503) 986-0900

Enclosed is your receipt for the \$230.00 COBU recording fee.

If you sell the property, please contact the Department, or have the new owners contact the Department about the need to file an assignment.

Cc: file T-14258



Checklist for Claims of Beneficial Use Received at CSG Counter

Application	#: WRD	Reviewer:Corie
Transfer #:7	-14258	
Date Recei	ved:2/5/25	
CWRE Nan	ne:Doann Hamilton	
Priority Dat	e (s):5/15/2000	
Fees Required	l:	
□YES NO□	A fee of \$230 must accompany this form 1987, or later.	for permits with priority dates of July 9,
☑YES NO□	A fee of \$230 must accompany this form with a priority date of July 9, 1987, or late Example – A transfer involves 5 rights has a priority date of July 9, 1987, or la	er. and one of the rights
	has a priority date of July 9, 1907, of ha	
Map Review:		or Transfe Number
✓ Map on polyester ✓ Application & pe ✓ Disclaimer (OAR ✓ North arrow (OA ✓ CWRE stamp and ✓ Appropriate scale of the cou	R 690-310-0050(2)(c)) I signature (OAR 690-014 & 310-0050) (1" = 1320', 1" = 400', or the original full-size scale nty assessor map) (014 & 310)	MONEY SLIP DATE: RECEIPT 6: ATENDO From DATE: RECEIPT 6: DATE: RECEIPT 6: ATENDO FROM DATE: RECEIPT 6: ATENDO FROM D
✓ Map on polyester ✓ Application & pe ✓ Disclaimer (OAR ✓ North arrow (OA ✓ CWRE stamp and ✓ Appropriate scale of the cou ✓ Township, range,	rmit #; or transfer # (OAR 690-014-0100(1)) 690-014-0170(5)) R 690-310-0050(2)(c)) I signature (OAR 690-014 & 310-0050) (1" = 1320', 1" = 400', or the original full-size scale nty assessor map) (014 & 310) section, and tax lot numbers (OAR 690-310-0050(4))	MONEY SLIP DATE: RECEIPT 6: RIGHNO PROM PRODUCTO PRO
✓ Map on polyester ✓ Application & pe ✓ Disclaimer (OAR ✓ North arrow (OA ✓ CWRE stamp and ✓ Appropriate scale of the cou ✓ Township, range,	rmit #; or transfer # (OAR 690-014-0100(1)) 690-014-0170(5)) R 690-310-0050(2)(c)) I signature (OAR 690-014 & 310-0050) (1" = 1320', 1" = 400', or the original full-size scale nty assessor map) (014 & 310) section, and tax lot numbers (OAR 690-310-0050(4))	MONEY SLIP DATE: RECEIPT 6: RESENDITED AND PRODUCTS AND
✓ Application & pe ✓ Disclaimer (OAR ✓ North arrow (OA ✓ CWRE stamp and ✓ Appropriate scale of the cou ✓ Township, range, Report Reviev ✓ On form provided ✓ Application & pe ✓ Ownership inform ✓ Date of survey (O ✓ Person interviewed ✓ County (OAR 69)	rmit #; or transfer # (OAR 690-014-0100(1)) 690-014-0170(5)) R 690-310-0050(2)(c)) d signature (OAR 690-014 & 310-0050) c (1" = 1320', 1" = 400', or the original full-size scale nty assessor map) (014 & 310) section, and tax lot numbers (OAR 690-310-0050(4)) V: by the Department (OAR 690-014-0100(1)) rmit #; or transfer # (OAR 690-014) hation (OAR 690-014) od (OAR 690-014)	MONEY SLIP DATE: RECEIPT 6: ##GENED FROM: PRODUCTOR PRODUCTOR

Groundwater File Review:

Pump Test not required (Priority Date prior to December 20, 1988)	*If no, include pump test flyer w/acknowledgment letter
Pump Test required (Priority Date on or after December 20, 1988)	
Pump Test submitted	

□Pump Test not submitted

STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIPT# 144664

725 Summer St. N.E. Ste. A SALEM, OR 97301-4172 (503) 986-0900 / (503) 986-0904 (fax)

INVOICE # ____

RECEI	VED FRO	M: Whisk	cy f	till P	lones	APPLI	CATION	
BY:			1 7	LC		PEI	RMIT	
						TRAN	NSFER	T-14258
CASH:	CH	HECK:#	THER: (II	DENTIFY)		TOTAL	DEC!D	6777
		X 104 1				TOTAL	HECD	\$ 230.00
	1083	TREASURY	4170	WRD MI	SC CASH A	CCT		
0	407	COPIES						\$
		OTHER: (I	DENTIFY					\$
0		ease 0244			02-	45 Cons. W	ater	
		The Resident	4270	WRD OF	PERATING A	CCT		
		MISCELLANEOUS		4611	/			
(0407	COPY & TAPE FEE	S	1				\$
(0410	RESEARCH FEES						\$
(0408	MISC REVENUE:	(IDENTIF	Y)			_	\$
1	TC162	DEPOSIT LIAB. (I	DENTIFY)				\$
(0240	EXTENSION OF TI	ME					\$
		WATER RIGHTS:			EXAM FEE			RECORD FEE
(201	SURFACE WATER			s	020)2	\$
(203	GROUND WATER			\$	020	04	S
(0205	TRANSFER			\$			
		WELL CONSTRUC	TION		EXAM FEE			LICENSE FEE
(218	WELL DRILL CONS	STRUCTO	R	\$	02	19	\$
		LANDOWNER'S PI	ERMIT			022	20	\$
	020	OTHER	(IDENT	IFY)	03		· ·	230,00
	0536	TREASURY	0437	WELLC	ONST. STAI	RT FEE		
(0211	WELL CONST STA	RT FEE		\$		CARD#	
	0210	MONITORING WE			S		CARD#	
				IFY)				
			No. on and a little	WILLIAM				
L	0607	TREASURY	0467	HYDRO	ACTIVITY	LIC NUM	MBER	In .
(0233	POWER LICENSE	FEE (FW	(WRD)				S
(0231	HYDRO LICENSE	FEE (FW/	WRD)				\$
	STATE OF THE PARTY	HYDRO APPLICAT	ION					\$
		TREASURY		OTHER	/ RDX			
	OBJ, COD	E	VENDO	OR #				e
- 1	DESCRIPT	TION						\$
_						- 1		

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

144664

RECEIPT:

DATED: 25 25 BY: 14-1

CLAIM OF BENEFICIAL USE for Transfer New or Additional **POA Only**



OREGON Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 WATER RESOURCES (503) 986-0900 DEPARTMENT www.oregon.gov/OWRD

A fee of \$230 must accompany this form for any Transfer final orders including a water right with a priority date of July 9, 1987, or later.

> Example - A transfer involves 5 rights and one of the rights has a priority date of July 9, 1987, or later, the fee is required.

SECTION 1 GENERAL INFORMATION

Received

FEB 0 5 2025

Type of Authorized Change

OWRD

This Claim is being submitted for a transfer where the only authorized change was a change in point(s) of appropriation or additional point(s) of appropriation, or a combination of both.

YES

If additional changes were authorized, you will need to select a different form.

-		None i		À					
1.	FI	9	In'	for	m	a	ti	0	n

APPLICATION # T-14258

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAME Whiskey Hill Plants LLC		PHONE NO	Additional Contact No.
ADDRESS PO Box 1201			
City Canby	STATE OR	ZIP 97013	E-MAIL

If the current property owner is not the transfer holder of record, it is recommended that an assignment be filed with the Department. Each transfer holder of record must sign this form.

3. Transfer holder of record (this may, or may not, be the current property owner)

Transfer Holder of Reco Whiskey Hill Plants LLC			
ADDRESS PO Box 1201			
CITY Canby	STATE OR	ZIP 97013	

4. Date of Site Inspection:

December 3, 2024

5. Person(s) interviewed and description of their association with the project:

Name	DATE	ASSOCIATION WITH THE PROJECT
Paul Miles	December 3, 2024	Owner / Operator

6. County

Clackamas County

7. If any property described in the place of use of the transfer final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):


OWNER OF RECORD NA			
ADDRESS			
CITY	STATE	ZiP	

Add additional tables for owners of record as needed

SECTION 2 SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



Received FEB 0 5 2025 OWRD

CWRE NAME Doann Hamilton				ADDITIONAL CONTACT NO. (503) 349-6946
ADDRESS 18487 S. Valley Vista Ro	oad			
CITY Mulino	STATE OR	ZIP 97042	E-MAIL phgdmh	n@gmail.com

Transfer Holder of Record Signature or Acknowledgement

<u>Each</u> transfer holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

STGNATURE	PRINT OR TYPE NAME	TITLE	DATE
mille .	Paul Miles	President Januar	1/20/25

SECTION 3 CLAIM DESCRIPTION

Note: The Claim only needs to describe the new or additional point(s) of appropriation. This Claim does not need to provide information for the original point(s) of appropriation unless the original point of appropriation is either a new or additional point of appropriation on another right involved in this transfer.

1. New or additional point of appropriation name or number:

POINT OF APPROPRIATION (POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)	SOURCE (IF LISTED IN TRANSFER FINAL ORDER)
Well 3	CLAC 78804	L-151671	A Well in the Pudding River Basin

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

If well logs are available, items A and B below can be deleted

Received

FEB 0 5 2025

OWRD

4. Provide pump calculations:

Q Pump = (20 Hp) x (7.04 ft⁴/sec Hp) = 0.44 cfs (156.6 ft lift + 165.1 ft pressure head)

5. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
Not running during sit	e visit		

Reminder: For pump calculations use the reference information at the end of this document.

- B. Groundwater Source Information (Well and Sump)
- 3. Is the appropriation from a dug well (sump)?

NO

If "NO", items 4 through 6 relating to this section may be deleted.

C. Additional notes or comments related to the system:

Access port is through ¾-inch plug installed in the sanitary seal on the west side of the well casing.

SECTION 5

CONDITIONS

All conditions contained in the transfer final order, or any extension final order shall be addressed.

Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Describe how the water user has complied with each of the development timelines established in the transfer final order and any extensions of time issued for the transfer:

	DATE FROM TRANSFER	DATE THE NEW AND/OR ADDITIONAL POA(s) WERE READY FOR USE *THIS DATE MUST FALL BETWEEN THE "ISSUANCE DATE" AND THE "COMPLETENESS DATE"
ISSUANCE DATE	April 18, 2024	
COMPLETENESS DATE FROM ORDER (C)	October 1, 2025	October 2024

^{*} MUST BE WITHIN PERIOD BETWEEN TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETE THE CHANGE

2. Is there an extension final order(s)?

If "NO", you may delete the following table.

NO

Received

FEB 0 5 2025

OWRD

FEB 0 5 2025

3. Measurement Conditions:

OWRD

a. Does the transfer final order, or any extension final order require the installation of a meter or other approved measuring device?

YES

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of appropriation.

b. Has a meter been installed?

YES

NO

c. Meter Information

POA Name or #	MANUFACTURER	SERIAL#	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
Well 2	McCrometer	00-??660 – 4 (meter cover damaged, could not read all the numbers)	working	31,511,100 gallons (December 3, 2024)	2000
Well 3	Netafim	24-100061195	working	20,996 gallons (December 3, 2024)	October 2024

If a meter has been installed, items d through f relating to this section may be deleted.

4. Recording and reporting conditions

a. Is the water user required to report the water use to the Department?

If "NO", item b relating to this section may be deleted.

5. Other conditions required by the transfer final order or extension final order:

a. Were there special well construction standards?

b. Was submittal of a ground water monitoring plan required? NO

c. Other conditions? YES

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

c) Condition:

Water shall be acquired from the same aquifer (water source) as the original point of appropriation.

Compliance:

Authorized Well 2 (CLAC 56004) develops water from the alluvial aquifer through perforations in the casing within the depth interval of 124 to 156 feet in a layer of cemented gravel over clay.

Well 3 (CLAC 78804) develops water from the alluvial aquifer within the screened depth interval of 388 to 428 feet in layers of siltstone, silt and sand.

It appears that both these wells obtain water from the same aquifer; therefore, this condition has been met.

SECTION 6

ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Claim of Beneficial Use Map	Claim of Beneficial Use Map for this transfer
State Water Well Report - CLAC 78804	Well log and driller's notes for CLAC 78804 - Well 3

SECTION 7

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on polyester film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

For the purpose of this Claim, the map identifying the location of the place of use does not require a new survey. The location of the place of use identified on the Claim map should be based on the original right of record at the time the transfer final order was issued. In transfers approved for additional points of appropriation, the original points must be identified the map based on the original right of record at the time the transfer final order was issued.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

The COBU map was prepared using tax assessor's map 51W01, overlain by a 2014 aerial photo titled USDA-FSA-APFO NAIP County Mosaic and obtained on line from the Natural Resources Conservation Service, Image Metadata:

http://datagateway.nrcs.usda.gov/Catalog/ProductDescription/NAIPM.html

Map Checklist

Please be sure that the map you submit includes ALL the items listed below. (Reminder: Incomplete maps and/or claims may be returned.)

Received FEB 0 5 2025




Map on polyester film

OWRD

\boxtimes	Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
	Township, Range, Section, Donation Land Claims, and Government Lots
	If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
	Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
	Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
	Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.) *Not required for this type of Claim of Beneficial Use
	Point(s) of diversion or appropriation (illustrated and coordinates)
\boxtimes	Tax lot boundaries and numbers
	Source illustrated if surface water
	Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
	Application and permit number or transfer number
	North arrow
	Legend
	CWRE stamp and signature

Received
FER 0.5 2025
OWRD



Amended 1/7/25						Page 1 of
STATE OF OREGON	CLAC	78804	WELL I.D. LABE	L# L 151	671	
WATER SUPPLY WELL REPORT		o Maranana	START CARI	# 107	3989	
(9/6/2	2024	ORIGINAL LOC	:#		
(as required by ORS 537,545 & 537,765 and OAR 690-205-0210)	21012	2024	ORIGINAL LOC			-
(1) LAND OWNER Owner Well I.D.						
First Name Last Name		(9) LOCATI	ON OF WELL (leg	al descr	iption)	
Company WHISKEY HILL PLANTS		County CLACKA	MAS Twp 5.00 S	N/S	Range 1.00	W E/W W
Address PO BOX 1201			E 1/4 of the SW		Tax Lot 22	
City CANBY State OR Zip 97013			The second secon	1/4		
(2) TYPE OF WORK New Well Deepening Con	nversion	Tax Map Numbe		-	Lot	
Alteration (complete 2a & 10) Abandonment((namulata Sa)	Lat	" or 45.1635	4000		DMS or DD
(2a) PRE-ALTERATION	complete 3a)	Long	" or -122.75	744000		DMS or DD
Dia + From To Gauge Stl Plstc Wld	Three	€ Stre	eet address of well	Nearest a	address	
Casing:		1,750	DIAN RD, HUBBARD, O	R		
Material From To Amt sacks/lbs		JOTTI S MISKIE	JULIA RESTAUDISTRICATION	• •		
Seal:						
(3) DRILL METHOD		(10) STATIC	WATER LEVEL			
		(10) STATIC		Date S	WL(psi) +	SWL(ft)
Rotary Air Rotary Mud Cable Auger Cable Muc	d	Breisting Wa	Il / Pre-Alteration	Date 3	WL(psi) +	3WL(II)
Reverse Rotary Other		Completed)	And the second s	024		74.7
A PROPOSED TO THE TOTAL TO		Completed			11 1 2	74.7
(4) PROPOSED USE Domestic Irrigation Communi	ity		Flowing Artesian?		ry Hole?	
Industrial/ Commercial Livestock Dewatering		WATER BEARIN	NG ZONES Dept	h water wa	as first found	135.00
Thermal Injection Other		SWL Date	From To		SWL(psi)	+ SWL(ft)
	Traver -		100	- 10 W	and advard	
	(Attach copy)	6/12/2024	135 153	75		99.7
Depth of Completed Well 449.00 ft.		6/12/2024	164 168	20		×
BORE HOLE SEAL	sacks/	Tel Street or annual laboratory and the laboratory	229 232	30		×
Dia From To Material From To	Amt lbs		200			
12 0 65 Bentonite 0 5	5 S					+
8 65 457 Calculated	3.5					
Cement 5 65	28 S	7777 201012 2 2	0.0			
Calculated	21	(11) WELL I	OG Ground Elev	ration		
Seal placement method A B C D E Other: BENT DR	V & HVDBATE		Material	SIXOR-SEC.	From	То
		SOIL	Material		0	2
Backfill placed from 449 ft. to 457 ft. Material GRAVEI		The state of the s	MEDIUM		2	24
	E 8/12	CLAY BROWN MEDIUM			24	40
Explosives used: Type Amount		CLAY BROWN WITH GRAVELS			1000	-
Seal Placement Begin Date 8/20/2024 Begin Time 11	15	CLAY BROWN MEDIUM CLAY BROWN WITH SAND LAYERS BROWN			40	60
The state of the s	LAC.	The state of the s	A STATE OF THE OWNER, WHEN THE PARTY OF THE OWNER, WHEN THE PARTY OF THE OWNER, WHEN THE OWNER, WHEN THE OWNER,	BICOWN	60	80
(5a) ABANDONMENT USING UNHYDRATED BENTON	TIE	SAND BROWN			80	86
Proposed Amount Actual Amount		SILT BROWN			86	94
(6) CASING/LINER Mat		CLAY GREY			94	97
The state of the s	Shoe	CLAY GREY M			97	102
C/L Dia + From To Gauge Type Wld Thrd St	noe Location	The state of the s	TTH SOME GRAVELS I	DIRTY	102	107
	UT. 457	SILT GREY			107	127
L 6 346 367 0.250 ST X		SAND GREY			127	135
L 5 367 388 0.250 ST X			EL GREY LOOSE		135	153
L 5 428 449 .258 ST X		The second secon	GREEN & GREY		153	162
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		CLAYSTONE C	GREEN & BROWN		162	164
		CLAY WITH S	AND LENSES		164	168
Temp casing X Yes Dia 12 From+X 1 To 60	0.8	PACKED SILT	GREY		168	173
TO SECURE A SECURITION OF PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE	0.0	CLAY GREY S	TICKY		173	180
(7) PERFORATIONS/SCREENS		CLAY GREEN	MEDIUM		180	190
Perforations Method		Construction			-	
Screens Type V-Wire Material Stainles		Begin Date 6/10	0/2024 Begin Time 00	00	End Da	ate 8/21/2024
Perf/ Casing/ Screen Scrn/slot Slot # c		(unbonded) We	ater Well Constructor Co	et Deathe		
Screen Liner Dia From To width length slo	100		e work I performed on the			
S 5" 388 428 .060	Pipe	-bandson at the	f this well is in compl	e construi	tion, acepen	ing, atteration, o
		abandonment o	this well is in compl	unce wit	n Oregon w	ater supply we
			ndards. Materials used ar	id informa		
			nowledge and belief.			Received
		License Number		Date		
(8) WELL TESTS: Minimum testing time is 1 hour					E	EB 0 5 202
to the first of the		Signed			71	CO 0 3 707
Tield	iration		224 W 24	2100000		
Type of Test (gardint)	(hr)		Well Constructor Certi			OWRD
Pump 250 179 336	4	1 accept respons	ibility for the construction	n, deepen	ing, alteratio	n, or abandonme
		work performed	on this well during the co	nstruction	dates reported	d above. All wo
		performed durin	ng this time is in comp	liance wit	th Oregon w	vater supply we
Temperature 56 °F Lab analysis Yes By		construction star	dards. This report is true	to the best	of my know	ledge and belief.
		11 37 11				
Water quality concerns? Yes (describe below) TDS amount 116 Prom To Description Amount	ppm nt Units	License Number	688	Date 9/	6/2024	
Prom 10 Description Amoun	T T	Signed STEV	TAL OTA DELL'AND AND A			
			EN STADELI (E-filed)	11.1.15.00	NC	
		Drilling Compar	iy: WESTERBERG DR	ILLING I	NC	
		- (1)		-		

WATER SUPPLY WELL REPORT -	CLAC	78804	WE	LL I.D. LABEL# L		
continuation page	0/6	6/2024		START CARD # ORIGINAL LOG #	1073989	
2a) PRE-ALTERATION	9/0	NOTE AND DESCRIPTION.				
Dis		From	ality Conc	Description	Amoun	Units
Dia + From To Gauge Stl Plstc Wld Thrd		1.0	10	Description		
Maria Day Day Day Day Day Day Day Day Day Da						
Material From To Amt sacks/lbs						
		(10) STAT	IC WAT	ER LEVEL		
		SWL Date			low SWL(psi)	+ SWL(ft)
5) BORE HOLE CONSTRUCTION						
BORE HOLE SEAL	sacks/	+				
Dia From To Material From To A	Amt lbs					
Calculated						
		-	-			1
Calculated						1 = -
Calculated	-	The state of				
Calculated		(11) WEL	LLOG			
		(II) WEL	Materia	d	From	To
FILTER PACK From To Material Size		CLAY GRE			190	204
From 10 Material Siece		PACKED S			204	218
		SILT GREY	The second of the second of the second		218	225
			SAND GRE	Y	225	229
		PACKED S.	AND WITH	GRAVEL	229	232
CASING/LINER		THE RESERVE THE PERSON NAMED IN	GREY & G		232	248
	500	The second secon	WN WITH S	SAND	248	252
Mat. /L Dia + From To Gauge Type Wld Thrd Sho	Shoe	CLAY GRE	A STATE OF THE PARTY OF THE PAR	CT AV DI III	252	255
/L Dia + From To Gauge Type Wld Thrd Sho	Location	CLAY BLU		CLAY BLUE	255 258	258
			H SILT & SA	AND	265	267
		CLAY GRE			267	311
		SILTY SAN	D GREY		311	314
		CLAYSTON			314	326
		SAND GRE	Marie and American		326	330
		CLAY GRE			330	340
		CLAY GRE			340	388
		SAND GRE			388	390 395
		SILT GREY			395	398
		SAND GRE	terr -		398	408
PERFORATIONS/SCREENS		SILT LAVE			408	412
	Tale	SAND GRE			412	427
Perf/ Casing/ Screen Scrn/slot Slot # of Green Liner Dia From To width length slots	100 TH 1000	CLAY GRE	Y		427	457
creen Lines Dia Proin 10 which length slots	r ipe aize				Deceive	-9
					Receive	u
						-
					FEB 0 5 20	25
						100
		Name of pers	on(s) who as	sisted with construction	and Trainer Licen	se # / Halo
				sisted with construction		
			on(s) who as		and Trainee Licen Type OWRD	
8) WELL TESTS: Minimum testing time is 1 hour						

Type of Test	(gal/min)	Drawdown	Pump Depth	(hr)

DUE TO PUMPING WELL NEARBY 5 by 6 WELD ON BUSHINGS @ 367' 6" FLUSH DRIVE SHOE ON TOP OF 6" RISER PIPE THIS WELL IS FOR WATER RIGHT TRANSFER T-14258 WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

CLAC 78804

9/6/2024

Received

FEB 0 5 2025

Map of Hole

OWRD

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900

OREGON

LOCATION OF WELL

Latitude: 45.16354000 Datum: WGS84

Longitude: -122.75744000

Township/Range/Section/Quarter-Quarter Section:

WM5.00S1.00W1NESW

Address of Well:


30711 S MERIDIAN RD, HUBBARD, OR

Well Label: 151671

Printed: September 6, 2024

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor



Groundwater Transfer Review Summary Form

Transfer/PA # T- 14258
GW Reviewer <u>Dennis Orlowski</u> Date Review Completed: <u>9/27/2023</u>
Summary of Same Source Review:
☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).
Summary of Injury Review:
☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).
Summary of GW-SW Transfer Similarity Review:
☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.
This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.

OREGON Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1271 (503) 986-0900 www.wrd.state.or.us			NE, Suite A 1-1271	Ground Water Review Form: ☐ Water Right Transfer ☐ Permit Amendment ☐ GR Modification ☐ Other		
application: T-1	425	8		Applicant Name:	Whiskey Hill Plants LLC	
roposed Chang	es:	□ POA □ USE	⊠ APOA □ POU	□ SW→GW □ OTHER	⊠ RA	
teviewer(s): D	enn	is Orlowski		D	ate of Review: <u>9/27/2023</u>	
			Date Reviewed	by GW Mgr. and R	eturned to WRSD:	
The water vaffected by The applica	vell the t	reports provi transfer. does not incl	ded with the appl	ication do not corre	spond to the water rights on of the well construction proposed to be developed.	
Other						
Basic descri certificate 9 (CLAC 560) pumping rat due east of V	ptio 5194 04, 'e of Woo	4, which auth "Well 2") for 0.51 cfs. The dburn, Orego roposes to a	orizes the use of year-round nurse POU location is on.	groundwater from a cry use on 29.0 acres in the Elliot's Prair	oposed transfer relates to single existing well s, with a maximum rie region, several miles	
3), to certifi	cate	95194.				

2.	Will the proposed POA develop the same aquifer (source) as the existing authorized POA?
-	Yes No Comments: The authorized POA, CLAC 56004, is 159 ft deep and
	obtains groundwater from water-bearing sand and gravel beds within the Willamette Aquife
	system (Gannett and Caldwell, 1998; Conlon and others, 2005; Woodward and others,
	1998). The proposed APOA is planned to be approximately 350 feet deep; despite its
	greater planned depth, the proposed APOA will also obtain groundwater from the same
	Willamette Aquifer system.

3.	a) Is there	nore than one source developed under the right (e.g., basalt and alluvium))?
	☐ Yes	⊠ No	

b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): N/A

Ground Water Review Form

1

a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with another ground water right? Yes No Comments: The proposed location for the APOA is only 60 feet from the authorized POA, and thus no appreciable increases in interference to other groundwater rights are likely to occur. b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled? Yes No If yes, explain: N/A 5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with another surface water source? Yes No Comments: The proposed location for the APOA is only 60 feet from the authorized POA, and thus no appreciable increases in interference to nearby surface water sources are likely to occur. b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any surface water sources resulting from the proposed change? ☐ Minimal ☐ Significant Stream: ☐ Minimal ☐ Significant Stream: Provide context for minimal/significant impact: N/A 6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer? ☐ Yes ☐ No Comments: N/A 7. What conditions or other changes in the application are necessary to address any potential issues identified above: None 8. Any additional comments: None References Application file: T-14258 K.K., and Hinkle, S.R., 2005. Ground-Water Hydrology of the Willamette Basin, Oregon; U.S.

Conlon, T.D., Wozniak, K.C., Woodcock, D., Herrera, N.B., Fisher, B.J., Morgan, D.S., Lee, Geological Survey Scientific Report 2005-5168.


Gannett, M.W. and Caldwell, R.R., 1998. Geologic Framework of the Willamette Lowland Aguifer System, Oregon and Washington; U.S. Geological Survey Professional Paper 1424-A.

Woodward, D.G., Gannett, M.G., and Vaccaro, J.J., 1998., Hydrogeologic Framework of the Willamette Lowland Aquifer System, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-B.

Page 2 of 3

Transfer Application: T-14258

Application T-14258, Whiskey Hill Plants T5S, R1W, Section 1



Service Layer Chedits Copyright© 2013 National Geographic Society, Housed



Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904

April 18, 2024

Whiskey Hill Plants, LLC PO Box 1201 Canby, OR 97013

REFERENCE: Transfer Application T-14258

Enclosed is a copy of the final order approving your water right transfer application.

The time allowed to complete the transfer is specified in the final order. YOU SHOULD GIVE PARTICULAR ATTENTION TO THE TIME LIMIT. The water right for any portion of the authorized change in character of use or change in place of use NOT carried out within the time allowed will be lost.

An extension of the time limit can be allowed <u>only</u> upon a showing that diligent effort has been made to complete the actual change(s) within the time allowed.

You are required to hire a Certified Water Rights Examiner (CWRE) to complete a Claim of Beneficial Use report and map which must be submitted to this Department within one year of the date you complete the change(s) or within one year of the completion date authorized in the transfer final order, whichever occurs first.

If you have any questions related to the approval of this transfer, you may contact your caseworker, Kim French, by telephone at (503) 979-9607 or by e-mail at Kim.r.french@water.oregon.gov.

Sincerely,

Elyse D. Richman

Elype Richman

Water Rights Services Support

Transfers and Conservation Section

cc: Gregory J. Wacker, Watermaster Dist. # 16 (via email)

Doann Hamilton, Agent

County of Clackamas, Local Government

Enclosure

OF THE STATE OF OREGON

In the Matter of Transfer Application)	FINAL ORDER
T-14258, Clackamas County)	APPROVING AN ADDITIONAL POINT OF
)	APPROPRIATION

Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

WHISKEY HILL PLANTS LLC PO BOX 1201 CANBY, OR 97013

Findings of Fact

- On June 6, 2023, Whiskey Hill Plants LLC filed an application for an additional point of appropriation under Certificate 95194. The Department assigned the application number T-14258.
- Notice of the application for transfer was published on June 13, 2023, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- 3. On November 30, 2023, the Department sent a copy of the draft Preliminary Determination to the applicant, proposing to approve Transfer Application T-14258. The draft Preliminary Determination cover letter gave a deadline of December 30, 2023, for the applicant to respond. The applicant requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Page 1 of 4

- 4. On February 12, 2024, the Department issued a Preliminary Determination proposing to approve Transfer Application T-14258 and sent a copy to the applicant. Additionally, notice of the Preliminary Determination for the transfer application was published in the Department's weekly notice on February 13, 2024, pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notice.
- 5. The portion of the right to be transferred is as follows:

Certificate: 95194 in the name of WHISKEY HILL PLANTS LLC (perfected under Permit

G-14997)

Use: NURSERY USE on 28.0 ACRES

Priority Date: MAY 15, 2000

Rate: 0.49 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for NURSERY OPERATIONS is limited to a

diversion of 0.15 cubic foot per second per acre. For the irrigation of containerized nursery plants, the amount of water diverted is limited to ONE-FORTIETH of one cubic foot per second (or its equivalent) and 5.0 acre feet per acre per year. For the irrigation of in ground nursery plants the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre per year. The use of water for NURSERY OPERATIONS may be made at any time, during the period of allowed use specified above, that the use is beneficial. For the irrigation of any other crop, the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5

acre feet per acre during the irrigation season of each year.

Period of Use: YEAR ROUND

Source: A WELL in the PUDDING RIVER BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
5.5	1W	WM	1	NE SW	WELL 2 – 1990 FEET NORTH AND 1685 FEET EAST FROM THE SW CORNER OF SECTION 1

Authorized Place of Use:

		NURSER	Y USE		
Twp	Rng	Mer	Sec	Q-Q	Acres
5 S	1 W	WM	1	NE SW	15.8
5 S	1W	WM	1	NW SW	12.2
				TOTAL	28.0

6. Transfer Application T-14258 proposes an additional point of appropriation approximately 60.0 feet from the existing point of appropriation located:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
5 S	1 W	WM	1	NE SW	WELL 3 - 1990 FEET NORTH AND 1745 FEET EAST FROM THE SW CORNER OF SECTION 1

Transfer Review Criteria [OAR 690-380-0100(14), OAR 690-380-2110(2) and OAR 690-380-4010(2)]

- 7. Water has been used within the last five years prior to the submittal of Transfer Application T-14258 according to the terms and conditions of the right. There is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- A water delivery system sufficient to use the full amount of water allowed under the
 existing right was present within the five-year period prior to submittal of Transfer
 Application T-14258.
- The water right is subject to transfer as defined in ORS 540.505(4) and OAR 690-380-0100(14).
- 10. The proposed point of appropriation develops groundwater from the same aquifer as the authorized point of appropriation, as required by OAR 690-380-2110(2).
- 11. The proposed change, as conditioned, would not result in enlargement of the right.
- 12. The proposed change, as conditioned, would not result in injury to other existing water rights.
- 13. All other application requirements are met.

Conclusions of Law

The additional point of appropriation proposed in Transfer Application T-14258 are consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000.

Now, therefore, it is ORDERED:

- 1. The additional point of appropriation proposed in Transfer Application T-14258 is approved.
- The right to the use of the water is restricted to beneficial use at the place of use described and is subject to all other conditions and limitations contained in Certificate 95194 and any related decree.
- Approval of this transfer application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new point of appropriation.
- Water right Certificate 95194 is cancelled. A new certificate will be issued describing the portion of the right not affected by this transfer.
- The quantity of water diverted at the new additional point of appropriation (Well 3), together with that diverted at the original point of appropriation (Well 2), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 2).

and the first of the

15 7 756

- Water shall be acquired from the same aquifer (water source) as the original point of appropriation.
- 7. Water Use Measurement Conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
 - The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
- 8. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before October 1, 2025. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the change and full beneficial use of the water.
- After satisfactory proof of beneficial use is received, a new certificate confirming the right transferred will be issued.

Dated in Salem, Oregon on APR 1 8 2024

Lisa . Jaramillo, Transfer and Conservation Section Manager, for

DOUGLAS E. WOODCOCK, ACTING DIRECTOR

Oregon Water Resources Department

Mailing Date: APR 1 9 2024

STATE OF OREGON

COUNTY OF CLACKAMAS

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

WHISKEY HILL PLANTS LLC PO BOX 1201 CANBY, OR 97013

confirms the right to use the waters of a WELL in the PUDDING RIVER BASIN for NURSERY USE on 1.0 ACRE.

This right was perfected under Permit G-14997. The date of priority is MAY 15, 2000. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 0.02 CUBIC FOOT PER SECOND or its equivalent in case of rotation, measured at the well.

The well is located as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
5S 1W WM 1 NESW	1990 FEET NORTH AND 1685 FEET EAST FROM THE				
	33 144 1411 1 14234	112 311	SW CORNER OF SECTION 1		

The amount of water used for NURSERY OPERATIONS is limited to a diversion of 0.15 cubic foot per second per acre. For the irrigation of containerized nursery plants, the amount of water diverted is limited to ONE-FORTIETH of one cubic foot per second (or its equivalent) and 5.0 acre feet per acre per year. For irrigation of in ground nursery plants the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre per year. The use of water for NURSERY OPERATIONS may be made at any time, during the period of allowed use specified above, that the use is beneficial. For the irrigation of any other crop, the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre during the irrigation season of each year.

A description of the place of use to which this right is appurtenant is as follows:

Twp	Rng	Mer	Sec	Q-Q	Acres
5 S	1 W	WM	1	NE SW	1.0

Measurement, Recording and Reporting Conditions:

- a. The water user shall maintain the meter or measuring device in good working order.
- b. The water user shall allow the Watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the Watermaster shall request access upon reasonable notice.
- c. The Director may require the water user to keep and maintain a record of the amount (volume) of water used and may require the water user to report water use on a periodic schedule as established by the Director. In addition, the Director may require the water user to report general water use information, the periods of water use and the place and nature of use of water under the right. The Director may provide an opportunity for the water user to submit alternative water reporting procedure for review and approval.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this right, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port and may also include an air line and pressure gauge adequate to determine the water level elevation in the well at all times.

The Director may require water level or pump test results every ten years.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with state-wide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

This certificate describes that portion of water right Certificate, State Record of Water Right Certificates, NOT modified by the provisions of an order of the Water Resources Director entered APR 1 8 2024, approving Transfer Application T-14258.

T-14258-rr-95194.krf Page 2 of 3 Certificate 97512

The issuance of this superseding certificate does not confirm the status of the water right in regard to the provisions of ORS 540.610 pertaining to forfeiture or abandonment.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

WINNESS the signature of the Water Resources Director, affixed _

APR 1 8 2024

Lisa J. Jaramillo, Fransfer and Conservation Section Manager, for

DOUGLAS E. WOODCOCK, ACTING DIRECTOR

Oregon Water Resources Department

WATER RIGHT TRANSFER COVER SHEET

Transfer: T-14	1258		WAIL	K KIGHT TKA		/				fer Specia	list:	
Transfer Type	: Regular Trans	fer	Reimb	ursement Au	thority	/? U			K	M		
Applicant: WHISKEY I PO BOX 1 CANBY, OR	DO:	Agent: DOANN HAMILTON 18487 S VALLEY VISTA RD MULINO, OR 97042-8741				Rece	eiving La	andowner				
Current Lan	downer if other th	an Applicant:	cw	RE:				Irrig	ation Di	strict:		
Affected Lo County Of	cal Gov'ts: Clackamasplan	ning Dept	Affe	ected Tribal	Gov't:			BOF	R Notifie	ed (date):		
Water Rights	Affected											
File Marked		r Decree Name	e	Perm			ficate		RR/CR N		RR/CR Nos.	
G	15149			G149	97	95:	194	-	Yes	No No		
									Yes	No		
Key Dates &	Initial Actions (Sup	port Staff)										
Rec'd: June	CONTRACTOR CATALOGUE DE LA POSTA DE		Propo	sed Action(s	s): AD	DITIONA	AL POI	NTO	F APPI	ROPRIAT	ION	
Fees Pd: 18			Acknowledgement Letter Sent					Basin: 2 Willamette				
Initial Public			County sent cc: of Ack Letter				7	County: CLACKAMAS				
WM District: 16 Gregory J.			WM Review request sent:					WM Review date received:				
ODFW Distr	rict:		ODFW Review sent:					ODFW Review date received:				
Groundwat			GW Review sent:					GW Review date received:				
Caseworker	Actions: Newspap	er & PD Notice	:			0						
	notice needed:				Name	e of News	paper:					
	notice sent to coo	141	Newspaper notice q				tice qu	uote requested (NRS1):				
	news \$ sent:		News \$ received:				ed:					
Affidavit of	publication receiv	ed:	Last day of publication				olicatio	n:				
Peer Review:												
Document	Drafted	Peer Revi	ew	Coordina	tor	Change	es Mad	e	Signat	ure Bin	Signature Date	
DPD	Date: ? Initials: ISF	Date:	Date:		15	Date: Initials:		- ,	CW Sent: WM Sheet ODFW Sheet:		N/A	
PD	Date:? Initials:	Date:	Date:		ate: itials: PLS		view	- 1	Date:		Date: 7-13-14	
FO	Date: 7 Initials: 18F	Date: 3-26	,- <u>)</u> ¹	Date: 3-27-24				-	No. of d	-28-24 ocs for	Date: 4/18/2	

Special Issues: Spec. Ord. Volume: Vol. 129 Pgs. 1149-1152
Transfer Cover Sheet



Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904 www.oregon.gov/owrd

February 12, 2024

VIA CERTIFIED MAIL AND E-MAIL

Applicant
WHISKEY HILL PLANTS LLC
PO BOX 1201
CANBY, OR 97013

SUBJECT: Water Right Transfer Application T-14258

Please find enclosed the Preliminary Determination indicating that, based on the information available, the Department intends to approve application T-14258. This document is an intermediate step in the approval process; water may not be used legally as proposed in the transfer application until a Final Order has been issued by the Department. Please read this entire letter carefully to determine your responsibility for additional action.

A public notice is being published in the Department's weekly publication, simultaneously with issuance of the Preliminary Determination. The notice initiates a period in which any person may file either a protest opposing the decision proposed by the Department in the Preliminary Determination or a standing statement supporting the Department's decision. The protest period will end 30 days after the Department's notice.

If no protest is filed, the Department will issue a Final Order consistent with the Preliminary

Determination. You should receive a copy of the Final Order about 30 days after the close of the protest period.

If a protest is filed, the application may be referred to a contested case proceeding. A contested case provides an opportunity for the proponents and opponents of the decision proposed in the Preliminary Determination to present information and arguments supporting their position in a quasi-judicial proceeding.

Please don't hesitate to contact me at 503 979-9607 or Kim.R.French@water.oregon.gov, if I may be of assistance.

Sincerely,

Kim French

Transfer Specialist

Transfer and Conservation Section

CC:

T-14258

Gregory J. Wacker, District 16 Watermaster (via e-mail)
Doann Hamilton, Agent for the applicant (via e-mail)

encs

OF THE STATE OF OREGON

In the Matter of Transfer Application)	PRELIMINARY DETERMINATION
T-14258, Clackamas County)	PROPOSING AN ADDITIONAL POINT OF
)	APPROPRIATION

Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

WHISKEY HILL PLANTS LLC PO BOX 1201 CANBY, OR 97013

Findings of Fact

- On June 6, 2023, Whiskey Hill Plants LLC filed an application for an additional point of appropriation under Certificate 95194. The Department assigned the application number T-14258.
- Notice of the application for transfer was published on June 13, 2023, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- 3. On November 30, 2023, the Department sent a copy of the draft Preliminary Determination to the applicant, proposing to approve Transfer Application T-14258. The draft Preliminary Determination cover letter gave a deadline of December 30, 2023, for the applicant to respond. The applicant requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.

Pursuant to OAR 690-380-4030, any person may file a protest or standing statement within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later, of this preliminary determination.

4. The portion of the right to be transferred is as follows:

Certificate: 95194 in the name of WHISKEY HILL PLANTS LLC (perfected under Permit

G-14997)

Use: NURSERY USE on 28.0 ACRES

Priority Date: MAY 15, 2000

Rate: 0.49 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for NURSERY OPERATIONS is limited to a

diversion of 0.15 cubic foot per second per acre. For the irrigation of containerized nursery plants, the amount of water diverted is limited to ONE-FORTIETH of one cubic foot per second (or its equivalent) and 5.0 acre feet per acre per year. For the irrigation of in ground nursery plants the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre per year. The use of water for NURSERY OPERATIONS may be made at any time, during the period of allowed use specified above, that the use is beneficial. For the irrigation of any other crop, the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5

acre feet per acre during the irrigation season of each year.

Period of Use: YEAR ROUND

Source: A WELL in the PUDDING RIVER BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
5 S	1W	WM	1	NE SW	WELL 2 – 1990 FEET NORTH AND 1685 FEET EAST FROM THE SW CORNER OF SECTION 1

Authorized Place of Use:

	NURSERY USE								
Twp	Rng	Mer	Sec	Q-Q	Acres				
5 \$	1W	WM	1	NE SW	15.8				
55	1W	WM	1	NW SW	12.2				
				TOTAL	28.0				

Transfer Application T-14258 proposes an additional point of appropriation approximately
 60.0 feet from the existing point of appropriation located:

T	wp	Rng	Mer	Sec	Q-Q	Measured Distances
5	S	1 W	WM	1	NE SW	WELL 3 - 1990 FEET NORTH AND 1745 FEET EAST FROM THE SW CORNER OF SECTION 1

Transfer Review Criteria [OAR 690-380-0100(14), OAR 690-380-2110(2) and OAR 690-380-4010(2)]

6. Water has been used within the last five years prior to the submittal of Transfer Application T-14258 according to the terms and conditions of the right. There is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.

- A water delivery system sufficient to use the full amount of water allowed under the
 existing right was present within the five-year period prior to submittal of Transfer
 Application T-14258.
- The water right is subject to transfer as defined in ORS 540.505(4) and OAR 690-380-0100(14).
- 9. The proposed point of appropriation develops groundwater from the same aquifer as the authorized point of appropriation, as required by OAR 690-380-2110(2).
- 10. The proposed change, as conditioned, would not result in enlargement of the right.
- 11. The proposed change, as conditioned, would not result in injury to other existing water rights.
- 12. All other application requirements are met.

Determination and Proposed Action

The additional point of appropriation proposed in Transfer Application T-14258 appears to be consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000. If protests are not filed pursuant to OAR 690-380-4030, the application will be approved.

If Transfer Application T-14258 is approved, the final order will include the following:

- 1. The additional point of appropriation proposed in Transfer Application T-14258 is approved.
- The right to the use of the water is restricted to beneficial use at the place of use described and is subject to all other conditions and limitations contained in Certificate 95194 and any related decree.
- 3. Approval of this transfer application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new point of appropriation.
- 4. Water right Certificate 95194 is cancelled. A new certificate will be issued describing the portion of the right not affected by this transfer.
- 5. The quantity of water diverted at the new additional point of appropriation (Well 3), together with that diverted at the original point of appropriation (Well 2), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 2).
- Water shall be acquired from the same aquifer (water source) as the original point of appropriation.

7. Water Use Measurement Conditions:

- a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
- 8. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before October 1, 2025. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the change and full beneficial use of the water.
- After satisfactory proof of beneficial use is received, a new certificate confirming the right transferred will be issued.

Dated in Salem, Oregon on

FEB 1 2 2024

Lisa Jaramillo, Transfer and Conservation Section Manager, for

DOUGLAS E. WOODCOCK, ACTING DIRECTOR

Oregon Water Resources Department

This Preliminary Determination was prepared by Kim French. If you have questions about the information in this document, you may reach me at 503-979-9607 or Kim.R.French@water.oregon.gov.

Protests

Under the provisions of ORS 540.520(6) & (7) and OAR 690-380-4030, within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later, any person may file, jointly or severally, a protest expressing opposition of approval of the transfer application and disagreement with this Preliminary Determination or a standing statement in support of this Preliminary Determination. If this Preliminary Determination determines that a change in point of diversion or appropriation would result in injury, the applicant may file a notification of intent to pursue approval of the transfer under OAR 690-380-5030 to 690-380-5050. Protests and standing statements must be received by the Water Resources Department within 30 days after the last

date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later.

Protests must be in writing and received in hard copy form with the appropriate statutory protest filing fee; protests cannot be filed by electronic mail. [OAR 690-002-0025(3) and 690-380-0100(9)]. The protest must include the following:

- The person's name, address, and telephone number;
- All reasonably ascertainable issues and all reasonably available arguments supporting
 the person's position by the close of the protest period. Failure to raise a reasonably
 ascertainable issue in a protest or failure to provide sufficient specificity to afford the
 Department an opportunity to respond to the issue may preclude consideration of the
 issue during the hearing;
- If you are the applicant, a protest fee of \$480 required by ORS 536.050; and
- If you are not the applicant, a protest fee of \$950 required by ORS 536.050 and proof of service of the protest upon the applicant.

Requests for Standing

Under the provisions of OAR 690-380-4030(5), the Department shall provide to persons who have filed standing statements as defined under OAR 690-380-0100(11) notice of any differences between the Department's Preliminary Determination and the Final Order, notice of a hearing on the application under OAR 137-003-0535, and an opportunity to request limited party status or party status in the hearing.

Requests for standing must be received in the Water Resources Department no later than 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later. Requests for standing must be in writing, and must include the following:

- The requester's name, mailing address and telephone number;
- If the requester is representing a group, association or other organization, the name, address and telephone number of the represented group;
- A statement that the requester supports the preliminary determination as issued.

After the protest period has ended, the Director will either issue a Final Order or schedule a contested case hearing. The contested case hearing will be scheduled only if a protest has been filed under OAR 690-380-4030. In accordance with OAR 690-380-4200, notice and conduct of the hearing shall:

- Be under the applicable provisions of ORS 183.310 to 183.550, pertaining to contested
 cases, and the hearing shall be held in the area where the rights are located unless all
 parties stipulate otherwise; and
- If a protest has asserted that a water right to be transferred has been forfeited through non-use, include the notice and procedures described in OAR 690-017-0500 to 690-017-0900.

If after hearing the Department issues a proposed Final Order finding that a change in point of diversion or appropriation will result in injury, the applicant may file a notification of intent to pursue approval of the transfer under OAR 690-380-5030 to 690-380-5050 within 15 days of receipt of the proposed order. Notwithstanding 690-002-0175, if the applicant files a notification of intent to pursue approval of the transfer under 690-380-5030 to 690-380-5050, the deadline for filing exceptions to the proposed order shall be 30 days after the Department provides notice to the parties that the transfer does not meet the requirements of 690-380-5030 to 690-380-5050.

If you do not request a hearing within 30 days after the close of the protest period, or if you withdraw a request for a hearing, notify the Department or the administrative law judge that you will not appear, or fail to appear at a scheduled hearing, the Director may issue a final order by default. If the Director issues a Final Order by default, the Department designates the relevant portions of its files on this matter, including all materials that you have submitted relating to this matter, as the record for purpose of proving a *prima facie* case upon default.

You may be represented by an attorney at the hearing. Legal aid organizations may be able to assist a party with limited financial resources. Generally, partnerships, corporations, associations, governmental subdivisions, or public or private organizations are represented by an attorney. However, consistent with OAR 690-002-0020 and OAR 690-137-0555, an agency representative may represent partnerships, corporations, associations, governmental subdivisions or public, or private organizations if the Department determines that appearance of a person by an authorized representative will not hinder the orderly and timely development of the record in this case.

Notice Regarding Servicemembers: Active-duty servicemembers have a right to stay proceedings under the federal Servicemembers Civil Relief Act. 50 U.S.C. App. §§501-597b. For more information contact the Oregon State Bar at 800-452-8260, the Oregon Military Department at 971-355-4127, or the nearest United States Armed Forces Legal Assistance Office through http://legalassistance.law.af.mil.

If you have questions about how to file a protest or if you have previously filed a protest and you want to know the status, please contact Will Davidson at 503-507-2749.

If you have questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at 503-986-0900.

Address any correspondence to: Oregon Water Resources Department, Transfer and Conservation Section, 725 Summer Street NE, Suite A, Salem OR 97301-1266.

Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department 725 Summer St NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

Transfer Application: T-14258

Review Due Date: 07/06/2023

Appli	cant Name: WHISKEY HILL PLANTS LLC
Prop	osed Changes: POU POD POA USE OTHER
Revie	Date of Review: 06/07/2023
1.	Do you have <u>evidence</u> that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? Yes No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2.	Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? Yes No Generally characterize the frequency of any regulation or explain why regulation has not occurred:
3.	Have headgate notices been issued for the source that serves the transferred right(s)? Yes No Records not available.
4.	In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? Yes No If "Yes", explain:
5.	In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? Yes No If "Yes", describe how the rights would be affected and list the rights most affected:

6.	Check here if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most:
7.	For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses:
	✓ N/A For instream transfers that propose protection of a reach beyond the mouth of the source stream: ✓ N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? Yes No
9.	For POU changes: N/A Is it likely the original place of use would continue to receive water from the same source? Yes No If "Yes", explain:
10	. For POU or USE changes: N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste? Yes No If "Yes", explain:
111	 For POU changes that involve micro-irrigation:

Watermaster Review Form Transfer Application

(or portions thereof) as those lands involved in this transfer?
Yes No If "Yes", answer the following:
i. Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? Yes No If "Yes", explain:
ii. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? Yes No If "No", explain:
iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? Yes No If "No", explain:
iv. Do you have any other observations regarding the temporary transfer? Yes No If "Yes", describe:
v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? Yes No If "No", explain:
c. To the best of your knowledge, if this transfer is approved, does it appear that:
i. "Injury" will occur to other water rights that share the same source? Yes No If "Yes", explain:
ii. "Enlargement" of the water right being transferred will occur? Yes No If "Yes", explain:

Watermaster Review Form	Transfer Application
12. Are there other issues not identified through the above questions that should be condetermining whether the change "can be effected without injury to other rights"?	isidered in
Yes No If "Yes", explain:	
13. What alternatives may be available for addressing any issues identified above:	
14. Do conditions need to be included in the transfer order to avoid enlargement of the other rights? No Ves, as checked and provided below:	right or injury to
For POU changes that involve micro-irrigation, provide the monitoring and reponecessary to prevent injury/enlargement:	orting conditions
A Headgate should be required prior to diverting water.	
Measurement Devices for POD or POA: (if this condition is selected, also fill in t sections of Page 4)	he top
a. Before water use may begin under this order, the water user shall install a to or, with prior approval of the Director, another suitable measuring device, diversion/appropriation (new and existing) OR at each new point of diversion/appropriation that water rights issued to the Bureau of Reclamation of district (or similar entity) are not subject to this condition.	at each point of ppropriation
b. The water user shall maintain the meters or measuring devices in good work	king order.
c. The water user shall allow the Watermaster access to the meters or measuring however, where the meters or measuring devices are located within a private struward watermaster shall request access upon reasonable notice.	
Reservoir water use measurement: (if this condition is selected, also fill in the to of Page 4)	op sections
a. Before water use may begin under this order, the water user shall install stap or, with prior approval of the Director, other suitable measuring devices, that me range and stage between empty and full in each reservoir. Staff gages shall be Ur Geological Survey style.	asure the entire
b. Before water use may begin under this order, if the reservoir is located in characteristics and suitable measuring devices must be installed upstream and downstream of the readjustable outlet valve must be installed. The water user shall maintain such devorder. A written waiver may be obtained, if in the judgment of the Director, the other suitable measuring devices, or the adjustable outlet valve, will provide no provide the contraction.	eservoir, and, an vices in good working installation of weirs or
* The following alternative device(s) should be substituted for the bold, underlined a selected condition:	device in the above
Weir Submerged Orifice	
Parshall Flume Flow Restrictor	
Other:	
TACS Page 4 of 5	Last revised May 2019

Oregon Water Resources Department

Measurement Condition Information for the Applicant

(To be sent with the Draft Preliminary Determination or Final Order)

Transfer #: T- 14258

Oregon Water Resources Department

725 Summer Street NE, Suite A

Salem, OR 97301-1266

In order to avoid enlargement of the right or injury to other rights, a totalizing flow meter will
be required to be installed <u>prior to diversion of water</u> , as a condition of this transfer:
✓ at each point of diversion/appropriation (new and existing) OR
at each new point of diversion/appropriation.
For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:
Watermaster name: Greg Wacker
District: 16
Address: 725 Summer St NE Ste A
City/State/Zip: Salem, OR 97301
Phone: 971-719-6262
Email: gregory.j.wacker@water.oregon.gov
Note: If a device other than the one specified in the Preliminary Determination or Final Order is approve by the Watermaster, fill out and mail the form below to the Salem office.

Approval of an Alternate Measurement Device T-
(to be filled out after consultation with the applicant, or after a site visit)
On behalf of the Director, I authorize use of the following suitable alternate measurement device:
Watermaster signature District Date
If this form is used for approval of an alternative measurement device, it must be mailed to:

TACS Page 5 of 5 Last revised May 2019



Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904 www.oregon.gov/owrd

November 30, 2023

VIA E-MAIL

Applicant

WHISKEY HILL PLANTS LLC PO BOX 1201 CANBY, OR 97013

Reference: Water Right Transfer Application T-14258

Your water right transfer is in the first of three phases of processing. Enclosed is a draft of the Department's Preliminary Determination regarding Transfer Application T-14258. The document reflects the Department's conclusion that, based on the information currently available, the transfer will be approved. Your response and submittal of the items outlined below are required by December 30, 2023.

Required items needing your immediate attention:

- Please carefully review the Draft Preliminary Determination to verify that it accurately reflects
 the changes you intend to make and to become familiar with the proposed conditions.
- Respond in writing by December 30, 2023, with acknowledgement that you agree to the proposed action and conditions.
- 3. If you find any errors, please let me know.
- 4. REQUIRED: You must submit a Report of Ownership for the lands where the water right is currently located (i.e., the FROM lands). This report:
 - a) Must be prepared by a title company;
 - Shall include a "prepared by" statement and the date the title company prepared the report printed on the cover sheet;
 - c) Must:
 - Be prepared no earlier than 3 months prior to the date of issuance of the Draft Preliminary Determination showing current ownership; OR
 - ii. Be prepared within 3 months of the date the water right conveyance agreement was recorded; OR
 - Show ownership for the FROM land at the time a water right conveyance agreement was recorded.

If water right conveyance agreements are involved, it is helpful to provide copies of those agreements along with the Report of Ownership.

IMPORTANT: In order for the Department to clearly understand the date that the title company prepared the Report of Ownership, the title company must indicate/state the date that they prepared the report on the coversheet and/or first page of the report.

- d) Must include a list of owners at the time the report was generated; AND
- e) Must include a legal description of the property where the water right to be transferred is currently located (i.e., the FROM lands).
- 5. You must provide a notarized statement of consent signed by any landowner listed in the Report of Ownership who is <u>not</u> already included in the transfer application. The Department's statement of consent form (Consent By Deeded Landowner) is available at: https://www.oregon.gov/OWRD/WRDFormsPDF/consent to transfer form.pdf

Conditions of your water right...

The Watermaster has required a water measurement device at both the new and existing points of appropriation prior to appropriation of water. Enclosed is a contact information sheet to assist you in pursuing additional information or approval of the required (or alternate) device.

Please note the proposed date by which all conditions must be met: October 1, 2025. If the required completion date is insufficient to comply with any of the conditions, you may request more time, at no cost to you, during this stage of processing. Please let me know by the comment deadline if you will need more time and explain the reasons why.

What happens next...

Once the preliminary determination is issued a publication period is required. The Department will publish a notice in their weekly publication, which opens a 30-day period in which the transfer can be protested.

Issuance of the Preliminary Determination will occur shortly after we receive:

- Your written response to the conditions and proposed action in the Draft Preliminary Determination (e-mail is acceptable); and
- 2. The Report of Ownership, including affidavits of consent from any landowners shown in the ownership report who have not signed the transfer application. The title company must indicate/state the date that they prepared the ownership report on the coversheet and/or first page of the report.

If we do not receive the items listed above by December 30, 2023, a Preliminary Determination may be issued denying the application as incomplete.

Please don't hesitate to contact me at 503-979-9607 or Kim.R.French@water.oregon.gov, if I may be of assistance.

Sincerely,

Kim French

Transfer Specialist

Transfer and Conservation Section


cc: Transfer Application file T-14258

Gregory J. Wacker, District 16 Watermaster (via e-mail)
Doann Hamilton, Agent for the applicant (via e-mail)

encs

Groundwater Transfer Review Summary Form

Transfer/PA # T- <u>14258</u>
GW Reviewer Dennis Orlowski Date Review Completed: 9/27/2023
Summary of Same Source Review:
☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).
Summary of Injury Review:
☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as pe 690-380-0100(3).
Summary of GW-SW Transfer Similarity Review:
☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.
This is only a summary. Documentation is attached and should be read thoroughly to understand the



STATE OF OREGON

WATER RESOURCES DEPARTMENT

RECEIPT # 140984 725 Summer St. N.E. Ste. A SALEM, OR 97301-4172

INVOICE #

		(503) 986-0900	7 (503) 986-0904 (IdX)		
RECEIVED FRO	M: Whiske	y HILL !	JUNY LCC	APPLICATION	
BY:		1		PERMIT	
01011	15011	THE HOLLTING	10	TRANSFER	T-14258
CASH: C		OTHER: (IDENTIF	1)	TOTAL REC'D	\$ 1 6 30 59
	X 1765			TOTALTILOD	0-,030. /
1083			MISC CASH AC	CT	
0407	COPIES 47/2	-4 R11	-441-23		\$
2412	OTHER:	IDENTIFY) To	inster Reinb	wans	\$ 2,630,57
	ease 0244		Aut	Cons. Water	
			O OPERATING AC		
	MISCELLANEOUS				
0407	COPY & TAPE FEE				\$
0410	RESEARCH FEES				S
0408	MISC REVENUE:				S
TC162	DEPOSIT LIAB. (\$
0240	EXTENSION OF T				\$
11-11	WATER RIGHTS:		EXAM FEE	7	RECORD FEE
0201	SURFACE WATER		S	0202	S
0203	GROUND WATER		s	0204	\$
0205	TRANSFER		S	1000250	
	WELL CONSTRUC	CTION	EXAM FEE		LICENSE FEE
0218	WELL DRILL CON		S	0219	S
	LANDOWNER'S P	ERMIT		0220	\$
	OTHER	(IDENTIFY)			
	OTHER	(IDEIVITE)			
0536	TREASURY	0437 WEL	L CONST. STAR	TFEE	
0211	WELL CONST STA	ART FEE	\$	CARD#	
0210	MONITORING WE	LLS	\$	CARD#	
	OTHER	(IDENTIFY)			
0607	TREASURY			LIC NUMBER	
0233	POWER LICENSE				S
0231	HYDRO LICENSE	A STATE OF THE PARTY OF THE PAR			S
					s
	HYDRO APPLICAT				×
	TREASURY	OTH	IER / RDX		
FUND		TITLE			
OBJ. COD		VENDOR #			
DESCRIP					\$
DESCRIP	110/4				

RECEIPT:

140984 DATED 23/2027 BY 154 1

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

REIMBURSEMENT AUTHORITY APPLICANT'S AGREEMENT Contract Number: R11-447-23

JUN 2 3 2023

Received by OWRD

Salem, OR

This Agreement is between the Oregon Water Resources Department, hereafter OWRD, and Whiskey Hill Plants LLC, hereafter Applicant, hereafter known together as the parties.

OWRD Information		Applicant's Information		Applicant's Representative	
Contact:	Kelly Starnes	Name:	Whiskey Hill Plants LLC	Name:	Pacific Hydro-Geology, Inc.
Title:	Transfer Advisor	Contact:	Paul Miles	Contact:	Doann Hamilton
Address:	725 Summer Street, NE, Suite A	Address:	PO Box 1201	Address:	18487 S. Valley Vista Road
	Salem, OR 97301-1266		Canby, OR 97013		Mulino, OR 97042
Phone:	503 979-3511	Phone:	(503) 312-2959	Phone:	(503) 349-6946
Fax:	503 986-0901	Fax:		Fax:	(503) 632-5983
Email:	patrick.k.starnes@water.oregon.gov	Email:	whiskeyhillplants@gmail.com	Email:	phgdmh@gmail.com

Purpose The purpose of this Agreement is to expedite the processing of the Transfer Application. (Application Number: T-14258)

- Authority. The OWRD has been authorized pursuant to ORS 536.055 to enter into a voluntary agreement with any
 applicant, permittee or regulated entity (collectively Applicant) for expediting or enhancing a regulatory process. In
 making this agreement, OWRD shall require the applicant to pay the full cost of expedited process.
- Restrictions. Applicant and OWRD agree that this Agreement shall not be construed to restrict in any way the decisions
 and actions by OWRD. OWRD shall be free to exercise independent judgment consistent with existing laws and
 regulations.
- Effective Date and Duration. Unless otherwise terminated by non-deposit of funds by the Applicant, this Agreement shall become effective on the date on which both parties have signed the Agreement and the full deposit of the estimated cost of the proposed service.

4. Consideration.

- a. Applicant shall pay OWRD in advance for actual costs incurred by OWRD. The estimated maximum reimbursement payable to OWRD under this Agreement is \$2,630.59. Applicant agrees to pay the full amount of \$2,630.59 to OWRD prior to commencement of any work stated in this Agreement. This payment will be placed in an account administered by OWRD and drawn upon as costs are actually incurred. If the actual cost of performing the work is less than payments received, OWRD will refund the unspent balance. If the actual cost of processing exceeds the estimate, the Applicant can either elect to terminate this Agreement or amend the Agreement to reflect the increase in cost.
- b. The costs stated in this Agreement do not include the statutory application processing and filing fees.
- Confidentiality. Applicant agrees that any information provided to or acquired by OWRD under this Agreement will be subject to the Oregon Public Records Law and shall be considered public records.
- 6. Indemnity. Applicant shall defend, save, hold harmless, and indemnify the State of Oregon, OWRD, and their officers, employees, and agents from and against all claims, suits, actions, losses, damages, liabilities, costs, and expenses of any nature resulting from or arising out of, or relating to the activities of Applicant or its representatives, officers, employees, contractors, or agents under this Agreement or with respect to the expedited service. The Applicant acknowledges that the Oregon Water Resources Department cannot and does not guarantee a favorable review under the subject regulatory process.

- 7. Termination. Applicant may request to terminate this agreement only in writing at anytime during the process. The Applicant agrees to pay for the work done by OWRD up until the time of the written termination request. OWRD, upon receiving such written termination request from the Applicant, will refund any unspent balance.
- 8. Funds Authorized and Available. By its execution of this Agreement, Applicants certify that sufficient funds are authorized and available to cover the expenditures contemplated by this Agreement.
- 9. Duration of Estimate. The Estimate of Time to completion is approximately 120 days once this Agreement has been fully executed and payment of the estimated cost deposited. If the Applicant's Agreement is not received by the Department within thirty (30) days of mailing the Agreement, the Applicant may need to re-apply for a new estimate. NOTE: Any time estimate is approximate; No guarantee of Final Order issuance of a date is certain. Duration estimates do not include any statutory waiting periods.
- 10. Completion Date. OWRD, by the execution of this Agreement does not guarantee the completion date indicated in this Agreement. Completion date is only an estimate and may be affected by the Department's workload, issues arising from the processing of the requested services and Applicant's timely response to requests for additional information.
- 11. Captions. The captions or headings in this Agreement are for the convenience only and in no way define, limit, or describe the scope, or intent, of any provision of this Agreement.
- 12. Amendment and Merger. The terms of this Agreement shall not be waived, altered, modified, supplemented, or amended in any manner whatsoever, except by written instrument signed by both parties. Such waiver, consent, modification or change, if made, shall be effective only in the specific instance and for the specific purpose given. There are no understandings, agreements or representations, oral or written, not specified herein regarding this Agreement.

13. Signatures. All parties, by the authorized representative's signature below, hereby acknowledge that they have read this Agreement, understand it and agree to be bound by its terms and conditions.

For Applicant:

For OWRD:

CHI WALL

Le-28 2023

Mail signed Agreement to:

Stacy Phillips
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

Received by OWRD

JUN 2 3 2023

Salem, OR

STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIPT:

RECEIPT# 140780

725 Summer St. N.E. Ste. A SALEM, OR 97301-4172

INVOICE #

	1.0	(503) 986-090	0 / (503) 986-0904 (fax)		
RECEIVED FRO	M. Whisker	1 HIII P	1001511C	APPLICATION	
BY:				PERMIT	
				TRANSFER	T-14258
CASH: C	HECK:#	THER: (IDENTI	FY)		
	X 1763			TOTAL REC'D	\$ 125.00
1,000	TDEACHDY	4470 MI	D MICC CACH AC	CT	
1083	11-7		ID MISC CASH AC	and the last to th	6
The state of the s	COPIES 4 //	The same of the sa	A 13"	1.23	\$ 175.00
1412	OTHER: (IDENTIFY) //4	inster Kumby	11151ment	\$ 125.00
0243 I/S L	ease 0244	Muni Water Mgr	nt. Plan 024	Cons. Water	
		4270 WF	D OPERATING A	CCT	
	MISCELLANEOUS				
0407	COPY & TAPE FEI	ES			\$
0410	RESEARCH FEES				S
0408	MISC REVENUE:				S
TC162	DEPOSIT LIAB. (March aug 27			S
0240	EXTENSION OF T				S
	WATER RIGHTS:		EXAM FEE		RECORD FEE
0201	SURFACE WATER		s	0202	\$
0203	GROUND WATER		S	0204	S
0205	TRANSFER		\$		
	WELL CONSTRUC	CTION	EXAM FEE		LICENSE FEE
0218	WELL DRILL CON	STRUCTOR	\$	0219	\$
	LANDOWNER'S P	ERMIT		0220	\$
	OTHER	(IDENTIEY)			
	Official	(1021111117)			
0536	TREASURY	0437 WE	LL CONST. STAR	TFEE	
0211	WELL CONST STA	ART FEE	\$	CARD#	
0210	MONITORING WE	LLS	\$	CARD#	
	OTHER	(IDENTIFY)			
0007			DDO ACTIVITY	LICAUMOCO.	
			DRO ACTIVITY	LIC NUMBER	le
0233	POWER LICENSE				\$
0231	HYDRO LICENSE	FEE (FW/WRD)	_		
	HYDRO APPLICA	TION			\$
	TREASURY	OT	HER / RDX		
ELINID		_ TITLE			
FUND					
OBJ. COD		_ VENDOR # _			\$
DESCRIP	TION			10	
				11	

140780 Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal



OREGON WATER RESOURCES DEPARTMENT

TRANSFER REIMBURSEMENT AUTHORITY ESTIMATE APPLICATION



ORS 536.055 authorizes the Oregon Water Resources Department to expedite or enhance regulatory processes voluntarily requested under the agreement.

Please contact Transfer Personnel before submitting this request; as the application fee is a non-refundable \$125.00 fee per request. Checks submitted for this application should be separate From Transfer fees.

The purpose of this application is to obtain estimates of the cost and time required to process a Transfer Application Request. There is a non-refundable application fee of \$125.00 per request.

REQUEST	TYPE	FILE NUMBER
	Transfer	
×	Application	Transfer Number T-14258 MA

	Applicant Information	Applicant's Representative/Contact
Name:	Whiskey Hill Plants LLC c/o Paul Miles	Pacific Hydro-Geology, Inc. c/o Doann Hamilton
Address:	PO Box 1201	18487 S. Valley Vista Road
	Canby, OR 97013	Mulino, OR 97042
Phone:	503-312-2959	(503) 349-6946 cell
Fax:		(503) 632-5983
E-Mail Address:	whiskeyhillplants@gmail.com	phgdmh@gmail.com

I understand the following:

- That upon receipt of my non-refundable application fee of \$ 125.00, OWRD will, within fourteen (14) days, notify me in writing of the estimate of costs and time frame for the expedited service.
- That this fee covers the reimbursement authority staff to evaluate and provide the estimate for processing of the request.
- That OWRD will, within fourteen (14) days, notify me in writing of the estimates of costs and time frame for the
 expedited service.
- That upon receiving the estimate I may agree or decline to enter into a formal contract to pay the estimated
 cost in advance to initiate the expedited service.
- An incomplete or inaccurate application may delay the process and increase the cost to process my request.
- Expedited processing does not guarantee a favorable review of my request.
- Send completed Application and payment to:

Oregon Water Resources Department Transfer Reimbursement Authority Program 725 Summer St. NE, Suite A Salem, OR 97301-1271

RECEIVED MAY 2 4 2023

OWRD

certif	y t	that I	am '	the (check	one)	

Applicant Applicant's Representative Other (Please specify)

Name:

Signature

OWRD USE ONLY: Reimbursement Authority Number: R11-447 -23



Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904

June 6, 2023

WHISKEY HILL PLANTS LLC PO BOX 1201 CANBY, OR 97013

Reference: Application T-14258

On June 6, 2023, the Department received your water right Permanent Transfer Application. The application was accompanied by \$1840.00. Receipt number 140786 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to groundwater staff to determine whether the proposed well accesses the same source of water as the original well.

This application <u>may</u> require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

Except as provided under ORS 540.510(3) for municipalities, you may not use water from the new point of appropriation until a final order approving the transfer application has been issued by the Department. In order to avoid any possible forfeiture of the water right, you should continue to use the water as described by your existing water right.

If the land is sold before the application is approved, the buyer's consent to the application will be required unless a recorded deed or other legal document clearly established that the water right was not conveyed in the sale.

Refer to the following page for a chart showing the steps and expected timelines for the processing of your application.

If you have any questions, please contact the Transfer Section at (503) 986-0935.

Cc: Watermaster Dist. #16, Gregory J. Wacker (via email)

Doann Hamilton, Agent

Clackamas County

Enclosure

Regular Transfer Process (including "Proving Up" on the changes)

OAR 690 Division 380

Application Received (required information included)

Injury Review forms sent to Watermaster, and Groundwater staff and ODFW, as appropriate.

Notice of Application in WRD Weekly Notice (30-day Comment Period)

Review of the status of the right and the potential for enlargement or injury to other rights.

Draft Preliminary Determination

(WRD assessment of whether application should be approved or denied, considering injury review and any comments received) sent to applicant, with request for a report of ownership for the lands where the transfer right is.

Applicant Review of

Draft Preliminary Determination


(Opportunity for applicant to submit a report of land ownership and modify or withdraw proposed transfer—at least 30 days

Preliminary Determination Issued

Notice of Preliminary Determination

in WRD Weekly Notice and, if statutorily required, in newspaper once a week for 2 or 3 consecutive weeks.

Protest Period ends 30 days after WRD notice, or 30 days after last date of newspaper publication, whichever is later.



Period for developing authorized changes begins as soon as an order is issued approving the changes. If the certificate has been cancelled the right goes into an inchoate state.

Deadline for completion of the changes.

The applicant must make full beneficial use under terms and conditions of the order by the deadline, request an extension of time, or inform the Department that the change is not intended to be completed.

If the applicant decides not to complete a change in POD/POA, the Department will issue an order reverting the right to the original POD/POA and issue a new certificate. However, if any other type of change is not completed, the transferred portion of the right is forfeited.

An order may be issued, granting an extension of time for completing the changes.

Applicant submits a Claim of Beneficial Use prepared by a CWRE within one year after the completion deadline or the date of complete beneficial use. There is no provision for extending the deadline for submission of the Claim.

Water Right Services Division reviews the Claim, determines whether proof has been made and if so, issues a new certificate. Right is no longer inchoate, but perfected and subject to being transferred.

STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIPT#

140786 725 Summer St. N.E. Ste. A SALEM, OR 97301-4172 (503) 986-0900 / (503) 986-0904 (fax)

INVOICE # _

RECEIVED FRO	1/11/2/2 1/11/2	1/11/5 21/	APPLICATION	
BY:	m. Herring in	I WILL THE	PERMIT	
31.	-/		TRANSFER	T-14258
CASH: C	HECK:# OTHER: (IDENTIF	FY)	MANOREN	V
	X1762		TOTAL REC'D	\$ 1,840.00
1 2000				
1083	TREASURY 4170 WR	D MISC CASH AC	CT	
0407	COPIES			\$
-	OTHER: (IDENTIFY)			\$
0243 I/S L	ease 0244 Muni Water Mgn	nt. Plan 0245	Cons. Water	
	4270 WR	D OPERATING AC	CCT	
	MISCELLANEOUS	46110		
0407	COPY & TAPE FEES	10000		\$
0410	RESEARCH FEES		*	\$
0408	MISC REVENUE: (IDENTIFY)			\$
TC162	DEPOSIT LIAB. (IDENTIFY)			\$
0240	EXTENSION OF TIME			\$
	WATER RIGHTS:	EXAM FEE		RECORD FEE
0201	SURFACE WATER	\$	0202	S
0203	GROUND WATER	\$	0204	\$
0205	TRANSFER	\$ 1,840.00		
	WELL CONSTRUCTION	EXAM FEE		LICENSE FEE
0218	WELL DRILL CONSTRUCTOR	\$	0219	S
	LANDOWNER'S PERMIT		0220	S
	OTHER (IDENTIFY) _			
Internal				
0536	TREASURY 0437 WE	LL CONST. STAR	FEE	
0211	WELL CONST START FEE	S	CARD#	
0210	MONITORING WELLS	\$	CARD#	
	OTHER (IDENTIFY) _			
0607	TREASURY 0467 HYI	DRO ACTIVITY	LIC NUMBER	
0233	POWER LICENSE FEE (FW/WRD)			S
0231	HYDRO LICENSE FEE (FW/WRD)			\$
	HYDRO APPLICATION			\$
	TREASURY OTH	HED / DDY		
-		ILIT/ HDA		
FUND	TITLE			
OBJ. COD	E VENDOR #			[0
DESCRIP	TION			\$
			113	

RECEIPT: 140786 DATED 7/44/2123 BY:

Application for Permanent Water Right Transfer



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

Part 1 of 5 - Minimum Requirements Checklist

This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

		For questions, please can (505) 960-0900, and ask for transfer Section.	DECTA
hec	k all ite	ms included with this application. (N/A = Not Applicable)	RECEIVE
\boxtimes		Part 1 – Completed Minimum Requirements Checklist.	MAY 24 202
		Part 2 – Completed Transfer Application Map Checklist.	OWRD
		Part 3 – Application Fee, payable by check to the Oregon Water Resources completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd fee calculator.	Department, and
		Part 4 – Completed Applicant Information and Signature.	
		Part 5 – Information about Water Rights to be Transferred: How many wat be transferred? 1 List them here: Certificate: 95194 Please include a separate Part 5 for each water right. (See instructions of NOTE: A separate transfer application is required for each water right criteria in OAR 690-380-3220 are met.	on page 6)
		Attachments:	
		Completed Transfer Application Map.	
\boxtimes		Completed Evidence of Use Affidavit and supporting documentation.	
	N/4	Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the right is on.)	e land the water
	N/4	Supplemental Form D – For water rights served by or issued in the name of district. Complete when the transfer applicant is not the irrigation district.	an irrigation
	□ N/A	Oregon Water Resources Department's Land Use Information Form with apsignature (or signed land use form receipt stub) from each local land use au water is to be diverted, conveyed, and/or used. Not required if water is to be conveyed, and/or used only on federal lands or if all of the following apply: place of use only, b) no structural changes, c) the use of water is for irrigation the use is located within an irrigation district or an exclusive farm use zone.	thority in which be diverted, a) a change in on only, and d)
	_ N/A	Water Well Report/Well Log for changes in point(s) of appropriation (well(s point(s) of appropriation.	i)) or additional
	⊠ N/A	Geologist Report for a change from a surface water point of diversion to a goint of appropriation (well), if the proposed well is more than 500' from the source and more than 1000' upstream or downstream from the point of diversion of the following surface and applicability.	ne surface water
		(For Staff Use Only)	
		WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S): Application fee not enclosed/insufficient Map not included or incomplete Evidence of Use Form not enclosed or incomplete Additional signature(s) required Part is incomplete Other/Explanation	ncomplete
		Staff: Date:	

Part 2 of 5 - Transfer Application Map

Your transfer application will be returned if any of the map requirements listed below are not met.

	he existing water right map. Check all boxes that apply.
⊠ □ N/A	Certified Water Right Examiner (CWRE) Stamp and Original Signature. For a list of CWREs, see http://apps.wrd.state.or.us/apps/wr/cwre-license-view/ . CWRE stamp and signature are not required for substitutions.
□ ⊠ N/A	If more than three water rights are involved, separate maps are needed for each water right
\boxtimes	Permanent quality printed with dark ink on good quality paper.
	The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
	A north arrow, a legend, and scale.
	The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
	Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
\boxtimes	Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
	Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
	Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
	Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
□ ⊠ N/A	Proposed place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
	Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.
⊠ □ N/A	If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32′15.5″) or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

	FEE WORKSHEET for PERMANENT TRANSFER (except Substitution)	_	
1	Base Fee (includes one type of change to one water right for up to 1 cfs)	1	\$1,360
2	Types of change proposed: Place of Use Character of Use Point of Diversion/Appropriation Number of above boxes checked = 1 (2a) Subtract 1 from the number in line 2a = 0 (2b) If only one change, this will be 0 Multiply line 2b by \$1090 and enter » » » » » » » » » » » » » » » » » » »	2	\$0
3	Number of water rights included in transfer 1 (3a) Subtract 1 from the number in 3a above: 0 (3b) If only one water right this will be 0 Multiply line 3b by \$610 and enter » » » » » » » » » » » » » » » » » » »	3	\$0
4	Do you propose to add or change a well, or change from a surface water POD to a well? No: enter 0 Yes: enter \$480 for the 1 st well to be added or changed \$480 (4a) Do you propose to add or change additional wells? No: enter 0 Yes: multiply the number of additional wells by \$410(4b) Add line 4a to line 4b and enter >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	4	\$480
5	Do you propose to change the place of use or character of use? No: enter 0 on line 5 Yes: enter the cfs for the portions of the rights to be transferred (see below*):	5	\$0
6	Add entries on lines 1 through 5 above » » » » » » » » » Subtotal:	-	\$1,840
	Is this transfer: necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 »	7	
7	If no box is applicable, enter 0 on line 7 » » » » » » » » » » » » » » » » » »	10.0	\$0 \$1,840
8	Subtractifie / Holli file 0 " " " " " " " " " " " " " " " " " "	0	21,040

*Example for Line 5a calculation to transfer 45.0 acres of Primary Certificate 12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Certificate 87654 (1/80 cfs per acre) on the same land:

1. For irrigation calculate cfs for each water right involved as follows:

a. Divide total authorized cfs by total acres in the water right (for C12345, 1.25 cfs ÷100 ac); then multiply by the number of acres to be transferred to get the transfer cfs (x 45 ac= 0.56 cfs).

b. If the water right certificate does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For C87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs)

Add cfs for the portions of water rights on all the land included in the transfer; however do not count cfs for supplemental
rights on acreage for which you have already calculated the cfs fee for the primary right on the same land. The fee should
be assessed only once for each "on the ground" acre included in the transfer. (In this example, blank 5a would be only 0.56
cfs, since both rights serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0).

	FEE WORKSHEET for SUBSTITUTION		
1	Base Fee (includes change to one well)	1	\$990.00
2	Number of wells included in substitution (2a) Subtract 1 from the number in 2a above: (2b) If only one well this will be 0 Multiply line 2b by \$480 and enter » » » » » » » » » » » » » »	2	NA
3	Add entries on lines 1 through 2 above » » » » Fee for Substitution:	3	NA

MAY 24 2023

Applicant Information				OWRD
APPLICANT/BUSINESS NAME Whiskey Hill Plants LLC			PHONE NO. 503-312-2959	ADDITIONAL CONTACT NO.
ADDRESS PO Box 1201				FAX NO.
Canby	STATE	7013	E-MAIL	
BY PROVIDING AN E-MAIL ADDR	THE RESERVE OF THE PARTY OF THE			E FROM THE DEPARTMENT
IIE A				natters relating to this application
AGENT/BUSINESS NAME Doann Hamilton / Pacific Hydi	ro-Geology,	Inc.	PHONE NO. (503) 632-5016	ADDITIONAL CONTACT NO. (503) 349-6946 (cell)
ADDRESS 18487 S. Valley Vista Road				FAX NO. (503) 632-5983
CITY Mulino	STATE OR	2IP 97042	E-MAIL phgdmh@gmail.co	om
BY PROVIDING AN E-MAIL ADDI				E FROM THE DEPARTMENT
be able to maintain our ful	C 56004) h	as been losing ate.	production. We wish to	install an additional well to
If you need additional space, o	ontinue on		of paper and attach to the k One Box	e application as "Attachment 1".
municipality or a predeces I affirm the applicant is an	nunicipality ssor; OR entity with	as defined in OR	5 540.510(3)(b) and that to condemn property and is	he right is in the name of the acquiring by condemnation the supporting documentation.
By my signature below, I cor	firm that I	understand:		
for publication of a notice	in a newspa secutive we	per with genera eeks. If more tha	l circulation in the area was none qualifying newspa	submit payment to the Departm where the water right is located, oper is available, I suggest publish
	applicant w partment in	ill have a period the DPD, or to	of at least 30 days to an	nent's Draft Preliminary nend the application to address a n. Note that amendments may be
Failure to complete an app water right (OAR 690-380-		ge in place of us	e and/or change in chara	acter of use, will result in loss of
				(a), if the Director determines the ablic or necessary to correct an e
(we) affirm that the inform	ation conta	ined in this app	lication is true and accu	rate.
176 MM		Paul	Miles	5/8/23
Applicant Signature		Print Name a	and title if applicable	Date
Applicant Signature		Print Name a	and title if applicable	Date

Is the applicant the sole owner located? ✓ Yes No*	of the land on w	hich the wate	er right, or portion ther	eof, proposed for transfe	ris
*If NO, include signatures of all di attach affidavits of consent (and water right(s) were conveyed.					
Check the following boxes that a	apply:				
The applicant is respon sent to the applicant.	sible for comple	tion of chang	e(s). Notices and corres	pondence should continu	ie to be
The receiving landowner issued. Copies of notice				nange(s) after the final order.	der is
Both the receiving land and correspondence sh				ion of change(s). Copies o	f notices
At this time, are the lands in thi	s transfer applic	cation in the p	rocess of being sold?	Yes No	
If YES, and you know who t below. If you do not know wat a later date.					
If a property sells, the certif	ficated water ric	tht/s) located	on the land belong to the	ha naw owner	RECEIVE
unless a sale agreement or https://www.oregon.gov/o	other documen	t states other	wise. For more informa	tion see:	MAY 2 4 20
RECEIVING LANDOWNER NAME NA			PHONE NO.	ADDITIONAL CONTACT NO.	OWRD
ADDRESS				FAX NO.	
СПУ	STATE ZIP		E-MAIL		
Describe any special ownership	circumstances:				
The confirming Certificate shall	be issued in the	name of:	Applicant Receivi	ng Landowner	
Check here if any of the an irrigation or other water					erved by
IRRIGATION DISTRICT NAME		ADDRESS			
CITY		STATE		ZIP	
Check here if water for a contract for stored water		The state of the s		e agreement or other	
ENTITY NAME NA		ADDRESS			
СІТУ		STATE		ZIP	
To meet State Land Use Corcorporation, or tribal govern					or used.
Clackamas Co. Department of Tr Development, Planning Division	ansportation an	d ADDRESS	avercreek Road		
CITY Oregon City		STATE Oregon	n	ZIP 97045	

Part 5 of 5 - Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 95194

Description of Wa	ter Deliver	System
-------------------	-------------	--------

System capacity: 0.51 cubic feet per second (cfs) OR
_____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Water is pumped from Well 2 using a 25 Hp submersible pump to convey water through 4-inch buried PVC mainline with hydrants to supply overhead impact sprinklers, portable hand lines with impact sprinklers, or laterals with emitters for individual containers.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	Twp		Rng		Sec	% %		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)	
Well 2	Authorized Proposed	CLAC 56004	5	s	1	w	1	NE	sw	TL 2201	1,990 feet north and 1,685 feet east from the SW corner, Section 1	
Well 3	☐ Authorized ☐ Proposed	NA	5	s	1	w	1	NE	sw	TL 2201	1,990 feet north and 1,745 feet east from the SW corner, Section 1	

neck a	II type(s) of change(s) proposed below (ch	ange	"CODES" are provided in parentheses):
	Place of Use (POU)		Supplemental Use to Primary Use (S to P)
	Character of Use (USE)		Point of Appropriation/Well (POA)
	Point of Diversion (POD)		Additional Point of Appropriation (APOA)
	Additional Point of Diversion (APOD)		Substitution (SUB)
	Surface Water POD to Ground Water POA (SW/GW)		Government Action POD (GOV)
ill all d	of the proposed changes affect the entire	water	right?
] Yes	Complete only the Proposed ("to" or "on" "CODES" listed above to describe the pro		s) section of Table 2 on the next page. Use the changes.
No	Complete all of Table 2 to describe the po	ortion	of the water right to be changed.

14258-

RECEIVED MAY 2 4 2023

CH

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions. Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 95194

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

	AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.									Proposed Changes (see	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.																
Tv	vp	Rn	g	Sec	1/4	<i>y</i> ₄	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	listed on	POD(s) or POA(s) (name or number from Table 1)	Priority Date	"CODES" from previous page)	Twp		R	ng	Sec	34	1/4	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	
5	s	1	w	1	NE	sw	2201	NA	15.8	Nursery	Well 2	5-15- 2000	АРОА	5	s	1	w	1	NE	sw	2201	NA	15.8	Nursery	Wells 2 & 3	5-15-2000	
5	s	1	w	1	NW	sw	2201	NA	12.2	Nursery	Well 2	5-15- 2000	APOA	5	s	1	w	1	NW	sw	2201	NA	12.2	Nursery	Wells 2 & 3	5-15-2000	
						TO	TAL ACI	RES:	28.0											ТО	TAL AC	RES:	28.0				

Additional remarks: None.

MAY 2 4 2023

OWRD

For Place of Use or Character of Use Changes - NA

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? \(\subseteq \text{Yes} \subseteq \text{No} \)

If YES, list the certificate, water use permit, or ground water registration numbers: _____.

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # NA; Surface water primary Certificate # NA.

For a change from Supplemental Irrigation Use to Primary Irrigation Use

Identify the primary certificate to be cancelled. Certificate # NA

RECEIVED

OWRD

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:

http://apps.wrd.state.or.us/apps/gw/well-log/Default.aspx

AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For proposed wells not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right				
Well 2	Yes	CLAC 56004		See Well Log CLAC 56004										
Well 3	No	NA	350	8 inch	0 to 350	0 to 50	TBD	NA	Alluvial	rate of water right				

Application for Water Right

Transfer

Evidence of Use Affidavit



OREGON Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.wrd.state.or.us

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing. Supporting documentation must be attached.

State o	f Oregon)						
County	of CLACKAMAS)			,	SS					RECEIVED
I, PAUL	MILES, in my ca	pacity a	s OWNE	R/OPE	RATOR	OF WHI	SKEY HILL F	PLANTS LLC,		MAY 2 4 2023
mailing	address PO Bo	ox 1201	CANBY,	OR 97	013					OWRD
teleph	one number (<u>5</u>	03-312-	<u>2959</u>), l	peing	first d	uly swo	rn depos	e and say:		
	My knowledg				tatus	of the w		t is based or	301	
2.	☐ Wate	ficate #	انــــ	OR					place of use for	or hin the last five years:
	Certificate #	Town	ship	Ran	ge	Mer	Sec	% %	Gov't Lot or DLC	Acres (if applicable)
					IE:					
OR										
	Confirming Co	ertificat	e # <u>951</u> 9	94 has	beer	issued	within th	e past five y	ears; OR	
	instream leas	e numb	er is:	(1	Note:	If the er	ntire righ	t proposed f		years. The eased instream.); OR
	The water rig would be reb							tation that a	presumption	of forfeiture for non-use
	Water has be 10 years for C								opriation for n	nore than
					(co	ntinues	on rever	se side)		

TACS

- 3. The water right was used for: (e.g., crops, pasture, etc.): NURSERY STOCK
- 4. I understand that if I do not attach one or more of the documents shown in the table below to support the above statements, my application will be considered incomplete.

Mi	
111	
Signature of Affiant	

Signed and sworn to (or affirmed) before me this 3td day of MdV 2023.

OFFICIAL STAMP RILEY CATHERINE **GELLINGER HOWARD** NOTARY PUBLIC - OREGON COMMISSION NO. 1006273 COMMISSION EXPIRES NOVEMBER 18, 2024

Notary Public for Oregon

My Commission Expires: 11/18/2024

Supporting Documents	Examples
Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of confirming water right certificate that shows issue date
Copies of receipts from sales of irrigated crops or for expenditures related to use of water	 Power usage records for pumps associated with irrigation use Fertilizer or seed bills related to irrigated crops Farmers Co-op sales receipt
Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	District assessment records for water delivered Crop reports submitted under a federal loan agreement Beneficial use reports from district IRS Farm Usage Deduction Report Agricultural Stabilization Plan CREP Report
Aerial photos containing sufficient detail to establish location and date of photograph	Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added. Sources for aerial photos: OSU –www.oregonexplorer.info/imagery OWRD – www.wrd.state.or.us Google Earth – earth.google.com TerraServer – www.terraserver.com
Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number

14258 -

RECEIVED MAY 24 2023

STATE OF OREGON

COUNTY OF CLACKAMAS

CERTIFICATE OF WATER RIGHT

RECEIVED MAY 24 2023

OWRD

THIS CERTIFICATE ISSUED TO

WHISKEY HILL PLANTS LLC PO BOX 1201 CANBY OR 97013

confirms the right to the use of water perfected under the terms of Permit G-14997. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-15149

SOURCE OF WATER: A WELL IN PUDDING RIVER BASIN

PURPOSE or USE: NURSERY USE ON 29.0 ACRES

MAXIMUM RATE: 0.51 CUBIC FOOT PER SECOND

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: MAY 15, 2000

The well is located as follows:

Twp Rng N		Mer	Sec	Q-Q	Measured Distances
5 S	1 W	WM	1	NE SW	1990 FEET NORTH AND 1685 FEET EAST FROM SW CORNER, SECTION 1

The amount of water used for NURSERY OPERATIONS is limited to a diversion of 0.15 cubic foot per second per acre. For the irrigation of containerized nursery plants, the amount of water diverted is limited to ONE-FORTIETH of one cubic foot per second (or its equivalent) and 5.0 acre feet per acre per year. For the irrigation of in ground nursery plants the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre per year. The use of water for NURSERY OPERATIONS may be made at any time, during the period of allowed use specified above, that the use is beneficial. For the irrigation of any other crop, the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre during the irrigation season of each year.

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484 and ORS 536.075. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 183.484, ORS 536.075 and OAR 137-004-0080, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate within three months after issuance of the certificate.

Application G-15149.jls

Page 1 of 2

Certificate 95194

A description of the place of use is as follows:

Twp	Rng	Mer	Sec	Q-Q	Acres
5 S	1 W	WM	1	NESW	16.8
5 S	1 W	WM	1	NWSW	12.2

Measurement, recording and reporting conditions:

- A. The water user shall maintain the meter or other suitable measuring device as approved by the Director in good working order.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the water user to keep and maintain a record of the amount (volume) of water used and may require the water user to report water use on a periodic schedule as established by the Director. In addition, the Director may require the water user to report general water use information, the periods of water use and the place and nature of use of water under the right. The Director may provide an opportunity for the water user to submit alternative reporting procedures for review and approval.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this right, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine the water level elevation in the well at all times.

The Director may require water level or pump test results every ten years.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

Issued

Dwight French

Water Right Services Division Administrator, for

Thomas M. Byler, Director

Oregon Water Resources Department

RECEIVED

MAY 2 4 2023

OWRD

Land Use Information Form



Water to be:

OREGON Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

Proposed Land

Use:

Applicant(s): Paul Miles of Whiskey Hill Plants LLC

Section

1/4 1/4

Tax Lot #

Mailing Address: PO Box 1201

Range

City: Canby Zip Code: 97013 Daytime Phone: 503-312-2959 State: OR

A. Land and Location

Township

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

> Plan Designation (e.g., Rural Residential/RR-5)

<u>5S</u>	1W	1	2201	EFU	□ Diverted	○ Conveyed	⊠ Used	Nursery
		11-11-11			Diverted	☐ Conveyed	Used	
					Diverted	☐ Conveyed	Used	
					☐ Diverted	Conveyed	Used	
ist all cou	inties and	cities where	vater is proposed to be	diverted conveyed :	and/or used or	developed:		
			vater is proposed to be	diverted, conveyed,	and/or asca or	ucvelopeu.		
Clackar	nas Coun	ty						
. Descri	ption of P	roposed Us	e					
una of ar	nlication t	a ha filad wit	h the Water Resources	Danartment:				
	elization respectively				A 4			44 44 44
The second second		Store Water	Water Right Transfer			or Ground Wa	ter Registra	ation Modification
Limit	ed Water Us	se License	Allocation of Consen	ved Water	ange of Water			
ource of	water:	Reservoir/Pon	d Ground Water	Surface Water	(name)			
00.000								
stimated	quantity o	f water need	ed: <u>0.50</u> \boxtimes cub	ic feet per second [gallons per m	ninute	acre-feet	
ntended	use of wate	er: Irrigati	on Commercial	☐ Industrial	Dome Dome	estic for	househo	old(s)
		Munic	ipal Quasi-Munic	ipal Instream	⊠ Othe	Nursery		
riefly des	scribe:							
This Las	ad Hea In	formation	Form is to accompa	ny a water right to	ransfer annli	ication tha	nronos	or to
								es to
add an	additiona	al point of a	appropriation (well)	to an existing wa	ter right (Ce	rtificate 95	194).	

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. -> 1 4 2 5 8 -

RECEIVED

MAY 2 4 2023

For Local Government Use Only

OWRD

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below an	d provide the requested information		
★ Land uses to be served by the proposed water by your comprehensive plan. Cite applicable of the proposed water by your comprehensive plan.			
Land uses to be served by the proposed wate as listed in the table below. (Please attach do Record of Action/land-use decision and accorperiods have not ended, check "Being pursu	cumentation of applicable land-use approvempanying findings are sufficient.) If approve	als which have	already been obtained.
Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Lan	d-Use Approval:
permis, etc.,		Obtained Denied	☐ Being Pursued ☐ Not Being Pursued
		Obtained Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denled	☐ Being Pursued ☐ Not Being Pursued
		Obtained Denied	☐ Being Pursued ☐ Not Being Pursued
51W01 02201 - Zoned EFU; nurse			
Name: Martha Fritzie	Title:	Principal Pla	nner
Signature:	Phone:503-742-4	529 Date: _	5/18/23
Government Entity:Clackamas County_			
Note to local government representative: Pleasign the receipt, you will have 30 days from the Information Form or WRD may presume the land comprehensive plans.	Water Resources Department's notice date	to return the co vater is compati	ompleted Land Use ible with local
	for Request for Land Use Informati		
Applicant name:			
City or County:	Staff contact:		
Signature:	Phone: Dat	e:	

STATE OF OREGON WATER SUPPLY WELL REPORT

(1) OWNER: Well Number	(9) LOCATION OF V	VELL by legal de	scription:		
	County Clackanas			ngitude	
Name Follandia Gardens, inc. Address 30711 6. Meridian	Township and	N or S Range		E or	w. wm.
City Humand State Oc Zip 1/175	Township SO Section Tax Lot	1/	IW S	1/4	
(2) TYPE OF WORK	Tax Lot La	N Block	SW S	ubdivision	
New Well Deepening Alteration (repair/recondition) Abandonment	Street Address of Well	(or nearest address)			
(3) DRILL METHOD:	S.AME	(Or nearest address)			
Rotary Air Rotary Mud Cable Auger	(10) STATIC WATER	LEVEL.			_
	A CONTRACTOR OF THE PARTY OF TH			Date	
Other		w land surface.	and the state of	Date -	ily
	Artesian pressure (11) WATER BEARIN	CHICAGO CONTRACTOR CON	uare inch.	Date	_
Domestic Community Industrial Irrigation Thermal Injection Livestock Other	(II) WATER BEARIN	NG ZUNES:			
Thermal Injection Livestock Other (5) BORE HOLE CONSTRUCTION:	0 4 1 1 1				
	Depth at which water was	first found			
Special Construction approval Yes No Depth of Completed Well		711	T market	1 D D	CHI
Explosives used Yes No Type Amount	From	То	Estimated	d Flow Rate	SWI
HOLE SEAL	20	159	100		67
Diameter From To Material From To Sacks or pounds			-		
2 /2 1 - 10 Bentonite 1 40 12 sauks 8 40 59					
8 40 159					
	(12) WELL LOG:				
How was seal placed: Method A B C D E	Ground	Elevation			
X Other panular sentenite					
Backfill placed from ft. to ft. Material	Material		From	To	SWL
ravel placed from ft. to ft. Size of gravel	5011			+	
6) CASING/LINER:	Ciay, brown		-	-	
Diameter From To Gauge Steel Plastic Welded Threaded	- Clay, grey		42	-	
asing 8" 0 59 250 10 10 10	Glay, brown w/	Carry Charles - comp	7.6	0	
	Comerced Gravel		90	I.	
	Sand, brown		92	1	
			94	1.	
iner:	Sand, gravel, b		ATM	1.	
	Sand, eamented,	GT DWIT	67	-	
Final location of shoe(s)	bisy, grey		92	13	
7) PERFORATIONS/SCREENS:	Generated gravel		lio	1	
Perforations Method Star Zolva down	Company dark gray		100	25	
Screens Type Material	Comented grave:	, Diack	125	52	
Slot Tele/pipe	are you girry		192	159	
From To size Number Diameter size Casing Liner			DE	h	
			UE(PEIVE	D
			6 km	100	-
			MAY	2 4 200	3
				4 407	100
			0	Man	
west memo M. L. and M. J. C.	D	1000		(ALIE)	
8) WELLTESTS: Minimum testing time is 1 hour			pleted [14]	17, 200	90
Flowing	(unbonded) Water Well C		75555444		
Pump Bailer Air Artesian	I certify that the work I of this well is in compliance	performed on the co	nstruction, alter	ation, or aba	ndonmen
Yield gal/min Drawdown Drill stem at Time	Materials used and informa	tion reported above	are true to the b	est of my kr	nowledge
aitline & the	and belief.				
50 130 E An			WWC Nur	nber	
	Signed			Date	
	(bonded) Water Well Con	structor Certificati	on:		
	faguard		Iteration or abi	indonment v	work
Temperature of water Depth Artesian Flow Found		or the construction, a			
Temperature of water : Depth Artesian Flow Found Was a water analysis done? Yes By whom	Ecocept responsibility formed on this well duri	ng the construction, a	dates reported a	bove, All w	OIK
Temperature of water Depth Artesian Flow Found Was a water analysis done? Yes By whom Did any strata contain water not suitable for intended use?	Eccept responsibility for med on this well duri performed during this time	is in compliance wit	h Oregon water	supply well	
comperature of water : Depth Artesian Flow Found Vas a water analysis done? Yes By whom Jid any strata contain water not suitable for intended use? Salty Muddy Odor Colored Other	ccept responsibility for med on this well duri performed during this time construction standards. Th	is in compliance wit	h Oregon water e best of my kno	supply well owledge and	
Temperature of water: Depth Artesian Flow Found Was a water analysis done? Yes By whom Did any strata contain water not suitable for intended use?	ccept responsibility for med on this well duri performed during this time construction standards. Th	is in compliance wit	h Oregon water	supply well owledge and mber 29	

Permanent Transfer Application Intake Checklist

Calcu \$184	Received	French		pe of Change(s) Proposed: POU POD APOD POA APOD Substitution Gov't Action Sup to				
\$184	10	WANTE OF			not envelled			
		SHETLE		eck all Certs in WRIS to make sure they are				
(17)	plication in , why?	nvolves mu	iltiple cer	tificates, does it meet OAR 690-380-3220?	YES NO N/A			
Is th	e application	on comple	te? XYE	S NO If no, why?				
Note	es:							
			The Tr					
1.	⊠ YES	□ NO		Have all the applicants signed? If not, whose signature is missing?				
2.	YES	□ NO		Evidence of Use included?				
3.	⊠ YES	□ NO	□ N/A	Land Use Form included?				
4.	YES	□ NO	⊠ N/A	/A Consent Form included				
5. YES NO				Part 5 of application: Has the applicant completed the entire page and does the information match the description of the explanation on Part 4 of the application?				
6.	YES	□NO	⊠ N/A	Has the applicant indicated that the place district? Name of the District	e of use is in <u>or</u> near an irrigation			
	YES	□ NO	⊠ N/A	If Yes, have they included a Form D?				
7.	YES	□ NO	⊠ N/A	For multiple certificates: Do each of the certificates listed on the Nown separate completed Part 5, Tables 1 If no, which certificates are missing a sep	& 2?			
8.	YES	□ NO	□ N/A	If a change in point of appropriation, hav	e the well logs been included?			
9.		□ NO		Has the map been completed and signed by a CWRE?				
10.	⊠ YES	□ NO		Does the map meet the requirements? If not, what is missing?				
11.	YES	□ NO	⊠ N/A	Map waiver included?				
12.	YES	□ NO	⊠ N/A	If a change in place of use is within Umat Supplemental Form U included?				
appl	ication is de tified.		CANNOT	d, accept the application. Put this checklist be accepted. It should be returned with a le				

Revised 4/2023

Permanent Transfer Application Intake Checklist

	FEE WORKSHEET for PERMANENT TRANSFER (except Substitution)		
1	Base Fee (includes one type of change to one water right for up to 1 cfs)	1	\$1,360
	Types of change proposed: Place of Use Character of Use Point of Diversion/Appropriation Number of above boxes checked = 1 (2a) Subtract 1 from the number in line 2a = 0 (2b) If only one change, this will be 0	2	¢0.00
2	Multiply line 2b by \$1090 and enter » » » » » » » » » » » » »	2	\$0.00
3	Number of water rights included in transfer 1 (3a) Subtract 1 from the number in 3a above: 0 (3b) If only one water right this will be 0 Multiply line 3b by \$610 and enter » » » » » » » » » » » » » »	3	\$0.00
	Do you propose to add or change a well, or change from a surface water POD to a well? No: enter 0 Yes: enter \$480 for the 1st well to be added or changed \$480.00 (4a) Do you propose to add or change additional wells? No: enter 0 Yes: multiply the number of additional wells by \$410(4b)		
4	Add line 4a to line 4b and enter » » » » » » » » » » » » » » »	4	\$480.00
	Do you propose to change the place of use or character of use? No: enter 0 on line 5 » » » » » » » » » » » » » » » » » »		40.00
5	Multiply 5c by \$410, then enter on line 5 » » » » » » » » »	5	\$0.00
6	Add entries on lines 1 through 5 above » » » » » » » » » » » Subtotal: Is this transfer: necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 »	6	\$1,840.00
7	If no box is applicable, enter 0 on line 7» » » » » » » » » » » » » » »	7	


Permanent Transfer Application Intake Checklist

Last Revised: August 19, 2022 By: Lisa Jaramillo

Decision Tree: Can Multiple Water Rights be included in a Single Transfer Application?

OAR 690-380-3220 - General Criteria / OAR 690-380-2250 - Suppl Water Right or Permit / OAR 690-380-8020 - Temp Transfer Suppl WR

FOR DIV. 380 TRANSFERS: The following series of questions outlined in the flow chart below can be used to determine if separate transfer applications are required for each water right proposed for transfer. To qualify for including multiple water rights in a single application, a proposed transfer application must meet at least one of the exceptions outlined in OAR 690-380-3220(1)-(4).



- NOTE: Only water rights that meet the criteria of a "water use subject to transfer" under ORS 540.505 may be transferred in a Div. 380 Transfer, except as otherwise noted in OAR 540.510, OAR 690-380-2240, & OAR 690-380-2250. Permit Amendments & GR Modifications are administered under ORS 537.211(4) & OAR 690-382, respectively.
- . "More than one landowner" does NOT mean two individuals who are married & are both a deeded owner of the parcel(s), nor a single Trust citing more than one name.
- Other considerations: The claim of beneficial use for all the water rights involved in a transfer will be evaluated at one time. The Department does not allow sequential or
 partial perfection of the rights changed through a water right transfer. As a result, the ability of a water right holder to obtain a certificate and/or apply for a subsequent
 transfer, including a temporary transfer, will be limited if the first transfer includes rights held by other parties who have not completed the authorized changes.