- Oversized map - Location_

Permit amendment RA



Name Brendon a Heather Schloc Address 1287 D Fir Street Canhy or 9703 hochloca danhas: com Change in Apop	Name of Stream	nette nucr b				1,782 .40	Receipt # 141434 141430 141586
Date Filed 8 18 2023 Initial notice date 8 29 2023							
DPD issued date	Name of ditch		No. of Acres		-		-
PD issued date	App# 617903	Per # G 18834	Cert#	PR Date			
PD notice date	App#	Per #	Cert #	PR Date_		FEES REFUI	NDED
Date of FO 3/13/2024 Vol 129 Page 937-939	App#_		C 32/2 18	PR Date	Date	Amount	Receipt #
	App#		Cert #	PR Date			Section 1
	App#		Cert #	PR Date			
C-Date							
COBU due date							
COBU Received date					-		
Certificate issued							
Assignments:							*
Irrigation District							
Agent Doann Hamilton Pacific	hydro						
CWRE Clarkams County Plan	ning						



Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904

March 13, 2024

Brendon and Heather Schloe 1287 N Fir St Canby, OR 97013

REFERENCE: Permit Amendment Application T-14310

Enclosed is a copy of the order approving your Permit Amendment application.

Also enclosed is a superseding permit that incorporates the amendments approved by the final order contained herein. Please read this document and abide by the requirements.

If you have any questions related to the approval of this permit amendment, you may contact your caseworker, Stacy Phillips, by telephone at (503) 979-9948 or by e-mail at Stacy.h.phillips@water.oregon.gov.

Sincerely,

Elyse D. Richman

Water Rights Services Support

Elype Richman

Transfers and Conservation Section

cc: Amy J. Landvoigt, Watermaster Dist. # 20 (via email)

Doann Hamilton, Agent

Clackamas County Planning Department, Local Government

Enclosure

OF THE STATE OF OREGON

In the Matter of Permit Amendment)	FINAL ORDER APPROVING ADDITIONAL
T-14310, Clackamas County)	POINTS OF APPROPRIATION

Authority

Oregon Revised Statute (ORS) 537.211 establishes the process in which a water right permit holder may submit a request to change the point of appropriation and/or place of use authorized under an existing water right permit.

Applicant

BRENDON AND HEATHER SCHLOE 1287 N FIR ST CANBY, OR 97013

Findings of Fact

- On August 18, 2023, BRENDON AND HEATHER SCHLOE filed an application for additional points of appropriation under Permit G-18834. The Department assigned the application number T-14310.
- On January 8, 2022, the Department approved an extension of time for complete application of water to October 1, 2025.
- 3. On April 21, 2022, the Department approved an assignment of the permit from Kathleen Cutsforth to Brendon and Heather Schloe.
- On May 25, 2023, the Department approved a previous Permit Amendment application (T-13985) for change in point of appropriation and an additional point of appropriation recorded at Special Order Volume 128, Pages 417-419.
- Notice of the application for the permit amendment was published in the Department's weekly notice on August 29, 2023, pursuant to ORS 540.520(5).

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

6. Permit Amendment Application T-14310 proposes additional points of appropriation between approximately 435 feet and 785 feet from the existing points of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
3 S	1 E	WM	21	SE SW	WELL 3 - 30 FEET NORTH AND 1400 FEET EAST FROM THE SW CORNER OF SECTION 21
3 S	1 E	WM	21	SE SW	WELL 4 - 40 FEET NORTH AND 1965 FEET EAST FROM THE SW CORNER OF SECTION 21

Permit Amendment Review Criteria

- 7. The change would not result in injury to other water rights.
- 8. The change does not enlarge the permit.
- 9. The change does not alter any other terms of the permit.

Conclusions of Law

The additional points of appropriation proposed by Permit Amendment Application T-14310 are consistent with the requirements of ORS 537.211.

Now, therefore, it is ORDERED:

- 1. The additional points of appropriation proposed by Permit Amendment Application T-14310 are approved.
- Approval of this permit amendment application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new points of appropriation.
- Permit G-18887, in the name of BRENDON AND HEATHER SCHLOE, is issued to replace Permit G-18834, and incorporates the amendments approved by this order, the extension of time, the assignment, and the previous permit amendment (T-13985). Permit G-18834, in the name of BRENDON AND HEATHER SCHLOE, is no longer of any force or effect.
- 4. The combined quantity of water diverted at the new additional points of appropriation (Well 3 and Well 4), together with that diverted at the original points of appropriation (Well 1 and Well 2), shall not exceed the quantity of water lawfully available at the original points of appropriation (Well 1 and Well 2).
- 5. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation with the exception that water rights issued to the Bureau of Reclamation, or an irrigation district (or similar entity) are not subject to this condition.

- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
- 6. Water shall be acquired from the same aquifer as the original points of appropriation (Well 1 and Well 2).
- 7. All other terms and conditions of Permit G-18887 remain the same.

Dated in Salem, Oregon on MAR 1 3 2024

Lisa J. Jaramillo, Transfer and Conservation Section Manager, for

DOUGLAS E. WOODCOCK, ACTING DIRECTOR

Oregon Water Resources Department

Mailing Date: MAR 1 4 2024

Page 3 of 3

STATE OF OREGON

COUNTY OF CLACKAMAS

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

BRENDON AND HEATHER SCHLOE 1287 N FIR ST CANBY, OR 97013

This superseding permit is issued to describe an amendment for additional points of appropriation proposed under Permit Amendment Application T-14310 and approved by Special Order Vol. 129, Page 937 entered MAR 1 3 2024, and to describe an extension of time for complete application of water approved January 8, 2022, an assignment of the permit approved on April 21, 2022, and a Permit Amendment approved by Special Order Volume 128, Pages 417-419 entered on May 25, 2023. This permit supersedes Permit G-18834.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-17963

SOURCE OF WATER: WELL 1 (CLAC 9477), WELL 2, WELL 3, AND WELL 4 IN WILLAMETTE RIVER BASIN

PURPOSE OR USE: IRRIGATION OF 9.7 ACRES

MAXIMUM RATE: 0.12 CUBIC FOOT PER SECOND

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: NOVEMBER 19, 2014

WELL LOCATION:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
3 5	1 E	WM	21	SE SW	WELL 1 - 490 FEET NORTH AND 1790 FEET EAST FROM THE SW CORNER OF SECTION 21
3 S	1 E	WM	21	SE SW	WELL 2 - 635 FEET NORTH AND 1460 FEET EAST FROM THE SW CORNER OF SECTION 21
3 S	1 E	WM	21	SE SW	WELL 3 - 30 FEET NORTH AND 1400 FEET EAST FROM THE SW CORNER OF SECTION 21
35	1 E	WM	21	SE SW	WELL 4 - 40 FEET NORTH AND 1965 FEET EAST FROM THE SW CORNER OF SECTION 21

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

		IRRI	GATION		
Twp	Rng	Mer	Sec	Q-Q	Acres
35	1 E	WM	21	SE SW	9.7

Permit Amendment T-14310 Conditions:

The combined quantity of water diverted at the new additional points of appropriation (Well 3 and Well 4), together with that diverted at the original points of appropriation (Well 1 and Well 2), shall not exceed the quantity of water lawfully available at the original points of appropriation (Well 1 and Well 2).

Water use measurement conditions:

- a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation with the exception that water rights issued to the Bureau of Reclamation, or an irrigation district (or similar entity) are not subject to this condition.
- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer as the original points of appropriation (Well 1 and Well 2).

Permit Amendment T-13985 Conditions:

The quantity of water diverted at the new point of appropriation (Well 1) shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 1).

The combined quantity of water diverted at the new additional point of appropriation (Well 2), together with that diverted at the original point of appropriation (Well 1), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 1).

Water shall be acquired from the same aquifer as the original point of appropriation.

Extension of Time Conditions:

Water Use Condition

If no water is applied to beneficial use under the terms and conditions of Permit G-17492, which include the installation of the required totalizing flow meter, and Well ID Tag, on or before October 1, 2025, this may be the be the last extension of time granted for Permit G-17492. Any future extensions of time request may be denied, unless the permit holder can provide the Department with evidence that beneficial use of the water is shown during this extension period. In addition, all normal extension standards and rules will be evaluated. ORS 539.010(5); OAR 690-315-0040.

Original Permit Conditions:

Measurement devices, and recording/reporting of annual water use conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The permittee shall maintain the device in good working order.
- B. The permittee shall allow the watermaster access to the device; provided however, where any device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the volume of water diverted, and may require the permittee to report water-use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water-use information, the periods of water use and the place and nature of use of water under the permit.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

Static Water Level Conditions

To monitor the effect of water use from the well(s) authorized under this permit, the Department requires the water user to obtain, from a qualified individual (see below), and report annual static water-level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

Measurements must be made according to the following schedule:

Before Use of Water Takes Place

Initial and Annual Static Water Level Measurements

The Department requires the permittee to report an initial water-level measurement in the month specified above once well construction is complete, and annually thereafter until use of water begins; and

After Use of Water has Begun

Seven Consecutive Annual Static Water Level Measurements

Following the first year of water use, the user shall report seven consecutive annual static water-level measurements. The first of these seven annual measurements will establish the reference level against which future annual measurements will be compared. Based on an analysis of the data collected, the Director may require the user to obtain and report additional annual static water-level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- A. Identify each well with its associated measurement;
- B. Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface;
- C. Specify the method used to obtain each well measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The Department may require the discontinuance of groundwater use, or reduce the rate or volume of withdrawal, from the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non-use or restricted use shall continue until the water level rises above the decline level which triggered the action or until the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the

aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with surface water or a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well(s) shall be constructed and maintained in accordance with the General Standards for the Construction and Maintenance of Water Supply Wells in Oregon. The works shall be equipped with a usable access port adequate to determine water-level elevation in the well at all times.

If the riparian area is disturbed in the process of developing a point of appropriation, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

Prior to receiving a certificate of water right, the permit holder shall submit to the Water Resources Department the results of a pump test meeting the Department's standards for each point of appropriation (well), unless an exemption has been obtained in writing under OAR 690-217. The Director may require water-level or pump-test data every ten years thereafter.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide landuse goals and any local acknowledged land-use plan.

The original permit was issued October 2, 2015. Completion of construction and application of the water to the use was to be made on or October 2, 2020. By Extension of Time Final Order dated January 8, 2022, the completion of construction and complete application of the water to the use was extended to October 1, 2025. If the water is not completely applied before this date, and the permittee wishes to continue development under the permit, the permittee must submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued MAR 1 3 2024

Lisa J. Jaramillo Transfer and Conservation Section Manager, for

DOUGLAS E. WOODCOCK, Acting Director Oregon Water Resources Department

PERMIT AMENDMENT COVER SHEET

Transfer: T-	14310						Permit	Amendmer	nt Specialis	st: Stacy
Transfer Ty	pe: Permit Amen	dment Tran	nsfer	Re	eimburs	ement Author				,
Applicant: BRENDON	SCHLOE	Agent:				CWR	CWRE:			
1287 N FI	R ST									
CANBY, O										
Irrigation D	istrict:		And the second	ted Local			Affected Tribal Gov't:			
					177.17	Planning				-
BOR Notifi	ed (date):		Depa	artment	5		-			
H	on (adic).									
Permit(s) A	ffected									
File						Sup	ersedin	g		
Marked	App. File # or D	ecree Name		Permit	Numbe	05,000,000	it Numi			
	517963			G1:	8834	6-1	888	1		
Va. Datas (2 1 24 1 4 4 4 4 6	C1 - CC)								
	& Initial Actions (Su	pport Starr)	Daniel	1 0	(-). A	DDITIONAL	DOINT	OF ADDD	ODDIATI	ON
70 Sales	ust 18, 2023					DDITIONAL		10.00		
Fees Pd: 22	250.00		Acknowledgement Letter Sent			Basin: 2 Willamette				
Initial Publi	c Notice: 8/29/202	3	County sent cc: of Ack Letter			C	County: CLACKAMAS			
WM Distric	t: 20 Amy J. L	andvoigt	WM Review request sent:				V	VM Review	date recei	ved:
ODFW Dist	rict:		ODFW Review sent:			C	DFW Revie	w date red	ceived:	
Groundwat	er		GW Review sent:				G	W Review	date receiv	ved:
Caseworke	r Actions: Newspap	er Notice an	d other	r:						
	notice needed:				Nan	ne of Newspar	oer:			
	notice sent to coo	rdinator:			Nev	vspaper notice	quote	requested (NRS1):	
	news \$ sent:		News \$ received:			:				
	publication receive	ed:	Last day of public							
Extension of		Assignmen	nt?		Previou	ıs Permit Ame	ndment	ts?	WMCP	? 🗌
Peer Review	v:									
Document	Drafted	Peer Rev	iew	Coord	dinator	Changes	Made	Signatu		Signature Date
FO	Date: Initials:	Date: Initials:		Date: _ Initials:			ew	Date: 3 WM Shed ODFW Sh No. of do sig: 2	et	Date: 3/1 3/
Special Issu	es:									

Special Order Volume: Vol. 129 Pages 937-939

.

Groundwater Transfer Review Summary Form

Transfer/PA # T- 14310
GW Reviewer Dennis Orlowski Date Review Completed: 9/29/2023
Common of Commo Commo Devience
Summary of Same Source Review:
☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).
Summary of Injury Review:
The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).
Summary of GW-SW Transfer Similarity Review:
☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.
This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Application: T-14310

Proposed Changes:

Reviewer(s): Dennis Orlowski

Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1271 (503) 986-0900 www.wrd.state.or.us

☐ POA

USE

Ground Water Review Form:
☐ Water Right Transfer
⊠ Permit Amendment
☐ GR Modification
Other
pplicant Name: <u>Brendon and Heather Schloe</u>
□ SW→GW 🗵 RA
□ OTHER
Date of Review: <u>9/29/2023</u>
GW Mgr. and Returned to WRSD: 9/29/2023
ifficient to evaluate whether the proposed

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

The water well reports provided with the application do not correspond to the water rights affected by the transfer.

The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.

Other _____

☐ POU

Date Reviewed by

- Basic description of the changes proposed in this transfer: This permit amendment application is very closely related to the T-13985 application (permit G-17492), which on 5/25/2003 received a FO which (1) approved changes in APOA (a single additional new proposed "Well 2") and (2) canceled permit G-17492, replacing it with permit G-18834.
 However, this current T-14310 application indicates that after drilling "Well 2" (APOA authorized by T-13985), the new well was determined to be "dry." Consequently, this application proposes to add two APOA to permit G-18834: "Proposed Well 3" and "Proposed Well 4."
- 2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?

 ✓ Yes ☐ No Comments: The alluvial aquifer system in this area consists of waterbearing sand and gravel beds within the Willamette Aquifer and the Willamette Confining
 Unit, with a total estimated sedimentary thickness of about 500 to 600 feet at the proposed
 well locations (Gannett and Caldwell, 1998; Conlon and others, 2005). Authorized Well 1
 (CLAC 9477) is completed to 141 ft bgs and obtains groundwater primarily from a
 relatively thin (~3 ft) coarse sand layer near the bottom of the well. Both Proposed Wells 3
 and 4 are planned to be significantly deeper at up to 500 feet bgs ("dry" well 2 was
 presumably drilled to about 300 feet deep), but will nonetheless also obtain groundwater
 from the same groundwater source, albeit with some proportion obtained from deeper waterbearing deposits that are part of the same alluvial aquifer system

Page 1 of 4 Version: 20210204


3.	a) Is there more than one source developed under the right (e.g., basalt and alluvium)? Yes No See comments for item 2.
	b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): N/A
1.	Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with another ground water right?
	Yes No Comments: Compared to the authorized POA (CLAC 9477) location, the proposed locations for the two APOA (Wells 3 and 4) are relatively nearer to other existing wells: the Well 4 location in particularly is relatively nearer to CLAC 51012 to the east and CLAC 9697 to the south (both are authorized POA for different irrigation permits). These nearby wells all obtain groundwater from the same alluvial aquifer system, so varying degrees of interference are anticipated by pumping of proposed Well 4 in particular.
	b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?
	Yes No If yes, explain: The total estimated thickness of the sedimentary aquifer system in this area ranges from about 500 to 600 feet (Gannett and Caldwell, 1998). Nearby CLAC 51012 is completed to 240 feet deep, and CLAC 9697 is 323 feet deep. Given that none of these nearby potentially-affected wells fully penetrate this aquifer system, the planned use of proposed Wells 3 and 4 will not be found to cause Substantial or Undue Interference (SUI), as defined in OAR 690-008-0001(8).
5.	a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with another surface water source? Yes No Comments: Like authorized Well 1 (CLAC 9477), groundwater pumped from proposed Wells 3 and 4 will be hydraulically connected to both the Willamette River to the north and east, and the Molalla River to the west. Most stream interference will be to the Willamette River given its relative proximity to both well locations (roughly 3000 feet to the Willamette, and about 5000 feet to the Molalla); however, this fact is largely immaterial given that the confluence of the Molalla River with the Willamette River is only about 1.4 miles to the northwest of the Well 1 and proposed Well 3 and 4 locations.
	b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any surface water sources resulting from the proposed change?
	Stream: Willamette River Minimal Significant Stream: Molalla River Minimal Significant Provide context for minimal/significant impact: Compared to authorized Well 1, proposed Well 4 will be nearer to the Willamette River by about 150 feet. Any potential net increases in stream interference are expected to be minimal given that this net change is very small relative to the overall distances to both streams.
6.	For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer? Yes No Comments: N/A
7.	What conditions or other changes in the application are necessary to address any potential issues identified above: None

8. Any additional comments: None

References

- T-14310 application; T-13985 and application G-17963 (permit G-17492 CN) groundwater reviews
- Conlon, T.D., Wozniak, K.C., Woodcock, D., Herrera, N.B., Fisher, B.J., Morgan, D.S., Lee, K.K., and Hinkle, S.R., 2005, *Ground-water hydrology of the Willamette Basin, Oregon*, Scientific Investigations Report 2005-5168: U. S. Geological Survey, Reston, VA.
- Gannett, M.W. and Caldwell, R., 1998, Geologic framework of the Willamette Lowland aquifer system, Oregon and Washington, Professional Paper 1424-A, 32 p. U. S. Geological Survey, Reston, VA.
- Woodward, D.G., Gannett, M.W., and Vaccaro, J.J., 1998, Hydrogeologic framework of the Willamette Lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-B, 82 p.

T-14310 Schloe



Service Layer Credita Copyright© 2013 National Geographic Society, i-cubed

Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department 725 Summer St NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

Transfer Application: T-14310

Review Due Date: 09/22/2023

Applic	ant Name: Brendon Schloe
Propo	sed Changes: POU POD POA USE OTHER
Reviev	ver(s): Date of Review:
1.	Do you have <u>evidence</u> that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? Yes No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2.	Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? Yes No Generally characterize the frequency of any regulation or explain why regulation has not occurred: N/A - Source is groundwater
3.	Have headgate notices been issued for the source that serves the transferred right(s)? Yes No Records not available.
4.	In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? Yes No If "Yes", explain:
5.	In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? Yes No If "Yes", describe how the rights would be affected and list the rights most affected:

Wat	ermaster Review Form Transfer Applicatio
	Check here if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most:
	For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses:
8.	N/A For instream transfers that propose protection of a reach beyond the mouth of the source stream: N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? Yes No
9.	For POU changes: N/A Is it likely the original place of use would continue to receive water from the same source? Yes No If "Yes", explain:
10.	For POU or USE changes: N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste? Yes No If "Yes", explain:
11.	For POU changes that involve micro-irrigation: N/A a. Has the applicant made changes (absent a transfer) to convert to micro-irrigation within the current place of use boundary of the water right proposed for transfer, and previously demonstrated to the Department through monitoring and site inspections by the Watermaster that the proposed transfer will not result in injury or enlargement?

Yes No If "Yes", explain:

Watermaster Review Form Transfer Application

).	Has a temporary transfer of this nature been previously filed and approved on the same lands (or portions thereof) as those lands involved in this transfer?
	Yes No If "Yes", answer the following:
	i. Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? Yes No If "Yes", explain
	ii. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? Yes No If "No", explain:
	iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? Yes No If "No", explain:
	iv. Do you have any other observations regarding the temporary transfer? Yes No If "Yes", describe:
	v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? Yes No If "No", explain:
	c. To the best of your knowledge, if this transfer is approved, does it appear that: i. "Injury" will occur to other water rights that share the same source?
	Yes No If "Yes", explain:
	ii. "Enlargement" of the water right being transferred will occur? Yes No If "Yes", explain:

Watermaster Review Form		Transfer Application
12. Are there other issues not identified the determining whether the change "can be	rough the above questions the seffected without injury to	nat should be considered in other rights"?
Yes No If "Yes", explain:		
13. What alternatives may be available for	addressing any issues identif	fied above:
14. Do conditions need to be included in the other rights? No Yes, as che	ne transfer order to avoid enl ecked and provided below:	argement of the right or injury to
For POU changes that involve mic necessary to prevent injury/enlar		onitoring and reporting conditions
A Headgate should be required p	orior to diverting water.	
Measurement Devices for POD or sections of Page 4)	r POA: (if this condition is sele	ected, also fill in the top
or, with prior approval of the E diversion/appropriation (new o	Director, another suitable measu and existing) OR at each new p water rights issued to the Burea	
b. The water user shall maint	ain the meters or measuring de	evices in good working order.
	measuring devices are located	meters or measuring devices; provided within a private structure, the
Reservoir water use measuremen of Page 4)	nt: (if this condition is selecte	d, also fill in the top sections
or, with prior approval of the D	in under this order, the water us Director, other suitable measurin oty and full in each reservoir. Sta	ng devices, that measure the entire
suitable measuring devices mu adjustable outlet valve must be order. A written waiver may be	ist be installed upstream and do e installed. The water user shall e obtained, if in the judgment o	oir is located in channel, weirs or other winstream of the reservoir, and, an I maintain such devices in good working f the Director, the installation of weirs or we, will provide no public benefit.
* The following alternative device(s) sh selected condition:	ould be substituted for the b	oold, underlined device in the above
Weir	Submerged Orifice	
Parshall Flume	Flow Restrictor	
Other:		
TACS	Page 4 of 5	Last revised May 2019

Oregon Water Resources Department

Measurement Condition Information for the Applicant

(To be sent with the Draft Preliminary Determination or Final Order)

In order to avoid enlargement of the right or injury to other rights, a totalizing flow meter will

Transfer #: T- 14310

Salem, OR 97301-1266

V

be required to be installed <u>prior to diversion of water</u> , as a condition of this transfer:
at each point of diversion/appropriation (new and existing) OR
at each new point of diversion/appropriation.
For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:
Watermaster name: Amy Landvoigt
District: 20
Address: 10722 SE Highway 212
City/State/Zip: Clackamas, OR 97015
Phone: 503-312-1743
Email: amy.j.landvoigt@water.oregon.gov
Note : If a device other than the one specified in the Preliminary Determination or Final Order is approved by the Watermaster, fill out and mail the form below to the Salem office.

Approval of an Alternate Measurement Device T- (to be filled out after consultation with the applicant, or after a site visit)
On behalf of the Director, I authorize use of the following suitable alternate measurement device:
Watermaster signature District Date
If this form is used for approval of an alternative measurement device, it must be mailed to:
Oregon Water Resources Department
725 Summer Street NE, Suite A

TACS Page 5 of 5 Last revised May 2019

STATE OF OREGON WATER RESOURCES DEPARTMENT

725 Summer St. N.E. Ste. A RECEIPT # 141434 725 Summer St. N.E. Ste. A SALEM, OR 97301-4172 (503) 986-0900 / (503) 986-0904 (fax)

INVOICE #

DECEIVED ED	M: Swan	TSIONID	-111105	APPLICATION	
BY:	JWI. JUCKEL	esigner Ca	41142	PERMIT	
J.,				TRANSFER	T-14310
CASH: C	HECK:#	OTHER: (IDENTIFY)		THATO, EN	1700
	X 66052			TOTAL REC'D	\$2,250.00
1000	TDEAGUEN	44-a 111-a			
1083	TREASURY	4170 WRD	MISC CASH AC	CCT	
0407	COPIES				S
-	_ OTHER: (IDENTIFY)	y		S
0243 I/S L	ease 0244	Muni Water Mgmt.	Plan 024	5 Cons. Water	
		4270 WRD	OPERATING A	CCT	
	MISCELLANEOUS	111111			
0407	COPY & TAPE FEI	7611)		S
0410	RESEARCH FEES				S
0408	MISC REVENUE:	(IDENTIFY)			\$
TC162	DEPOSIT LIAB. (The state of the s			\$
0240	EXTENSION OF T				S
	WATER RIGHTS:		EXAM FEE	7	RECORD FEE
0201	SURFACE WATER		S	0202	S
0203	GROUND WATER		S	0204	S
0205	TRANSFER		\$22500	0	
	WELL CONSTRUC	CTION	EXAM FEE		LICENSE FEE
0218	WELL DRILL CON		\$	0219	S
	LANDOWNER'S P	ERMIT		0220	S
	OTUED	(IDENITIES)			
	OTHER	(IDENTIFY)			
0536	TREASURY	0437 WELL	CONST. STAR	T FEE	
0211	WELL CONST STA	RT FEE	S	CARD#	
0210	MONITORING WE	LLS	S	CARD#	
	OTHER	(IDENTIFY)			
	TREASURY		O ACTIVITY	LIC NUMBER	
Control of the last of the las	The state of the s		OACTIVITY	LIC NOWIDER	s
0233					S
0231	HYDRO LICENSE	FEE (FW/WHD)			S
	HYDRO APPLICAT	TION		7.00.0000000000000000000000000000000000	P
	TREASURY	OTHE	R/RDX		
FUND		TITLE			
OBJ. COL		VENDOR #			
DESCRIP		_ VLINDON #			S
DESCRIP	TION		Name of the last		

RECEIPT: 141434 DATED: 8-18 2023 BY: M Call

Application for

Permit Amendment

Part 1 of 5 - Minimum Requirements Checklist



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

This permit amendment application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED Check all items included with this application. (N/A = Not Applicable) AUG 18 2023 X Part 1 - Completed Minimum Requirements Checklist. X Part 2 - Completed Application Map Checklist. OWRD X Part 3 - Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd fee calculator. X Part 4 - Completed Applicant Information and Signature. X Part 5 – Information about Permits to be Amended: Number of permits to be amended: 1 List the Permits here: Permit G-18834 Please include a separate Part 5 for each permit. (See instructions on page 6) X Completed Permit Amendment Application Map (Does not have to be prepared by a Certified Water Right Examiner). N/A Request for Assignment Form and statutory fee. The request for assignment form has to be completed if the applicant is not the permit holder of record and needs to be assigned to the permit; or the landowner of the proposed place of use is not the permit holder of record and needs to be assigned to the permit (the Request for Assignment Form is available online at https://www.oregon.gov/OWRD/Forms/Pages/default.aspx). Assignment is not needed if the applicant is the permit holder of record. N/A Affidavit(s) of Consent are required from all permit holder(s) of record if the permit is not assigned to the applicant or other permit holders of record that are not listed as applicants. X N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if all of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone. N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional X point(s) of appropriation. N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500 feet from the surface water source and more than 1000 feet upstream or downstream from the point of diversion. (ORS 540.531(2) or (3)). (For Staff Use Only) WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S): ___ Map not included or incomplete Application fee not enclosed/insufficient Land Use Form not enclosed or incomplete Additional signature(s) required Part is incomplete Other/Explanation 503-Date: Staff:

Your permit amendment application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does <u>not</u> have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

		Certified Water Right Examiner. Check all boxes that apply.	RECEIVED
	⊠ N/A	If more than three permits are involved, separate maps for each permit.	AUG 1 8 2023
\boxtimes		Permanent quality printed with dark ink on good quality paper.	OWRD
		The size of the map can be $8\% \times 11$ inches, $8\% \times 14$ inches, 11×17 inches, or up t inches. For 30×30 inch maps, one extra copy is required.	
\boxtimes		A north arrow, a legend, and scale.	
		The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that he approved by the Department.	
\boxtimes		Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized publ survey lines.	ic land
\boxtimes		Tax lot boundaries (property lines) are required. Tax lot numbers are recommen	ded.
\boxtimes		Major physical features including rivers and creeks showing direction of flow, lak reservoirs, roads, and railroads.	es and
\boxtimes		Major water delivery system features from the point(s) of diversion/appropriation main pipelines, canals, and ditches.	n such as
		Existing place of use that includes separate hachuring for each water use permit, date, and use including number of acres in each quarter-quarter section, government in each quarter-quarter section as projected within government lots, donation la other recognized public land survey subdivisions. If less than the entirety of the permit left being changed, a separate hachuring is needed for the portion of the permit left.	ment lot, or nd claims, or permit is
	⊠ N/A	If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and us number of acres in each quarter-quarter section, government lot, or in each quarter-section as projected within government lots, donation land claims, or other recognition land survey subdivisions.	e including rter-quarter
\boxtimes		Existing point(s) of diversion or well(s) with distance and bearing or coordinates frecognized survey corner. This information can be found in your water use permit	
	□ N/A	If you are proposing a change in point(s) of diversion or well(s), show the proposition and label it clearly with distance and bearing or coordinates. If GPS coordinates used, latitude-longitude coordinates may be expressed as either degrees-min seconds with at least one digit after the decimal (example – 42°32′15.5″) or degree with five or more digits after the decimal (example – 42.53764°).	dinates nutes-

RECEIVED AUG 1 8 2023

	FEE WORKSHEET FOR PERMIT AMENDMENT		
1	Base Fee (includes one type of change to one permit for up to 1 cfs)	1	\$1,360
	Types of change proposed:	1	
	Place of Use Point of Diversion/Appropriation		
	Number of above boxes checked = 1 (2a)		
	Subtract 1 from the number in line $2a = 0$ (2b) If only one change, this will be 0		
2	Multiply line 2b by \$1090 and enter » » » » » » » » » » » » » » » » » » »	2	\$0
	Number of permits included in Permit Amendment 1 (3a)		
3	Subtract 1 from the number in 3a: 0 (3b) If only one permit this will be 0 Multiply line 3b by \$610 and enter > > > > > > > > > > > > > > > > > > >	3	\$0
	Do you propose to add or change a well, or change from a surface water POD to a well?		70
	No: enter 0 Yes: enter \$480 for the 1st well to be added or changed \$480 (4a)		
	Do you propose to add or change additional wells? No: enter 0 X Yes: multiply the number of additional wells by \$410 \$410 (4b)		
4	Add line 4a to line 4b and enter » » » » » » » » » » » » » » » » »	4	\$890
	Do you propose to change the place of use?		
	No: enter 0 on line 5		
	Yes: enter the cfs for the portions of the permits to be amended (see below*):(5a)		
	Subtract 1.0 from the number in 5a above: (5b)		
	If 5b is 0, enter 0 on line 5 » » » » » » » » » » » » » » » » » »		
5	by \$350, then enter on line 5 » » » » » » » » » » » » » » » » » »	5	\$0
6	Add entries on lines 1 through 5 above » » » » » » » » » Subtotal:	6	\$2,250
	Is this permit amendment:		
	necessary to complete a project funded by the Oregon Watershed Enhancement Board		
	(OWEB) under ORS 541.932?		
	endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat?		
	If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7		
7	If no box is applicable, enter 0 on line 7» » » » » » » » » » » » » »	7	\$0
8	Subtract line 7 from line 6 » » » » » » » » » » » » » Permit Amendment Fee:	8	\$2,250

*Example for Line 5a calculation to transfer 45.0 acres of Primary Permit S-12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Permit S-87654 (1/80 cfs per acre) on the same land:

- 1. For irrigation calculate cfs for each permit involved as follows:
 - a. Divide total authorized cfs by total acres in the permit (for S-12345, 1.25 cfs \div 100 ac); then multiply by the number of acres to be changed to get the application cfs (x 45 ac= 0.56 cfs).
 - b. If the water right permit does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For S-87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs)
- 2. Add cfs for the portions of permits on all the land included in the application; however do not count cfs for supplemental permits on acreage for which you have already calculated the cfs fee for the primary permit on the same land. The fee should be assessed only once for each "on the ground" acre included in the application. (In this example, blank 5a would be only 0.56 cfs, since both permits serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0).

Applicant Information

APPLICANT/BUSINESS NAME Brendon and Heather So	chloe	PHONE N (503) 9	o. 70-5598, (503) 970-7655	ADDITIONAL CONTACT NO.
ADDRESS 1287 N Fir St				FAX NO.
CITY Canby	STATE OR	ZIP 97013	E-MAIL hschloe@dahlias.com	
BY PROVIDING AN E-MAI ELECTRONICALLY, COPIES			RECEIVE ALL CORRESPONDENCE F	ROM THE DEPARTMENT

Agent Information - The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME Doann Hamilton / Pacif	ic Hydro-Geology,	Inc.	PHONE NO. (503) 632-5016	(503) 632-5983 (Cell)				
ADDRESS 18487 S. Valley Vista Ro	ad			FAX NO. (503) 632-5983				
CITY Mulino	STATE OR	ZIP 97042	E-MAIL phgdmh@gmail.co	m				

Explain in your own words what you propose to accomplish with this permit amendment; and why:

We recently received the Final Order for our first permit amendment, T-13985, and drilled Well 2.

Unfortunately the well was dry, so we need to apply for another permit amendment for a new well location.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act.	(Federal
stimulus dollars)	

Is the applicant the permit holder of record? X Yes No

If NO, include either:

- A completed assignment form (with required statutory assignment fee), assigning all or a portion of the permit to the applicant(s), OR
- An affidavit of consent from the permit holder(s) of record that gives permission for the applicant to amend the permit.

Has the Completion ("C") Date of the permit(s) in this application expired? ☐ Yes ☒ No

If YES, this application will not be accepted by the Department.

If NO, what are the completion dates of the permit(s)? October 1, 2025

- If the permit completion date expires while the Permit Amendment Application is pending, the Department will
 not approve the Permit Amendment Application until an Extension of Time Application is approved for the permit.
- You may consider using the Reimbursement Authority process to expedite the processing of this Permit Amendment Application if the completion date of the permit expires within 6 months of the date of filing this application.

By my signature below, I confirm that I understand:

Prior to Department approval of the permit amendment, I may be required to submit payment to the Department
for publication of a notice in a newspaper with general circulation in the area where the permit is located, once
per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the
notice in the following newspaper: <u>Canby Herald</u>

AUG 1 8 2023

OWRD 14310

Applicany Signature	Brendon Schloe	8/3/2023
Heather Che	Print Name (and Title if applicable) Heather Sci	Hoe 8/3/2023
Applicant Signature	Print Name (and Title if applicable)	Date / /
Check <u>one</u> of the following:		
☐ The applicant is responsible continue to be sent to the	ole for completion of change(s). Ne applicant.	otices and correspondence shou
	scord will be responsible for com-	pleting the proposed change(s) a
the final order is issued. (Copies of notices and corresponde	
the final order is issued. (holder(s) of record.	Copies of notices and corresponde	
the final order is issued. (holder(s) of record.	Copies of notices and corresponde	
the final order is issued. (holder(s) of record. Check the appropriate box, if ap	Copies of notices and corresponde plicable: rmits proposed for amendment a	ence should be sent to the permi
the final order is issued. (holder(s) of record. Check the appropriate box, if ap Check here if any of the pe by an irrigation or other wa	Copies of notices and corresponde plicable: rmits proposed for amendment a	ence should be sent to the permi
the final order is issued. (holder(s) of record. Check the appropriate box, if ap Check here if any of the pe by an irrigation or other wa	copies of notices and correspondent and correspo	ence should be sent to the permi
the final order is issued. (holder(s) of record. Check the appropriate box, if ap Check here if any of the pe by an irrigation or other was IRRIGATION DISTRICT NAME NA CITY Check here if water for any	Copies of notices and corresponde plicable: rmits proposed for amendment a ater district. ADDRESS	re or will be located within or ser
the final order is issued. (holder(s) of record. Check the appropriate box, if ap Check here if any of the pe by an irrigation or other was IRRIGATION DISTRICT NAME NA CITY Check here if water for any	copies of notices and correspondent applicable: rmits proposed for amendment appeted district. ADDRESS STATE	re or will be located within or ser

To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Clackamas Co. Department of Transportation and Development, Planning Division	150 Beavercreek Ro	ad
Oregon City	STATE Oregon	ZIP 97045

AUG 18 2023 OWRD Please use a separate Part 5 (BNPAC) permit being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

PERMIT # G-18834

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	T	wp	R	ng	Sec	1/4	Y ₄	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)				
Well 1	Authorized Proposed	CLAC 9477	3	S	1	E	21	SE	sw	TL 1600	490 feet north and 1,790 feet east from the SW corner, Section 21.				
Well 2	Authorized Proposed	START CARD 1070369	3	S	1	E	21	SE	SE	SE	SE	SE	sw	TL 1600	635 feet north and 1,460 feet east from the SW corner, Section 21.
Well 3	Authorized Proposed	NA	3	S	1	E	21	21	SE	SW	TL 1600	30 feet north and 1,400 feet east from the SW corner, Section 21.			
Well 4	☐ Authorized ☐ Proposed	NA	3	S	1	E	21	SE	SW	TL 1600	40 feet north and 1,965 feet east from the SW corner, Section 21.				
Will a	all of the propose		ect th	ne en			(SW)	/GW) permi	t?		ound Water POA				
Will	all of the propose	d changes affe	ect th	ne en	tire	wate		250	t?						
		te only the pro " listed above								2 on the r	next page. Use the				
		te all of Table								nit to be o	changed.				
or a chan	ge in place of use														
	ermit holder of r		conti	rol th	ne la	nd TC	whic	h the	place	of use is	being moved?				
as a perr	e landowner of th nit holder of reco r fee for an assign	rd by submitti									ssigned to the permit and the required				
the prop	osed place of use	contiguous to	the	auth	noriz	ed pl	ace of	use?	⊠ Ye	s 🗌 No					
TOTAL CONTRACTOR OF THE PARTY O											norized place of use				

496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the 14310

for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to

listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

AUG 18 2023 OWRD

14310

TACS

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer

Table 2. Description of Changes to Water Use Permit # G-18834

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.				Proposed			7	The	listin			ıld appe			nds) OSED CHANG	GES					
Twp	Rng	Sec	% %	Tax Lot	Gvt Lot or	Acres	POD(s) or POA(s) (name or	Priority Date	Changes (see "CODES" from previous page)	Tv	vp	Rr	ng	Sec	7/4	1 1/4	Tax Lot			POD(s) or POA(s) to be used (from Table 1)	Priority Date
									APOA	3	s	1	Ε	21	SE	sw	1600	NA	9.7	Wells 1, 2, 3 and 4	11-19-2014
			T-0	TAL ACI													OTAL AC		9.7		

Additional remarks: None.

431

AUG 18 2023

OWRD

Are there other water rights certificates, water use permits or ground water registrations associated with the "from" or "to" lands? ⊠ Yes ☐ No

If YES, list the other certificate, permit, or ground water registration numbers: CERTIFICATE 90766

If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well-log/Default.aspx)

AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For proposed wells not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
Well 1	Yes	CLAC 9477		See Well Log CLAC 9477						
Well 2	Started	START CARD 1070369	300	8 inch	0 to 300	0 to 20	TBD	NA	Alluvial	NOT LESS THAN FULL
Well 3	No	NA	500	8 inch	0 to 500	0 to 20	TBD	NA	Alluvial	RATE OF PERMIT
Well 4	No	NA	500	8 inch	0 to 500	0 to 20	TBD	NA	Alluvial	

RECEIVED
AUG 1 8 2023

OWRD
1 4 3 1 0

RECEIVED AUG 18 2023

Land Use Information Form

OWRD



OREGON Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900

Applicant(s): Brendon and Heather Schloe

Mailing Address: 1287 N Fir St.

City: Canby

State: OR

Zip Code: 97013

Daytime Phone: (503) 970-5598

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	ии	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)		Water to be:		Proposed Land Use:
<u>35</u>	<u>1E</u>	21		1600	EFU	□ Diverted	☑ Conveyed	☑ Used	<u>IR</u>
						Diverted	Conveyed	Used	
						Diverted	☐ Conveyed	Used	
						Diverted	☐ Conveyed	Used	

				☐ Diverted ☐ Conveyed	Used
List all counties and	cities where water	is proposed to be diver	ted, conveyed, and	or used or developed	
Clackamas Cou	nty				
B. Description of	Proposed Use				
Type of application Permit to Use o Limited Water (r Store Water	Water Resources Depa Water Right Transfer Allocation of Conserved W	Permit A		Vater Registration Modification
Source of water:	Reservoir/Pond	Ground Water	Surface Water (na	ime)	
Estimated quantity	of water needed: 0.	12 Scubic fee	t per second	gallons per minute	acre-feet
Intended use of wa	ter: Irrigation	Commercial Quasi-Municipal	Industrial Instream	Domestic for	household(s)
Briefly describe: This Land Use I	nformation Form	n is to accompany a on (wells) for existin	permit amendm	nent application the	at proposes two
<u>Baditional point</u>	C C CPP CP CO				10
					- Land sourcement
Note to applicant	If the Land Use Infor	mation Form cannot be	e completed while y	you wait, please have i	a local government

representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

For Local Government Use Only

OWRD

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below an	d provide the requested information		
☐ Land uses to be served by the proposed water		allowed outrig	ht or are not regulated
by your comprehensive plan. Cite applicable	ordinance section(s): /ura otse	DECTION	401 CEFU)
□ Land uses to be served by the proposed water as listed in the table below. (Please attach do Record of Action/land-use decision and acco periods have not ended, check "Being pursu	ocumentation of applicable land-use approve mpanying findings are sufficient.) If approva	als which have a	lready been obtained.
Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Lani	d-Use Approval:
permits, etc.)		Obtained Denied	☐ Being Pursued ☐ Not Being Pursued
		Obtained Denied	☐ Being Pursued ☐ Not Being Pursued
		Obtained Denled	☐ Being Pursued ☐ Not Being Pursued
		Obtained Denied	☐ Being Pursued ☐ Not Being Pursued
		Obtained Denied	☐ Being Pursued ☐ Not Being Pursued
Name: Alos Rodriguez	Title:	Plane	ner 1
Signature: Ally harly	Phone: 503 742	454/Date:_	Q.15. 2023
Government Entity: Clackamas	County		
Note to local government representative: Pleasign the receipt, you will have 30 days from the Information Form or WRD may presume the lan comprehensive plans.	se complete this form or sign the receipt be Water Resources Department's notice date	to return the co	impleted Land Use
Receipt	t for Request for Land Use Informati	<u>on</u>	
Applicant name:			
City or County:	Staff contact:		
Signature:	Phone: Date	1	

CLAC 9477 NOTICE TO WATER WELL CON of this report are to be filed with the JUL 2 2 1966 WATER WELL REPORT ate Well No. 3 STATE ENGINEER, SALEM, OREGON WILL ENGINEER OF OREGON WILL 30 days from the date within 30 days from the date ALEM OREGON State Permit No. (1) OWNER: (11) WELL TESTS: Drawdown is amount water level is lowered below static level CARRIGG, John Name Was a pump test made? Yes No If yes, by whom? 200 N. W. Virginia Address Yield: gal./min. with ft. drawdown after Canby, Oregon (2) LOCATION OF WELL: ** gal./min. with 35 ft. drawdown after Bailer test 30 hrs. County Clackamas Driller's well number 1966 - 22 Artesian flow g.p.m. Date 14 14 Section 352/ T. 3S R. Temperature of water Was a chemical analysis made? Yes Bearing and distance from section or subdivision corner (12) WELL LOG: Diameter of well below casing ... Lot 6 of Olivers! Addition Depth drilled /2/ S ft. Depth of completed well Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. (3) TYPE OF WORK (check): --- Well Deepening Reconditioning [andonment, describe material and procedure in Item 12. 60 (4) PROPOSED USE (check): (5) TYPE OF WELL: Rotary Driven D 97 Domestic Industrial | Municipal | 133 Irrigation | Test Well | Other ☐ Bored ☐ Dug 33 (6) CASING INSTALLED: Threaded | Welded | 139 140 6 " Diam. from 0 11 to 140 ft. Gage 1.02" concentrator) 143 140 Chav-arcon " Diam. from _____ft. to _____ft. Gage 1413 ..." Diam. from ___ ... ft. to (7) PERFORATIONS: Perforated? | Yes ANO Type of perforator used Size of perforations in, by ___ perforations from _____ ft. to __ ... perforations from perforations from AUG 18 2023 perforations from _____ ft. to _ perforations from _____ ft. to _____ OWRD . (8) SCREENS: Well screen installed? | Yes PNo anufacturer's Name _ Model No. Work started June 20 Slot size _____ Set from ____ ft. to ___ 19 66 Completed July C Diam. ____ Slot size ____ Set from __ Date well drilling machine moved off of well July ! (9) CONSTRUCTION: (13) PUMP: Well scal-Material used in seal Banks Depth of seal 20 ft. Was a packer used? Diameter of well bore to bottom of seal _______in. Water Well Contractor's Certification: Were any loose strata cemented off? [] Yes ANo Depth Was a drive shoe used? FYes □ No This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was well gravel packed? [] Yes [No Size of gravel: NAME SKYLES DRILLING & SUPPLY Gravel placed from ft. to

[Signed]

Did any strata contain unusable water? DYes TNo

depth of strata

ft. below land surface Date July 6.

lbs. per square inch Date

Type of water?

Static level

Method of sealing strata off

Artesian pressure

(10) WATER LEVELS:

(Person, firm or corporation)
GLADSTONE, OREGON

Drilling Machine Operator's License, No.

Contractor's License No

(Type or print)



Last Update: 02/22/2021

O R E G O N Oregon Water Resources Department 725 Summer Street NE, Suite A Salem Oregon 97301 (503) 986-0900 www. oregon.gov/owrd

RECEIVED AUG 18 2023

Application for Well ID Number

OWRD


RECEIVED

	3.11.19	
Do not complete if the well alrea	ady has a Well Identification Number.	SEPT 22 2021
I. OWNER INFORMATION Current Owner Name (please print):	John E and Eileen E Carrigo Trust	OWRD
Mailing Address: PO Box 26		
City, State, Zip: Canby		
Mail Well ID to: SAME	AS ABOVE In Care Of (C/O)	
Name & Address: Kathleen		
	261, Canby, OR 97013	
City, State, Zip. 10 100 A	act) actor, on their	
	CION (Please fill out as completely as possible)	
	Range: Less)/ West) Section: 21	
Tax Lot (usually last 3-5 numbers of T	'ax Map #): 1600 County Clack	amas
GPS Coordinates: 45. 288	19668; -122.6964/263 per	WR App map
Street Address of Well, City: NW	19668; -122.6964/263 per 1315+ Ave + N Holly St (NE corner)	
If the property had a different street add		
Use of Well (domestic, irrigation, compate Well Constructed (or property but Owner at time the well was constructed Other Information:	TION (Please fill out as completely as possible, AND attach of mercial, industrial, monitoring): Irrigation iilt): 7-8-1966 Total Well Depth: 14.1 ft d (if known): John Carrigg Well Report # (if igation WR Permit # G 17492 Tathe Cutsforth EMAIL &/or FAX: John's dotter@ Kathe Cutsforth & Sources Department 725 Summer St NE, Suite A, Salem, Ore leted form to Ladeena.K. Ashley@oregon.gov.	Casing Diameter: 6" [known]: CLAC 9477 proton mail. Com gmail. Com
For	Official Use Only by the Oregon Water Resources Departmen	it:
Received Date:	Well Report Number:	Well Identification #:
9-22-21	CLAC 9477	L-144433

Well I.D. Number/2

14310

WCC



STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIPT # 141586 725 Summer St. N.E. Ste. A SALEM, OR 97301-4172

INVOICE #

		(503) 986-0900 / (503) 986-0904 (fax)		
RECEIVED	FROM: 5 Wan -	T Sleal 6	Dehler	APPLICATION	
BY:	THOM.			PERMIT	
				TRANSFER	T-14310
CASH:		THER: (IDENTIFY)			
	X 66146			TOTAL REC'D	\$1,782.40
140	OO TOTACHOV	4470 WDD	MICO CACILAC	107	
10		7	MISC CASH AC	CI	
0407	COPIES 47	14 KII	-454-23		\$
04	12 OTHER: (I	DENTIFY) Trans	10 Rambe	January .	\$ 1782,40
0243	VS Lease 0244	Muni Water Mgmt. I	Plan 0245	Cons. Water	
		4270 WRD	OPERATING A	ССТ	
	MISCELLANEOUS				
0407	COPY & TAPE FEE				\$
0410	RESEARCH FEES				\$
0408	MISC REVENUE:	(IDENTIFY)			\$
TC16		Mental and Charles			\$
0240	EXTENSION OF TI				S
	WATER RIGHTS:		EXAM FEE	7	RECORD FEE
0201	SURFACE WATER		S	0202	S
0203	GROUND WATER		S	0204	S
0205	TRANSFER		S		
	WELL CONSTRUC	TION	EXAM FEE		LICENSE FEE
0218	WELL DRILL CONS		S	0219	S
	LANDOWNER'S PI			0220	S
_	OTHER	(IDENTIFY)			
05	36 TREASURY	0437 WELL	CONST. STAR	TFEE	
0211	WELL CONST STA	RT FEE	S	CARD#	
0210	MONITORING WEI		S	CARD#	
	OTHER				
	OTHER			10211000112	
06	07 TREASURY	0467 HYDF	RO ACTIVITY	LIC NUMBER	le le
0233	POWER LICENSE	FEE (FW/WRD)	-	200	\$
0231	HYDRO LICENSE	FEE (FW/WRD)			
	HYDRO APPLICAT	TON			5
	TREASURY	OTHE	R / RDX		
1=					
)				
OBJ.	CODE	VENDOR #			\$
DES	CRIPTION				9
				1 1 2 2 2 2	

RECEIPT: 141586 DATED: 7 8-2007 BY: 41

REIMBURSEMENT AUTHORITY APPLICANT'S AGREEMENT Contract Number: R11-459-23

RECEIVED
SEP 08 2023
OWRD
SALEM, OREGON

This Agreement is between the Oregon Water Resources Department, hereafter OWRD, and Brendon and Heather Schloe, hereafter Applicant, hereafter known together as the parties.

OWRE	O Information	Applica	nt's Information	Applicant'	s Representative
Contact: Title: Address:	Transfer Advisor	Name: Contact: Address:	Brendon and Heather Schloe 1287 N Fir St. Canby, OR 97013	Name: Contact: Address:	Pacific Hydro-Geology Doann Hamilton 18487 S Valley Vista Road Mulino, OR 97042
Phone: Fax: Email:	503 979-3511 503 986-0901 patrick.k.starnes@water.oregon.gov	Phone: Fax: Email:	(503) 970-7655 hschloe@dahlias.com	Phone: Fax: Email:	(503) 349-6946 (cell) (503) 632-5983 phgdmh@gmail.com

Purpose The purpose of this Agreement is to expedite the processing of the Transfer Application. (Application Number: T-14310)

- Authority. The OWRD has been authorized pursuant to ORS 536.055 to enter into a voluntary agreement with any
 applicant, permittee or regulated entity (collectively Applicant) for expediting or enhancing a regulatory process. In
 making this agreement, OWRD shall require the applicant to pay the full cost of expedited process.
- Restrictions. Applicant and OWRD agree that this Agreement shall not be construed to restrict in any way the decisions and actions by OWRD. OWRD shall be free to exercise independent judgment consistent with existing laws and regulations.
- Effective Date and Duration. Unless otherwise terminated by non-deposit of funds by the Applicant, this Agreement shall become effective on the date on which both parties have signed the Agreement and the full deposit of the estimated cost of the proposed service.

4. Consideration.

- a. Applicant shall pay OWRD in advance for actual costs incurred by OWRD. The estimated maximum reimbursement payable to OWRD under this Agreement is \$1,782.40. Applicant agrees to pay the full amount of \$1,782.40 to OWRD prior to commencement of any work stated in this Agreement. This payment will be placed in an account administered by OWRD and drawn upon as costs are actually incurred. If the actual cost of performing the work is less than payments received, OWRD will refund the unspent balance. If the actual cost of processing exceeds the estimate, the Applicant can either elect to terminate this Agreement or amend the Agreement to reflect the increase in cost.
- b. The costs stated in this Agreement do not include the statutory application processing and filing fees.
- Confidentiality. Applicant agrees that any information provided to or acquired by OWRD under this Agreement will be subject to the Oregon Public Records Law and shall be considered public records.
- 6. Indemnity. Applicant shall defend, save, hold harmless, and indemnify the State of Oregon, OWRD, and their officers, employees, and agents from and against all claims, suits, actions, losses, damages, liabilities, costs, and expenses of any nature resulting from or arising out of, or relating to the activities of Applicant or its representatives, officers, employees, contractors, or agents under this Agreement or with respect to the expedited service. The Applicant acknowledges that the Oregon Water Resources Department cannot and does not guarantee a favorable review under the subject regulatory process.

- 7. Termination. Applicant may request to terminate this agreement only in writing at anytime during the process. The Applicant agrees to pay for the work done by OWRD up until the time of the written termination request. OWRD, upon receiving such written termination request from the Applicant, will refund any unspent balance.
- 8. Funds Authorized and Available. By its execution of this Agreement, Applicants certify that sufficient funds are authorized and available to cover the expenditures contemplated by this Agreement.
- 9. Duration of Estimate. The Estimate of Time to completion is approximately 120 days once this Agreement has been fully executed and payment of the estimated cost deposited. If the Applicant's Agreement is not received by the Department within thirty (30) days of mailing the Agreement, the Applicant may need to re-apply for a new estimate. NOTE: Any time estimate is approximate; No guarantee of Final Order issuance of a date is certain. Duration estimates do not include any statutory waiting periods.
- 10. Completion Date. OWRD, by the execution of this Agreement does not guarantee the completion date indicated in this Agreement. Completion date is only an estimate and may be affected by the Department's workload, issues arising from the processing of the requested services and Applicant's timely response to requests for additional information.
- 11. Captions. The captions or headings in this Agreement are for the convenience only and in no way define, limit, or describe the scope, or intent, of any provision of this Agreement.
- 12. Amendment and Merger. The terms of this Agreement shall not be waived, altered, modified, supplemented, or amended in any manner whatsoever, except by written instrument signed by both parties. Such waiver, consent, modification or change, if made, shall be effective only in the specific instance and for the specific purpose given. There are no understandings, agreements or representations, oral or written, not specified herein regarding this Agreement.

13. Signatures. All parties, by the authorized representative's signature below, hereby acknowledge that they have read this Agreement, understand it and agree to be bound by its terms and conditions.

For Applicant:

1

For OWRD:

wight French - Administrator

SEP 1 2 2023

Date

Mail signed Agreement to:

Elyse Richman Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, OR 97301-1266

a			
OTAL ESTIMATE HOURS	30.00		
		TOTAL	\$1,782.40
	a DTAL ESTIMATE HOURS		

STATE OF OREGON

WATER RESOURCES DEPARTMENT

RECEIPT # 141430

725 Summer St. N.E. Ste. A SALEM, OR 97301-4172

INVOICE # _

			(503) 986-	-09007 (50	3) 986-0904 (fax)	
REC	EIVED FRO	M: Swan	Islan	1m	HLIAS	APPLICATION	
BY:						PERMIT	
		12-20-20	www.iii.com.vii.com.vii.com.vii.com.vii.com.vii.com.vii.com.vii.com.vii.com.vii.com.vii.com.vii.com.vii.com.vi			TRANSFER	F14310
CAS	H: CI	The state of the s	OTHER: (IDE	NTIFY)			1017508
L		X 66053				TOTAL REC'D	\$125.00
-	1083	TREASURY	4170	WRD M	ISC CASH A	CCT	
	0407	COPIES 47	124	RILA	59-25		S
1	5412	COPIES	10CT	Tra	En Pol	1.4.4	100
	- 1 IF A	OTHER: (IDENTIFY)	1 1 11705	Auti	ned 17y	700
	0243 I/S Le	ease 0244	STATE OF THE PERSON	STATE OF THE PARTY			
			4270	WRD O	PERATING A	ACCT	
		MISCELLANEOU	5				
	0407	COPY & TAPE FE	ES				S
	0410	RESEARCH FEES	3				\$
	0408	MISC REVENUE:	(IDENTIFY)				\$
	TC162	DEPOSIT LIAB. (IDENTIFY)				S
7	0240	EXTENSION OF T	IME				
		WATER RIGHTS:			EXAM FEE		RECORD FEE
	0201	SURFACE WATER	7		S	0202	S
	0203	GROUND WATER			S	0204	S
2	0205	TRANSFER			S		
		WELL CONSTRU	CTION		EXAM FEE		LICENSE FEE
	0218	WELL DRILL CON	STRUCTOR		5	0219	\$
		LANDOWNER'S P	ERMIT			0220	3
		OTHER	(IDENTIF	Y)			
	0500	TREASURY	0427	WELLO	ONST STAT	OT EEE	
	0536	The same of the sa	AL SERVICE PROPERTY.	WELL C			
	0211	WELL CONST STA			S	CARD	
	0210	MONITORING WE	LLS		\$	CARDA	1
		OTHER	(IDENTIF	Y)			
	0607	TREASURY	0467	HYDRO	ACTIVITY	LIC NUMBER	
	0233	POWER LICENSE	FEE (FW/W	RD)			S
	0231	HYDRO LICENSE	FEE (FW/W	RD)	L		\$
		HYDRO APPLICA	TION				S
-		TREASURY		OTHER	/ RDX		
	-						
	OBJ. COD	E	_ VENDOR	#			[6
	DESCRIP	TION			-		\$
-							

RECEIPT: 141430 DATED: 8/18/223 BY M COLLY



OREGON WATER RESOURCES DEPARTMENT

TRANSFER REIMBURSEMENT AUTHORITY ESTIMATE APPLICATION



ORS 536.055 authorizes the Oregon Water Resources Department to expedite or enhance regulatory processes voluntarily requested under the agreement.

Please contact Transfer Personnel before submitting this request; as the application fee is a non-refundable \$125.00 fee per request. Checks submitted for this application should be separate From Transfer fees.

The purpose of this application is to obtain estimates of the cost and time required to process a Transfer Application Request. There is a non-refundable application fee of \$125.00 per request.

REQUEST	TYPE	FILE NUM	BER
×	Transfer	T	274
凶	Application	Transfer Number	NA

	Applicant Information	Applicant's Representative/Contact
Name:	Brendon and Heather Schloe	Pacific Hydro-Geology, Inc. c/o Doann Hamilton
Address:	1287 N Fir St.	18487 S. Valley Vista Road
	Canby, OR 97013	Mulino, OR 97042
Phone:	(503) 970-7655	(503) 349-6946 cell
Fax:		(503) 632-5983
E-Mail Address:	hschloe@dahlias.com	phgdmh@gmail.com

I understand the following:

- That upon receipt of my non-refundable application fee of \$ 125.00, OWRD will, within fourteen (14) days, notify me in writing of the estimate of costs and time frame for the expedited service.
- That this fee covers the reimbursement authority staff to evaluate and provide the estimate for processing of the request.
- That OWRD will, within fourteen (14) days, notify me in writing of the estimates of costs and time frame for the
 expedited service.
- That upon receiving the estimate I may agree or decline to enter into a formal contract to pay the estimated
 cost in advance to initiate the expedited service.
- An incomplete or inaccurate application may delay the process and increase the cost to process my request.
- Expedited processing does not guarantee a favorable review of my request.
- · Send completed Application and payment to:

Oregon Water Resources Department Transfer Reimbursement Authority Program 725 Summer St. NE, Suite A Salem, OR 97301-1271 AUG 1 8 2023

OWRD

I certify that I am the (check one): • Applicant • Applicant's Re	presentative C Other (Please specify)
Name: Brenton Schole	Name: Heather Schloe
Signature:	Signature: Healher Schloe
OWRD USE ONLY: Reimbursement Au	thority Number: R11- 459 -23



Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904

August 23, 2023

BRENDON & HEATHER SCHLOE 1287 N FIR ST CANBY, OR 97013

Reference: Application T-14310

On August 18, 2023, OWRD received your water right Permit Amendment Application. The application was accompanied by \$2250.00. Our receipt number 141434 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to our groundwater staff to determine whether the proposed well accesses the same source of water as the original well.

This application <u>may</u> require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

Except as provided under ORS 540.510(3) for municipalities, you may not use water from the new point of appropriation until a final order approving the application has been issued by the Department.

Refer to the following page for a chart showing the steps and expected timelines for the processing of your application.

If you have any questions, please contact the Transfer Section at (503) 986-0935.

Cc: Watermaster Dist. #20, Amy J. Landvoigt (via email)
Clackamas County Planning Department
Doann Hamilton, Agent

Enclosure

Permit Amendment Application Intake Checklist

Permit Amendment # T- 14310

Revie	ewer S	stacy		ype of Change(s) Proposed:					
		2 - 2023	3	POU POD APOD P	OA APOA SW to GW				
				culator on back of this form	Fee Received \$ 2250 .00				
Permit: 6-18834 Completion Date: 10-1-2025									
Permit: Completio				ion Date: Check ALL Permits in WRIS to con completion date is not expired					
Permit: Completic				on Date:					
Notes:									
Appli	ication								
	Have ALL of the applicant's signed and dated the application?								
1.	YES	NO		f no, whose signature is missing?					
2.	YES	□ NO		Part 5 of application: Does the information match the description of the explanation on Part 4 of the application?					
2	Tyrc	□NO [N/A	For multiple permits: Each permit completed Part 5, Tables 1 & 2?	proposed for transfer has their own separate				
3.	YES	LINO	Z IN/A	If no, which permit(s) are missing s	eparate Part 5, Tables 1 & 2?				
D/Inn	Dogulyay	manta							
Map Requirements: 4. YES NO				Map included & to scale? (Separate map for each permit if more than 3 permits)					
5.	YES		N/A	Map Waiver? The map waiver mu					
Notes:									
Atta	chments:								
6.	YES NO			Has the Permit Completion Date expired? (If yes, we cannot accept)					
7.	YES	□ NO	□ N/A						
8.	YES	□NO	N/A	Consent Form included, signed, permit holder of record)?	d, & notarized (for applicants who are not a				
9.	YES	□ NO	□ N/A	For changes in POA/APOA – are	e the well logs included?				
10.	YES	NO	N/A	For change in POU within Umat	illa County, Supplemental Form U included?				
Application complete: no deficiencies identified, assign a T-number and put this checklist in T-folder.									
	Application DEFICIENT: DO NOT accept - return to applicant with letter explaining deficiencies identified.								
100									

Permit Amendment Application Intake Checklist

	FEE WORKSHEET for PERMIT AMENDMENT							
1	Base Fee (includes one type of change to one permit for up to 1 cfs)	1	\$1,360					
	Types of change proposed: Place of Use Point of Diversion/Appropriation Number of above boxes checked = (2a)							
2	Subtract 1 from the number in line 2a =O(2b) If only one change, this will be 0 Multiply line 2b by \$1090 and enter » » » » » » » » » » » » » » »	2	0					
3	Number of permits included in Permit Amendment (3a) Subtract 1 from the number in 3a above: (3b) If only one permit, this will be 0 Multiply line 3b by \$610 and enter » » » » » » » » » » » » » »	3	0					
	Do you propose to add or change a well, or change from a surface water POD to a well? No: enter 0 Yes: enter \$480 for the 1st well to be added or changed 480 (4a) Do you propose to add or change additional wells? No: enter 0 Yes: multiply the number of additional wells by \$410 410 (4b)							
4	Add line 4a to line 4b and enter » » » » » » » » » » » » » » »	4	890					
5	Do you propose to change the place of use? No: enter 0 on line 5 » » » » » » » » » » » » » » » » » »	5	0					
6	Add entries on lines 1 through 5 above » » » » » » » » » Subtotal:	6						
	Is this Permit Amendment: necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 »							
7	If no box is applicable, enter 0 on line 7» » » » » » » » » » » » » »	7	22.02					
8	Subtract line 7 from line 6 » » » » » » » » » » Permit Amendment Fee:	8	2250					