Regular

Name Bradley & Mary Gilbert							
	DESCRIPTION	OF WATER RIGHT(s)				FEES PAID	
Address PO Box 263				Date	Amount	Receipt #	
Molalla, OR 97038	Name of Stream A V	Nell		1-26-24	2.660.00	142303	
brad.w.gilbert@gmail.com					3-1-24	\$125.00	142490
	Trib. of Bear Cr	reek Basin			3/26/24	\$2690.10	142590
Change in APOA							
Date Filed 1/26/2024	Use Nursery		_County Clacka	mas	-		
Initial notice date 2/6/2024	Quantity of water (CFS	)	No. of Acres				
DPD issued date	Name of ditch						
PD issued date 12/2/2024		Per # G-15254	Cert # 97364	PR Date 11-29-2			
PD notice date  2/3/2024	App#	Per #				FEES REFU	
Date of FO 2/26/2025 Vol 133 Page 911-914	App#					Amount	Receipt #
	App#	Per #	Cert #				
	App#	Per #	Cert #	PR Date			
C-Date	717						
COBU due date					-		
COBU Received date							
Certificate issued							
Assignments:							
				<del></del> -			
Irrigation District				-			
Agent Doann Hamilton phydmh@gmail.com							
phadmh@gmail.com							
CYLIDE		1 1 0	6, , ,				
CC's list Clackamas County Dept. of Trans	portation & Devi	elopment, Planni	ng Division				
			<b>9</b>				
Oversized map - Location							

Yes No   Y	CR Nos.			
Applicant: Bradley & Mary Gilbert PO Box 263 Molalla, OR 97038  Current Landowner if other than Applicant:  Affected Local Gov'ts: Clackamas County Department Of Transportation And Development  Water Rights Affected  File Marked App. File # or Decree Name Permit Certificate RR/CR Needed RR/CR Yes No Yes No Yes No  Rec'd: January 26, 2024 Proposed Action(s): ADDITIONAL POINT OF APPROPRIATION Fees Pd: 2660.00 Acknowledgement Letter Sent Initial Public Notice: 2/6/2024 County sent cc: of Ack Letter County: CLACKAMAS WM District: 16 Gregory J. WM Review request sent: Water Rights Affected  File Marked App. File # or Decree Name Permit Certificate RR/CR Needed RR/CR Rec'd: January 26, 2024 Proposed Action(s): ADDITIONAL POINT OF APPROPRIATION Fees Pd: 2660.00 Acknowledgement Letter Sent Basin: 2 Willamette Initial Public Notice: 2/6/2024 County sent cc: of Ack Letter County: CLACKAMAS WM District: 16 Gregory J. WM Review request sent: WM Review date received: Wacker ODFW District: ODFW Review sent: ODFW Review date received: Groundwater GW Review sent: GW Review date received: Newspaper notice needed: Newspaper notice needed: Newspaper notice sent to coordinator: Newspaper notice quote requested (NRS1):	CR Nos.			
Bradley & Mary Gilbert PO Box 263 Molalla, OR 97038  Current Landowner if other than Applicant:  Affected Local Gov'ts: Clackamas County Department Of Transportation And Development  Water Rights Affected  File Marked App. File # or Decree Name Permit Certificate RR/CR Needed RR/CR  File Marked App. File # or Decree Name Permit Certificate RR/CR Needed RR/CR  File Marked App. File # or Decree Name Permit Certificate RR/CR Needed RR/CR  File Marked App. File # or Decree Name Permit Certificate RR/CR Needed RR/CR  Fees No  Yes No  Yes No  Yes No  Acknowledgement Letter Sent Basin: 2 Willamette  Initial Public Notice: 2/6/2024 County sent cc: of Ack Letter County: CLACKAMAS  WM District: 16 Gregory J. WM Review request sent: WM Review date received:  Wacker  ODFW District: ODFW Review sent: ODFW Review date received:  Groundwater GW Review sent: GW Review date received:  Caseworker Actions: Newspaper & PD Notice:  Newspaper notice needed: Newspaper:  Newspaper notice needed: Newspaper Newspaper Newspaper notice quote requested (NRS1):	CR Nos.			
Bradley & Mary Gilbert PO Box 263 Molalla, OR 97038  Current Landowner if other than Applicant:  Affected Local Gov'ts: Clackamas County Department Of Transportation And Development  Water Rights Affected  File Marked App. File # or Decree Name Permit Certificate RR/CR Needed Permit Permi	CR Nos.			
Molalla, OR 97038  Current Landowner if other than Applicant:  Affected Local Gov'ts: Clackamas County Department Of Transportation And Development  Water Rights Affected  File Marked App. File # or Decree Name Permit Certificate RR/CR Needed RR/CR  Marked App. File # or Decree Name Permit Certificate RR/CR Needed R	CR Nos.			
Affected Local Gov'ts: Clackamas County Department Of Transportation And Development  Water Rights Affected  File Marked App. File # or Decree Name Permit Certificate RR/CR Needed RR/CE  File Marked App. File # or Decree Name Permit Certificate RR/CB No  Yes No  Yes No  Yes No  Yes No  Yes No  Yes No  Water Actions (Support Staff)  Rec'd: January 26, 2024 Proposed Action(s): ADDITIONAL POINT OF APPROPRIATION  Fees Pd: 2660.00 Acknowledgement Letter Sent Basin: 2 Willamette  Initial Public Notice: 2/6/2024 County sent cc: of Ack Letter County: CLACKAMAS  WM District: 16 Gregory J. WM Review request sent: WM Review date received:  Wacker  ODFW District: ODFW Review sent: ODFW Review date received:  Groundwater GW Review sent: GW Review date received:  Newspaper notice needed: Newspaper:  Newspaper notice quote requested (NRS1):	CR Nos.			
Affected Local Gov'ts: Clackamas County Department Of Transportation And Development  Water Rights Affected  File Marked App. File # or Decree Name Permit Certificate RR/CR Needed RR/CR Needed Pyes No Pyes	CR Nos.			
Clackamas County Department Of Transportation And Development  Water Rights Affected  File Marked App. File # or Decree Name Permit Certificate RR/CR Needed NR/CR Needed RR/CR Needed RR/C	CR Nos.			
Clackamas County Department Of Transportation And Development  Water Rights Affected  File Marked App. File # or Decree Name Permit Certificate RR/CR Needed NR/CR Needed RR/CR Needed RR/C	CR Nos.			
Transportation And Development         Water Rights Affected         File Marked       App. File # or Decree Name       Permit       Certificate       RR/CR Needed       RR/C	CR Nos.			
Water Rights Affected    File   Marked   App. File # or Decree Name   Permit   Certificate   RR/CR Needed   RR/	CR Nos.			
File Marked App. File # or Decree Name Permit Certificate RR/CR Needed	CR Nos.			
Marked       App. File # or Decree Name       Permit       Certificate       RR/CR Needed       RR/CR         □       □       □       Yes       No         □       □       Yes       No         □       □       Yes       No         □       No       No         □       No       No         □       Newspaper       Williamette         □       County: CLACKAMAS       WM Review date received:         WM Review date received:       WM Review date received:       GW Review date received:         □       ODFW Review sent:       GW Review date received:         □       GW Review date received:       Name of Newspaper:         Newspaper notice sent to coordinator:       Newspaper notice quote requested (NRS1): <td>CR Nos.</td>	CR Nos.			
Yes   No   Yes   Yes   No   Yes   No   Yes   Yes   No   Yes   No   Yes   Yes   Yes   No   Yes   Yes   Yes   Yes   No   Yes   Yes   Yes   Yes   Yes   No   Yes	CR Nos.			
Yes No   Y				
Yes   No				
Rec'd: January 26, 2024       Proposed Action(s): ADDITIONAL POINT OF APPROPRIATION         Fees Pd: 2660.00       Acknowledgement Letter Sent				
Rec'd: January 26, 2024       Proposed Action(s): ADDITIONAL POINT OF APPROPRIATION         Fees Pd: 2660.00       Acknowledgement Letter Sent				
Fees Pd: 2660.00  Acknowledgement Letter Sent  Basin: 2 Willamette  Initial Public Notice: 2/6/2024  County sent cc: of Ack Letter  County: CLACKAMAS  WM District: 16 Gregory J.  Wacker  ODFW District:  ODFW Review sent:  ODFW Review date received:  Groundwater  GW Review sent:  GW Review date received:  GW Review date received:  Name of Newspaper:  Newspaper notice needed:  Newspaper notice sent to coordinator:  Newspaper notice quote requested (NRS1):				
Initial Public Notice: 2/6/2024 County sent cc: of Ack Letter County: CLACKAMAS  WM District: 16 Gregory J. WM Review request sent: WM Review date received:  Wacker ODFW District: ODFW Review sent: ODFW Review date received:  Groundwater GW Review sent: GW Review date received:  Caseworker Actions: Newspaper & PD Notice:  Newspaper notice needed: Name of Newspaper:  Newspaper notice sent to coordinator: Newspaper notice quote requested (NRS1):				
WM District: 16 Gregory J. WM Review request sent: WM Review date received:  Wacker  ODFW District: ODFW Review sent: ODFW Review date received:  Groundwater GW Review sent: GW Review date received:  Caseworker Actions: Newspaper & PD Notice:  Newspaper notice needed: Name of Newspaper:  Newspaper notice sent to coordinator: Newspaper notice quote requested (NRS1):				
Wacker  ODFW District: ODFW Review sent: ODFW Review date received: Groundwater  GW Review sent: GW Review date received:  Caseworker Actions: Newspaper & PD Notice:  Newspaper notice needed: Newspaper notice sent to coordinator: Newspaper notice quote requested (NRS1):				
Wacker  ODFW District: ODFW Review sent: ODFW Review date received: Groundwater  GW Review sent: GW Review date received:  Caseworker Actions: Newspaper & PD Notice:  Newspaper notice needed: Newspaper notice sent to coordinator: Newspaper notice quote requested (NRS1):				
Groundwater  GW Review sent:  Caseworker Actions: Newspaper & PD Notice:  Newspaper notice needed:  Newspaper notice sent to coordinator:  Newspaper notice quote requested (NRS1):				
Groundwater  GW Review sent:  Caseworker Actions: Newspaper & PD Notice:  Newspaper notice needed:  Newspaper notice sent to coordinator:  Newspaper notice quote requested (NRS1):				
Caseworker Actions: Newspaper & PD Notice:  Newspaper notice needed: Name of Newspaper:  Newspaper notice sent to coordinator: Newspaper notice quote requested (NRS1):				
Newspaper notice needed: Name of Newspaper:  Newspaper notice sent to coordinator: Newspaper notice quote requested (NRS1):	T I I I I I			
Newspaper notice sent to coordinator:  Newspaper notice quote requested (NRS1):				
newspaper notice sent to coordinator.				
Request for news \$ sent: News \$ received:				
Affidavit of publication received: Last day of publication:				
Peer Review:				
The state of the s	ture Date			
Date: 6-12-24 Date: 6-13-24 Date: 6-14-24 CW Sent:				
DPD Initials: WM Sheet WM Sheet	N/A			
Date: \$2-1-24				
7 22 20 7 7 20 7	10 10 10			
PD Date: 1-2521 Da	Date: 12/2/2			
Date: 1 13-24				
Date: 0-)1-)5	2 202			
Date: Pb D	2/26/2018			
FO Initials: KF In				
Special Issues:				
Special Order Volume: Vol. 133 Pages 911-914				

Transfer Cover Sheet Last Revised 1/26/2023



## Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904

February 26, 2025

Bradley Gilbert PO BOX 263 Molalla, OR 97038

REFERENCE: Transfer Application T-14393

Enclosed is a copy of the final order approving your water right transfer application.

The time allowed to complete the transfer is specified in the final order. YOU SHOULD GIVE PARTICULAR ATTENTION TO THE TIME LIMIT. The water right for any portion of the authorized change in character of use or change in place of use NOT carried out within the time allowed will be lost.

An extension of the time limit can be allowed <u>only</u> upon a showing that diligent effort has been made to complete the actual change(s) within the time allowed.

You are required to hire a Certified Water Rights Examiner (CWRE) to complete a Claim of Beneficial Use report and map which must be submitted to this Department within one year of the date you complete the change(s) or within one year of the completion date authorized in the transfer final order, whichever occurs first.

If you have any questions related to the approval of this transfer, you may contact your caseworker, Dante Luongo, by telephone at (971) 304-5006 or by e-mail at <a href="mailto:Dante.j.luongo@water.oregon.gov">Dante.j.luongo@water.oregon.gov</a>.

Sincerely,

David V. Jones Jr

Water Rights Services Support Transfers and Conservation Section

cc: Gregory J. Wacker, Watermaster Dist. # 16 (via email)

Clackamas County Department of Transportation and Development, Local Government Enclosure

# OF THE STATE OF OREGON

In the Matter of Transfer Application	)	FINAL ORDER APPROVING ADDITIONAL
T-14393, Clackamas County	)	POINTS OF APPROPRIATION

### Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

# **Applicant**

BRADLEY AND MARY GILBERT PO BOX 263 MOLALLA, OR 97038

### **Findings of Fact**

- On January 26, 2024, BRADLEY AND MARY GILBERT filed an application for additional points of appropriation under Certificate 97364. The Department assigned the application number T-14393.
- Notice of the application for transfer was published on February 6, 2024, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- On July 7, 2024, the agent for the applicant requested a new completion date of October 1, 2028 because of extended driller scheduling times. The Department approved the request.
- 4. On June 27, 2024, the Department sent a copy of the draft Preliminary Determination to the applicants, proposing to approve Transfer Application T-14393. The draft Preliminary Determination cover letter provided a deadline of July 27, 2024, for the applicants to respond and submit the required information. The applicants requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicants are authorized to pursue the transfer.

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

- 5. On December 2, 2024, the Department issued a Preliminary Determination proposing to approve Transfer Application T-14393 and sent a copy to the applicants. Additionally, notice of the Preliminary Determination for the transfer applications was published in the Department's weekly notice on December 3, 2024, and in the Woodburn Independent newspaper on January 8 and 15, 2025, pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notices.
- 6. The right to be transferred is as follows:

Certificate: 97364 in the name of BRADLEY GILBERT and MARY GILBERT (perfected

under Permit G-15254)

Use: NURSERY USE ON 99.2 ACRES

Priority Date: NOVEMBER 29, 2001

Rate: 1.4 CUBIC FEET PER SECOND

Limit/Duty: The amount of water used for NURSERY OPERATIONS is limited to a

diversion of 0.15 cubic foot per acre. For the irrigation of containerized nursery plants, the amount of water diverted is limited to ONE-FORTIETH of one cubic foot per second (or its equivalent) and 5.0 acre feet per acre per year. For the irrigation of in ground nursery plants the amount of water diverted is limited to ONE EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre per year. The use of water for NURSERY OPERATIONS may be made at anytime, during the period of allowed use specified above, that the use is beneficial. For the irrigation of any other crop, the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre

during the irrigation season of each year.

Period of Use: YEAR ROUND

Source: ONE WELL in BEAR CREEK BASIN

#### Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
5 S	1 E	WM	12	NW SE	WELL 5 (NEW) - 2750 FEET SOUTH AND 1660 FEET WEST FROM THE NE CORNER OF SECTION 12

#### Authorized Place of Use:

		NUR	SERY L	JSE	
Twp	Rng	Mer	Sec	Q-Q	Acres
5 S	1 E	WM	1	NESW	2.3
5 S	1 E	WM	1	SE SW	34.5
5 \$	1 E	WM	1	SW SE	22.4
5 S	1 E	WM	12	NE NW	40.0
				TOTAL	99.2

7. Transfer Application T-14393 proposes additional points of appropriation approximately 2350 feet northwest from the existing points of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
5 S	1 E	WM	12	NE NW	WELL 2 - 1005 FEET SOUTH AND 2610 FEET EAST FROM THE NW CORNER OF SECTION 12
5 S	1 E	WM	12	NE NW	WELL 3 - 840 FEET SOUTH AND 2475 FEET EAST FROM THE NW CORNER OF SECTION 12
5 S	1 E	WM	12	NE NW	WELL 4 - 945 FEET SOUTH AND 2380 FEET EAST FROM THE NW CORNER OF SECTION 12

# Transfer Review Criteria [OAR 690-380-0100(14), 690-380-4010(2), and OAR 690-380-2110(2)]

- A confirming Certificate was issued within the last five years prior to the submittal of Transfer Application T-14393 according to the terms and conditions of the right. There is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- A water delivery system sufficient to use the full amount of water allowed under the existing right was present within the five-year period prior to submittal of Transfer Application T-14393.
- 10. The water right is subject to transfer as defined in ORS 540.505(4) and OAR 690-380-0100(14).
- 11. The proposed points of appropriation develop groundwater from the same aquifer as the authorized point of appropriation, as required by OAR 690-380-2110(2).
- 12. The proposed change, as conditioned, would not result in enlargement of the right.
- The proposed change, as conditioned, would not result in injury to other existing water rights.
- 14. All other application requirements are met.

#### Conclusions of Law

The additional points of appropriation proposed in Transfer Application T-14393 are consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000.

## Now, therefore, it is ORDERED:

- The additional points of appropriation proposed in Transfer Application T-14393 are approved.
- The right to the use of the water is restricted to beneficial use at the place of use described and is subject to all other conditions and limitations contained in Certificate 97364 and any related decree.

- Approval of this transfer application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new points of appropriation.
- 4. Water right Certificate 97364 is cancelled.
- The quantity of water diverted at the new additional points of appropriation (Well 2, Well 3, and Well 4), together with that diverted at the original point of appropriation (Well 5), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 5).
- Water shall be acquired from the same aquifer (water source) as the original point of appropriation.
- 7. Water use measurement conditions:
  - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
  - b. The water user shall maintain the meters or measuring devices in good working order.
  - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
- 8. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before October 1, 2028. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the change and full beneficial use of the water.
- After satisfactory proof of beneficial use is received, a new certificate confirming the right transferred will be issued.

pated in Salem, Oregon on FEB 2 6 2025

Lisa J. Jaramillo, Aransfer and Conservation Section Manager, for

IVAN GALL, DIRECTOR

Oregon Water Resources Department

Mailing Date: FEB 2 7 2025



Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904 www.oregon.gov/owrd

DEC 2 - 2024

VIA CERTIFIED MAIL AND E-MAIL

BRADLEY AND MARY GILBERT PO BOX 263 MOLALLA, OR 97038

SUBJECT: Water Right Transfer Application T-14393

Please find enclosed the Preliminary Determination indicating that, based on the information available, the Department intends to approve application T-14393. This document is an intermediate step in the approval process; water may not be used legally as proposed in the transfer application until a Final Order has been issued by the Department. Please read this entire letter carefully to determine your responsibility for additional action.

A public notice is being published in the Department's weekly publication and in the Woodburn Independent newspaper, simultaneously with issuance of the Preliminary Determination. The notice initiates a period in which any person may file either a protest opposing the decision proposed by the Department in the Preliminary Determination or a standing statement supporting the Department's decision. The protest period will end 30 days after the last date of newspaper publication.

If no protest is filed, the Department will issue a Final Order consistent with the Preliminary Determination. You should receive a copy of the Final Order about 30 days after the close of the protest period.

If a protest is filed, the application may be referred to a contested case proceeding. A contested case provides an opportunity for the proponents and opponents of the decision proposed in the Preliminary Determination to present information and arguments supporting their position in a quasi-judicial proceeding.

Please don't hesitate to contact me at 971 304-5006 or Dante.J.Luongo@water.oregon.gov, if I may be of assistance.

Sincerely,

Dante Luongo

Transfer Specialist

Transfer and Conservation Section

cc: Transfer Application file T-14393

Gregory J. Wacker, District 16 Watermaster (via e-mail)
Doann Hamilton, Agent for the applicant (via e-mail)

encs

# BEFORE THE WATER RESOURCES DEPARTMENT OF THE STATE OF OREGON

In the Matter of Transfer Application	)	PRELIMINARY DETERMINATION
T-14393, Clackamas County	)	PROPOSING APPROVAL FOR ADDITIONAL
	)	POINTS OF APPROPRIATION

## Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

# **Applicant**

BRADLEY AND MARY GILBERT PO BOX 263 MOLALLA, OR 97038

# **Findings of Fact**

- On January 26, 2024, BRADLEY AND MARY GILBERT filed an application for additional points of appropriation under Certificate 97364. The Department assigned the application number T-14393.
- 2. Notice of the application for transfer was published on February 6, 2024, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- 3. On July 7, 2024, the agent for the applicant requested a new completion date of October 1, 2028. The Department approved the request.
- 4. On June 27, 2024, the Department sent a copy of the draft Preliminary Determination to the applicants, proposing to approve Transfer Application T-14393. The draft Preliminary Determination cover letter provided a deadline of July 27, 2024, for the applicants to respond and submit the required information. The applicants requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicants are authorized to pursue the transfer.

Pursuant to OAR 690-380-4030, any person may file a protest or standing statement within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later, of this preliminary determination.

5. The right to be transferred is as follows:

Certificate: 97364 in the name of BRADLEY GILBERT and MARY GILBERT (perfected

under Permit G-15254)

Use: NURSERY USE ON 99.2 ACRES

Priority Date: NOVEMBER 29, 2001

Rate: 1.4 CUBIC FEET PER SECOND

Limit/Duty: The amount of water used for NURSERY OPERATIONS is limited to a

diversion of 0.15 cubic foot per acre. For the irrigation of containerized nursery plants, the amount of water diverted is limited to ONE-FORTIETH of one cubic foot per second (or its equivalent) and 5.0 acre feet per acre per year. For the irrigation of in ground nursery plants the amount of water diverted is limited to ONE EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre per year. The use of water for NURSERY OPERATIONS may be made at anytime, during the period of allowed use specified above, that the use is beneficial. For the irrigation of any other crop, the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre

during the irrigation season of each year.

Period of Use: YEAR ROUND

Source: ONE WELL in BEAR CREEK BASIN

## Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
5 S	1 E	WM	12	NW SE	WELL 5 (NEW) - 2750 FEET SOUTH AND 1660 FEET WEST FROM THE NE CORNER OF SECTION 12

#### Authorized Place of Use:

		NURSER	Y USE		
Twp	Rng	Mer	Sec	Q-Q	Acres
5 S	1 E	WM	1	NE SW	2.3
5 S	1 E	WM	1	SE SW	34.5
5 S	1 E	WM	1	SW SE	22.4
5 \$	1 E	WM	12	NE NW	40.0
				TOTAL	99.2

6. Transfer Application T-14393 proposes additional points of appropriation approximately 2350 feet northwest from the existing points of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
5 S	1 E	WM	12	NE NW	WELL 2 - 1005 FEET SOUTH AND 2610 FEET EAST FROM THE NW CORNER OF SECTION 12
5 S	1 E	WM	12	NENW	WELL 3 - 840 FEET SOUTH AND 2475 FEET EAST FROM THE NW CORNER OF SECTION 12

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
5.5	1 E	WM	12	NE NW	WELL 4 - 945 FEET SOUTH AND 2380 FEET EAST FROM THE NW CORNER OF SECTION 12

# Transfer Review Criteria [OAR 690-380-0100(14), 690-380-4010(2), and OAR 690-380-2110(2)]

- A confirming Certificate was issued within the last five years prior to the submittal of Transfer Application T-14393 according to the terms and conditions of the right. There is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- A water delivery system sufficient to use the full amount of water allowed under the
  existing right was present within the five-year period prior to submittal of Transfer
  Application T-14393.
- The water right is subject to transfer as defined in ORS 540.505(4) and OAR 690-380-0100(14).
- 10. The proposed points of appropriation develop groundwater from the same aquifer as the authorized point of appropriation, as required by OAR 690-380-2110(2).
- 11. The proposed change, as conditioned, would not result in enlargement of the right.
- 12. The proposed change, as conditioned, would not result in injury to other existing water rights.
- 13. All other application requirements are met.

# **Determination and Proposed Action**

The additional points of appropriation proposed in Transfer Application T-14393 appear to be consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000. If protests are not filed pursuant to OAR 690-380-4030, the application will be approved.

If Transfer Application T-14393 is approved, the final order will include the following:

- The additional points of appropriation proposed in Transfer Application T-14393 are approved.
- The right to the use of the water is restricted to beneficial use at the place of use described and is subject to all other conditions and limitations contained in Certificate 97364 and any related decree.
- Approval of this transfer application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new points of appropriation.

- 4. Water right Certificate 97364 is cancelled.
- 5. The quantity of water diverted at the new additional points of appropriation (Well 2, Well 3, and Well 4), together with that diverted at the original point of appropriation (Well 5), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 5).
- 6. Water shall be acquired from the same aquifer (water source) as the original point of appropriation.
- 7. Water use measurement conditions:
  - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
  - b. The water user shall maintain the meters or measuring devices in good working order.
  - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
- 8. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before **October 1**, **2028**. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the change and full beneficial use of the water.
- After satisfactory proof of beneficial use is received, a new certificate confirming the right transferred will be issued.

Dated in Salem, Oregon on

DEC 2 - 2024

Lisa J. Jaramillo, Fransfer and Conservation Section Manager, for

IVAN GALL, DIRECTOR

Oregon Water Resources Department

This Preliminary Determination was prepared by Dante Luongo. If you have questions about the information in this document, you may reach me at 971-304-5006 or Dante.J.Luongo@water.oregon.gov.

#### **Protests**

Under the provisions of ORS 540.520(6) & (7) and OAR 690-380-4030, within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later, any person may file, jointly or severally, a protest expressing opposition of approval of the transfer application and disagreement with this Preliminary Determination or a standing statement in support of this Preliminary Determination. If this Preliminary Determination determines that a change in point of diversion or appropriation would result in injury, the applicant may file a notification of intent to pursue approval of the transfer under OAR 690-380-5030 to 690-380-5050. Protests and standing statements must be received by the Water Resources Department within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later.

Protests must be in writing and received in hard copy form with the appropriate statutory protest filing fee; protests cannot be filed by electronic mail. [OAR 690-002-0025(3) and 690-380-0100(9)]. The protest must include the following:

- The person's name, address, and telephone number;
- All reasonably ascertainable issues and all reasonably available arguments supporting
  the person's position by the close of the protest period. Failure to raise a reasonably
  ascertainable issue in a protest or failure to provide sufficient specificity to afford the
  Department an opportunity to respond to the issue may preclude consideration of the
  issue during the hearing;
- If you are the applicant, a protest fee of \$480 required by ORS 536.050; and
- If you are not the applicant, a protest fee of \$950 required by ORS 536.050 and proof of service of the protest upon the applicant.

#### Requests for Standing

Under the provisions of OAR 690-380-4030(5), the Department shall provide to persons who have filed standing statements as defined under OAR 690-380-0100(11) notice of any differences between the Department's Preliminary Determination and the Final Order, notice of a hearing on the application under OAR 137-003-0535, and an opportunity to request limited party status or party status in the hearing.

Requests for standing must be received in the Water Resources Department no later than 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later. Requests for standing must be in writing, and must include the following:

- The requester's name, mailing address and telephone number;
- If the requester is representing a group, association or other organization, the name, address and telephone number of the represented group;
- A statement that the requester supports the preliminary determination as issued.

After the protest period has ended, the Director will either issue a Final Order or schedule a contested case hearing. The contested case hearing will be scheduled only if a protest has been filed under OAR 690-380-4030. In accordance with OAR 690-380-4200, notice and conduct of the hearing shall:

- Be under the applicable provisions of ORS 183.310 to 183.550, pertaining to contested
  cases, and the hearing shall be held in the area where the rights are located unless all
  parties stipulate otherwise; and
- If a protest has asserted that a water right to be transferred has been forfeited through non-use, include the notice and procedures described in OAR 690-017-0500 to 690-017-0900.

If after hearing the Department issues a proposed Final Order finding that a change in point of diversion or appropriation will result in injury, the applicant may file a notification of intent to pursue approval of the transfer under OAR 690-380-5030 to 690-380-5050 within 15 days of receipt of the proposed order. Notwithstanding 690-002-0175, if the applicant files a notification of intent to pursue approval of the transfer under 690-380-5030 to 690-380-5050, the deadline for filing exceptions to the proposed order shall be 30 days after the Department provides notice to the parties that the transfer does not meet the requirements of 690-380-5030 to 690-380-5050.

If you do not request a hearing within 30 days after the close of the protest period, or if you withdraw a request for a hearing, notify the Department or the administrative law judge that you will not appear, or fail to appear at a scheduled hearing, the Director may issue a final order by default. If the Director issues a Final Order by default, the Department designates the relevant portions of its files on this matter, including all materials that you have submitted relating to this matter, as the record for purpose of proving a *prima facie* case upon default.

You may be represented by an attorney at the hearing. Legal aid organizations may be able to assist a party with limited financial resources. Generally, partnerships, corporations, associations, governmental subdivisions, or public or private organizations are represented by an attorney. However, consistent with OAR 690-002-0020 and OAR 690-137-0555, an agency representative may represent partnerships, corporations, associations, governmental subdivisions or public, or private organizations if the Department determines that appearance of a person by an authorized representative will not hinder the orderly and timely development of the record in this case.

# **Groundwater Transfer Review Summary Form**

Transfer/PA # T- 14393 RA
GW Reviewer J. Hootsmans Date Review Completed: 5/20/2024
Summary of Same Source Review:
☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).
Summary of Injury Review:
☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as pe 690-380-0100(3).
Summary of GW-SW Transfer Similarity Review:
☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.
This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.

Version: 20210204




OREGON			Ground Wat	ter Review Form:
	Oregon Water Resou 725 Summer Street NI	rces Department	Water Rig	ht Transfer
WATER RESOURCES	Salem, Oregon 97301- (503) 986-0900		☐ Permit An	nendment
DEPARTMENT	www.wrd.state.or.us		☐ GR Modif	ication
			☐ Other	
Application: T-1	4393		Applicant Name:	Bradley and Mary Gilbert
Proposed Chang	es: POA	⊠ APOA	□SW→GW	⊠ RA
	□ USE	□ POU	☐ OTHER	
Reviewer(s): <u>J.</u>	Hootsmans			Date of Review: <u>5/20/2024</u>
			Date Retu	rned to WRSD: 5/20/2024
The information ransfer may be	provided in the apapproved because:	oplication is ins	sufficient to evaluate	e whether the proposed
	vell reports provid the transfer.	ed with the app	lication do not corr	espond to the water rights
				ion of the well construction r proposed to be developed
Other				
	-			
three new P POA #3 (W POA will be (Well 3, CL	oints of Appropria ell 3, CLAC 7751 in addition to exi	tion (POA): Pr 3) and Propose sting POA #1 ( st well drilled to	oposed POA #2 (W d POA #4 (Well 4, Well 5, CLAC 661)	pplicant proposes to add ell 2, PROP 477), Proposed PROP 478). These three 34). Proposed POA #3 ound surface (bgs) and will
Yes Construction	No Comment as the already aut	s: The three Prohorized POA a Villamette Grou	oposed POA have s nd all POAs target up - Troutdale Form	existing authorized POA? imilar existing or proposed the Quaternary-Late action as the groundwater
☐ Yes □		ed From-POAs	and proposed To-P	basalt and alluvium)? OAs are developed or
			plied by each of the proposed change (ra	sources and describe any ate, duty, etc.):

4.	a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with another ground water right?
	Yes No Comments: The additional Proposed POA are further away from
	groundwater rights than the existing POA.
	b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?  Yes No If yes, explain:
5.	a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with another surface water source?
	Yes No Comments: The additional Proposed POAs are approximately half the distance to Bear Creek compared to the existing POA, therefore interference is expected to increase.
	b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any surface water sources resulting from the proposed change?
	Stream: Bear Creek Minimal Significant
	Stream: Minimal Significant
	Provide context for minimal/significant impact: The expected increase in interference is likely minimal IF they case and seal below the confining unit (clay starting at 141 ft bls in CLAC 77513). The clay will diffuse impacts to surface water over a large area and long span of time.
6.	For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?  Yes No Comments:
7.	What conditions or other changes in the application are necessary to address any potential issues identified above:
8.	Any additional comments: As conditioned per Certificate 97364, "Ground water for use under this right shall be produced from the deep Troutdale aquifer between approximately 300 and 400 feet below land surface" (Page 2, Cert 97364).
Ref	ferences .
3	nnett, M.W. and Caldwell, R., 1998, Geologic framework of the Willamette Lowland aquifer system, Oregon and Washington, Professional Paper 1424-A, 32 p. U. S. Geological Survey, Reston, VA.
	Connor, J. E., Sarna-Wojcicki, A., Wozniak, K. C., Polette, D. J., Fleck, R. J., 2001, Origin, Extent, and Thickness of Quaternary Units in the Willamette Valley, Oregon, Professional Paper 1620: U. S. Geological Survey, Reston, VA.

# Well Location Map

# T14393 Gilbert



Main Map Scale = 1:10,000

Service Layer Credits Sources Esn, HERE, Gamin, Intermap, increment P.Corp. GEBCO, USGS. FAO. NPS. NRCAN. GeoBase. IGN, Kadaster NL, Ordnance Survey, Esn Japan. METI. Esn. China (Hong Kong), Ic) OpenStreet/dap contributors, and the GIS User Community.

Copyright 6: 2013 National Geographic Society, I-cubed.

# STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIPT #142590

RECEIPT: 142590

725 Summer St. N.E. Ste. A SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

INVOICE #

		2	(000) 00	0 03007 (30	73) 900-0904 (IBX	<b>.</b> )		
RECI	EIVED FRO	M: Bradle V	1 101	21/ber	+	A	PPLICATION	
BY:		Maryl	1 60	1ber	+		PERMIT	
		DBA 6	1/ber	+ Fa	rms		TRANSFER	T-14393
CASI	H: CI	HECK:#/1299	THER: (IE	DENTIFY)				21010
L		X 0201				TC	TAL REC'D	\$2,690,10
-	1083	TREASURY	4170	WRD M	ISC CASH A	CCT		
	0407	11.0	24	1	211484	1. 7		s
	not.			Trans	6 Rin	bu	KIMMA	52 690 10
				/	1 411	the	OTITU	-, -10.10
	0243 I/S Le	ease 0244					ns. Water	
	L		West	WRDO	PERATING A	ACC		
		MISCELLANEOUS						0
	0407	COPY & TAPE FEE	S					S
	0410	RESEARCH FEES						S
	0408	MISC REVENUE:			-	-		\$
	TC162	DEPOSIT LIAB. (I						S
	0240	EXTENSION OF TI	ME					
		WATER RIGHTS:			EXAM FEE			RECORD FEE
	0201	SURFACE WATER			S		0202	S
	0203	GROUND WATER			S		0204	3
	0205	TRANSFER			S			
		WELL CONSTRUC			EXAM FEE		0010	LICENSE FEE
	0218	WELL DRILL CONS	STRUCTO	R	\$		0219	S
		LANDOWNER'S PE	ERMIT				0220	0
		OTHER	(IDENTI	FY)				
-	0536	TREASURY	0437	WELL (	CONST. STAI	RTF	EE	
	0211	WELL CONST STA	RTFEE		S		CARD#	
	0210	MONITORING WEL			S		CARD#	
			(IDENTI	EVI				
						1116	and the same arrives	
	0607	TREASURY	A CONTRACTOR	TO SERVE IN	ACTIVITY	LIC	NUMBER	c
	0233	POWER LICENSE		The same of the sa				\$
	0231	HYDRO LICENSE	FEE (FW/\	WRD)	L	-		
		HYDRO APPLICAT	ION					\$
		TREASURY		OTHER	/ RDX			
	FUND		TITLE					
		E						
			. VENDO					\$
	DESCRIPT	TON					10	
							112	

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

# REIMBURSEMENT AUTHORITY APPLICANT'S AGREEMENT Contract Number: R11-484-25

Received

MAR 26 2024

This Agreement is between the Oregon Water Resources Department, hereafter OWRD, and Bradley and Mary Gilbert, hereafter Applicant, hereafter known together as the parties.

**OWRD Information** Applicant's Information Applicant's Representative Contact: Kelly Starnes Name: Bradley & Mary Gilbert Name: Pacific Hydro-Geology, Inc. Title: Transfer Advisor Contact: Contact: Doann Hamilton Address: 725 Summer Street, NE, Suite A Address: PO Box 263 Address: 18487 S Valley Vista Rd Salem, OR 97301-1266 Molalla, OR 97038 Mulino, OR 97042 Phone: 503 979-3511 Phone: (503) 849-9933 Phone: (503) 349-6946 (cell) Fax: 503 986-0901 Fax: Fax: (503) 632-5983 Email: patrick.k.starnes@water.oregon.gov Email: brad.w.gilbert@gmail.com Email: phgdmh@gmail.com

Purpose The purpose of this Agreement is to expedite the processing of the Transfer Application. (Application Number: T-14393)

- Authority. The OWRD has been authorized pursuant to ORS 536.055 to enter into a voluntary agreement with any
  applicant, permittee or regulated entity (collectively Applicant) for expediting or enhancing a regulatory process. In
  making this agreement, OWRD shall require the applicant to pay the full cost of expedited process.
- Restrictions. Applicant and OWRD agree that this Agreement shall not be construed to restrict in any way the decisions and actions by OWRD. OWRD shall be free to exercise independent judgment consistent with existing laws and regulations.
- Effective Date and Duration. Unless otherwise terminated by non-deposit of funds by the Applicant, this Agreement shall become effective on the date on which both parties have signed the Agreement and the full deposit of the estimated cost of the proposed service.

#### 4. Consideration.

- a. Applicant shall pay OWRD in advance for actual costs incurred by OWRD. The estimated maximum reimbursement payable to OWRD under this Agreement is \$2,690.10. Applicant agrees to pay the full amount of \$2,690.10 to OWRD prior to commencement of any work stated in this Agreement. This payment will be placed in an account administered by OWRD and drawn upon as costs are actually incurred. If the actual cost of performing the work is less than payments received, OWRD will refund the unspent balance. If the actual cost of processing exceeds the estimate, the Applicant can either elect to terminate this Agreement or amend the Agreement to reflect the increase in cost.
- b. The costs stated in this Agreement do not include the statutory application processing and filing fees.
- Confidentiality. Applicant agrees that any information provided to or acquired by OWRD under this Agreement will be subject to the Oregon Public Records Law and shall be considered public records.
- 6. Indemnity. Applicant shall defend, save, hold harmless, and indemnify the State of Oregon, OWRD, and their officers, employees, and agents from and against all claims, suits, actions, losses, damages, liabilities, costs, and expenses of any nature resulting from or arising out of, or relating to the activities of Applicant or its representatives, officers, employees, contractors, or agents under this Agreement or with respect to the expedited service. The Applicant acknowledges that the Oregon Water Resources Department cannot and does not guarantee a favorable review under the subject regulatory process.

- 7. Termination by Applicant. Applicant may request to terminate this agreement only in writing at anytime during the process. The Applicant agrees to pay for the work done by OWRD up until the time of the written termination request. OWRD, upon receiving such written termination request from the Applicant, will refund any unspent balance.
- 8. Termination by OWRD. OWRD may terminate this Agreement if the applicant fails to provide any requested items necessary to complete the application and/or comply with applicable rule requirements within the specified timeframe outlined in the request letter, being a period of not less than 30 days.
- Funds Authorized and Available. By its execution of this Agreement, Applicants certify that sufficient funds are authorized and available to cover the expenditures contemplated by this Agreement.
- 10. Duration of Estimate. The Estimate of Time to completion is approximately 120 days once this Agreement has been fully executed and payment of the estimated cost deposited. If the Applicant's Agreement is not received by the Department within thirty (30) days of mailing the Agreement, the Applicant may need to re-apply for a new estimate. NOTE: Any time estimate is approximate; No guarantee of Final Order issuance of a date is certain. Duration estimates do not include any statutory waiting periods.
- 10. Completion Date. OWRD, by the execution of this Agreement does not guarantee the completion date indicated in this Agreement. Completion date is only an estimate and may be affected by the Department's workload, issues arising from the processing of the requested services and Applicant's timely response to requests for additional information.
- 11. Captions. The captions or headings in this Agreement are for the convenience only and in no way define, limit, or describe the scope, or intent, of any provision of this Agreement.
- 12. Amendment and Merger. The terms of this Agreement shall not be waived, altered, modified, supplemented, or amended in any manner whatsoever, except by written instrument signed by both parties. Such waiver, consent, modification or change, if made, shall be effective only in the specific instance and for the specific purpose given. There are no understandings, agreements or representations, oral or written, not specified herein regarding this Agreement.

13. Signatures. All parties, by the authorized representative's signature below, hereby acknowledge that they have read this Agreement, understand it and agree to be bound by its terms and conditions.

For Applicant:

For OWRD:

Name/Title:

ght French - Administrator

Date

0-2024

Date

Mail signed Agreement to:

Elyse Richman Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, OR 97301-1266

Bradley and Mary Gilbert	RA R11-484-25 T-14393			
Review Step				
Front Desk Staff receipts received AA funds				
Transfer Support process Application				
Administrator signs AA				
NRS 1 Support enters workflow record in WRIS and updates RA spreadsheet				
NRS 2 completes initial review of file for deficiencies				
NRS 2 consults with Analyst and/or Manager				
NRS 2 writes and sends deficiency Itr (email and hard copy)				
NRS 2 addresses correspondence from app/agent regarding deficiencies				
Watermaster completes review				
Groundwater completes review				
NRS 2 completes DPD, PN, and RR				
Transfer staff peer reviews DPD, PN, RR				
Transfer Analyst completes policy check at DPD stage				
NRS 2 sends DPD to app/agent by email and/or mail				
NRS 2 reviews report of ownership				
NRS 2 completes PD				
Transfer Staff peer reviews PD				
Transfer Analyst peer reviews PD				
Data Center reviews PD AND RR: (RR where applicable)				
Transfer Analyst completes peer review of PN review for newspaper noticing				
Transfer Support requests newspaper quote for PN publishing				
NRS 2 sends publishing fee request to applicant				
Transfer Support processes fee and newspaper publishing				
Transfer Support processes public notice (dept notice)				
Administrator signs PD				
NRS 2 completes FO				
Transfer Staff peer reviews FO				
Transfer Analyst peer reviews FO				
Administrator signs FO				
Transfer Support issues FO, updates WRIS, copy to file, record markings, and sends hard copy				
NRS 1 closes out RA Contract				
	TOTAL ESTIMATED HOURS	38.83		
			TOTAL \$	2 500 40
			TOTAL	2,090.10

# STATE OF OREGON

# WATER RESOURCES DEPARTMENT

RECEIPT #142490

725 Summer St. N.E. Ste. A SALEM, OR 97301-4172

INVOICE # \_

	72730	(503) 986-0900 / (5	03) 986-0904 (fax)		
RECEIVED FROM	M: Bradley	W Gilbe	773	APPLICATION	
BY:	Marul	Gilbert)		PERMIT	
	DBA GIL	bertfari	ns	TRANSFER	T-14393
CASH: CH	IECK:#1 1/2 0	THER: (IDENTIFY)			1.155
	X 6202			TOTAL REC'D	\$125.00
1083	TREASURY	4170 WRD N	IISC CASH AC	СТ	
0407	COPIES 47 ) 8	14 R1148	4-25		\$
00/11/0	OTHER: (II	DENTIFY) Tra	nsfer R	4	\$ 125,00
	pase 0244				
02.10.00.20		4270 WRD C			
1	MISCELLANEOUS				
0407	COPY & TAPE FEE	s ,			S
0410	RESEARCH FEES				S
0408	MISC REVENUE:				S
TC162	DEPOSIT LIAB. (I				S
0240	EXTENSION OF T				\$
02-10	WATER RIGHTS:		EXAM FEE		RECORD FEE
0201	SURFACE WATER		S	0202	S
0203	GROUND WATER		S	0204	S
	TRANSFER		S		
0205	WELL CONSTRUC	CTION	EXAM FEE		LICENSE FEE
0010	WELL DRILL CONS		S	0219	S
0218	LANDOWNER'S P			0220	S
	LANDOWNERS				
-	OTHER	(IDENTIFY)			
0536	TREASURY	0437 WELL	CONST. STAR	TFEE	
0211	WELL CONST STA	RT FEE	\$	CARD	#
0210	MONITORING WE	LLS	\$	CARD	#
	OTHER	(IDENTIFY)			
0607	TREASURY	0467 HYDR	O ACTIVITY	LIC NUMBER	
0233	POWER LICENSE	FEE (FW/WRD)			\$
0231	HYDRO LICENSE				\$
	HYDRO APPLICAT	TION			\$
	TOTAL PORTS PORTS AND A SECOND		D / DDV	-	
	TREASURY	OTHE	R / RDX		
FUND		_ TITLE			
	)E				
	TION				\$
	THE STATE OF THE S				
	10150	3.1	-2024 BY:	mum	10
RECEIPT: 1	12490	DATED:	BY:	/ ·   V ·   .	

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

# STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIPT #142490

725 Summer St. N.E. Ste. A SALEM, OR 97301-4172

INVOICE #

		(503) 986-	-0900 / (50	3) 986-0904 (fax	x)		
RECEIVED FRO	M. Bradles	1/1/6-	ilbe	7.	APF	PLICATION	
BY:	Marcal	Fither.	1+3		F	PERMIT	
	DBA GIL	be at f	Farn	ns	TF	ANSFER	T-14393
CASH: C	HECK:#	THER: (IDE					17-5
	X 6/02				TOTA	AL REC'D	\$125.00
1083	TREASURY	4170 \	WRD MI	SC CASH A	CCT		
0407		24 R					S
01/110	OTHER:	DENTIEVA	1140	sher K	24		\$ 125.00
						100	700.00
0243 I/S L	ease 0244	Not William S. A. Sale	A STATE OF THE PARTY OF		The same of the sa	. Water	
			WRDO	PERATING A	ACCI		
	MISCELLANEOUS						S
0407	COPY & TAPE FEE		-				\$
0410	RESEARCH FEES						S
0408 TC162	MISC REVENUE:	Acres mon 1					\$
0240	DEPOSIT LIAB. (I						\$
0240	WATER RIGHTS:	IIVIC		EXAM FEE			RECORD FEE
0201	SURFACE WATER			S		0202	s
0203	GROUND WATER			S	_	0204	\$
0205	TRANSFER			S			,
0200	WELL CONSTRUC	CTION		EXAM FEE			LICENSE FEE
0218	WELL DRILL CON	STRUCTOR		S		0219	S
	LANDOWNER'S P	ERMIT				0220	\$
	OTHER	(IDENTIFY	Y)				
	A THE RESIDENCE						
0536	TREASURY	0437	WELL C	ONST. STA	RT FE	E	
0211	WELL CONST STA	AT FEE		\$		CARD	#
0210	MONITORING WE	LLS		\$		CARD	#
	OTHER	(IDENTIFY	Y)				
0607	TREASURY	0467	HYDRO	ACTIVITY	LICN	UMBER	
0233	POWER LICENSE	FEE (FW/WI	RD)				S
0231	HYDRO LICENSE	FEE (FW/WF	RD)				\$
	HYDRO APPLICAT	TION					S
	TREASURY		OTHER	/ RDX			
FINE							
12002.1700.50	NP.						
2227WH - SHARE A	E	_ VENDOR	"				\$
DESCRIP	HON		0.00				
			wn I	- Aller and Aller			1000

RECEIPT: 142490

DATED: 1-2024 BY M unill



## OREGON WATER RESOURCES DEPARTMENT

# TRANSFER REIMBURSEMENT AUTHORITY ESTIMATE APPLICATION



ORS 536.055 authorizes the Oregon Water Resources Department to expedite or enhance regulatory processes voluntarily requested under the agreement.

Please contact Transfer Staff before submitting this request, as the application fee of \$125.00 per request is non-refundable.

Checks submitted for this application must be separate from Transfer fees.

The purpose of this application is to obtain estimates of the cost and time required to process a Transfer Application Request. There is a non-refundable application fee of \$125.00 per request.

REQUEST TYPE		FILE NUMBER			
X	Transfer Application	Transfer Number T-14393			

	Applicant Information	Applicant's Representative/Contact
Name:	Bradley and Mary Gilbert	Pacific Hydro-Geology, Inc. c/o Doann Hamilton
Address:	PO Box 263	18487 S. Valley Vista Road
	Molalla, OR 97038	Mulino, OR 97042
Phone:	503-849-9933	(503) 349-6946 cell
Fax:		(503) 632-5983
E-Mail Address:	Brad.w.gilbert@gmail.com	phgdmh@gmail.com

By signing this application, I understand:

I certify that I am the (check one):

- That upon receipt of my non-refundable application fee of \$125.00, OWRD will, within fourteen (14) days, notify me in writing of the estimate of costs and time frame for the expedited service.
- That this fee covers the reimbursement authority staff to evaluate and provide the estimate for processing of the
  request.
- That upon receiving the estimate, I may agree or decline to enter into a formal contract to pay the estimated cost in advance to initiate the expedited service.
- . That an incomplete or inaccurate application may delay the process and increase the cost to process my request.
- That expedited processing does not guarantee a favorable review of my request.

Name: \_\_\_\_\_\_\_ Other (Please specify) \_\_\_\_\_

Signature: \_\_\_\_\_\_ RECEIVED

Send completed Application and payment to: MAR 0 1 2024

Oregon Water Resources Department

Transfer Reimbursement Authority Program

725 Summer St. NE. Suite A

OWRD USE ONLY: Reimbursement Authority Number: R11-484\_-25

Salem, OR 97301-1271

# Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department 725 Summer St NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

Transfer Application: T-14393

Review Due Date: 02/29/2024

Applica	ant Name: Bradley and Mary Gilbert
Propos	sed Changes: POU POD POA USE OTHER
Review	ver(s): G. Wacker Date of Review: 02/09/2024
1.	Do you have <u>evidence</u> that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? Yes No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2.	Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? Yes No Generally characterize the frequency of any regulation or explain why regulation has not occurred:
3.	Have headgate notices been issued for the source that serves the transferred right(s)?  Yes ✓ No Records not available.
4.	In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized?  Yes  No If "Yes", explain:
5.	In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? Yes No If "Yes", describe how the rights would be affected and list the rights most affected:

11. For POU changes that involve micro-irrigation: 

N/A

a. Has the applicant made changes (absent a transfer) to convert to micro-irrigation within the current place of use boundary of the water right proposed for transfer, and previously demonstrated to the Department through monitoring and site inspections by the Watermaster that the proposed transfer will not result in injury or enlargement?

Yes No If "Yes", explain:

Watermaster Review Form Transfer Application

	thereof) as those lands involved in this transfer?
Yes [	No If "Yes", answer the following:
i	. Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? Yes No If "Yes", explain:
i	i. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? Yes No If "No", explain:
i	iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? Yes No If "No", explain:
į	iv. Do you have any other observations regarding the temporary transfer?  Yes No If "Yes", describe:
	v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? Yes No If "No", explain:
	est of your knowledge, if this transfer is approved, does it appear that:  "Injury" will occur to other water rights that share the same source?  Yes No If "Yes", explain:
i	ii. "Enlargement" of the water right being transferred will occur?  Yes No If "Yes", explain:

12. Are there other issues not identified through the above questions that should be considered in determining whether the change "can be effected without injury to other rights"?
Yes Vo If "Yes", explain:
13. What alternatives may be available for addressing any issues identified above:
14. Do conditions need to be included in the transfer order to avoid enlargement of the right or injury to other rights?   ☐ No ✓ Yes, as checked and provided below:
For POU changes that involve micro-irrigation, provide the monitoring and reporting conditions necessary to prevent injury/enlargement:
A Headgate should be required prior to diverting water.
Measurement Devices for POD or POA: (if this condition is selected, also fill in the top sections of Page 4)
a. Before water use may begin under this order, the water user shall install a totalizing flow meter*, or, with prior approval of the Director, another suitable measuring device, at each point of diversion/appropriation (new and existing) OR at each new point of diversion/appropriation with the exception that water rights issued to the Bureau of Reclamation or an irrigation district (or similar entity) are not subject to this condition.
b. The water user shall maintain the meters or measuring devices in good working order.
c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
Reservoir water use measurement: (if this condition is selected, also fill in the top sections of Page 4)
a. Before water use may begin under this order, the water user shall install staff gages*, or, with prior approval of the Director, other suitable measuring devices, that measure the entire range and stage between empty and full in each reservoir. Staff gages shall be United States Geological Survey style.
b. Before water use may begin under this order, if the reservoir is located in channel, weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, an adjustable outlet valve must be installed. The water user shall maintain such devices in good working order. A written waiver may be obtained, if in the judgment of the Director, the installation of weirs of other suitable measuring devices, or the adjustable outlet valve, will provide no public benefit.
* The following alternative device(s) should be substituted for the bold, underlined device in the above selected condition:
Weir Submerged Orifice
Parshall Flume Flow Restrictor
Other:
BOOK A SEE

Transfer Application

Watermaster Review Form

Transfer #: T- 14393

# **Oregon Water Resources Department**

# Measurement Condition Information for the Applicant

(To be sent with the Draft Preliminary Determination or Final Order)

In order to avoid enlargement of the right or injury to other rights, a totalizing flow meter will be required to be installed prior to diversion of water, as a condition of this transfer:

at each point of diversion/appropriation (new and existing) OR

at each new point of diversion/appropriation.

For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:

Watermaster name: Greg Wacker

District: 16

Address: 725 Summer St NE Ste A

City/State/Zip: Salem, OR 97301

Phone: 971-719-6262

Email: gregory.j.wacker@water.oregon.gov

Note: If a device other than the one specified in the Preliminary Determination or Final Order is approved by the Watermaster, fill out and mail the form below to the Salem office.

# Approval of an Alternate Measurement Device T(to be filled out after consultation with the applicant, or after a site visit)

On behalf of the Director, I authorize use of the following suitable alternate measurement device:

Watermaster signature

District

Date

If this form is used for approval of an alternative measurement device, it must be mailed to:

Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, OR 97301-1266



# Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904

January 30, 2024

Bradley & Mary Gilbert
PO Box 263
Molalla, OR 97038
Reference: Application T 143

Reference: Application T-14393

On January 26, 2024, the Department received your water right Permanent Transfer Application. The application was accompanied by \$2660.00. Receipt number 142303 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to our groundwater staff to determine whether the proposed well accesses the same source of water as the original well.

This application <u>may</u> require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.


Except as provided under ORS 540.510(3) for municipalities, you may not use water the new point of appropriation until a final order approving the transfer application has been issued by the Department. In order to avoid any possible forfeiture of the water right, you should continue to use the water as described by your existing water right.

If the land is sold before the application is approved, the buyer's consent to the application will be required unless a recorded deed or other legal document clearly established that the water right was not conveyed in the sale.

Refer to the following page for a chart showing the steps and expected timelines for the processing of your application.

If you have any questions, please contact the Transfer Section at (503) 986-0935.

Cc: Watermaster Dist. #16, Gregory J. Wacker (via email)
Clackamas County Dept. of Transportation & Development, Local Government
Enclosure



# STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIPT # 142303

725 Summer St. N.E. Ste. A

SALEM, OR 97301-4172 503) 986-0900 / (503) 986-0904 (fax) INVOICE # \_

Gilbert Firm TRANSFER T-1	4393 60.00
BY: PARTY CIDENTIFY)  CASH: CHECK:# OTHER: (IDENTIFY)  TOTAL REC'D \$2/6  1083 TREASURY 4170 WRD MISC CASH ACCT  0407 COPIES	4393 60.00
CASH: CHECK:# OTHER: (IDENTIFY)  TOTAL REC'D \$2/6  1083 TREASURY 4170 WRD MISC CASH ACCT  0407 COPIES	4393 60.00
1083 TREASURY 4170 WRD MISC CASH ACCT  O407 COPIES  TOTAL REC'D \$2,6	60.00
1083 TREASURY 4170 WRD MISC CASH ACCT  0407 COPIES  S S	60.00
0407 COPIES S	
e	
e	
0243 I/S Lease 0244 Muni Water Mgmt. Plan 0245 Cons. Water	
4270 WRD OPERATING ACCT	
MISCELLANEOUS  COPY & TAPE EEES 4/ // S	
OFFI & TAPETEES 10110	
0410 HESEARON FEES	
0408 MISC REVENUE: (IDENTIFY)	
TC162 DEPOSIT LIAB. (IDENTIFY)	
0240 EXTENSION OF TIME	RD FEE
WATER RIGHTS: EXAMPLE	
SUPPLIES STATE WATER	
0203 GHOUND WAIEH	
0205 TRANSFER \$ 2660.00	ISE FEE
WELL CONSTRUCTION 0219 S	
0218 WELL DRILL CONSTRUCTOR 0220 \$	
LANDOWNER'S PERMIT	
OTHER (IDENTIFY)	
0536 TREASURY 0437 WELL CONST. START FEE	
0211 WELL CONST START FEE S CARD#	
0210 MONITORING WELLS S CARD#	
The second of th	
With the second	
0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER	
0233 POWER EIGENSCIPEE (FWWND)	
0231 HTDRO LICENSE FEE (FWWHD)	
HYDRO APPLICATION \$	
TREASURY OTHER / RDX	
FUNDTITLE	
OBJ. CODE VENDOR #	
S	
DESCRIPTION	

RECEIPT: 142303

DATED: 1-24-2024 BY: mynilla

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

# Application for Permanent Water Right Transfer



OREGON Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

# Part 1 of 5 - Minimum Requirements Checklist

This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

		For questions, please can (303) 380-0300, and ask for transfer section.					
heck all	item	s included with this application. (N/A = Not Applicable)					
$\boxtimes$		Part 1 – Completed Minimum Requirements Checklist.					
$\boxtimes$		Part 2 - Completed Transfer Application Map Checklist.					
	Part 3 – Application Fee, payable by check to the Oregon Water Resources Departs completed Fee Worksheet, page 3. Try the new online fee calculator at: <a href="http://apps.wrd.state.or.us/apps/misc/wrd">http://apps.wrd.state.or.us/apps/misc/wrd</a> fee calculator.						
$\boxtimes$		Part 4 - Completed Applicant Information and Signature.					
		Part 5 – Information about Water Rights to be Transferred: How many water be transferred? 1 List them here: Certificate: 97364  Please include a separate Part 5 for each water right. (See instructions on NOTE: A separate transfer application is required for each water right uncriteria in OAR 690-380-3220 are met.	page 6)				
		Attachments:	RECEIVE				
$\boxtimes$		Completed Transfer Application Map.	JAN 2 6 20				
$\boxtimes$		Completed Evidence of Use Affidavit and supporting documentation.	Visite and the second second				
	N/A	Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the right is on.)	land the water				
	N/A	Supplemental Form D – For water rights served by or issued in the name of an irrigation district. Complete when the transfer applicant is not the irrigation district.					
	N/A						
	N/A	Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) point(s) of appropriation.	or additional				
	N/A	Geologist Report for a change from a surface water point of diversion to a gropoint of appropriation (well), if the proposed well is more than 500' from the source and more than 1000' upstream or downstream from the point of dive 690-380-2130 for requirements and applicability.	surface water				
	(For Staff Use Only)						
	-	VE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):  Application fee not enclosed/insufficient Land Use Form not enclosed or incomplete Additional signature(s) required  Part is incomplete	omplete				
	4.4	ther/Explanation Date:/ /	_				

# Part 2 of 5 - Transfer Application Map

OWRD Your transfer application will be returned if any of the map requirements listed below are not met. Please be sure that the transfer application map you submit includes all the required items and matches the existing water right map. Check all boxes that apply. N/A Certified Water Right Examiner (CWRE) Stamp and Original Signature. For a list of CWREs, see http://apps.wrd.state.or.us/apps/wr/cwre license view/. CWRE stamp and signature are not required for substitutions. N/A If more than three water rights are involved, separate maps are needed for each water right. X Permanent quality printed with dark ink on good quality paper. X The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required. M A north arrow, a legend, and scale. X The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department. X Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines. X Tax lot boundaries (property lines) are required. Tax lot numbers are recommended. X Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads. X Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches. X Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged. N/A Proposed place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. X Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit. N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location M and label it clearly with distance and bearing or coordinates. If GPS coordinates are used. latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example - 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example - 42.53764°).

### Part 3 of 5 - Fee Worksheet

2024

	FEE WORKSHEET for PERMANENT TRANSFER (except Substitution)					
1	Base Fee (includes one type of change to one water right for up to 1 cfs)  1 \$1,360					
	Types of change proposed:	1	RECE			
	☐ Place of Use ☐ Character of Use ☐ Point of Diversion/Appropriation  Number of above boxes checked = 1(2a)		JAN 2			
2	Subtract 1 from the number in line 2a = 0 (2b) If only one change, this will be 0  Multiply line 2b by \$1090 and enter » » » » » » » » » » » » » » » » » » »	2	\$0 OWI			
3	Number of water rights included in transfer <u>1 (3a)</u> Subtract 1 from the number in 3a above: <u>0 (3b)</u> If only one water right this will be 0 Multiply line 3b by \$610 and enter » » » » » » » » » » » » » » » » » » »	3	\$0			
	Do you propose to add or change a well, or change from a surface water POD to a well?  No: enter 0 Yes: enter \$480 for the 1 <sup>st</sup> well to be added or changed \$480 (4a)					
4	Do you propose to add or change additional wells?  No: enter 0 Yes: multiply the number of additional wells by \$410 \$820 (4b)  Add line 4a to line 4b and enter > > > > > > > > > > > > > > > > > > >	4	\$1,300			
5	Do you propose to change the place of use or character of use?  No: enter 0 on line 5  Yes: enter the cfs for the portions of the rights to be transferred (see below*):(5a)  Subtract 1.0 from the number in 5a above:(5b)  If 5b is 0 or less, enter 0 on line 5 » » » » » » » » » » » » » » » » » »	5	\$0			
6	Add entries on lines 1 through 5 above » » » » » » » » » Subtotal:	-	\$2,660			
	Is this transfer:  necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat?  If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 »					
7	If no box is applicable, enter 0 on line 7 » » » » » » » » » » » » » » » » » »	7	\$0			
8	Subtract line 7 from line 6 » » » » » » » » » » » » » » » » Transfer Fee:	8	\$2,660			

\*Example for Line 5a calculation to transfer 45.0 acres of Primary Certificate 12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Certificate 87654 (1/80 cfs per acre) on the same land:

1. For irrigation calculate cfs for each water right involved as follows:

a. Divide total authorized cfs by total acres in the water right (for C12345, 1.25 cfs ÷100 ac); then multiply by the number of acres to be transferred to get the transfer cfs (x 45 ac= 0.56 cfs).

b. If the water right certificate does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For C87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs)

2. Add cfs for the portions of water rights on all the land included in the transfer; however do not count cfs for supplemental rights on acreage for which you have already calculated the cfs fee for the primary right on the same land. The fee should be assessed only once for each "on the ground" acre included in the transfer. (In this example, blank 5a would be only 0.56 cfs, since both rights serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0).

	FEE WORKSHEET for SUBSTITUTION		
1	Base Fee (includes change to one well)	1	\$990.00
2	Number of wells included in substitution(2a) Subtract 1 from the number in 2a above:(2b) If only one well this will be 0 Multiply line 2b by \$480 and enter » » » » » » » » » » » » » » » »	2	
3	Add entries on lines 1 through 2 above » » » » Fee for Substitution:	3	NA

# Part 4 of 5 - Applicant Information and Signature

RECEIVED

Applicant Information

IAN 26 2024

APPLICANT/BUSINESS NAME Bradley and Mary Gilbert			PHONE NO. (503) 849-9933	ADDITIONAL CONTACT NO.	OWR
ADDRESS PO Box 263				FAX NO.	3,250
CITY Molalla	STATE OR	ZIP 97038	E-MAIL Brad.w.gilbert@gm	nail.com	

Agent Information - The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME  Doann Hamilton / Pacif	ic Hydro-Geology,	Inc.	PHONE NO. (503) 632-5016	(503) 349-6946 (cell)		
ADDRESS 18487 S. Valley Vista Ro	pad			FAX NO. (503) 632-5983		
CITY Mulino	STATE OR	ZIP 97042	E-MAIL phgdmh@gmail.co	m		

Explain in your own words what you propose to accomplish with this transfer application, and why: The authorized Well (CLAC 66134) is not on our property and we want to install additional new wells on our property to help cover the place of use.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

#### Check One Box

- By signing this application, I understand that, upon receipt of the draft preliminary determination and prior to Department approval of the transfer, I will be required to provide landownership information and evidence that I am authorized to pursue the transfer as identified in OAR 690-380-4010(5); OR I affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; OR
- I affirm the applicant is an entity with the authority to condemn property and is acquiring by condemnation the property to which the water right proposed for transfer is appurtenant and have supporting documentation.

#### By my signature below, I confirm that I understand:

- Prior to Department approval of the transfer application, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: Woodburn Independent.
- Amendments to the application may only be made in response to the Department's Draft Preliminary Determination (DPD). The applicant will have a period of at least 30 days to amend the application to address any issues identified by the Department in the DPD, or to withdraw the application. Note that amendments may be subject to additional fees, pursuant to ORS 536.050.
- · Failure to complete an approved change in place of use and/or change in character of use, will result in loss of the water right (OAR 690-380-6010).
- Refunds may only be granted upon request and, as set forth in ORS 536.050(4)(a), if the Director determines that a refund of all or part of a fee is appropriate in the interests of fairness to the public or necessary to correct an error of the Department.

Permanent Transfer Application Form - Page 4 of 9

I (we) affirm that the information contain	ined in this application is true and accurat	е.
- more of bent	Mary 61/16/pt	B/27/2007
Applicant Signature	Print Name (and Title if applicable)	Date
1 111	Dradle, Gilbert	12/27/2
Applicant Signature /	Print Name (and Title if applicable)	Date

Revised 7/7/2022

14393

RECEIVED

located? Yes No*	of the land	on which	the wate	r right, or portion	thereof, proposed for transfer	ÅN 26 2024
*If NO, include signatures of all di attach affidavits of consent (and water right(s) were conveyed.	eeded lande mailing and	owners (an I/or e-mail	nd mailing addresse	and/or e-mail add s) from all landowr	resses if different than the applica ers or individuals/entities to which	an <b>OWRD</b> th the
Check the following boxes that a	apply:				*	
The applicant is respon sent to the applicant.	sible for co	mpletion	of change	e(s). Notices and c	orrespondence should continue	to be
The receiving landowner issued. Copies of notice	er will be re	esponsible esponden	for comp	pleting the propos I be sent to this la	ed change(s) after the final ordendowner.	er is
Both the receiving land and correspondence sh	owner and ould be se	applicant	will be re	esponsible for con er and the applica	npletion of change(s). Copies of nt.	notices
At this time, are the lands in thi	s transfer a	application	n in the p	rocess of being so	ld? Yes No	
below. If you do not know who to below. If you do not know wat a later date.  If a property sells, the certical unless a sale agreement or https://www.oregon.gov/o	who the ne ficated wat other docu	er right(s)	ner will b located tes other	oe, then a request on the land belon wise. For more inf	ormation see:	n table iled for
RECEIVING LANDOWNER NAME NA				PHONE NO.	ADDITIONAL CONTACT NO.	
ADDRESS					FAX NO.	
CITY	STATE	ZIP		E-MAIL		
Describe any special ownership	circumsta	nces:				
The confirming Certificate shall	be issued	in the nam	ne of:	Applicant Re	eceiving Landowner	
Check here if any of the an irrigation or other water	A	Tip: Com	plete a	nd attach Suppl	will be located within or ser emental Form D.)	ved by
IRRIGATION DISTRICT NAME NA			ADDRESS			
CITY			STATE		ZIP	
Check here if water for a contract for stored water					ervice agreement or other	
ENTITY NAME NA			ADDRESS			
СПУ			STATE		ZIP	
To meet State Land Use Cor corporation, or tribal govern						used.
ENTITY NAME Clackamas Co. Department of Tr. Development, Planning Division	ansportation	on and	ADDRESS 150 Bea	vercreek Road		
Oregon City			STATE Oregon		7IP 97045	

# Part 5 of 5 - Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

				CE	RTII	FICAT	ΓE # <u>97</u>	7364			
Descrip	tion of Water	Delivery Syst	em								RECEIV
System	capacity: 1.4	cubic feet pe	er se	cond	d (cfs	s) OR					JAN 26
		gallons pe	er m	inute	e (gp	m)					OWR
five year and ap  Water through	ars. Include inf ply the water a is pumped fro h 8-inch burie	ormation on the state of the st	the page 2 decided and page 2 de	place	ps, c e of l) us the	analsuse.  ing a	s, pipe 75 Hr	subm	and sp	rinklers e pum r prope	s used to divert, convey,  to convey water  erty. A buried 6-inch PVC
											nues up north. Risers are able handlines with
	sprinklers car				ittie	1 4 11	ai u iic	Jac Lia	veler	וטונים וט	able nationites with
											ropriation (POA)
te: If the	POD/POA nam	ne is not spec	ified	on t	the c	ertif	icate,	assign	it a na	me or	number here.)
OD/POA lame or lumber	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	Т	wp	F	Rng	Sec	14	X	Tax Lot, DLC or Gov't	Measured Distances (from a recognized survey corner)
Well 5	Authorized Proposed	CLAC 66134	5	s	1	E	12	NW	SE	TL 200	2,750 feet south and 1,660 feet west from the NE corner, Section 12.
Well 2	☐ Authorized ☐ Proposed	NA	5	s	1	E	12	NE	NW	TL 300	1,005 feet south and 2,610 feet east from the NW corner, Section 12.
Well 3	Authorized Proposed	CLAC 77513	5	s	1	E	12	NE	NW	TL 300	840 feet south and 2,475 feet east from the NW corner, Section 12.
Well 4	Authorized Proposed	NA	5	s	1	E	12	NE	NW	TL 300	945 feet south and 2,380 feet east from the NW corner, Section 12.
Check	all type(s) of c	hange(s) prop	ose	d be	low	(cha	nge "(	CODES	" are p	rovide	ed in parentheses):
	Place of Use						_				o Primary Use (S to P)
	Character of	2					=	23/1/2/			on/Well (POA)
H	Point of Dive						_				Appropriation (APOA)
		oint of Divers	ion	(APC	)D)		=		ution		V. V
											POD (GOV)
	Surrace wat	er POD to Gro	Juno	1 AA	rer			over	mient	MCLION	100 (GOV)

Will all of the proposed changes affect the entire water right?

14393 -

POA (SW/GW)

Yes	Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
No	Complete all of Table 2 to describe the portion of the water right to be changed.
	RECEIVED
	JAN 2 6 2024
	OWRD

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions. Do you have questions about how to fill-out the tables?

Contact the Department at 503-986-0900 and ask for Transfer Staff.

### Table 2. Description of Changes to Water Right Certificate # 97364

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

Ţ				at appear	rs on th	e cer	tificate		s) PPOSED CHAN		Proposed Changes (see				The	listii			uld app		FTER F	n" land	s) ED CHANG	ES
Twp	Rng	3	Sec	××	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	"CODES" from previous page)	Tv	wp	R	ng	Sec	*	14	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date
											APOA	5	s	1	E	1	NE	sw	2300	NA	2.3	IR	Wells 2, 3, 4 & 5	11-29-2001
											APOA	5	s	1	E	1	SE	sw	2300	NA	34.5	IR	Wells 2, 3, 4 & 5	11-29-2001
											APOA	5	s	1	E	1	sw	SE	2400	NA	22.4	IR	Wells 2, 3, 4 & 5	11-29-2001
											APOA	5	s	1	E	12	NE	NW	300	NA	40.0	IR	Wells 2, 3, 4 & 5	11-29-2001
									phone.															
									// <u>/                                 </u>															
				TC	OTAL ACI	RES:												TOT	AL ACE	RES:	99.2			

Additional remarks: The well specifications given below for the additional wells are estimates only. The actual well construction will be based on conditions encountered in the field. The objective will be to construct a well which develops water from the deep Troutdale aquifer.

RECEIVED

JAN 2 6 2024

OWRD

Identity the primary certificate to be cancelled. Certificate # NA

## For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:

<a href="http://apps.wrd.state.or.us/apps/gw/well-log/Default.aspx">http://apps.wrd.state.or.us/apps/gw/well-log/Default.aspx</a>

### AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For proposed wells not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

### Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right
Well 5	Yes	CLAC 66134			S	ee Well Log	CLAC 66134			N-+1
Well 2	No	NA	300-400 feet	10 inch	0 to 300- 400	0 to 170 feet	TBD	NA	Deep Troutdale Aquifer	Not less than full rate of
Well 3	No	NA			S	ee Well Log	CLAC 77513		7	water
Well 4	No	NA	300-400 feet	10 inch	0 to 300- 400	0 to 170 feet	TBD	NA	Deep Troutdale Aquifer	right

Revised 7/7/2022

Permanent Transfer Application Form - Page 9 of 9

' TACS

RECEIVED

JAN 26 2024

**OWRD** 

# Witnessing or Attesting a Signature

State of OREGON
County of CIACUMAS
Signed (or attested) before me on (date) December 37,20,23—
by (name(s) of individual(s)) MATY L. GILLORT AND BROCKLY W. GILLORA
Notan Bublic State of Overson
Notary Public - State of Oregon
Official Stamp
OFFICIAL STAMP ALEARA MAY RUMBOLD NOTARY PUBLIC - OREGON COMMISSION NO. 1033830 MY COMMISSION EXPIRES FEBRUARY 21, 2027
Document Description  This certificate is attached to page 4 of a Remarket WHO Pointitle of type of document), dated 12-37, 2033, consisting of 9 pages.

RECEIVED

14393 -

JAN 26 2024

OWRD

# **Application for Water Right**

# **Transfer**

# **Evidence of Use Affidavit**



# Oregon Water Resources Department

725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.wrd.state.or.us

RECEIVED

JAN 2 6 2024 OWRD

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing.

Supporting documentation must be attached.

tate o	f Oregon			)							
ounty	of CLACKAMAS)			,	SS						
BRAD	GILBERT, in my	capaci	ty as ow	VNER /	OPERA'	TOR,					
nailing	g address 1522	1 SE HV	VY 212,	CLACK	AMAS,	OR 9701	5				
eleph	one number ( <u>5</u>	03) 849	9-9933,	being	first c	luly swo	rn depos	e and say:			
1.	My knowledg	ge of th	e exerc	ise or	status	of the v	vater righ	nt is based or	(check one):		
	□ Person	onal ob	servatio	on			Profess	ional experti	se		
2.	I attest that:										
					ne pre	vious fiv	e years o	n the entire	place of use fo	or	
	Certif	ficate #	·	; OR							
	☐ My k	nowled	lge is sp	ecific	to the	use of	water at	the following	locations wit	hin the last five years	:
	Certificate #	Tow	nship	Ra	nge	Mer	Sec	1/4 1/4	Gov't Lot or DLC	Acres (if applicable)	
									0,020	(mappindosie)	
OR											
	Confirming Co									71	
	Part or all of t instream leas		and the same							ears. The	
	transfer was r	not leas	sed, add	dition	al evid	ence of	use is ne	eded for the	portion <u>not</u> le	ased instream.); OR	
	The water rigi							tation that a	presumption	of forfeiture for non-	use
	Water has be								opriation for n	nore than	
					lee	ntlauca	00 10110	en cido)	110	0.0	

(continues on reverse side)

14393 -

3. The water right was used for: (e.g., crops, pasture, etc.): ROW CROPS

4. I understand that if I do not attach one or more of the documents shown in the table below to support the above

statements, my application will be considered incomplete.

Signature of Affian

OWRD

Signed and sworn to (or affirmed) before me this 18 day of January, 20 24.



OFFICIAL STAMP MILBRY GARCIA NOTARY PUBLIC - OREGON COMMISSION NO. 1029460 MY COMMISSION EXPIRES OCTOBER 16, 2026

My Commission Expires: October 16, 2026

Supporting Documents	Examples
Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of confirming water right certificate that shows issue date
Copies of receipts from sales of irrigated crops or for expenditures related to use of water	<ul> <li>Power usage records for pumps associated with irrigation use</li> <li>Fertilizer or seed bills related to irrigated crops</li> <li>Farmers Co-op sales receipt</li> </ul>
Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	<ul> <li>District assessment records for water delivered</li> <li>Crop reports submitted under a federal loan agreement</li> <li>Beneficial use reports from district</li> <li>IRS Farm Usage Deduction Report</li> <li>Agricultural Stabilization Plan</li> <li>CREP Report</li> </ul>
Aerial photos containing sufficient detail to establish location and date of photograph	Multiple photos can be submitted to resolve different areas of a water right.  If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added.  Sources for aerial photos: OSU —www.oregonexplorer.info/imagery OWRD — www.wrd.state.or.us Google Earth — earth.google.com TerraServer — www.terraserver.com
Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number

#### STATE OF OREGON

### COUNTY OF CLACKAMAS

#### CERTIFICATE OF WATER RIGHT

JAN **2 6** 2024

OWRD

THIS CERTIFICATE ISSUED TO

BRADLEY GILBERT MARY GILBERT 15221 SE HWY 212 CLACKAMAS OR 97015

confirms the right to the use of water perfected under the terms of Permit G-15254. The amount of water used to which this right is entitled is limited to the amount used beneficially, and shall not exceed the amount specified, or its equivalent in the case of rotation, measured at the point of diversion from the source. The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-15661

SOURCE OF WATER: ONE WELL IN BEAR CREEK BASIN

PURPOSE OR USE: NURSERY USE ON 99.2 ACRES

MAXIMUM RATE: 1.4 CUBIC FEET PER SECOND

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: NOVEMBER 29, 2001

#### WELL LOCATION:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
5 S	1 E	WM	12	NW SE	WELL 5 (NEW) - 2750 FEET SOUTH AND 1660 FEET WEST FROM NE CORNER, SECTION 12

The amount of water used for NURSERY OPERATIONS is limited to a diversion of 0.15 cubic foot per second per acre. For the irrigation of containerized nursery plants, the amount of water diverted is limited to ONE-FORTIETH of one cubic foot per second (or its equivalent) and 5.0 acre feet per acre per year. For the irrigation of in ground nursery plants the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre per year. The use of water for NURSERY OPERATIONS may be made at anytime, during the period of allowed use specified above, that the use is beneficial. For the irrigation of any other crop, the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre during the irrigation season of each year.

### NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484 and ORS 536.075. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 183.484, ORS 536.075 and OAR 137-004-0080, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied. In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate within three months after issuance of the certificate.

Application G-15661.ra.klk

Page 1 of 3

Certificate 97364

HE PL	ACEUI	OSEIS	LOCA	TED AS F	OLLOW
Twp	Rng	Mer	Sec	Q-Q	Acres
5.0	1.0	TUDA	1	NIC CITY	2.2

Twp	Rng	Mer	Sec	Q-Q	Acres
5 S	1 E	WM	1	NE SW	2.3
5 S	1 E	WM	1	SE SW	34.5
5 S	1 E	WM	I	SW SE	22.4
5 S	1 E	WM	12	NE NW	40.0

Measurement, recording and reporting conditions:

- The water user shall maintain the meter or other suitable measuring device approved by the Director in good working order, shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the water user to report general water use information, including the place and nature of use of water under the right.
- The water user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable

To monitor the effect of water use from the well(s) authorized under this right, the Director may require the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement. The measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- (A) Identify each well with its associated measurement; and
- (B) Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and
- (C) Specify the method used to obtain each well measurement; and
- (D) Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well if annual water level measurements reveal any of the following events:

- An average water level decline of three or more feet per year for five consecutive years; or (A)
- A water level decline of 15 or more feet in fewer than five consecutive years; or (B)
- A water level decline of 25 or more feet; or (C)
- Hydraulic interference leading to a decline of 25 or more feet in any neighboring well with senior priority.

The reference level against which any future measurements will be compared is 129.77 feet below land surface for Well 5.

The period of non or restricted use shall continue until the water level rises above the decline level which triggered the action or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this right. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

Ground water for use under this right shall be produced from the deep Troutdale aquifer between approximately 300 and 400 feet below land surface.

The use of water under the terms of this certificate is subject to regulation concurrent with or prior to regulation of a senior right competing for water from the same source when regulation is the result of water level declines that exceed limits specified in the senior right.

The quantity of water diverted at the new point of appropriation shall not exceed the quantity of water lawfully available at

the original points of appropriation as described as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
5 S	1 E	WM	1	SW SE	WELL 1 (ORIGINAL) - 1200 FEET NORTH AND 2385 FEET WEST FROM SE CORNER, SECTION 1
5 S	1 E	WM	12	NE NW	WELL 2 (ORIGINAL) - 990 FEET SOUTH AND 2650 FEET WEST FROM NE CORNER, SECTION 12

Water shall be acquired from the same aquifer as the original points of appropriation.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this right, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be maintained in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine the water level elevation in the well at all times.

The Director may require water level or pump test results every ten years.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The right to the use of the water for the above purpose is restricted to beneficial use on the place of use described.

Issued

SEP 2 2 2023

Dwight French

Water Right Services Division Administrator, for

Douglas E. Woodcock, Acting Director Oregon Water Resources Department

RECEIVED

JAN 26 2024

OWRD

Application G-15661.ra.klk

Page 3 of 3

Certificate 97364

# Land Use Information Form



OREGON Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900

RECEIVED

JAN 26 2024

OWRD

Applicant(s): Bradley and Mary Gilbert

Mailing Address: 15221 SE Hwy 212

City: Clackamas

State: OR

Zip Code: 97015

Daytime Phone: 503-849-9933

#### A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	××	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)		Water to be:		Proposed Land Use:
<u>5S</u>	<u>1E</u>	1 2300 EFU	EFU	Diverted	○ Conveyed	☑ Used	Nursery		
<u>5S</u>	<u>1E</u>	1		2400	<u>EFU</u>	Diverted	⊠ Conveyed	<b>⊠</b> Used	Nursery
<u>5S</u>	<u>1E</u>	12		300	EFU	☑ Diverted	⊠ Conveyed	<b>⊠</b> Used	Nursery
<u>5S</u>	<u>1E</u>	12		200	EFU	☑ Diverted	⊠ Conveyed	Used	Nursery

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed: Clackamas County B. Description of Proposed Use Type of application to be filed with the Water Resources Department: Permit to Use or Store Water Water Right Transfer Permit Amendment or Ground Water Registration Modification Limited Water Use License Allocation of Conserved Water Exchange of Water Source of water: Reservoir/Pond Ground Water Surface Water (name) Estimated quantity of water needed: 1.4 Cubic feet per second gallons per minute acre-feet Industrial Domestic for household(s) Intended use of water: Irrigation Commercial Municipal Quasi-Municipal Instream Other Nursery Briefly describe: This Land Use Information Form is to accompany a water right transfer application that proposes to Add an additional three points of appropriation (well) for an existing water right (Certificate 97364) to the already existing authorized well.

Note to applicant: If the Land Use information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. ->

Revised 2/8/2010

Land Use Information Form - Page 2 of 3

WR / FS

# RECEIVED

# JAN 26 2024

# For Local Government Use Only

OWRD

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below an	nd provide the requested information		
☑ Land uses to be served by the proposed water	er uses (including proposed construction) are	allowed outrig	ght or are not regulated
by your comprehensive plan. Cite applicable	ordinance section(s): ORS 308 A.O.	56 - "Fai	rnuse" definition
Land uses to be served by the proposed water as listed in the table below. (Please attach do Record of Action/land-use decision and accor- periods have not ended, check "Being pursu	ocumentation of applicable land-use approve mpanying findings are sufficient.) If approva	als which have a	already been obtained.
Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Lan	d-Use Approval:
		Obtained Denied	☐ Being Pursued ☐ Not Being Pursued
		Obtained Denied	☐ Being Pursued ☐ Not Being Pursued
		Obtained Denled	☐ Being Pursued ☐ Not Being Pursued
		Obtained Denled	☐ Being Pursued ☐ Not Being Pursued
		Obtained Denied	☐ Being Pursued ☐ Not Being Pursued
Name: Aldo Bodriguez	Title:	Planne	1
Signature: Allo Press	Phone: 503 742		
Government Entity: Clackamas	County		
Note to local government representative: Pleasign the receipt, you will have 30 days from the Information Form or WRD may presume the lancomprehensive plans.	Water Resources Department's notice date t	to return the co	ompleted Land Use
Receipt	for Request for Land Use Information	on .	
Applicant name:			
City or County:	Staff contact:		
Signature:	Phone: Date		

RECEIVED

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765)

Address 15829 Mt. Angel-Scotts Mills Hwy NE

Community |

To

79

160

470

☐ Injection

(1) LAND OWNER

(2) TYPE OF WORK

(4) PROPOSED USE

Domestic Com

Depth of Completed Well 470

BORE HOLE

Diameter From

Hackfill placed from

Gravel placed from 163

(6) CASING/LINER

10"

10"

Liner pipe @ 470'

☐ Perforations Z Screens

404

455.5

To

From

Z Pump

Depth of strata.

750

Yield gal/min

Temperature of water 56

366

437

('asing: 12"

10

79

160

How was seal placed: Method

Ther Bentonite placed dry

Diameter From

bottom plate

+1.5

455.5

Drive Shoe used Inside Outside None Final location of shoc(s) 16" cut off @ 470" (7) PERFORATIONS/SCREENS

Slot

Size

.065

.065

☐ Bailer

129

Was a water analysis done? Yes By whom Did any strata contain water not suitable for intended use?

(8) WELL TESTS: Minimum testing time is 1 hour

Drawdown

403

23"

20"

16"

Explosives used: Yes No Type

☐ Thermal

City Silverton

Name Dickman Land, LLC

Westerbern hilling, Inc. 36728 S. Molalla, C. 97038

WELL I.D. # 1, 96447

START CARD # 200218

JAN 26 2024

Instructions for completing this report are on the last page of this form

State OR

☐ Industrial

☐ Livestock

(5) BORE HOLE CONSTRUCTION Special Construction ☐ Yes ☑ No

th

Material

Bentonite

ft to 470 ft.

Cement

ft to

To

366

437

470

New Well ☐ Deepening ☐ Alteration (repair recondition) ☐ Abandonment ☐ Conversion

Well Number

/ip 97381

Irrigation

Amount

SEAL

29

163

ZO

Size of gravel 1/4x10/6x9

Material

Z

Z

V

Number Diameter Tele/pipe Casing Liner

PS

PS

Drill stem at

Depth Artesian Flow Found

To

Sacks or Pounds

98 sacks

215 sacks

Plastic Welded Threaded

NNUU

Material stainless

Time

Flowing Artesian

8 hr.

From

29

n

Gauge

250

250

.250

Type V-wire

☐ Air

Salty Muddy Odor Olored RECEIVED

10"

10"

welded on tail

()ther

WINK!	(ARI) # 200		OWI
(9) LOCATION OF WELL	(legal descrip	tion)	
County Clackamas			
Tax 1.01 200	Lot		
Fownship 5 S	Range 1		E WM
Section 12 NW		1.4 SE	1.4
at "or			grees or decimal)
or			grees or decimal)
Street Address of Well (or nearest Hwy 211 Molalla, OR 97038	address) adja	cent to (E. of)	16131 S.
(10) STATIC WATER LEVI 153'3" (t. below land	A STATE OF THE STA	Date 7-16-09	
ft, below land	d surface	Date	
Artesian pressure lb. p	er square inch	Date	
(11) WATER BEARING ZO Depth at which water was first fou			
From To	Estin	ated Flow Rate	SWL
366 449	>750 g	1pm	153'3"
			+
			1
Clay brown Clay w/ cobbles & boulders Clay Gravel, cobbles w/ clay Clay reddish brown	1 6 38 41 69	6 38 41 69 72	
Clay tan brown w/ some grav	rels 72	101	
Clay dark brown	101	118	
Clay grey	118	123	-
Sand grey	123	126	-
Sandy grey clay Clay grey dense	138	176	1
Clay grey w/ sand	176	178	1
Clay grey	178	246	
Clay blue sticky	246	279	
continued on page 2			
Date Started 5-26-09	Completed	7-24-09	
(unbonded) Water Well Constru Leertify that the work I perform abandonment of this well is in com- construction standards. Materials the the best of my knowledge and belie	ned on the consuppliance with Coused and inform	truction, deepen	aly well
WWC Number Signed	Date		
(bonded) Water Well Constructor I accept responsibility for the estandonment work performed on the standards with the construction standards and belief.	onstruction, de his well during this time is in a	epening, alteration the construction compliance with	dates reported Oregon water
WWC Number 688	Date	7-27-09	
signed At -2	7	Tidel	


ORIGINAL WATER RESOURCES JULA 3 Q 2009

FIRST COPY CONSTRUCTOR

SECOND COPY CUSTOMER

16.16.2014

### **CLAC 66134**



RECEIVED

JAN 26 2024

**OWRD** 

36728 S. Kropf Rd., Molalla, OR 97038 • Phone: (503) 829-2526 FAX (503) 829-7514

WELL ID#	OWNER/BUSINESS NAME	MAILING ADDRESS	CITY/STATE/ZIP
L96447	Dickman Land, LLC	15829 Mt. Angel-Scotts Mills Hwy NE	Silverton, OR 97381

WELL ADDRESS	COUNTY	TOWNSHIP	RANGE	SECTION	1/4	1/4	TAX LOT
adjacent to 16131 S. Hwy 211 Molalla, OR	Clackamas	5S	1E	12	NW	SE	200

MATERIAL	FROM	TO	SWL
Clay brown sticky	279	293	
Clay grey w/ layers of sand	293	304	
Clay grey	304	341	
Clay grey some sand streaks	341	346	
Clay grey	346	368	
Sand black coarse w/ small gravels w/	368		
intermittent layers of grey clay		397	
Clay grey sandy	397	404	
Clay grey	404	443	
Sand cemented	443	445	
Sand loose grey med	445	449	
Clay grey	449	346 368 397 7 404 4 443 3 445 5 449	
Westerberg Drilling, Inc. 36728 S. Kropf Rd. Molalla, OR 97038			
36728 S. Kropf Rd.		IVED	
36728 S. Kropf Rd.		0 2009	

STATE OF OREGON

**CLAC 77513** 

WELL I.D. LABEL# L 145215

WATER SUPPLY WELL REPORT WESTERBER	G DRILLING ING. START CARD# 2186	
(as required by ORS 537.545 & 537.765 and OAR 690-205-0210) PO B	OXM228 ~ ORIGINAL LOG#	
I) LAND OWNER Owner Well I.DMOLALLA	OR 97038	
First Name Last Name	(9) LOCATION OF WELL (legal descri	ntlant
Company Brad Gilbert Farms		
Address 15221 SE Hwy 212	County CLACKAN Twp 5 S N/S F	
City Clackamas State OR Zip 97015	Sec 12 NE V 1/4 of the NW V 1/4	Tax Lot 300
TYPE OF WORK New Well Deepening Conversion	Tax Map Number	Lot
Alteration (complete 2a & 10) Abandonment(complete 5a)	Lat or 45.15569	DMS or DD
a) PRE-ALTERATION	Long or -122.63097	DMS or DD
Dia + From To Gauge Stl Plstc Wld Thrd	© Street address of well Nearest a	ddress
Casing:	11600 S Toliver Rd, Molalla, OR 97038	
Material From To Amt sacks/lbs	11000 S 10HVCF Rd, Molalia, OR 97038	
Seal:	<del></del>	
DRILL METHOD	(10) STATIC WATER LEVEL	
Rotary Air Rotary Mud Cable Auger Cable Mud		WL(psi) + SWL(ft)
Reverse Rotary Other		section
	Completed Well	
PROPOSED USE Domestic Virrigation Community	Flowing Artesian? Dr	y Hole?
Industrial/ Commercial Livestock Dewatering		A COMMENT
Thermal Injection Other test well		ns first found n/n
		SWL(psi) + SWL(ft)
BORE HOLE CONSTRUCTION Special Standard X (Attach copy	see comments section	
Depth of Completed Well 500 ft.	See Schiller Section	
BORE HOLE SEAL sacks/		
Dia From To Material From To Amt lbs		
10 0 19 Bentonite  0 19 11 S		
6 19 500 Calculated 8.6		
Calculated	(11) WELL LOG Ground Elevation	
How was seal placed: Method A , B C D E	Material	From To
Xother hent pieced dry & hudge ted	top soil	0 2
Backfill placed from fl. to fl. Material	clay brown	2 8
	cobbles, gravel with clay brown	8 79
Filter pack from ft. to ft. Material Size	clay brown	79 103
Explosives used: Yes Type Amount	gravel brown	103 105
ABANDONMENT USING UNHYDRATED BENTONITE	clay brown with small gravel & coarse sand	105 141
	clay grey	141 160
Proposed Amount P Actual Amount P	clay brown sandy	160 173
CASING/LINER	clay blown sandy	173 181
Casing Liner Dia + From To Gauge Stl Plste Wld Thrd	clay light grey	181 185
Q Q 6 ⊠ 1 19 250 Q ⊠ Q	clay fight grey RECEIVED	185 197
	clay tak grey	197 207
		207 295
	clay blue grey Clay green  OCT 2 0 2022	295 306
H H K K H H K K H H K K H H K K K H H K	To the state of th	306 363
Shoe Inside Outside Other Location of shoe(s) n/a	clay brown	363 367
	clay grey green OWRD	367 389
Temp casing Yes Dia From + To	ciay grey green	- 307 302
PERFORATIONS/SCREENS		
Perforations Method none		
Screens Type Material	Date Started9-15-2022 Complete	d 9-26-2022
Perf/ Casing/ Screen Scm/slot Slot # of Tele/		
Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification	
	I certify that the work I performed on the construc	
	abandonment of this well is in compliance with	o Oregon water supply well
	construction standards. Materials used and information	tion reported above are true to
	the best of my knowledge and belief.	
	License Number / Date	
WELL TESTS: Minimum testing time is 1 hour	17	1.
	Signed Menen 7.	selve.
O Pump O Bailer O Air O Flowing Artesian	4 I DW - W	
Yield gol/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification	
this well was drilled as a test well w/mud	I accept responsibility for the construction, deepeni	
no well testing is possible	work performed on this well during the construction	
	performed during this time is in compliance with	
Temperature n/a °F Lab analysis Yes By	construction standards. This report is true to the best	of my knowledge and belief.
	License Number 988 / Date 10-	6-2022
Water quality concerns? Yes (describe below) TDS amount n/a From To Description Amount Units	1	RECEIVE
	Signed Shewen n. 1	colole ILUEIVE
	Contact Info (optional)	1011
		JAN 26 202
	The American State	

## **CLAC 77513**

WATER SUPPLY WELL REPORT - continuation page

WELL I.D. LABEL# L 145215 START CARD # 218656 ORIGINAL LOG #

			ORIGINAL LOG#		
2a) PRE-ALTERATION	Water (	Quality Cond	erns		
Dia + From To Gauge Stl Plste Wid Thrd	From	To To	Description	Amount	Unite
	Trons	10	Description	2200 1990 1990 1990	December .
THE BOTTOM TO THE STATE OF THE					
		+ +			1 2
Material From To Amt sacks/lbs				Y	1
	11			볼	4844
				T	
BORE HOLE CONSTRUCTION	(10) ST	ATIC WAT	ER LEVEL		
	SWL D	ate From	To Est Flow	SWL(psi) +	SWL(f
BORE HOLE SEAL sacks					1
Dia From To Material From To Amt lbs	-				-
				1	-
Calculated					1
					1000
Calculated					
Calculated					
Calculated					
FILTER PACK	(11) WE	LL LOG			
From To Material Size	(22) 112				
		Mater	ial	From	To
	Clay Gree			389	409
		en & Black Me	edium Course	409	421
CASING/LINER	Clay Grey		C & C	421	437
CASITO/ABTER	Clay Gree	Sand Streaks	Grey & Green	437	441
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd			Course with fine Gravel with		455
		ten Layers of C		455	477
	Clay Gre			477	479
			with Small Gravel	479	491
	Clay Grey			491	500
R Q H H R Q H H					
29-1-12911					
RALLE RALLE			- Inches		
RALLER HAR					70 27
					`
PERFORATIONS/SCREENS		RECE	IVED RI	CEIVE	J
PERFORATIONS/SCREENS			M. Markett A.	1	
erf/ Casing/Screen Scrn/slot Slot # of Tele			- JA	N 2 6 202	4
creen Liner Dia From To width length slots pipe si	ze	OCT 2	0 2022		-
	11-	0012	O LULL	OWDD	
	-			OWRD	
		OW	'RD		
		- V V	1,1	110000	
		1200 311			
	Comme	nts/Remar	ks		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	application Because if zones, stat	n is finalized, t t was drilled w tic water levels	rilled under Permit G-15254. his well will be redrilled to r ith mud, it is not possible to or perform any well tests. T This well is not an exempt u	a larger irrigation identify water be The borehole is f	well.

# CLAC 77513 RECEIVED


NOV 1 4 2022

725 Summer St NE, Sale

Oregon Water Resources Department Groundwater Use Recording Mapping Tool

# Step 1: Search for Well Step 2: Create Well Map Mark Well Point and Create Map Zoom in closer to the well location, if need Mark the location of the well by either of t A. Drawing on the map using the draw Click on Icon and draw a point on the B. Type in the GPS Decimal Degrees: GPS Latitude: 45.15569 GPS Longitude: -122.63097 Mark Point Clear Point Converter Results: Latitude: 45.15569 Longitude:-122.63097 Complete the form: Steven N Stadeli Submitted by: 11600 S. Toliver Address of Well: Rd. City: Molalla L-145215 Special Notes:

RECEIVED
JAN 2 6 2024
OWRD



NÎ

Make Map

#### STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIPT # 1 1/159

725 Summer St. N.E. Ste. A SALEM OR 97301-4172

INVOICE #

	(503) 986-0900 / (503) 986-0904 (fax)							
RECEIVED	FROM: Brodley h	1 6.16crt:	APPLICATION					
BY:	Mary L Gi	1best	PERMIT					
CASH:	OTHER UPE	A COTTAGE AND	TRANSFER	T=14393				
DASH.	CHECK:# OTHER: (IDE	NIIFY)	TOTAL REC'D	\$ 71.40				
10	B3 TREASURY 4170 V	WRD MISC CASH AC	CT					
	11/11/		,01	\$				
0407			N	\$ 71.40				
	07 OTHER: (IDENTIFY)	Nanspoper	Nonce	9/1.2				
0243 I/S Lease 0244 Muni Water Mgmt. Plan 0245 Cons. Water								
	4270 WRD OPERATING ACCT							
	MISCELLANEOUS			6				
0407	COPY & TAPE FEES			S				
0410	RESEARCH FEES			\$				
0408	MISC REVENUE: (IDENTIFY)			S				
TC16	SO THE STATE OF TH			\$				
0240	EXTENSION OF TIME		-	RECORD FEE				
2.22.27	WATER RIGHTS:	EXAM FEE		\$				
0201	SURFACE WATER	\$	0202	\$				
0203	GROUND WATER	S	0204					
0205	TRANSFER	\$		LICENSE FEE				
	WELL CONSTRUCTION	EXAM FEE	0219	\$				
0218	WELL DRILL CONSTRUCTOR	\$	0220	\$				
	LANDOWNER'S PERMIT							
-	OTHER (IDENTIFY	)						
05	36 TREASURY 0437 \	WELL CONST. STAR	TFEE					
0211	WELL CONST START FEE	S	CARD#					
0210	MONITORING WELLS	S	CARD#					
1 111	OTHER (IDENTIFY	)						
06	OT TREASURY 0467 H	HYDRO ACTIVITY	LIC NUMBER					
0233	POWER LICENSE FEE (FW/WF	RD)		\$				
0231	HYDRO LICENSE FEE (FW/WF	RD)		\$				
	HYDRO APPLICATION			\$				
	TREASURY C	OTHER / RDX						
ELINI	TITLE							
	CODE VENDOR	1		\$				
DESC	RIPTION							
	4.4.4.50	12 22 211	4 )					
ECEIPT:	144459 DATE	D: 12-23-24 BY:	7-10	1-2				

14393 made out to Oregon Water Resources Department (or WRD) Attached is a check in the amount of \$71.40 (PCA #46118) for Newspaper Notice for Transfer T-

"for T-14393 NOTICE" written on front of check

Mail to:

Oregon Water Resources Department

Salem, OR 97301-1266

725 Summer St. NE, Suite A

2 3 Caseworker: Dante Luongo

RECEIPT: 144459 Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

# Permanent Transfer Application Intake Checklist

# Transfer # T-14393

Reviewer Nick Date 1/29/2024			1	Type of Change(s) Proposed:				
				□ POU □ POD ☑ APOD □ POA □ APOA □ USE				
				Substitution Gov't Action Sup to Primary SW to GW				
Calculated Fee \$2660 Use fee calculator on back of this form  Fee Received \$2660								
Certificate(s): 97364					Check all Certs in WRIS to confirm they are not cancelled			
For multiple certificates, does application meet requirement of OAR 690-380-3220?  If no, why?  Use the flow chart for multiple Certs							☐ YES ☐ NO ☒ N/A	
Notes:								
Application: OAR 690-380-3000; OAR 690-380-3220								
1.	⊠ YES	□ NO		Have ALL of the	ALL of the applicant's signed and dated the application? , whose signature is missing?			
2.	⊠ YES	Part 5 of applie			cation: Does the information match the description of the Part 4 of the application?			
3.	YES	□ NO	⊠ N/A	For multiple certificates: Each certificate proposed for transfer has their own separate completed Part 5, Tables 1 & 2?  If no, which certificate(s) are missing separate Part 5, Tables 1 & 2?				
Map Requirements: OAR 690-380-3100								
4.	YES	□ NO		Has the ma	las the map been completed and signed by a CWRE?			
5.	YES	□ NO	⊠ N/A	Map Waive	r? The map waiver must be issued by the Department			
Notes:								
Attachments: OAR 690-380-3000								
				Evidence of	of Use included, signed, & notarized w/supporting documentation?			
7.	⊠ YES		□NO □N/A		Land Use Form included and signed by the County?			
8.	YES				Form included, signed, and notarized?			
9.	YES	□ NO	⊠ N/A		ce of use is in or near an irri	igation distri	ct?	
	YES	□ NO			m D included? Name of the			
10.	YES	□ NO	□ N/A	For changes	in POA/APOA – are the we	II logs includ	ed?	
11.	YES	□ NO	□ N/A	For change i	in POU within Umatilla Cou	nty, Supplen	nental Form U included?	
	Application complete: no deficiencies identified, assign a T-number and put this checklist in T-folder.							
		Application DEFICIENT: DO NOT accept - return to applicant with letter explaining deficiencies identified.						
	Application Deficient. Do Not accept - leturn to applicant with letter explaining deficiencies identified.							

Revised 7/2023 TACS