Regular



T-14394

Name City of Junctice Attn: Gary Kaping Address 1171 Elm St. Junction City	or 97448		OF WATER RIGHT(s) 11 No.4, Well No. te River	.5		Date 1,26-24 7-3-24 7-29-24	FEES PAID Amount 9,450.00 \$125.00	Receipt # 423011 143242
Change in APOA Date Filed 1/26/2024		Use Municipal		County Lane				
Initial notice date 2/6/2024		Quantity of water (CFS)	No. of Acres				
DPD issued date		Name of ditch						
PD issued date 1/31/2025		App# G 5660	Per # G 5487	Cert # 46412	PR Date 11-15-10	177		
PD notice date 2/4/2025		App# G 1678	Per # G 1749	Cert # 65071	PR Date 2-15-1	961	FEES REFUN	IDED
Date of FO 5/6/2025	Vol_134_Page_591-595	App#	Per #	Cert #			Amount	Receipt #
		App#	Per #	Cert #				
		App#	Per #	Cert #	PR Date	-		
C-Date								
						-		
COBU Received date						*		
Certificate issued		-				-		
Assignments:								
rrigation District Agent Zach Pike-Urlau Zpikeurlacher@gsi CWRE CC's list City of Junction	WS.com	Building Dept.						
Oversized map – Location								



Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904

May 6, 2025

Gary Kaping 1171 Elm St Junction City, OR 97448

REFERENCE: Transfer Application T-14394

Enclosed is a copy of the final order approving your water right transfer application.

The time allowed to complete the transfer is specified in the final order. YOU SHOULD GIVE PARTICULAR ATTENTION TO THE TIME LIMIT. The water right for any portion of the authorized change in character of use or change in place of use NOT carried out within the time allowed will be lost.

An extension of the time limit can be allowed <u>only</u> upon a showing that diligent effort has been made to complete the actual change(s) within the time allowed.

You are required to hire a Certified Water Rights Examiner (CWRE) to complete a Claim of Beneficial Use report and map which must be submitted to this Department within one year of the date you complete the change(s) or within one year of the completion date authorized in the transfer final order, whichever occurs first.

If you have any questions related to the approval of this transfer, you may contact your caseworker, Kim French, by telephone at (503) 979-9607 or by e-mail at Kim.r.french@water.oregon.gov.

Sincerely

David V. Jones Jr

Water Rights Services Support

Transfers and Conservation Section

cc:

Lanaya F. Blakely, Watermaster Dist. # 2 (via email)

Zach Pike-urlacher, Agent

City of Junction City Planning and Building Department, Local Government

Enclosure

BEFORE THE WATER RESOURCES DEPARTMENT OF THE STATE OF OREGON

In the Matter of Transfer Application)	FINAL ORDER APPROVING AN
T-14394, Lane County)	ADDITIONAL POINT OF APPROPRIATION

Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

CITY OF JUNCTION CITY ATTN: GARY KAPING 1171 ELM ST JUNCTION CITY, OR 97448

Findings of Fact

- 1. On January 26, 2024, the CITY OF JUNCTION CITY, ATTN: GARY KAPING filed an application for an additional point of appropriation under Certificates 46412 and 65071. The Department assigned the application number T-14394.
- 2. Notice of the application for transfer was published on February 6, 2024, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- 3. On August 26, 2024, the Department sent a copy of the draft Preliminary Determination to the applicant, proposing to approve Transfer Application T-14394. The draft Preliminary Determination cover letter provided a deadline of September 26, 2024, for the applicant to respond and submit the required information. The applicant requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

- 4. On January 31, 2025, the Department issued a Preliminary Determination proposing to approve Transfer Application T-14394 and sent a copy to the applicant. Additionally, notice of the Preliminary Determination for the transfer application was published in the Department's weekly notice on February 4, 2025, and in the Eugene Register Guard newspaper on February 4 and 11, 2025, pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notices.
- 5. The first right to be transferred is as follows:

Certificate: 46412 in the name of CITY OF JUNCTION CITY (perfected under

Permit G-5487)

Use: MUNICIPAL

Priority Date: NOVEMBER 15, 1971

Rate: 1.11 CUBIC FEET PER SECOND

Source: WELL NO. 4 a tributary of WILLAMETTE RIVER

Authorized Point of Appropriation:

	Twp	Rng	Mer	Sec	Q-Q	Measured Distances
	45 C 4 W 1404 22 CW CF		CIALCE	WELL NO. 4- 760 FEET NORTH AND 3000 FEET EAST		
	15 S 4 W WM	32	SW S€	FROM THE SW CORNER OF SECTION 32		

Authorized Place of Use:

MUNICIPAL							
Twp	Rng	Mer	Sec	Q-Q			
15 S	4 W	WM	29	SW SW			
15 S	4 W	WM	31	NE NE			
15 S	4 W	WM	31	SW NE			
15 S	4 W	WM	31	SE NE			
15 S	4 W	WM	31	NE SE			
15 S	4 W	WM	31	NW SE			
15 S	4 W	WM	31	SW SE			
15 S	4 W	WM	31	SE SE			
15 S	4 W	WM	32	NW NE			
15 S	4 W	WM	32	SW NE			
15 S	4 W	WM	32	NE NW			
15 S	4 W	WM	32	NW NW			
15 S	4 W	WM	32	SW NW			
15 S	4 W	WM	32	SE NW			
15 S	4 W	WM	32	NE SW			
15 S	4 W	WM	32	NW SW			
15 S	4 W	WM	32	SW SW			
15 S	4 W	WM	32	SE SW			
15 S	4 W	WM	32	NW SE			
15 S	4 W	WM	32	SW SE			
15 S	4 W	WM	32	SE SE			
16 S	4 W	WM	5	NW NE			
16 S	4 W	WM	5	SW NE			
16 S	4 W	WM	5	NE NW			
16 S	4 W	WM	5	NW NW			

MUNICIPAL									
Twp	Rng	Mer	Sec	Q-Q					
16 S	4.W	WM	5	SW NW					
16 S	4 W	WM	5	SE NW					
16 S	4 W	WM	5	NE SW					
16 S	4 W	WM	5	NW SE					
16 S	4 W	WM	6	NE NE					
16 S	4 W	WM	6	NW NE					
16 S	4 W	WM	6	NE NW					

6. Transfer Application T-14394 proposes an additional point of appropriation approximately 1.0 mile southeast from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
100	16.6 4.11 1174 5 2014	BUSAL BUSAL	BAILEY PARK WELL - 830 FEET SOUTH AND 740 FEET EAST		
16)	NW NW	FROM THE NW CORNER OF SECTION 5		

7. The second right to be transferred is as follows:

Certificate:

65071 in the name of CITY OF JUNICTION CITY (perfected under

Permit G-1749)

Use:

MUNICIPAL USE

Priority Date: FEBRUARY 15, 1961

Rate:

0.92 CUBIC FOOT PER SECOND

Source:

WELL 5 in the WILLAMETTE RIVER BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	
15 S	15 S 4 W WM 32 NW SE		NW SE	WELL 5 - 2265 FEET NORTH AND 2690 FEET EAST FROM THE SW CORNER OF SECTION 32		

Authorized Place of Use:

	MU	NICIPA	L USE						
Twp	Rng	Mer	Sec	Q-Q					
15 S	4 W	WM	31	NE NE					
15 S	4 W	WM	31	SE NE					
15 S	4 W	WM	31	NE SE					
15 S	4 W	WM	31	SE SE					
15 S	4 W	WM	32	NE NW					
15 S	4 W	WM	32	NW NW					
15 S	4 W	WM	32	SW NW					
15 S	4 W	WM	32	SE NW					
15 S	4 W	WM	32	NE SW					
15 S	4 W	WM	32	NW SW					
15 S	4 W	WM	32	SW SW					
15 S	4 W	WM	32	SE SW					
16 S	4 W	WM	5	NE NW					
16 S	4 W	WM	5	NW NW					

8. Transfer Application T-14394 proposes an additional point of appropriation approximately 0.3 mile southeast from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
16 S	4 W	WM	5	NW NW	BAILEY PARK WELL - 830 FEET SOUTH AND 740 FEET EAST FROM THE NW CORNER OF SECTION 5

Transfer Review Criteria [OAR 690-380-0100(14), OAR 690-380-4010(2) and OAR 690-380-2110(2)]

- Water has been used within the last five years according to the terms and conditions of the rights. There is no information in the record that would demonstrate that the rights are subject to forfeiture under ORS 540.610.
- 10. A water delivery system sufficient to use the full amount of water allowed under the existing rights was present within the five-year period prior to submittal of Transfer Application T-14394.
- 11. The water rights are subject to transfer as defined in ORS 540.505(4) and OAR 690-380-0100(14).
- 12. The proposed points of appropriation develop groundwater from the same aquifer as the authorized points of appropriation, as required by OAR 690-380-2110(2).
- 13. The proposed change, as conditioned, would not result in enlargement of the rights.
- 14. The proposed change, as conditioned, would not result in injury to other existing water rights.
- 15. All other application requirements are met.

Conclusions of Law

The additional point of appropriation proposed in Transfer Application T-14394 is consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000.

Now, therefore, it is ORDERED:

- 1. The additional point of appropriation proposed in Transfer Application T-14394 is approved.
- 2. The right to the use of the water is restricted to beneficial use at the place of use described and is subject to all other conditions and limitations contained in Certificates 46412, 65071, and any related decree.
- 3. Approval of this transfer application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new point of appropriation.

- 4. Water right Certificates 46412 and 65071 are cancelled.
- 5. Under Certificate 46412, the quantity of water diverted at the new additional point of appropriation (Bailey Park Well), together with that diverted at the original point of appropriation (Well No. 4), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well No. 4).
- 6. Under Certificate 65071, the quantity of water diverted at the new additional point of appropriation (Bailey Park Well), together with that diverted at the original point of appropriation (Well 5), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 5).
- 7. Water shall be acquired from the same aquifer (water source) as the original points of appropriation.
- 8. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
 - The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
- 9. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before October 1, 2030. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.
- 10. After satisfactory proof of beneficial use is received, new certificates confirming the rights transferred will be issued.

Date	d in Salem, Oregon on MAY 0 6 2025
V	
	too grans
Lisa 1.	Jaramillo, Fransfer and Conservation Section Manager, fo
IVAN	GALL, DIRECTOR

Malling Date:	Mailing Date:	MAY	07	2025	
---------------	---------------	-----	----	------	--

Oregon Water Resources Department

STATE OF OREGON

WATER RESOURCES DEPARTMENT

725 Summer St. N.E. Ste. A

ECEIPT#	144310	Part United State	OR 97301-4172) / (503) 986-0904 (fa	invoice #	
ECEIVED FRO	OM: CST			APPLICATION	
Y:	The second secon	5016	HORS IN	PERMIT	
				TRANSFER	T-14394
ASH: C	CHECK:#	THER: (IDENTIF	Y)		1 / 12
	X 2119/			TOTAL REC'D	\$157.57
1083	TREASURY	4170 WR	D MISC CASH	ACCT	
0407	COPIES -16		1		\$
020	OTHER: (I	DENTIFY)	Nowsp-p	- Notice	\$15782
0243 I/S L	_ease 0244	Muni Water Mgn	nt. Plan 0	245 Cons. Water	
		4270 WR	D OPERATING	ACCT	
	MISCELLANEOUS				
0407	COPY & TAPE FEE	S			\$
0410	RESEARCH FEES				\$
0408	MISC REVENUE:	(IDENTIFY)	-		\$
TC162	DEPOSIT LIAB. (I	DENTIFY)			\$
0240	EXTENSION OF T	ME			
	WATER RIGHTS:		EXAM FEE		RECORD FEE
0201	SURFACE WATER		\$	0202	\$
0203	GROUND WATER		\$	0204	3
0205	TRANSFER		\$		LIGENCE SEE
	WELL CONSTRUC		EXAM FEE	0219	LICENSE FEE
0218	WELL DRILL CON		5	0220	S
	LANDOWNER'S P	ERMIT			
	_ OTHER	(IDENTIFY) _	The second second		
0536	TREASURY	0437 WE	LL CONST. STA	RT FEE	
0211	WELL CONST STA	RT FEE	S	CARD	
0210	MONITORING WE	LLS	\$	CARD	
	_ OTHER	(IDENTIFY) _			
0607	TREASURY	0467 HY	DRO ACTIVITY	LIC NUMBER	
0233	POWER LICENSE	FEE (FW/WRD)			\$
0231	HYDRO LICENSE	FEE (FW/WRD)			\$
	HYDRO APPLICAT	ION			\$
	TREASURY		HER / RDX		THE HAVING THE PARTY OF THE PAR
	DE	_ VENDOH #		THE PARTY	\$
DESCRIP	PTION)	
			12 2 211		N.
ECEIPT: 1	44310	DATED:	7-7-24B	1: (g-1)	Mile

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

Received
DEC 0.2 2074
OWRD

			The state of the s			
Invoice Number	Date	Voucher	Amount	Discounts	Previous Pay	Net Amount
T-14394 Notice	11/25/2025	0025004	157.82			157
Oregon Water Resources Department Beneficial Checking 5	Department 5	TOTAL 00275	157.82			157

LOCALIQ

The Register-Guard

PO Box 631824 Cincinnati, OH 45263-1824

AFFIDAVIT OF PUBLICATION

Oregon Department of Water Resources TACS-PN Oregon Depart. of Water Resources 725 Summer ST NE # A Salem OR 97301-1266

STATE OF WISCONSIN, COUNTY OF BROWN

The Register-Guard, a newspaper of general circulation as defined in ORS 193.010 and 193.020; published at Eugene in the State of Oregon, County of Lane; that the printed copy of which is hereto annexed, is publishing in the entire issue of said newspaper in the issues dated:

02/05/2025, 02/12/2025

Sworn to and subscribed before on 02/12/2025

Notice of Preliminary Determination for Water Right Transfer T-14394
T-14394 filed by City of Junction City, Gary Kaping, 1171 Elm St, Junction City, OR 97448, proposes an additional point of appropriation under Certificates 46412 and 65071. Certificate 46412 allows the use of 1.11 cubic feet per second (cfs) from Well No 4 in Sec. 32, T15S, R4W, WM for municipal use in Sects. 29, 31 and 32, T15S, R4W, WM; and Sects. 5 and 6, T16S, R4W, WM. The applicant proposes an additional point of appropriation in Sec. 5, T16S, R4W, WM. Certificate 65071 allows the use or 0.92 cfs from Well 5 in Sec. 32, T15S, R4W, WM and Sec. 5, T16S, R4W, WM. The applicant proposes an additional point of appropriation in Sec. 5, T16S, R4W, WM. The water Resources Department proposes to approve the transfer, based on the requirements of ORS Chapter 540 and OAR fer, based on the requirements of ORS Chapter 540 and OAR 690-380-5000.

690-380-5000.

Any person may file, jointly or severally, a protest or standing statement within 30 days after the last date of newspaper publication of this notice, 02/12/2025. Call (503) 986-0935 to obtain additional information. If no protests are filed, the Department will issue a final order consistent with the preliminary determination.

Legal Clerk

Notary, State of WI, County of Brown

My commission expires

Publication Cost:

\$131.04

Tax Amount:

\$0.00

Payment Cost:

\$131.04

Order No:

11009151

of Copies:

Customer No:

816170

PO #:

THIS IS NOT AN INVOICE!

Please do not use this form for payment remittance.

MARIAH VERHAGEN Notary Public State of Wisconsin

Received



Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904 www.oregon.gov/owrd

January , 2025

VIA CERTIFIED MAIL AND E-MAIL

CITY OF JUNCTION CITY
GARY KAPING
1171 ELM ST
JUNCTION CITY, OR 97448

SUBJECT: Water Right Transfer Application T-14394

Please find enclosed the Preliminary Determination indicating that, based on the information available, the Department intends to approve application T-14394. This document is an intermediate step in the approval process; water may not be used legally as proposed in the transfer application until a Final Order has been issued by the Department. Please read this entire letter carefully to determine your responsibility for additional action.

A public notice is being published in the Department's weekly publication and in the Eugene Register Guard newspaper, simultaneously with issuance of the Preliminary Determination. The notice initiates a period in which any person may file either a protest opposing the decision proposed by the Department in the Preliminary Determination or a standing statement supporting the Department's decision. The protest period will end 30 days after the last date of newspaper publication.

If no protest is filed, the Department will issue a Final Order consistent with the Preliminary Determination. You should receive a copy of the Final Order about 30 days after the close of the protest period.

If a protest is filed, the application may be referred to a contested case proceeding. A contested case provides an opportunity for the proponents and opponents of the decision proposed in the Preliminary Determination to present information and arguments supporting their position in a quasi-judicial proceeding.

Please don't hesitate to contact me at 503 979-9607 or Kim.R.French@water.oregon.gov, if I may be of assistance.

Sincerely,

Kim French

cc:

Transfer Specialist

Transfer and Conservation Section

Transfer Application file T-14394Error! Reference source not found.

Lanaya F. Blakely, District 2 Watermaster (via e-mail)

Zach Pike-Urlacher, Agent for the applicant (via e-mail)

BEFORE THE WATER RESOURCES DEPARTMENT OF THE STATE OF OREGON

In the Matter of Transfer Application)	PRELIMINARY DETERMINATION
T-14394, Lane County)	PROPOSING APPROVAL OF AN
)	ADDITIONAL POINT OF APPROPRIATION

Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

CITY OF JUNCTION CITY ATTN: GARY KAPING 1171 ELM ST JUNCTION CITY, OR 97448

Findings of Fact

- 1. On January 26, 2024, the CITY OF JUNCTION CITY, ATTN: GARY KAPING filed an application for an additional point of appropriation under Certificates 46412 and 65071. The Department assigned the application number T-14394.
- 2. Notice of the application for transfer was published on February 6, 2024, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- 3. On August 26, 2024, the Department sent a copy of the draft Preliminary Determination to the applicant, proposing to approve Transfer Application T-14394. The draft Preliminary Determination cover letter provided a deadline of September 26, 2024, for the applicant to respond and submit the required information. The applicant requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.
- 4. The first right to be transferred is as follows:

Certificate: 46412 in the name of CITY OF JUNCTION CITY (perfected under

Permit G-5487)

Use: MUNICIPAL

Pursuant to OAR 690-380-4030, any person may file a protest or standing statement within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later, of this preliminary determination.

Priority Date: NOVEMBER 15, 1971

Rate: 1.11 CUBIC FEET PER SECOND

Source: WELL NO. 4 a tributary of WILLAMETTE RIVER

Authorized Point of Appropriation:

	Twp	Rng	Mer	Sec	Q-Q	Measured Distances
Ī	1	4.147	14/5.6	22	CMCE	760 FEET NORTH AND 3000 FEET EAST FROM SW THE
ı	15 S	4 W	WM	32	SW SE	CORNER OF SECTION 32

Authorized Place of Use:

MUNICIPAL							
Twp	Rng	Mer	Sec	Q-Q			
15 S	4 W	WM	29	SW SW			
15 S	4 W	WM	31	NE NE			
15 S	4 W	WM	31	SW NE			
15 S	4 W	WM	31	SE NE			
15 S	4 W	WM	31	NE SE			
15 S	4 W	WM	31	NW SE			
15 S	4 W	WM	31	SW SE			
15 S	4 W	WM	31	SE SE			
15 S	4 W	WM	32	NW NE			
15 S	4 W	WM	32	SW NE			
15 S	4 W	WM	32	NE NW			
15 S	4 W	WM	32	NW NW			
15 S	4 W	WM	32	SW NW			
15 S	4 W	WM	32	SE NW			
15 S	4 W	WM	32	NE SW			
15 S	4 W	WM	32	NW SW			
15 S	4 W	WM	32	SW SW			
15 S	4 W	WM	32	SE SW			
15 \$	4 W	WM	32	NW SE			
15 S	4 W	WM	32	SW SE			
15 S	4 W	WM	32	SE SE			
16 S	4 W	WM	5	NW NE			
16 S	4 W	WM	5	SW NE			
16 S	4 W	WM	5	NE NW			
16 S	4 W	WM	5	NW NW			
16 S	4 W	WM	5	SW NW			
16 S	4 W	WM	5	SE NW			
16 S	4 W	WM	5	NE SW			
16 S	4 W	WM	5	NW SE			
16 S	4 W	WM	6	NE NE			
16 S	4 W	WM	6	NW NE			
16 S	4 W	WM	6	NE NW			

5. Transfer Application T-14394 proposes an additional point of appropriation approximately 1.0 mile southeast from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
16 S	4 W	WM	5	NW NW	BAILEY PARK WELL - 830 FEET SOUTH AND 740 FEET EAST FROM THE NW CORNER OF SECTION 5

The second right to be transferred is as follows:

Certificate:

65071 in the name of CITY OF JUNCTION CITY (perfected under

Permit G-1749)

Use:

MUNICIPAL USE

Priority Date: FEBRUARY 15, 1961

Rate:

0.92 CUBIC FOOT PER SECOND

Source:

WELL 5 in the WILLAMETTE RIVER BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
15 S	4 W	14/54	22	NW SE	2265 FEET NORTH AND 2690 FEET EAST FROM THE SW
12.2	4 44	WM	32	MAN 2E	CORNER OF SECTION 32

Authorized Place of Use:

	MU	JNICIP/	AL USE	
Twp	Rng	Mer	Sec	Q-Q
15 S	4 W	WM	31	NE NE
15 S	4 W	WM	31	SE NE
15 S	4 W	WM	31	NE SE
15 S	4 W	WM	31	SE SE
15 S	4 W	WM	32	NE NW
15 S	4 W	WM	32	NW NW
15 S	4 W	WM	32	SW NW
15 S	4 W	WM	32	SE NW
15 S	4 W	WM	32	NE SW
15 S	4 W	WM	32	NW SW
15 S	4 W	WM	32	SW SW
15 S	4 W	WM	32	SE SW
16 S	4 W	WM	5	NE NW
16 S	4 W	WM	5	WN WN

7. Transfer Application T-14394 proposes an additional point of appropriation approximately 0.3 mile southeast from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
16 S	4 W	WM	5	NW NW	BAILEY PARK WELL - 830 FEET SOUTH AND 740 FEET EAST FROM THE NW CORNER OF SECTION 5

Transfer Review Criteria [OAR 690-380-0100(14), OAR 690-380-4010(2) and OAR 690-380-2110(2)]

- 8. Water has been used within the last five years according to the terms and conditions of the rights. There is no information in the record that would demonstrate that the rights are subject to forfeiture under ORS 540.610.
- A water delivery system sufficient to use the full amount of water allowed under the existing rights was present within the five-year period prior to submittal of Transfer Application T-14394.
- 10. The water rights are subject to transfer as defined in ORS 540.505(4) and OAR 690-380-0100(14).
- 11. The proposed points of appropriation develop groundwater from the same aquifer as the authorized points of appropriation, as required by OAR 690-380-2110(2).
- 12. The proposed change, as conditioned, would not result in enlargement of the rights.
- 13. The proposed change, as conditioned, would not result in injury to other existing water rights.
- 14. All other application requirements are met.

Determination and Proposed Action

The additional point of appropriation proposed in Transfer Application T-14394 appears to be consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000. If protests are not filed pursuant to OAR 690-380-4030, the application will be approved.

If Transfer Application T-14394 is approved, the final order will include the following:

- 1. The additional point of appropriation proposed in Transfer Application T-14394 is approved.
- 2. The right to the use of the water is restricted to beneficial use at the place of use described and is subject to all other conditions and limitations contained in Certificates 46412, 65071 and any related decree.
- 3. Approval of this transfer application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new point of appropriation.
- 4. Water right Certificates 46412 and 65071 are cancelled.
- 5. Under Certificate 46412, the quantity of water diverted at the new additional point of appropriation (Bailey Park Well), together with that diverted at the original point of appropriation (Well No. 4), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well No. 4).

- 6. Under Certificate 65071, the quantity of water diverted at the new additional point of appropriation (Bailey Park Well), together with that diverted at the original point of appropriation (Well 5), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 5).
- 7. Water shall be acquired from the same aquifer (water source) as the original points of appropriation.
- 8. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
 - The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
- 9. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before **October 1, 2030**. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.
- 10. After satisfactory proof of beneficial use is received, new certificates confirming the rights transferred will be issued.

Dated in Salem, Oregon on JAN 3 1 2025

Lisa J. Jaramillo, Transfer and Conservation Section Manager, for

IVAN GALL, DIRECTOR

Oregon Water Resources Department

This Preliminary Determination was prepared by Kim French. If you have questions about the information in this document, you may reach me at 503-979-9607 or Kim.R.French@water.oregon.gov.

Protests

Under the provisions of ORS 540.520(6) & (7) and OAR 690-380-4030, within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later, any person may file, jointly or severally, a protest expressing opposition of approval of the transfer application and disagreement with this Preliminary Determination or a standing statement in support of this Preliminary Determination. If this Preliminary Determination determines that a change in point of diversion or appropriation would result in injury, the applicant may file a notification of intent to pursue approval of the transfer under OAR 690-380-5030 to 690-380-5050. Protests and standing statements must be received by the Water Resources Department within 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later.

Protests must be in writing and received in hard copy form with the appropriate statutory protest filing fee; protests cannot be filed by electronic mail. [OAR 690-002-0025(3) and 690-380-0100(9)]. The protest must include the following:

- The person's name, address, and telephone number;
- All reasonably ascertainable issues and all reasonably available arguments supporting
 the person's position by the close of the protest period. Failure to raise a reasonably
 ascertainable issue in a protest or failure to provide sufficient specificity to afford the
 Department an opportunity to respond to the issue may preclude consideration of the
 issue during the hearing;
- If you are the applicant, a protest fee of \$480 required by ORS 536.050; and
- If you are not the applicant, a protest fee of \$950 required by ORS 536.050 and proof of service of the protest upon the applicant.

Requests for Standing

Under the provisions of OAR 690-380-4030(5), the Department shall provide to persons who have filed standing statements as defined under OAR 690-380-0100(11) notice of any differences between the Department's Preliminary Determination and the Final Order, notice of a hearing on the application under OAR 137-003-0535, and an opportunity to request limited party status or party status in the hearing.

Requests for standing must be received in the Water Resources Department no later than 30 days after the last date of publication of the newspaper notice or the Department's weekly notice as prescribed by OAR 690-380-4020, whichever is later. Requests for standing must be in writing, and must include the following:

- The requester's name, mailing address and telephone number;
- If the requester is representing a group, association or other organization, the name, address and telephone number of the represented group;
- A statement that the requester supports the preliminary determination as issued.

After the protest period has ended, the Director will either issue a Final Order or schedule a contested case hearing. The contested case hearing will be scheduled only if a protest has been filed under OAR 690-380-4030. In accordance with OAR 690-380-4200, notice and conduct of the hearing shall:

- Be under the applicable provisions of ORS 183.310 to 183.550, pertaining to contested cases, and the hearing shall be held in the area where the rights are located unless all parties stipulate otherwise; and
- If a protest has asserted that a water right to be transferred has been forfeited through non-use, include the notice and procedures described in OAR 690-017-0500 to 690-017-0900.

If after hearing the Department issues a proposed Final Order finding that a change in point of diversion or appropriation will result in injury, the applicant may file a notification of intent to pursue approval of the transfer under OAR 690-380-5030 to 690-380-5050 within 15 days of receipt of the proposed order. Notwithstanding 690-002-0175, if the applicant files a notification of intent to pursue approval of the transfer under 690-380-5030 to 690-380-5050, the deadline for filing exceptions to the proposed order shall be 30 days after the Department provides notice to the parties that the transfer does not meet the requirements of 690-380-5030 to 690-380-5050.

If you do not request a hearing within 30 days after the close of the protest period, or if you withdraw a request for a hearing, notify the Department or the administrative law judge that you will not appear, or fail to appear at a scheduled hearing, the Director may issue a final order by default. If the Director issues a Final Order by default, the Department designates the relevant portions of its files on this matter, including all materials that you have submitted relating to this matter, as the record for purpose of proving a *prima facie* case upon default.

You may be represented by an attorney at the hearing. Legal aid organizations may be able to assist a party with limited financial resources. Generally, partnerships, corporations, associations, governmental subdivisions, or public or private organizations are represented by an attorney. However, consistent with OAR 690-002-0020 and OAR 690-137-0555, an agency representative may represent partnerships, corporations, associations, governmental subdivisions or public, or private organizations if the Department determines that appearance of a person by an authorized representative will not hinder the orderly and timely development of the record in this case.

Notice Regarding Servicemembers: Active-duty servicemembers have a right to stay proceedings under the federal Servicemembers Civil Relief Act. 50 U.S.C. App. §§501-597b. For more information contact the Oregon State Bar at 800-452-8260, the Oregon Military Department at 971-355-4127, or the nearest United States Armed Forces Legal Assistance Office through http://legalassistance.law.af.mil.

If you have questions about how to file a protest or if you have previously filed a protest and you want to know the status, please contact Will Davidson at 503-507-2749.

If you have questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at 503-986-0900.

Address any correspondence to: Oregon Water Resources Department, Transfer and Conservation Section, 725 Summer Street NE, Suite A, Salem OR 97301-1266.



Received DEC 0 2 2024

4

Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503-986-0900 Fax 503 986-0904 www.oregon.gov/owrd

November 4, 2024

CITY OF JUNCTION CITY GARY KAPING 1171 ELM ST JUNCTION CITY, OR 97448

SUBJECT: Water Right Transfer Application T-14394

Your water right transfer will be ready for issuance of the Preliminary Determination, once the Department receives payment for publication of the newspaper notice.

Items needed before the next phase of processing...

At this time you need to:

- 1. submit a check in the amount of \$157.82 (to cover cost of publication of the notice), made out to the Oregon Water Resources Department.
- 2. write "for T-14394 NOTICE" on the front of your check, and
- 3. submit it with the tracking stub at the bottom of this letter.

Mail the check to 725 Summer St. NE, Suite A, Salem, OR 97301-1266, no later than December 4, 2024.

What happens next...

Shortly after receiving payment, the Department will issue the Preliminary Determination, initiate publication in the Eugene Register Guard newspaper, and publish the notice on the Department's weekly notice. Publication of the notice will initiate a protest period during which any person may file either a protest opposing the decision proposed by the Department in the Preliminary Determination or a standing statement supporting the Department's decision.

If we do not receive payment for newspaper notice by December 4, 2024, a Preliminary Determination may be issued denying the application as incomplete.

Please don't hesitate to contact me at 503 979-9607 or Kim.R.French@water.oregon.gov, if I may be of assistance.

Sincerely,

Kim French

Transfer Specialist

Transfer and Conservation Section

Attached is a check in the amount of \$157.82 (PCA #46118) for Newspaper Notice for Transfer T-made out to Oregon Water Resources Department (or WRD)

• "for T-14394 NOTICE" written on front of check

Mail to: Oregon Water Resources Department

725 Summer St. NE, Suite A

Salem, OR 97301-1266

Caseworker: Kim French



Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904 www.oregon.gov/owrd

August 26, 2024

VIA E-MAIL

CITY OF JUNCTION CITY GARY KAPING 1171 ELM ST JUNCTION CITY, OR 97448

Reference: Water Right Transfer Application T-14394

Your water right transfer is in the first of three phases of processing. Enclosed is a draft of the Department's Preliminary Determination regarding Transfer Application T-14394. The document reflects the Department's conclusion that, based on the information currently available, the transfer will be approved. Your response and submittal of the items outlined below are required by September 26, 2024.

Required items needing your immediate attention:

- 1. Please carefully review the Draft Preliminary Determination to verify that it accurately reflects the changes you intend to make and to become familiar with the proposed conditions.
- 2. Respond in writing by September 26, 2024, with acknowledgement that you agree to the proposed action and conditions.
- 3. If you find any errors, please let me know.
- 4. Notice of this transfer will need to be published in a newspaper with general circulation in the area where the water rights are currently located. You will be responsible for the charges.

Conditions of your water right...

The Watermaster has required a water measurement device at the new point of appropriation prior to diversion of water. Enclosed is a contact information sheet to assist you in pursuing additional information or approval of the required (or alternate) device(s).

Please note the proposed date by which all conditions must be met: October 1, 2025. If the required completion date is insufficient to comply with any of the conditions, you may request more time, at no cost to you, during this stage of processing. Please let me know by the comment deadline if you will need more time and explain the reasons why.

What happens next...

Once the Preliminary Determination is issued a publication period is required. Because there is more than ¼ mile between the new and the authorized points of appropriation, the Department will publish notice of the transfer in a local newspaper having a general circulation in the area of the water right at least once per week for two consecutive weeks. You are responsible for sending a check to cover the cost of publication prior to the issuance of the Preliminary Determination and publication of notice. As outlined in OAR 690-380-4020(3), publication costs include both the direct cost of the notice and indirect processing costs (not to exceed 20% of the direct costs).

Issuance of the Preliminary Determination will occur shortly after we receive:

1. Your written response to the conditions and proposed action in the Draft Preliminary Determination (e-mail is acceptable).

If we do not receive the item listed above by September 26, 2024, a Preliminary Determination may be issued denying the application as incomplete.

Please don't hesitate to contact me at 503-979-9607 or Kim.R.French@water.oregon.gov, if I may be of assistance.

Sincerely,

Kim French

Transfer Specialist

Transfer and Conservation Section

cc: Transfer Application file T-14394

Lanaya F. Blakely, District 2 Watermaster (via e-mail)
Zach Pike-Urlacher, Agent for the applicant (via e-mail)

encs

Groundwater Transfer Review Summary Form

Transfer/PA # T- <u>14394 (RA)</u>
GW Reviewer <u>Aaron Orr / Travis Brown</u> Date Review Completed: <u>8/8/2024</u>
Summary of Same Source Review:
\square The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).
Summary of Injury Review:
\Box The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as pe 690-380-0100(3).
Summary of GW-SW Transfer Similarity Review:
\square The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.
This is only a summary. Documentation is attached and should be read thoroughly to understand the

Ground Water Review Form: OREGON Oregon Water Resources Department Water Right Transfer 725 Summer Street NE, Suite A Salem, Oregon 97301-1271 ☐ Permit Amendment WATER RESOURCES DEPARTMENT (503) 986-0900 ☐ GR Modification www.wrd.state.or.us Other Application: T-14394 Applicant Name: City of Junction City **Proposed Changes:** \square POA \bowtie APOA \square SW \rightarrow GW ⊠ RA □ USE POU ☐ OTHER Reviewer(s): Aaron Orr / Travis Brown Date of Review: 8/8/2024 Date Returned to WRSD: 8/8/2024 The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because: ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer. The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed. Other Basic description of the changes proposed in this transfer: Applicant proposes to add an additional point of appropriation (APOA) to Certificates 46412 and 65071. The APOA will be at the proposed "Bailey Park Well." LANE 6385 is the From-POA associated with Certificate 46142 and LANE 6371 is the From-POA associated with Certificate 65071. The combined maximum allowable rate is 2.03 cfs. 2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA? X Yes \square No Comments: The proposed APOA will source water from the same aquifer as the authorized POAs (Willamette Aquifer, Lower Sedimentary Unit) 3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)? ☐ Yes \boxtimes No b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): N/A a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with another ground water right? □ No Comments: The maximum allowed combined rate of Certificates 46412 and 65071 is 2.03 cfs (911 gpm). The closest water well (LANE 7798) is 970 feet from the proposed POA. Modeling with conservative hydraulic parameters indicated drawdown at

LANE 7798 would likely be less than 10 feet when pumping the proposed To-POA at the


maximum allowable rate of 2.03 cfs.

	b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled? Yes No If yes, explain: The modeled interference is unlikely to result in injury for a fully penetrating, reasonably efficient neighboring well. LANE 7798 and other neighboring wells do not fully penetrate the aquifer.
5.	a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with another surface water source?
	Yes No Comments: No significant increase in interference with another surface water source is expected.
	b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any surface water sources resulting from the proposed change?
	Stream:
	Stream:
6.	For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer? Yes No Comments: N/A
7.	What conditions or other changes in the application are necessary to address any potential issues identified above: N/A
8.	Any additional comments:
Ref	Terences Terences

Conlon, T.D., Wozniak, K.C., Woodcock, D., Herrera, N.B., Fisher, B.J., Morgan, D.S., Lee, K.K., and Hinkle, S.R., 2005, Ground-water hydrology of the Willamette Basin, Oregon, Scientific Investigations Report 2005-5168: U. S. Geological Survey, Reston, VA.

Woodward, D.G., Gannett, M.W., and Vaccaro, J.J., 1998, Hydrogeologic framework of the Willamette Lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-B, 82 p.

T-14394



Service Layer Credits: Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, McTI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community Copyright® 2013 National Geographic Society, i-cubed

Theis Interference Analysis

Hydraulic Conductivity: Values ranged from 25 ft/day (LANE 8061 pump test, assuming 82-foot aquifer thickness) to 220 ft/day (Conlon et al., 2005). The final transmissivity estimates of 8,823, 20,230, and 29,750 were the 1st, 2nd, and 3rd quartiles from 200-model runs using a range of the previously stated hydraulic conductivity values.

Storativity: 0.0003 to 0.07 (Woodward et al., 1998; Conlon et al., 2005, Table 1).

Time: 365 days.

Rate: 2.03 cfs (maximum rate) for the To-POA; 0.67 cfs (one-third maximum rate) for the To-POA

Distance: 970 feet from the To-POA to LANE 7798.




Figure 1. Estimated time-drawdown at maximum allowable rate.




Figure 2. Estimated time-drawdown at one-third maximum allowable rate.

RICHMAN Elyse D* WRD

From:

ORR Aaron A * WRD

Sent:

Monday, August 05, 2024 2:14 PM

To:

BROWN Travis C * WRD

Subject:

RE: [Transfer Review] T-14394 DRAFT

Hi again Travis! Tacking on the hours worked in this reply. This transfer was switched to an RA after I had completed the review.

Hours worked between 7/15 and 7/19: **4.0 hours** *RA requested on 7/31*

Hours worked between 7/31 and 8/1: 0.5 hours

Because it was unknown to me that the RA switch happened and I was doing document/analysis cleanup after getting back from field work, my two cents is that reporting the 0.5 hours as "RA time" should just be allotted to the time worked prior to 7/31. That said, I trust whatever the process and protocol is.

Warmly, Aaron

From: ORR Aaron A * WRD

Sent: Thursday, August 1, 2024 10:16 AM

To: BROWN Travis C * WRD < Travis.C.BROWN@water.oregon.gov>

Subject: [Transfer Review] T-14394 DRAFT

Hi Travis,

See attached for my draft of T-14394. My injury analysis is for the well(s) closest to the To-POA. I didn't assess any wells for "combined drawdown" injury because there was no scenario where the new well would be exacerbating drawdown created by the other two wells already associated with the existing water rights. Let me know if I could (or should) be thinking about this differently.

Give me a holler if you have any questions for me!

Transfer Folder

Best, Aaron

Aaron Orr (he/his)
Hydrogeologist — Groundwater Section
Oregon Water Resources Department
971-707-1910

aaron.a.orr@water.oregon.gov



7/26/2024 VENDOR: 10369 Oregon Water Resources Dept INV0002431 INVOICE # PO # Transfer Application T-14394 DESCRIPTION

CITY OF JUNCTION CITY

OWAD

7/26/2024 AMOUNT

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

RECEIPT: 143407

REIMBURSEMENT AUTHORITY APPLICANT'S AGREEMENT

Contract Number: R11-511-25

JUL 2 9 2024
Salem, OR

This Agreement is between the **Oregon Water Resources Department**, hereafter OWRD, and **City of Junction City**, hereafter Applicant, hereafter known together as the parties.

OWRD Information Applicant's Information Applicant's Representative Contact: Lisa Jaramillo Name: City of Junction City Name: GSI Water Solutions, Inc. Title: Transfer Advisor/Manager Contact: **Gary Kaping** Contact: Zach Pike-Urlacher Address: 725 Summer Street, NE, Suite A Address: 1171 Elm Street Address: 1600 SW Western Blvd, Ste 240 Salem, OR 97301-1266 Junction City, OR 97448 Corvallis, OR 97333 Phone: (503) 871-1889 Phone: (541) 998-3125 Phone: (541) 753-0933 (503) 986-0901 Fax: Fax: Fax: Email: lisa.j.jaramillo@water.oregon.gov Email: Email: zpikeurlacher@gsiws.com

Purpose The purpose of this Agreement is to expedite the processing of the Transfer Application. (Application Number: T-14394)

- Authority. The OWRD has been authorized pursuant to ORS 536.055 to enter into a voluntary agreement with any
 applicant, permittee or regulated entity (collectively Applicant) for expediting or enhancing a regulatory process. In
 making this agreement, OWRD shall require the applicant to pay the full cost of expedited process.
- Restrictions. Applicant and OWRD agree that this Agreement shall not be construed to restrict in any way the decisions and actions by OWRD. OWRD shall be free to exercise independent judgment consistent with existing laws and regulations.
- 3. Effective Date and Duration. Unless otherwise terminated by non-deposit of funds by the Applicant, this Agreement shall become effective on the date on which both parties have signed the Agreement and the full deposit of the estimated cost of the proposed service.

4. Consideration.

- a. Applicant shall pay OWRD in advance for actual costs incurred by OWRD. The estimated maximum reimbursement payable to OWRD under this Agreement is \$3,124.55. Applicant agrees to pay the full amount of \$3,124.55 to OWRD prior to commencement of any work stated in this Agreement. This payment will be placed in an account administered by OWRD and drawn upon as costs are actually incurred. If the actual cost of performing the work is less than payments received, OWRD will refund the unspent balance. If the actual cost of processing exceeds the estimate, the Applicant can either elect to terminate this Agreement or amend the Agreement to reflect the increase in cost.
- b. The costs stated in this Agreement do not include the statutory application processing and filing fees.
- 5. Confidentiality. Applicant agrees that any information provided to or acquired by OWRD under this Agreement will be subject to the Oregon Public Records Law and shall be considered public records.
- 6. Indemnity. Applicant shall defend, save, hold harmless, and indemnify the State of Oregon, OWRD, and their officers, employees, and agents from and against all claims, suits, actions, losses, damages, liabilities, costs, and expenses of any nature resulting from or arising out of, or relating to the activities of Applicant or its representatives, officers, employees, contractors, or agents under this Agreement or with respect to the expedited service. The Applicant acknowledges that the Oregon Water Resources Department cannot and does not guarantee a favorable review under the subject regulatory process.

- 7. Termination by Applicant. Applicant may request to terminate this agreement only in writing at anytime during the process. The Applicant agrees to pay for the work done by OWRD up until the time of the written termination request. OWRD, upon receiving such written termination request from the Applicant, will refund any unspent balance.
- 8. Termination by OWRD. OWRD may terminate this Agreement if the applicant fails to provide any requested items necessary to complete the application and/or comply with applicable rule requirements within the specified timeframe outlined in the request letter, being a period of not less than 30 days.
- 9. Funds Authorized and Available. By its execution of this Agreement, Applicants certify that sufficient funds are authorized and available to cover the expenditures contemplated by this Agreement.
- 10. Duration of Estimate. The Estimate of Time to completion is approximately 120 days once this Agreement has been fully executed and payment of the estimated cost deposited. If the Applicant's Agreement is not received by the Department within thirty (30) days of mailing the Agreement, the Applicant may need to re-apply for a new estimate. NOTE: Any time estimate is approximate; No guarantee of Final Order issuance of a date is certain. Duration estimates do not include any statutory waiting periods.
- 10. Completion Date. OWRD, by the execution of this Agreement does not guarantee the completion date indicated in this Agreement. Completion date is only an estimate and may be affected by the Department's workload, issues arising from the processing of the requested services and Applicant's timely response to requests for additional information.
- 11. Captions. The captions or headings in this Agreement are for the convenience only and in no way define, limit, or describe the scope, or intent, of any provision of this Agreement.
- 12. Amendment and Merger. The terms of this Agreement shall not be waived, altered, modified, supplemented, or amended in any manner whatsoever, except by written instrument signed by both parties. Such waiver, consent, modification or change, if made, shall be effective only in the specific instance and for the specific purpose given. There are no understandings, agreements or representations, oral or written, not specified herein regarding this Agreement.

13. Signatures. All parties, by the authorized representative's signature below, hereby acknowledge that they have read this Agreement, understand it and agree to be bound by its terms and conditions.

For Applicant:

Name/Title:

Date

For OWRD:

Dwight French - Administrator

7-31-2024

Date

Mail signed Agreement to:

Stacy Phillips Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, OR 97301-1266

Received by OWRD JUL 2 9 2024

Public wille Birecter 7-23-24

Salem, OR

CITY OF JUNCTION CITY RA	A R11-511-25 T-	14394			
Review Step					
Front Desk Staff receipts received AA funds					
Transfer Support process Application					
Administrator signs AA					
NRS 1 Support enters workflow record in WRIS and updates RA spreadsheet					
NRS 2 completes initial review of file for deficiencies					
NRS 2 consults with Analyst and/or Manager					
NRS 2 writes and sends deficiency ltr (email and hard copy)					
NRS 2 addresses correspondence from app/agent regarding deficiencies					
Watermaster completes review					
Groundwater completes review					
NRS 2 completes DPD, PN, and RR					
Transfer staff peer reviews DPD, PN, RR					
Transfer Analyst completes policy check at DPD stage					
NRS 2 sends DPD to app/agent by email and/or mail					
NRS 2 reviews report of ownership					
NRS 2 completes PD					
Transfer Staff peer reviews PD					
Transfer Analyst peer reviews PD					
Data Center reviews PD AND RR: (RR where applicable)					
Transfer Analyst completes peer review of PN review for newspaper noticing					
Transfer Support requests newspaper quote for PN publishing			×		
NRS 2 sends publishing fee request to applicant					
Transfer Support processes fee and newspaper publishing					
Transfer Support processes public notice (dept notice)					
Manager signs PD					
NRS 2 completes FO					
Transfer Staff peer reviews FO					
Transfer Analyst peer reviews FO					
Manager signs FO					
Transfer Support issues FO, updates WRIS, copy to file, record markings, and sends hard copy					
NRS 1 closes out RA Contract					
	TOTAL ESTIMATED	HOURS	48.28		
200				TOTA	L \$3,124.55

DATED:

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

RECEIPT: 743

IUL 0 3 2024 Received

VENDOR: 11112 GSI Water Solutions, Inc. 6/26/2024 INV0002358 INVOICE # PO #

CITY OF JUNCTION CITY

DATE

Transfer Application Fee

DESCRIPTION

06/27/2024 AMOUNT

125.00



OREGON WATER RESOURCES DEPARTMENT TRANSFER REIMBURSEMENT AUTHORITY ESTIMATE APPLICATION



ORS 536.055 authorizes the Oregon Water Resources Department to expedite or enhance regulatory processes voluntarily requested under the agreement.

Please contact Transfer Staff before submitting this request, as the application fee of \$125.00 per request is non-refundable.

Checks submitted for this application must be separate from Transfer fees.

The purpose of this application is to obtain estimates of the cost and time required to process a Transfer Application Request. There is a non-refundable application fee of \$125.00 per request.

REQUEST	TYPE	FILE NUMBER
×	Transfer Application	Transfer Number T-14394

	Applicant Information	Applicant's Representative/Contact
Name:	City of Junction City, Attn: Gary Kaping	GSI Water Solutions, Inc. Attn: Zach Pike-Urlacher
Address:	1171 Elm Street	1600 SW Western Blvd, Suite 240
	Junction City, OR 97448	Corvallis, OR 97333
Phone:	541-998-3125	541-753-0933
Fax:		
E-Mail Address:		zpikeurlacher@gsiws.com

By signing this application, I understand:

- That upon receipt of my non-refundable application fee of \$125.00, OWRD will, within fourteen (14) days, notify me in writing of the estimate of costs and time frame for the expedited service.
- That this fee covers the reimbursement authority staff to evaluate and provide the estimate for processing of the request.
- That upon receiving the estimate, I may agree or decline to enter into a formal contract to pay the estimated cost in advance to initiate the expedited service.
- · That an incomplete or inaccurate application may delay the process and increase the cost to process my request.
- That expedited processing does not guarantee a favorable review of my request.

I certify that I am the (check one):	
Applicant Applicant's Representative Other (Please specify)	
Name: Gary Kaping	
	Received
Signature: Gary Kaping	
Signature: July Raping	JUL 0 3 202
Send completed Application and payment to:	OWRD
Oregon Water Resources Department	

OWRD USE ONLY: Reimbursement Authority Number: R11-5//_-25

725 Summer St. NE, Suite A Salem, OR 97301-1271

Transfer Reimbursement Authority Program

113

Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department 725 Summer St NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

Transfer Application: T-14394

Review Due Date:

Applica	ant Name: City of Junction City, Gary Kaping
Propos	sed Changes: POU POD ✓ POA USE OTHER
Review	ver(s): L. Blakely Date of Review: 05/10/2024
1.	Do you have <u>evidence</u> that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? Yes No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2.	Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? Yes No Generally characterize the frequency of any regulation or explain why regulation has not occurred: groundwater has not been regulated in this area.
3.	Have headgate notices been issued for the source that serves the transferred right(s)? Yes No Records not available.
4.	In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? Yes Vo No If "Yes", explain:
5.	In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? Yes No If "Yes", describe how the rights would be affected and list the rights most affected:

6.	Check here if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most:
	For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses:
8.	N/A For instream transfers that propose protection of a reach beyond the mouth of the source stream: N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? Yes No
9.	For POU changes: N/A Is it likely the original place of use would continue to receive water from the same source? Yes No If "Yes", explain:
10.	For POU or USE changes: N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste? Yes No If "Yes", explain:
11.	For POU changes that involve micro-irrigation: A N/A a. Has the applicant made changes (absent a transfer) to convert to micro-irrigation within the current place of use boundary of the water right proposed for transfer, and previously demonstrated to the Department through monitoring and site inspections by the Watermaster that the proposed transfer will not result in injury or enlargement? Yes No If "Yes", explain:

•	rary transfer of this nature been previously filed and approved on the same lands hereof) as those lands involved in this transfer?
Yes	No If "Yes", answer the following:
i.	Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? Yes No If "Yes", explain
ii	. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? Yes No If "No", explain:
ii	ii. Did the applicant comply with and meet all of the conditions of the temporary transfer? Yes No If "No", explain:
i	v. Do you have any other observations regarding the temporary transfer? Yes No If "Yes", describe:
V	Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? Yes No If "No", explain:
	est of your knowledge, if this transfer is approved, does it appear that:
I.	. "Injury" will occur to other water rights that share the same source? Yes No If "Yes", explain:
i	ii. "Enlargement" of the water right being transferred will occur? Yes No If "Yes", explain:

TACS

Oregon Water Resources Department

Measurement Condition Information for the Applicant

(To be sent with the Draft Preliminary Determination or Final Order)

Transfer #: T- 14394

725 Summer Street NE, Suite A

Salem, OR 97301-1266

\checkmark	In order to avoid enlargement of	the right or injury to oth	er rights, a flow meter	will
	be required to be installed prior to	o diversion of water, as	a condition of this transfer:	
	at each point of diversion,	/appropriation (new and	l existing) OR	
	at each new point of dive	rsion/appropriation.		
	tional information, or to obtain appoint action the area Watermaster:	oroval of a different type	e of measurement device, the	applicant
Waterm	aster name: Lanaya Blakely			
District:	2			
Address	: 125 E 8th Ave			
City/Sta	te/Zip: Eugene, OR 97401			
Phone:	541-913-1154			
Email:	Lanaya.F.Blakely@water.orego	on.gov		
THE RESERVE OF THE RE	a device other than the one specifi he Watermaster, fill out and mail t	and the second s		approved
*****	**********	********	*********	
	Approval of an Alte	ernate Measurement ensultation with the applic		
On beha	If of the Director, I authorize use o	f the following suitable a	alternate measurement device	ei.
			5	
Wat	ermaster signature	District	Date	
If this form	n is used for approval of an alternative me	easurement device it must he	e mailed to:	
	ater Resources Department	assurement device, it must be	*	

TACS Page 5 of 5 Last revised May 2019

WATER RIGHT TRANSFER COVER SHEET

Transfer: T-1	.4394							Tran	sfer Sp	oecia	list:
Transfer Type	e: Regular Trar	nsfer	Reimbu	rsement A	uthority	y? 🔲					
1				Agent: Zach Pike-Urlacher			Receiving Landowner:				
· · · · · · · · · · · · · · · · · ·						vd, Suite 240					
	City, OR 97448	.	Corva	allis, OR 9	7333						
	ndowner if other		CWR	<u>E</u> :			Irrig	ation E	istrict	:	
Affected Lo	ocal Gov'ts:		Affec	ted Tribal	Gov't:		BO	R Notif	ed (da	<u>te):</u>	
1 -	nction City Pla	nning And									
Building D	Department						<u></u>				
Water Rights	s Affected										
File											
Marked	App. File #	or Decree Nam	e	Pern	nit	Certificate		RR/CR Yes	Neede		RR/CR Nos.
								Yes	☐ No		
] Yes	□ No)	
Key Dates &	Initial Actions (S	upport Staff)									
Rec'd: Janı	uary 26, 2024		Propos	ed Action(s): AD	DITIONAL PO	INT C	OF APP	ROPR	IAT	ION
Fees Pd: 24	150.00		Acknov	Acknowledgement Letter Sent 🔲 Basin: 2 Willamette				tte			
Initial Publi	c Notice: 2/6/2	024	County	County sent cc: of Ack Letter			County: LANE				
WM Distric	t: 2 Lanaya	F. Blakely	WM Re	WM Review request sent:			WM Review date received:				
ODFW Dist	rict:		ODFW Review sent:			ODFW Review date received:			ceived:		
Groundwater			GW Rev	GW Review sent: GW Review date received:				ved:			
Caseworker	Actions: Newspa	per & PD Notice	2;								
Newspaper	notice needed: [of Newspaper:					
Newspaper	notice sent to co	oordinator:			News	paper notice qu	ote re	equeste	d (NRS	1):	
Request for	r news \$ sent:				News	\$ received:					
Affidavit of	publication recei	ived:			Last c	lay of publicatio	n:				
Peer Review:	:										
Document	Drafted	Peer Revi	ew	Coordina	itor	Changes Mad			ure Bi		Signature Date
DDD	Date:	_ Date:	1	Date:		Date:		CW Sen			21/4
DPD	Initials:	Initials:	1	Initials:		Initials:	WM Sheet ODFW Sheet:			N/A	
						Date:	1				
PD	Date:		i			Initials:	- I	Date:			Date:
	Initials:	Initials:		nitials:		Data Review		•			
						Date:	_	N			
FO	Date:	_ Date:	t	Date:		Date:		Date:			Date:
F0	Initials:	Initials:	I	nitials:		Initials:	- 1	No. of d		r 	Date:
Special Issues	5:	-			•		*				
	· \/otumo: \/ot			,							

Transfer Cover Sheet Last Revised 1/26/2023



Water Resources Department

North Mall Office Building 725 Summer St NE, Suite A Salem, OR 97301 Phone 503 986-0900 Fax 503 986-0904

January 30, 2024

City of Junction City
Attn: Gary Kaping
1171 Elm St.
Junction City, OR 97448
Reference: Application T-14394

On January 26, 2024, the Department received your water right Permanent Transfer Application. The application was accompanied by \$2450.00. Receipt number 142304 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to our groundwater staff to determine whether the proposed well accesses the same source of water as the original well.

This application <u>may</u> require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

Except as provided under ORS 540.510(3) for municipalities, you may not use water from the new point of appropriation until a final order approving the transfer application has been issued by the Department. In order to avoid any possible forfeiture of the water right, you should continue to use the water as described by your existing water right.

If the land is sold before the application is approved, the buyer's consent to the application will be required unless a recorded deed or other legal document clearly established that the water right was not conveyed in the sale.

Refer to the following page for a chart showing the steps and expected timelines for the processing of your application.


If you have any questions, please contact the Transfer Section at (503) 986-0935.

Cc: Watermaster Dist. #2, Lanaya F. Blakely (via email)

Zach Pike-urlacher, Agent

City of Junction City Planning & Building Department, Local Government

Enclosure




Waterbody

1,320 1,980

660

1 inch = 1,320 feet





Place of Use/Points of Appropriation Proposed Additional Point of Appropriation Lane County - Waterline CERTIFIED WATER RIGHTS EXAMINER STAMP Authorized Place of Use Township 15/16 South, Range 4 West (WM.) All Other Features DiscLAMER This map eas prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property eventual times. Data December 13, 2023. Data Sources BLM, ESR1 OWRD, USGS Cantaled Water Right Exa Donation Land Claim (DLC) TREVOR GRANDY JULY 11, 2023 OF OREGON City Boundary 1,320 1,980 GSI = 1,320 feet Water Solutions, Inc. Watercourse 660 Renews: 6/30/2025 Waterbody

RECEIVED JAN 26 2024

OWRD

1 inch = 1,320 feet





1/4/2024

INV0001974 INVOICE #

ARPA Grant Projects DESCRIPTION

PO#

CITY OF JUNCTION CITY

STATE OF OREGON

WATER RESOURCES DEPARTMENT

RECEIPT #1 4230

725 Summer St. N.E. Ste. A SALEM, OR 97301-4172

INVOICE #

(503) 986-0900 / (5	03) 986-0904 (fax)
RECEIVED FROM: City of Junction	CITY APPLICATION
BY:	PERMIT
	TRANSFER T- 1429 /
CASH: CHECK:# OTHER: (IDENTIFY)	1715/4
¥ 99999 L	TOTAL REC'D \$2,450.00
1002 TREACHRY 4170 WRD 4	MCC CACIL ACCT
1083 TREASURY 4170 WRD N	MISC CASH ACCT
0407 COPIES	\$
OTHER: (IDENTIFY)	<u> </u>
0243 I/S Lease 0244 Muni Water Mgmt. P	an 0245 Cons. Water
4270 WRD 0	PERATING ACCT
MISCELLANEOUS	
0407 COPY & TAPE FEES 46	//O s
0410 RESEARCH FEES	\$
0408 MISC REVENUE: (IDENTIFY)	\$
TC162 DEPOSIT LIAB. (IDENTIFY)	S
0240 EXTENSION OF TIME	\$
WATER RIGHTS:	EXAM FEE RECORD FEE
0201 SURFACE WATER	S 0202 S
0203 GROUND WATER	\$ 0204 \$
0205 TRANSFER	\$ 2 450.00
WELL CONSTRUCTION	EXAM FEE LICENSE FEE
0218 WELL DRILL CONSTRUCTOR	\$ 0219 \$
LANDOWNER'S PERMIT	0220 \$
OTHER (IDENTIFY)	
OTTEN (IDENTIFY)	
0536 TREASURY 0437 WELL	CONST. START FEE
0211 WELL CONST START FEE	\$ CARD#
0210 MONITORING WELLS	\$ CARD#
OTHER (IDENTIFY)	
	ACTIVITY LIC NUMBER
0607 TREASURY 0467 HYDRO	S S S S S S S S S S S S S S S S S S S
0233 POWER LICENSE FEE (FW/WRD)	\$
0231 HYDRO LICENSE FEE (FW/WRD)	\$
HYDRO APPLICATION	Φ.
TREASURY OTHER	R / RDX
EUND TITLE	
FUND TITLE	
OBJ. CODE VENDOR #	\$
DESCRIPTION	L W
, ,	and the same
RECEIPT: 142304 DATED!	2024 BY: Mmills

01/05/2024 AMOUNT

94499

2,450.00

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

Application for Permanent Water Right Transfer



OREGON Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

Part 1 of 5 - Minimum Requirements Checklist

This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

Check all	ems included with this application. (N/A = Not Applicable)	JAN 26 2
\boxtimes	Part 1 – Completed Minimum Requirements Checklist.	OWRE
\boxtimes	Part 2 – Completed Transfer Application Map Checklist.	
\boxtimes	Part 3 – Application Fee, payable by check to the Oregon Water Resources Depart completed Fee Worksheet, page 3. Fee enclosed in amount of \$2,450.	ment, and
\boxtimes	Part 4 – Completed Applicant Information and Signature.	
	Part 5 – Information about Water Rights to be Transferred: How many water right be transferred? 2 List them here: Certificates 46412 and 65071 (Attachment A) Please include a separate Part 5 for each water right. (See instructions on page NOTE: A separate transfer application is required for each water right unless criteria in OAR 690-380-3220 are met.	e 6)
	Attachments:	
\boxtimes	Completed Transfer Application Map. (Attachment B)	
\boxtimes _	Completed Evidence of Use Affidavit and supporting documentation. (Attachmen	t C)
	A Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the land right is on.)	the water
	 Supplemental Form D – For water rights served by or issued in the name of an irrigitation. Complete when the transfer applicant is not the irrigation district. 	gation
	Oregon Water Resources Department's Land Use Information Form with approval signature from each local land use authority in which water is to be diverted, convaind/or used. Not required if water is to be diverted, conveyed, and/or used only clands or if <u>all</u> of the following apply: a) a change in place of use only, b) no structu changes, c) the use of water is for irrigation only, and d) the use is located within a irrigation district or an exclusive farm use zone. (Attachment D)	reyed, on federal ral
	Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or a point(s) of appropriation. (Attachment E)	dditional
	Geologist Report for a change from a surface water point of diversion to a ground point of appropriation (well), if the proposed well is more than 500' from the surface source and more than 1000' upstream or downstream from the point of diversion 690-380-2130 for requirements and applicability.	ace water
	(For Staff Use Only)	
	WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S): Application fee not enclosed/insufficient Map not included or incomplete Land Use Form not enclosed or incomplete Evidence of Use Form not enclosed or incomplet Additional signature(s) required Part is incomplete	te
	Other/Explanation	-

Part 2 of 5 – Transfer Application Map

Your transfer application will be returned if any of the map requirements listed below are not met.

	sure that the transfer application map you submit includes all the required items and he existing water right map. Check all boxes that apply.
⊠ ∏ N/A	Certified Water Right Examiner (CWRE) Stamp and Original Signature. For a list of CWREs, see http://apps.wrd.state.or.us/apps/wr/cwre license view/. CWRE stamp and signature are not required for substitutions.
⊠ N/A	If more than three water rights are involved, separate maps are needed for each water right.
\boxtimes	Permanent quality printed with dark ink on good quality paper.
	The size of the map can be $8\% \times 11$ inches, $8\% \times 14$ inches, 11×17 inches, or up to 30×30 inches. For 30×30 inch maps, one extra copy is required.
\boxtimes	A north arrow, a legend, and scale.
	The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
\boxtimes	Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
\boxtimes	Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
\boxtimes	Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
\boxtimes	Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
	Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
□ ⊠ N/A	Proposed place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
	Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.
⊠ ∏ N/A	If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example $-42^{\circ}32'15.5''$) or degrees-decimal with five or more digits after the decimal (example -42.53764°).
	RECEIVED

Part 3 of 5 - Fee Worksheet

	FEE WORKSHEET for PERMANENT TRANSFER (except Substitution)		
1	Base Fee (includes one type of change to one water right for up to 1 cfs)	1	\$1,360
2	Types of change proposed: Place of Use Character of Use Point of Diversion/Appropriation Number of above boxes checked = 1 (2a) Subtract 1 from the number in line 2a = 0 (2b) If only one change, this will be 0 Multiply line 2b by \$1090 and enter » » » » » » » » » » » » » » » » » » »	2	0
3	Number of water rights included in transfer 2 (3a) Subtract 1 from the number in 3a above: 1 (3b) If only one water right this will be 0 Multiply line 3b by \$610 and enter " " " " " " " " " " " " " " " " " " "	3	610
	Do you propose to add or change a well, or change from a surface water POD to a well? No: enter 0 Yes: enter \$480 for the 1st well to be added or changed 480 (4a) Do you propose to add or change additional wells? No: enter 0 Yes: multiply the number of additional wells by \$410 (4b)		
4	Add line 4a to line 4b and enter » » » » » » » » » » » » » » » » » » »	4	480
	No: enter 0 on line 5 Yes: enter the cfs for the portions of the rights to be transferred (see below*): (5a) Subtract 1.0 from the number in 5a above: (5b) If 5b is 0 or less, enter 0 on line 5 » » » » » » » » » » » » » » » » » »		
5	5c by \$410, then enter on line 5 » » » » » » » » » » » » » » » » » »	5	0
6	Add entries on lines 1 through 5 above » » » » » » » » » Subtotal:	6	2,450
	Is this transfer: necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? endorsed in writing by ODFW as a change that will result in a net benefit to fish and		CEIVED 2 6 2024
7	If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 » If no box is applicable, enter 0 on line 7 » » » » » » » » » » » » » » » » » »	7	OWRD
8	Subtract line 7 from line 6 » » » » » » » » » » » » » » » Transfer Fee:	8	\$2,450

*Example for Line 5a calculation to transfer 45.0 acres of Primary Certificate 12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Certificate 87654 (1/80 cfs per acre) on the same land:

1. For irrigation calculate cfs for each water right involved as follows:

a. Divide total authorized cfs by total acres in the water right (for C12345, 1.25 cfs ÷100 ac); then multiply by the number of acres to be transferred to get the transfer cfs (x 45 ac= 0.56 cfs).

b. If the water right certificate does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (For C87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs)

2. Add cfs for the portions of water rights on all the land included in the transfer; however do not count cfs for supplemental rights on acreage for which you have already calculated the cfs fee for the primary right on the same land. The fee should be assessed only once for each "on the ground" acre included in the transfer. (In this example, blank 5a would be only 0.56 cfs, since both rights serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0).

	FEE WORKSHEET for SUBSTITUTION		
1	Base Fee (includes change to one well)	1	\$990.00
2	Number of wells included in substitution(2a) Subtract 1 from the number in 2a above:(2b) If only one well this will be 0 Multiply line 2b by \$480 and enter » » » » » » » » » » » » » » » »	2	
3	Add entries on lines 1 through 2 above » » » » Fee for Substitution:	3	

Part 4 of 5 - Applicant Information and Signature

Applicant Information

FAX NO.
E

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME GSI Water Solutions, Inc., Attn: Zach Pike-Urlacher			PHONE NO. 541-753-0933	ADDITIONAL CONTACT NO.	
ADDRESS 1600 SW Western Bl	vd., Suite 240		•	FAX NO.	
CITY	STATE	ZIP	E-MAIL		
Corvallis	OR	97333	zpikeurlacher@gsiws.com		

Explain in your own words what you propose to accomplish with this transfer application, and why: The Applicant is proposing to add an additional point of appropriation (Bailey Park Well) to Certificates 46412 and 65071.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

Check One Box

	By signing this application, I understand that, upon receipt of the draft preliminary determination and prior to
	Department approval of the transfer, I will be required to provide landownership information and evidence that I an
	authorized to pursue the transfer as identified in OAR 690-380-4010(5); OR
\boxtimes	I affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the
	municipality or a predecessor; OR
	I affirm the applicant is an entity with the authority to condemn property and is acquiring by condemnation the
	property to which the water right proposed for transfer is appurtenant and have supporting documentation.

RECEIVED

JAN 26 2024

OWRD

TACS

By my signature below, I confirm that I understand:

- · Prior to Department approval of the transfer application, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: The Tribune News.
- Amendments to the application may only be made in response to the Department's Draft Preliminary Determination (DPD). The applicant will have a period of at least 30 days to amend the application to address any issues identified by the Department in the DPD, or to withdraw the application. Note that amendments may be subject to additional fees, pursuant to ORS 536.050.
- water right (OAR 690-380-6010).
- Refunds may only be granted upon request and, as set forth in ORS 536.050(4)(a), if the Director determines that a refund of all or part of a fee is appropriate in the interests of fairness to the public or necessary to correct an error of the Department.

Failure to complete an approved change in place of use and/or change in character of use, will result in loss of the I (we) affirm that the information contained in this application is true and accurate. Gary Kaping, Public Works Director Applicant signature Print Name (and Title if applicable) Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located? X Yes ☐ No* *If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the water right(s) were conveyed. Check the following boxes that apply: The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant. The receiving landowner will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to this landowner. Both the receiving landowner and applicant will be responsible for completion of change(s). Copies of notices and correspondence should be sent to this landowner and the applicant. At this time, are the lands in this transfer application in the process of being sold? Yes No If YES, and you know who the new landowner will be, please complete the receiving landowner information table below. If you do not know who the new landowner will be, then a request for assignment will have to be filed for at a later date. If a property sells, the certificated water right(s) located on the land belong to the new owner, unless a sale agreement or other document states otherwise. For more information see: https://www.oregon.gov/owrd/WRDFormsPDF/Transfer Property Transactions.pdf

RECEIVING LANDOWNER NAME			PHONE NO.	ADDITIONAL CONTACT NO.	
ADDRESS				FAX NO.	
CITY	STATE	ZIP	E-MAIL		
Describe any specia	l ownership circumst	ances:			
The confirming Cert	ificate shall be issued	I in the name	of: Applicant Re	eceiving Landowner	

RECEIVED

TACS

JAN 26 2024

IRRIGATION DISTRICT NAME	ADDRESS	
СІТУ	STATE	ZIP
Check here if water for any of the contract for stored water with a fe		1 Total Control of the Control of th
ENTITY NAME	ADDRESS	
СІТУ	STATE	ZIP
Publis - 10 at 200 yes 500 s	1	
1277	and the same of th	
corporation, or tribal governments w	and the same of th	
City of Junction City Planning & Building	ithin whose jurisdiction wa	
CORPORATION, OR TRIBAL GOVERNMENTS W ENTITY NAME City of Junction City Planning & Building Department	ithin whose jurisdiction wa	
CORPORATION, OR TRIBAL GOVERNMENTS W ENTITY NAME City of Junction City Planning & Building Department CITY	ADDRESS PO Box 250	ter will be diverted, conveyed or
To meet State Land Use Consistency I corporation, or tribal governments w ENTITY NAME City of Junction City Planning & Building Department CITY Junction City ENTITY NAME	ADDRESS PO Box 250 STATE	ter will be diverted, conveyed or

JAN 2 6 2024 OWRD

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 46412

Description of Water Delivery System System capacity: ____ cubic feet per second (cfs) OR 2,450 gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. The City pumps water from its wellfield to a 150,000 gallon capacity storage tank. Water is treated and delivered to customers via mainline.

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

								3/4			
POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L)	Tı	wp	ı	Rng	Sec	14	1/4	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
3 rd & Cedar Well	□ Authorized □ Proposed	LANE 6385	15	s	4	w	32	sw	SE	9200	760 feet North and 3,000 feet East from the SW corner, Section 32
Bailey Park Well	☐ Authorized ☐ Proposed	-	16	S	4	w	5	NW	NW	4500	830 feet South and 740 feet East from the NW corner of Section 5

Well	Proposed	, <u>-</u>	16	3	4	VV	5	NVV	NVV	4500	corner of Section	DEL COURSE
Check	all type(s) of cl	nange(s) prop	ose	d be	low	(cha	nge '	"CODES	" are p	orovide	d in parenthes	es):
	Place of Use	(POU)						Supple	menta	l Use to	o Primary Use (S to P)
	Character of	Use (USE)						Point o	of Appr	opriati	on/Well (POA)	
	Point of Dive	ersion (POD)					\boxtimes	Additio	nal Po	int of A	Appropriation (A	APOA)
	Additional P	oint of Divers	ion ((APC)D)			Substit	ution	(SUB)		
	Surface Wat POA (SW/GV	er POD to Gro V)	ounc	l Wa	ter			Govern	ment	Action	POD (GOV)	
Will all	of the propos	ed changes a	ffect	the	ent	ire w	ater	right?				
Yes	AND	nly the Propos ed above to d								able 2 c	on the next page	e. Use the
No	Complete all	of Table 2 to	des	cribe	e the	e por	tion	of the w	ater r	ight to	be changed.	RECEIVED
												JAN 26 2024
												OWRD

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 46412

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

	The			200	at a	pear	s on th	ne cert	ificate		ds) DPOSED CHAI ill be changed.		Proposed Changes (see			Т	he	listir			uld ap		AFTER	on" lands PROPOSE	• • • • • • • • • • • • • • • • • • • •	GES
Twp	1	Rng		Sec	3/	1 1/4	Tax Lo	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Date	"CODES" from previous page)	Tw	'p	Rnį	g	Sec	1/4	1/4	Tax Lo	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date
	100,1000											Anthus (Anthus Carried Colored)	EXAMPLE	Tomorrow			CONTRACTOR OF THE PARTY OF THE								ottorio de la la companya de la comp	
2 5	5 9	9	E	15	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	s	9	E	1	NW	NW	500	1	10.0		POD #5	1901
				1	1									2	S	9	E	2	sw	NW	500		5.0		POD #6	1901
													АРОА	See	au				ce of			hment	N/A	Municipal	3 rd & Cedar Well, Bailey Park Wel	11/15/1971

Additional remarks: .

JAN 2 6 2024 OWRD

For Place of Use or Character of Use Changes N/A - the authorized use is municipal use, so 'layer	'ing'
does not apply.	

	e there other water right certificates, water use permits or ground water registration the "from" or the "to" lands? \Box Yes \Box No	ons associated
If YE	ES, list the certificate, water use permit, or ground water registration numbers:	_ <u>.</u>
a pr to	suant to ORS 540.510, any "layered" water use such as an irrigation right that is sup imary right proposed for transfer must be included in the transfer or be cancelled. a ground water registration must be filed separately in a ground water registration plication.	Any change
For S	Substitution (ground water supplemental irrigation will be substituted for surface wirrigation) N/A	vater primary
	ound water supplemental Permit or Certificate #; rface water primary Certificate #	RECEIVED
For a	change from Supplemental Irrigation Use to Primary Irrigation Use N/A	JAN 26 2024
Ide	entify the primary certificate to be cancelled. Certificate #	OWRD
For a	a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation	on:
	Well log(s) are attached for each authorized and proposed well(s) that are clearl associated with the corresponding well(s) in Table 1 above and on the accompar See Attachment E for well log for 3rd & Cedar Well (LANE 6385) . Tip: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well-log/Default.aspx	
AN	ID/OR	
	Describe the construction of the authorized and proposed well(s) in Table 3 for an not have a well log. For <i>proposed wells not yet constructed or built</i> , provide "a be each requested information element in the table. The Department recommends licensed well driller, geologist, or certified water right examiner to assist with assign information necessary to complete Table 3.	st estimate" for you consult a

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of complet ed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right
Bailey Park Well	No	N/A	300 ft (est.)	12 in (est.)	+2-128 ft (est.)	0-128 ft (est.)	120-125 ft 130-295 ft (est.)	21 ft (est.)	Alluvium	N/A

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

			(CERT	IFIC	ATE :	# <u>6507</u>	<u>'1</u>						
Description	Description of Water Delivery System System capacity: cubic feet per second (cfs) OR													
System cap	acity:c	ubic feet per	sec	ond	(cfs)	OR								
	2,450 g	allons per mi	nute	(gp	m)									
five years. I apply the w gallon capa Table 1. Lo	ribe the current water delivery system or the system that was in place at some time within the last years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and the water at the authorized place of use. The City pumps water from its wellfield to a 150,000 on capacity storage tank. Water is treated and delivered to customers via mainline. 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA) 2. If the POD/POA name is not specified on the certificate, assign it a name or number here.)													
POD/POA Name or Number	Name or the Certificate or (or Well ID Two Rog Sec W W (from a recognized													
8th & Deal Well	Authorized Proposed	LANE 6371	15	S	4	w	32	NW	SE	7200	2,265 feet North and 2,690 feet East from the SW corner of Section 32			
Bailey Park Well	☐ Authorized ☐ Proposed	N/A	16	S	4	w	5	NW	NW	4500	830 feet South and 740 feet East from the NW corner of Section 5			
Plane	rpe(s) of change ace of Use (POU haracter of Use bint of Diversion dditional Point of trface Water PC DA (SW/GW) he proposed change omplete only the CODES" listed also omplete all of Ta	(USE) of (POD) of Diversion (OD to Ground canges affect e Proposed (cove to descr	APO Wa the "to" ibe t	D) ter enti or "	re woropo	ater ands	Supple Point Addit Subst Gove right?	lemen of Ap ional I itution rnmen ion of ges.	tal Use propri Point o (SUB et Actio	e to Prination/Vof Appro of Appro on POD	mary Use (S to P) Vell (POA) Opriation (APOA) (GOV) e next page. Use the			

RECEIVED

JAN 26 2024

OWRD

Please use and attach additional pages of Table 2 as needed. See page 6 for instructions.

Do you have questions about how to fill-out the tables? Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 65071

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

	Th			200	at ap	pear	s on th	e cert	ificate		ls) DPOSED CHAI ill be changed.		Proposed Changes (see			1	he	listir			uld app		FTER I	on" lands) PROPOSEE	CHANGES	5
Twp		Rng		Sec	7/4	1 1/4	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Date	"CODES" from previous page)	Tw	'p	Rn	g	Sec	1/4	1/4	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date
	-	ur to libro											EXAMPLE													
2	S	9	E	15	NE	NW	100		15.0	Irrigation	POD #1 POD #2	1901	POU/POD	2	s	9	E	1	NW	NW	500	1	10.0		POD #5	1901
								1230	Mar Sh					2	s	9	E	2	sw	NW	500		5.0	Property.	POD #6	1901
													АРОА	See	au	itho				use in 6507:	Attach	ment	N/A		8 th & Deal Well, Bailey Park Well	2/15/1961

Additional remarks:_____

RECEIVED

JAN 26 2024

OWRD

Certificate # 65071

	apply.
	Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? \square Yes \square No
- K	If YES, list the certificate, water use permit, or ground water registration numbers:
7	Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.
	For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation) N/A Ground water supplemental Permit or Certificate #; Surface water primary Certificate #
	For a change from Supplemental Irrigation Use to Primary Irrigation Use N/A
	Identify the primary certificate to be cancelled. Certificate #
	For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:
	Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. See Attachment E for well log for 8th & Deal Well (LANE 6371) . Tip: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well-log/Default.aspx
	AND/OR
	Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For proposed wells not yet constructed or built, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.
	ble 3. Construction of Point(s) of Appropriation
ar ar w	ny well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the ccompanying application map. Failure to provide the information will delay the processing of your transfer pplication until it is received. The information is necessary for the department to assess whether the proposed rell(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is
þ	rohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of complet ed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right
Bailey Park Well	No	N/A	300 ft (est.)	12 in (est.)	+2-128 ft (est.)	0-128 ft (est.)	120-125 ft 130-295 ft (est.)	21 ft (est.)	Alluvium	N/A

14394 -

RECEIVED

JAN 26 2024

STATE OF OREGON

COUNTY OF

LANE

CERTIFICATE OF WATER RIGHT

This Is to Certify, That

CITY OF JUNCTION CITY

of P. O. Box 245, Junction City , State of Oregon, 97448 , has made proof to the satisfaction of the Water Resources Director, of a right to the use of the waters of Well No. 4

a tributary of Willamette River municipal

for the purpose of

under Permit No. G-5487 and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from November 15, 1971

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 1.11 cubic feet per second

or its equivalent in case of rotation, measured at the point of diversion from the stream. The point of diversion is located in the SNI SEI, Section 32, T. 15 S., R. 4 W., W. M., 760 feet North and 3000 feet East from the SN Corner, Section 32

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ______ of one cubic foot per second per acre,

and shall

conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

SW4 SW4
Section 29
E4 NE4
SW4 NE4
SE4
Section 31
W4 NE4
NW4
SW4
SW4
SW4
SE4
SE4 SE4
Section 32
T. 15 S., R. 4 W., W. M.

Wig NEW NWW NEW SWW NWW SEW Section 5 NW NEW NEW NWW

Section 6 T. 16 S., R. 4 W., W. M.

RECEIVED

JAN 26 2024

OWD5

OWRD

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described and is subject to the existing minimum flow policies established by the Water Policy Review Board.

WITNESS the signature of the Water Resources Director, affixed

this date.

September 15, 1978

Water Resources Director

Recorded in State Record of Water Right Certificates, Volume 39

, page 46412

STATE OF OREGON

COUNTY OF LANE

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

CITY OF JUNCTION CITY JUNCTION CITY, OREGON

confirms the right to use the waters of WELL 5 in the WILLAMETTE RIVER BASIN for the purpose of MUNICIPAL USE.

This right was perfected under Permit G-1749. The date of priority is FEBRUARY 15, 1961. This right is limited to 0.92 CUBIC FOOT PER SECOND or its equivalent in case of rotation, measured at the well.

The well is located as follows:

NW 1/4 SE 1/4, SECTION 32, T 15 S, R 4 W, W.M.; 2265 FEET NORTH AND 2690 FEET EAST FROM THE SW CORNER OF SECTION 32.

This right shall conform to any reasonable rotation system ordered by the proper state officer.

A description of the place of use under this right, and to which this right is appurtenant, is as follows:

E 1/2 NE 1/4 E 1/2 SE 1/4 SECTION 31

W 1/2 SECTION 32 TOWNSHIP 15 SOUTH, RANGE 4 WEST, W.M.

N 1/2 NW 1/4
SECTION 5
TOWNSHIP 16 SOUTH, RANGE 4 WEST, W.M.

This certificate is issued to correctly describe the location of the well and supersedes certificate 31998, State Record of Water Resources Certificates.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

WITNESS the signature of the Water Resources Director, affixed JANUARY 3, 1991.

/s/ WILLIAM H. YOUNG

William H. Young

Recorded in State Record of Water Right Certificates numbered 65071. G-1678.

RECEIVED

JAN 26 2024

OWRD

Application for Water Right **Transfer**

Evidence of Use Affidavit



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.wrd.state.or.us

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing. Supporting documentation must be attached.

State o	of Oregon)						
County	of Lane)		1	SS					
I, Gary	Kaping, in my	capacity as Pul	olic Wo	ks Director	City of J	unction City	,		
mailin	g address 1171	Elm Street, Jui	nction C	ity, OR 974	48				
teleph	one number (5	<u>41)998-3125,</u> k	eing fir	st duly swo	rn depose	and say:			
1.	My knowledg	e of the exerci	se or sta	itus of the v	water righ	t is based on	(check one):		
		onal observatio				onal expertis			
2	I attest that:								
	5 <u></u> 2	r was used dur	ing the	previous fiv	e vears or	n the entire	place of use fo	or	
	100	ficate #;	1000		•				
	☐ My kı	nowledge is spe	ecific to	the use of v	water at t	he following	locations with	hin the last five ye	ars:
	Certificate #	Township	Range	Mer	Sec	1/4 1/4	Gov't Lot	Acres	
			T				or DLC	(if applicable)	4
OR									
	Confirming Co	ertificate#	has b	een issued	within the	e past five ye	ears; OR		
		he water right						years. The	
		e number is: not leased, add						eased instream.); C)R
\boxtimes								of forfeiture for n	
	would be rebi	utted under OR	RS 540.6	10(2) is atta	ached.		101		
		en used at the ertificate #		The state of the s		CARLO STREET	priation for n	nore than	
				(continues	on revers	se side)			
3. The	water right wa	s used for: (e.g	., crops	pasture, et	tc.): Muni	icipal			
	derstand that it					ents shown i	n the table be	low to support the	e above
//									RECEIVED
100	-			>		1	1-3-	29 Date	- JAN 26 2024
Signatu	re of Affiant							Date	
									OWRD

Revised 7/1/2021

Evidence of Use Affidavit - Page 1 of 2

TACS

Signed and sworn to (or all	irrmed) before me this day of	, 20
	Notary Public for Oregon	
	My Commission Expires:	

Supporting Documents	Examples
Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of confirming water right certificate that shows issue date
Copies of receipts from sales of irrigated crops or for expenditures related to use of water	 Power usage records for pumps associated with irrigation use Fertilizer or seed bills related to irrigated crops Farmers Co-op sales receipt
Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	 District assessment records for water delivered Crop reports submitted under a federal loan agreement Beneficial use reports from district IRS Farm Usage Deduction Report Agricultural Stabilization Plan CREP Report
Aerial photos containing sufficient detail to establish location and date of photograph	Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added. Sources for aerial photos: OSU –www.oregonexplorer.info/imagery OWRD – www.wrd.state.or.us Google Earth – earth.google.com TerraServer – www.terraserver.com
☐ Approved Lease establishing beneficial use within the last 5 years ☐ The water right is not subject to forfeiture and documentation that a presumption of forfeiture for non-use would be rebutted under ORS 540.610(2) is attached.	Copy of instream lease or lease number Certificates 46412 and 65071 (Attachment A) are water rights held by a city for municipal purposes.

RECEIVED

JAN 26 2024

OWRD

Land Use Information Form



OREGON Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900

RECEIVED

JAN 26 2024

OWRD

Applicant(s): City of Junction City, Attn: Gary Kaping

Mailing Address: 1171 Elm Street

City: Junction City

State: OR

Zip Code: 97448

Daytime Phone: 541-998-3125

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	% %	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:		Proposed Land Use:	
16 S	4 W	5	NW NW	4500	Public Land (PL)	☑ Diverted	□ Conveyed	☑ Used	Municipal

16-04-05-22-04500

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed: **Junction City**

B. Description of Proposed Use
Type of application to be filed with the Water Resources Department: Permit to Use or Store Water Water Right Transfer Permit Amendment or Ground Water Registration Modification Limited Water Use License Allocation of Conserved Water Exchange of Water
Source of water: Reservoir/Pond Ground Water Surface Water (name)
Estimated quantity of water needed: 2.03 🔲 cubic feet per second 🔲 gallons per minute 🔲 acre-feet
Intended use of water:
Briefly describe:
The Applicant is proposing to add a point of appropriation, Bailey Park Well, to Certificates 46412 and 65071. The location of the well is listed on this form and shown on the attached map.
nga filla

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

WR/FS

For Local Government Use Only

OWRD

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below an	d provide the requested information		
Land uses to be served by the proposed water by your comprehensive plan. Cite applicable		e allowed outrig	ght or are not regulated
☐ Land uses to be served by the proposed water as listed in the table below. (Please attach do Record of Action/land-use decision and according periods have not ended, check "Being pursus")	cumentation of applicable land-use approvementation of applicable land-use approvementations.	als which have a	already been obtained.
Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land	d-Use Approval:
permit, etc.,		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		Obtained Denied	☐ Being Pursued ☐ Not Being Pursued
		Obtained Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
Name: Chice Trifilio	S	Dame (1000)
M SAS		Manner (1	
Signature: Tracking Cile	Phone: 541-687-1	124 Date: _	1123/0029
Government Entity: Junction Ut	J		
Note to local government representative: Pleas sign the receipt, you will have 30 days from the V Information Form or WRD may presume the land comprehensive plans.	Vater Resources Department's notice date of I use associated with the proposed use of w	to return the co ater is compatil	mpleted Land Use ble with local
Receipt	for Request for Land Use Information	<u>on</u>	- Cum
Applicant name:			
City or County:	Staff contact:		
Signature:	Phone: Date	:	

The original and first Dy LANE 6385

of this report are to NOV 1 - 1971

THE OF COLUMN OF THE OF T Copy of report sent earlier STATE OF OREGON
STATE ENGINEER, SALEMOTEAN ESENGINEER Please type or print)
within 30 days from the date
of well completion. SALEM. OREGON to not write above this line) State Permit No. (1) OWNER: (10) LOCATION OF WELL: JAN **26** 2024 City of Junction City Driller's well number Name County Lane Address P. O. Box 245, Junction City, Oregon 9744 32 T.15S 14 Section Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well] Deepening [Reconditioning [Abandon [If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Rotary Driven D ft below land surface. Date 5/29/71 Domestic | Industrial | Municipal | Static level Cable Jetted [] Irrigation | Test Well | Other Dug Bored | lbs. per square inch. Date Artesian pressure) CASING INSTALLED: Threaded | Welded & (12) WELL LOG: Diameter of well below casing Depth drilled ft. Depth of completed well 130 " Diam, from _____ft. to _____ft. Gage ____ Formation: Describe color, texture, grain size and structure of materials; " Dlam. from ft. to _____ ft. Gage and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.) PERFORATIONS: . Perforated? Yes X No. pe of perforator used MATERIAL Size of perforations in. by Sand & Gravels (brown) 8 -4 perforations from ______ ft. to _____ ft. 11 Sand & sm. gravels (brown) 8 771 20 11 perforations from ft. to Sand & med. gravels, brown Sand & gravel w/clay, brown 20 . perforations from 23 Sand & sm. gravels, brown 26 (7) SCREENS: Well screen installed? W Yes D No 26 31 Sand & med. gravels, brown Manufacturer's Name Johnson Screen Company 31 35 Sand & med. gravels. w/clay Type Stainless Steel 302 Model No. Sand & clay, brown 35 38 Diam. 1120Dslot size 30 Set from 109 ft. to 128 ft. Sand & clay, dark grey 38 43 Diam. Slot size Set from ft to ft. Coarse Sand w/clay, brown 43 50 50 53 Finer sand, more clay, brown Drawdown is amount water level is lowered below static level (8) WELL TESTS: 53 64 Blue clay 64 70 11'6" Was a pump test made? W Yes I No If yes, by whom? Darker blue clay, some sand 70 73 gal./min. with 79 ft. drawdown after 8 Darker blue sand, some clay Yield: Blue clay w/sand 73 93 Fine blue sand w/clay 93 109 101 109 114 12' Coarse (heaves) little fn cl Bailer test gal./min. with ft. drawdown after hrs. Med fine sand, little clay 114 115 Artesian flow g.p.m. Coarse sand & sm gravel w/cla 115 120 Work started W/some clay 71 Completed 120 1283 Depth artesian flow encountered Temperature of water -5/29Date well drilling machine moved off of well 1977 5/29 (9) CONSTRUCTION: Drilling Machine Operator's Certification: Well seal-Material used ___Cement Grout This well was constructed under my direct supervision. Well sealed from land surface to _ Materials used and information reported above are true to my best knowledge and belief. Diameter of well bore to bottom of seal17. [Signed] A Jacobine Operator) eles Date 6/2 19.71 Number of sacks of cement used in well seal Drilling Machine Operator's License No.386...... Number of sacks of bentonite used in well seal Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used? Yes No Plugs Size: location ft. Name Pitcher Pump & Drilling Company (Type or print) Did any strata contain unusable water? [] Yes XX No Address 800 Prairie, Rd, Junction/City, Ore. 97448 Type of water? depth of strata

[Signed] ..

Method of sealing strata off

Was well gravel packed? ☐ Yes ☐ No Size of gravel:

Gravel placed from _____ ft. to ____ ft.

(Water Well Contractor)

Contractor's License No. 494 Date 6/2 , 19.71

LANE 6385



OREGON Oregon Water Resources Department
725 Summer Street NE. Suite A 725 Summer Street NE, Suite A Salem Oregon 97301 (503) 986-0900 www.oregon.gov/owtd

Application for Well ID Number

RECEIVED

Do not complete if the well already has a Well Identification Number.

SEP 2 5 2019

I. OWNER INFORMATION		OWRD
Current Owner Name (please print): City of June	ction City	MANA
Mailing Address: P.O. Box 250		
City, State, Zip: Junction City Or 97448		DEATH I
Mail Well ID to: SAME AS ABOVE	In Care Of (C/O)	RECEIVED
Name & Address; Gary Kaping 1171 Elm St	(Jet city Public Works)	JAN 2 6 2024
City, State, Zip: Junction City or 97448		
		OWRD
II. WELL LOCATION INFORMATION (Please	fill out as completely as nossible)	
Township: 15S (North / South) Range: 4W		SW 1/4 of the SE 1/4
Tax Lot (usually last 3-5 numbers of Tax Map #):		2/1/4 Of the
		······································
GPS Coordinates:		
If the property had a different street address in the pa		
Use of Well (domestic, irrigation, commercial, indus Date Well Constructed (or property built): 06/02/7 Owner at time the well was constructed (if known): Cother Information: Replacement tag for L-30	trial, monitoring): Domestic 1 Total Well Depth: 128' City of Junction City Well Report # (if	Casing Diameter: 12"
SUBMITTED BY (please print): Gary L. Kapin	g	
PHONE: 541-228-0277 EM	IAIL &/or FAX: gkaping@ci.junction-	city.or.us
Send application to: Oregon Water Resources Departme Applications are processed in the order they are received	ent 725 Summer St NE, Suite A, Salem, Oregon 97 d, and Well ID Numbers are mailed within 4-5 bus	1301; or fax to (503) 986-0902. siness days. Replacement tag!
For Official Use Or	ily by the Oregon Water Resources Department	
Received Date:	Well Report Number:	Well Identification #:
9-25-19	LANE 6385	<u>L-135910</u>

Last Update: 5/15/18

Well I.D. Number/2

WCC

RECEIVED OREGON HEALTH DIVISION ONLY:

Received Date:

JUL 2 0 1999

County Well Log ID#

WATER RESOURCES DEPT SALEM: OREGON

WELL	IDENTIFICATION LABEI	L ATTACHMENT FORM
	MORCAN WEAT THINK	ZICIONI /

(OREGON	HEALTH DIVISIO	ON)	á'
COMPANY/CURRENT WELL OWNE Junction City Water U		OWNER (S) WELL NO.	nd + Cedar
Name:			
Mailing Address: P.O. Box 250			
Gity: Junction City State:	R Zip: 97448	Phone: (541) 998-3125	
CONTACT PERSON:			i s Tananan
NAME: David Renshaw	PHONE #	541-998-3125	
THIS FORM IS ONLY	TO BE USED	FOR WELLS WITH	
	VELY IDENT		
WATER SU	PPLY WELL	REPORTS.	
). OFFICIAL USE		
TOWNSHIP: 15 N/S RANGE:	4 E W SE	CTION: 32 TAX-LOT:	<u> </u>
Well Identification Kabel : L_ 3070	9		RECEIVED
LABEL ATTACHED BY: DEMUIS		n. 7/19/99	JAN 26 2024
(O.H.D. OFFICIAL)	DAI	D	OWRD
(WATER SUPPLY WE	LL REPORT MUS	T BE ATTACHED!)	
Please Return Completed Form to:	Larry D. McQuee Well Identification Oregon Water Res 158 12th Street NI Salem, OR 97310	i Program sources Department	30709
		14394 - Repli	Livin

NOTICE TO WATER WELL CONTRACTOR The original and first copy
of this report are to be
filed with the
STATE ENGINEER, SALEM 10, OREGON
within 30 days from the date
of well completion.

Address

Well [

Type of water?

Static level

Artesian pressure

WATER WELL REPORT

STATE OF OREGON (Please type or print)

State Permit No. 5-16.78 (11) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? (1) OWNER: Yield: gal./min. with 18 ft. drawdown after hrs. ,, " ,, (2) LOCATION OF WELL: Bailer test ft. drawdown after gal./min. with hrs. Driller's well number g.p.m. Date Artesian flow 14 Section 3/ -32 T. 154 W.M. Temperature of water Was a chemical analysis made? ☐ Yes ☐ No Bearing and distance from section or subdivision corner the is a superior of the second of the (12) WELL LOG: Diameter of well below casing . Depth drilled ft. Depth of completed well . Formation: Describe by color, character, size of material and structure, and show thickness of aquifiers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. MATERIAL FROM TYPE OF WORK (check): Reconditioning [] Abandon [Deepening [If abandonment, describe material and procedure in Item 12. (5) TYPE OF WELL: (4) PROPOSED USE (check): Rotary Driven 🛛 Domestic | Industrial | Municipal | Cable Jetted Irrigation | Test Well | Other Dug П Bored (6) CASING INSTALLED: Threaded M Welded 5 " Dlam. from ft. to ft. Gage " Diam, fromft, toft. Gage . .." Diam, from ft. to ft. Gage (7) PERFORATIONS: Perforated? | Yes | No Type of perforator used in, by Size of perforations perforations from ft. to ____ perforations from perforations from ft. to perforations from ft. to ... OWRD perforations from (8) SCREENS: Well screen installed? ☐ Yes ☐ No Work started 19 . Completed Diam, Slot size Set from Date well drilling machine moved off of well (9) CONSTRUCTION: (13) PUMP: Well seal-Material used in seal Manufacturer's Name Depth of seal ft, Was a packer used? ... Diameter of well bore to bottom of seal in. Water Well Contractor's Certification: Were any loose strata cemented off? ☐ Yes ☐ No Depth This well was drilled under my jurisdiction and this report is Was a drive shoe used? ☐ Yes ☐ No true to the best of my knowledge and belief. Was well gravel packed? ☐ Yes ☐ No Size of gravel: (Person, firm or corporation) (Type or print) Gravel placed from _____ ft. to ____ Did any strata contain unusable water?

Yes

No Method of sealing strata off Drilling Machine Operator's License No. (10) WATER LEVELS: (Water Well Contractor) ft. below land surface Date

Ibs. per square inch Date

Contractor's License No. Date



January 23, 2024

Kelly Starnes Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, OR 97301

RE: Transfer Application for Certificates 46412 and 65071 in the name of Junction City

Dear Kelly:

Junction City is the holder of water right Certificates 46412 and 65071, which authorize the use of up to 1.11 cfs and 0.92 cfs of groundwater for municipal use. The City is filing the enclosed transfer application to add an additional point of appropriation (Bailey Park Well) to both Certificates.

The required transfer application fee of \$2,450 is also enclosed.

Please contact me if you have any questions or concerns. My email address is zpikeurlacher@gsiws.com.

Sincerely,

Zach Pike-Urlacher

Water Resources Consultant

Enclosures: Water Right Transfer Application

1 god Ruhe Ustraher

Check for processing fee in the amounts of \$2,450

JAN 26 2024 OWRD

GSI Water Solutions, Inc.

1600 SW Western Boulevard, Suite 240, Corvallis, OR 97333

www.gsiws.com

Oregon Water Resources Department Transfer Fee Calculation for Permanent (Non-District) Transfer

斜 Main

Help

@ Return

Contact Us

Today's Date: Monday, January 29, 2024	Fee Calculation
Base Fee (includes one type of change to one water right for up to 1 cfs)	\$1,360.00
Fill in information below Check each box that applies. Types of Change Proposed: Place of Use	
Point of Diversion (POD)/Appropriation (POA); and/or Additional POD/POA; and/or SW POD to GW POE Character of Use	\$0.00
Enter total number of water rights included in transfer. 2	\$610.00
Check this box if you propose to add or change a well, or change from a surface water POD to a well.	\$480.00
Enter total number of groundwater wells (POAs) included in transfer. 1	\$0.00
Check this box if you propose to change the place of use or character of use for a NON-irrigation right.	
Check this box if you propose to change the place of use or character of use for an irrigation right.	
Total Transfer CFS(rounded up to the next whole cfs):	
Subtotal:	\$2,450.00
Check each box that applies.	
The transfer is necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932.	
The transfer is endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat.	- 1
Discount:	
Transfer Fee:	\$2,450.00
Return to Edit Clear	

Permanent Transfer Application Intake Checklist

Transfer # T-14394

		•		Type of Change	ype of Change(s) Proposed:			
Reviewer Corie Date 1/29/24			□ POU □ POD □ APOD □ POA □ APOA □ USE					
		Substitution	Substitution Gov't Action Sup to Primary SW to GW					
Cal	Calculated Fee \$2450 Use fee calculator on back of this form Fee Received \$2450							
Cei	tificate(s)	: 46412 &	65071	:	Check <u>all</u> Certs in WRIS to	confirm the	ey are not cancelled	
For multiple certificates, does application meet requirement of OAR 690-380-3220? If no, why? Use the flow chart for multiple Certs							⊠ YES ☐ NO ☐ N/A	
No	tes:							
Ар	plication:	OAR 690-3	80-3000;	OAR 690-380-32	20			
1.	⊠ YES	☐ NO	· · · · · · · · · · · · · · · · · · ·		e applicant's signed and dat	ed the appli	ication?	
2.	⊠ YES	□ NO		Part 5 of applic	ation: Does the informatio Part 4 of the application?	n match the	description of the	
3.	For multiple certificates: Each certificate proposed for transfer has their own							
						-		
Ma	p Require	ments: O	AR 690-38	0-3100				
4.	∑ YES	□ NO		Has the map	been completed and signe	ed by a CWR	E?	
5. YES NO N/A Map Waiver?					? The map waiver must be	issued by t	he Department	
No	tes:							
Att	achments	: OAR 690	-380-3000					
6.	⊠ YES	□ №		Evidence of	Use included, signed, & not	arized w/su	pporting documentation?	
7.	⊠ YES	□ NO	□ N/A	Land Use Fo	rm included and signed by t	the County?		
8.	YES	□ №	⊠ N/A	Consent For	m included, signed, and not	arized?		
9.	YES	⊠ NO	□ N/A	District: Plac	District: Place of use is in <u>or</u> near an irrigation district?			
Э.	YES	□ио		If Yes, is For	s, is Form D included? Name of the District			
10.	D. XYES NO N/A For changes in POA/APOA – are the well logs included?			ed?				
11.	YES	□NO	⊠ N/A	For change i	n POU within Umatilla Cour	nty, Supplen	nental Form U included?	
\boxtimes	Applic	ation com	plete: no	deficiencies iden	itified, assign a T-number a	nd put this c	hecklist in T-folder.	
	Applic	Application DEFICIENT: DO NOT accept - return to applicant with letter explaining deficiencies identified.						

Revised 7/2023 TACS