

T-14579

Permit + Amendment

T-14579

Name Travis L. & Kelly R. SinghoseAddress PO Box 816
Burns, OR 97720
tksinghose@aol.comChange in POU, POADate Filed 12/18/2024Initial notice date 12/24/2024

DPD issued date

PD issued date

PD notice date

Date of FO 7/14/2025 Vol 135 Page 113-124C-Date 10/1/2026

COBU due date

COBU Received date

Certificate issued

DESCRIPTION OF WATER RIGHT(S)

Name of Stream A wellTrib. of Sage Hen Creek BasinUse IrrigationCounty Harney

Quantity of water (CFS)

No. of Acres

Name of ditch

App# G-17753 Per # G-17486 Cert # PR Date 1-13-2014

App# Per # Cert # PR Date

App# Per # Cert # PR Date

App# Per # Cert # PR Date

App# Per # Cert # PR Date

Date

FEES PAID

Amount

Receipt #

FEES REFUNDED

Amount

Receipt #

Date

Assignments:

Irrigation District

Agent John Shortjohnshort@usa.com / bryce.wrs@gmail.com

CWRE

CC's list Harney County Planning Department☐ - Oversized map - Location



Oregon

Tina Kotek, Governor

Water Resources Department

North Mall Office Building

725 Summer St NE, Suite A

Salem, OR 97301

Phone 503 986-0900

Fax 503 986-0904

July 14, 2025

Kelly R. and Travis L. Singhose
PO BOX 816
Burns, OR 97720

REFERENCE: Permit Amendment Application T-14579

Enclosed is a copy of the order approving your Permit Amendment application.

Also enclosed is a superseding permit that incorporates the amendments approved by the final order contained herein. Please read this document and abide by the requirements.

If you have any questions related to the approval of this permit amendment, you may contact your caseworker, Arla Davis, by telephone at (503) 979-3511 or by e-mail at Arla.L.Davis@water.oregon.gov.

Sincerely,

David V. Jones Jr
Water Rights Services Support
Transfers and Conservation Section

cc: Donald (dally) S. Swindlehurst, Watermaster Dist. # 10 (via email)
John A. Short, Agent
Harney County Planning Department, Local Government

Enclosure

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Permit Amendment)	FINAL ORDER
T-14579, HARNEY County)	APPROVING A CHANGE IN PLACE OF USE
)	AND POINT OF APPROPRIATION

Authority

Oregon Revised Statute (ORS) 537.211 establishes the process in which a water right permit holder may submit a request to change the point of appropriation and/or place of use authorized under an existing water right permit.

Applicant

KELLY SINGHOSE AND TRAVIS SINGHOSE
PO BOX 816
BURNS, OR 97720

Findings of Fact

1. On December 18, 2024, Kelly Singhose and Travis Singhose, filed an application to change the point of appropriation and to change in place of use under Permit G-17486. The Department assigned the application number T-14579.
2. On December 8, 2015, the Department approved an assignment of the permit to Travis L. and Kelly R. Singhose.
3. Notice of the application for the permit amendment was published in the Department's weekly notice on December 24, 2024, and in the Burns Times-Herald newspaper on June 25, 2025, and July 2, 2025, pursuant to ORS 540.520(5).
4. On June 15, 2021, the Department issued a Proposed Final Order to approve an extension of time application, but limiting use of water under Permit G-17486 to the amount already developed (1.63 cubic feet per second for irrigation of 130.2 acres). On July 30, 2021, the Applicant timely filed a protest of the proposed final order.
5. August 6, 2024, the applicant's attorney and the Department signed a stipulated agreement to withdraw the protest of the proposed final order. That stipulated agreement is attached as Attachment 1.

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

6. On March 31, 2025, and April 4, 2025, the Department contacted both the applicant's agent and attorneys via email regarding deficiencies in the application, specifically, the explanation of the purpose of the application is to reduce the number of acres and the rate under Permit G-17486, however, the applicant did not submit a cancellation affidavit and both the map labeled "PERMIT AMENDMENT "OFF" MAP" and the map labeled "PERMIT AMENDMENT "TO" MAP" do not clearly describe the amendment proposed under Permit Amendment Application T-14579.
7. On April 10, 2025, the applicant's agent submitted amended application pages and maps, satisfying the deficiencies.
8. On July 11, 2025, the Department approved an extension of time for complete application of water to October 1, 2026. The extension of time final order contains a development limitation and limits Permit G-17486 to no more than 1.63 cubic feet per second for irrigation of 130.2 acres.
9. The permit to be amended is as follows:

Permit: G-17486 in the name of BROKEN R RANCH LLC (assigned to TRAVIS L. AND KELLY R. SINGHOSE)

Use: IRRIGATION of 309.8 ACRES

Priority Date: JANUARY 13, 2014

Quantity: 3.87 CUBIC FEET PER SECOND

Rate/Duty: The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

Period of Use: MARCH 1 THROUGH OCTOBER 31

Source: WELL 2 IN SAGE HEN CREEK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
25 S	31 E	WM	15	NW NE	ROBEY WELL 2 - 1350 FEET NORTH AND 1320 FEET EAST FROM THE C1/4 CORNER OF SECTION 15

Authorized Place of Use:

IRRIGATION						PROPOSED CHANGE	
Twp	Rng	Mer	Sec	Q-Q	Acres	POA ONLY	POA/POU
25 S	31 E	WM	15	NE NE	35.1	0	
25 S	31 E	WM	15	NW NE	37.2	0.7	
25 S	31 E	WM	15	SW NE	40.0	0.7	
25 S	31 E	WM	15	SE NE	37.5	0	
25 S	31 E	WM	15	NE NW	40.0	33.9	
25 S	31 E	WM	15	NW NW	40.0	31.0	0.3
25 S	31 E	WM	15	SW NW	40.0	29.7	
25 S	31 E	WM	15	SE NW	40.0	33.9	
Total					309.8	129.9	0.3

10. Permit Amendment Application T-14579 proposes to change the point of appropriation for 130.2 acres under Permit G-17486, described above in Finding of Fact (FOF) # 9, as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Approximate distance from authorized POA
25 S	31 E	WM	15	NE NW	ROBEY WELL 1 (HARN 52225/52882) - 1260 FEET SOUTH AND 1370 FEET EAST FROM THE NW CORNER OF SECTION 15	0.51 MILE W
25 S	31 E	WM	15	NW NW	WELL C (HARN 52853) - 590 FEET SOUTH AND 130 FEET EAST FROM THE NW CORNER OF SECTION 15	0.76 MILE W
25 S	31 E	WM	15	NW NW	WELL D (HARN 52863) - 1050 FEET SOUTH AND 120 FEET EAST FROM THE NW CORNER OF SECTION 15	0.73 mile MILE NW

11. Permit Amendment Application T-14579 proposes to change the place of use to:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	Authorized POA
25 S	31 E	WM	10	SW SW	0.1	ROBEY WELL 1 (HARN 52225/52882) WELL C (HARN 52853) WELL D (HARN 52863)
25 S	31 E	WM	10	SE SW	0.2	ROBEY WELL 1 (HARN 52225/52882) WELL C (HARN 52853) WELL D (HARN 52863)
25 S	31 E	WM	15	NE NE	35.1	ROBEY WELL 2
25 S	31 E	WM	15	NW NE	36.5	ROBEY WELL 2
25 S	31 E	WM	15	NW NE	0.7	ROBEY WELL 1 (HARN 52225/52882) WELL C (HARN 52853) WELL D (HARN 52863)
25 S	31 E	WM	15	SW NE	39.3	Robey Well 2
25 S	31 E	WM	15	SW NE	0.7	ROBEY WELL 1 (HARN 52225/52882) WELL C (HARN 52853) WELL D (HARN 52863)
25 S	31 E	WM	15	SE NE	37.5	ROBEY WELL 2
25 S	31 E	WM	15	NE NW	6.1	ROBEY WELL 2
25 S	31 E	WM	15	NE NW	33.9	ROBEY WELL 1 (HARN 52225/52882) WELL C (HARN 52853) WELL D (HARN 52863)
25 S	31 E	WM	15	NW NW	8.7	ROBEY WELL 2
25 S	31 E	WM	15	NW NW	31.0	ROBEY WELL 1 (HARN 52225/52882) WELL C (HARN 52853) WELL D (HARN 52863)
25 S	31 E	WM	15	SW NW	10.3	ROBEY WELL 2
25 S	31 E	WM	15	SW NW	29.7	ROBEY WELL 1 (HARN 52225/52882) WELL C (HARN 52853) WELL D (HARN 52863)
25 S	31 E	WM	15	SE NW	6.1	ROBEY WELL 2

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	Authorized POA
25 S	31 E	WM	15	SE NW	33.9	ROBEY WELL 1 (HARN 52225/52882) WELL C (HARN 52853) WELL D (HARN 52863)
Total					309.8	

Permit Amendment Review Criteria

12. The changes would not result in injury to other water rights.
13. The proposed place of use is owned and/or controlled by the permit holder.
14. The changes do not enlarge the permit.
15. The changes do not alter any other terms of the permit.
16. The proposed place of use is contiguous to the authorized place of use.

Conclusions of Law


The change in point of appropriation and place of use proposed by Permit Amendment Application T-14579 is consistent with the requirements of ORS 537.211.

Now, therefore, it is ORDERED:

1. The change in point of appropriation and place of use proposed by Permit Amendment Application T-14579 is approved.
2. Approval of this permit amendment application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new points of appropriation, or place of use.
3. Permit G-18963, in the name of TRAVIS L. AND KELLY R. SINGHOSE, is issued to replace Permit G-17486, and incorporates the amendments approved by this order, the extension of time and the assignment. Permit G-17486, in the name of BROKEN R RANCH LLC (assigned to TRAVIS L. AND KELLY R. SINGHOSE), is no longer of any force or effect.
4. The quantity of water diverted at the new points of appropriation, (ROBEY WELL 1 (HARN 52225/52882), WELL C (HARN 52853), and WELL D (HARN 52863)), shall not exceed the quantity of water lawfully available at the original point of appropriation, (ROBEY WELL 2).
5. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).

- b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
- 6. Water shall be acquired from the same aquifer as the original point of appropriation.
 - 7. The former place of use shall no longer be irrigated as part of this permit.
 - 8. All other terms and conditions of Permit G-18963 remain the same.

Dated in Salem, Oregon on JUL 14 2025



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
IVAN GALL, DIRECTOR
Oregon Water Resources Department

Mailing Date: JUL 15 2025

**BEFORE THE OFFICE OF ADMINISTRATIVE HEARINGS
STATE OF OREGON
for the
OREGON WATER RESOURCES DEPARTMENT**

In the Matter of:)	STIPULATED AGREEMENT TO
)	WITHDRAW PROTEST
Travis L. and Kelly R. Singhose)	
)	
)	OAH Reference No. 2023-OWRD-00127
)	Agency Case No. G-17753
)	

RECITALS

WHEREAS Permit G-17486 was issued on August 28, 2015, authorizing the use of 3.87 cfs from Well 2 in the Sage Hen Creek Basin for irrigation of 309.8 acres.

WHEREAS, on January 23, 2019, Travis L. and Kelly R. Singhose ("Applicant") applied for a permit amendment (Application T-13110), to amend the place of use and point of appropriation, and add additional points of appropriation, under Permit G-17486.

WHEREAS, on October 14, 2020, the Oregon Water Resources Department ("Department") issued a final order approving T-13110 with specified terms and conditions, canceling Permit G-17486, and issuing superseding Permit G-18470 to replace Permit G-17486.

WHEREAS, on December 2, 2020 the Department issued a Reconsideration Order rescinding the Final Order approving Application T-13110, denying the requested permit amendments, canceling the superseding permit, and reinstating Permit G-17486. The Department determined that the permit completion date for G-17486 had expired and that an approved extension of the completion date was required before Permit G-17486 could be amended.

WHEREAS, on February 11, 2021, the Applicant filed an Application for Extension of Time (G-17753 Extension Application), requesting the time to apply water to full beneficial use under the terms and conditions of Permit G-17486 be extended from August 28, 2020, to October 1, 2023.

WHEREAS, on June 15, 2021, the Department issued a Proposed Final Order approving the G-17753 Extension Application, but limiting use of water under Permit G-17486 to the amount already developed (1.63 cubic feet per second for irrigation of 130.2 acres).

WHEREAS, on July 30, 2021, the Applicant timely filed a protest of the Proposed Final Order.

WHEREAS, the Applicant and the Department (collectively, the "Parties") have agreed to a settle this matter pursuant to the stipulations identified below.

Attachment 1

NOW THEREFORE, the Applicant and the Department stipulate and agree to the following:

STIPULATIONS

1. The Applicant and the Department agree to jointly request the Administrative Law Judge to hold the contested case in this matter in abeyance until June 3, 2025.
2. The Applicant agrees to apply to the Department for a permit amendment materially similar to T-13110, but limited to the amount approved in the Proposed Final Order on the G-17753 Extension Application (1.63 cubic feet per second for irrigation of 130.2 acres). The Department will waive all application fees associated with the permit amendment application.
3. Upon receipt of the permit amendment application, the Department will process the application on a priority basis. While the Department cannot predetermine the outcome of the application, the Department acknowledges that the full, intended execution of this Stipulated Agreement is contingent on the Department approving a permit amendment materially consistent with the approval issued on October 14, 2020, but limited to the amount approved in the Proposed Final Order on the G-17753 Extension Application (1.63 cubic feet per second for irrigation of 130.2 acres).
4. If the Department intends to issue a final order approving a permit amendment materially consistent with the approval issued on October 14, 2020, but limited to the amount approved in the Proposed Final Order on the G-17753 Extension Application (1.63 cubic feet per second for irrigation of 130.2 acres), the Department will notify the Applicant 14 days before issuance of the final order.
5. The Applicant will notify the Department within 7 days before issuance of the final order if it agrees that the final order approving the permit amendment is materially consistent with the approval issued on October 14, 2020, but limited to the amount approved in the Proposed Final Order on T-17753 (1.63 cubic feet per second for irrigation of 130.2 acres).
6. On the intended date of issuance of the final order described in Paragraph 4, the Applicant agrees to withdraw its protest in this matter, and the Department agrees to issue the final order described in Paragraph 4, and a final order on the G-17753 Extension Application that is materially consistent with the attached draft Final Order Incorporating Stipulated Agreement (Exhibit A).
7. The Department will withdraw this matter from the Office of Administrative Hearings within 7 days of the completion of each of the events described in Paragraph 6.
8. The Applicant and the Department stipulate that timely completion of each of the events described in Paragraphs 1 through 6 is a necessary condition of withdrawal of this matter from the Office of Administrative Hearings. If any such event is not completed in the manner and time required, the parties will meet and confer in an attempt to resolve the departure from the anticipated outcome. If the parties cannot resolve the issue, this Stipulated Agreement shall terminate, and the Applicant and the Department will request


Attachment 1

the Office of Administrative Hearings to resume the contested case proceeding in this matter.

9. The Applicant and the Department each certify that they have read, understand, and agree with the entire Stipulated Agreement including the draft Final Order Incorporating Stipulated Agreement, have had a reasonable opportunity to request changes to the Stipulated Agreement, and have signed the Stipulated Agreement of their own free will and accord.
10. The Applicant and the Department understand and agree that this Stipulated Agreement and all documents incorporated by reference set forth the entire agreement entered into among the Applicant and the Department.
11. The Applicant and the Department understand and agree that this Stipulated Agreement, including timely completion of each of the events described in Paragraphs 1 through 6, and the Final Order Incorporating Stipulated Agreement issued pursuant to this Stipulated Agreement, constitute the complete and final resolution of the protest.
12. The Applicant and the Department agree that, upon the Department's timely issuance of the final orders as described in Paragraph 6, the Applicant waives any and all right to petition for judicial review of this Stipulated Agreement, and waives any and all right to request reconsideration, petition for judicial review, or appeal the Final Order Incorporating Stipulated Agreement. This provision does not prevent Applicant from participating in any proceeding initiated through a third-party challenge to the Final Order Incorporating Stipulated Agreement.
13. The Applicant and the Department represent, warrant, and agree that the person who executes this Stipulated Agreement on its behalf has the full right and authority to do so.
14. This Stipulated Agreement may be signed in counterparts.

IT IS SO AGREED.


On behalf of Travis L. and Kelly R. Singhose



Steven L. Shropshire

Aug. 7, 2024
Date

On behalf of the Oregon Water Resources Department



Dwight French

Aug 6, 2024
Date

Oregon Water Resources Department Water Right Services Division

Application for Extension of Time

In the Matter of the Application for an Extension of Time)
for Permit G-17486, Water Right Application G-17753, in)
the name of Travis L. and Kelly R. Singhose)

FINAL
ORDER
INCORPORATING
STIPULATED
AGREEMENT

Permit Information

Application: G-17753
Permit: G-17486
Basin: 12 – Malheur Lake / Watermaster District 10
Date of Priority: January 13, 2014
Source of Water: Well 2 in Sage Hen Creek Basin
Purpose or Use: irrigation of 309.8 acres
Maximum Rate: 3.87 cubic feet per second (cfs)

This Extension of Time request is being processed in accordance with Oregon Revised Statute 537.630 and 539.010(5), and Oregon Administrative Rule Chapter 690, Division 315.

Appeal Rights

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Application History

Permit G-17486 was issued by the Department on July 28, 2015. The permit specified complete application of water to beneficial use by August 28, 2020. On February 11, 2021, Travis L. and Kelly R. Singhose (Singhose) submitted an Application for Extension of Time for Permit G-17486. In accordance with OAR 690-315-0050(2), on June 15, 2021, the Department issued a Proposed Final Order proposing to extend the time to fully apply water to beneficial use to October 1, 2023. The protest period closed July 30, 2021, in accordance with OAR 690-315-0060(1). On July 30, 2021, Singhose submitted a timely protest to the proposed final order. On March 22, 2023, the Department referred the proposed order and protest to the Office of Administrative Hearings for a contested case hearing. The matter was assigned case number 2023-OWRD-00127.

Attachment 1**FINDINGS OF FACT**

1. On [[DATE OF STIPULATED AGREEMENT]], the Department and Singhose entered into a Stipulated Agreement. The Stipulated Agreement is attached hereto and incorporated by reference.
2. In accordance with the Stipulated Agreement, on the date of this Final Order Incorporating Stipulated Agreement, Singhose withdrew its protest of the June 15, 2021 Proposed Final Order and the Department approved Singhose's [[DATE OF PERMIT AMENDMENT APPLICATION]] application to amend Permit G-17486 to, among other things, add wells HARN 52225/52882 (Robey Well 1), HARN 52853 (Well C), and HARN 52863 (Well D) as additional points of appropriation. Because the Department has approved Singhose's application to amend Permit G-17486, the "permit amendment condition" included in the June 15, 2011 Proposed Final Order is no longer necessary.
3. Except as expressly stated herein, the Department adopts and incorporates by reference the findings in the June 15, 2021 Proposed Final Order.
4. Findings of Fact 9 and 13 of the June 15, 2021 Proposed Final Order are modified to replace all references to "Robey Well 2" with "Robey Well 1." The February 11, 2021 Application for Extension of Time for Permit G-17486 shows that well HARN 52225/52882 is "Robey Well 1," and that "Robey Well 2" has not yet been drilled.
5. At the time of issuance of the June 15, 2021 Proposed Final Order, the Department found that it was reasonable to extend the deadline for applying water to full beneficial use within the terms and conditions of the Permit G-17486 to October 1, 2023, subject to certain limitations and conditions. To compensate for the time that has passed during the protest/contested case hearing process, the Department now finds that it is reasonable to extend the deadline for applying water to full beneficial use within the terms and conditions of the Permit G-17486 to October 1, 2026.

LIMITATIONS AND CONDITIONS

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, any comments received, and information within the file, the permit may be extended subject to the limitations and conditions in the Proposed Final Order. Because the Department has approved Singhose's [[DATE]] application to amend Permit G-17486, the "permit amendment condition" included in the Proposed Final Order is no longer necessary, and the "meter installation" condition should be modified to require installation of meters in all wells included in the permit amendment application

Attachment 1**1. Meter Installation**

The permit holder shall install the required meters within 6 months from the date of issuance of this Final Order approving this extension of time, on all wells identified for use in the Final Order approving permit amendment application [[APPLICATION NUMBER]], being [[INSERT LIST OF ALL WELLS AUTHORIZED BY PERMIT AMENDMENT]]. The permit holder shall submit evidence of installation that identifies the type of meter installed, the date the meter was installed, the well log identification, and the Well ID tag information for each well.

If the required evidence of installation is not submitted by <6 MONTHS FROM DATE OF FO>, the extension of time will be terminated.

3. Static Water Level Measurements

The permit holder shall make the required March static water level measurements for all wells utilized under this permit by no later than March 31, <YEAR>, and shall submit the measurements within 30 days from when the measurement is taken.

If the required March static water level measurements are not made by no later than March 31, [[YEAR]], and submitted within 30 days from when the measurement is taken, the extension of time will be terminated.

4. Development Limitation

The use of water under this permit shall be limited to no more than 1.63 cubic feet per second for irrigation of 130.2 acres. This represents the 130.2 acres developed at the authorized place of use under Permit G-17486 at one-eightieth of one cubic foot per second for each acre irrigated.

CONCLUSION OF LAW

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.630, 539.010(5) and OAR 690-315-0040(2).

ORDER

The extension of time for Application G-17753, Permit G-17486, therefore, is approved subject to the conditions contained herein. The deadline for applying water to full beneficial use within the terms and conditions of the permit is extended from August 28, 2020, to October 1, 2026.

Attachment 1

DATED: <DATE>

Dwight French
Water Right Services Division Administrator, for
Ivan Gall, Director
Oregon Water Resources Department

-
- If you have any questions about statements contained in this document, please contact the Permit Extension Specialist at (503) 979-3213.
 - If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at (503) 986-0900
-

STATE OF OREGON

COUNTY OF HARNEY

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

TRAVIS L. AND KELLY R. SINGHOSE
PO BOX 816
BURNS, OR 97720

This superseding permit is issued to describe an amendment for a change in point of appropriation and a change in place of use proposed under Permit Amendment Application T-14579 and approved by Special Order Volume 135, Page 113, entered JUL 14 2025 and to describe an extension of time for complete application of water approved July 11, 2025, and to describe an assignment to new permittees approved December 8, 2015. This permit supersedes Permit G-17486.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-17753

SOURCE OF WATER: ROBEY WELL 1, ROBEY WELL 2, WELL C AND WELL D IN SAGE HEN CREEK BASIN

PURPOSE OR USE: IRRIGATION OF 309.8 ACRES

MAXIMUM RATE: 3.87 CUBIC FEET PER SECOND

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: JANUARY 13, 2014

AUTHORIZED POINTS OF APPROPRIATION:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
25 S	31 E	WM	15	NW NE	ROBEY WELL 2 - 1300 FEET NORTH AND 1320 FEET WEST OF THE CENTRAL CORNER OF SECTION 15
25 S	31 E	WM	15	NE NW	ROBEY WELL 1 (HARN 52225/52882) - 1260 FEET SOUTH AND 1370 FEET EAST FROM THE NW CORNER OF SECTION 15
25 S	31 E	WM	15	NW NW	WELL C (HARN 52853) - 590 FEET SOUTH AND 130 FEET EAST FROM THE NW CORNER OF SECTION 15
25 S	31 E	WM	15	NW NW	WELL D (HARN 52863) - 1050 FEET SOUTH AND 120 FEET EAST FROM THE NW CORNER OF SECTION 15

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

AUTHORIZED PLACE OF USE:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	Authorized POA
25 S	31 E	WM	10	SW SW	0.1	ROBEY WELL 1 (HARN 52225/52882) WELL C (HARN 52853) WELL D (HARN 52863)
25 S	31 E	WM	10	SE SW	0.2	ROBEY WELL 1 (HARN 52225/52882) WELL C (HARN 52853) WELL D (HARN 52863)
25 S	31 E	WM	15	NE NE	35.1	ROBEY WELL 2
25 S	31 E	WM	15	NW NE	36.5	ROBEY WELL 2
25 S	31 E	WM	15	NW NE	0.7	ROBEY WELL 1 (HARN 52225/52882) WELL C (HARN 52853) WELL D (HARN 52863)
25 S	31 E	WM	15	SW NE	39.3	Robey Well 2
25 S	31 E	WM	15	SW NE	0.7	ROBEY WELL 1 (HARN 52225/52882) WELL C (HARN 52853) WELL D (HARN 52863)
25 S	31 E	WM	15	SE NE	37.5	ROBEY WELL 2
25 S	31 E	WM	15	NE NW	6.1	ROBEY WELL 2
25 S	31 E	WM	15	NE NW	33.9	ROBEY WELL 1 (HARN 52225/52882) WELL C (HARN 52853) WELL D (HARN 52863)
25 S	31 E	WM	15	NW NW	8.7	ROBEY WELL 2
25 S	31 E	WM	15	NW NW	31.0	ROBEY WELL 1 (HARN 52225/52882) WELL C (HARN 52853) WELL D (HARN 52863)
25 S	31 E	WM	15	SW NW	10.3	ROBEY WELL 2
25 S	31 E	WM	15	SW NW	29.7	ROBEY WELL 1 (HARN 52225/52882) WELL C (HARN 52853) WELL D (HARN 52863)
25 S	31 E	WM	15	SE NW	6.1	ROBEY WELL 2
25 S	31 E	WM	15	SE NW	33.9	ROBEY WELL 1 (HARN 52225/52882) WELL C (HARN 52853) WELL D (HARN 52863)
Total					309.8	

Permit Amendment T-14579 Conditions:

The quantity of water diverted at the new points of appropriation, (ROBEY WELL 1 (HARN 52225/52882), WELL C (HARN 52853), and WELL D (HARN 52863)) shall not exceed the quantity of water lawfully available at the original point of appropriation, (ROBEY WELL 2).

Water use measurement conditions:

- a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer as the original point of appropriation.

The former place of use shall no longer be irrigated as part of this permit.

Extension of Time Limitations and Conditions:**LIMITATIONS AND CONDITIONS**

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, any comments received, and information within the file, the permit may be extended subject to the limitations and conditions in the Proposed Final Order. Because the Department has approved Singhose's December 18, 2024, application to amend Permit G-17486, the "permit amendment condition" included in the Proposed Final Order is no longer necessary, and the "meter installation" condition should be modified to require installation of meters in all wells included in the permit amendment application.

Meter Installation

The permit holder shall install the required meters within 6 months from the date of issuance of this Final Order approving this extension of time, on all wells identified for use in the Final Order approving Permit Amendment Application T-14579 that have been constructed, being HARN 52225/52882 (Robey Well 1), HARN 52853 (Well C), and HARN 52863 (Well D). The permit holder shall submit evidence of installation that identifies the type of meter installed, the date the meter was installed, the well log identification, and the Well ID tag information for each well.

If the required evidence of installation is not submitted by January 11, 2026, the extension of time will be terminated.

Static Water Level Measurements

The permit holder shall make the required March static water level measurements for all wells utilized under this permit by no later than March 31, 2026, and shall submit the measurements within 30 days from when the measurement is taken.

If the required static water level measurements are not made by no later than March 31, 2026, and submitted within 30 days from when the measurement is taken, the extension of time will be terminated.

Development Limitation

The use of water under this permit shall be limited to no more than 1.63 cubic feet per second for irrigation of 130.2 acres. This represents the 130.2 acres developed at the authorized place of use under Permit G-17486 at one-eightieth of one cubic foot per second for each acre irrigated.

Original Permit Conditions:

Measurement Devices, and Recording /Reporting of Annual Water Use Conditions

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The permittee shall maintain the device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The permittee shall keep a complete record of the volume of water diverted each month, and shall submit a report which includes water-use measurements to the Department annually, or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

Static Water Level Conditions

The Department requires the water user to obtain, from a qualified individual (see below), and report annual static water-levels for each well on the permit. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The permittee shall report an initial March static water-level measurement once well construction is complete and annual measurements thereafter. Annual measurements are required whether or not the well is used. The first annual measurement will establish a reference level against which future measurements will be compared. However, the Director may establish the reference level based on an analysis of other water-level data. The Director

may require the user to obtain and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by, the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR 690-217-0045. The Department requires the individual performing the measurement to:

- A. Associate each measurement with an owner's well name or number and a Department well log ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The Department may require the discontinuance of groundwater use, or reduce the rate or volume of withdrawal, from the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or causing substantial interference with senior water rights. The water user shall not allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with surface water or a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well(s) shall be constructed and maintained in accordance with the General Standards for the Construction and Maintenance of Water Supply Wells in Oregon. The works shall be equipped with a usable access port adequate to determine water level elevation in the well at all times.

If the riparian area is disturbed in the process of developing a point of appropriation, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standard, OAR 635-415, shall be followed.

The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the Watermaster, and such rotation system does not infringe upon such prior rights of any water user not party to such rotation plan, the Watermaster shall distribute the water according to such agreement.

Prior to receiving a certificate of water right, the permit holder shall submit to the Water Resources Department the results of a pump test meeting the Department's standards for each point of appropriation (well), unless an exemption has been obtained in writing under OAR 690-217. The Director may require water-level or pump-test data every ten years thereafter.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.


The original permit, issued on August 28, 2015, specified:

- The deadline to begin construction is August 28, 2020. This date cannot be extended.
- The deadline for complete application of the water is August 28, 2020. If the water is not completely applied before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

By Extension of Time Final Order dated July 11, 2025, the deadline for complete application of water was extended to on or before October 1, 2026.

Within one year after complete application of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Right Examiner (CWRE).

Issued JUL 14 2025



Lisa J. Jaramillo, Transfer and Conservation Section Manager for
IVAN GALL, DIRECTOR
Oregon Water Resources Department

**Oregon Water Resources Department
Water Right Services Division**

Application for Extension of Time

In the Matter of the Application for an Extension of Time)	
for Permit G-17486, Water Right Application G-17753, in)	
the name of Travis L. and Kelly R. Singhose)	FINAL ORDER

Permit Information

Application:	G-17753
Permit:	G-17486
Basin:	12 – Malheur Lake / Watermaster District 10
Date of Priority:	January 13, 2014
Source of Water:	Well 2 in Sage Hen Creek Basin
Purpose or Use:	irrigation of 309.8 acres
Maximum Rate:	3.87 cubic feet per second (cfs)

This Extension of Time request is being processed in accordance with Oregon Revised Statute 537.630 and 539.010(5), and Oregon Administrative Rule Chapter 690, Division 315.

Appeal Rights

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Application History

Permit G-17486 was issued by the Department on July 28, 2015. The permit specified complete application of water to beneficial use by August 28, 2020. On February 11, 2021, Travis L. and Kelly R. Singhose (Singhose) submitted an Application for Extension of Time for Permit G-17486. In accordance with OAR 690-315-0050(2), on June 15, 2021, the Department issued a Proposed Final Order proposing to extend the time to fully apply water to beneficial use to October 1, 2023. The protest period closed July 30, 2021, in accordance with OAR 690-315-0060(1). On July 30, 2021, Singhose submitted a timely protest to the proposed final order. On March 22, 2023, the Department referred the proposed order and protest to the Office of Administrative Hearings for a contested case hearing. The matter was assigned case number 2023-OWRD-00127.

FINDINGS OF FACT

1. On August 7, 2024, the Department and Singhose entered into a Stipulated Agreement. The Stipulated Agreement is attached hereto and incorporated by reference.
2. In accordance with the Stipulated Agreement, on the date of this Final Order Incorporating Stipulated Agreement, Singhose withdrew its protest of the June 15, 2021 Proposed Final Order and the Department approved Singhose's December 18, 2024, application to amend Permit G-17486 to, among other things, add wells HARN 52225/52882 (Robey Well 1), HARN 52853 (Well C), and HARN 52863 (Well D) as additional points of appropriation. Because the Department has approved Singhose's application to amend Permit G-17486, the "permit amendment condition" included in the June 15, 2021, Proposed Final Order is no longer necessary.
3. Except as expressly stated herein, the Department adopts and incorporates by reference the findings in the June 15, 2021, Proposed Final Order.
4. Findings of Fact 9 and 13 of the June 15, 2021, Proposed Final Order are modified to replace all references to "Robey Well 2" with "Robey Well 1." The February 11, 2021 Application for Extension of Time for Permit G-17486 shows that well HARN 52225/52882 is "Robey Well 1," and that "Robey Well 2" has not yet been drilled.
5. At the time of issuance of the June 15, 2021, Proposed Final Order, the Department found that it was reasonable to extend the deadline for applying water to full beneficial use within the terms and conditions of the Permit G-17486 to October 1, 2023, subject to certain limitations and conditions. To compensate for the time that has passed during the protest/contested case hearing process, the Department now finds that it is reasonable to extend the deadline for applying water to full beneficial use within the terms and conditions of the Permit G-17486 to October 1, 2026.

LIMITATIONS AND CONDITIONS

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, any comments received, and information within the file, the permit may be extended subject to the limitations and conditions in the Proposed Final Order. Because the Department has approved Singhose's December 18, 2024, application to amend Permit G- 17486, the "permit amendment condition" included in the Proposed Final Order is no longer necessary, and the "meter installation" condition should be modified to require installation of meters in all wells included in the permit amendment application.

1. Meter Installation

The permit holder shall install the required meters within 6 months from the date of issuance of this Final Order approving this extension of time, on all wells identified for use in the Final Order approving permit amendment application T-14579 **that have been constructed**, being HARN 52225/52882 (Robey Well 1), HARN 52853 (Well C), and

HARN 52863 (Well D). The permit holder shall submit evidence of installation that identifies the type of meter installed, the date the meter was installed, the well log identification, and the Well ID tag information for each well. If the required evidence of installation is not submitted by January 11, 2026, the extension of time will be terminated.

3. Static Water Level Measurements

The permit holder shall make the required March static water level measurements for all wells utilized under this permit by no later than March 31, 2026, and shall submit the measurements within 30 days from when the measurement is taken.

If the required March static water level measurements are not made by no later than March 31, 2026, and submitted within 30 days from when the measurement is taken, the extension of time will be terminated.

4. Development Limitation

The use of water under this permit shall be limited to no more than 1.63 cubic feet per second for irrigation of 130.2 acres. This represents the 130.2 acres developed at the authorized place of use under Permit G-17486 at one-eightieth of one cubic foot per second for each acre irrigated.


CONCLUSION OF LAW

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.630, 539.010(5) and OAR 690-315-0040(2).

ORDER

The extension of time for Application G-17753, Permit G-17486, therefore, is approved subject to the conditions contained herein. The deadline for applying water to full beneficial use within the terms and conditions of the permit is extended from August 28, 2020, to October 1, 2026.

DATED: July 14, 2025



Katherine Ratcliffe
Water Right Services Division Administrator, for
Ivan Gall, Director
Oregon Water Resources Department

-
- If you have any questions about statements contained in this document, please contact the Permit Extension Specialist at (503) 979-3213.
 - If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at (503) 986-0900
-

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **145334**

INVOICE # _____

RECEIVED FROM: Trevin Singhose
BY: _____

APPLICATION	
PERMIT	
TRANSFER	<u>T-14579</u>

CASH: ☐ CHECK: # 2296 OTHER: (IDENTIFY) ☐ _____

TOTAL REC'D \$ 158.40

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES 4618 \$ _____
0207 OTHER: (IDENTIFY) Newspaper Notice \$ 158.40

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407	COPY & TAPE FEES	\$	
0410	RESEARCH FEES	\$	
0408	MISC REVENUE: (IDENTIFY) _____	\$	
TC162	DEPOSIT LIAB. (IDENTIFY) _____	\$	
0240	EXTENSION OF TIME	\$	

WATER RIGHTS:

0201	SURFACE WATER	\$	0202	\$
0203	GROUND WATER	\$	0204	\$
0205	TRANSFER	\$		

WELL CONSTRUCTION

0218	WELL DRILL CONSTRUCTOR	\$	0219	\$
	LANDOWNER'S PERMIT		0220	\$

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211	WELL CONST START FEE	\$	CARD#	
0210	MONITORING WELLS	\$	CARD#	

OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233	POWER LICENSE FEE (FW/WRD)	\$
0231	HYDRO LICENSE FEE (FW/WRD)	\$
	HYDRO APPLICATION	\$

TREASURY OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION _____ \$ _____

RECEIPT:

145334

DATED:

6-7-25

BY:

[Signature]

PUBLIC NOTICE

Notice of Per-
mit Amendment
T-14579

T-14579 filed by Kelly Singhose and Travis Singhose, PO Box 816, Burns, OR 97720, propose a point of appropriation and place of use change under Permit G-17486. The permit allows the use of 3.87 cubic feet per second from a well in Sec. 15, T25S, R31E, WM for irrigation in Sec. 15, T25S, R31E, WM. The applicant proposes to move the point of appropriation in Sec. 15, T25S, R31E, WM, and to change the place of use to Sec. 10, T25S, R31E, WM. The Water Resources Department has concluded that the proposed permit amendment appears to be consistent with the requirements of ORS 537.211. The last date of newspaper publication is 07/02/2025.

Publish June 25 and July 2, 2025

Received

'JUL 07 2025

OWRD

BURNS TIMES-HERALD
355 N. Broadway Ave. - Burns, Oregon 97720
AFFIDAVIT OF PUBLICATION

STATE OF OREGON

(

(S.S.

County of Harney

I, Terri L. Smith, being first and duly sworn, depose and say that I am the Advertising Manager of the Burns Times-Herald, a newspaper of general circulation, as defined by ORS 193.010 and 193.020, published at Burns, in the aforesaid County and State by the Burns Times-Herald that the

Public Notice:

T-14579 Singhose, Travis & Kelly
Point of Appropriation & Place Use Change

a printed copy of which is hereto annexed, was published in the said newspaper for

2 successive and consecutive weeks in the following issues

Dates of Publication:


25th June 2025 & 2nd July 2025

Terri L. Smith

By Terri L. Smith, Advertising Manager
The Burns Times-Herald

Subscribed and sworn before me this 2 day of July 2025

Stanley Robert Falley
Notary Public for Oregon



No. _____

STATE OF OREGON
for the
COUNTY OF HARNEY

Filed _____ 2025

Clerk

Deputy

From the office of _____

Attorney For _____

Groundwater Transfer Review Summary Form

Transfer/PA # T- 14579

GW Reviewer Darrick E. Boschmann Date Review Completed: 3/31/2025

Summary of Same Source Review:

☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Water Level Decline Condition Review:

☐ Water levels at the original point(s) of appropriation have exceeded the allowed decline threshold defined by conditions in the originating water right.

Summary of Injury Review:

☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Ground Water Review Form:

- ☐ Water Right Transfer
☒ Permit Amendment
☐ GR Modification
☐ Other

Application: T-14579

Applicant Name: Singhose

Proposed Changes: ☒ POA ☐ APOA ☐ SW→GW ☐ RA
☐ USE ☒ POU ☐ OTHER

Reviewer(s): Darrick E. Boschmann

Date of Review: 3/31/2025

Date Reviewed by GW Mgr. and Returned to WRSD: _____

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- ☐ The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- ☐ Other _____

1. Basic description of the changes proposed in this transfer: _____

This application is related to permit G-17486 which authorizes groundwater pumping from one well (POD 1 = not drilled) for primary irrigation of 309.8 acres in the Malheur Lake Basin. The following changes are proposed:

1. Add 3 APOA (HARN 52225; HARN 52853; HARN 52863).

2. Rearrange the POU.

2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?

☒ Yes ☐ No Comments: _____

Groundwater in the Harney Basin flows from several upland recharge areas to a common discharge area near Malheur and Harney Lakes, with some apparent discharge to the Malheur Basin through one area along the eastern margin. Groundwater occurs in multiple hydrostratigraphic units, and groundwater within these units is hydraulically connected, making a single groundwater system composed of multiple hydrostratigraphic units (Gingerich and others, 2022). While the rocks and sediments making up the aquifer system in the Harney Basin do constitute a single groundwater flow system, sub-watersheds within the basin contribute recharge to different parts of the system depending on groundwater flow-paths from recharge to discharge areas. In general, within these sub-watersheds water within the aquifer system is sourced from a common recharge area and can therefore be considered a single source.

The currently authorized POA and the proposed wells are all located within ¾ mile and are located along groundwater flow paths receiving recharge from a similar source.

The currently authorized POA and the proposed wells would develop groundwater occurring in the Older basin fill hydrostratigraphic unit.

3. a) Is the existing authorized POA subject to a water level decline condition?

☒ Yes ☐ No Comments: _____

The permittee shall report an initial March static water level measurement once well construction is complete and annual measurements thereafter.

b) If yes, for each POA identify the reference level, most recent spring-high water level, and whether an applicable permit decline condition has been exceeded: _____

Authorized well has not been drilled.

4. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?

☐ Yes ☒ No Comments: _____

b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): _____

5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?

☒ Yes ☐ No Comments: _____

The proposed wells are located up to approximately 4,000 feet west of the currently authorized well. This will result in an incremental increase in interference with wells to the west.

b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?

☐ Yes ☒ No If yes, explain: _____

Any increase in interference with existing wells will not meet the standard for substantial or undue interference given the thickness of the aquifer system in the Harney Basin. Additionally, the lands and existing wells proximal to the proposed POA are under the same ownership as the applicant.

6. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?

☐ Yes ☒ No Comments: _____

There are no perennial surface water sources in the vicinity of the authorized or proposed wells.

b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?

Stream: _____ ☐ Minimal ☐ Significant

Stream: _____ ☐ Minimal ☐ Significant


Provide context for minimal/significant impact: _____

7. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?

☐ Yes ☐ No Comments: _____

8. What conditions or other changes in the application are necessary to address any potential issues identified above: none.

9. Any additional comments: none.



Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department
725 Summer St NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Transfer Application: T-14579

Review Due Date:

Applicant Name: Travis L. Singhose & Kelly R. Singhose

Proposed Changes: ☒ POU ☐ POD ☒ POA ☐ USE ☐ OTHER

Reviewer(s): Dally Swindlehurst

Date of Review: 12/24/2024

1. Do you have evidence that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? ☐ Yes ☒ No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2. Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? ☐ Yes ☒ No Generally characterize the frequency of any regulation or explain why regulation has not occurred:
3. Have headgate notices been issued for the source that serves the transferred right(s)?
☐ Yes ☒ No ☐ Records not available.
4. In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? ☐ Yes ☒ No If "Yes", explain:
5. In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? ☐ Yes ☒ No If "Yes", describe how the rights would be affected and list the rights most affected:

6. Check here ☐ if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most:

☒ N/A

7. For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses:

☒ N/A

8. For instream transfers that propose protection of a reach beyond the mouth of the source stream:

☒ N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? ☐ Yes ☐ No

9. For POU changes: ☐ N/A Is it likely the original place of use would continue to receive water from the same source? ☐ Yes ☒ No If "Yes", explain:

10. For POU or USE changes: ☐ N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste?

☐ Yes ☒ No If "Yes", explain:

11. For POU changes that involve micro-irrigation: ☒ N/A

- a. Has the applicant made changes (absent a transfer) to convert to micro-irrigation within the current place of use boundary of the water right proposed for transfer, and previously demonstrated to the Department through monitoring and site inspections by the Watermaster that the proposed transfer will not result in injury or enlargement?

☐ Yes ☐ No If "Yes", explain:

- b. Has a temporary transfer of this nature been previously filed and approved on the same lands (or portions thereof) as those lands involved in this transfer?

☐ Yes ☒ No If "Yes", answer the following:

- i. Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? ☐ Yes ☐ No If "Yes", explain:

- ii. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? ☐ Yes ☐ No If "No", explain:

- iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- iv. Do you have any other observations regarding the temporary transfer?

☐ Yes ☐ No If "Yes", describe:

- v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- c. To the best of your knowledge, if this transfer is approved, does it appear that:

- i. "Injury" will occur to other water rights that share the same source?

☐ Yes ☒ No If "Yes", explain:

- ii. "Enlargement" of the water right being transferred will occur?

☐ Yes ☒ No If "Yes", explain:

12. Are there other issues not identified through the above questions that should be considered in determining whether the change "can be effected without injury to other rights"?

☐ Yes ☒ No If "Yes", explain:

13. What alternatives may be available for addressing any issues identified above:

14. Do conditions need to be included in the transfer order to avoid enlargement of the right or injury to other rights? ☐ No ☐ Yes, as checked and provided below:

☐ For POU changes that involve micro-irrigation, provide the monitoring and reporting conditions necessary to prevent injury/enlargement:

☐ A Headgate should be required prior to diverting water.

☒ Measurement Devices for POD or POA: (if this condition is selected, also fill in the top sections of Page 4)

*a. Before water use may begin under this order, the water user shall install a **totalizing flow meter***, or, with prior approval of the Director, another suitable measuring device, ☒ at each point of diversion/appropriation (new and existing) OR at each new point of diversion/appropriation ☐ with the exception that water rights issued to the Bureau of Reclamation or an irrigation district (or similar entity) are not subject to this condition.*

b. The water user shall maintain the meters or measuring devices in good working order.

c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

☐ Reservoir water use measurement: (if this condition is selected, also fill in the top sections of Page 4)

*a. Before water use may begin under this order, the water user shall install **staff gages***, or, with prior approval of the Director, other suitable measuring devices, that measure the entire range and stage between empty and full in each reservoir. Staff gages shall be United States Geological Survey style.*

b. Before water use may begin under this order, if the reservoir is located in channel, weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, an adjustable outlet valve must be installed. The water user shall maintain such devices in good working order. A written waiver may be obtained, if in the judgment of the Director, the installation of weirs or other suitable measuring devices, or the adjustable outlet valve, will provide no public benefit.

* The following alternative device(s) should be substituted for the bold, underlined device in the above selected condition:

<input type="checkbox"/> Weir	<input type="checkbox"/> Submerged Orifice
<input type="checkbox"/> Parshall Flume	<input type="checkbox"/> Flow Restrictor
<input type="checkbox"/> Other: _____	

Oregon Water Resources Department

Measurement Condition Information for the Applicant

(To be sent with the Draft Preliminary Determination or Final Order)

Transfer #: T- 14579

- ☐ In order to avoid enlargement of the right or injury to other rights, a TFM will be required to be installed prior to diversion of water, as a condition of this transfer:
- ☒ at each point of diversion/appropriation (new and existing) **OR**
- ☐ at each new point of diversion/appropriation.

For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:

Watermaster name: Dally Swindlehurst

District: 10

Address: 450 N Buena Vista

City/State/Zip: Burns, OR 97720

Phone: 541/573/2591

Email: donald.s.swindlehurst@water.oregon.gov

Note: If a device other than the one specified in the Preliminary Determination or Final Order is approved by the Watermaster, fill out and mail the form below to the Salem office.

Approval of an Alternate Measurement Device T-
(to be filled out after consultation with the applicant, or after a site visit)

On behalf of the Director, I authorize use of the following suitable alternate measurement device:

 Watermaster signature

 District

 Date

If this form is used for approval of an alternative measurement device, it must be mailed to:

Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

TRANSFER COVER SHEET

Transfer: T-14579

GR Application #: GR-

File Assigned- Transfer Specialist: Arla L. Davis

Transfer Type: Permit Amendment Transfer

Reimbursement Authority? ☐

Applicant: Kelly R. & Travis L. Singhose PO Box 816 Burns, OR 97720	Receiving Landowner:	CWRE Agent: John A. Short PO Box 1830 Bend, OR 97709
Interested Parties: BOR (date): _____ Tribal Gov't: _____ Gov'ts: Harney County Planning Department County: HARNEY	Irrigation District: Check area of interest on map <input type="checkbox"/>	Additional Contact Information: _____

Key Dates & Initial Actions (Support Staff)

Type of change(s) proposed- attach additional review checklists as necessary			
POINT OF APPROPRIATION; PLACE OF USE			
If change is Historic or Substitution, application will go directly to Final Order. Add'l questions on last page for Historic and Gov't Action.			
Fees Pd:	\$	WM Review request date sent - WM District: 10	12/19/2024
Received Date:	December 18, 2024	WM Review - date received:	
Acknowledgement Letter Sent	Date: 12/19/2024	GW Review - date sent:	12/19/2024
County sent cc: of Ack Letter	Date: 12/19/2024	GW Review - date received:	
Initial Public Notice Date:	12/24/2024	ODFW Review - date sent: ODFW District:	
Comments Received:	Yes <input type="checkbox"/> No: <input type="checkbox"/>	ODFW Review - date received:	

Water Rights Affected

File Marked	No.	App. File # or Decree Name	Permit	Certificate	RR/CR Needed	RR/CR Nos.
<input type="checkbox"/>	1	G-17753	G-17486		<input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/>	2				<input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/>	3				<input type="checkbox"/> Yes <input type="checkbox"/> No	

I have confirmed that the information on this document is correct (or has been corrected): initials

Caseworker Actions:

Assigned in WRIS:	DPD Workflow updated:	WRIS Notes:
PD and RR sent to Data Entry:	Certified mail date:	
Newspaper notice needed: Yes <input type="checkbox"/> No: <input type="checkbox"/>	Name of Newspaper:	
PD notice email coordinator:	PD notice Request Date:	Amount Due: \$
		Received date:
Last day of publication:	Affidavit received:	

DOCUMENT	Drafted		Peer Review		Policy Review		Changes		ODFW contact info: <input type="checkbox"/> included NA: <input type="checkbox"/>	
	Date	initials	Date	initials	Date	initials	Date	initials	WM contact info: <input type="checkbox"/> included NA: <input type="checkbox"/>	
DPD									Number of Docs for signature:	
NOTICE									Date in Signature bin	Signature date
PD										
FO										
RR										
Special Issues:										

PERMANENT TRANSFER APPLICATION CHECKLIST

☐ RA

Transfer #: T-1457914579

CW	PR	Coord	
<input type="checkbox"/>	<input type="checkbox"/>		<i>Save all certificates in electronic "T" folder and highlight Priority Date, Rate, Use and Limit/Duty paragraph</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Supplemental checklist for transfers w/in a District (S:\groups\wr\TACS\WRISApps Templates\Transfer Checklists\SUPP_Within District Processing Checklist 9-5-2019) <i>If this is a Living Certificate – check with Ann Reece See Supplemental Language document for language</i>

Transfer Application Review and Deficiencies

CW	PR	Coord			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Are all applicants/agents listed in WRIS with email addresses, if available?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Have all permit/certificates been entered in WRIS under Transfer #?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Were timely Public Comments received? (if yes, enter commenter names/email on mailing list)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<i>Add finding for any comments received (see Supplemental Language document)</i>					

Groundwater Modification Application Review and Deficiencies

CW	PR	Coord	<input type="checkbox"/> N/A			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		If for a Groundwater Modification, were there any assignments? All GR Mod applicants must be the holder of record.	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Are there any past GR Modifications and/or letters documenting changes to the GR These must be accounted for in the GR Mod Order.	<input type="checkbox"/> Yes	<input type="checkbox"/> No

Review "From" and "To" Lands and/or POD/POA

CW	PR	Coord			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Are only the authorized POD(s)/POA(s)/POU listed on the "from" map?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Does the "from" map match the certificate map? If No, what is different?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Compare FROM POU in application (Table 2) with certificate. <i>Mark certificate with acres being xferred, any RR acres and any acres being cancelled.</i>		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Compare TO POU in Table 2 with the TO Lands on map (for accuracy)		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Are any of the "from" lands being cancelled/diminished?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If Yes, were cancellation/diminution affidavits submitted? (see findings and additional authority in Supplemental Language doc)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Are any instream water rights affected? If Yes, Cert # (If Yes, check criteria for injury-upstream POD move, moving closer to SW, or return flows affected)	<input type="checkbox"/> Yes	<input type="checkbox"/> No

Layered/Supplemental Rights

CW	PR	Coord	<input type="checkbox"/> N/A			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Are there any layered irrigation rights?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		If Yes, were they included in application? If No, they must move with the primary, to a "like" primary, or they will be cancelled though the transfer process	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Layered right(s) Cert:		

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Are any supplemental rights being transferred? (verify that it is actually a supplemental right)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If Yes, are they being transferred to a "like" primary (i.e. similar reliability)?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Notes:		

Transfer Review Criteria					
CW	PR	Coord			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Validity of the right – Has the right been used in the last 5 years and is not subject to forfeiture?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Evidence of use and supporting documentation <input type="checkbox"/> Confirming (not a remaining right) cert issued within the last 5 years <input type="checkbox"/> Rebuttal to forfeiture (ORS 540.610)		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ready, Willing and Able – <input type="checkbox"/> Current delivery system sufficiently described in application. Does delivery system have capacity to fully divert and use the authorized rate/duty of the right?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Would the proposed transfer result in enlargement? If Yes, why? What conditions, if any, will avoid?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Would the proposed transfer result in injury? If Yes, why? What conditions, if any, will avoid?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If injury, has WM or GW provided a list of injured water right holders? <input type="checkbox"/> N/A	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If POD/POA/APOD/APOA change, will it be from the same source? If No, deny per OAR 690-380-2110(2) <input type="checkbox"/> N/A	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Notes:		

Draft Preliminary Determination and Cover Letter – 12 pt. Calibri font			
CW	PR	Coord	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prepare ModPod workareas
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prepare DPD (save as T-XXXXX-dpd-approve/deny (where XXXXX is the transfer number)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prepare DPD Cover letter (save as T-XXXXX-dpd-cov)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prepare Public Notice <input type="checkbox"/> and/or <input type="checkbox"/> newspaper notice (if required) (save as T-XXXXX-pd-notice)
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prepare Remaining Right(s) (if applicable). Send with DPD, cover letter and notice for peer review.

Issue Draft Preliminary Determination	
CW	
<input type="checkbox"/>	Copy DPD and cover letter for paper file
<input type="checkbox"/>	Save DPD and cover letter as PDF
<input type="checkbox"/>	Mail/email to applicant/agent/WM
<input type="checkbox"/>	Add workflow item "Draft PD Issued"

Report of Ownership Information (ROI)				
CW	PR	Coord		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Does legal description in ROI/Deed match "from" lands?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Have all owners on the ROI/Deed signed the application?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Has a notarized statement of consent been submitted? (if applicable) <input type="checkbox"/> N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No

Newspaper Notice (if required)				
CW	PR	Coord	<input type="checkbox"/> N/A	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prepare/send letter to applicant/agent regarding newspaper notice cost	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	TACS Support delivered receipted funds to caseworker	<input type="checkbox"/> Yes <input type="checkbox"/> No

Preliminary Determination and Cover Letter Preparation

CW	PR	Coord	See cheat sheet at (S:\groups\wr\TACS\6. Transfers\Procedures\DPD to PD Conversion 12-8-2016) for more detailed instructions	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Was application amended after DPD was issued? - Make sure amended pages were scanned to WRIS (see support staff) and make sure you mark amended (replaced) pages with SUPERSEDED. Also make findings in PD.	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If Yes, what was amended?	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Did amendment change outcome from denial to approval? <i>If Yes, make findings in PD.</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> If POD/POA changes or changes in "from" lands – re-review required from WM <input type="checkbox"/> If POA changes – re-review required from GW	
<i>Note: If POD was amended and changed from a downstream move to upstream within an ISWR reach – Consent to Injury may be required.</i>				
<input type="checkbox"/>	Save DPD as a new document (T-XXXXX-pd-approve/deny.doc) – 12 pt. Calibri font			
<input type="checkbox"/>	Remove "Draft" from document			
<input type="checkbox"/>	Unhide hidden findings (cntrl-A, select Font, uncheck "hidden" box) and add dates			
<input type="checkbox"/>	If application was amended, add finding including date of amendment			
<input type="checkbox"/>	Change language resulting from any amendments in response to the DPD, including language under Determination and Proposed Action			
<input type="checkbox"/>	Unhide appeal (protest) language at the end of the document			
<input type="checkbox"/>	Prepare PD Cover Letter (save as T-XXXXX-pd-cov)			
<input type="checkbox"/>	Check email address(s) for accuracy			
<input type="checkbox"/>	Notes:			
<input type="checkbox"/>	Send to caseworker/coordinator for Peer Review			

Data Center Review of PD

CW	PR	Coord	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Email PD and RR(s)(with new cert numbers) to Data* for review – indicate if file is RA *email address is in key
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Data Center will send notification that file is complete
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Make any necessary changes to PD or prepare Revised DPD (if substantive changes)

Issue Preliminary Determination

CW	
<input type="checkbox"/>	Print PD and put in Manager's box for signature and issuance (support will print cover letter)
<input type="checkbox"/>	Add workflow notes

Protest

CW	PR	Coord	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Have protests been received? <input type="checkbox"/> Yes <input type="checkbox"/> No If YES, STOP! Coordinate with Protest section.

Final Order

CW	See cheat sheet at (S:\groups\wr\TACS\6. Transfers\Procedures\PD to FO Conversion 12-8-2016) for more detailed instructions
Do not issue Final Order before this date: (protest period end date or 30 days after date of last newspaper publication)	
<input type="checkbox"/>	If application had a newspaper notice, verify that Affidavit of Publication was received. Date:
<input type="checkbox"/>	Save PD as a new document (T-XXXXX-ord-approve (or deny))
<input type="checkbox"/>	Remove "PRELIMINARY DETERMINATION" from document title and replace with "FINAL ORDER." Unhide hidden findings (cntrl-a, select Font, uncheck "hidden" box)
<input type="checkbox"/>	Replace "PROPOSING APPROVAL/DENIAL OF" with APPROVING/DENYING
<input type="checkbox"/>	Replace the "judicial review/reconsideration rights" box in the first page footer for the "Final Order" judicial review language; unhide and add Special Order Volume (support will add page #)
<input type="checkbox"/>	Update the hidden paragraph following the public notice and amendments findings (regarding issuance of PD)
<input type="checkbox"/>	Change "Determination and Proposed Action" to "Conclusions of Law" and update paragraph
<input type="checkbox"/>	Replace "If application T-XXXXX is approved . . ." with Now, therefore, it is ORDERED:"
<input type="checkbox"/>	Select list of conditions below "It is ORDERED" section and turn off Italics. Check numbering (start at "1").
<input type="checkbox"/>	Delete Protest language, Document preparation box, and Notice Regarding Servicemembers; Insert "Mailing Date: _____"
<input type="checkbox"/>	Final Check: All Conclusions of Law are supported by Findings and Transfer Review Criteria

Remaining Rights

CW	PR	Coord	<input type="checkbox"/> N/A
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Make sure all RR certs have new cert numbers and are entered on the right side of the footer of each RR
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Update left side of footer to read: T-XXXXX.rr.YYYYY.inj, where YYYYY is original cert number and .ini stands for your initials. New certificate should be on the right.
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Print RR on certificate paper and include with Final Order for signature

Issue Final Order

CW	
<input type="checkbox"/>	Pull "Working Copy" folder from file
<input type="checkbox"/>	Print and put FO and RR in Manager's box for signature (manager will deliver to support for processing and issuance)
Notes:	

T25S R31E, WM

HARNEY COUNTY, OREGON

Received
DEC 18 2024
OWRD



0 660 1,320
Feet

1 inch = 1,320 feet

● Well "ON"

----- Pipeline

▨ POU IR "ON"

— Section

----- Quarter Quarter

□ Tax Lot

Robey Well #1 (HARN 52225/HARN 52882 / L-60075) Location:
1260' S, 1370' E of NW Cor Sec 15

Well C (HARN 52853 / L-132049):
590' S, 130' E of NW Cor Sec 15

Well D (HARN 52863 / L-132038):
1050' S, 120' E of NW Cor Sec 15



14579 -

PERMIT AMENDMENT "ON" MAP

Travis & Kelly Singhose

Date: 10/4/2024

NOTE: THIS MAP IS NOT INTENDED TO
PROVIDE LEGAL DIMENSIONS OR LOCATIONS
OF PROPERTY OWNERSHIP LINES.

AP G-17753 / PERMIT G-17486

WATER RIGHT SERVICES, LLC


PO BOX 1830, BEND, OR 97709

CCB# 197121 www.oregonwater.us

541-389-2837 JOHNSHORT@USA.COM

Received
DEC 18 2024
OWRD

T25S R31E, WM
HARNEY COUNTY, OREGON



- Well "OFF"
- POU IR "OFF"
- Section
- Quarter Quarter
- Tax Lot

Robey Well #2 Location:
1350' N, 1320' E of C 1/4 Sec 15

14579 -



PERMIT AMENDMENT "OFF" MAP
Travis & Kelly Singhose

Date: 10/4/2024

NOTE: THIS MAP IS NOT INTENDED TO
PROVIDE LEGAL DIMENSIONS OR LOCATIONS
OF PROPERTY OWNERSHIP LINES.

AP G-17753 / PERMIT G-17486

WATER RIGHT SERVICES, LLC
PO BOX 1830, BEND, OR 97709
CCB# 197121 www.oregonwater.us
541-389-2837 JOHNSHORT@USA.COM

Application for Permit Amendment

Part 1 of 5 – Minimum Requirements Checklist



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

This permit amendment application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

Check all items included with this application. (N/A = Not Applicable)

- ☒ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Application Map Checklist.
- ☒ Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at:
http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator.
- ☒ Part 4 – Completed Applicant Information and Signature.
- ☒ Part 5 – Information about Permits to be Amended: **Number of permits to be amended: 1**
List the Permits here: G-17486
Please include a separate Part 5 for each permit. (See instructions on page 6)
- ☒ Completed Permit Amendment Application Map (Does not have to be prepared by a Certified Water Right Examiner).
- ☐ ☒ N/A Request for Assignment Form and statutory fee. The request for assignment form has to be completed if the applicant is **not** the permit holder of record and needs to be assigned to the permit; **or** the landowner of the proposed place of use is **not** the permit holder of record and needs to be assigned to the permit (the Request for Assignment Form is available online at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>). Assignment is not needed if the applicant is the permit holder of record.
- ☐ ☒ N/A Affidavit(s) of Consent are required from all permit holder(s) of record if the permit is not assigned to the applicant **or** other permit holders of record that are not listed as applicants.
- ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.
- ☐ ☒ N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500 feet from the surface water source and more than 1000 feet upstream or downstream from the point of diversion. (ORS 540.531(2) or (3)).

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

___ Application fee not enclosed/insufficient ___ Map not included or incomplete

___ Land Use Form not enclosed or incomplete

___ Additional signature(s) required ___ Part ___ is incomplete

Other/Explanation _____

Staff: _____ 503- _____ Date: ____/____/____

Part 2 of 5 – Permit Amendment Map Checklist

Your permit amendment application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

- ☐ ☒ N/A If more than three permits are involved, separate maps for each permit.
- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- ☒ Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes separate hachuring for each water use permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the permit is being changed, a separate hachuring is needed for the portion of the permit left unchanged.
- ☒ ☐ N/A If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water use permit.
- ☒ ☐ N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Part 3 of 5 – Fee Worksheet

FEE WORKSHEET for PERMIT AMENDMENT			
1	Base Fee (includes one type of change to one permit for up to 1 cfs)	1	\$1,360
	Types of change proposed: <input type="checkbox"/> Place of Use <input type="checkbox"/> Point of Diversion/Appropriation Number of above boxes checked = _____ (2a) Subtract 1 from the number in line 2a = _____ (2b) <i>If only one change, this will be 0</i> Multiply line 2b by \$1090 and enter »	2	
	Number of permits included in Permit Amendment _____ (3a) Subtract 1 from the number in 3a: _____ (3b) <i>If only one permit this will be 0</i> Multiply line 3b by \$610 and enter »	3	
	Do you propose to add or change a well, or change from a surface water POD to a well? <input type="checkbox"/> No: enter 0 <input type="checkbox"/> Yes: enter \$480 for the 1 st well to be added or changed _____ (4a) Do you propose to add or change additional wells? <input type="checkbox"/> No: enter 0 <input type="checkbox"/> Yes: multiply the number of additional wells by \$410 _____ (4b) Add line 4a to line 4b and enter »	4	
	Do you propose to change the place of use? <input type="checkbox"/> No: enter 0 on line 5 <input type="checkbox"/> Yes: enter the cfs for the portions of the permits to be amended (see below*): _____ (5a) Subtract 1.0 from the number in 5a above: _____ (5b) If 5b is 0, enter 0 on line 5 » If 5b is greater than 0, round up to the nearest whole number: _____ (5c) and multiply 5c by \$350, then enter on line 5 »	5	
6	Add entries on lines 1 through 5 above » » » » » » » » » » Subtotal:	6	
	Is this permit amendment: <input type="checkbox"/> necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? <input type="checkbox"/> endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 If no box is applicable, enter 0 on line 7 »	7	
8	Subtract line 7 from line 6 » Permit Amendment Fee:	8	WAIVED

*Example for Line 5a calculation to transfer 45.0 acres of Primary Permit S-12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Permit S-87654 (1/80 cfs per acre) on the same land:

1. For irrigation calculate cfs for each permit involved as follows:
 - a. Divide total authorized cfs by total acres in the permit (*for S-12345, 1.25 cfs ÷ 100 ac*); then multiply by the number of acres to be changed to get the application cfs (*x 45 ac = 0.56 cfs*).
 - b. If the water right permit does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (*For S-87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs*)
2. Add cfs for the portions of permits on all the land included in the application; however **do not count cfs for supplemental permits on acreage for which you have already calculated the cfs fee for the primary permit on the same land**. The fee should be assessed only once for each “on the ground” acre included in the application. (*In this example, blank 5a would be only 0.56 cfs, since both permits serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0*).

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME Travis L. Singhose & Kelly R. Singhose			PHONE NO. 541-419-9092	ADDITIONAL CONTACT NO.
ADDRESS PO Box 816				FAX NO.
CITY Burns	STATE OR	ZIP 97720	E-MAIL tksinghose@aol.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME John A. Short / Water Right Services, LLC			PHONE NO. 541-389-2837	ADDITIONAL CONTACT NO.
ADDRESS PO Box 1830				FAX NO.
CITY Bend	STATE OR	ZIP 97709	E-MAIL johnshort@usa.com & brycewrs@gmail.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Explain in your own words what you propose to accomplish with this permit amendment; and why:
This application is being submitted in conjunction with the Stipulated Agreement to Withdraw Protest, OAH Ref. No. 2023-OWRD-00127, Agency Case No. G-17753 (copy attached). Pursuant that Stipulated Agreement, the applicant has agreed to reduce the amount of acreage under Permit G-17486 from 309.8 acres to 130.2 acres and to reduce the authorized rate from 3.87 cfs to 1.63 cfs. Additionally, the applicant seeks to conform the described points of appropriation in the permit to reflect the location of the wells supplying the authorized use. The permit amendment fee is waived per Stipulation No. 2.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

☐ Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Is the applicant the permit holder of record? ☒ Yes ☐ No

If NO, include either:

- ☐ A completed assignment form (with required statutory assignment fee), assigning all or a portion of the permit to the applicant(s), OR
- ☐ An affidavit of consent from the permit holder(s) of record that gives permission for the applicant to amend the permit.

Has the Completion ("C") Date of the permit(s) in this application expired? ☒ Yes ☐ No

If YES, this application will not be accepted by the Department.

If NO, what are the completion dates of the permit(s)? See explanation above and the Stipulated Agreement.

- If the permit completion date expires while the Permit Amendment Application is pending, the Department will not approve the Permit Amendment Application until an Extension of Time Application is approved for the permit.
- You may consider using the Reimbursement Authority process to expedite the processing of this Permit Amendment Application if the completion date of the permit expires within 6 months of the date of filing this application.

By my signature below, I confirm that I understand:

- Prior to Department approval of the permit amendment, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the permit is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: Burns Times Herald



I (we) affirm that the information contained in this application is true and accurate.

Travis L. Singhose
Applicant Signature

Travis L. Singhose
Print Name (and Title if applicable)

11-19-24
Date

Kelly R. Singhose
Applicant Signature

Kelly R. Singhose
Print Name (and Title if applicable)

11-19-24
Date

Received
DEC 18 2024
OWRD

Check one of the following:

- ☒ The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- ☐ The permit holder(s) of record will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to the permit holder(s) of record.


Check the appropriate box, if applicable:

- ☐ Check here if any of the permits proposed for amendment are or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME	ADDRESS	
CITY	STATE	ZIP

- ☐ Check here if water for any of the permits supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP



To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Harney County Planning Department	ADDRESS 360 N. Alvord Ave	
CITY Burns	STATE OR	ZIP 97720

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

Received
DEC 18 2024
OWRD

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-____)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Robey Well #1	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	L-60075 HARN 52225/ 52882	25 S	31 E	15	NE NW	2900	1260' S, 1370' E of NW COR SEC 15
Robey Well #2	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed		25 S	31 E	15	NW NE	2900	1350' N, 1320' E of Cen Cor S 15
WELL C	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	L-132049 HARN 52853	25 S	31 E	15	NW NW	2900	590' S, 130' E of NW COR SEC 15
WELL D	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	L-132038 HARN 52863	25 S	31 E	15	NW NW	2900	1050' S, 120' E of NW COR SEC 15

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- ☒ Place of Use (POU) ☒ Point of Appropriation/Well (POA)
☐ Point of Diversion (POD) ☐ Additional Point of Appropriation (APOA)
☐ Additional Point of Diversion (APOD) ☐ Surface water POD to Ground Water POA (SW/GW)

Will all of the proposed changes affect the entire water use permit?

- ☒ Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
☐ No Complete all of Table 2 to describe the portion of the permit to be changed.

For a change in place of use:

Does the permit holder of record own or control the land TO which the place of use is being moved?

☒ Yes ☐ No

If NO, the landowner of the land TO which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

Is the proposed place of use contiguous to the authorized place of use? ☒ Yes ☐ No

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use **unless** the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer

Table 2. Description of Changes to Water Use Permit # 17486


List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the “from” or “off” lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.												Proposed Changes (see “CODES” from previous page)	PROPOSED (the “to” or “on” lands) The listing as it would appear AFTER PROPOSED CHANGES are made.														
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp	Rng	Sec		¼ ¼	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) to be used (from Table 1)	Priority Date									
EXAMPLE																											
2	S	9	E	15	NE	NW	100		15.0	POD #1 POD #2		POU/POD	2	S	9	E	15	NW	NW	100	1	10.0	POD #5				
“	“	“	“	“	“	“	“	“	EXAMPLE	“		“	2	S	9	E	15	SW	NW	200		5.0	POD #6				
25	S	31	E	15	NE	NE	2900		35.1	Robey Well 2	1/13/2014	POU/POA	25	S	31	E	15	NW	NE	2900		0.7	Robey Well 1, Well C, Well D	1/13/2014			
“	“	“	“	“	NW	NE	“		37.2	“	“	“	“	“	“	“	15	SW	NE	2900		0.7	“	“			
“	“	“	“	“	SW	NE	“		40.0	“	“	“	“	“	“	“	15	NE	NW	2900		33.9	“	“			
“	“	“	“	“	SE	NE	“		37.5	“	“	“	“	“	“	“	15	NW	NW	2900		31.0	“	“			
“	“	“	“	“	NE	NW	“		40.0	“	“	“	“	“	“	“	15	SW	NW	2900		29.7	“	“			
“	“	“	“	“	NW	NW	“		40.0	“	“	“	“	“	“	“	15	SE	NW	2900		33.9	“	“			
“	“	“	“	“	SW	NW	“		40.0	“	“	“	“	“	“	“	10	SW	SW	1600		0.1	“	“			
“	“	“	“	“	SE	NW	“		40.0	“	“	“	“	“	“	“	10	SE	SW	1900		0.2	“	“			
TOTAL ACRES									309.8					TOTAL ACRES									130.2				

Additional remarks: Total acres have been reduced per the attached Stipulated Agreement to Withdraw Protest.

Are there other water rights certificates, water use permits or ground water registrations associated with the "from" or "to" lands? ☐ Yes ☒ No

If YES, list the other certificate, permit, or ground water registration numbers: _____

 If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- ☒ Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

AND/OR

- ☐ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-_____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right

Received
DEC 18 2024
OWRD

**WATER SUPPLY WELL REPORT -
continuation page**

HARN 52225




WELL I.D. LABEL# L60075

START CARD # 1027066

ORIGINAL LOG #

7/5/2015

(2a) PRE-ALTERATION

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
								
								
								

Material	From	To	Amt	sacks/lbs
----------	------	----	-----	-----------

(5) BORE HOLE CONSTRUCTION

BORE HOLE

SEAL

sacks/

Dia	From	To	Material	From	To	Amt	sacks/ lbs
					Calculated		
					Calculated		
					Calculated		
					Calculated		

FILTER PACK

From	To	Material	Size
------	----	----------	------

(6) CASING/LINER

Casing Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
--------------	-----	---	------	----	-------	-----	-------	-----	------

(7) PERFORATIONS/SCREENS

[illegible]

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
---------------	----------	-----------------------	---------------

Water Quality Concerns

[illegible]

(10) STATIC WATER LEVEL

[illegible]

(11) WELL LOG

[illegible]

Received

DEC 18 2024

OWRD

Comments/Remarks

This well appeared to be constructed properly without a well log. Surface seal was cement and in good condition, actually tried to pull casing but could not. Cleaned well out and installed 12 inch liner to the surface with a shale trap at 35 feet.

14579 -

14579 -

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

NAME Travis & Kelly Singhose			PHONE 541-419-9092		
MAILING ADDRESS PO Box 816					
CITY Burns		STATE OR	ZIP 97720	EMAIL tksinghose@aol.com	

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts, may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
25S	31E	15		2900	EFRU-2	<input checked="" type="checkbox"/> Diverted	<input checked="" type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	IRRIGATION
25S	31E	10		1600	EFRU-2	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	IRRIGATION
25S	31E	10		1900	EFRU-2	<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input checked="" type="checkbox"/> Used	IRRIGATION
						<input type="checkbox"/> Diverted	<input type="checkbox"/> Conveyed	<input type="checkbox"/> Used	

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

HARNEY

NOTE: A separate Land Use Information Form must be completed and submitted for each county and city, as applicable.

B. Description of Proposed Use

Type of application to be filed with the Oregon Water Resources Department:

- ☐ Permit to Use or Store Water ☐ Water Right Transfer ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License ☐ Exchange of Water ☐ Allocation of Conserved Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 1.63 ☒ cubic feet per second ☐ gallons per minute ☐ acre-feet

Intended use of water: ☒ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
 ☐ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

PERMIT AMENDMENT FOR EXISTING WATER RIGHT TO REARRANGE PLACE OF USE AND CHANGE WELL LOCATIONS.
--

Note to applicant: For new water right applications only, if the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt on the bottom of page 4 and include it with the application filed with the Oregon Water Resources Department.

See Page 4 ➔

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- ☒ Land uses to be served by the proposed water use(s), including proposed construction, are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): ETRV-2 / H120 3.020
- ☐ Land uses to be served by the proposed water use(s), including proposed construction, involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being Pursued."

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued

Local governments are invited to express special land use concerns or make recommendations to the Oregon Water Resources Department regarding this proposed use of water in the box below or on a separate sheet.

--

Name: Brandon McMullen Title: Planning Director
Signature: [Signature] Date: 11/6/2024
Governmental Entity: Hannay County Phone: (541) 573-6655

Receipt Acknowledging Request for Land Use Information

Note to Local Government Representative:

Please complete this form and return it to the applicant. For new water right applications only, if you are unable to complete this form while the applicant waits, you may complete this receipt and return it to the applicant. If you sign the receipt, you will have 30 days from the date of OWRD's Public Notice of the application to submit the completed Land Use Information Form to Oregon Water Resources Department. Please note while OWRD can accept a signed receipt as part of intake for an application for a new permit to use or store water, a completed Land Use Information Form is required for all other applications.

Applicant Name: _____

Staff Name: _____ Title: _____

Staff Signature: _____ Date: _____

Governmental Entity: _____ Phone: _____

December 13, 2024

VIA EMAIL AND FIRST CLASS MAIL

Oregon Water Resources Department
Attn: Will Davidson & Dwight French
725 Summer St NE, Suite A
Salem, OR 97301

Re: ***Permit Amendment -- G-17486***
Travis and Kelly Singhose

Dear Will and Dwight:

Enclosed please find the permit amendment application prepared by Water Rights Services, LLC on behalf of Travis and Kelly Singhose. This is being submitted pursuant to the Stipulated Agreement to Withdraw Protest dated August 7, 2024. Per that agreement, 1) the application does not require a filing fee, and 2) OWRD will process the application on a priority basis.

Please let me know if you have any questions or need any further information in order to process this application.

Thank you again for your efforts to resolve this matter.

Sincerely,

JORDAN RAMIS PC



Steven L. Shropshire
Admitted in Oregon and Washington

Enclosure

Received
DEC 18 2024
OWRD



Oregon

Tina Kotek, Governor

Water Resources Department

North Mall Office Building

725 Summer St NE, Suite A

Salem, OR 97301

Phone 503 986-0900

Fax 503 986-0904

December 19, 2024

Kelly R. and Travis L. Singhose
PO Box 816
Burns, OR

Reference: Application T-14579

On December 18, 2024, OWRD received your water right Permit Amendment Application.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to our groundwater staff to determine whether the proposed well accesses the same source of water as the original well.

This application may require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

Except as provided under ORS 540.510(3) for municipalities, you may not use water in the new place of use or from the new point of appropriation until a final order approving the application has been issued by the Department.

Refer to the following page for a chart showing the steps and expected timelines for the processing of your application.

If you have any questions, please contact the Transfer Section at (503) 986-0935.

Cc: Watermaster Dist. #10, Donald (dally) S. Swindlehurst (via email)
John A. Short, Agent
Harney County Planning Department, Local Government

Enclosure