T-10312

Name Stanley E Tenold	
Ву	DESCRIPTION OF WATER RIGHT
Address fo Box 757	
Bodega Bay, CA 94923	Name of stream Aorth Myrtle Creek
650-269-0034	Trib. of Myrtle Creek county of Douglas
Change in APOD USe	Use DO TR
Date filed 2-5-07	Quantity of water No. of acres
Date of hearing	Name of ditch
Place of hearing	Date of priority 7/13/1983 8/11/1983
Date of order 10-31-07 Vol. 73, page 589	In name of Same
Date for application of water	Adjudication, Vol. —, page —
Proof mailed	App. No. 565296 Per. No. 47919 Cert. No. 81416
Proof received COBU 9/25/2012	Certificate cancelled —
Certificate issued July 26,2013 Vol, page 88188	Notation made on record by
83550	
Reconsideration - 12-13-07 V.	73p.806
REMAR	KS
Note	
Douglas County Planning Dept Room 106	Justice Building Roseburg, OR 97470
CWRE: William J. Ruppert #115	
Public Notice: 2/13/2007	
Contractor: John Borden	
TOTAL SOLD CONTRACTOR	

FEES PAID

2-5-07	700 00	Receipt No.
TOTAL	Cert. Fee	

FEES REFUNDED

Date	Amount	Check No.

Mailing List for Transfer Certificate

Application: T-10312

Certificate: 88188

Certificate/Transfer Holder: (include copy of map)

STANLEY E. TENOLD 4040 NORTH MYRTLE RD MYRTLE CREEK OR 97457 **Copies Mailed**

By: U()

on: JUL 2 6 2013

Copies of final Certificate to be sent to:

- 1. Watermaster #15 David Williams (Include map)
- 2. Data Center
- 3. Water Availability
- 4. Vault 🗸
- 5. File

Other Persons to receive copies (proposed and/or final certificate: (Include map)

WILLIAM J RUPPERT, CWRE

Record Marking(s):

- 1. Original Application# S-65296
- 2. Old Certificate# 81416



Water Resources Department North Mall Office Building 725 Summer Street NE, Suite A Salem, OR 97301-1271 503-986-0900

FAX 503-986-0904

Date Mailed:

JUL 26 2013

NOTICE OF CERTIFICATE ISSUANCE

Attached is a certificate that confirms the water rights established under the terms of a transfer order issued by this Department.

This certificate is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

This statement of judicial review rights is required under ORS 536.075; it does not alter or add to existing review rights or create review rights that are not otherwise provided by law.

The water must be controlled and not wasted. To change the location of the point of diversion, the character of use, or the location of use requires the advance approval of the Water Resources Director.

If you have any questions please contact Gerry Clark at 503-986-0811.

STATE OF OREGON

COUNTY OF DOUGLAS

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

STANLEY E. TENOLD 4040 NORTH MYRTLE RD MYRTLE CREEK OR 97457

confirms the right to use the waters of NORTH MYRTLE CREEK, tributary to MYRTLE CREEK for DOMESTIC AND IRRIGATION OF 1.3 ACRES.

This right was perfected under Permit S-47919. The date of priority is JULY 13, 1983. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 0.026 CUBIC FOOT PER SECOND, or its equivalent in case of rotation, measured at the point of diversion.

The quantity of water diverted at each of the additional points of diversion for domestic use may occur year-round at a rate not to exceed 0.003 cfs per household on a non-continuous basis. A flow restrictor shall be maintained at each of the two additional points of diversion to ensure that the rate is not exceeded.

The points of diversion (POD) are located as follows:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
29 S	5 W	WM	13	SW SE	5	POD 1 - 1600 FEET SOUTH AND 215 FEET EAST FROM NE CORNER, DLC 48
29 S	5 W	WM	13	SW SE	5	POD 2 - 1600 FEET SOUTH AND 225 FEET EAST FROM NE CORNER, DLC 48
29 S	5 W	WM	13	SW SE	5	POD 3 - 2160 FEET SOUTH AND 1715 FEET WEST FROM E1/4 CORNER, SECTION 13

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 2.5 acre-feet per acre for each acre irrigated during the irrigation season of each year. The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use is as follows:

DOMESTIC AND IRRIGATION								
POD	Tax Lot	Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
1 AND 3	201	29 S	5 W	WM	13	SW SE	5	1.00
2 AND3	202	29 S	5 W	WM	13	SW SE	5	0.30

NOTICE OF RIGHT TO RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

T-10312-cf-81416.jwg

Page 1 of 2

Certificate 88188

The quantity of water diverted at the additional points of diversion, together with that diverted at the original point of diversion, shall not exceed the quantity of water available from the original point of diversion.

The water user shall maintain and operate the fish screen and/or by-pass device, as appropriate, at the points of diversion consistent with the Oregon Department of Fish and Wildlife's operational and maintenance standards.

When required by the Department, the water user shall install, maintain and operate an in-line flow meter, weir, or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.

This certificate is issued to confirm a change in point of diversion, place of use and character of use approved by an order of the Water Resources Director entered October 31, 2007, at Special Order Volume 73, Page 589, approving Transfer Application 10312, and together with Certificate 83550, supercedes Certificate 81416, State record of Water Right Certificates.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

JUL **2 6** 2013

Issued

Administrator Water Rights and Adjudications, for

Phillip & Ward, Director

MEMO
TO: FILE <u>T-10312</u> FROM:
FROM: DATE: 4-16, 2013
RE: DETERMINATION OF PROOF
I've determined that aPROPOSEDFINAL certificate should be prepared and mailed to the permit holder consistent with:
Permit Transfer FPS COBU
FPS/COBU
As described in the permit/transfer but as clarified by the FPS COBU
As described in the PERMIT/TRANSFER and FPS or COBU but as further specified below:
Conflict? No Yes:
stamped PROPOSED or assign Cert # _\\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
Draft certificate(s) are available in the transfer directory.
Water Organization identified using area of interest tool? No Yes, cc:
Check ownership; and if there is a new owner, add them to the mailing list.
Prepare a mailing list.
Record marking: App Cert
NOTES:

Property Details for Property ID:

Owner Information:

Owner Name: TENOLD, STANLEY E TRS OF THE Owner Address #1: STANLEY E TENOLD REV TRUST

Owner Address #2: 4040 NORTH MYRTLE RD

Owner Address # 3:

Alternate Account #:

Owner City/State/Zip: MYRTLE CREEK, OR 97457

Account Status: A

Property Information:

Township: 29

Situs Address: 3865 NORTH MYRTLE RD MYRTLE CREEK, OR 97457

Range: 05W

Map ID: 29051300201

Section: 13

County Property Class: 110S

Quarter:

Legal Acreage: 3.54

Sixteenth:

Code Area: 01900

Maintenance Area: 4

Neighborhood Code: BAR

Year Built:

Living Area:

Bedrooms: **Exemption Code:**

Baths: Exemption Desc.:

MFD Home ID:

2012-2013 Certified Values and Tax Information

Improvement Appr. Value: \$0.00

Total Appr. Value: \$89,284.00

Land Appr. Value: \$89,284.00

Exemption Value: \$0.00

Land Market Value: \$89,284.00

Total Assessed Value: \$73,133.00

Total Real Market Value: \$89,284.00

Taxes Imposed: \$520.89

Sales Information:

Value Information :

Deed No: PP 2006-24

Sale Price: \$0.00

Sale Date:

DISCLAIMER

The information provided here is for convenience ONLY. For All Commercial, Industrial, and Multi-Family Properties visit the Douglas County Assessor's Office. The records located at the Douglas County Assessor's office are the one and only legal instruments for Assessment purposes. Although reasonable attempts are made to maintain this information as accurate as possible, these documents are being provided as an informational convenience ONLY. Douglas County in no way will be liable for any inaccuracies, inconsistencies, errors, omissions, or other deviations in these documents from the original copies maintained and filed at the Douglas County Assessor's Office.

Property Details for Property ID:

Owner Information:

Owner Name: TENOLD, STANLEY E TRS OF THE Owner Address #1: STANLEY E TENOLD REV TRUST

Owner Address #2: 4040 NORTH MYRTLE RD

Owner Address # 3:

Alternate Account #:

Owner City/State/Zip: MYRTLE CREEK, OR 97457

Account Status: A

Property Information:

Township: 29

Situs Address: 3875 NORTH MYRTLE RD MYRTLE CREEK, OR 97457

Map ID: 29051300202

Range: 05W

Section: 13

County Property Class: 110S

Quarter:

Legal Acreage: 3.44

Sixteenth:

Code Area: 01900

Maintenance Area: 4

Neighborhood Code: BAR

Year Built:

Living Area:

Bedrooms:

Baths:

Exemption Code:

Exemption Desc.:

MFD Home ID:

Value Information: 2012-2013 Certified Values and Tax Information

Improvement Appr. Value: \$0.00

Total Appr. Value: \$90,288.00

Land Appr. Value: \$90,288.00

Exemption Value: \$0.00

Land Market Value: \$90,288.00

Total Assessed Value: \$73,841.00

Total Real Market Value: \$90,288,00

Taxes Imposed: \$525.76

Sales Information:


Deed No: PP 2006-24


Sale Price: \$0.00

Sale Date:

DISCLAIMER

The information provided here is for convenience ONLY. For All Commercial, Industrial, and Multi-Family Properties visit the Douglas County Assessor's Office. The records located at the Douglas County Assessor's office are the one and only legal instruments for Assessment purposes. Although reasonable attempts are made to maintain this information as accurate as possible, these documents are being provided as an informational convenience ONLY. Douglas County in no way will be liable for any inaccuracies, inconsistencies, errors, omissions, or other deviations in these documents from the original copies maintained and filed at the Douglas County Assessor's Office.





Completion Checklist for Claims of Beneficial Use

Date Received File Marked Oversized Map # Reviewer Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b)) — Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b)) — Map on polyester film (OAR 690-014-0100(1)) — Spinetaino & permit #; or transfer # (OAR 690-014-0100(1)) — North arrow (OAR 690-014-0170(5)) — North arrow (OAR	Application #	Transfer # 1/0	3/2	
File Marked Oversized Map # Reviewer Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Disclaimer (OAR 690-010-0170(5)) North arrow (OAR 690-010-050(2)(c)) North arrow (OAR 690-010-050(2)(c)) Appropriate scale (1*= 1320); 1*= 400, or the original full-size scale of the county assessor map) (014 & 310) Appropriate scale (1*= 1320; 1*= 400, or the original full-size scale of the county assessor map) (014 & 310) Appropriate scale (1*= 1320; 1*= 400, or the original full-size scale of the county assessor map) (014 & 310) Appropriate scale (1*= 1320; 1*= 400, or the original full-size scale of the county assessor map) (014 & 310) Appropriate scale (1*= 1320; 1*= 400, or the original full-size scale of the county assessor map) (014 & 310) Appropriate scale (1*= 1320; 1*= 400, or the original full-size scale of the county assessor map) (014 & 310) Appropriate scale (1*= 1320; 1*= 400, or the original full-size scale of the county assessor map) (014 & 310) Application of appropriation (coordinates) (OAR 690-310-0050(4)) Application of the location, in relation to the point of diversion or appropriation, or any fish screens, by-pass devices, and the appropriation of the county assessor map (014 & 310) Application & permit #, or transfer # (OAR 690-014-0100(1)) Application & permit #, or transfer # (OAR 690-014-0100(1)) Application & permit #, or transfer # (OAR 690-014-0100) Application & permit #, or transfer # (OAR 690-014-0100) Application & permit #, or transfer # (OAR 690-014-0100) Application (OAR 690-014-0100) Application of survey (OAR 69	Date Received 9/25/2012	-		
Map Review: Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Disclaimer (OAR 690-014-0170(5)) North arrow (OAR 690-014-0170(5)) Appropriate scale (1" = 1320, 1" = 400, or the original full-size scale of the county assessor map) (014 & 310) Föwnship, range, section, and tax lot numbers (OAR 690-310-0050(4)) Soffice illustrated if surface water (OAR 690-014-0170(3)) Point(s) of diversion or appropriation (illustrated) (OAR 690-014(4) & 690-310-0050) Upoint(s) of diversion or appropriation (illustrated) (OAR 690-014(4) & 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Place of use (10 IAI (par projected IAI / lines within DLCs, or Gov Lotts; if irrigation, # of acres in each subdivision; if for domestic or human consumption, location of dyvelling or spiged) (OAR 690-310-0050) Place of use (10 IAI (par projected IAI / lines within DLCs, or Gov Lotts; if irrigation, # of acres in each subdivision; if for domestic or human consumption, location of dyvelling or spiged) (OAR 690-310-0050, 600-310-0050) Application & permit #; or transfer # (OAR 690-014-0100) Papelication & permit #; or transfer # (OAR 690-014-0100)		Claim Logged		
Map Review: Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Disclaimer (OAR 690-014-0170(3)) North arrow (OAR 690-014-0050(2)(c)) North arrow (OAR 690-014-0100(3)) Appropriate scale (1° = 1320); 1° = 400, or the original full-size scale of the county assessor map) (014 & 310) Appropriate scale (1° = 1320; 1° = 400, or the original full-size scale of the county assessor map) (014 & 310) Appropriate scale (1° = 1320; 1° = 400, or the original full-size scale of the county assessor map) (014 & 310) Appropriate scale (1° = 1320; 1° = 400, or the original full-size scale of the county assessor map) (014 & 310) Appropriate scale (1° = 1320; 1° = 400, or the original full-size scale of the county assessor map) (014 & 310) Appropriate scale (1° = 1320; 1° = 400, or the original full-size scale of the county assessor map) (014 & 310) Appropriate scale (1° = 1320; 1° = 400, or the original full-size scale of the county assessor map) (014 & 310) Application (1° = 1320; 1° = 400, or the original full-size scale of the county assessor map) (014 & 310) Application (1° = 1320; 1° = 400, or the original full-size scale of the county assessor map) (014 & 310) Application (1° = 1320; 1° = 400, or the original full-size scale of the county assessor map) (014 & 310) Application (1° = 1320; 1° = 400, or the original full-size scale of the county assessor map) (014 & 310) Application (1° = 1320; 1° = 400, or the original full-size scale of the county assessor map) (014 & 310) Application (1° = 1320; 1° = 400, or the original full-size scale of the county assessor map) (014 & 310) Application (1° = 1320; 1° = 400, or the original full-size scale of the county assessor map) (014 & 3010-305) Application (1° = 1320; 1° = 400, or the original full-size scale of the county assessor map) (014 & 3010-305) Application (1° = 1320; 1° = 400, or the original full-size scale of the county assessor map) (014 & 3010-305) Application (1° = 100, or the ori	File Marked			*
Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Disclaimer (OAR 690-310-0050(2)(c)) - CWRE stamp and signature (OAR 690-014 & 310-0050) - Appropriate scale (1" = 1320; 1" = 400; or the original full-size scale of the county assessor map) (014 & 310) - Fownship, range, section, and tax lot numbers (OAR 690-014-0100(1)) - Point(s) of diversion or appropriation (fillustrated) (OAR 690-014-0100(1)) - Point(s) of diversion or appropriation (coordinates) (OAR 690-014-0100) - Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) - Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) - Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) - Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) - Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) - Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) - Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) - Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) - Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) - Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) - Place of use (Incation to the point of diversion or appropriation, and structures in a constructures in a constructure in the pipelines in the	Oversized Map #			
Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Disclaimer (OAR 690-014-0170(5)) North arrow (OAR 690-310-0050(2)(c)) EWRE stamp and signature (OAR 690-014-0100) Appropriate scale (1" = 1320; 1" = 400; or the original full-size scale of the county assessor map) (014 & 310) Fownship, range, section, and tax lot numbers (OAR 690-310-0050(4)) Soffice illustrated if surface water (OAR 690-014-0170(3)) Point(s) of diversion or appropriation (illustrated) (OAR 690-014(4) & 690-310-0050) Defitif(s) of diversion or appropriation (coordinates)(OAR 690-014(4) & 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Palece of use (OAR 690-014 (14 1/4 lines within DLCs, or Gov Lots; if trigation, # of acres in each subdivision; if for domestic or human consumption, location of dyvelling or spigot) (OAR 690-310-0050, 690-014, 690-380-010) Report Review: On form or format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100) Palece of survey (OAR 690-014-0100) Palece of use location (OAR 690-014-0100) Palece of use location (OAR 690-014-0100) Palece of use location (OAR 690-014-0100) Diversion rate for each use (OAR 690-01	Reviewer	3. S.		
Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Disclaimer (OAR 690-014-0170(5)) North arrow (OAR 690-310-0050(2)(c)) EWRE stamp and signature (OAR 690-014-0100) Appropriate scale (1" = 1320; 1" = 400; or the original full-size scale of the county assessor map) (014 & 310) Fownship, range, section, and tax lot numbers (OAR 690-310-0050(4)) Soffice illustrated if surface water (OAR 690-014-0170(3)) Point(s) of diversion or appropriation (illustrated) (OAR 690-014(4) & 690-310-0050) Defitif(s) of diversion or appropriation (coordinates)(OAR 690-014(4) & 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Palece of use (OAR 690-014 (14 1/4 lines within DLCs, or Gov Lots; if trigation, # of acres in each subdivision; if for domestic or human consumption, location of dyvelling or spigot) (OAR 690-310-0050, 690-014, 690-380-010) Report Review: On form or format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100) Palece of survey (OAR 690-014-0100) Palece of use location (OAR 690-014-0100) Palece of use location (OAR 690-014-0100) Palece of use location (OAR 690-014-0100) Diversion rate for each use (OAR 690-01				
Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Disclaimer (OAR 690-014-0170(5)) North arrow (OAR 690-310-0050(2)(c)) EWRE stamp and signature (OAR 690-014-0100) Appropriate scale (1" = 1320; 1" = 400; or the original full-size scale of the county assessor map) (014 & 310) Fownship, range, section, and tax lot numbers (OAR 690-310-0050(4)) Soffice illustrated if surface water (OAR 690-014-0170(3)) Point(s) of diversion or appropriation (illustrated) (OAR 690-014(4) & 690-310-0050) Defitif(s) of diversion or appropriation (coordinates)(OAR 690-014(4) & 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Palece of use (OAR 690-014 (14 1/4 lines within DLCs, or Gov Lots; if trigation, # of acres in each subdivision; if for domestic or human consumption, location of dyvelling or spigot) (OAR 690-310-0050, 690-014, 690-380-010) Report Review: On form or format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100) Palece of survey (OAR 690-014-0100) Palece of use location (OAR 690-014-0100) Palece of use location (OAR 690-014-0100) Palece of use location (OAR 690-014-0100) Diversion rate for each use (OAR 690-01	6			
Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Disclaimer (OAR 690-014-0170(5)) North arrow (OAR 690-310-0050(2)(c)) EWRE stamp and signature (OAR 690-014-0100) Appropriate scale (1" = 1320; 1" = 400; or the original full-size scale of the county assessor map) (014 & 310) Fownship, range, section, and tax lot numbers (OAR 690-310-0050(4)) Soffice illustrated if surface water (OAR 690-014-0170(3)) Point(s) of diversion or appropriation (illustrated) (OAR 690-014(4) & 690-310-0050) Defitif(s) of diversion or appropriation (coordinates)(OAR 690-014(4) & 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Palece of use (OAR 690-014 (14 1/4 lines within DLCs, or Gov Lots; if trigation, # of acres in each subdivision; if for domestic or human consumption, location of dyvelling or spigot) (OAR 690-310-0050, 690-014, 690-380-010) Report Review: On form or format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100) Palece of survey (OAR 690-014-0100) Palece of use location (OAR 690-014-0100) Palece of use location (OAR 690-014-0100) Palece of use location (OAR 690-014-0100) Diversion rate for each use (OAR 690-01	*			
Map on polyester film (OAR 690-014-0170(1) & 310-0050(1)(b)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Disclaimer (OAR 690-014-0170(5)) North arrow (OAR 690-310-0050(2)(c)) EWRE stamp and signature (OAR 690-014-0100) Appropriate scale (1" = 1320; 1" = 400; or the original full-size scale of the county assessor map) (014 & 310) Fownship, range, section, and tax lot numbers (OAR 690-310-0050(4)) Soffice illustrated if surface water (OAR 690-014-0170(3)) Point(s) of diversion or appropriation (illustrated) (OAR 690-014(4) & 690-310-0050) Defitif(s) of diversion or appropriation (coordinates)(OAR 690-014(4) & 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Palece of use (OAR 690-014 (14 1/4 lines within DLCs, or Gov Lots; if trigation, # of acres in each subdivision; if for domestic or human consumption, location of dyvelling or spigot) (OAR 690-310-0050, 690-014, 690-380-010) Report Review: On form or format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100) Palece of survey (OAR 690-014-0100) Palece of use location (OAR 690-014-0100) Palece of use location (OAR 690-014-0100) Palece of use location (OAR 690-014-0100) Diversion rate for each use (OAR 690-01	Map Review:			
Expilication & permit #; or transfer # (OAR 690-014-0100(1)) Disclaimer (OAR 690-014-0170(5)) ENOTH arrow (OAR 690-014-0170(5)) ENOTH arrow (OAR 690-014-0170(5)) ENOTH arrow (OAR 690-014-0170(5)) ENOTH arrow (OAR 690-014-0170(5)) ENOTH Stamp and signature (OAR 690-014-0170(3)) Pointifs of diversion or appropriation (illustrated) (OAR 690-014(4) & 690-310-0050) Conveyance structures illustrated (pump, pipelines, diches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, diches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, diches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, diches, etc.) (OAR 690-310-0050) Pointifs of diversion or appropriation (coordinates) (OAR 690-014(4) & 690-310-0050) Conveyance structures illustrated (pump, pipelines, diches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, diches, etc.) (OAR 690-310-0050) Pointifs of diversion or appropriation (but point of diversion or appropriation, of any fish screens, by-pass devices, and measuring devices required (OAR 690-014-0170(4)) Place of use (1x4 l/4) or projected 1/4 1/4 lines within DLCs, or Gov Lots; if irrigation, # of acres in each subdivision; if for domestic or human consumption, location of dyvelling or spigot) (OAR 690-310-0050, 690-014, 690-380-6010) Place of use (1x4 l/4) or projected 1/4 1/4 lines within DLCs, or Gov Lots; if irrigation, # of acres in each subdivision; if for domestic or human consumption, location of dyvelling or spigot) (OAR 690-310-0050, 690-014, 690-380-014) Pointif (OAR 690-014) Pointif (OAR		0-014-0170(1) & 310-0050(1)(b))	
Disclaimer (OAR 690-014-0170(5)) -North arrow (OAR 690-310-0050(2)(e)) -CWRE stamp and signature (OAR 690-014 & 310-050) -Appropriate scale (1" = 1220, 1" = 400, or the original full-size scale of the county assessor map) (014 & 310) -Promoship, range, section, and tax lot numbers (OAR 690-310-0050(4)) Soffice illustrated if surface water (OAR 690-014-0170(3)) -Point(s) of diversion or appropriation (illustrated) (OAR 690-014(4) & 690-310-0050) -Point(s) of diversion or appropriation (illustrated) (OAR 690-014(4) & 690-310-0050) -Point(s) of diversion or appropriation (coordinates) (OAR 690-014(4) & 690-310-0050) -Point(s) of diversion or appropriation (coordinates) (OAR 690-014(4) & 690-310-0050) -Point(s) of diversion or appropriation (coordinates) (OAR 690-014(4) & 690-310-0050) -Point(s) of diversion or appropriation (coordinates) (OAR 690-014(4) & 690-310-0050) -Point(s) of diversion or appropriation (coordinates) (OAR 690-014(4) & 690-310-0050) -Point(s) of diversion or appropriation (coordinates) (OAR 690-014(4) & 690-310-0050) -Point(s) of diversion or appropriation (coordinates) (OAR 690-014-0100(1)) -Point(s) of diversion or appropriation (coordinates) (OAR 690-014-0100(1)) -Point(s) of diversion or appropriation (OAR 690-014-0100(1)) -Point(s) of diversion or the point of diversion or appropriation, of any instruction of the coordinates (OAR 690-014) -Point(s) of diversion or the point of diversion or appropriation of diver				
E-North arrow (OAR 690-310-0050(2)(c))				
E-WRE stamp and signature (OAR 690-014 & 310-0050)				
Appropriate scale (1" = 1320, 1" = 400, or the original full-size scale of the county assessor map) (014 & 310) - Forwiship, range, section, and tax lot numbers (OAR 690-010-0050(4)) - Soffice illustrated if surface water (OAR 690-014-0170(3)) - Point(s) of diversion or appropriation (coordinates)(OAR 690-014(4) & 690-310-0050) - Point(s) of diversion or appropriation (coordinates)(OAR 690-014(4) & 690-310-0050) - Conveyance structures illustrated (pump, pipelines, disches, etc.) (OAR 690-310-0050) - Conveyance structures illustrated (pump, pipelines, disches, etc.) (OAR 690-310-0050) - Conveyance structures illustrated (pump, pipelines, disches, etc.) (OAR 690-310-0050) - Conveyance structures illustrated (pump, pipelines, disches, etc.) (OAR 690-310-0050) - Conveyance structures illustrated (pump, pipelines, disches, etc.) (OAR 690-310-0050) - Conveyance structures illustrated (pump, pipelines, disches, etc.) (OAR 690-310-0050) - Point of the conveyance of the point of diversion or appropriation, of any fish screens, by-pass devices, and measuring devices required (OAR 690-014-0107) - Proceed of the pipeline of the point of diversion or appropriation, of any fish screens, by-pass devices, and measuring devices or fish screens, by-pass devices, and measuring device or fish screens, by-pass devices, or Gov Lots; firrigation, # of acres in each subdivision; if for domestic or human consumption, location of diversion of appropriation, # of acres in each subdivision; if for domestic or human consumption, location of diversion of Gov Annual Point for the point of the po				
Provinship, range, section, and tax lot numbers (OAR 690-310-0050(4)) Soffice illustrated if surface water (OAR 690-014-0170(3)) Point(s) of diversion or appropriation (illustrated) (OAR 690-014(4) & 690-310-0050) Point(s) of diversion or appropriation (coordinates) (OAR 690-014(4) & 690-310-0050) Point(s) of diversion or appropriation (point of diversion or appropriation, of ago is in screen, by-pass devices, and measuring devices required (OAR 690-014-0170(4)) Place of use (1/4 1/4, or projected 1/4 1/4 lines within DLCs, or Gov Lots; if irrigation, # of acres in each subdivision; if or domestic or human consumption, location of dwelling or spigot) (OAR 690-310-0050, 690-014, 690-380-6010) Report Review:			scale of the county assesso	r map) (014 & 310)
Sofice illustrated if surface water (OAR 690-014-01703) Point(s) of diversion or appropriation (illustrated) (OAR 690-014(4) & 690-310-0050) Defiti(s) of diversion or appropriation (cloordinates) (OAR 690-014(4) & 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Place of use (114 14) or projected 1/4 1/4 lines, within DLCs, or Gov Lots; fi irrigation, # of acres in each subdivision; if for domestic or human consumption, location of dyvelling or spigot) (OAR 690-310-0050, 690-014, 690-380-6010) Report Review: On form or format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014) Deventship information (OAR 690-014) Deventship information (OAR 690-014) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Prope of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion rate for each use (OAR 690-0				1 map) (61 · 66 516)
Point(s) of diversion or appropriation (cillustrated) (OAR 690-014(4) & 690-310-0050) Denit(s) of diversion or appropriation (coordinates)(OAR 690-014(4)) & 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Place of use (1/4 1/4, or projected 1/4 1/4 lines within DLCs, or Gov Lots; if irrigation, # of acres in each subdivision; if for domestic or human consumption, location of dwelling or spigot) (OAR 690-310-0050, 690-014, 690-380-6010) Report Review: On form or format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014) Deversion interviewed (OAR 690-014) Pasic of survey (OAR 690-014) Person interviewed (OAR 690-014) Person interviewed (OAR 690-014) Person interviewed (OAR 690-014-0100) Pace of use (OAR 690-014-0100) Pace of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Priversion rate for each use (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Poliversion work description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion work description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion work description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion work description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Particle of the conditions (OAR 690-014-0100) Diversion trate for each use (OAR 690-014-0100) Time limits Masure level measurements Measured amount of use (optional) Permit/Transfer Final Order Conditions (OAR 690-014-0100) Time limits Masure level measurements Measured amount of use (optional) Permit/Transfer Final Order Conditions (OAR 690-014-0100) System capacity (OAR 690-014-0100) Extent of use of the conditions (OAR 690-014-0100) Time limits Masure level measurements Permit			20(1))	
Confin(s) of diversion or appropriation (coordinates) (OAR 690-014(4) & 690-310-0050) Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Place of use (114 1/4 or projected 1/4 1/4 interest within DLCs, or Gov Lots; if irrigation, # of acres in each subdivision; if for domestic or human consumption, location of dyvelling or spigot) (OAR 690-310-0050, 690-014, 690-380-6010) **Report Review: On form or format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014) Downership information (OAR 690-014) Downership information (OAR 690-014) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Source(s) of water (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Price of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100			1(4) & 690-310-0050)	
Conveyance structures illustrated (pump, pipelines, ditches, etc.) (OAR 690-310-0050) Description of the location, in relation to the point of diversion or appropriation, of any fish screens, by-pass devices, and measuring devices required (OAR 690-014-0170(4)) Place of use (1/4 1/4, or projected 1/4 1/4 lines within DLCs, or Gov Lots; if irrigation, # of acres in each subdivision; if for domestic or human consumption, location of dyvelling or spigot) (OAR 690-310-0050, 690-014, 690-380-6010) Report Review: On form or format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014) Downership information (OAR 690-014) Date of survey (OAR 690-014) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Spatree(s) of water (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Diversion of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Desc				
Description of the location, in relation to the point of diversion or appropriation, of any fish screens, by-pass devices, and measuring devices required (OAR 690-014-01704). © FDIS Place of use (1/4 1/4, or projected 1/4 1/4 lines within DLCs, or Gov Lots; if irrigation, # of acres in each subdivision; if for domestic or human consumption, location of dyvelling or spigot) (OAR 690-310-0050, 690-014, 690-380-6010) **Report Review: On form or format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014) Downership information (OAR 690-014) Downership information (OAR 690-014) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Source(s) of water (OAR 690-014) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Diversion varks (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion varks (description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion varks (description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion varks (description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion varks (description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion varks (description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion varks (description) (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion varks (description) (de				
And measuring devices required (OAR 690-014-0170(4)) Place of use (1/4 M/4, or projected 1/4 M/4 lines within DLCs, or Gov Lots; if irrigation, # of acres in each subdivision; if for domestic or human consumption, location of dyvelling or spigot) (OAR 690-310-0050, 690-014, 690-380-6010) Report Review: On form or format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014) Downership information (OAR 690-014) Date of survey (OAR 690-014) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Sodree(s) of water (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Prope of use (OAR 690-014-0100) Prope of use (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) System capacity (OAR 690-014-0100) Measured amount of use (optional) PermitTransfer Final Order Conditions (OAR 690-014-0100) Time limits Meter/measuring device Measurement, recording, and reporting Meter/measuring device Water use reporting CWRE stamp and signature (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) DEF = deficient N/A = Not Applicable				screens by-pass devices
Place of use (1/4 1/4, or projected 1/4 1/4 lines within DL.Cs, or Gov Lots; if irrigation, # of acres in each subdivision; if for domestic or human consumption, location of dwelling or spigot) (OAR 690-310-0050, 690-014, 690-380-6010) **Report Review: On form of format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014) Downership information (OAR 690-014) Downership information (OAR 690-014) Deferson interviewed (OAR 690-014) Leouinty (OAR 690-014) Leouinty (OAR 690-014) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Spotree(s) of water (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works				serechs, by-pass devices,
if for domestic or human consumption, location of dwelling or spigot) (OAR 690-310-0050, 690-014, 690-380-6010) **Report Review:** On form or format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014) Difference of survey (OAR 690-014) Page of survey (OAR 690-014) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Source(s) of water (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Pate of use (OAR 690-014-0100) Rate and Duty (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) System capacity (OAR 690-014-0100) We calculated capacity of system (required) Measured amount of use (optional) Permit/Transfer Final Order Conditions (OAR 690-014-0100) Time limits Annual static water level measurements Measurement, recording, and reporting My Meter/measuring device Measurement, recording, and reporting My Meter/measuring device Water use reporting My Meter/measuring dev	Place of use (1/4 1/4 or projecte	ed 1/4 1/4 lines within DI Cs. or C		facres in each subdivision:
Report Review: On form or format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014) Date of survey (OAR 690-014) Person interviewed (OAR 690-014) Leouinty (OAR 690-014) Person interviewed (OAR 690-014) Leouinty (OAR 690-014) Pascription of conveyances system (from POD to POU) (OAR 690-014-0100) Source(s) of water (OAR 690-014-0100) Pape of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) Measured amount of use (optional) Permit/Transfer Final Order Conditions (OAR 690-014-0100) Time limits Mallial water level measurements Measured amount of use (optional) Permit/Transfer Final Order Conditions (OAR 690-014-0100) Time limits Meter/measuring device Measured mount of use (optional) Permit/Transfer Final Order Conditions (OAR 690-014-0100) Time limits Meter/measuring device Measured mount of use (optional) Permit/Transfer Final Order Conditions (OAR 690-014-0100) Town by the form of the permit of the permi				
Report Review: On form or format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014) Description of survey (OAR 690-014) Person interviewed (OAR 690-014) Person interviewed (OAR 690-014) Person interviewed (OAR 690-014-0100) Source(s) of water (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Pate and Duty (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) Diversion works description (pump make, serial model, capacity, and description) Diversion works description (pump make, serial model, capacity, and description) Diversion works description (pump make, serial model, capacity, and description) Diversion works description (pump make, serial model, capacity, and description) Diversion works description (pump make, serial model, capacity, and description) Diversion rate for each use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) Diversion rate for each use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) Ocales for Postable (USIS) Description (pump make, serial model, capacity, and description) Ocales for Postable (USIS) Description (pump make, serial model, capacity, and description) Ocales for Postable (USIS)			pigot) (OAK 090-310-003	0, 090-014, 090-300-
On form or format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014) Lowership information (OAR 690-014) Louinty (OAR 690-014) Leounty (OAR 690-014) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Source(s) of water (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Of Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Of Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) We calculated capacity of system (required) Measured amount of use (optional) Permit/Transfer Final Order Conditions (OAR 690-014-0100) Time limits Manual static water level measurements Masurement, recording, and reporting My Meter/measuring device Lowater use repo	TVAVER TVA	led on 1013 or		
On form or format provided by the Department (OAR 690-014-0100(1)) Application & permit #; or transfer # (OAR 690-014) Lowership information (OAR 690-014) Louinty (OAR 690-014) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Source(s) of water (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Of Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Of Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) We calculated capacity of system (required) Measured amount of use (optional) Permit/Transfer Final Order Conditions (OAR 690-014-0100) Time limits Manual static water level measurements Massurement, recording, and reporting My Meter/measuring device Lowater use reporting Annual static water level measurements Massurement, recording, and reporting My Meter/measuring device Lowater use reporting Annual static water level measurements Massurement, recording, and reporting My Meter/measuring device Lowater use reporting Cordes for Rortable pump Sente work of the state o	Penort Peview			
Application & permit #; or transfer # (OAR 690-014) Lowership information (OAR 690-014) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Place of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion value (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Diversion value (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Power of the conditions (OAR 690-014-01	Report Review.			
Application & permit #; or transfer # (OAR 690-014) Lowership information (OAR 690-014) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Place of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion value (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Diversion value (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Power of the conditions of the conditions (OAR 690-014-0100) Power of the conditions (OAR 690-014-01	On form or format provided by	he Department (OAR 690-014-0	100(1))	
Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of use (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of use (OAR 690-014-0100) Description of use (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Description of conveyances system (from POD to POD to Pou) (OAR 690-014-0100) Description of conveyances system (from POD to POD to Pou) (OAR 690-014-0100) Description of conveyances system (from POD			100(1))	
Date of survey (OAR 690-014) Leotinty (OAR 690-014) Leotinty (OAR 690-014) Leotinty (OAR 690-014) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Leotinty (OAR 690-014-0100) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Leotinty (OAR 690-014-0100) Diversion control of use (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Description works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Description works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Description works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Description works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Description works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Description works description (pump make, serial model, capacity, and description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Description works description (pump make, serial model, capacity, and description) (O				
Legin interviewed (OAR 690-014) Legin (OAR 690-014) Legin (OAR 690-014) Legin (OAR 690-014) Legin (OAR 690-014-0100) Legi		70-014)		
Legunty (OAR 690-014) Description of conveyances system (from POD to POU) (OAR 690-014-0100) Sparce(s) of water (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Type of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Rate and Duty (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) System, capacity (OAR 690-014-0100) We alculated capacity of system (required) Measured amount of use (optional) Permit/Transfer Final Order Conditions (OAR 690-014-0100) Time limits Manual static water level measurements Measurement, recording, and reporting My Meter/measuring device Mount use reporting Low term use reporting Low term use reporting Low term of the conditions of the		14)		
Description of conveyances system (from POD to POU) (OAR 690-014-0100) Soutree(s) of water (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Rate and Duty (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) We accurate the capacity of system (required) Measured amount of use (optional) Permit/Transfer Final Order Conditions (OAR 690-014-0100) Time limits Measurement, recording, and reporting Meter/measuring device Water use reporting Weter/measuring device Water use reporting Wother (ground water) Other conditions CWRE stamp and signature (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) DEF = deficient N/A = Not Applicable		14)		
Source(s) of water (OAR 690-014-0100) Place of use location (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) OD Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OD System capacity (OAR 690-014-0100) Measured amount of use (optional) Permit/Transfer Final Order Conditions (OAR 690-014-0100) Time limits Manual static water level measurements Measurement, recording, and reporting Meter/measuring device Measurement, recording, and reporting Meter/measuring device Measurement, recording, and reporting Meter/measuring device Mowater use reporting Mother first screening and/or by-pass one put op/w Other conditions CWRE stamp and signature (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) DEF = deficient N/A = Not Applicable		em (from POD to POLI) (OAR 60	00-014-0100)	
Place of use location (OAR 690-014-0100) Pype of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Rate and Duty (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Figure 1			70-014-0100)	
Extent of use (OAR 690-014-0100) Extent of use (OAR 690-014-0100) Rate and Duty (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) System capacity (OAR 690-014-0100) We calculated capacity of system (required) Measured amount of use (optional) Permit/Transfer Final Order Conditions (OAR 690-014-0100) Time limits Mannual static water level measurements Measurement, recording, and reporting My Meter/measuring device Water use reporting We water use reporting Work and or by-pass one pure option appears to be 1 since CWRE stamp and signature (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) DEF = deficient N/A = Not Applicable				
Extent of use (OAR 690-014-0100) Rate and Duty (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) OF Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OF Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OF Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OF Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OF Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OF Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OF Description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OF Description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OF DESCRIPTION (Post of Serial model, capacity, and description) (OAR 690-014-0100) OF DESCRIPTION (Post of Serial model, capacity, and description) (OAR 690-014-0100) OF DESCRIPTION (Post of Serial model, capacity, and description) (OAR 690-014-0100) OF DESCRIPTION (Post of Serial model, capacity, and description) (OAR 690-014-0100) OF DESCRIPTION (Post of Serial model, capacity, and description) (OAR 690-014-0100) OF DESCRIPTION (Post of Serial model, capacity, and description) (OAR 690-014-0100) OF DESCRIPTION (Post of Serial model, capacity, and description) (OAR 690-014-0100) OF DESCRIPTION (Post of Serial model, capacity, and description) (OAR 690-014-0100) OF DESCRIPTION (Post of Serial model, capacity, and description) (OAR 690-014-0100) OF DESCRIPTION (Post of Serial model, capacity, and description) (OAR 690-014-0100) OF DESCRIPTION (Post of Serial model, capacity, and description) (OAR 690-014-0100) OF DESCRIPTION (Post of Serial model, capacity, and description) (OAR 690-014-0100) OF DESCRIPTION (Post of Serial model, capacity, and description) (OAR 690-014-0100) OF DESCRIPTION (Post of S	Type of use (OAR 600-014-010	0)		
Rate and Duty (OAR 690-014-0100) Diversion rate for each use (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Time limits OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) OL Diversion works during the pump make, serial model, capacity, and description (pump make, subject of the pump make, subject of the pump make, subject of the pump make, subject of t				
Diversion rate for each use (OAR 690-014-0100) OK Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Mossured capacity (OAR 690-014-0100) Measured amount of use (optional) Permit/Transfer Final Order Conditions (OAR 690-014-0100) Time limits Maintial water level measurements Measurement, recording, and reporting Meter/measuring device Moster use reporting Water use reporting Pump test (ground water) Other conditions Other conditions CWRE stamp and signature (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) DEF = deficient N/A = Not Applicable				
Diversion works description (pump make, serial model, capacity, and description) (OAR 690-014-0100) Mossystem capacity (OAR 690-014-0100) Measured amount of use (optional) Permit/Transfer Final Order Conditions (OAR 690-014-0100) Time limits Minitial water level measurements Mannual static water level measurements Mannual static water level measurements Moter/measuring device Water use reporting Water use reporting Water use reporting Other conditions Other	Diversion rate for each use (OA)	R 690-014-0100)	*5	
System capacity (OAR 690-014-0100) Calculated capacity of system (required) Measured amount of use (optional) Permit/Transfer Final Order Conditions (OAR 690-014-0100) Time limits Manual static water level measurements Measurement, recording, and reporting Meter/measuring device Lowater use reporting More Final Order Conditions Water use reporting Lowater use reporting More Final Order Conditions Collect for Portable pump Sente undirect Transfer Holdu Dave Williams wm. Tahkal of Dave Williams wm. Takkal of Dave Wil	Diversion works description (nu	mn make serial model canacity	and description) (OAR 69	0-014-0100)
Meter/measuring device Water use reporting Fish screening and/or by-pass one pur opt with appears to be 1 sind Other conditions Other conditions CWRE stamp and signature (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) DEF = deficient N/A = Not Applicable			and description) (OAIC 0)	0-014-0100)
Meter/measuring device Water use reporting Fish screening and/or by-pass one pur opt with appears to be 1 sind Other conditions Other conditions CWRE stamp and signature (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) DEF = deficient N/A = Not Applicable			1 0 chw	itted (1131 at =
Meter/measuring device Water use reporting Fish screening and/or by-pass one pur opt with appears to be 1 sind Other conditions Other conditions CWRE stamp and signature (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) DEF = deficient N/A = Not Applicable	Measured amount of u	se (ontional)	Need Sur	2 1 00 2000
Meter/measuring device Water use reporting Fish screening and/or by-pass one pur opt with appears to be 1 sind Other conditions Other conditions CWRE stamp and signature (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) DEF = deficient N/A = Not Applicable			Decles for	Portable pump
Meter/measuring device Water use reporting Fish screening and/or by-pass one pur opt with appears to be 1 sind Other conditions Other conditions CWRE stamp and signature (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) DEF = deficient N/A = Not Applicable		luttions (OAR 050-014-0100)	Delection to	mais O To
Meter/measuring device Water use reporting Fish screening and/or by-pass one pur opt with appears to be 1 sind Other conditions Other conditions CWRE stamp and signature (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) DEF = deficient N/A = Not Applicable		curements	El serve	11.00.
Meter/measuring device Water use reporting Fish screening and/or by-pass one pur option Depump test (ground water) Other conditions CWRE stamp and signature (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) DEF = deficient N/A = Not Applicable Meter/measuring device Who device to the purple of the properties of the purple			/raust	er Holdle
Meter/measuring device Water use reporting Fish screening and/or by-pass or pur opt-w Do Pump test (ground water) Other conditions Other conditions CWRE stamp and signature (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) DEF = deficient N/A = Not Applicable Midd Dave William's Wolf Color of the pump is perfut to be 15 into the pump is perfut to the pump is perfut to be 15 into the pump is perfut to the pump is per				21.42
Descriptions Compared to the properties of the properties of the purple of the purp				william will
Descriptions CWRE stamp and signature (OAR 690-014-0100) DEF = deficient N/A = Not Applicable Pump test (ground water) Low Pump test (ground water) Pump			11 1 I have	Williams
Other conditions Other	Fish screening and/or h	Whose of on open	Thed w Dave	Now restricte "
Other conditions CWRE stamp and signature (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) DEF = deficient N/A = Not Applicable	1/0 Pump test (ground water		1 1 gpm t	+ 1 1 9
CWRE stamp and signature (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) DEF = deficient N/A = Not Applicable CWRE stamp and signature (OAR 690-014-0100) See Page 3 4 the Claim (1.5 pm)	Other conditions	1) 1. 1. 1	20 moneurs	to be I cinc
CWRE stamp and signature (OAR 690-014-0100) Signature(s) of permittee of transfer holder (OAR 690-014-0100) DEF = deficient N/A = Not Applicable CWRE stamp and signature (OAR 690-014-0100) See Page 3 4 the Claim (1,5 gpm)	— Viller conditions	potrictors - 0	my appear	1 100 31
DEF = deficient N/A = Not Applicable Signature(s) of permittee of transfer holder (OAR 690-014-0100) Claim (1,5 pm)		V	ours is per	ravel . OR
DEF = deficient N/A = Not Applicable Signature(s) of permittee of transfer holder (OAR 690-014-0100) Claim (1,5 pm)	CWPE stamp and signature (OA	P 600-014-0100)		2 11,01
DEF = deficient N/A = Not Applicable Claim (1,59pm)	Signature(a) of name it to a of the	ofer holder (OAD 600 014 0100)	- See pace	3 St Han
N/A = Not Applicable	signature(s) of permittee of trans	Mei Holder (OAK 090-014-0100)	110	- Tilline
N/A = Not Applicable	DEE = deficient		Claim	ollos anm
		#	Clock	16 2 2 buch
		orms Checkliste Mailing Instru	ctions\CORII Charlist	1-11-2012 rtf

Certificate]	Issuance Processing Checklist
Conflic	d COBU reviewed t check Any Conflicts? or ownership
Staff Recon	imendations:
	Proof to the Satisfaction has been established to the full extent as described in the permit or transfer order.
	Proof to the Satisfaction has been not been established to the full extent as described in the permit or transfer order and the right should be limited as follows:
	Proof to the Satisfaction has not been established for the following reasons: Proposed Actions: Send letter requesting the following items/information: Send letter recommending extension to cure deficiencies:
Can certificate t	pe processed further? _Yes
	If "Yes": Proposed Final Certificate #
Mailing list:	
Propose	ed:
Final:	

RECEIVED BY OWRD

WILLIAM J. RUPPERT P.O. BOX 1564 MYRTLE CREEK, OR 97457 PHONE 863-4855

NOV 1 3 2012

SALEM, OR

REGISTERED PROFESSIONAL LAND SURVEYOR CERTIFIED WATER RIGHT EXAMINER

Attention:

Gerry Clark Water Right Services Division Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301

RE: T-10312 Response to request for theoretical discharge calculations for irrigation from PODs 1 and 2

Gerry,

The following calculations are made with the assumption that the restrictor for domestic use is bypassed. The observed discharge rates for irrigation were made when the restrictor was bypassed. Calculations for theoretical maximum discharge parameters are at minimum lift and minimum pipe length.

Horsepower for the gas engine was estimated by comparing the pump engine to similar two cycle chainsaw engines. Examples of cc engine size per hp for chainsaw engines shown on Exhibit E range from 16.4 to 20.5 cc per horsepower. A conservative estimate for the 21.1 cc subject engine is one horsepower.

Theoretical discharge is more than 4 times enough to satisfy the allowable rate for irrigation; therefore a ¼ hp engine would be adequate.

Enclosed are revised pages 4, 5, and 15 of the COBU. Also enclosed are Exhibits C, D, and E.

William J. Ruppert

cc: Stan Tenold



CLAIM OF BENEFICIAL USE for Permits claiming more than 0.1 cfs and All Transfers



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.wrd.state.or.us

No fee is required for submitting this form for a transfer.

A fee of \$150 must accompany this form to be accepted for <u>permits</u> with a priority date of July 9, 1987, or later. (ORS 536.050(1))

A separate form shall be completed for each permit.

In cases where a permit has been amended through the permit amendment process, a separate claim for the permit amendment is not required. Incorporate the permit amendment into the claim for the permit.

This form is subject to revision. **Begin each new claim** by checking for a new version of this form at: http://www.wrd.state.or.us/OWRD/WR/cwre_info.shtml#.

The completion of this form is required by OAR 690-014-0100(1) and 690-014-0110(4).

Please type or print in dark ink. If this form is found to contain errors or omissions, it may be returned to you. Every item must have a response. If any requested information does not apply to the claim, insert "NA." Do not delete or alter any section of this form unless directed by the form. The Department may require the submittal of additional information from any water user or authorized agent.

If you have questions regarding the completion of this form, please call 503-986-0900 and ask for the Certificate Section.

The Department has a program that allows it to enter into a voluntary agreement with an applicant for expedited services. Under such an agreement, the applicant pays the cost to hire additional staff that would not otherwise be available. This program means a certificate may be issued in about a month. For more information on this program see

http://www.wrd.state.or.us/OWRD/mgmt_reimbursement_authority.shtml.

RECEIVED BY OWRD

SECTION 1

SEP 2 5 2012

GENERAL INFORMATION

1. File Information

SALEM, OR

APPLICATION # (G, R, S or T)	PERMIT # (IF APPLICABLE)	PERMIT AMENDMENT # (IF APPLICABLE)
T-10312		

2. Property Owner (current owner information)

APPLICANT/BUSINESS NAM	ME	PHONE N	O. ADDITIONAL CONTACT NO.
Stanley E. Tenold		541-378-	6543
ADDRESS			
4040 North Myrtle Road			
CITY	STATE	ZIP	E-MAIL
Myrtle Creek	OR	97457	STANTENOLDE Yahoo.com

If the current property owner is not the permit or transfer holder of record, it is recommended that an assignment be filed with the Department. The COBU must be signed by each permit or transfer holder of record.

3. Permit or transfer holder of rec	ord (this may, o	or may no	ot, be the current property owner)
PERMIT OR TRANSFER HOLDER OF I	RECORD		
Same as Property Owner ADDRESS			
Сіту	STATE	ZIP	
Citt	STATE	Zii	
ADDITIONAL PERMIT OR TRANSFER NA	HOLDER OF KE	CORD	
ADDRESS			
Сіту	STATE	ZIP	
4. Date of Site Inspection: 9/6	/2012		
5. Person(s) interviewed and desc	ription of their	associati	on with the project:
Name	DAT		ASSOCIATION WITH THE PROJECT
Stanley E. Tenold	8/22/2012		Transfer Holder/Owner
6. County: Douglas			
	place of use of	the perm	it or transfer final order is excluded from this
report, identify the owner of record			
	if there are no own	ers of pro	perty not included in this claim
OWNER OF RECORD NA			
Address			
Сіту	STATE	ZIP	
Additional Owner of Record			
Appropri			
Address			
CITY	STATE	ZIP	

RECEIVED BY OWRD

SEP 25 2012

SALEM, OR

SYSTEM DESCRIPTION

A. Points of Diversion/Appropriation

1. Point of diversion/appropriation name or number:

POINT OF DIVERSION/APPROPRIATION (POD/POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)
1		
2		
3		

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Point of diversion/appropriation source and, if from surface water, the tributary:

POD/POA Name or Number	Source	Tributary
1	North Myrtle Creek	Myrtle Creek
2	North Myrtle Creek	Myrtle Creek
3	North Myrtle Creek	Myrtle Creek

3. Developed use(s), period of use, and rate for each use:

POD/POA	USES	IF IRRIGATION,	SEASON OR MONTHS	RATE OR VOLUME
NAME OR		LIST CROP TYPE	WHEN WATER	FOR USE
NUMBER			WAS USED	(CFS, GPM, or AF)
1	Domestic		Year round	0.003 CFS
2	Domestic		Year round	0.003 CFS
1 and 3	Irrigation 1.0 ac	Hay and pasture	Irrigation season	0. 0125 CFS
3 only **	Irrigation 8.0 ac	Hay and pasture	Irrigation season	0. 10 CFS **
2 and 3	Irrigation 0.3 ac	Hay and pasture	Irrigation season	0.0038 CFS
Total Quantit	y of Water Used			0.1223 CFS

^{**} Remaining part of Cert. 81416

4a. Provide a general narrative description of the distribution works. This description must trace the water system from **each** point of diversion or appropriation to the place of use:

P.O.D.s 1 and 2. One unit pump and motor was moved to be used at either P.O.D.

A portable pump and gasoline engine was used for P.O.D.s 1 and 2. Initial 1" pipe 60 ft. then through a 1.5 gallon flow limiter. A 100 ft. length of 3/4" hose then carried water to a recreation vehicle. The pump was moved from P.O.D. 1 to P.O.D. 2.

For irrigation the same system was used with 300 ft. of additional ¾" hose and a green thumb sprinkler and open hose.

4b. Provide a general narrative description of the distribution works. This description must trace the water system from **each** point of diversion or appropriation to the place of use:

P.O.D. 3

Water is pumped into a 3" pvc buried pipe as shown on the map. Two inch hand lines with sprinklers are connected to risers along the buried line.

RECEIVED BY OWRD

SYSTEM DESCRIPTION (B through H)

Are there multiple PODs or POAs?

YES

If "YES" you will need to copy and complete Sections 2B through 2H for each POD/POA.

POD/POA Name or Number this section describes (only needed if there is more than one):

-4				
1				

B. Place of Use

1. Is the right for municipal use?

NO

If "YES" the table below may be deleted.

TWP	RNG	Mer	SEC	QQ	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
29S	5W	WM	13	SW SE	5		Irrigation	1.0	
Total	Acres I	rigated						1.0	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLot), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, GLot, and QQ.

C. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport <u>and</u> apply the water from the point of diversion/appropriation to the place of use.

1. Is a pump used?

YES

If "NO" items 2 through item 6 may be deleted.

2. Pump Information

MANUFACTURER	Model	SERIAL	Type (Centrifugal,	INTAKE	DISCHARGE
		Number	TURBINE OR SUBMERSIBLE)	SIZE	SIZE
Echo	WP1000	024 RE	Cent.	1"	3/4"

3. Motor Information

MANUFACTURER	Horsepower
Echo gas	Estimated 1 hp
Dono guo	

4. Theoretical Pump Capacity

	PSI	*IF A WELL, THE WATER LEVEL DURING PUMPING	TO PLACE OF USE	OUTPUT (IN CFS)
1.0 estimated	35	2 ft.	8 ft to 36 ft.	0.067cfs

RECEIVED BY OWRD

NOV 1 3 2012



SYSTEM DESCRIPTION (B through H)

Are there multiple PODs or POAs?

YES

If "YES" you will need to copy and complete Sections 2B through 2H for each POD/POA.

POD/POA Name or Number this section describes (only needed if there is more than one):

1	
1	

B. Place of Use

1. Is the right for municipal use?

NO

If "YES" the table below may be deleted.

TWP	RNG	MER	SEC	QQ	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
29S	5W	WM	13	SW SE	5		Irrigation	1.0	
Total	Acres I	 rrigated						1.0	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLot), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, GLot, and QQ.

C. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport <u>and</u> apply the water from the point of diversion/appropriation to the place of use.

1. Is a pump used?

YES

If "NO" items 2 through item 6 may be deleted.

2. Pump Information

MANUFACTURER	MODEL	SERIAL	TYPE (CENTRIFUGAL,	INTAKE	DISCHARGE
		NUMBER	TURBINE OR SUBMERSIBLE)	SIZE	SIZE
Echo	WP1000	024 RE	Cent.	1"	3/4"

3. Motor Information

MANUFACTURER	Horsepower
Echo gas	Unknown

4. Theoretical Pump Capacity

Unknown		DURING PUMPING 2 ft.	8 ft to 36 ft.	(IN CFS) 0.06 cfs
Horsepower	OPERATING PSI	*If a well, the water level	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT

RECEIVED BY OWRD

SEP 25 2012

SALEM, OR

5. Provide pump calculations:

See copy of unit specifications Exhibit A

See also Exhibits C, D and E with cover letter November 9, 2012.

6. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER	ENDING METER	DURATION OF TIME	TOTAL PUMP OUTPUT
READING	READING	OBSERVED	(IN CFS)
Empty container	2 gallon container	20 seconds	6 gal. =0.0134 cfs

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES NO

If "NO" items 8 through item 11 may be deleted.

8. Mainline Information

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
1"	60	PVC	Above
3/4'	450	Rubber	Above

9. Lateral or Handline Information

LATERAL OR	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
HANDLINE SIZE			
TIANDLINE SIZE			

10. Sprinkler Information

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
3/16	35	6 gpm * See Note at item 12 below	1	1	0.013 at Minimum lift and length of hose.

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Pivot Information

Manufacturer	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)

12. Additional notes or comments related to the system:

Sprinkler capacity measured into 2 gallon container was 3.0 gpm . Open hose discharge measured into 2 gallon container was 6.0 gpm. Maximum theoretical sprinkler discharge see exhibit D.

RECEIVED BY OWRD

NOV 1 3 2012

WR

Superoided

-	n					
5	Provide	numn	Ca	CII	121	ione.
0.	1 TO VICE	pump	Ca	icu.	la	nons.

See copy of unit specifications Exhibit A

6. Measured Pump Capacity (using meter if meter was present and system was operating)

Empty container	2 gallon container	20 seconds	6 gal. =0.0134 cfs
READING	READING	OBSERVED	(IN CFS)
INITIAL METER	ENDING METER	DURATION OF TIME	TOTAL PUMP OUTPUT

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES NO

If "NO" items 8 through item 11 may be deleted.

8. Mainline Information

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
1"	60	PVC	Above
3/4'	450	Rubber	Above

9. Lateral or Handline Information

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	Buried or Above Ground
21.11.12.21.12.51.12			

10. Sprinkler Information

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
		3 gpm * See Note at item 12 below			

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Pivot Information

MANUFACTURER	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)

12. Additional notes or comments related to the system:

Sprinkler capacity measured into 2 gallon container was 3.0 gpm. Open hose discharge measured into 2 gallon container was 6.0 gpm.	RECEIVED BY OWRD
	SEP 2.5 2012

D. Groundwater Source Information (Well and Sump)

1. Is the appropriation from ground water (well or sump)?

NO

If "NO", items 2 through 8 relating to this section may be deleted.

E. Storage

1. Does the distribution system include in-system storage (i.e. storage tank, bulge in system / reservoir)

NO

If "NO", item 2 and 3 relating to this section may be deleted.

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

NO

If "NO", items 2 through 4 relating to this section may be deleted.

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system? NO If "NO", items 2 through 4 relating to this section may be deleted.

H. Reservoir

1. Does the claim involve a reservoir modified through a transfer?

Reminder: Complete this section if the reservoir right has been modified through the transfer process. If the claim is for a permitted reservoir use the Claim of Beneficial Use form for reservoirs.

If "NO", items 2 through 9 relating to this section may be deleted.

RECEIVED BY OWRD

SEP 25 2012

SALEM, OR

SYSTEM DESCRIPTION (B through H)

Are there multiple PODs or POAs?

YES

If "YES" you will need to copy and complete Sections 2B through 2H for each POD/POA.

POD/POA Name or Number this section describes (only needed if there is more than one):

2

B. Place

of Use

1. Is the right for municipal use?

NO

If "YES" the table below may be deleted.

TWP	RNG	Mer	SEC	QQ	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
29S	5W	WM	13	SW SE	5		Irrigation	0.3	
Total .	Acres I	1 rrigated	1					0.3	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLot), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, GLot, and QQ.

C. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion/appropriation to the place of use.

1. Is a pump used?

YES

If "NO" items 2 through item 6 may be deleted.

2. Pump Information

MANUFACTURER	Model	SERIAL	TYPE (CENTRIFUGAL,	INTAKE	DISCHARGE
		NUMBER	TURBINE OR SUBMERSIBLE)	SIZE	SIZE
Echo	WP1000	024 RE	Cent.	1"	3/4"

3. Motor Information

Horsepower
Unknown
,

4. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *IF A WELL, THE WATER LEVEL	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT	
		DURING PUMPING		(IN CFS)	
Unknown		2 ft.	8 ft to 36 ft.	0.06 cfs	

5. Provide pump calculations:

See copy of unit specifications Exhibit A

RECEIVED BY OWRD

6. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER	ENDING METER	DURATION OF TIME	TOTAL PUMP OUTPUT
READING	READING	OBSERVED	(IN CFS)
Empty container	2 gallon container	20 seconds	6 gal. =0.0134 cfs

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES NO

If "NO" items 8 through item 11 may be deleted.

8. Mainline Information

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUNI		
1"	60	PVC	Above		
3/4'	450	Rubber	Above		

9. Lateral or Handline Information

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
HANDLINE SIZE	STATE OF STATE OF	on Light on Manufactures	

10. Sprinkler Information

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
		3 gpm * See Note at item 12 below			

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Pivot Information

Manufacturer	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)

12. Additional notes or comments related to the system:

Sprinkler capacity measured into 2 gallon container was 3.0 gpm . Open hose discharge measured into 2 gallon container was 6.0 gpm.

D. Groundwater Source Information (Well and Sump)

1. Is the appropriation from ground water (well or sump)?

RECEIVED BY OWRDNO

If "NO", items 2 through 8 relating to this section may be deleted.

SEP 2 5 2012

E. Storage

1. Does the distribution system include in-system storage (i.e. storage tank, bulge in system / reservoir)

NO

If "NO", item 2 and 3 relating to this section may be deleted.

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

NO

If "NO", items 2 through 4 relating to this section may be deleted.

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system? **NO** If "NO", items 2 through 4 relating to this section may be deleted.

H. Reservoir

1. Does the claim involve a reservoir modified through a transfer?

Reminder: Complete this section if the reservoir right has been modified through the transfer process. If the claim is for a permitted reservoir use the Claim of Beneficial Use form for reservoirs.

If "NO", items 2 through 9 relating to this section may be deleted.

RECEIVED BY OWRD

SEP 25 2012

SYSTEM DESCRIPTION (B through H)

Are there multiple PODs or POAs?

YES

If "YES" you will need to copy and complete Sections 2B through 2H for each POD/POA.

POD/POA Name or Number this section describes (only needed if there is more than one):

Transco.			
3			
•			
- C			

B. Place of Use

1. Is the right for municipal use?

NO

If "YES" the table below may be deleted.

TWP	RNG	MER	SEC	QQ	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
29S	5W	WM	13	NE SE		49	Irrigation	2.1**	
29S	5W	WM	13	SW SE	5			1.3	
29S	5W	WM	13	SW SE	5			5.0**	
29S	5W	WM	13	SE SE	6			0.9**	
Total	Acres In	rrigated	. ** in	cludes rem	ainder ce	rt. 814	16	9.3	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLot), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, GLot, and QQ.

C. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport <u>and</u> apply the water from the point of diversion/appropriation to the place of use.

1. Is a pump used?

YES

If "NO" items 2 through item 6 may be deleted.

2. Pump Information

MANUFACTURER	Model	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Paco	130-150 gpm	Cat #12209- 03-0001- 1741-	Centrifugal	2"	1.5"
				RECEIVE	D BY OWRD

3. Motor Information

MANUFACTURER	Horsepower
Baldor	7.5

SEP 25 2012

SALEM, OR

4. Theoretical Pump Capacity

HORSEPOWER	OPERATING PSI	*IF A WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
7.5	79	2 ft.	5 ft to 55 ft.	0.23cfs

5. Provide pump calculations:

Total Head from chart 50 psi= 127 feet + 55 feet =

$$Q_{pump} = \underbrace{(Hp)(550 \text{ ft lb/sec/Hp})(efficiency}_{(62.4 \text{ lb/cu ft})} = \underbrace{(efficiency)(Hp)}_{(62.4 \text{ lb/cu ft})} = cfs$$
in feet
$$in feet$$

Q pump =
$$\frac{(7.5)(550 \text{ ft lb/sec/Hp})(.75)}{(62.4 \text{ lb/cu ft})} = \frac{(6.61)(7.5)}{182} = 0.272 \text{ cfs}$$

This calculation is based on a maximum lift. In practice the hand line is laid out with an average lift that is somewhat less than the maximum lift.

6. Measured Pump Capacity (using meter if meter was present and system was operating)

INITIAL METER	ENDING METER	DURATION OF TIME	TOTAL PUMP OUTPUT
READING	READING	OBSERVED	(IN CFS)
NA			

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES NO

If "NO" items 8 through item 11 may be deleted.

8. Mainline Information

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
3"	1880 ft.	PVC	Buried

9. Lateral or Handline Information

LENGTH	TYPE OF PIPE	Buried or Above Ground
1400 ft.	Al.	Above

10. Sprinkler Information

	PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
1/8"	55	3.2 gpm	32	32	102 gpm = 0.23 cfs

Reminder: For sprinkler output determination use the reference information at the end of this document.

RECEIVED BY OWRD

SEP 25 2012

11. Pivot Information

Manufacturer	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)
NA			o o n o n (o m)	oon or (ers)

12. Additional notes or comments related to the system:

D. Groundwater Source Information (Well and S	Sump	p)
---	------	----

1. Is the appropriation from ground water (well or sump)?

NO

If "NO", items 2 through 8 relating to this section may be deleted.

E. Storage

1. Does the distribution system include in-system storage (i.e. storage tank, bulge in system / reservoir)

NO

If "NO", item 2 and 3 relating to this section may be deleted.

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

NO

If "NO", items 2 through 4 relating to this section may be deleted.

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system? NO

If "NO", items 2 through 4 relating to this section may be deleted.

H. Reservoir

1. Does the claim involve a reservoir modified through a transfer?

NO

Reminder: Complete this section if the reservoir right has been modified through the transfer process. If the claim is for a permitted reservoir use the Claim of Beneficial Use form for reservoirs.

If "NO", items 2 through 9 relating to this section may be deleted.

RECEIVED BY OWRD

SEP 2 5 2012

CONDITIONS

All conditions contained in the permit, permit amendment, transfer final order, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits, transfer final orders, and any extension final orders contain any or all of the following dates: the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines

established in the permit, extension or transfer final order:

	DATE FROM	DATE	DESCRIPTION OF ACTIONS TAKEN BY
	PERMIT OR	ACCOMPLISHED*	WATER USER TO COMPLY WITH THE
	TRANSFER		TIME LIMITS
ISSUANCE DATE	12/13/2007		
BEGIN	NA		
CONSTRUCTION (A)			
COMPLETE	NA		
CONSTRUCTION (B)			
COMPLETE	Oct. 1, 2012	June, 2008	Irrigated hay and pasture
APPLICATION OF			
WATER (C)			

^{*} MUST BE WITHIN PERIOD BETWEEN PERMIT, TRANSFER FINAL ORDER, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)?

RECEIVED BY OWRD

NO

If "NO", you may delete item 3 in this section.

SEP 25 2012

4. Initial Water Level Measurements:

SALEM, OR

a. Was the water user required to submit an initial static water level measurement?

NO

If "NO", items 4b through 4d relating to this section may be deleted.

5. Annual Static Water Level Measurements:

a. Was the water user required to submit annual static water level measurements?

NO

If "NO", items 5b through 5e relating to this section may be deleted.

6. Pump Test (Required for most ground water permits prior to issuance of a certificate)

a. Did the permit require the submittal of a pump test?

NO

If "NO", items 6b through 6e relating to this section may be deleted.

b

7. Measurement Conditions:

a. Does the permit, permit amendment, transfer final order, or any extension final order require the installation of a meter or approved measuring device?

If "NO", items 7b through 7f relating to this section may be deleted.

COBU Form Large & Transfer - October 1, 2011

Page 13 of 18

- **8.** Recording and reporting conditions
- a. Is the water user required to report the water use to the Department?

NO

If "NO", item 8b relating to this section may be deleted.

- 9. Fish Screening
- a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion?

YES

If "NO", items 9b through 9e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Has the fish screening been installed?

YES

c. When was the fish screening installed?

DATE	By Whom
2001	Tenold

Reminder: If the permit or transfer final order was issued on or after February 1, 2011, the fish screen is required to be approved by the Oregon Department of Fish and Wildlife regardless of the rate of diversion.

- d. If the diversion **involves a pump** and the **total** diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs) and the permit was issued prior to February 1, 2011:
 - Has the self-certification form previously been submitted to the Department? NA
 - If not, go to http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml, complete and attach a copy of the self-certification form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self certification form needs to have been previously submitted or be attached to this form.

- e. If the diversion does not involve a pump or the total diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:
 - Has the ODFW approval been previously submitted?

NA

If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at http://www.wrd.state.or.us/OWRD/PUBS/forms.shtml

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

- 10. By-pass Devices
- a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion?

NO

(Provide a letter from ODFW indicating the device is approved or is unnecessary. If there is no letter from ODFW, explain whether or not a by-pass device is necessary.)

See exhibit B

RECEIVED BY OWRD

SEP 25 2012

WR

	ther conditions required by permit, permit amendment final order, extension final order, asfer final order:	
a.	Were there special well construction standards?	NO
b.	Was submittal of a ground water monitoring plan required?	NO
c.	Was the water user required to restore the riparian area if it was disturbed?	NO
d.	Was a fishway required?	NO
e.	Was submittal of a letter from an engineer required prior to storage of water?	NO
f.	Was submittal of a water management and conservation plan required?	NO
g.	Other conditions?	NO
	ES" to any of the above, identify the condition and describe the water user's actions to y with the condition(s):	
	SECTION 4	
	VARIATIONS	
transfe	le a description of variations from the permit, permit amendment final order, extension for final order. (i.e. "The permit allowed three points of diversion. The water user only points." or "The permit allowed 40.0 acres of irrigation. The water user only developed	developed one

ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Exhibit A	Pump specifications for P.O.D. 1 and 2
Exhibit B	Copy of letter from OFWD
Exhibit C	Calculation of theoretical pump capacity for irrigation PODs 1&2
Exhibit D	Calculation of theoretical sprinkler discharge for irrigation PODs 1&2
Exhibit E three pages	Examples of engine cc per horsepower.

RECEIVED BY OWRD

NOV 1 3 2012

SALEM, OR

Superoeded 11/13/2012 11. Other conditions required by permit, permit amendment final order, extension final order, or transfer final order: a. Were there special well construction standards? NO b. Was submittal of a ground water monitoring plan required? NO c. Was the water user required to restore the riparian area if it was disturbed? NO d. Was a fishway required? NO e. Was submittal of a letter from an engineer required prior to storage of water? NO Was submittal of a water management and conservation plan required? NO Other conditions? NO

If "YES" to a	ny of the above,	identify the o	ondition and	describe the	e water u	ser's act	ions to
	he condition(s):						

SECTION 4

VARIATIONS

Include a description of variations from the permit, permit amendment final order, extension final order, or transfer final order. (i.e. "The permit allowed three points of diversion. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

SECTION 5 ATTACHMENTS

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Exhibit A	Pump specifications for P.O.D. 1 and 2
Exhibit B	Copy of letter from OFWD

RECEIVED BY OWRD

SEP 25 2012

Page 15 of 18

SALEM, OR

WR

CLAIM SUMMARY

POD/POA	MAXIMUM	CALCULATED	AMOUNT OF	USE	# OF	# OF ACRES
NAME OR #	RATE	THEORETICAL	WATER		ACRES	DEVELOPED
	AUTHORIZED	RATE BASED ON	MEASURED		ALLOWED	
		SYSTEM				
1	0.003 cfs	NA	0.003 cfs with restrictor	Domestic		
2	0.003 cfs	NA	0.003 cfs with restrictor	Domestic		
1 and 3	0.0125 cfs	NA	0.0134	Irrigation	1.0	1.0
2 and 3	0.0038 cfs	NA	0.0134	Irrigation	0.3	0.3
3 only**	0.10 cfs	0.23 cfs	NA	Irrigation	8.0	8.0

^{**} Remainder of Cert. 81416

SECTION 7

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.



Diversion points 1 and 2 were located by traverse from property corners per partition plat 2006-0024 which is tied to the northeast corner of DLC 48. Therefore these two points show ties to the NE corner of DLC 48, T29S, R5W, WM.

Diversion point 3 and irrigation are record per Certificate 81416.

RECEIVED BY OWRD

Map Checklist

SEP 25 2012

Please be sure that the map you submit includes ALL the items listed below. (Reminder: Incomplete maps and/or claims may be returned.)

SALEM, OR


- Map on polyester film
- Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- Market Township, Range, Section, Donation Land Claims, and Government Lots
- If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters


.	Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
\boxtimes	Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
\boxtimes	Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
\boxtimes	Point(s) of diversion or appropriation (illustrated and coordinates)
\boxtimes	Tax lot boundaries and numbers
\boxtimes	Source illustrated if surface water
\boxtimes	Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
\boxtimes	Application and permit number or transfer number
\boxtimes	North arrow
\boxtimes	Legend
\boxtimes	CWRE stamp and signature

RECEIVED BY OWRD

SEP 2 5 2012


WR





Superseded by map

SE 1/4 SECTION 13, T29S, R5W, WM



POD #1 200' NORTH & 2380' WEST FROM THE SE CORNER SECTION 13 POD #2 300' NORTH & 2180' WEST FROM THE SE CORNER SECTION 13.

* PARCEL 2 OF LAND PARTITION 2006-24, TAX LOT 201 ** PARCEL 3 OF LAND PARTITION 2006-24, TAX LOT 202 ASSESSOR PAGE 29 05 13

POD 1 AND 2 ARE FOR DOMESTIC USE AND ADDITIONAL PODS FOR IRRIGATION.

HOUSES ARE NOT CONSTRUCTED AS OF APPLICATION DATE.

HOUSES MAY BE LOCATED ANYWHERE ON EACH PARCEL.

William J. Ruppert
Nov. 19, 1987

EXPIRES 12/64/08

MAP TO ACCOMPANY TRANSFER APPLICATION PERMIT NO. 47919, CERTIFICATE NO. 81416

IN NAME OF

Stanley E. Tenold BY:

0 330 660 1320

SCALE
SCALE 8"=1MILE

RECEIVED


WILLIAM J. RUPPERT P.O. BOX 1564 MYRTLE CREEK, OR 97457 JAN. 26, 2007 REV. JUNE 18, 2007

WATER RESOURCES DEPT SALEM. OREGON

SECTION 8 SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



CWRE NAME		PHONE N	Ο.	ADDITIONAL CONTACT NO.	
William J. Ruppert		541-863-	4855	To be seen and the first to seed the se	
Address				•	
P.O. Box 1564					
Сіту	STATE	ZIP	E-MAIL		
Myrtle Creek	OR	97457			

Permit or Transfer Holder's of Record Signature or Acknowledgement

This Claim of Beneficial Use must be signed by each permit or transfer holder of record.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	DATE		
Bandy Et Of	Stanley E. Tenold	9/24/12		

RECEIVED BY OWRD

SEP 2 5 2012

SPECIFICATIONS

MODEL	WP-1000
Length	310 mm (12.2 in.)
Width	226 mm (8.9 in.)
Height	305 mm (12.0 in.)
Weight (dry)	5.4 kg (11.9 lb.)
Engine Type	Air cooled, two-stroke, single cylinder gasoline engine
Bore	32.2 mm (1.268 in.)
Stroke	26.0 mm (1.04 in.)
Displacement	21.1 cc (1.29 cu. in.)
Exhaust	Spark arrestor muffler or spark arrestor muffler with catalyst
Carburetor	Diaphragm model w/purge
Ignition System	Flywheel magneto, capacitor discharge ignition type
Spark Plug	NGK BPM-7A Gap 0.65 mm (0.026 in.)
Fuel	Mixed (Gasoline and Two-stroke Oil)
Fuel/Oil Ratio	50: 1 Power Blend X TM ISO-L-EGD (ISO/CD 13738) and
	J.A.S.O. M345- FD, two-stroke, air-cooled engine oil.
Gasoline	Use 89 Octane unleaded. Do not use fuel containing methyl alcohol, more than 10% ethyl alcohol or 15% MTBE. Do not use
	alternative fuels such as E-15 or E-85.
Oil	Power Blend X TM Premium Universal 2-Stroke Oil
Fuel Tank Capacity	0.4 lit. (13.5 US fl. oz.)
Starter System	Automatic Rewind Starter
Maximum Suction Lift	7.5 m (24.6 ft.)
Maximum Total Head	29 m (95.1 ft.)
Maximum Discharge	105 liters/min. (27.7 gal/min. 1662 gal/hr.)
Impeller Material	Cast Iron
Volute Material	
Seal Type	Carbon Ceramic Seal
Idle Speed	
Wide Open Throttle Speed (W.O.T.)	
Maximum Vertical Suction Lift	
	Vertical Suction plus Vertical Discharge = 29 m (95 ft.)

RECEIVED BY OWRD

SEP 25 2012

SALEM, OR



Department of Fish and Wildlife

Rogue Watershed District Office 1495 East Gregory Road Central Point OR 97502 (541) 826-8774 (541) 826-8776 dfw.state.or.us



June 18, 2012

Stan Tenold 4040 N. Myrtle Rd. Myrtle Creek, OR 97457

Dear Stan,

Regarding OWRD water right transfer T-10312, ODFW is satisfied that the condition for fish screening has been met, and has determined that a bypass device is not required.

Sincerely,

Rich Kilbane

121121

SW Field Coordinator

Fish Screening and Passage Program

(541) 826-8774 ext. 243

RECEIVED BY OWRD

SEP 25 2012

SALEM, OR

EXHIBIT C For T-10312 Stanley Tenold

Pump Capacity Calculation Sheet

using Department designed formula:

(hp)(efficiency) / (lift + psi head) = capacity in cfs

Efficiency:

Centrifugal = 6.61 Turbine = 7.04

Data Entry (fill in underlined blanks)

$$\begin{array}{c|c} \text{HP} = & 1 \\ \text{Efficiency} = & 6.61 \\ \text{Lift} = & 10 \\ \text{PSI} = & 35 \end{array}$$

Results Calculated

(hp)(efficiency) = 6.61 Head based on psi = 88.9 Total dynamic head = 98.9 (head + lift)

Pump Capacity =

0.067 feet per second



RECEIVED BY OWRD

NOV 1 3 2012

EXHIBIT D

Sprinkler Capacity Calcualtor

	Data Entry (fill in und	lerlined blanks)
Sprinkler group 1	Nozzle size = Pressure = Number of heads =	3/16 inch 35 PSI	(type an apostrophe before the size)
Sprinkler group 2 (if applicable)	Nozzle size = Pressure = Number of heads =	0 inch 0 PSI 0	(type an apostrophe before the size)
Sprinkler group 3 (if applicable)	Nozzle size = Pressure = Number of heads =	0 inch 0 PSI	(type an apostrophe before the size)
	Results calculated		
Sprinkler group 1 Sprinkler group 2 Sprinkler group 3	capacity =	6 gpm, or 0 gpm, or 0 gpm, or	
Total sprinkler ca	apacity =	6 gpm, or	0.013 cfs

Note: If entered values return a result of "#N/A" gpm, then the sprinkler capacity chart does not contain a rate for that nozzle size and PSI.

William J. Ruppert
Nov. 19, 1987

TE OF OREGO

RECEIVED BY OWRD

NOV 1 3 2012

EXHIBIT E

In Brief:- Engines and their horsepower. The ratio of cc to hp varies by the cu.in. or cu.cm., rpm, tune and if blown, turbocharged or supercharged but is about 1 cu.in per hp for a modern vehicle engine



Comspan Communications

Cable, Phone, High Speed Optical Internet for your home or business.

www.mycomspan.com

AdChoices [>

how many cc in a hp

engine cc to horsepower

Convert Conversion Calculator Convert All Measurements Instantly, It's 100% Free, translateye.com

Briggs & Stratton Engines Torqued off at your old engine? We can help you repower with new! www.BrandNewEngines.com

Ask: Briggs Engines A Briggs Tech Will Answer Now! Receive Your Answer in Minutes. JustAnswer.com/Briggs-Strat AdChoices

<u>Unit Conversion Tool - download</u> here for your server, PC or laptop to use anywhere, anytime, off line.

Carryla Custom Search

Search

Many people have asked for a relationship between horsepower and cc or how many cc in a hp.

The short answer is about 15 to 17cc = 1 hp or about 1 cu.in. = 1 bhp for a modern car.

The full answer is complex - the power output of an engine depends on the state of tune as well as size, and the definition of horsepower must be considered, brake horsepower (bhp) or shaft horsepower (shp), and is not covered here.

Horsepower can be increased by engine tuning, more volatile fuel, supercharging or exhaust turbo boosting.

The intention of this page is to give a general answer based on a list of data from a broad range of engines. The original, pre-sorted data list can be found here.

As can be seen from the table below, the top 10 highly tuned engines cover a wide variety from Formula 1 racing cars and dragsters, through TT and motocross bikes to a tiny 3.5cc model car engine producing 3.45hp at a screaming 42,600 rpm and weighing in at 340 grams.

Compare that mighty midget to the 2,300 ton ships engine producing 108,920 hp at 102 rpm from 25,498,000 cc at the other end of the scale. Size isn't everything!

Note:-

1 cubic inch (cu.in.) = 16.387064 cubic centimetres (cu.cm. cm³ or cc)

1000 cc = 1 litre

1 hp (UK) = 0.7457 kilowatt (kW)

rpm = revolutions per minute

RECEIVED BY OWRD

NOV 1 3 2012

SALEM, OR

Engines sorted with the highest tuned first, ie. with the lowest cu.cm to horsepower ratio

engine	GG.	lhp.	rpm	cc/hp	Related pages
					" <u>Home page</u>
					" Info on SI Units
Model car 2 stroke diesel - Rossi	3.5	3.45	42,600	1.0145	" SI Unit Descriptions
236R21	0.0	0.10	12,000		" <u>SI Derived Units</u> " SI Prefixes (mega, giga)
Top fuel dragster V8 supercharged	8194	+0008	8 200	1.0243	" Imperial/UK Units
F1 racing car 1987 turbo - qualifying	1494	1400+	14 000	1.0671	" Scientific Notation
	1434	14001	14 000	1.0071	(i.e. what is 1.00E+09)
F1 racing car 1987 turbo - race trim -	1494	1000	13 000	1.4940	Detail pages
Honda					" Feet to metres calculator
Honda TT race bike	125	47		2.6596	" Metres to feet calculator
Model aircraft - Chinese contest diesel	3.5	1.3	26 000	2.6923	" British Thermal Units Btu
Model aircraft - Typhoon Russian diesel	2.47	0.82	27 200	3.0122	" Density of bulk materials
PRODUCTION OF THE PRODUCT OF THE PRO	2998	920	19 200	3.2587	" Density of liquids
BMW F1 racing car 2003 - P83			13 200	8701 FECTORS	" Specific Gravity of water " Density of metals
Motocross bike	125	33		3.7879	" Density of woods
Honda - stock road bike	125	33		3.7879	" Kitchen metric
F1 racing car 1995 - no turbo	3000	750		4.0000	" Medical metric
1 Tuoning out 1000 The tarbo		estatement to			" Parts per million - ppm

Model aircraft OS glowplug	5.23	1.2	22 000	4.3583
Junior motorbike - reed valve	125	28	14 000	4.4643
Model aircraft OS glowplug	8.17	1.8	17 000	4.5389
Model aircraft OS glowplug	9.95	1.9	16 000	5.2368
Superbike 600cc Class	599	112		5.3482
Superbike 1000cc Ducati FO3	999	186	13 000	5.3710
Kawasaki ZX-10R - road trim	998	182	11 700	5.4835
Junior - road bike	125	20		6.2500
Model aircraft OS glowplug	1.76	0.27	17 000	6.5185
Lotus 2-Eleven - supercharged	1798	252	8 000	7.1349
Ford Escort 2.0L COSWORTH	2000	225		8.8889
Junior - de-tuned	125	13.5		9.2593
Fuji ATM	50	5.2	10 000	9.6154
Scooter	60	5.8	8 500	10.3448
Street bike	50	4.2	7 000	11.9048
Ford Escort 1.6L RS TURBO	1600	130		12.3077
Tractor pulling Allison V12	28000	2200		12.7273
Honda Accord	1800	136		13.2353
Ford Escort 2.0L 16V RS	2000	150		13.3333
Ford Mondeo	2000	150		13.3333
Ford Escort 2.0L RS	2000	149		13.4228
Honda Accord	2000	147		13.6054
Ford Escort 1.8L 16V XR3	1800	130		13.8462
Honda Accord	1600	115		13.9130
Fuji ATM	32	2.2	10000	14.5455
Mitsubishi Carisma Classic	1600	110		14.5455
RR Griffon 58 - Shackleton aircraft	37000	2455		15.0713
Ford Escort 1.6L 16V	1600	105		15.2381
Ford pickup/utility	2000	130		15.3846
Ford saloon	2000	130		15.3846
Ford Thunderbird	3900	252		15.4762
Mitsubishi Carisma Classic	1400	90		15.5556
Ford Escort 1.8L 16V	1800	115		15.6522
Mitsubishi Carisma Classic	1300	82		15.8537
P&W Wasp Major - race tuned	71500	4500		15.8889
Rolls Royce Merlin / Packard V-1650	27000	1695		15.9292
Marine outboard	815	50		16.3000
Chainsaw	36	2.2		16.3636
Ford Fiesta 1.25L 16 valve	1250	75		16.6667
Honda Jazz	1399	83		16.8554
Ford Escort 1.8L 8V	1800	105		17.1429
Marine outboard	105	6		17.5000
Ford Escort 1.6L 8V	1600	90		17.7778
Chainsaw	25.6	1.4		18.2857
Marine outboard	1298	70		18.5429
Ford Escort 1.4L 8 valve	1400	74		18.9189
The American International Medical Processing Company of the Compa				

١	Clothir	ng metric
ı	Varna	antrin

- Yarn metric
- " Time
- " cc to hp
- " Paper & Envelopes
- "Gross to Nett price
- " Nett to Gross price
- " Add on Commission
- " Sheet metal swg mm
- " Wire & rod swg awg
- " Electrical wire swg awg
- " Steam tables (4 pages)
- " Watts, amps, volts, ohms
- " M Threads & spanners
- " Self tapping screws
- " M tap & pilot drill sizes



A marketplace for those seeking or offering: commercial property business services & opportunities

Other useful sites

AdChoices [>

Briggs & Stratton Parts

Shop Online For Briggs Parts All Discounted and Fast Shipping! www.ctesmallengine.com

Briggs & Stratton Parts

Parts ready to ship direct 365 Day Returns www.lawnmowerpros.com/B...

Ask a Briggs **Mechanic Now**

A Briggs Tech Will Answer You Now! **Questions Answered** Every 9 Seconds. JustAnswer.com/Briggs-Stra...

EMA Dermatology

It's like sending your iPad to medical school. www.modmed.com

Briggs and Stratton Parts

Briggs and Stratton Parts Wide assortment of Parts

www.rpmpowereq.Epoel.VED BY OWRD

	MGB	1798	95	5400	18.9263	
	Ford pickup/utility	4000	210		19.0476	" A guide to
	Jaguar 3.4	3442	180	5300	19.1222	on the intern
	Ford saloon	3000	155		19.3548	
	Austin Healey 3000 Mk3 1963	2912	150		19.4133	
	Ford Mustang	3800	193		19.6891	
	Ford pickup/utility	4000	203		19.7044	
	Ford pickup/utility	4600	232		19.8276	
	Marine outboard	597	30		19.9000	
	Allison V12 in P38 aircraft	28000	1400	4000	20.0000	
	Marine outboard	302	15		20.1333	
	Marine outboard	815	40		20.3750	
-	Chainsaw	40.8	2		20.4000	
	Pratt & Whitney <u>Wasp Major</u> , radial 28cyl	71500	3500	2800	20.4286	
-	Chainsaw	32.8	1.6		20.5000	
	Ford pickup/utility	5400	260		20.7692	
	Ford pickup/utility	4200	202		20.7921	
	Ford pickup/utility	5400	255		21.1765	
	Marine outboard	1298	60		21.6333	
	Ford pickup/utility	4200	191		21.9895	
	Ford Fiesta 1.1L 8 valve	1100	50		22.0000	
	Marine outboard	597	25		23.8800	
	Austin A35 and Morris Minor	948	37	4800	25.6216	
	Rolls Royce Merlin Mk.II	27000	1030		26.2136	
	Ford pickup/utility	4600	175		26.2857	
	Briggs & Stratton Industrial engine	465	15.5		30.0000	
	Briggs & Stratton Industrial engine	480	16		30.0000	
	Marine outboard	302	9.9		30.5051	
	Briggs & Stratton Industrial engine	319	8		39.8750	
	Briggs & Stratton Industrial engine	148	3.5		42.2857	
	Ships turbo two stroke diesel, 14 cyl	25498000	108,920	102	234.0	

A guide to earning money on the internet

goto top

:-:


last modified: 6 th. August 2010

1998 - 2012 roger walker

RECEIVED BY OWRD

NOV 1 3 2012

SALEM, OR



Gerry Clark

From:

Gerry Clark .

Sent:

Thursday, November 15, 2012 3:01 PM

To:

'Stan Tenold'

Subject:

RE: Transfer T-10312 and Extension of Time Application for Transfer

Stan,

On Tuesday, November 13, 2012, I received additional information prepared by your CWRE, William Ruppert. The additional information addressed the question that I raised concerning the calculations of the system.

Thank you for your attention to my comment.

Gerry

From: Stan Tenold [mailto:stantenold@yahoo.com]

Sent: Monday, October 01, 2012 10:39 AM

To: Gerry Clark

Subject: Re: Transfer T-10312 and Extension of Time Application for Transfer

Gerry,

My reading of OAR 690-014-0100(9) would imply they want the maximum capacity of the system not diminished by other factors such as elevation, pipe size etc. This maximum would be the maximum rate of application. What you appear to be requesting is the "minimum" maximum, factoring in elevation, pipe size, etc.

Stan

On Oct 1, 2012, at 10:11 AM, "Gerry Clark" < gerald.e.clark@state.or.us> wrote:

Stan,

Great question. The Department does not view the pump specifications as the required calculations. The Rules require that calculations be provided to identify the maximum capacity of the system. These calculations take into account the site specific data that the specifications cannot predict such as the operating psi, the elevation change between the source and the place of use, etc. The specifications are helpful, but do not supply the site specific rate, maximum capacity that the Rules require.

OAR 690-014-0100(9) Computations for the maximum capacity of the system shall be submitted for all claims. These computations may suffice to determine the maximum rate of application if the system was not operating when the inspection was conducted.

Please let me know if you have any additional questions concerning your Claim.

Gerry

From: Stan Tenold [mailto:stantenold@yahoo.com]

Sent: Friday, September 28, 2012 9:11 AM

To: Gerry Clark

Subject: Re: Transfer T-10312 and Extension of Time Application for Transfer

Gerry,

Thanks for your review of the documents. The specifications for the pump are included at the end of the document. Does that not satisfy the requirement for maximum capacity of the pump?

Thanks,

Stan

On Sep 27, 2012, at 4:41 PM, "Gerry Clark" < gerald.e.clark@state.or.us > wrote:

Stan,

We received your Claim in our office on Tuesday of this week. I have reviewed the Claim to see if there are any areas of the Claim that require additional information or clarification. I did identify one item that needs to be addressed:

1. Our Rules require that the Claim contain theoretical calculations for each pump regardless of whether the capacity of the pump is measured. In the case of your Claim, it indicates a measured capacity, but does not include the calculation necessary to determine the maximum (theoretical) capacity of the pump. The calculation should be prepared by the CWRE and must be stamped and signed.

Please be aware that this review is only a cursory review. At some point in the future, when the Claim is fully reviewed for a determination as to the extent of beneficial use made under the transfer, additional information may be requested at that time.

As Lisa discussed in her previous message, if you want to have the Claim reviewed sooner, rather than later, you can request processing under the Reimbursement Authority Program.

Please let me know if you have any additional quesitons.

Gerry

Gerry Clark
Water Right Services Division
Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301

Phone: 503-986-0811 Fax: 503-986-0901

WRD Home Page: www.wrd.state.or.us

From: Lisa Jaramillo

Sent: Wednesday, September 26, 2012 8:56 AM

To: Stan Tenold

Cc: Gerry Clark; Craig Kohanek

Subject: FW: Transfer T-10312 and Extension of Time Application for Transfer

Mr. Tenold,

I am forwarding a copy of your e-mail regarding submittal of a Claim of Beneficial Use (CBU) report for Transfer T-10312 to Gerry Clark. He is the lead staff in the Department's Certificates Section and would be the person to review it.

Please note, it will likely take much longer than December 2012 for your CBU for Transfer T-10312 to be reviewed by Department staff. CBUs are reviewed in the order in which they are received by the Department. There is an expedited process, however, called the Reimbursement Authority process in which you can pay to have your CBU pulled out of order and processed now by private contractors that have been trained by the Department.

Here is a link to information about the Reimbursement Authority expedited process for CBUs: http://www.oregon.gov/owrd/pages/mgmt_reimbursement_authority.aspx

If you wish, Craig Kohanek of the Department's Water Rights Section is available to provide you with more detail on how this expedited process works. His phone number is 503-986-0823.

Have a good morning, Lisa

Lisa J. Jaramillo

Water Management and Conservation Analyst Water Right Services Division Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, OR 97301-1266

Phone: 503-986-0880 Fax: 503-986-0903

From: Stan Tenold [mailto:stantenold@yahoo.com]
Sent: Wednesday, September 26, 2012 7:15 AM

To: Lisa Jaramillo

Subject: Re: Transfer T-10312 and Extension of Time Application for Transfer

Lisa,

I mailed in the transfer documents on Monday, they should arrive today. I will also attach them to this email. I don't know what the backlog is for reviewing transfer applications but I would appreciate it if this transfer could be reviewed since the Bill Ruppert, the water rights examiner is allowing his license to expire 12/31/12.

I believe this completes all the submissions I need to make regarding my water rights.

Thank you,

Stan Tenold

<image001.jpg><image002.jpg>

On Aug 13, 2012, at 10:48 AM, Lisa Jaramillo < lisa.j.jaramillo@state.or.us > wrote:

Mr. Tenold,

Thank you. I will place a copy of the letter from ODFW in the file for Transfer T-10312.

Other than the water right involved in Transfer T-10312, I was able to track down the following water rights under your name:

Certificate 81479 and Certificate 83550. No further documentation is needed at this time for these two water right certificates.

There is also a pending application for a water use permit (Application S-86427) under your name. A water use permit for this application has not yet been issued. At some point in the future, assuming a permit is issued, you will need to complete construction and the application of water to beneficial use under the permit, and then submit a Claim of Beneficial Use report and survey map to the Oregon Water Resources Department.

Sincerely, Lisa Jaramillo

Lisa J. Jaramillo

Water Management and Conservation Analyst Water Right Services Division Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, OR 97301-1266

Phone: 503-986-0880 Fax: 503-986-0903

From: Stan Tenold [mailto:stantenold@yahoo.com]
Sent: Wednesday, August 08, 2012 9:37 AM

To: Lisa Jaramillo

Subject: Re: Transfer T-10312 and Extension of Time Application for Transfer

Lisa,

I decided to complete the installation of the equipment. Attached is the letter from Fish and Game approving the fish screen. I have installed the pump and water restrictor. Today I had Bill Ruppert document the installation for the two lots. He will complete the documentation and I will submit the information for approval.

Thank you for your assistance. If you have questions please let me know.

For information purposes, I have irrigated my other water rights for hay, and to maintain the water rights as active. Is there any documentation that I need to file to document the usage?

Stan Tenold

On Jun 4, 2012, at 1:19 PM, Lisa Jaramillo wrote:

Hello Mr. Tenfold,

I have attached a copy of the Final Order approving Transfer Application T-10312. Additionally, I am including this link to the Application for Extension of Time for a

Transfer: http://www.wrd.state.or.us/OWRD/PUBS/docs/forms/TransferExtension.pdf

Additionally, the application fee for the Application for Extension of Time for a Transfer is \$500. To locate this fee, please refer to Page 7 of 8 under "Other Fees."

Also, Dorothy Pedersen (Transfer Program Coordinator) is the staff person that processes Transfer Extension of Time applications. If you have any further questions, you can reach her at 503-986-0890.

Lisa J. Jaramillo

Water Management and Conservation Analyst Water Right Services Division Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, OR 97301-1266

Phone: 503-986-0880 Fax: 503-986-0903

<T-10312 Final Order_Tenold.pdf>

Gerry Clark

From:

Gerry Clark

Sent:

Thursday, September 27, 2012 4:40 PM

To:

Stan Tenold

Cc:

Craig Kohanek; Lisa Jaramillo

Subject:

RE: Transfer T-10312 and Extension of Time Application for Transfer

Stan,

We received your Claim in our office on Tuesday of this week. I have reviewed the Claim to see if there are any areas of the Claim that require additional information or clarification. I did identify one item that needs to be addressed:

1. Our Rules require that the Claim contain theoretical calculations for each pump regardless of whether the capacity of the pump is measured. In the case of your Claim, it indicates a measured capacity, but does not include the calculation necessary to determine the maximum (theoretical) capacity of the pump. The calculation should be prepared by the CWRE and must be stamped and signed.

Please be aware that this review is only a cursory review. At some point in the future, when the Claim is fully reviewed for a determination as to the extent of beneficial use made under the transfer, additional information may be requested at that time.

As Lisa discussed in her previous message, if you want to have the Claim reviewed sooner, rather than later, you can request processing under the Reimbursement Authority Program.

Please let me know if you have any additional quesitons.

Gerry

Gerry Clark Water Right Services Division Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301

Phone: 503-986-0811

Fax:

503-986-0901

WRD Home Page: www.wrd.state.or.us

From: Lisa Jaramillo

Sent: Wednesday, September 26, 2012 8:56 AM

To: Stan Tenold

Cc: Gerry Clark; Craig Kohanek

Subject: FW: Transfer T-10312 and Extension of Time Application for Transfer

Mr. Tenold,

I am forwarding a copy of your e-mail regarding submittal of a Claim of Beneficial Use (CBU) report for Transfer T-10312 to Gerry Clark. He is the lead staff in the Department's Certificates Section and would be the person to review it.

Please note, it will likely take much longer than December 2012 for your CBU for Transfer T-10312 to be reviewed by Department staff. CBUs are reviewed in the order in which they are received by the Department. There is an expedited process, however, called the Reimbursement Authority process in which you can pay to have your CBU pulled out of order and processed now by private contractors that have been trained by the Department.

Here is a link to information about the Reimbursement Authority expedited process for CBUs: http://www.oregon.gov/owrd/pages/mgmt reimbursement authority.aspx

If you wish, Craig Kohanek of the Department's Water Rights Section is available to provide you with more detail on how this expedited process works. His phone number is 503-986-0823.

Have a good morning, Lisa

Lisa J. Jaramillo

Water Management and Conservation Analyst Water Right Services Division Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, OR 97301-1266

Phone: 503-986-0880 Fax: 503-986-0903

From: Stan Tenold [mailto:stantenold@yahoo.com] **Sent:** Wednesday, September 26, 2012 7:15 AM

To: Lisa Jaramillo

Subject: Re: Transfer T-10312 and Extension of Time Application for Transfer

Lisa,

I mailed in the transfer documents on Monday, they should arrive today. I will also attach them to this email. I don't know what the backlog is for reviewing transfer applications but I would appreciate it if this transfer could be reviewed since the Bill Ruppert, the water rights examiner is allowing his license to expire 12/31/12.

I believe this completes all the submissions I need to make regarding my water rights.

Thank you,

Stan Tenold

On Aug 13, 2012, at 10:48 AM, Lisa Jaramillo < lisa.j.jaramillo@state.or.us> wrote:

Mr. Tenold,

Thank you. I will place a copy of the letter from ODFW in the file for Transfer T-10312.

Other than the water right involved in Transfer T-10312, I was able to track down the following water rights under your name:

Certificate 81479 and Certificate 83550. No further documentation is needed at this time for these two water right certificates.

There is also a pending application for a water use permit (Application S-86427) under your name. A water use permit for this application has not yet been issued. At some point in the future, assuming a permit is issued, you will need to complete construction and the application of water to beneficial use under the permit, and then submit a Claim of Beneficial Use report and survey map to the Oregon Water Resources Department.

Sincerely, Lisa Jaramillo

Lisa J. Jaramillo

Water Management and Conservation Analyst Water Right Services Division Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, OR 97301-1266

Phone: 503-986-0880 Fax: 503-986-0903

From: Stan Tenold [mailto:stantenold@yahoo.com]

Sent: Wednesday, August 08, 2012 9:37 AM

To: Lisa Jaramillo

Subject: Re: Transfer T-10312 and Extension of Time Application for Transfer

Lisa,

I decided to complete the installation of the equipment. Attached is the letter from Fish and Game approving the fish screen. I have installed the pump and water restrictor. Today I had Bill Ruppert document the installation for the two lots. He will complete the documentation and I will submit the information for approval.

Thank you for your assistance. If you have questions please let me know.

For information purposes, I have irrigated my other water rights for hay, and to maintain the water rights as active. Is there any documentation that I need to file to document the usage?

Stan Tenold

On Jun 4, 2012, at 1:19 PM, Lisa Jaramillo wrote:

Hello Mr. Tenfold,

I have attached a copy of the Final Order approving Transfer Application T-10312. Additionally, I am including this link to the Application for Extension of Time for a

Transfer: http://www.wrd.state.or.us/OWRD/PUBS/docs/forms/TransferExtension.pdf

Additionally, the application fee for the Application for Extension of Time for a Transfer is \$500. To locate this fee, please refer to Page 7 of 8 under "Other Fees."

Also, Dorothy Pedersen (Transfer Program Coordinator) is the staff person that processes Transfer Extension of Time applications. If you have any further questions, you can reach her at 503-986-0890.

Lisa J. Jaramillo

Water Management and Conservation Analyst Water Right Services Division Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, OR 97301-1266

Phone: 503-986-0880 Fax: 503-986-0903

<T-10312 Final Order_Tenold.pdf>



Water Resources Department

North Mall Office Building 725 Summer Street NE, Suite A Salem, OR 97301-1271 503-986-0900 FAX 503-986-0904

October 3, 2012

Stanley TenoId 4040 North Myrtle Creek Road Myrtle Creek OR 97454

On September 25, 2012, the Water Resources Department received the Claim of Beneficial Use (COBU) for the following file(s):

T-10312

The COBU included a report and map. The Department hopes to review your submittal within approximately 2 - 4 years. At that time we will review these items and provide a final certificate, proposed certificate, or a request for additional information.

If you are interested in having your COBU reviewed sooner, you may pay to have your file processed immediately, using the Reimbursement Authority program, which is described at: http://www.wrd.state.or.us/OWRD/mgmt_reimbursement_authority.shtml

For all other questions please call our Customer Service phone: (503) 986-0811.

If you sell the property, please contact the Department, or have the new owners contact the Department about the need to file an assignment.

Cc: file



Water Resources Department

North Mall Office Building 725 Summer Street NE, Suite A Salem, OR 97301-1266 503-986-0900 FAX 503-986-0904

December 14, 2007

STANLEY E TENOLD PO BOX 751 BODEGA BAY, CA 94923

Reference: Transfer 10312

Enclosed is a copy of the reconsideration order approving your water right transfer application.

A time to complete the transfer is given the order. YOU SHOULD GIVE PARTICULAR ATTENTION TO THE TIME LIMIT. The water right for any portion of the authorized change in use or change in place of use NOT carried out within the time allowed will be lost.

An extension of the time limit can be allowed <u>only</u> upon a showing that diligent effort has been made to complete the actual change within the time allowed.

You have the requirement to hire a Certified Water Right Examiner (CWRE) to complete a Claim of Beneficial Use report and map which must be submitted to this department within one year of the date you completed the change or within one year of the completion date authorized in the transfer, whichever occurs first.

Sincerely,

Doug Parrow

A Natural Resource Specialist

DP:sh

cc:

Watermaster #15

William Ruppert, CWRE Sam Moyer, ODFW

h Henderson

Enclosure

BEFORE THE WATER RESOURCES DEPARTMENT OF THE STATE OF OREGON

)	RECONSIDERATION OF A FINAL
)	ORDER AND APPROVAL OF A
)	CHANGE IN POINT OF DIVERSION,
)	PLACE OF USE AND CHARACTER OF
)	USE
))))

Authority

ORS 540.505 to 540.580 establishes the process in which a water right holder may submit a request to transfer the point of diversion, place of use, or character of use authorized under an existing water right. OAR Chapter 690, Division 380 implements the statutes and provides the Department's procedures and criteria for evaluating transfer applications. OAR 137-004-0080 describes the process for reconsideration of an order in other than contested case.

Applicant

Stanley E. Tenold P.O. Box 751 Bodega Bay, California 94923

Findings of Fact

Background

- 1. On February 5, 2007, Stanley E. Tenold filed an application to change the place of use, the character of use and add two additional points of diversion under a portion of Certificate 81416. The Department assigned the application number T-10312.
- 2. On June 21, 2007, Stanley E. Tenold amended the application by providing additional and corrected information:
 - a) Confirming the transfer of 0.8 acre, use of water year-round at a rate not to exceed 0.003 cfs per each of two domestic households on a non-continuous basis, and installation of a flow restrictor for each domestic use;
 - b) Describing how to prevent irrigation on lands withdrawn from irrigation for purposes of the transfer to domestic uses; and,
 - c) Updating the application map to show the correct coordinates of the proposed points of diversion from North Myrtle Creek.

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

- 3. On August 24, 2007, Stanley E. Tenold further amended the application by providing a map to clarify and confirm the information cited in Finding of Fact No. 2, above.
- 4. The portion of the right to be transferred is as follows:

Certificate: 81416 in the name of Stanley E. Tenold (perfected under Permit S-47919)

Use: IRRIGATION of 2.1 ACRES Priority Date: JULY 13, 1983

Rate: 0.026 CUBIC FOOT PER SECOND

Limit/Duty: ONE-EIGHTIETH cfs per acre, not to exceed 2.5 acre-feet per acre per year

Source: NORTH MYRTLE CREEK, tributary to MYRTLE CREEK

Authorized Point of Diversion:

POD#	Twp	Rng	Mer	Sec	Q-Q	GLot	Survey Coordinates
*3	29 S	5 W	WM	13	SW SE	5	2160 FEET SOUTH AND 1715 FEET WEST FROM E1/4 CORNER OF SECTION 13

^{*}This existing, authorized POD will be referred to as POD No. 3 for the remainder of this document.

Authorized Place of Use:

IRRIGATION								
Twp Rng Mer Sec Q-Q GLot Acre								
29 S	5 W	WM	13	SW SE	5	2.1		

5. Application T-10312 proposes two additional points of diversion approximately 0.10 mile (POD No. 2) and 0.13 mile (POD No. 1) downstream from the authorized irrigation point of diversion (POD No. 3). The proposed additional points of diversion are located as follows:

POD No.	Тwр	Rng	Mer	Sec	Q-Q	GLot	Tax Lot	Survey Coordinates
1	29 S	5 W	WM	13	SW SE	5	201	200 FEET NORTH AND 2380 FEET WEST FROM THE SE CORNER OF SECTION 13
2	29 S	5 W	WM	13	SW SE	5	202	300 FEET NORTH AND 2180 FEET WEST FROM THE SE CORNER OF SECTION 13

- 6. Application T-10312 proposes to change the character of use of 0.8 acre of irrigation use to Domestic Use for two households; one on Tax Lot 201 and one on Tax Lot 202.
- 7. Application T-10312 also proposes to change the season of use from the irrigation season to year round use for the two proposed domestic uses. To prevent enlargement of the right or injury to other water rights due to extension of the season of use, the applicant proposes to reduce the maximum rate of diversion and install flow restrictors at each point of diversion, as stated in Finding of Fact No. 2(a).

8. Application T-10312 also proposes to change the place of use of the right to:

DOMESTIC										
POD No.	Tax Lot	Twp	Rng	Mer	Sec	Q-Q	GLot			
1	201	29 S	5 W	WM	13	SW SE	5			
2	202	29 S	5 W	WM	13	SW SE	5			

	IRRIGATION										
POD No.	Tax Lot	Twp	Rng	Mer	Sec	Q-Q	GLot	Acres			
1 and 3	201	29 S	5 W	WM	13	SW SE	5	1.0			
2 and 3	202	29 S	5 W	WM	13	SW SE	5	0.3			

- 9. Notice of the application for transfer was published on February 13, 2007, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- 10. The Oregon Department of Fish and Wildlife (ODFW) has determined that a fish screening and/or by-pass device is necessary at the new points of diversion to prevent fish from entering the diversions and/or safely transport fish back to the body of water from which the fish were diverted and that the diversions are not currently equipped with an appropriate fish screening and/or by-pass device. The diversions may be eligible for screening cost share funds.
- 11. On July 17, 2007, the Department mailed a copy of the draft Preliminary Determination proposing to approve Transfer Application T-10312 to the applicant. The draft Preliminary Determination set forth a deadline of August 17, 2007, for the applicant to respond. On July 31, 2007, the applicant requested that the Department revise the document, consistent with the revised map as noted in Finding of Fact No. 3, before proceeding with issuance of a Preliminary Determination. On August 6, 2007, Mr. Tenold provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.
- 12. On August 31, 2007 a revised draft Preliminary Determination was emailed to the applicant for review. Stan Tenold responded September 3, 2007, requesting the date for completion of the changes to be changed, to allow 3 to 5 years for development since the two lots are to be sold, and the new buyers will have responsibility for installing the equipment and putting the water to beneficial use. The Department considers the request reasonable and has extended the date for completion, as stated later in this document.
- 13. On September 17, 2007, the Department issued a Preliminary Determination proposing to approve Transfer T-10312 and mailed a copy to the applicant. Additionally, notice of the Preliminary Determination for the transfer application was published on the Department's weekly notice on September 25, 2007, and in The Douglas County Mail newspaper on September 27 and October 4 and 11, 2007, pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notice.
- 14. On October 31, 2007, the Department issued a Final Order approving T-10312, recorded at Special Order Volume 73, Pages 589 to 593.

- 15. On November 16, 2007, Stan Tenold contacted the Department by e-mail and requested clarification of language in the order pertaining to the change in character of use, so as to more clearly state that domestic uses are to be established for two households.
- 16. Subsequent Department review of the order indicated a need to modify the language of the order to clarify the establishment of two domestic uses, as well as to specify that fish screen and/or by-pass requirements apply to both of the new points of diversion.
- 17. The Department reviewed the order and concluded that the order should be reconsidered pursuant to OAR 137-004-0080(5). This order is issued to supersede the previous order and to clarify the above mentioned points.

Transfer Review Criteria [OAR 690-380-4010(2)]

- 18. Water has been used within the last five years according to the terms and conditions of the right, and there is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- 19. A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing right were present within the five-year period prior to submittal of Application T-10312.
- 20. The proposed changes, as conditioned, would not result in enlargement of the right.
- 21. The proposed changes, as conditioned, would not result in injury to other water rights.

Conclusions of Law

The changes in place of use, character of use and additional points of diversion proposed in application T-10312 are consistent with the requirements of ORS 540.505 to 540.580 and OAR 690-380-5000.

Now, therefore, it is ORDERED:

- 1. The order recorded at Special Order Volume 73, pages 589 through 593 is superseded by this order and is of no further force or effect.
- 2. The changes in place of use, in character of use to domestic use for two households, and two additional points of diversion proposed in application T-10312 are approved.
- 3. Water right certificate 81416 is cancelled. A new certificate will be issued describing that portion of the right not affected by this transfer.
- 4. The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificate 81416 and any related decree.

- 5. The quantity of water diverted at the proposed additional points of diversion, together with that diverted at the original point of diversion, shall not exceed the quantity of water lawfully available at the original point of diversion.
- 6. The former place of use of the transferred portion of the right shall no longer receive water under the right.
- 7. The quantity of water diverted at each of the additional points of diversion for domestic use may occur year-round at a rate not to exceed a maximum of 0.006 cfs, being 0.003 cfs per household on a non-continuous basis. A flow restrictor shall be installed at each of the two additional points of diversion to ensure that the rate is not exceeded.
- 8. Prior to diverting water, the water user shall install a fish screening and/or by-pass device, as appropriate, at each new point of diversion consistent with the Oregon Department of Fish and Wildlife's (ODFW) design and construction standards. Prior to installation, the water user shall obtain written approval from ODFW that the required screen and/or by-pass devices meet ODFW's criteria. Prior to submitting a Claim of Beneficial Use, the water user must obtain written approval from ODFW that each required screening and/or by-pass device was installed to the state's criteria. The water user shall maintain and operate the fish screen and/or by-pass devices, as appropriate, at the points of diversion consistent with ODFW's operational and maintenance standards.
- 9. When required by the Department, the water user shall install, maintain and operate an inline flow meter, weir, or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.
- 10. The approved changes shall be completed and full beneficial use of the water shall be made on or before **October 1, 2012**. A Claim of Beneficial Use prepared by a Certified Water Rights Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.
- 11. When satisfactory proof of the completed changes is received, a new certificate confirming the portion of the right transferred will be issued.

Dated at Salem, Oregon this/3	_day of <u>December</u> 2007.
h Phillip C. Ward, Director	
Mailing date:	

File T-1031;

Lisa Jaramillo

From:

Lisa Jaramillo

Sent:

Monday, August 13, 2012 10:49 AM

To:

Stan Tenold

Subject:

RE: Transfer T-10312 and Extension of Time Application for Transfer

Mr. Tenold,

Thank you. I will place a copy of the letter from ODFW in the file for Transfer T-10312.

Other than the water right involved in Transfer T-10312, I was able to track down the following water rights under your name:

Certificate 81479 and Certificate 83550. No further documentation is needed at this time for these two water right certificates.

There is also a pending application for a water use permit (Application S-86427) under your name. A water use permit for this application has not yet been issued. At some point in the future, assuming a permit is issued, you will need to complete construction and the application of water to beneficial use under the permit, and then submit a Claim of Beneficial Use report and survey map to the Oregon Water Resources Department.

Sincerely, Lisa Jaramillo

Lisa J. Jaramillo

Water Management and Conservation Analyst Water Right Services Division Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, OR 97301-1266

Phone: 503-986-0880 Fax: 503-986-0903

From: Stan Tenold [mailto:stantenold@yahoo.com]

Sent: Wednesday, August 08, 2012 9:37 AM

To: Lisa Jaramillo

Subject: Re: Transfer T-10312 and Extension of Time Application for Transfer

Lisa,

I decided to complete the installation of the equipment. Attached is the letter from Fish and Game approving the fish screen. I have installed the pump and water restrictor. Today I had Bill Ruppert document the installation for the two lots. He will complete the documentation and I will submit the information for approval.

Thank you for your assistance. If you have questions please let me know.

For information purposes, I have irrigated my other water rights for hay, and to maintain the water rights as active. Is there any documentation that I need to file to document the usage?

Stan Tenold

On Jun 4, 2012, at 1:19 PM, Lisa Jaramillo wrote:

Hello Mr. Tenfold,

I have attached a copy of the Final Order approving Transfer Application T-10312. Additionally, I am including this link to the Application for Extension of Time for a

Transfer: http://www.wrd.state.or.us/OWRD/PUBS/docs/forms/TransferExtension.pdf

Additionally, the application fee for the Application for Extension of Time for a Transfer is \$500. To locate this fee, please refer to Page 7 of 8 under "Other Fees."

Also, Dorothy Pedersen (Transfer Program Coordinator) is the staff person that processes Transfer Extension of Time applications. If you have any further questions, you can reach her at 503-986-0890.

Lisa J. Jaramillo

Water Management and Conservation Analyst Water Right Services Division Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, OR 97301-1266

Phone: 503-986-0880 Fax: 503-986-0903

<T-10312 Final Order Tenold.pdf>

File T-10312

Lisa Jaramillo

From:

Stan Tenold <stantenold@yahoo.com> Wednesday, August 08, 2012 9:37 AM

Sent: To:

Lisa Jaramillo

Subject:

Re: Transfer T-10312 and Extension of Time Application for Transfer

Attachments:

Fish Screen Approval Lots.pdf

Lisa,

I decided to complete the installation of the equipment. Attached is the letter from Fish and Game approving the fish screen. I have installed the pump and water restrictor. Today I had Bill Ruppert document the installation for the two lots. He will complete the documentation and I will submit the information for approval.

Thank you for your assistance. If you have questions please let me know.

For information purposes, I have irrigated my other water rights for hay, and to maintain the water rights as active. Is there any documentation that I need to file to document the usage?

Stan Tenold

On Jun 4, 2012, at 1:19 PM, Lisa Jaramillo wrote:

Hello Mr. Tenfold,

I have attached a copy of the Final Order approving Transfer Application T-10312. Additionally, I am including this link to the Application for Extension of Time for a

Transfer: http://www.wrd.state.or.us/OWRD/PUBS/docs/forms/TransferExtension.pdf

Additionally, the application fee for the Application for Extension of Time for a Transfer is \$500. To locate this fee, please refer to Page 7 of 8 under "Other Fees."

Also, Dorothy Pedersen (Transfer Program Coordinator) is the staff person that processes Transfer Extension of Time applications. If you have any further questions, you can reach her at 503-986-0890.

Lisa J. Jaramillo

Water Management and Conservation Analyst Water Right Services Division Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, OR 97301-1266

Phone: 503-986-0880 Fax: 503-986-0903

<T-10312 Final Order Tenold.pdf>



Department of Fish and Wildlife

Rogue Watershed District Office 1495 East Gregory Road Control Point OR 97502 (341) 826-8774 (341) 826-8776 dfw.state.or.us



June 18, 2012

Stan Tenold 4040 N. Myrtle Rd. Myrtle Creek, OR 97457

Dear Stan,

Regarding OWRD water right transfer T-10312, ODFW is satisfied that the condition for fish screening has been met, and has determined that a bypass device is not required.

Sincerely,

Rich Kilbane

121/26

SW Field Coordinator

Fish Screening and Passage Program

(541) 826-8774 ext. 243

Dorothy Pedersen

From:

Dorothy Pedersen

Sent:

Monday, December 10, 2007 10:33 AM

To: Cc:

'Stan Tenoid' Gerry Clark

Subject:

RE: T-10312 reconsideration of order

Stan,

Since the changes for both tax lots were included in a single transfer application, they will result in a single certificate that covers both tax lots. The order gives a common completion date for beneficial use on the portions of the right on both lots. The two future landowners may cooperate to hire a CWRE to prepare a joint Claim of Beneficial Use for both properties, or they may each hire a CWRE to prepare a Claim of Beneficial Use for each property separately.

One owner may complete beneficial use sooner than the other; however, they each must either meet the completion date in the order or request an extension of time. Before issuing the water right certificate for the properties, the Department will check with both landowners to determine whether the intended development of the right is complete.

When you sell the lots, you will want to submit to the Department a request for partial assignment of the transfer to each of the new landowners. The Request for Assignment form can be found on the website at www.wrd.state.or.us under "Forms". The fee for an assignment is \$50.00.

I will forward the revised final order (consistent with the draft) to the director's office for signature.

Sincerely, Dorothy

Dorothy Pedersen (503) 986-0890

----Original Message----

From: Stan Tenold [mailto:stantenold@yahoo.com]

Sent: Sunday, December 09, 2007 7:10 AM

To: Dorothy Pedersen

Subject: Re: T-10312 reconsideration of order

Dorothy,

The draft looks fine. I will ask the question again, when I'm ready to transfer/perfect the water right will a separate water right be issued for each lot? Also, each lot can be perfected at a separate time?

Thank you for your assistance,

Stan Tenold

On Dec 5, 2007, at 5:07 PM, Dorothy Pedersen wrote:

- > Hi Stan,
- > Attached is the draft order of reconsideration, intended to supersede > the order that was issued for T-10312. Please review and let me know
- > if this clears up the issues to your satisfaction, or if you wish
- > further clarification. Once we have it finalized, I'll have the
- > director's office sign and issue it.

Dorothy Pedersen

> Dorothy.I.PEDERSEN@wrd.state.or.us

> <10312-ord-reconsideration.doc>

> 503-986-0890

From: Stan Tenold [stantenold@yahoo.com] Sunday, December 09, 2007 7:10 AM Sent: **Dorothy Pedersen** To: Re: T-10312 reconsideration of order Subject: Dorothy, The draft looks fine. I will ask the question again, when I'm ready to transfer/perfect the water right will a separate water right be issued for each lot? Also, each lot can be perfected at a separate time? Thank you for your assistance, Stan Tenold On Dec 5, 2007, at 5:07 PM, Dorothy Pedersen wrote: > Hi Stan, > Attached is the draft order of reconsideration, intended to supersede > the order that was issued for T-10312. Please review and let me know > if this clears up the issues to your satisfaction, or if you wish further clarification. Once we have it finalized, I'll have the director's office sign and issue it. > Thanks, > Dorothy > Dorothy I. Pedersen > Field Services Division > Oregon Water Resources Department

Dorothy Pedersen

From:

Dorothy Pedersen

Sent:

Wednesday, December 05, 2007 5:07 PM

To:

'Stan Tenold'

Subject:

T-10312 reconsideration of order

Attachments:

10312-ord-reconsideration.doc



10312-ord-reconsid eration.doc ...

Hi Stan,

Attached is the draft order of reconsideration, intended to supersede the order that was issued for T-10312. Please review and let me know if this clears up the issues to your satisfaction, or if you wish further clarification. Once we have it finalized, I'll have the director's office sign and issue it.

Thanks, Dorothy

Dorothy I. Pedersen Field Services Division Oregon Water Resources Department Dorothy.I.PEDERSEN@wrd.state.or.us 503-986-0890

BEFORE THE WATER RESOURCES DEPARTMENT OF THE STATE OF OREGON

In the Matter of Transfer Application T-10312, Douglas County)))	DRAFT RECONSIDERATION OF A FINAL ORDER AND APPROVAL OF A CHANGE IN POINT OF DIVERSION,
)	PLACE OF USE AND CHARACTER OF USE

Authority

ORS 540.505 to 540.580 establishes the process in which a water right holder may submit a request to transfer the point of diversion, place of use, or character of use authorized under an existing water right. OAR Chapter 690, Division 380 implements the statutes and provides the Department's procedures and criteria for evaluating transfer applications. OAR 137-004-0080 describes the process for reconsideration of an order in other than contested case.

Applicant

Stanley E. Tenold P.O. Box 751 Bodega Bay, California 94923

Findings of Fact

Background

- 1. On February 5, 2007, Stanley E. Tenold filed an application to change the place of use, the character of use and add two additional points of diversion under a portion of Certificate 81416. The Department assigned the application number T-10312.
- 2. On June 21, 2007, Stanley E. Tenold amended the application by providing additional and corrected information:
 - a) Confirming the transfer of 0.8 acre, use of water year-round at a rate not to exceed 0.003 cfs per each of two domestic households on a non-continuous basis, and installation of a flow restrictor for each domestic use;
 - b) Describing how to prevent irrigation on lands withdrawn from irrigation for purposes of the transfer to domestic uses; and,

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

T-1	03	12.	ra-	dip
-----	----	-----	-----	-----

- c) Updating the application map to show the correct coordinates of the proposed points of diversion from North Myrtle Creek.
- 3. On August 24, 2007, Stanley E. Tenold further amended the application by providing a map to clarify and confirm the information cited in Finding of Fact No. 2, above.
- 4. The portion of the right to be transferred is as follows:

Certificate: 81416 in the name of Stanley E. Tenold (perfected under Permit S-47919)

Use: IRRIGATION of 2.1 ACRES Priority Date: JULY 13, 1983

Rate: 0.026 CUBIC FOOT PER SECOND

Limit/Duty: ONE-EIGHTIETH cfs per acre, not to exceed 2.5 acre-feet per acre per year

Source: NORTH MYRTLE CREEK, tributary to MYRTLE CREEK

Authorized Point of Diversion:

POD#	Twp	Rng	Mer	Sec	Q-Q	GLot	Survey Coordinates
*3	29 S	5 W	WM	13	SW SE	5	2160 FEET SOUTH AND 1715 FEET WEST FROM E1/4 CORNER OF SECTION 13

^{*}This existing, authorized POD will be referred to as POD No. 3 for the remainder of this document.

Authorized Place of Use:

IRRIGATION									
Twp	Rng	Mer Sec Q-Q			GLot	Acres			
29 S	5 W	WM	13	SW SE	5	2.1			

5. Application T-10312 proposes two additional points of diversion approximately 0.10 mile (POD No. 2) and 0.13 mile (POD No. 1) downstream from the authorized irrigation point of diversion (POD No. 3). The proposed additional points of diversion are located as follows:

POD No.	Twp	Rng	Mer	Sec	Q-Q	GLot	Tax Lot	Survey Coordinates
1	29 S	5 W	WM	13	SW SE	5	201	200 FEET NORTH AND 2380 FEET WEST FROM THE SE CORNER OF SECTION 13
2	29 S	5 W	WM	13	SW SE	5	202	300 FEET NORTH AND 2180 FEET WEST FROM THE SE CORNER OF SECTION 13

- 6. Application T-10312 proposes to change the character of use of 0.8 acre of irrigation use to Domestic Use for two households; one on Tax Lot 201 and one on Tax Lot 202.
- 7. Application T-10312 also proposes to change the season of use from the irrigation season to year round use for the two proposed domestic uses. To prevent enlargement of the right or injury to other water rights due to extension of the season of use, the applicant proposes to reduce the maximum rate of diversion and install flow restrictors at each point of diversion, as stated in Finding of Fact No. 2(a).

8. Application T-10312 also proposes to change the place of use of the right to:

DOMESTIC										
POD No.	Tax Lot	Twp	Rng	Mer	Sec	Q-Q	GLot			
1	201	29 S	5 W	WM	13	SW SE	5			
2	202	29 S	5 W	WM	13	SW SE	5			

IRRIGATION										
POD No.	Tax Lot	Twp	Rng	Mer	Sec	Q-Q	GLot	Acres		
1 and 3	201	29 S	5 W	WM	13	SW SE	5	1.0		
2 and 3	202	29 S	5 W	WM	13	SW SE	5	0.3		

- 9. Notice of the application for transfer was published on February 13, 2007, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- 10. The Oregon Department of Fish and Wildlife (ODFW) has determined that a fish screening and/or by-pass device is necessary at the new points of diversion to prevent fish from entering the diversions and/or safely transport fish back to the body of water from which the fish were diverted and that the diversions are not currently equipped with an appropriate fish screening and/or by-pass device. The diversions may be eligible for screening cost share funds.
- 11. On July 17, 2007, the Department mailed a copy of the draft Preliminary Determination proposing to approve Transfer Application T-10312 to the applicant. The draft Preliminary Determination set forth a deadline of August 17, 2007, for the applicant to respond. On July 31, 2007, the applicant requested that the Department revise the document, consistent with the revised map as noted in Finding of Fact No. 3, before proceeding with issuance of a Preliminary Determination. On August 6, 2007, Mr. Tenold provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.
- 12. On August 31, 2007 a revised draft Preliminary Determination was emailed to the applicant for review. Stan Tenold responded September 3, 2007, requesting the date for completion of the changes to be changed, to allow 3 to 5 years for development since the two lots are to be sold, and the new buyers will have responsibility for installing the equipment and putting the water to beneficial use. The Department considers the request reasonable and has extended the date for completion, as stated later in this document.
- 13. On September 17, 2007, the Department issued a Preliminary Determination proposing to approve Transfer T-10312 and mailed a copy to the applicant. Additionally, notice of the Preliminary Determination for the transfer application was published on the Department's weekly notice on September 25, 2007, and in The Douglas County Mail newspaper on September 27 and October 4 and 11, 2007, pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notice.

- 14. On October 31, 2007, the Department issued a Final Order approving T-10312, recorded at Special Order Volume 73, Pages 589 to 593.
- 15. On November 16, 2007, Stan Tenold contacted the Department by e-mail and requested clarification of language in the order pertaining to the change in character of use, so as to more clearly state that domestic uses are to be established for two households.
- 16. Subsequent Department review of the order indicated a need to modify the language of the order to clarify the establishment of two domestic uses, as well as to specify that fish screen and/or by-pass requirements apply to both of the new points of diversion.
- 17. The Department reviewed the order and concluded that the order should be reconsidered pursuant to OAR 137-004-0080(5). This order is issued to supersede the previous order and to clarify the above mentioned points.

Transfer Review Criteria [OAR 690-380-4010(2)]

- 18. Water has been used within the last five years according to the terms and conditions of the right, and there is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- 19. A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing right were present within the five-year period prior to submittal of Application T-10312.
- 20. The proposed changes, as conditioned, would not result in enlargement of the right.
- 21. The proposed changes, as conditioned, would not result in injury to other water rights.

Conclusions of Law

The changes in place of use, character of use and additional points of diversion proposed in application T-10312 are consistent with the requirements of ORS 540.505 to 540.580 and OAR 690-380-5000.

Now, therefore, it is ORDERED:

- 1. The order recorded at Special Order Volume 70, pages 589 through 593 is superseded by this order and is of no further force or effect.
- 2. The changes in place of use, in character of use to domestic use for two households, and two additional points of diversion proposed in application T-10312 are approved.
- 3. Water right certificate 81416 is cancelled. A new certificate will be issued describing that portion of the right not affected by this transfer.

- 4. The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificate 81416 and any related decree.
- 5. The quantity of water diverted at the proposed additional points of diversion, together with that diverted at the original point of diversion, shall not exceed the quantity of water lawfully available at the original point of diversion.
- 6. The former place of use of the transferred portion of the right shall no longer receive water under the right.
- 7. The quantity of water diverted at each of the additional points of diversion for domestic use may occur year-round at a rate not to exceed a maximum of 0.006 cfs, being 0.003 cfs per household on a non-continuous basis. A flow restrictor shall be installed at each of the two additional points of diversion to ensure that the rate is not exceeded.
- 8. Prior to diverting water, the water user shall install a fish screening and/or by-pass device, as appropriate, at each new point of diversion consistent with the Oregon Department of Fish and Wildlife's (ODFW) design and construction standards. Prior to installation, the water user shall obtain written approval from ODFW that the required screen and/or by-pass devices meet ODFW's criteria. Prior to submitting a Claim of Beneficial Use, the water user must obtain written approval from ODFW that each required screening and/or by-pass device was installed to the state's criteria. The water user shall maintain and operate the fish screen and/or by-pass devices, as appropriate, at the points of diversion consistent with ODFW's operational and maintenance standards.
- 9. When required by the Department, the water user shall install, maintain and operate an inline flow meter, weir, or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.
- 10. The approved changes shall be completed and full beneficial use of the water shall be made on or before **October 1, 2012**. A Claim of Beneficial Use prepared by a Certified Water Rights Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.
- 11. When satisfactory proof of the completed changes is received, a new certificate confirming the portion of the right transferred will be issued.

Dated at Salem, Oregon this _	day of	2007.	
DRAFT			
Phillip C. Ward, Director			
T-10312.ra-dip	Page 5 of 6	Special Order Volume 73, Page	

Dorothy Pedersen

From:

Stan Tenold [stantenold@yahoo.com]

Sent:

Wednesday, November 21, 2007 8:04 AM

To:

Dorothy Pedersen

Subject: Re: Proposed Amendment to Agreement R07-236

Dorothy,

Since I intend to sell the two lots for home sites I would like the water rights to be a clean as possible so that it is easy to transfer.

What do you suggest and how do I describe the changes I want?

Thanks,

Stan

On Nov 16, 2007, at 4:54 PM, Dorothy Pedersen wrote:

Stan.

Thank you for carefully looking over your final order, and asking for clarification at this time, rather than waiting till later.

Finding of Facts #6, #7 and #8 of the order refer to two domestic uses, to be established on tax lots 201 and 202. I see that the wording in the "now it is ordered" part of the document does not specifically state that the character of use change that was approved allows for two domestic uses, however, it does say that the changes proposed in application T-10312 are approved. So, without anything to contradict the earlier findings that two domestic uses were proposed, it is assumed that the two domestic uses, as proposed, are approved. Condition #6 on page 4 also indicates that 0.003 cfs is allowed for each household and each of the two new points of diversion will require a flow restrictor.

In hindsight, I see that condition #7 probably should have specified that each new point of diversion should be equipped with a fish screen and/or by-pass device, as that is what was intended.

Does that address your concern? If you think there is something that needs to be changed, you may send a letter to the Department, requesting that the director reconsider the order.

Thanks, Dorothy

Dorothy Pedersen (503) 986-0890

From: Stan Tenold [mailto:stantenold@yahoo.com]

Sent: Friday, November 16, 2007 8:03 AM

To: Dorothy Pedersen

Subject: Re: Proposed Amendment to Agreement R07-236

Dorothy,

I was reviewing the final order but it seems to only reference one domestic house, there was supposed to be two. Am I missing something or is there another final order to be issued?

Thank you,

Stan Tenold

On Nov 13, 2007, at 3:06 PM, Dorothy Pedersen wrote:

Stan,

I discovered that the final order was mailed from Salem on November 8th, so it may be taking a few more days than usual due to the Monday postal holiday. Let us know if you do not receive it by the end of this week.

Dorothy

Dorothy Pedersen (503) 986-0890

From: Stan Tenold [mailto:stantenold@yahoo.com]

Sent: Tuesday, November 13, 2007 12:03 PM

To: Dorothy Pedersen

Subject: Re: Proposed Amendment to Agreement R07-236

Thank you for the information, I have not received the final order but I will look for it.

Thanks for all your help.

Stan Tenold

On Nov 13, 2007, at 7:58 AM, Dorothy Pedersen wrote:

Stan,

No protests were received and the final order was signed 10/31/07. Let us know if you have not yet received it.

Sorry for the late response. I have been out of the office for a week.

Dorothy

Dorothy Pedersen (503) 986-0890

From: Stan Tenold [mailto:stantenold@yahoo.com]

Sent: Thursday, November 08, 2007 10:50 AM **To:** Dorothy Pedersen

Subject: Re: Proposed Amendment to Agreement R07-236

Dorothy,

Just checking on the progress of my transfer, have there been any objections?

What will the next step be?

Thank you,

Stan Tenold



Oregon Department of Fish and Wildlife
Water Right and Diversion Transfer Comment Form

WATER RESOURCES DEPT SALEM, OREGON

(ODFW provides to WRD so that WRD can make findings according to statutory requirements.)

Ref	ference Transfer #: 10312
	Please check box if you believe there is a potential for injury to an instream water right.
	The Oregon Department of Fish and Wildlife (ODFW) believes this proposed transfer may injure an instream water right(s) on
	, tributary to . Because,
	(Stream)
	(Please attach any available supporting information.)
	Note: This will prompt WRD to further evaluate and make a determination whether the transfer will injure an instream water right. (WRD is the agency that makes the determination of injury to a water right, while ODFW's role is to raise concerns and to evaluate proposed mitigation and net benefit to the resource if WRD requests concurrence with injury to an instream water right.)
B. pas	Please check <u>one</u> of the following four boxes related to requiring a fish screen and/or bys device pursuant to ORS 540.525 or 540.532:
	1. The new Point of Diversion (POD) requires a fish screening and/or by-pass device and is currently equipped with an appropriate fish screening and/or by-pass device.
	Note: This option will yield the following:
	Finding of Fact: The Oregon Department of Fish and Wildlife has determined that a fish screening and/or by-pass device is necessary at the new point of diversion to prevent fish from entering the diversion and/or safely transport fish back to the body of water from which the fish were diverted and that the diversion is currently equipped with an appropriate fish screening and/or by-pass device.
/	Condition: The water user shall maintain and operate a fish screening and/or by-pass device, as appropriate, at the point of diversion consistent with the Oregon Department of Fish and Wildlife's operational and maintenance standards.
Ø	2. The new Point of Diversion (POD) requires a fish screening and/or by-pass device prior to water being diverted. The diversion may be eligible for cost share assistance under ODFW's cost share program.
	Option 2 should generally be selected if listed fish species are present at the point of diversion and/or the originating water right diversion is currently screened. If Option 2 is

Please return all 4 pages to: Transfers Section, Water Resources Department, 725 Summer St. NE, Suite A, Salem, OR 97301-1271

The electronic version of this form is available at: http://www1.wrd.state.or.u/s/msword/ODFWScreen.doc.

selected, provide contact information on the "Fish Screening and Passage Information" sheet. The new diversion may be eligible for cost-share.

Note: This option will yield the following:

Finding of Fact: The Oregon Department of Fish and Wildlife (ODFW) has determined that a fish screening and/or by-pass device is necessary at the new point of diversion to prevent fish from entering the diversion and/or safely transport fish back to the body of water from which the fish were diverted and that the diversion is not currently equipped with an appropriate fish screening and/or by-pass device. This diversion may be eligible for screening cost share funds.

Condition: Prior to diverting water, the water user shall install a fish screening and/or by-pass device, as appropriate, at the new point of diversion consistent with the Oregon Department of Fish and Wildlife's (ODFW) design and construction standards. Prior to installation, the water user shall obtain written approval from ODFW that the required screen and/or by-pass device meets ODFW's criteria. Prior to submitting a Claim of Beneficial Use, the water user must obtain written approval from ODFW that the required screening and/or by-pass device was installed to the state's criteria. The water user shall maintain and operate the fish screen and/or by-pass device, as appropriate, at the point of diversion consistent with ODFW's operational and maintenance standards.

3. The new Point of Diversion (POD) requires a fish screening and/or by-pass device.
However, the diversion may be used for up to two years pending a determination of whether
cost share assistance under ODFW's cost share program is available.

If Option 3 is selected, provide contact information on the "Fish Screening and Passage Information" sheet. Except in extraordinary circumstances, Option 3 should **NOT** be checked if listed fish species are present at the point of diversion, the originating water right diversion is screened, cost-share funds are currently available, or the diversion is not eligible for ODFW's cost-share program. If extraordinary circumstances are present, please explain:

Note: This option will yield the following:

Finding of Fact: The Oregon Department of Fish and Wildlife (ODFW) has determined that a fish screening and/or by-pass device is necessary at the new point of diversion to prevent fish from entering the diversion and/or safely transport fish back to the body of water from which the fish were diverted and that the diversion is not currently equipped with an appropriate fish screening and/or by-pass device. Listed fish species are not present at the point of diversion, the originating water right diversion is not screened, cost-share funds are not currently available, and the proposed diversion may be eligible for ODFW's cost-share program. A grace period of two years is appropriate until such time as cost share funds become available to assist in the construction of a fish screening and/or by-pass device. If cost share funds do not become available, the water user must screen within the indicated time period regardless of the availability of cost share funding.

Condition: Within two years after the date of this order, the water user shall install a fish screening and/or by-pass device, as appropriate, at the new point of diversion consistent with the Oregon Department of Fish and Wildlife's (ODFW) design and construction standards. Prior to installation, the water user shall obtain written approval from ODFW that the required screen and/or by-pass device meets ODFW's criteria. The water user may withdraw water at the new point of diversion without screening or by-pass devices until two years after the date of this order. Prior to submitting a Claim of Beneficial Use, the water user must obtain written approval from ODFW that the required screening and/or by-pass device was installed to the state's criteria. The water user shall maintain and operate the fish screen and/or by-pass device, as appropriate, at the point of diversion consistent with ODFW's operational and maintenance standards.



	4. The new Point of Diversion (POD) does not currently require a fish screen and/or by- pass device, however, the permittee may be required in the future to install, maintain, and operate fish screening and/or by-pass devices.
	Note: This option will yield the following:
	Finding of Fact: The Oregon Department of Fish and Wildlife has determined that a fish screening and/or by-pass device may be required in the future at the new point of diversion to prevent fish from entering the diversion and/or safely transport fish back to the body of water from which the fish were diverted and that the diversion is not currently equipped with an appropriate fish screening and/or by-pass device.
	Condition: Within one year after receiving written notification from the Oregon Department of Fish and Wildlife (ODFW) that a fish screening and/or by-pass device is required, the water user shall install a screening and/or by-pass device, as appropriate, at the new point of diversion. The fish screening and/or by-pass device must meet ODFW's design and construction standards. Prior to installation, the water user shall obtain written approval from ODFW that the required screening and/or by-pass device meets ODFW's criteria. Once installed the water user shall maintain and operate the fish screening and/or by-pass device, as appropriate, at the point of diversion consistent with ODFW's operational and maintenance standards.
×	Jan Mayes
<	Signature Mayes
<	Signature Signature Moyers
<	Signature Signature Printed Name
<	Sam Moyers
×	Sin Moyers Printed Name Assistant District Fish Biologist
~	Printed Name Assistant District Fish Biologist Title
×	Printed Name Assistant District Fish Biologist Title (541) 440-3353
×	Printed Name Assistant District Fish Biologist Title



Oregon Department of Fish and Wildlife Additional Fish Screening and Passage Information for the Applicant

(To be completed by ODFW for WRD to provide to the applicant.)

The applicant should be aware that fish screening and passage may be required for certain changes in point of diversion if the boxes below are checked.


Fish screening and/or fish by-pass devices are required as a condition of this transfer. The fish screen and/or by-pass device must meet ODFW's design, construction, operational and maintenance standards. Fish screening prevents fish from entering the diversion, while a by-pass device safely transports fish back to the body of water from which the fish were diverted.

Pursuant to ORS 498.306, cost share funds may be available to assist in the installation of fish screening and by-pass devices at diversions.


The applicant should contact the ODFW staff below to obtain additional information on the design, construction, operational, and maintenance standards for the required fish screening and/or by-pass device and to obtain information about ODFW's cost sharing program for screening and by-pass devices. Prior to installation, the water user must obtain written approval from ODFW that the required screening and/or by-pass device meets ODFW's criteria.

ODFW staff name: Sam Moyes
Address: 4192 N. Umpang Havy
City/State/Zip: Roseburg, Or. 57470
Phone: (541) 446-3353 W 248
This transfer may trigger requirements for fish passage under ORS 509.585 because a new point of diversion will be constructed, an existing point of diversion's capacity will be increased, or an existing point of diversion will be abandoned. The applicant should contact the ODFW staff below for a determination of whether native migratory fish are or were present at the applicable location, which will determine whether fish passage must be addressed.
ODFW staff name:
Address:
City/State/Zip:
Phone: ()





MAP TO ACCOMPANY CLAIM OF BENEFICIAL USE FOR WATER PERMIT 47919, APPL. 65296



WATEH RESOURCES DEPT SALEM, OREGON

10312

STATE OF OREGON

COUNTY OF DOUGLAS

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

STANLEY E. TENOLD
P.O. BOX 751
BODEGA BAY, CALIFORNIA 94923

confirms the right to use the waters of NORTH MYRTLE CREEK, a tributary of MYRTLE CREEK, for DOMESTIC USE FOR ONE FAMILY AND IRRIGATION OF 10.1 ACRES.

This right was perfected under Permit 47919. The date of priority is JULY 13, 1983 FOR 0.095 CUBIC FOOT PER SECOND (CFS) AND AUGUST 11, 1983 FOR 0.036 CFS. The amount of water to which this right is entitled is limited to an amount actually beneficially used and shall not exceed 0.131 CUBIC FOOT PER SECOND; BEING 0.005 CFS FOR DOMESTIC AND 0.126 FOR IRRIGATION, or its equivalent in case of rotation, measured at the point of diversion from the source.

The points of diversion are located as follows:

DOMESTIC - LOT 6 (SE 1/4 SE 1/4), SECTION 13, TOWNSHIP 29 SOUTH, RANGE 5 WEST, W.M.; 2235 FEET SOUTH AND 1100 FEET WEST FROM THE E 1/4 CORNER OF SECTION 13; AND

IRRIGATION - LOT 5 (SW 1/4 SE 1/4), SECTION 13, TOWNSHIP 29 SOUTH, RANGE 5 WEST, W.M.; 2160 FEET SOUTH AND 1713 FEET WEST FROM THE E 1/4 CORNER OF SECTION 13.

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate at any time before it has issued, and after the time has expired for the completion of the appropriation under the permit, or within three months after issuance of the certificate.

65296.SB

Certificate Number 81416

10312

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 ½ acre-feet per acre for each acre irrigated during the irrigation season of each year.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use to which this right is appurtenant is as follows:

NE 1/4 SE 1/4 2.1 ACRES
AS PROJECTED WITHIN DLC 49

LOT 5 (SW 1/4 SE 1/4) 7.1 ACRES

LOT 6 (SE 1/4 SE 1/4) 0.9 ACRE AND DOMESTIC

SECTION 13

TOWNSHIP 29 SOUTH, RANGE 5 WEST, W.M.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described. The use confirmed herein may be made only at times when sufficient water is available to satisfy all prior rights, including rights for maintaining instream flows.

Issued May 12, 2005.

Phillip C. Ward, Director

Water Resources Department

Recorded in State Record of Water Right Certificates Number 81416.

65296.SB



Water Resources Department

North Mall Office Building 725 Summer Street NE, Suite A Salem, OR 97301-1266 503-986-0900 FAX 503-986-0904

November 7, 2007

STANLEY E. TENOLD PO BOX 751 BODEGA BAY CA 94923

Reference: Transfer 10312

Enclosed is a copy of the order approving your water right transfer application.

A time to complete the transfer is given the order. YOU SHOULD GIVE PARTICULAR ATTENTION TO THE TIME LIMIT. The water right for any portion of the authorized change in use or change in place of use NOT carried out within the time allowed will be lost.

An extension of the time limit can be allowed <u>only</u> upon a showing that diligent effort has been made to complete the actual change within the time allowed.

You have the requirement to hire a Certified Water Right Examiner (CWRE) to complete a Claim of Beneficial Use report and map which must be submitted to this department within one year of the date you completed the change or within one year of the completion date authorized in the transfer, whichever occurs first.

Sincerely,

Doug Parrow

Natural Resource Specialist

DP:sh

cc:

Watermaster #15

William Ruppert, CWRE

Sarah Henderson

Enclosure

BEFORE THE WATER RESOURCES DEPARTMENT OF THE STATE OF OREGON

In the Matter of Transfer Application T-10312, Douglas County)	FINAL ORDER APPROVING A CHANGE IN POINT OF DIVERSION, PLACE OF USE AND CHARACTER OF
)	USE

Authority

ORS 540.505 to 540.580 establishes the process in which a water right holder may submit a request to transfer the point of diversion, place of use, or character of use authorized under an existing water right. OAR Chapter 690, Division 380 implements the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

Stanley E. Tenold P.O. Box 751 Bodega Bay, California 94923

Findings of Fact

Background

- On February 5, 2007, Stanley E. Tenold filed an application to change the place of use, the character of use and add two additional points of diversion under a portion of Certificate 81416. The Department assigned the application number T-10312.
- On June 21, 2007, Stanley E. Tenold amended the application by providing additional and corrected information:
 - Confirming the transfer of 0.8 acre, use of water year-round at a rate not to exceed 0.003 cfs per each of two domestic households on a non-continuous basis, and installation of a flow restrictor for each domestic use;
 - Describing how to prevent irrigation on lands withdrawn from irrigation for purposes of the transfer to domestic uses; and,
 - Updating the application map to show the correct coordinates of the proposed points of diversion from North Myrtle Creek.
- On August 24, 2007, Stanley E. Tenold further amended the application by providing a map to clarify and confirm the information cited in Finding of Fact No. 2, above.

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

4. The portion of the right to be transferred is as follows:

Certificate: 81416 in the name of Stanley E. Tenold (perfected under Permit S-47919)

Use: IRRIGATION of 2.1 ACRES Priority Date: JULY 13, 1983

Rate: 0.026 CUBIC FOOT PER SECOND

Limit/Duty: ONE-EIGHTIETH cfs per acre, not to exceed 2.5 acre-feet per acre per year

Source: NORTH MYRTLE CREEK, tributary to MYRTLE CREEK

Authorized Point of Diversion:

POD#	Twp	Rng	Mer	1		GLot	ot Survey Coordinates	
*3	29 S	5 W	WM	13	SW SE	5	2160 FEET SOUTH AND 1715 FEET WEST FROM E1/4 CORNER OF SECTION 13	

^{*}This existing, authorized POD will be referred to as POD No. 3 for the remainder of this document.

Authorized Place of Use:

IRRIGATION								
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres		
29 S	5 W	WM	13	SW SE	5	2.1		

5. Application T-10312 proposes two additional points of diversion approximately 0.10 mile (POD No. 2) and 0.13 mile (POD No. 1) downstream from the authorized irrigation point of diversion (POD No. 3). The proposed additional points of diversion are located as follows:

POD No.	Twp	Rng	Mer	Sec	Q-Q	GLot	Tax Lot	Survey Coordinates
1	29 S	5 W	WM	13	SW SE	5	201	200 FEET NORTH AND 2380 FEET WEST FROM THE SE CORNER OF SECTION 13
2	29 S	5 W	WM	13	SW SE	5	202	300 FEET NORTH AND 2180 FEET WEST FROM THE SE CORNER OF SECTION 13

- 6. Application T-10312 proposes to change the character of use of 0.8 acre of irrigation use to Domestic Use for two households on Tax Lots 201 and 202.
- 7. Application T-10312 also proposes to change the season of use from the irrigation season to year round use for the two proposed domestic uses. To prevent enlargement of the right or injury to other water rights due to extension of the season of use, the applicant proposes to reduce the maximum rate of diversion and install flow restrictors at each point of diversion, as stated in Finding of Fact No. 2(a).
- 8. Application T-10312 also proposes to change the place of use of the right to:

DOMESTIC									
POD No.	Tax Lot	Twp	Rng	Mer	Sec	Q-Q	GLot		
1	201	29 S	5 W	WM	13	SW SE	5		
2	202	29 S	5 W	WM	13	SW SE	5		

IRRIGATION								
POD No.	Tax Lot	Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
1 and 3	201	29 S	5 W	WM	13	SW SE	5	1.0
2 and 3	202	29 S	5 W	WM	13	SW SE	5	0.3

- 9. Notice of the application for transfer was published on February 13, 2007, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- 10. The Oregon Department of Fish and Wildlife (ODFW) has determined that a fish screening and/or by-pass device is necessary at the new points of diversion to prevent fish from entering the diversions and/or safely transport fish back to the body of water from which the fish were diverted and that the diversions are not currently equipped with an appropriate fish screening and/or by-pass device. The diversions may be eligible for screening cost share funds.
- 11. On July 17, 2007, the Department mailed a copy of the draft Preliminary Determination proposing to approve Transfer Application T-10312 to the applicant. The draft Preliminary Determination set forth a deadline of August 17, 2007, for the applicant to respond. On July 31, 2007, the applicant requested that the Department revise the document, consistent with the revised map as noted in Finding of Fact No. 3, before proceeding with issuance of a Preliminary Determination. On August 6, 2007, Mr. Tenold provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.
- 12. On August 31, 2007 a revised draft Preliminary Determination was emailed to the applicant for review. Stan Tenold responded September 3, 2007, requesting the date for completion of the changes to be changed, to allow 3 to 5 years for development since the two lots are to be sold, and the new buyers will have responsibility for installing the equipment and putting the water to beneficial use. The Department considers the request reasonable and has extended the date for completion, as stated later in this document.
- 13. On September 17, 2007, the Department issued a Preliminary Determination proposing to approve Transfer T-10312 and mailed a copy to the applicant. Additionally, notice of the Preliminary Determination for the transfer application was published on the Department's weekly notice on September 25, 2007, and in The Douglas County Mail newspaper on September 27 and October 4 and 11, 2007, pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notice.

Transfer Review Criteria [OAR 690-380-4010(2)]

14. Water has been used within the last five years according to the terms and conditions of the right, and there is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.

- 15. A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing right were present within the five-year period prior to submittal of Application T-10312.
- 16. The proposed change, as conditioned, would not result in enlargement of the right.
- 17. The proposed change, as conditioned, would not result in injury to other water rights.

Conclusions of Law

The changes in place of use, character of use and additional points of diversion proposed in application T-10312 are consistent with the requirements of ORS 540.505 to 540.580 and OAR 690-380-5000.

Now, therefore, it is ORDERED:

- The changes in place of use, character of use, and two additional points of diversion proposed in application T-10312 are approved.
- Water right certificate 81416 is cancelled. A new certificate will be issued describing that portion of the right not affected by this transfer.
- 3. The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificate 81416 and any related decree.
- 4. The quantity of water diverted at the proposed additional points of diversion, together with that diverted at the original point of diversion, shall not exceed the quantity of water lawfully available at the original point of diversion.
- The former place of use of the transferred portion of the right shall no longer receive water under the right.
- The quantity of water diverted at each of the additional points of diversion for domestic use may occur year-round at a rate not to exceed 0.003 cfs per household on a non-continuous basis. A flow restrictor shall be installed at each of the two additional points of diversion to ensure that the rate is not exceeded.
- Prior to diverting water, the water user shall install a fish screening and/or by-pass device, as appropriate, at the new point of diversion consistent with the Oregon Department of Fish and Wildlife's (ODFW) design and construction standards. Prior to installation, the water user shall obtain written approval from ODFW that the required screen and/or by-pass devices meet ODFW's criteria. Prior to submitting a Claim of Beneficial Use, the water user must obtain written approval from ODFW that the required screening and/or by-pass device was installed to the state's criteria. The water user shall maintain and operate the fish screen and/or by-pass device, as appropriate, at the point of diversion consistent with ODFW's operational and maintenance standards.

- 8. When required by the Department, the water user shall install, maintain and operate an inline flow meter, weir, or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.
- 9. The approved changes shall be completed and full beneficial use of the water shall be made on or before **October 1, 2012**. A Claim of Beneficial Use prepared by a Certified Water Rights Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.
- 10. When satisfactory proof of the completed changes is received, a new certificate confirming the portion of the right transferred will be issued.

Dated at Salem, Oregon this	31	_day of_	October	2007.
\sim				

Phillip C. Ward, Director

Mailing date: NOV 0 8 2007

STATE OF OREGON

COUNTY OF DOUGLAS

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

Stanley E. Tenold P.O. Box 751 Bodega Bay, California 94923

confirms the right to use the waters of NORTH MYRTLE CREEK, tributary to MYRTLE CREEK, for IRRIGATION OF 8.0 ACRES AND DOMESTIC USE FOR ONE FAMILY.

This right was perfected under Permit S-47919. The dates of priority are JULY 13, 1983 FOR 0.069 CUBIC FOOT PER SECOND (CFS) AND AUGUST 11, 1983 FOR 0.036 CFS. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed 0.105 CUBIC FOOT PER SECOND (CFS), BEING 0.100 CFS FOR IRRIGATION AND 0.005 CFS FOR DOMESTIC USE FOR ONE FAMILY, or its equivalent in case of rotation, measured at the point of diversion.

The points of diversion are located as follows:

	DOMESTIC USE FOR ONE FAMILY											
Twp	Twp Rng Mer Sec Q-Q GLo					Survey Coordinates						
29 S	5 W	WM	13	SE SE	6	2235 FEET SOUTH AND 1100 FEET WEST FROM THE E1/4 CORNER OF SECTION 13						

	IRRIGATION										
Twp	Twp Rug Mer Sec Q-Q GLot Survey Coordinates										
29 S	5 W	WM	13	SW SE	5 , 3	2160 FEET SOUTH AND 1715 FEET WEST FROM THE E1/4 CORNER OF SECTION 13					

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to ONE-EIGHTIETH of one cubic foot per second, or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 2½ acre-feet per acre for each acre irrigated during the irrigation season of each year.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use to which this right is appurtenant is as follows:

	IRRIGATION											
Twp	Rng	Mer	Sec	Q-Q	GLot	DLC	Acres					
29 S	5 W	WM	13	NE SE		49	2.1					
29 S	5 W	WM	13	SW SE	5		5.0					
29 S	5 W	WM	13	SE SE	6		0.9					

DC	DOMESTIC USE FOR ONE FAMILY									
Twp	Rng	Mer	Sec	Q-Q	GLot					
29 S	5 W	WM	13	SE SE	6					

This certificate describes that portion of the water right confirmed by Certificate 81416, State Record of Water Right Certificates, NOT modified by the provisions of an order of the Water Resources Director entered October 31, 2007 approving Transfer Application T-10312.

The issuance of this superseding certificate does not confirm the status of the water right in regard to the provisions of ORS 540.610 pertaining to forfeiture or abandonment.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described. The confirmed herein may be made only at times when sufficient water is available to satisfy all prior rights, including rights for maintaining instream flows.

WITNESS the signature of the Water Resources Director, affixed October 31, 2007.

Phillip C. Ward, Director

Email also DD+ Notice to-

Water Right Transfer Checklist

	Transfer '	Т- <u>10312</u>			Trans	fer Special	ist: <u>R</u> A	A-DIP		
	Transfer '	Type: Regu	<u>ılar</u>							
	Applicant	t Name/Ade	dress: Stanle	ey E. Tenold, P	O Box 751, Bod	ega Bay CA	949	<u>23</u>		
-3	Agent Na	me/Addres	s: <u>Todd The</u>	eiss, village@pi	oneer-net.com					
	77.20			J. Ruppert, #11						
/			ne/Address:	7.7	_					
1			ddress: NA	::						
			· · · · · ·	Douglas Coun	ty Planning Den	t Room 10	6 Just	tice Bldg., Roseburg,	OR 97470	
			/Address: N		-,	.,				
	Water R	ights Affec	ted				30			
1	Records	Records	App File	No. or Decree	Permit No.	Certifica	ate	RR/CR Needed	RR/CR Nos.	
] [Marked	Copied	1	Name		No.				
0)			S-65296		S-47919	81416		Yes □ No	83550	
								☐ Yes ☐ No		
) [16					☐ Yes ☐ No		
200 10 10 10 10 10 10 10 10 10 10 10 10 1	Key Dates & Initial Actions									
00/	Rec'd: 2/	/5/07		Proposed Acti	ion(s): APOD	USE & ex	tend:	season for domestic t	ise	
7	Fees Pd:	<u>700</u>		WM District:	<u>15</u>		ODI	FW District:		
2	Initial Notice: 2/13/07 WM Review sent: 2/13/07 ODFW Review sent: 2/13/07									
4	Acknowle	edgement L	Letter Sent	\boxtimes			GW	Review sent: NA		
2	Processin	ıg Dates &	Actions							
3	Deficienc	y Contacts:	: <u>6/4/07</u>					d Due:		
_					100	not requi		.i.		
7		led: 7/17/0		th DPD, or 🔲		Affid of Pub				
	□ ODF v PD Maile		neet sent wi	in DPD, or \square		ast Day Pu Affidavit Re				
		ly Notice:				Reminder D				
					-	tommaor 2	Cuan			
		ary Detern			5 7 -		_			
	0		Files uploa	aded		reliminary l ee Refund l		mination		
	100	PD Cover			1073	emaining R				
			e gned/ ModP	od updated		cilialilling N	cigins			
ſ	DP	D Review ((Optional)		PD Review (Sa	lem)	T	Final Order Revi	ew (Salem)	
8	Reviewer	•			er: PK5		R	leviewer:	D	
	Date:			Date:_	1/14/07			Date: 10-29-67	+1	
1		tor:		Coordin	nator:			Coordinator:	-	
-	Date:				9/16/07			Date: 10/29/07		
	being con additional currently	verted to del PODs. The authorized	omestic use e season for for the irrig	from two new the new domes ation use that is Myewiew).	PODs, and part of stic use is being of being converted Roduction in	of the irrigate thanged to shanged to shanged to share the share t	tion w year r <i>Lhi</i>	nority. Part of the irrigill remain in place, be cound (from the irrigation of the irriging	out have use of	e.
				3 Pages S		inal Order	Signa	ture Date:	m va	ll
	Notice of	rO email'o	to process	ors Dorst	14			10-31	-0/	
				,	/					

Review Checklist	T- <u>10312</u>	Proce	ssor: <u>RA-DIP</u>	
Application				
☐ The type of change is c	learly indicated.			
The application is appro				
Appropriate fees were	paid.	If overpayment, Refu	ınd Request to be sent wi	ith FO
☐ Land use form matches	affected tax lots and i	s signed by proper o	fficial. (from ALL affecte	ed Govt's)
Ditch company, district	and/or BOR, sent a co	opy of the application	n and map, if appropriate	.
All required attachmen	ts received.			
Water right subject to tra	<u>nsfer</u>			
Certificated right or Pro	oof accepted "to the sa	tisfaction"		
☐ The right been exercise	d according to terms &	& conditions of certif	īcate.	
Delivery system has the	e capacity to fully dive	ert the rate/duty of the	e right.	
☐ No information in reco	rd that suggests forfeit	ure.		
No conflicts identified	on the plat cards and p	lat card reports print	ed.	
Affidavits prepared for	rights that need to be	canceled or diminish	ed.	
Application Map				
☐ The map has an origina	l CWRE signature.			
☐ The map size and scale	accurate and appropri	ate per OAR 690-386	0-3100(1)(b)(c)&(d).	
All authorized and prop	oosed POD's/POA's a	nd POU's shown and	clearly labeled.	
☐ Metes and bounds for t	he POD's/POA's are p	properly described or	the map.	
☐ The POD/POA dimens	ions & ¼ ¼ on map m	atch the transfer app	lication and certificate de	escriptions.
Map acres match the ta	bulation on the certific	cate.		
Have final proof maps/	decree maps for the rig	ghts. 🗌 Application	n map matches certificate	FPS.
Have necessary aerial p	hotos.			
Determining the "From"	and "To" Lands <i>(mai</i>	ke working copy of a	pplication and certificat	<u>tes to mark on)</u>
Only the authorized PO	D's/POA's and POUs	to be transferred are	listed.	
Application & certifica	te tabulations match. (Mark on appl. and co	ert. copies and note corre	ections needed)
Marked on certificate the	he acreage being trans	ferred, cancelled and	remaining by 1/4 1/4.	
<u>Ownership</u>				
☐ The deed/ROLI matche	es the <u>"from"</u> lands. ()	Don't need to check '	"to" lands.)	
Have current tax lot ma	p. (If transfer applica	ation is several years	old, contact assessor's o	office)
☐ The applicant is the ow	ner of the "from" land	s.		
All owners on the deed	/ROLI have signed the	application.		
☐ If necessary, there is a	notarized, signed state	ment of consent fron	n landowners other than a	applicant.
☐ If necessary, there is a	copy of written notific	ation to each lien hol	der identified on ROLI.	
Agent has authorization	n to make decisions.			
Evaluation (materials nee	ded for peer reviewe	<u>r in bold)</u>		
application complete	map map	☐ FPS	evidence of use	land-use form
deed/ROLI	certificate	fees paid	well logs	plat card
audit audit	dpd dpd			
Reviews/comments/conditi	ons received?	Watermaster	ODFW 0	3W
Headgate	☐ When in the judgn	nent Prior to	diverting 🔲 Existin	ng and maintain
Measuring Devices	When in the judgn	nent Prior to	diverting 🔲 Existin	ng and maintain
Fish Screen Devices				
Injury: Y N	Enlargement: Y	N		
Conditions to avoid enlarge	ement/injury –			



Water Resources Department

North Mall Office Building 725 Summer Street NE, Suite A Salem, OR 97301-1266 503-986-0900 FAX 503-986-0904

September 17, 2007

Stanley E. Tenold P.O. Box 751 Bodega Bay, CA 94923

SUBJECT: Transfer Application T-10312

Please find enclosed the Preliminary Determination indicating that, based on the information available, the Department intends to approve application T-10312. This document is an intermediate step in the approval process; water may not be used legally as proposed in the transfer application until a Final Order has been issued by the Department. Please read this entire letter carefully to determine your responsibility for additional action.

A public notice is being published in the Department's weekly publication simultaneously with issuance of the Preliminary Determination. The notice initiates a 30-day period in which any person may file either a protest opposing the decision proposed by the Department in the Preliminary Determination or a standing statement supporting the Department's decision.

Because the transfer includes a change in character of use, the applicant is responsible for giving public notice of the transfer changes in a local newspaper having a general circulation in the area of the water right. The notice must be published at least once a week for three consecutive weeks. We have prepared (the notice for you (enclosed). The deadline for individuals to file protests or standing statements is 30 days after the date of last publication. Please have the newspaper insert the date of last publication in the proper place.

After publication, the Department needs to receive an affidavit specifying the dates the notice was published. Please have the newspaper prepare and mail an original affidavit of publication to the Department, to me at the address above by November 2, 2007.

If no protest is filed, the Department will issue a Final Order consistent with the Preliminary Determination. You should receive a copy of the Final Order about 30 days after the close of the protest period.

If a protest is filed, the application may be referred to a contested case provides an opportunity for the proponents and opponents of the decision proposed in the Preliminary Determination to present information and arguments supporting their position in a quasi-judicial proceeding.

Sincerely,

Sorothy J. Pedersen

Field Services Division

ce: David S. Williams, District 15 Watermaster

Todd Theiss, via email

encs

RECEIVED

OCT 15 2007

, L.

Legal Notices

NOTICE OF PRELIMINARY DETERMINATION FOR WATER RIGHT TRANSFER T-10312

T-10312 filed by Stanley E. Tenold, P.O. Box 751, Bodega Bay, California, 94923, proposes a change in point of diversion, place of use, and character of use under Certificate 81416. The right allows the use of 0.026 cfs (priority date July 13, 1983) from a diversion in Sec. 13, T 29 S, R 5 W, W.M. (North Myrtle Creek Basin) for irrigation in Sec. 13. The applicant proposes to add two points of diversion approximately 0.10 and 0.13 mile west (Sec. 13, T 29 S, R 5 W, W.M.); and to change the place of use within Sec. 13, T 29 S, R 5 W, W.M..; and to change the uses. The Water Resources Department has concluded that the proposed transfer appears to be consistent with the requirements of ORS Chapter 540 and OAR 690-380-5000.

Any person may file, jointly or severally, with the Department a protest or standing statement within 30 days after the date of final publication of notice in the Department's weekly notice or of this newspaper notice, whichever is later. A protest form and additional information on filling protests may be obtained by calling (503) 986-0881. The last date of newspaper publication is (Date Of Last Publication). If no protests are filed, the Department will issue a final order consistent with the preliminary determination.

Published Thursday, September 27, October 4 and 11, 2007, in The Douglas County Mail.

AFFIDAVIT OF PUBLICATION

STATE OF OREGON SS. COUNTY OF DOUGLAS

We, Karrie G. Felix or Robert L. Chaney, Sr., being duly sworn, say that we are the owners of The Douglas County Mail.

That said The Douglas County Mail is a weekly newspaper published and issued weekly and regularly at Myrtle Creek, Douglas County, State of Oregon, and is of general circulation in said county and state; that said The Douglas County Mail is made up of four pages or more, of six columns each and with matter of a depth of twenty one and onehalf inches, and has more than 200 bona fide subscribers living within Douglas County, Oregon; that said The Douglas County Mail has been established and regularly and uninterruptedly published in Douglas County, Oregon, at least once a week during a period of more than twelve consecutive months immediately preceding the first publication of the

Water Right Transfer

hereinafter referred to, a printed copy of which is hereto affixed, was published in the entire issue of said newspaper for / successive and consecutive weeks in the following issues:

September 27, 2007
That the said Notice was published in the regular and entire issue of said newspaper during the period and times of publication, and was published in the newspaper and not a supplement.

That the fee actually charged by such newspaper for such publication is \$45.50

Karrie G. Felix or Robert L. Chaney, Sr.

OllounA.


SUBSCRIBED AND SWORN TO before me this 5th day of , 2009.

My Commission Expires _

RECEIVED

OCT 15 2007

WATER RESOURCES DEPT SALEM, OREGON





Water Resources Department

North Mall Office Building 725 Summer Street NE, Suite A Salem, OR 97301-1266 503-986-0900 FAX 503-986-0904

September 17, 2007

Stanley E. Tenold P.O. Box 751 Bodega Bay, CA 94923

SUBJECT: Transfer Application T-10312

Please find enclosed the Preliminary Determination indicating that, based on the information available, the Department intends to approve application T-10312. This document is an intermediate step in the approval process; water may not be used legally as proposed in the transfer application until a Final Order has been issued by the Department. Please read this entire letter carefully to determine your responsibility for additional action.

A public notice is being published in the Department's weekly publication simultaneously with issuance of the Preliminary Determination. The notice initiates a 30-day period in which any person may file either a protest opposing the decision proposed by the Department in the Preliminary Determination or a standing statement supporting the Department's decision.

Because the transfer includes a change in character of use, the applicant is responsible for giving public notice of the transfer changes in a local newspaper having a general circulation in the area of the water right. The notice must be published at least once a week for three consecutive weeks. We have prepared the notice for you (enclosed). The deadline for individuals to file protests or standing statements is 30 days after the date of last publication. Please have the newspaper insert the date of last publication in the proper place.

After publication, the Department needs to receive an affidavit specifying the dates the notice was published. Please have the newspaper prepare and mail an original *affidavit of publication* to the Department, to me at the address above by November 2, 2007.

If no protest is filed, the Department will issue a Final Order consistent with the Preliminary Determination. You should receive a copy of the Final Order about 30 days after the close of the protest period.

If a protest is filed, the application may be referred to a contested case proceeding. A contested case provides an opportunity for the proponents and opponents of the decision proposed in the Preliminary Determination to present information and arguments supporting their position in a quasi-judicial proceeding.

Pd Naticed 9-25-07

Sincerely,

Sorothy J. Pedeksen

Dorothy I. Pedersen

Field Services Division

David S. Williams, District 15 Watermaster

Todd Theiss, via email

encs

cc:

BEFORE THE WATER RESOURCES DEPARTMENT OF THE STATE OF OREGON

In the Matter of Transfer Application)	PRELIMINARY DETERMINATION
T-10312, Douglas County)	PROPOSING APPROVAL OF A
)	CHANGE IN POINT OF DIVERSION,
)	PLACE OF USE, AND CHARACTER
)	OF USE

Authority

ORS 540.505 to 540.580 establishes the process in which a water right holder may submit a request to transfer the point of diversion, place of use, or character of use authorized under an existing water right. OAR Chapter 690, Division 380 implements the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

Stanley E. Tenold P.O. Box 751 Bodega Bay, California 94923

Findings of Fact

Background

- 1. On February 5, 2007, Stanley E. Tenold filed an application to change the place of use, the character of use, and add two additional points of diversion under a portion of Certificate 81416. The Department assigned the application number T-10312.
- 2. On June 21, 2007, Stanley E. Tenold amended the application by providing additional and corrected information:
 - a) Confirming the transfer of 0.8 acre, use of water year-round at a rate not to exceed 0.003 cfs per each of two domestic households on a non-continuous basis, and installation of a flow restrictor for each domestic use;
 - b) Describing how to prevent irrigation on lands withdrawn from irrigation for purposes of the transfer to domestic uses; and,
 - c) Updating the application map to show the correct coordinates of the proposed points of diversion from North Myrtle Creek.
- 3. On August 24, 2007, Stanley E. Tenold further amended the application by providing a map to clarify and confirm the information cited in Finding of Fact No. 2, above.

Pursuant to OAR 690-380-4030, any person may file a protest or standing statement within 30 days after the last date of publication of notice of this preliminary determination.

4. The portion of the right to be transferred is as follows:

Certificate: 81416 in the name of Stanley E. Tenold (perfected under Permit S-47919)

Use: IRRIGATION of 2.1 ACRES Priority Date: JULY 13, 1983

Rate: 0.026 CUBIC FOOT PER SECOND

Limit/Duty: ONE-EIGHTIETH cfs per acre, not to exceed 2.5 acre-feet per acre per year

Source: NORTH MYRTLE CREEK, tributary to MYRTLE CREEK

Authorized Point of Diversion:

POD#	Twp	Rng	Mer	Sec	Q-Q	GLot	Survey Coordinates
*3	29 S	5 W	WM	13	SW SE	5	2160 FEET SOUTH AND 1715 FEET WEST FROM E1/4 CORNER OF SECTION 13

^{*}This existing, authorized POD will be referred to as POD No. 3 for the remainder of this document.

Authorized Place of Use:

IRRIGATION										
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres				
29 S	5 W	WM	13	SW SE	5	2.1				

5. Application T-10312 proposes two additional points of diversion approximately 0.10 mile (POD No. 2) and 0.13 mile (POD No. 1) downstream from the authorized irrigation point of diversion (POD No. 3). The proposed additional points of diversion are located:

POD No.	Twp	Rng	Mer	Sec	Q-Q	GLot	Tax Lot	Survey Coordinates
1	29 S	5 W	WM	13	SW SE	5	201	200 FEET NORTH AND 2380 FEET WEST FROM THE SE CORNER OF SECTION 13
2	29 S	5 W	WM	13	SW SE	5	202	300 FEET NORTH AND 2180 FEET WEST FROM THE SE CORNER OF SECTION 13

- 6. Application T-10312 proposes to change the character of use of 0.8 acre of irrigation use to Domestic Use for two households on Tax Lots 201 and 202.
- 7. Application T-10312 also proposes to change the season of use from the irrigation season to year round use for the two proposed domestic uses. To prevent enlargement of the right or injury to other water rights due to extension of the season of use, the applicant proposes to reduce the maximum rate of diversion and install flow restrictors at each point of diversion, as stated in Finding of Fact No. 2(a).
- 8. Application T-10312 also proposes to change the place of use of the right to:

	DOMESTIC											
POD No.	Tax Lot	Twp	Rng	Mer	Sec	Q-Q	GLot					
1	201	29 S	5 W	WM	13	SW SE	5					
2	202	29 S	5 W	WM	13	SW SE	5					

	IRRIGATION											
POD No.	Tax Lot	Twp	Rng	Mer	Sec	Q-Q	GLot	Acres				
1 and 3	201	29 S	5 W	WM	13	SW SE	5	1.0				
2 and 3	202	29 S	5 W	WM	13	SW SE	5	0.3				

- 9. Notice of the application for transfer was published on February 13, 2007, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- 10. On July 17, 2007, the Department mailed a copy of the draft Preliminary Determination proposing to approve Transfer Application T-10312 to the applicant. The draft Preliminary Determination set forth a deadline of August 17, 2007, for the applicant to respond. On July 31, 2007, the applicant requested that the Department revise the document, consistent with the revised map as noted in Finding of Fact No. 3, before proceeding with issuance of a Preliminary Determination. On August 6, 2007, Mr. Tenold provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.
- 11. On August 31, 2007 a revised draft Preliminary Determination was emailed to the applicant for review. Stan Tenold responded September 3, 2007, requesting the date for completion of the changes to be changed, to allow 3 to 5 years for development since the two lots are to be sold, and the new buyers will have responsibility for installing the equipment and putting the water to beneficial use. The Department considers the request reasonable and has extended the date for completion, as stated later in this document.
- 12. The Oregon Department of Fish and Wildlife (ODFW) has determined that a fish screening and/or by-pass device is necessary at the new points of diversion to prevent fish from entering the diversions and/or safely transport fish back to the body of water from which the fish were diverted and that the diversions are not currently equipped with an appropriate fish screening and/or by-pass device. The diversions may be eligible for screening cost share funds.

Transfer Review Criteria [OAR 690-380-4010(2)]

- 13. Water has been used within the last five years according to the terms and conditions of the right, and there is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- 14. A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing right were present within the five-year period prior to submittal of Application T-10312.
- 15. The proposed change would not result in enlargement of the right.
- 16. The proposed change would not result in injury to other water rights.

Determination and Proposed Action

The changes in place of use, character of use, and additional points of diversion proposed in application T-10312 appear to be consistent with the requirements of ORS 540.505 to 540.580 and OAR 690-380-5000. If protests are not filed pursuant to OAR 690-380-4030, the application will be approved.

If application T-10312 is approved, the final order will include the following:

- 1. The changes in place of use, character of use, and two additional points of diversion proposed in application T-10312 are approved.
- 2. Water right certificate 81416 is cancelled. A new certificate will be issued describing that portion of the right not affected by this transfer.
- 3. The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificate 81416 and any related decree.
- 4. The quantity of water diverted at the proposed additional points of diversion, together with that diverted at the original point of diversion, shall not exceed the quantity of water lawfully available at the original point of diversion.
- 5. The former place of use of the transferred portion of the right shall no longer receive water under the right.
- 6. The quantity of water diverted at each of the additional points of diversion for domestic use may occur year-round at a rate not to exceed 0.003 cfs per household on a non-continuous basis. A flow restrictor shall be installed at each of the two additional points of diversion to ensure that the rate is not exceeded.
- 7. Prior to diverting water, the water user shall install a fish screening and/or by-pass device, as appropriate, at the new point of diversion consistent with the Oregon Department of Fish and Wildlife's (ODFW) design and construction standards. Prior to installation, the water user shall obtain written approval from ODFW that the required screen and/or by-pass devices meet ODFW's criteria. Prior to submitting a Claim of Beneficial Use, the water user must obtain written approval from ODFW that the required screening and/or by-pass device was installed to the state's criteria. The water user shall maintain and operate the fish screen and/or by-pass device, as appropriate, at the point of diversion consistent with ODFW's operational and maintenance standards.
- 8. When required by the Department, the water user shall install, maintain and operate an inline flow meter, weir, or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.

- 9. The approved changes shall be completed and full beneficial use of the water shall be made on or before October 1, 2012. A Claim of Beneficial Use prepared by a Certified Water Rights Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.
- 10. When satisfactory proof of the completed changes is received, a new certificate confirming the portion of the right transferred will be issued.

Dated at Salem, Oregon this 17th day of Aphinton 2007.

Phillip C. Ward, Director

This Preliminary Determination was prepared by a Reimbursement Authority contractor. If you have questions about the information in this document, you may reach Dorothy Pedersen at 503-986-0890 or Dorothy.I.Pedersen@wrd.state.or.us.

Protests should be addressed to the attention of Field Services Division, Water Resources Department, 725 Summer St. NE, Suite A, Salem, OR 97301-1266.

Notice of Preliminary Determination for Water Right Transfer T-10312

T-10312 filed by Stanley E. Tenold, P.O. Box 751, Bodega Bay, California, 94923, proposes a change in point of diversion, place of use, and character of use under Certificate 81416. The right allows the use of 0.026 cfs (priority date July 13, 1983) from a diversion in Sec. 13, T 29 S, R 5 W, W.M. (North Myrtle Creek Basin) for irrigation in Sec. 13. The applicant proposes to add two points of diversion approximately 0.10 and 0.13 mile west (Sec. 13, T 29 S, R 5 W, W.M.); and to change the place of use within Sec. 13, T 29 S, R 5 W, W.M..; and to change the character of use for 0.8 acre of irrigation to two domestic uses. The Water Resources Department has concluded that the proposed transfer appears to be consistent with the requirements of ORS Chapter 540 and OAR 690-380-5000.

Any person may file, jointly or severally, with the Department a protest or standing statement within 30 days after the date of final publication of notice in the Department's weekly notice or of this newspaper notice, whichever is later. A protest form and additional information on filing protests may be obtained by calling (503) 986-0881. The last date of newspaper publication is [DATE OF LAST PUBLICATION]. If no protests are filed, the Department will issue a final order consistent with the preliminary determination.



Water Resources Department

North Mall Office Building 725 Summer Street NE, Suite A Salem, OR 97301-1266 503-986-0900 FAX 503-986-0904

September 17, 2007

Stanley E. Tenold P.O. Box 751 Bodega Bay, CA 94923

SUBJECT: Transfer Application T-10312

Please find enclosed the Preliminary Determination indicating that, based on the information available, the Department intends to approve application T-10312. This document is an intermediate step in the approval process; water may not be used legally as proposed in the transfer application until a Final Order has been issued by the Department. Please read this entire letter carefully to determine your responsibility for additional action.

A public notice is being published in the Department's weekly publication simultaneously with issuance of the Preliminary Determination. The notice initiates a 30-day period in which any person may file either a protest opposing the decision proposed by the Department in the Preliminary Determination or a standing statement supporting the Department's decision.

Because the transfer includes a change in character of use, the applicant is responsible for giving public notice of the transfer changes in a local newspaper having a general circulation in the area of the water right. The notice must be published at least once a week for three consecutive weeks. We have prepared the notice for you (enclosed). The deadline for individuals to file protests or standing statements is 30 days after the date of last publication. Please have the newspaper insert the date of last publication in the proper place.

After publication, the Department needs to receive an affidavit specifying the dates the notice was published. Please have the newspaper prepare and mail an original *affidavit of publication* to the Department, to me at the address above by November 2, 2007.

If no protest is filed, the Department will issue a Final Order consistent with the Preliminary Determination. You should receive a copy of the Final Order about 30 days after the close of the protest period.

If a protest is filed, the application may be referred to a contested case proceeding. A contested case provides an opportunity for the proponents and opponents of the decision proposed in the Preliminary Determination to present information and arguments supporting their position in a quasi-judicial proceeding.

Sincerely,

Sorothy J. Pedersen

Field Services Division

:0\

ce: David S. Williams, District 15 Watermaster

Todd Theiss, via email

encs

BEFORE THE WATER RESOURCES DEPARTMENT OF THE STATE OF OREGON

In the Matter of Transfer Application)	PRELIMINARY DETERMINATION
T-10312, Douglas County)	PROPOSING APPROVAL OF A
)	CHANGE IN POINT OF DIVERSION,
)	PLACE OF USE, AND CHARACTER
)	OF USE

Authority

ORS 540.505 to 540.580 establishes the process in which a water right holder may submit a request to transfer the point of diversion, place of use, or character of use authorized under an existing water right. OAR Chapter 690, Division 380 implements the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

Stanley E. Tenold P.O. Box 751 Bodega Bay, California 94923

Findings of Fact

Background

- 1. On February 5, 2007, Stanley E. Tenold filed an application to change the place of use, the character of use, and add two additional points of diversion under a portion of Certificate 81416. The Department assigned the application number T-10312.
- 2. On June 21, 2007, Stanley E. Tenold amended the application by providing additional and corrected information:
 - a) Confirming the transfer of 0.8 acre, use of water year-round at a rate not to exceed 0.003 cfs per each of two domestic households on a non-continuous basis, and installation of a flow restrictor for each domestic use;
 - b) Describing how to prevent irrigation on lands withdrawn from irrigation for purposes of the transfer to domestic uses; and,
 - c) Updating the application map to show the correct coordinates of the proposed points of diversion from North Myrtle Creek.
- 3. On August 24, 2007, Stanley E. Tenold further amended the application by providing a map to clarify and confirm the information cited in Finding of Fact No. 2, above.

Pursuant to OAR 690-380-4030, any person may file a protest or standing statement within 30 days after the last date of publication of notice of this preliminary determination.

4. The portion of the right to be transferred is as follows:

Certificate: 81416 in the name of Stanley E. Tenold (perfected under Permit S-47919)

Use: IRRIGATION of 2.1 ACRES Priority Date: JULY 13, 1983

Rate: 0.026 CUBIC FOOT PER SECOND

Limit/Duty: ONE-EIGHTIETH cfs per acre, not to exceed 2.5 acre-feet per acre per year

Source: NORTH MYRTLE CREEK, tributary to MYRTLE CREEK

Authorized Point of Diversion:

POD#	Twp	Rng	Mer	Sec	Q-Q	GLot	Survey Coordinates	
*3	29 S	5 W	WM	13	SW SE	5	2160 FEET SOUTH AND 1715 FEET WEST FROM E1/4 CORNER OF SECTION 13	

^{*}This existing, authorized POD will be referred to as POD No. 3 for the remainder of this document.

Authorized Place of Use:

IRRIGATION									
Twp Rng Mer Sec Q-Q GLot Acres									
29 S 5 W WM 13 SW SE 5 2.1									

5. Application T-10312 proposes two additional points of diversion approximately 0.10 mile (POD No. 2) and 0.13 mile (POD No. 1) downstream from the authorized irrigation point of diversion (POD No. 3). The proposed additional points of diversion are located:

POD No.	Тwр	Rng	Mer	Sec	Q-Q	GLot	Tax Lot	Survey Coordinates
1	29 S	5 W	WM	13	SW SE	5	201	200 FEET NORTH AND 2380 FEET WEST FROM THE SE CORNER OF SECTION 13
2	29 S	5 W	WM	13	SW SE	5	202	300 FEET NORTH AND 2180 FEET WEST FROM THE SE CORNER OF SECTION 13

- 6. Application T-10312 proposes to change the character of use of 0.8 acre of irrigation use to Domestic Use for two households on Tax Lots 201 and 202.
- 7. Application T-10312 also proposes to change the season of use from the irrigation season to year round use for the two proposed domestic uses. To prevent enlargement of the right or injury to other water rights due to extension of the season of use, the applicant proposes to reduce the maximum rate of diversion and install flow restrictors at each point of diversion, as stated in Finding of Fact No. 2(a).
- 8. Application T-10312 also proposes to change the place of use of the right to:

DOMESTIC									
POD No.	Tax Lot	Twp	Rng	Mer	Sec	Q-Q	GLot		
l	201	29 S	5 W	WM	13	SW SE	5		
2	202	29 S	5 W	WM	13_	SWSE	5		

IRRIGATION									
POD No.	Tax Lot	Twp	Rng	Mer	Sec	Q-Q	GLot	Acres	
1 and 3	201	29 S	5 W	WM	13	SW SE	5	1.0	
2 and 3	202	29 S	5 W	WM	13	SW SE	5	0.3	

- 9. Notice of the application for transfer was published on February 13, 2007, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
- 10. On July 17, 2007, the Department mailed a copy of the draft Preliminary Determination proposing to approve Transfer Application T-10312 to the applicant. The draft Preliminary Determination set forth a deadline of August 17, 2007, for the applicant to respond. On July 31, 2007, the applicant requested that the Department revise the document, consistent with the revised map as noted in Finding of Fact No. 3, before proceeding with issuance of a Preliminary Determination. On August 6, 2007, Mr. Tenold provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.
- 11. On August 31, 2007 a revised draft Preliminary Determination was emailed to the applicant for review. Stan Tenold responded September 3, 2007, requesting the date for completion of the changes to be changed, to allow 3 to 5 years for development since the two lots are to be sold, and the new buyers will have responsibility for installing the equipment and putting the water to beneficial use. The Department considers the request reasonable and has extended the date for completion, as stated later in this document.
- 12. The Oregon Department of Fish and Wildlife (ODFW) has determined that a fish screening and/or by-pass device is necessary at the new points of diversion to prevent fish from entering the diversions and/or safely transport fish back to the body of water from which the fish were diverted and that the diversions are not currently equipped with an appropriate fish screening and/or by-pass device. The diversions may be eligible for screening cost share funds.

Transfer Review Criteria [OAR 690-380-4010(2)]

- 13. Water has been used within the last five years according to the terms and conditions of the right, and there is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- 14. A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing right were present within the five-year period prior to submittal of Application T-10312.
- 15. The proposed change would not result in enlargement of the right.
- 16. The proposed change would not result in injury to other water rights.

Determination and Proposed Action

The changes in place of use, character of use, and additional points of diversion proposed in application T-10312 appear to be consistent with the requirements of ORS 540.505 to 540.580 and OAR 690-380-5000. If protests are not filed pursuant to OAR 690-380-4030, the application will be approved.

If application T-10312 is approved, the final order will include the following:

- 1. The changes in place of use, character of use, and two additional points of diversion proposed in application T-10312 are approved.
- 2. Water right certificate 81416 is cancelled. A new certificate will be issued describing that portion of the right not affected by this transfer.
- 3. The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificate 81416 and any related decree.
- 4. The quantity of water diverted at the proposed additional points of diversion, together with that diverted at the original point of diversion, shall not exceed the quantity of water lawfully available at the original point of diversion.
- 5. The former place of use of the transferred portion of the right shall no longer receive water under the right.
- 6. The quantity of water diverted at each of the additional points of diversion for domestic use may occur year-round at a rate not to exceed 0.003 cfs per household on a non-continuous basis. A flow restrictor shall be installed at each of the two additional points of diversion to ensure that the rate is not exceeded.
- 7. Prior to diverting water, the water user shall install a fish screening and/or by-pass device, as appropriate, at the new point of diversion consistent with the Oregon Department of Fish and Wildlife's (ODFW) design and construction standards. Prior to installation, the water user shall obtain written approval from ODFW that the required screen and/or by-pass devices meet ODFW's criteria. Prior to submitting a Claim of Beneficial Use, the water user must obtain written approval from ODFW that the required screening and/or by-pass device was installed to the state's criteria. The water user shall maintain and operate the fish screen and/or by-pass device, as appropriate, at the point of diversion consistent with ODFW's operational and maintenance standards.
- 8. When required by the Department, the water user shall install, maintain and operate an inline flow meter, weir, or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.

- 9. The approved changes shall be completed and full beneficial use of the water shall be made on or before October 1, 2012. A Claim of Beneficial Use prepared by a Certified Water Rights Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.
- 10. When satisfactory proof of the completed changes is received, a new certificate confirming the portion of the right transferred will be issued.

Dated at Salem, Oregon this 17th day of Aphmber 2007.

M Phillip C. Ward, Director

This Preliminary Determination was prepared by a Reimbursement Authority contractor. If you have questions about the information in this document, you may reach Dorothy Pedersen at 503-986-0890 or Dorothy.I.Pedersen@wrd.state.or.us.

Protests should be addressed to the attention of Field Services Division, Water Resources Department, 725 Summer St. NE, Suite A, Salem, OR 97301-1266.

RECEIVED

AUG 111983

WATER RESOURCES DEP

22654 Oak Crest Court Cupertino, CA 95014 August 8, 1983

Chris L. Hughes Senior Water Rights Examiner Water Resources Department 555 13th Street N.E. Salem, OR 97310

Reference: File Number 65296

Marga L. Tenold
Margo L. Tenold

Dear Mr. Hughes:


We have returned our original map, your xerox illustrating the area in conflict with existing rights, a new map with the section lines drawn correctly and a corrected application. This should rectify any conflicts concerning the property to be irrigated.

Also, we have decided to file for rights on another small pasture on our land. We have included the map of this new parcel on the corrected map of the original 7.34 acres. We hope this is permissible.

Since the new parcel will bring our total to more than 10 acres we have enclosed a check for \$1.00 for the extra acre. If any additional fees are in order, please notify us.

If there is anything else we must do to retain our priority date or to complete this application please let us know at once.

Sincerely,




P.O.D. 370'N. & 3870' E. From SW Cor. 5.13

STATE OF OREGON WATER RESOURCES DEPARTMENT JUL 13 1983 Application for Permit to Appropriate Surface Water RESOURCES DE SALEM, OREGON

Wer ST	ANLEY E	TENOLO) AND	MARGO	L. TENOLD	
of 2265	4. OAK	CREST	(Name of App	olicant)	UPERTINO	************
	Į.	Mailing Address		,	2-8179 (City)	do hereby
		• •			ters of the State of Oreg	
1. The	source of the proj	posed appropriat	ion isNO	RTH N	NYRTLE	
***************************************	*************************	***************************************	, a tributary	of MYRT	LE CREEK	***********
2 . The p	oint of diversion	is to be located	370 m	N	and 3.8.7.0 ji/-	-
from the	5 W	rnar of 5	-13 .	(N. or S.)	vey Corner)	(E. or W.)
2. Th	e points	of diversion	are to	(Public Land Sur	rey Corner) .d. (1) 350 ft. N. d)	and
1200 ft.	W. from	(If there is more than the SE	one point of diversion,	each must be describe	and (2) 425 ft.	N and
						•
					SE% of the SE	¼ of
	•		•		of DOUGLAS	*************
3. Locai	tion of area to t	be irrigated, or p	place of use ij	f other than ii	rigation.	***************************************
Township	Range	Section	List ¼ ¼	of Section	List use and/or number of acres to be irrigated	
295.	5W	13	SW4	5E 1/4	7.34 ac.	i dom
			SE 1/4	SW 1/4	0.22 ac	-
295	-F W/	13-	S W 1/4	SF 1/4	677	dom
		12			- 6. 1 / ac.	<u>ovr</u>
29 S.	5 W	13	SW 1/4	SE 1/4	7.34 ac. =	1000
29 S.	5 W	13			DOMESTIC	
29 5.	5 W	13			3.61 ac.	
					J. C	
						AMPERINAL AND PROPERTY TO THE TOTAL AND PROP

Form 690-1-0-1-77

94926



Dorothy Pedersen

From:

Stan Tenold [stantenold@yahoo.com]

Sent:

Tuesday, August 14, 2007 10:39 AM

To:

Dorothy Pedersen

Subject: Water Rights Transfer T-10312

Dorothy,

Revision to ation ment

I was able to speak with Bill Ruppert today, he will be home tomorrow and will look at my email request that I sent him.

Below is a statement to confirm what I want to want to achieve with the transfer.

- 1. The portion of the right that is <u>included in the transfer</u> is appurtenant to Tax Lot 201 and Tax Lot 202, in Lot 5 (SW SE) of Section 13, T29S, R5W.
- 2. Tax Lot 201 will use POD #1 for one domestic use, and both POD #1 and POD #3 for the portion of irrigation within the tax lot.
- 3. Tax Lot 202 will use POD #2 for one domestic use, and both POD #2 and POD #3 for the portion of irrigation within the tax lot.
- 4. The acreage within each of these tax lots will be quantified on the map, so that the map will show (with acreage labels and hatchuring patterns):
- a. The acreage in each of the two tax lots that is being converted from irrigation to domestic;
- b. The acreage in each of the two tax lots that is remaining as irrigation, but that will now be accessing additional PODs;
- c. The remaining acreage in each quarter-quarter that is NOT included in the transfer.
- 5. The remaining portion, being ____ acres of irrigation and one domestic use from the original PODs on Certificate 81416, will have no changes, and will be included in a remaining right certificate.

Bill Ruppert will modify the map to make the necessary changes.

Thank you,

Stan Tenold

Dorothy Pedersen

From:

Dorothy Pedersen

Sent:

Tuesday, September 04, 2007 2:01 PM

To:

'Stan Tenold'

Cc:

'village@pioneer-net.com'

Subject:

RE: Water Rights Transfer T-10312 - Tenold

Stan,

We can issue the final order with a completion date of October 1, 2012.

The final order will authorize development of the change and will require the water to be put to beneficial use under the terms of the order by the completion date. Then, the transfer applicant (or person to whom the transfer has been assigned) will be responsible for hiring a Certified Water Right Examiner (CWRE) to prepare a Claim of Beneficial Use and map within one year after the completion date. You may want to do a "partial assignment" of the transfer application to each of the new landowners, if they are to be responsible for developing and "proving up" on the portion of the transfer that is on the property they purchased. The assignment could be done at whatever time you want to hand over responsibility for development to the new person.

The final order will cancel the existing certificate and a "remaining right certificate" will be issued for the portion of the right NOT involved in the transfer. The transferred portion of the right will not have a certificate until the use has been developed (on the two tax lots) and the Claim of Beneficial Use has been reviewed and approved by the Department. The new certificate for the transferred portion will include both of the new properties. The new landowners can work together to hire the CWRE to prepare the map and the Claim of Beneficial Use, or they can each hire their own CWRE to prepare a Claim and map for only the portion on their property. The Department would wait until both parcels have been developed before reviewing the Claim(s).

We will email the notice to Todd and cc: you when the Preliminary Determination is issued.

Have a good trip!

Dorothy

Dorothy Pedersen (503) 986-0890

----Original Message----

From: Stan Tenold [mailto:stantenold@yahoo.com]

Sent: Monday, September 03, 2007 9:27 AM

To: Dorothy Pedersen

Cc: Todd Theiss

Subject: Re: Water Rights Transfer T-10312 - Tenold

Dorothy,

Thank you for your email.

Yes, the completion date is much shorter than I would like. Since the two lots are to be available for sale with domestic water rights it is then upto the buyer to install the equipment. It is important to have the rights in place prior to being able to close escrow, I previously had a sale pending which fell through because of concerns about the approval process. Because of the this and the time to sell, design, and build a home I would like to have a minimum of three years but as much as five.

I believe the draft preliminary determination reflects my desires. When I sell each of the lots is there a separate certificate that is generated or is there a separate certificate at the time of this transfer?

I have copied Todd Theiss on this email. He is willing to have the notice published in

the local paper when it is available. Please email the notice to him and copy me. Please indicate what is required and the necessary timing.

I will be leaving today for Greece and will have email available, I will return Oct 3. Thank you,

Stan Tenold

```
On Aug 31, 2007, at 9:23 AM, Dorothy Pedersen wrote:
> Stan,
> I received the revised draft preliminary determination from the
> contractor (attached). Please review it and let me know if it
> correctly reflects the changes you are proposing.
> Also, please note the date for completion of the changes and
> application of the domestic and irrigation water to beneficial use on
> the new tax lots. If you anticipate that you need more time for
> development, please send us a request for a different date, with an
> explanation of the reason more time will be needed.
> Once I receive your reply, I will proceed to finalize the preliminary
> determination and have it signed and issued with the cover letter and
> notice for the newspaper.
> Thank you,
> Dorothy
> Dorothy Pedersen
 (503) 986-0890
> ----Original Message----
> From: Stan Tenold [mailto:stantenold@yahoo.com]
> Sent: Thursday, August 30, 2007 5:22 PM
> To: Dorothy Pedersen
> Subject: Re: Water Rights Transfer T-10312
>
> Dorothy,
> Just checking on the status of the preliminary determination?
> Thanks,
 Stan
>
>
> <10312-dpd(revised).doc>
```

Dorothy Pedersen

From:

Dorothy Pedersen

Sent:

Friday, August 31, 2007 9:23 AM

To:

'Stan Tenold'

Subject:

RE: Water Rights Transfer T-10312

Attachments:

10312-dpd(revised).doc



10312-dpd(revised) .doc (102 KB...

Stan,

I received the revised draft preliminary determination from the contractor (attached). Please review it and let me know if it correctly reflects the changes you are proposing.

Also, please note the date for completion of the changes and application of the domestic and irrigation water to beneficial use on the new tax lots. If you anticipate that you need more time for development, please send us a request for a different date, with an explanation of the reason more time will be needed.

Once I receive your reply, I will proceed to finalize the preliminary determination and have it signed and issued with the cover letter and notice for the newspaper.

Thank you, Dorothy

Dorothy Pedersen (503) 986-0890

----Original Message----

From: Stan Tenold [mailto:stantenold@yahoo.com]

Sent: Thursday, August 30, 2007 5:22 PM

To: Dorothy Pedersen

Subject: Re: Water Rights Transfer T-10312

Dorothy,

Just checking on the status of the preliminary determination?

Thanks,

Stan



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1271 (503) 986-0900 www.wrd.state.or.us

Watermaster Review Form: Water Right Transfer

Trans	sfer Appl	ication:	T- <u>10312</u>		Revi	ew Due Date:	3/14/07		
Appl	licant Nan	ne: Sta	anley E. Teno	<u>ld</u>					
Prop	Proposed Changes: POU POD POA USE OTHER								
Revi	ewer(s):	David S	S. Williams		Date	of Review:	Feb. 23, 2007		
[Yes	⊠ No on affida	If "Yes", d	escribe the infe	ormation and in	ay be subject to ndicate if you in mine if a cancel	forfeiture? ntend to file a lation affidavit		
<u>1</u>	has involv characteri <u>North My</u>	ed the r ze the fr rtle Cree	ight and down equency of an ek is regulated	nstream water ny regulation o d frequently (p	rights? 🔀 Yes or explain why erhaps 8 out of	right proposed for a 1958 ISW	not occurred: s) for a 1974		
f	from the c	urrent u	se of the right	t? If you os likely occur	check the box,	t from return fl generally chara ter rights that bo	cterize the		
1	Are there Yes most affec	⊠ No	n water rights If "Yes", do	that would be	affected by the rights would	e proposed char be affected and	nge? I list the rights		
C	old and ne	w PODs	s or within the	transfers, chece proposed instante the losses:	tream reach?	are channel los	sses between the the box,		
C	Would dis other wate ☐ Yes	r rights	n of water for that would no If "Yes", ex	ot have occurre	the proposed of the	change result in existing right w	regulation of vas maximized?		
7. F	For POU o	changes,] Yes	would the or \square No	iginal place of N/A If "Y	use continue to es", explain:	o receive water	from the same		
d I	diversion of "Yes", ϵ	of more explain:	water than ca	n be used bene	eficially and wi	CL suffer a st	Yes No		
30 30 g	v space	1. 31.2 (1)	and the second	o II ji ng kata s Kara da maka	THE STREET STATE OF	ar ratifify open to	PECEIVED		

FEB 27 2007

Watermaster Review Form

9.	Are there other issues not identified through the above questions? Yes No If "Yes", explain: 1) The certificate subject to transfer is an irrigation right limited to the irrigation season. How will the applicant obtain domestic water outside the irrigation season? In the past, department practice was to restrict type of use transfers for irrigation rights to the irrigation season. If this policy has changed, it may be appropriate to mitigate for an extended period of use. 2) The "from" acres (0.8 acres) are identified as strips of land along lot lines and North Myrtle Road. It will likely be difficult for new landowners to discontinue irrigating these narrow strips using sprinklers which apply water in circular patterns. 3) The coordinates listed for POD #1 & 2 on the transfer application map are west (not east) from the SE corner of section 13.								
10.				ntified above: 1) In order					
				domestic rights may nee					
				ectangular block. 3) Corr					
	the coordinates i	for POD #1 & 2 to read v	vest and not east from th	e SE corner of section 13	<u>3.</u>				
11.	Have headgate n	otices been issued for th	e source that serves the	right? 🗌 Yes 🛮 🗎 No					
12.	What water cont	rol and measurement con	nditions should be include	ded in the transfer:					
	Measurement	Present and	Should be	May be required					
	Devices	should be	required prior to	in the future.					
	Devices	maintained.	diverting water.						
	Second Co.	Present and	Should be	May be required					
	Headgates	should be	required prior to	in the future.					
		maintained.	diverting water.						

RECEIVED

Transfer Application: T-10312

FEB 27 2007

WATER RESOURCES DEPT SALEM, OREGON

Dorothy Pedersen

From: Dorothy Pedersen

Sent: Tuesday, July 31, 2007 1:01 PM

To: 'Stan Tenold'

Subject: RE: Tenold Water Rights Transfer T-10312

Stan,

Water rights that have been proved up on (have a certificate) automatically go with the property when it is sold to new ownwers, unless a "water right conveyance" agreement of sort states otherwise. Water rights that are in a state of development (such as a transfer that has not yet been proved up on) would need to be assigned to new owners through the "request for assignment" process.

I see from your questions and from looking again at the map, that we may have misinterpreted your intended changes, and therefore may need to modify the statement of what is proposed.

Unless the draft preliminary determination is modified, this is what will result from the transfer:

A remaining right certificate will be issued for 0.116 cfs for irrigation and 0.005 cfs for domestic use from POD #3 (the original POD) for 9.3 acres of irrigation and one domestic: 2.1 ac in NE SE, 6.3 ac in Lot 5 (SW SE), and 0.9 ac and domestic use for one family in Lot 6 (SE S.

You would need to prove up on two domestic uses that would be included in a future certificate:

--0.003 cfs year round from POD #1, POD #2 and POD #3 for one domestic in Parcel 2 of the land partition in Lot 5 (Tax Lot 201), and

--0.003 cfs year round from POD #1, POD #2 and POD #3 for one domestic in Parcel 3 of the land partition in Lot 5 (Tax Lot 202).

If the above description does $\underline{\text{not}}$ reflect what you wish to accomplish, please indicate which of the following options does reflect your wishes, or send a more specific statement of your intent:

- 1. The remaining right certificate will include 0.116 cfs for irrigation and 0.005 cfs for domestic use from POD #3 (the original POD) for 9.3 acres of irrigation and one domestic: 2.1 ac in NE SE, 6.3 ac in Lot 5 (SW SE), and 0.9 ac and domestic use for one family in Lot 6 (SE SE). You would need to prove up on two domestic uses that would be included in a future certificate:
 - --0.003 cfs year round from POD #1, for one domestic in Tax Lot 201 and --0.003 cfs year round from POD #2 for one domestic in Tax Lot 202
- 2. Only the original domestic use will take water from POD #3 exclusively. The remaining right certificate will be only for the original domestic use. All remaining 9.3 acres of irrigation, regardless of tax lot, will have access to all three PODs, and will remain on one certificate, which will also allow 0.003 cfs for each of the two new domestics. You will need to prove up on use of all three PODs for the two new domestic uses, as will as 9.3 acres of irrigation.
- 3. POD #3 will be used exclusively for the original domestic use, as well as for all the irrigation (in all tax lots) and will be on the remaining right certificate. Only the two new domestics will be on the future certificate, each using an assigned POD. You will need to prove up on the domestic use in Tax Lot 201 from POD #1 and the domestic use in Tax Lot 202 from POD #2.
- 4. POD #3 will be used exclusively for the original domestic use, as well as for the irrigation that is NOT in Tax Lots 201 and 202. That will constitute the remaining

right certificate. You will need to quantify the portion of the irrigation use in Tax Lots 201 and 202. You will need to prove up on the irrigation and domestic use in Tax Lot 201 from POD #1, and the irrigation and domestic use in Tax Lot 202 from POD #2.

It is likely that the above is confusing, so feel free to call me at the number below. We may be able to talk things out and come to a common understanding through discussion.

Sincerely,

Dorothy

Dorothy Pedersen (503) 986-0890 ----Original Message---From: Stan Tenold [mailto:stantenold@yahoo.com]
Sent: Tuesday, July 31, 2007 9:20 AM
To: Dorothy Pedersen
Subject: Re: Tenold Water Rights Transfer T-10312

Dorothy,

I did receive the mail copy on Saturday.

I have reviewed the document. Since I plan to sell the individual lots will the domestic water rights be individually numbered so they can be transfered with the lot or how is that accomplished? Also the irrigation water rights which are in my name and include the larger areas, how should they be handled?

I have the title company reports regarding lien and ownership info, should I sent a copy to you?

Thank you,

Stan Tenold

On Jul 25, 2007, at 12:45 PM, Dorothy Pedersen wrote:

```
> Stan,
> Something must be holding up the document in the mail system. We
> mailed
> out the draft preliminary determination and cover letter to you July
> 17th. I have attached it, so you will have the scanned version
> while the
> paper copy is working its way to you in the mail.
> Thank you for following up on this. If you have further questions,
> don't
> hesitate to call or email me.
> Have a good day,
> Dorothy
> Dorothy Pedersen
> (503) 986-0890
> ----Original Message----
> From: Stan Tenold [mailto:stantenold@yahoo.com]
> Sent: Wednesday, July 25, 2007 11:50 AM
> To: Dorothy Pedersen
```

```
> Subject: Tenold Water Rights Transfer T-10312
> Dorothy,
> Following up on your phone message of 7/12/07. I have not yet
> received the preliminary determination regarding the transfer. Is
> there something holding up the document?
> You had also mentioned I will need a Title Company report regarding
> the property. If you can specify what is needed I will request the
> report in anticipation of the need.
> Thank you,
> Stan Tenold
> Stan Tenold
>
```



Water Resources Department

North Mall Office Building 725 Summer Street NE, Suite A Salem, OR 97301-1266 503-986-0900 FAX 503-986-0904

July 17, 2007

Stanley E. Tenold PO Box 751 Bodega Bay CA 94923

SUBJECT: Application T-10312

Enclosed find a draft of our Preliminary Determination regarding transfer application T-10312. The draft Preliminary Determination reflects the Department's conclusion that, based on the information currently available, the transfer will be approved. This draft is intended to provide you with an opportunity to comment on our findings and conclusions should you wish to do so. Please review the draft carefully to evaluate whether the document is consistent with your intent in seeking the transfer, and whether you agree with the proposed action.

The application indicates that the domestic uses will have access to the current point of diversion, as well as the two proposed points of diversion. If that if not your intention, please explain in writing, to clarify which point (or points) of diversion will be authorized for each of the proposed domestic uses.

Because of the change in character of use, the applicant is responsible for publishing notice of the transfer in a local newspaper having a general circulation in the area of the water right. The notice must be published at least once a week for three consecutive weeks. We will provide a copy of the required notice to you on issuance of the Preliminary Determination.

At this time, you must submit a report of ownership and lien information prepared by a title company within the last three months, as required by OAR 690-380-4010(5). If there are additional lienholders identified in the report that have not previously been notified of the transfer, you must send notice of the transfer to them, and submit copies of each such notice to the Department to document that each lienholder has been informed of the transfer.

draft and the report of ownership and lien information. Please submit the information by August 17, where has been provide your response in writing or via e-mail. Please do not hesitate to contact me at 503-986-0890 or Dorothy.I.Pedersen@wrd.state.or.us if you have been guestions.

Sincerely,

we peen appers

get a CURE,

yet from end more to

ne may need more to

Dorothy I. Pedersen Field Services Division

David S. Williams, District 15 Watermaster

Sorothy I. Pedersen

enc

cc:

BEFORE THE WATER RESOURCES DEPARTMENT OF THE STATE OF OREGON

In the Matter of Transfer Application T-10312, Douglas County	DRAFT PRELIMINARY DETERMINATION PROPOSING APPROVAL OF A CHANGE IN POINT OF DIVERSION, PLACE OF USE, AND CHARACTER
) OF USE

Authority

ORS 540.505 to 540.580 establishes the process in which a water right holder may submit a request to transfer the point of diversion, place of use, or character of use authorized under an existing water right. OAR Chapter 690, Division 380 implements the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

Stanley E. Tenold PO Box 751 Bodega Bay CA 94923

Findings of Fact

Background

- 1. On February 5, 2007, Stanley E. Tenold filed an application to change the place of use, the character of use, and add two additional points of diversion under a portion of Certificate 81416. The Department assigned the application number T-10312.
- 2. On June 21, 2007, Stanley E. Tenold amended the application by providing additional and corrected information:
 - a) Confirming the transfer of 0.8 acre, use of water year-round at a rate not to exceed 0.003 cfs per each of two domestic households on a non-continuous basis, and installation of a flow restricter for each domestic use;
 - b) Describing how to prevent irrigation on lands withdrawn from irrigation for purposes of the transfer to domestic uses; and,
 - c) Updating the application map to show the correct coordinates of the proposed points of diversion from North Myrtle Creek.

3. The portion of the right to be transferred is as follows:

Certificate: 81416 in the name of Stanley E. Tenold (perfected under Permit S-47919)

Use: IRRIGATION of 0.8 ACRE Priority Date: JULY 13, 1983

Rate: 0.01 CUBIC FOOT PER SECOND

Limit/Duty: ONE-EIGHTIETH cfs per acre, not to exceed 2.5 acre-feet per acre per year

Source: NORTH MYRTLE CREEK, tributary to MYRTLE CREEK

Authorized Point of Diversion:

Twp	Rng	Mer	Sec	Q-Q	GLot	Survey Coordinates
29 S	5 W	WM	13	SW SE	5	2160 FEET SOUTH AND 1715 FEET WEST
						FROM E1/4 CORNER OF SECTION 13

Authorized Place of Use:

IRRIGATION							
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres	
29 S	5 W	WM	13	SW SE	5	7.10	

4. Application T-10312 proposes to add two points of diversion approximately 0.10 mile and 0.13 mile downstream from the authorized irrigation point of diversion to:

POD#	Twp	Rng	Mer	Sec	Q-Q	GLot	Survey Coordinates
1	29 S	5 W	WM	13	SW SE	5	200 FEET NORTH AND 2380 FEET WEST
							FROM THE SE CORNER OF SECTION 13
2	29 S	5 W	WM	13	SW SE	5	300 FEET NORTH AND 2180 FEET WEST
	<u> </u>			}			FROM THE SE CORNER OF SECTION 13

5. Application T-10312 also proposes to change the place of use of the right to:

DOMESTIC						
Household	Twp	Rng	Mer	Sec	Q-Q	GLot
1	29 S	5 W	WM	13	SW SE	5
2	29 S	5 W	WM	13	SW SE	5

- 6. Application T-10312 proposes to change the character of use to Domestic Use for two households.
- 7. Application T-10312 also proposes to change the season of use from the irrigation season to year round use. To prevent enlargement of the right or injury to other water rights due to extension of the season of use, the applicant proposes to reduce the maximum rate of diversion and install flow restrictors at each point of diversion, as stated in Finding of Fact #2(a).
- 8. Notice of the application for transfer was published on February 13, 2007, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.

9. The Oregon Department of Fish and Wildlife (ODFW) has determined that a fish screening and/or by-pass device is necessary at the new point of diversion to prevent fish from entering the diversion and/or safely transport fish back to the body of water from which the fish were diverted and that the diversion is not currently equipped with an appropriate fish screening and/or by-pass device. This diversion may be eligible for screening cost share funds.

Transfer Review Criteria [OAR 690-380-4010(2)]

- 10. Water has been used within the last five years according to the terms and conditions of the right, and there is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
- 11. A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing right were present within the five-year period prior to submittal of Application T-10312.
- 12. The proposed change would not result in enlargement of the right.
- 13. The proposed change would not result in injury to other water rights.

Determination and Proposed Action

The changes in place of use, the character of use, and add two additional points of diversion proposed in application T-10312 appear to be consistent with the requirements of ORS 540.505 to 540.580 and OAR 690-380-5000. If protests are not filed pursuant to OAR 690-380-4030, the application will be approved.

If application T-10312 is approved, the final order will include the following:

- 1. The changes in place of use, the character of use, and add two additional points of diversion proposed in application T-10312 are approved.
- 2. Water right certificate 81416 is cancelled. A new certificate will be issued describing that portion of the right not affected by this transfer.
- The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificate 81416 and any related decree.
- 4. The quantity of water diverted at the additional points of diversion, together with that diverted at the original points of diversion, shall not exceed the quantity of water lawfully available at the original points of diversion.
- The former place of use of the transferred rights shall no longer receive water under the rights.
- 6. The quantity of water diverted at each of the additional points of diversion may occur year-round at a rate not to exceed 0.003 cfs per household on a non-continuous basis. A flow

restricter shall be installed at each of the two additional points of diversion to ensure that the rate is not exceeded.

- 7. Prior to diverting water, the water user shall install a fish screening and/or by-pass device, as appropriate, at the new point of diversion consistent with the Oregon Department of Fish and Wildlife's (ODFW) design and construction standards. Prior to installation, the water user shall obtain written approval from ODFW that the required screen and/or by-pass device meets ODFW's criteria. Prior to submitting a Claim of Beneficial Use, the water user must obtain written approval from ODFW that the required screening and/or by-pass device was installed to the state's criteria. The water user shall maintain and operate the fish screen and/or by-pass device, as appropriate, at the point of diversion consistent with ODFW's operational and maintenance standards.
- 8. When required by the Department, the water user shall install, maintain and operate an inline flow meter, weir, or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.
- 9. When required by the Department, the water user shall install, maintain and operate a headgate to control and regulate the quantity of water diverted. The type and plans of the headgate must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.
- 10. The approved changes shall be completed and full beneficial use of the water shall be made on or before October 1, 2008. A Claim of Beneficial Use prepared by a Certified Water Rights Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.
- 11. When satisfactory proof of the completed changes is received, a new certificate confirming the portion of the right transferred will be issued.

Dated at Salem, Oregon this	day of	2007.
DRAFT		
Phillip C. Ward, Director	-	

This draft Preliminary Determination was prepared by a Reimbursement Authority contractor. If you have questions about the information in this document, you may reach Dorothy Pedersen at 503-986-0890 or Dorothy, I. Pedersen@wrd.state.or.us.

Contacts for Application T-10312

Applicant:

Stanley E. Tenold PO Box 751 Bodega Bay CA 94923 Phone 650-269-0034 E-mail stantenold@yahoo.com

Agent: - None

Receiving Landowner:

Stanley E. Tenold PO Box 751 Bodega Bay CA 94923 Phone 650-269-0034 E-mail stantenold@yahoo.com

CWRE:

William J. Ruppert – CWRE #115 P.O. Box 1564 Myrtle Creek, OR 97457

District #15 Watermaster - David S. Williams

Local and Tribal Governments:

Douglas County Planning Department Room 106, Justice Building Roseburg, OR 97470


Commenters: None

Irrigation Districts: None


RECEIVED

JUL 12 2007

WATER RESOURCES DEPT SALEM, OREGON



MAP TO ACCOMPANY CLAIM OF BENEFICIAL USE FOR WATER PERMIT 47919, APPL. 65296



WATER RESOURCES DEPT SALEM, OREGON



Water Resources Department

North Mall Office Building 725 Summer Street NE, Suite A Salem, OR 97301-1266 503-986-0900 FAX 503-986-0904

Stanley E. Tenold PO Box 751 Bodega Bay CA 94923

REFERENCE: Transfer T-10312

While examining your water right transfer application, we found some problems that need to be resolved before we can continue processing.

- 1. That 0.8 acre portion of Certificate 81416 proposed to be transferred to domestic use is currently limited to a maximum diversion rate of 0.01 cfs, further limited to no more than 2.5 acre-feet per acre (2.0 acre-feet for 0.8 acre) during an irrigation season. It appears that you want year-round water for your two proposed Domestic uses. To ensure that the change to year round domestic would not result in enlargement of the right or injury to other water rights, the use will require some conditioning. A constant (24/7/365 days per year) diversion rate of 0.005 cfs per domestic use would exceed the annual duty of the right. To avoid injury or enlargement, please select one of the following options:
 - a. Transfer 0.8 acre as proposed; use water <u>year-round</u> at a rate not to exceed 0.003 cfs per domestic customer on a <u>non-continuous</u> basis, and install a flow restricter for each domestic to ensure that the rate is not exceeded.
 - b. Amend the application to propose transfer of 1.3 acres so that each domestic use may be allowed not to exceed 0.005 cfs on a <u>year-round non-continuous</u> basis and install a flow restricter for each domestic.
 - c. Suggest another method of assuring the Department that the domestic use will not exceed the original rate and duty of the irrigation use.
- 2. Your application identifies 0.8 acre to eliminate from irrigation in order to enable the two additional Domestic uses. The practical reality is that it will be difficult for the domestic users to discontinue irrigating these narrow strips of land shown in the application map, especially if sprinklers are used. Please describe how you will prevent irrigation of these strips of land. One approach would be to reconfigure the lands to be "dried up" into a rectangular block, and submit an amended map showing the new geometry.
- 3. The map dated January 26, 2007, accompanying the transfer application describes the coordinates of the proposed POD #1 and #2 as "...'EAST' FROM THE SE CORNER SECTION 13." It appears that the location should be 'WEST.' Please submit a revised map to reflect the correct POD coordinates.
- 4. Note: The original S-65296 water right application and map suggest that the lands proposed for transfer are part of the portion of the place of use that has a priority date of July 13, 1983.

Please submit the above information by July 5, 2007 to Dorothy Pedersen, Water Resources Department, 725 Summer St. NE, Suite A, Salem, OR 97301-1271. If you have any questions, please call me at 503-986-0890.

Sincerely,

Norothey J. Padarsen Dorothy I. Pedersen

Water Rights Transfer Specialist

cc: David S. Williams, Watermaster, District 15 William J. Ruppert, CWRE

MEMO

Date: June 1, 2007

To: File T-10312

From: Dorothy Pedersen

RE: Request to extend season of use to year round

A letter dated March 8, 2007 from Anita Huffman to Stanley Tenold is in the T-10312 file, suggesting that Mr. Tenold may with to modify the T-10312 transfer application to request year round use.

The Watermaster Review by Dave Williams, received February 27, 2007, raises the question of how the Department may require mitigation if allowing a conversion from an irrigation season use to year round use.

I spoke with Dave Williams by phone on June 1, 2007 regarding this issue. He indicated that extending the season could be allowed without injury, provided the rate of diversion was proportionally reduced. A realistic method of avoiding enlargement of the right and ensuring compliance with the reduced rate would be to require installation of a flow restrictor.



Water Resources Department

725 Summer Street NE, Suite A Salem, OR 97301-1271 503-986-0900 FAX 503-986-0904

Notice of Application for Water Right Transfer, Temporary Transfer, or Permit Amendment 02/13/2007

The Department seeks comment on the recently-filed application listed below. Any person may comment on the application. Comments must be received by the Department within 30 days of the date of this notice.

County:

DOUGLAS

Transfer:

10312

Water Right:

CERT 81416

Priority Date:

1983

Name:

STANLEY E TENOLD

Address:

PO BOX 757; BODEGA BAY CA 94923

Change:

USE/APOD

Source:

NORTH MYRTLE CREEK

Authorized APOD: T29S R5W 13

Proposed APOD:

T29S R5W 13

Authorized USE:

IRRIGATION

Proposed USE:

DOMESTIC

The holder of a water right may apply to permanently change an existing water use subject to transfer. A transfer application may involve any of the following changes: Point of diversion or appropriation (POD; POA); Additional point of diversion or appropriation (APOD; APOA); Historic POD (HIST); Place of use (POU); Character of use (USE); Instream (ISWR); Substitution (SUB); or Exchange (EXCH).

The holder of a water right subject to transfer may request to temporarily change the place of use of the water for up to 5 years and, if necessary to convey the water, to temporarily change the point of diversion or appropriation.

The holder of a water right permit may apply to change a point of diversion (POD) or appropriation (POA) or to change the place of use (POU).

Any person who provides comments within the comment period will receive a copy of the Department's preliminary determination of whether the application should be approved or rejected after the Department has completed a review of the application and will be provided an opportunity to protest the application and preliminary determination at that time. The Director may presume that the transfer would be allowed by, and compatible with comprehensive plans unless an affected local government informs the Director otherwise within 30 days of this notice. Comments should be sent to the Transfers Section at the Department's Salem office.

File delivered to Data Center onMAR	2 1 2007
Please deliver file back to Sarah by	<u> </u>
Comments	-
Thank you!	

*





Water Resources Department
North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

March 8, 2007

STANLEY TENOLD PO BOX 751 BODEGA BAY, CA, 94923

REFERENCE FILE: S-86427

Dear Mr. Tenold:

I am following up our telephone conversation of yesterday, March 7, 2007. I want to clarify the current status of your application to use surface water (S-86427) and your pending transfer (T10132).

T-10312

The Department issued a proposed final order on January 10, 2006 for application S-86427, proposing to issue a permit for Domestic Use for two households, limited to human consumption April 1 through December 31 of each year. Upon further review, in August, 2006, the Department determined that water is not available for any use at all during the month of August of each year, and you were given the opportunity to place your application on administrative hold while pursuing a transfer of water rights from an existing certificate on another property. The transfer would allow the use of water during August.

I have spoken with Dorothy Pedersen of the Transfer Section of our Department and she has indicated that you may wish to make modifications to your transfer application to cover year round domestic use from your irrigation use that is certificated currently. If you chose this option, then you could withdraw application S-86427 all together.

At this time, the opportunity for refund of examination fees for application S-86427 has passed. You paid \$500 in examination fees for this application. In addition, you paid \$250 toward permit recording fees. The permit recording fees will be refunded if you withdraw application S-86427. You may request the Director refund \$450 in examination fees for the application, since the proposed final order was in error and you did not have an opportunity to protest the error. I can't say if the examination fees will be refunded, but you may certainly request that.

Dorothy has informed me that your transfer application will not be processed for quite some time. She would be happy to speak to you about options for using the reimbursement authority program if you would like to expedite processing of the transfer. I suggest you contact Dorothy about options for using water year round under the transfer.

TENOLD-S-86427 Page 2

At this time, you have an administrative hold for application S-86427 that expired February 7, 2007. If you would like to continue the administrative hold, you must indicate what action you propose to take in regard to this application. You have the following options:

- 1. Request to continue the administrative hold while you pursue transfer T-10132 for a partial season transfer to cover the months when water is not available for domestic use under application S-86427. Once the transfer is approved, the Department can issue a final order and permit for application S-86427. No fees would be refunded, nor would any additional fees be required for this application.
- 2. Modify transfer T-10132 to cover full year human consumption use for the property requested under S-86427; and withdraw application S-86427. Withdrawal of S-86427 will result in a refund of \$250 in permit recording fees. You may also request a refund of examination fees from the Director.
- 3. Do nothing, which will cause the Department to issue a final order to deny application S-86427. You will receive a refund of \$250 permit recording fees.

I hope this clarifies your options and answers your question about what monies may be due you.

Please feel free to call me at 503-986-0815 with questions about application S-86427, or Dorothy Pedersen at 503-986-0890 for questions about the transfer T-10132.

Sincerely,

Anita Huffman

Water Rights Caseworker Water Rights Division

cc:

Watermaster District 16
Dorothy Pedersen, WRD
File



Water Resources Department

North Mall Office Building 725 Summer Street NE, Suite A Salem, OR 97301-1266 503-986-0900 FAX 503-986-0904

February 13, 2007

STANLEY E TENOLD PO BOX 751 BODEGA BAY CA 94923

Reference: Transfer 10312

On February 5, 2007 we received your water right transfer application requesting use, and an additional point of diversion change for use of water from NORTH MYRTLE CREEK, tributary to MYRTLE CREEK. The application was accompanied by \$700. Our receipt 86111 is enclosed.

By copy of this letter, we are asking the Watermaster for his report regarding the potential for injury to existing water rights which may be caused by the change.

Your application will be examined to determine if additional information is needed. You will be contacted following this examination. A number of other transfer applications are also awaiting review. As a result, it may be some time before we are able to process your application. If you wish to have your application processed more quickly, you may want to consider use of the Department's reimbursement authority. Under this authority an applicant may receive expedited review by paying the full cost for a pre-qualified contractor to process the applications. For more information on the Reimbursement Authority program, see our website at http://www.wrd.state.or.us/OWRD/mgmt_reimbursement.shtml or call the transfer section.

Except as provided under ORS 540.510(3) for municipalities, you may not use water for the new use, in the new place of use or from the new point of diversion until the transfer application has been approved. In order to avoid any possible forfeiture of the water right, you should continue to use the water as described by your existing water right. If the land is sold before the transfer is approved, the buyer's consent to the transfer will be required unless a recorded deed or other legal document clearly established that the water right was not conveyed in the sale.

We will notify you if additional information or corrections to the application or map are required.

If you have any questions, please call the Transfer Section, (503)986-0883.

cc: Watermaster #15

William Ruppert, CWRE #115

Sam Moyer, ODFW

enclosure

mm . a thrown to Arrest Arrest A	rates		98
TRANSFER CHECK OFF LI	8T) ·	
TRANSFER FILE # DATE RECEIVED DATE MONEY SLIPPED DATE RECEIPTED VALID WATER RIGHT? TEMP ALT AC TEMP Div 15	7-1050 2-5-07 2-5-07 2-5-07 X Yes IRR DIST_ ISWR	_No PERM AMEND(DIV 15
LETTER FROM ATTORNEY	YES (PU	T INFO ON FRONT COVER)	NO
FOLDER FILLED OUT*	Jes yes	-	
ENTERED IN DB	yes		¥
		≈ 30°	2
CONTENTS MARKED	yes -		
COLOR CODED	Yes _		
4 COPIES MADE & STAMPE			
CERTIFICATE MARKED CERTIFICATE COPIED PULL APPLICATIONS	Yes Yes Yes		
APP FOLDER MARKED	yes	_	
PINAL PROOF MAP COPIED	yes	_	
PBRMIT MARKED	no	_ *	
PERMIT COPIED		=	
PERMIT MAP COPIED		- -	
DECREE MARKED		-	
DECREE COPIED		- ^y	
ADJUDICATION MAP COPIE	3D	_	er.
NITRIES CHECKED			_ INIT FOLDBR
PUBLIC NOTICE DATE		(PREPARED & COPIED) /	
LETTER SENT	yes	Irrigation District (cop	y of app & map)
COPY TO WM	Yes	<u> </u>	
BLUE FORM TO WM	yes	Orange Perm Amend/Yellow Ter	7 .
COPY TO GW		POA, APOA, or [SW TO GW ONI	1.00
LUB FORM TO GW	no	Orange Perm Amend/Yellow Ter	np/Grn Dist/Lav Alt Acr/pink hi
COPY TO CWRE	yes		Elly and a respect to the support and the supp
BTTER TO ODFW	yes	ALL Surface water POU/USE (PO)	
ANSFER SENT TO:	SW drawly	C SW NCR SCR BI	R

June 18,2007 PO Box 751 Bodega Bay, CA 94923

Dorothy Pedersen Water Rights Transfer Specialist Water Resources Dept 725 Summer Street NE, Suite A Salem, OR 97301-1266

Re: Transfer T-10312, letter June 4,2007

Dear Dorothy;

Thank you for the letter of June 4,2007.

JUN 2 1 2007
WATER RESOURCES DEPT
SALEM OREGON

I wish to select option 1. a.

Regarding point 2, on the North side of each of the parcels an access road will be constructed that will not require irrigation. On the West side of the parcels the narrow strips will not be irrigated per the restriction of the water rights.

Regarding point 3, William Ruppert, CWRE will submit a revised map.

If there are questions I can be reached at 707 875 9453.

Sincerely,

Stan Tenold

Cc: William Ruppert, CWRE



Water Resources Department

North Mall Office Building 725 Summer Street NE, Suite A Salem, OR 97301-1266 503-986-0900 FAX 503-986-0904

Stanley E. Tenold PO Box 751

Bodega Bay CA 94923

REFERENCE: Transfer T-10312

While examining your water right transfer application, we found some problems that need to be resolved before we can continue processing.

- 1. That 0.8 acre portion of Certificate 81416 proposed to be transferred to domestic use is currently limited to a maximum diversion rate of 0.01 cfs, further limited to no more than 2.5 acre-feet per acre (2.0 acre-feet for 0.8 acre) during an irrigation season. It appears that you want year-round water for your two proposed Domestic uses. To ensure that the change to year round domestic would not result in enlargement of the right or injury to other water rights, the use will require some conditioning. A constant (24/7/365 days per year) diversion rate of 0.005 cfs per domestic use would exceed the annual duty of the right. To avoid injury or enlargement, please select one of the following options:
 - a. Transfer 0.8 acre as proposed; use water <u>year-round</u> at a rate not to exceed 0.003 cfs per domestic customer on a <u>non-continuous</u> basis, and install a flow restricter for each domestic to ensure that the rate is not exceeded.
 - b. Amend the application to propose transfer of 1.3 acres so that each domestic use may be allowed not to exceed 0.005 cfs on a <u>year-round non-continuous</u> basis and install a flow restricter for each domestic.
 - c. Suggest another method of assuring the Department that the domestic use will not exceed the original rate and duty of the irrigation use.
- 2. Your application identifies 0.8 acre to eliminate from irrigation in order to enable the two additional Domestic uses. The practical reality is that it will be difficult for the domestic users to discontinue irrigating these narrow strips of land shown in the application map, especially if sprinklers are used. Please describe how you will prevent irrigation of these strips of land. One approach would be to reconfigure the lands to be "dried up" into a rectangular block, and submit an amended map showing the new geometry.
- 3. The map dated January 26, 2007, accompanying the transfer application describes the coordinates of the proposed POD #1 and #2 as "...'EAST' FROM THE SE CORNER SECTION 13." It appears that the location should be 'WEST.' Please submit a revised map to reflect the correct POD coordinates.
- 4. Note: The original S-65296 water right application and map suggest that the lands proposed for transfer are part of the portion of the place of use that has a priority date of July 13, 1983.

Please submit the above information by July 5, 2007 to Dorothy Pedersen, Water Resources Department, 725 Summer St. NE, Suite A, Salem, OR 97301-1271. If you have any questions, please call me at 503-986-0890.

Sincerely,

Dorottey J. Pedersen Dorothy I. Pedersen

Water Rights Transfer Specialist

cc: David S. Williams, Watermaster, District 15
William J. Ruppert, CWRE

REVISED

MAP ENCLOSED

Wilson Jangaran

RECEIVED

JUN 27 2007

SALEM OREGON

STATE OF OREGON

WATER RESOURCES DEPARTMENT

RECEIPT # 86111

725 Summer St. N.E. Ste. A SALEM, OR 97301-4172

INVOICE # _

		(503) 986-09	00 / (503) 986-0904 (fax	9)	
RECEIVED FRO	om: Stan	Tenolo		APPLICATION	
BY:				PERMIT	
		The same		TRANSFER	T-10312
CASH: (OTHER: (IDENT	TFY)		
	X 18718			TOTAL REC'D	\$ 700.00
1083	TREASURY	4170 WI	RD MISC CASH A	CCT	
	COPIES		12 11100 0710117		\$
0407		DENTIFY)			\$
					Ψ
0243 I/S L	0244	Muni Water Mg	gmt. Plan 024	45 Cons. Water	
		4270 WF	RD OPERATING	ACCT	
	MISCELLANEOUS				
0407	COPY & TAPE FEE				\$
0410	RESEARCH FEES				\$
0408	MISC REVENUE:				\$
TC162	DEPOSIT LIAB. (II		-		\$
0240	EXTENSION OF T	ME			\$
	WATER RIGHTS:		EXAM FEE		RECORD FEE
0201	SURFACE WATER		\$	0202	\$
0203	GROUND WATER		\$	0204	\$
0205	TRANSFER		\$ 700		
	WELL CONSTRUC	TION	EXAM FEE		LICENSE FEE
0218	WELL DRILL CON	STRUCTOR	\$	0219	\$
	LANDOWNER'S P	ERMIT		0220	\$
	OTHER	(IDENTIFY)			
0500	TREACHRY	0407 14/1	THE CONICT STA	DT FFF	
			ELL CONST. STA	RIFEE	
0211	WELL CONST STA		\$	CARD#	
0210	MONITORING WE	LS	\$	CARD#	
	OTHER	(IDENTIFY) _			
0607	TREASURY	0467 HY	DRO ACTIVITY	LIC NUMBER	
0233	POWER LICENSE	FEE (FW/WRD)			\$
0231	HYDRO LICENSE I	EE (FW/WRD)			\$
	HYDRO APPLICAT	ION			\$
	TDEACHDY	OT	HED / DDV		
	TREASURY	UI	HEN/NUX		
FUND		TITLE			
OBJ. COD	E	VENDOR #			THE REAL PROPERTY.
DESCRIPT	TION	and a second			\$

DATED: 2-5-67 BY: Amus Ellahir

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

86111

RECEIPT:



Application for Water Right Transfer

Please type or print legibly in dark ink. If your application is incomplete or inaccurate, we will return it to you. If any requested information does not apply to your application, insert "N/A" to indicate "Not Applicable." As you complete this form, please refer to notes and guidance included on the application. A summary of review criteria and procedures that are generally applicable to these applications is available at www.wrd.state.or.us/OWRD/PUBS/forms.shtml.

	1. TYPE OF TR	ANSFER APPLIC	ATION			
	Please check one					
	 ✓ Permanent Transfer ☐ Temporary Transfer ◆ total number of years:	Per D Tin	n Transfer manent ne-Limited t Transfer			
	2. APPLICA	NT INFORMATION	ON			
Stanley E. Te	nold					
Builley D. 10	First	Last				
PO Box 751						
Bodega Bay	CA		94923			
	City	State	Zip			
650-269-0034			W-02-11-02			
	Home	Work	Other			
Fax:		E-Mail addres	ss: stantenold@yah	oo.com		
	2 ACENT	Γ INFORMATION	,			
(The agent li	sted is authorized to represent the a			application.)		
Name: NA	·	.,				
Name. NA	First	Last				
Address:				RECEIVED		
				FEB 0.5 2007		
	City	State	Zip			
Phone:				WATER RESOURCES DE		
	Home	Work	Other	SALEM, OREGON		
Fax:		E-Mail addres	s:			
☐ Please s	is listed above, please check gend all correspondence to Agenteend all correspondence to Appli	t. Send copies of corre	espondence to Applic			

4. PROPOSED CHANGE(S) TO WATER RIGHT(S)

_	Application	on / Decree	Permit / Prev	ious Transfer	Certifica	nte
1.			47919	,	81416	
2.						
3.						
4.						
			-			
5.			+			
6.						
Check	all proposed	d change(s)	included in this	transfer applic	ation:	
□ P1:	ace of Use	ПР	Point of Diversion	n ⊠A	dditional Point of	f Diversion
⊠ C	haracter of	Use □ P	Point of Appropri	iation \square A	dditional Point of	Appropriation
□ In:	stream Tran	sfer \square S	Surface Water so	urce to Ground	Water source	
200						• •
Reason	(s) for chan	ge(s): To c	onvert 0.8 acres	from irrigation	on to domestic use	e.2 houses
						SPAR
						HEUE
						RECE
			V. (TED DEV III)	ZDDV QVQTE		FEB 05
		5. V	VATER DELIV	ERY SYSTE	M	FEB 05
Descrit	oe the <i>curre</i>	2.			M t <i>was in place</i> at s	FEB 05
vithin i	the last 5 ye	nt water de	livery system <u>or</u> e information on	the system tha	t was in place at s nals, pipelines an	FEB 0 5 WATER RESOL SALEM, O some time d sprinklers
<i>vithin i</i> ised to	the last 5 ye divert, con	nt water del ars. Includ	livery system <u>or</u> e information on ly the water at th	the system that the pumps, can ne authorized p	t was in place at s nals, pipelines an lace of use. If the	FEB 0 5 WATER RESOL SALEM, O some time d sprinklers e transfer
<i>vithin i</i> ised to nvolve	the last 5 ye divert, con s multiple r	nt water delars. Includivey and app	livery system <u>or</u> e information on oly the water at thave independent	the system that the pumps, can be authorized parties, descrip-	t was in place at s nals, pipelines an lace of use. If the ibe each system s	WATER RESOL SALEM, O some time d sprinklers e transfer eparately.
vithin in used to nvolve	the last 5 ye divert, consist multiple references the description	nt water delars. Includivey and apprights that ha	livery system <u>or</u> e information on only the water at the ave independent to demonstrate	the system that the pumps, can authorized properties systems, description that the full quar	t was in place at s nals, pipelines an lace of use. If the ibe each system s nity of water to be tra	WATER RESOL SALEM, O some time d sprinklers e transfer eparately.
vithin is used to nvolve Ti be	the last 5 ye divert, constant is multiple references the description is conveyed fro	nt water delars. Includivey and apprights that had must be suffice the authorism.	livery system <u>or</u> e information on only the water at the ave independent to demonstrate	the system that the pumps, can be authorized properties, description that the full quantied at the authorities.	t was in place at s nals, pipelines an lace of use. If the ibe each system s	WATER RESOL SALEM, O some time d sprinklers e transfer eparately.
vithin is used to nvolve Ti be ap	the last 5 ye divert, constant is multiple references the description is conveyed fro	nt water delars. Includivey and appights that has must be sufficed by willing, and and willing, and and water delay, willing, and and water delay.	livery system <u>or</u> e information on oly the water at the ave independent cient to demonstrate zed source and applied able to exercise the	the system that the pumps, can eauthorized properties, description that the full quartied at the authorities at the right.	t was in place at s nals, pipelines an lace of use. If the ibe each system s atity of water to be tra zed location and that	WATER RESOL SALEM, O some time d sprinklers e transfer eparately.
vithin is used to nvolve The be ap p infor	the last 5 ye divert, constant is multiple references and the conveyed from opplicant is read mation	nt water de ars. Includ vey and appights that ha must be suffice m the authorisedy, willing, and Serial Numb	livery system <u>or</u> e information on bly the water at the ave independent cient to demonstrate zed source and apple and able to exercise the	the system that the pumps, can authorized properties and the full quantied at the authorities right.	t was in place at some place at some place of use. If the libe each system so that of water to be traced location and that Discharge size	WATER RESOL SALEM, O some time d sprinklers e transfer eparately. ansferred can the
vithin in used to nvolve The bear of the printer of	the last 5 ye divert, constant in the last 5 ye divert, constant is rearmation	nt water delars. Includivey and appights that had must be sufficient the authority, willing, and Serial Number Cat #1220	livery system <u>or</u> e information on bly the water at the ave independent cient to demonstrate zed source and apple and able to exercise the	the system that the pumps, can authorized properties and the full quantied at the authorities right.	t was in place at s nals, pipelines an lace of use. If the ibe each system s atity of water to be tra zed location and that	WATER RESOL SALEM, O some time d sprinklers e transfer eparately.
vithin is used to nvolve The be ap p infor	the last 5 ye divert, constant is multiple references and the conveyed from opplicant is read mation	nt water delars. Includivey and applicates that has must be sufficient the authorizedy, willing, and Serial Number Cat #1220	livery system <u>or</u> e information on bly the water at the ave independent cient to demonstrate zed source and apple and able to exercise the	the system that the pumps, can authorized properties and the full quantied at the authorities right.	t was in place at some place at some place of use. If the libe each system so that of water to be traced location and that Discharge size	WATER RESOL SALEM, O some time d sprinklers e transfer eparately. ansferred can the
vithin in sed to nvolve The bear of the printer of	the last 5 ye divert, convex multiple reference conveyed from the policient is rearmation Model 130-150 gpm	nt water delars. Includivey and appights that had must be sufficient the authority, willing, and Serial Number Cat #1220	livery system <u>or</u> e information on bly the water at the ave independent cient to demonstrate zed source and apple and able to exercise the	the system that the pumps, can authorized properties, description that the full quartied at the authorities right.	t was in place at some place at some place of use. If the libe each system so that of water to be traced location and that Discharge size	WATER RESOL SALEM, O some time d sprinklers e transfer eparately. ansferred can the
vithin is a sed to nvolve The bear apprinted in the printer in th	the last 5 ye divert, convex multiple respectively and the description explicant is rearmation Model 130-150 gpm	nt water delars. Includivey and appights that has must be sufficient the authority, willing, and Serial Numb Cat #1220 03-0001-1741-	livery system <u>or</u> e information on oly the water at the ave independent cient to demonstrate zed source and apple and able to exercise the oer Type 19- Centrifuga	the system that the pumps, can be authorized properties, descripted at the full quanties at the authorishe right. Intake size al 2"	t was in place at sinals, pipelines and acceptage of use. If the ibe each system so tity of water to be traced location and that Discharge size 1.5"	WATER RESOL SALEM, O some time d sprinklers e transfer eparately. ansferred can the
vithin in sed to nvolve The apprinted in the second in th	the last 5 ye divert, convex multiple reference conveyed from the policient is rearmation Model 130-150 gpm	nt water delars. Includivey and applicates that has must be sufficient the authorised, willing, and Serial Number Cat #1220 03-0001-1741-	livery system <u>or</u> e information on oly the water at the ave independent cient to demonstrate zed source and appl and able to exercise the oer Type 19- Centrifugation	the system that the pumps, can be authorized properties, descripted at the full quantied at the authorishe right. Intake size al 2"	t was in place at some place at some place of use. If the ibe each system so that of the place of use and that the place of use and the place of use. If the place of use are placed on the place of use and the place of use and the place of use. If the place of use are placed on the place of use and the place of use are placed on the placed of use and the placed of use are placed on the placed on the placed on the placed of use are placed on the	WATER RESOL SALEM, O some time d sprinklers e transfer eparately. ansferred can the
vithin is a sed to nvolve The bear of information in the sed of t	the last 5 ye divert, convex multiple respectively and the description explicant is rearmation Model 130-150 gpm	nt water delars. Includivey and appights that has must be sufficient the authority, willing, and Serial Numb Cat #1220 03-0001-1741-	livery system <u>or</u> e information on oly the water at the ave independent cient to demonstrate zed source and apple and able to exercise the oer Type 19- Centrifuga	the system that the pumps, can be authorized properties, descripted at the full quantied at the authorishe right. Intake size al 2"	t was in place at some place at some place of use. If the ibe each system so that of the place of use and that the place of use and the place of use. If the place of use are placed on the place of use and the place of use and the place of use. If the place of use are placed on the place of use and the place of use are placed on the placed of use and the placed of use are placed on the placed on the placed on the placed of use are placed on the	WATER RESOL SALEM, O some time d sprinklers e transfer eparately. ansferred can the
vithin is ased to nvolve The bear of information in the last or a second control of the last of the la	the last 5 ye divert, convex multiple respectively and the description explicant is rearmation Model 130-150 gpm	nt water delars. Includivey and applicates that has must be sufficient the authorised, willing, and Serial Number Cat #1220 03-0001-1741-	livery system <u>or</u> e information on oly the water at the ave independent cient to demonstrate zed source and apple and able to exercise the oer Type 19- Centrifugation ower Max 3450	the system that the pumps, can eauthorized properties at the full quantied at the authorithe right. Intake size at 2" RPM Voltago ? 3 P.	t was in place at some place at some place of use. If the ibe each system so that of the place of use and that the place of use and the place of use. If the place of use are placed on the place of use and the place of use and the place of use. If the place of use are placed on the place of use and the place of use are placed on the placed of use and the placed of use are placed on the placed on the placed on the placed of use are placed on the	WATER RESOL SALEM, Of SALEM, Of Some time disprinklers transfer eparately. Some time disprinklers transfer ep

6. EVIDENCE OF BENEFICIAL WATER USE

- Attach one or more Evidence of Use Affidavits (Supplemental Form B) demonstrating that each of the right(s) involved in the transfer have been exercised in the last five years in accordance with the terms and conditions of the right or that a presumption of forfeiture for non-use could be rebutted. The Evidence of Use Affidavit(s) must include supporting documentation such as the following:
 - ▶ Copies of receipts from sales of irrigated crops or for expenditures relating to use of water;
 - ▶ Records such as Farm Service Agency crop reports, irrigation district records, an NRCS farm management plan, or records of other water suppliers;
 - ▶ Dated aerial photographs of the lands or other photographs containing sufficient detail to establish location and date of the photograph; or
 - ▶ If the right has **not** been used during the past five years, documentation that the presumption of forfeiture would be rebutted under ORS 540.610(2).

	7. AFFECTED DISTRICTS AND LOCAL GOVERNMENTS
L	Are any of the water rights proposed for transfer located within or served by an irrigation or other water district? \square Yes \boxtimes No
	Will any of the water rights be located within or served by an irrigation or other water district after the proposed transfer? \square Yes \boxtimes No
ľ	Is water for any of the rights supplied under a water service agreement or other contract for stored water with a federal agency or other entity? \square Yes \boxtimes No
	If "Yes", for any of the above, list the name and mailing address of the district, agency and/or entity:
	NA
	List the name and mailing address of all affected local governments (e.g., county, city, municipal corporation, and tribal governments within whose jurisdiction the rights are located).
	Douglas County Planning Dept.
	Room 106, Justice Building
	Roseburg, OR 97470 FEB 0 5 2007

WATER RESOURCES DEPT SALEM, OREGON

I 10312 FS Transfer Application/3

8. LAND OWNERSHIP

	Does the applicant own the lands FROM which the right is being transferred? ⊠ Yes □ No					
	If "No", provide the following information. For Temporary Transfers, also include a <u>notarized statement granting consent</u> to the transfer from <u>each</u> of the landowners:					
	Names of Current Landowner(s): NA					
	Address:	irst	Last			
	City	State	Zip			
	 Does the applicant own the lands TO which 	h the right is being tra	nsferred?			
	⊠ Yes □ No □] N/A - <i>not applicable</i>	TO INSTREAM TRANSFERS			
	If "No", provide the following information: Names of Receiving Landowner(s): NA					
	Address:	rst	Last			
	City	State	Zip			
	• Check <u>one</u> of the following:					
	☐ The receiving landowner will be responsible for completion of the proposed changes after the final order is issued. All notices and correspondence should be sent to this landowner.					
	□ The applicant will remain responsible for completion of changes. Notices and correspondence should continue to be sent to the applicant and applicant's agent.					
	☐ N/A. (Not applicable. Application is for	or an Instream Water R	ight Transfer.)			

RECEIVED

FEB 05 2007

WATER RESOURCES DEPT SALEM, OREGON

9. ATTACHMENTS

Check each of the following attachments included with this application. The application will be returned if all required attachments are <u>not</u> included.

 Supplemental Form A – Description of Proposed Change(s) to a Water Right	Land Use Information Form: ☐ Enclosed; or ☐ Not Required if all of the following are met: ① In EFU zone or irrigation district, ② Change in place of use only, ③ No structural changes needed, including diversion works, delivery facilities, other structures, and ④ Irrigation only. Fees: ☐ Amount enclosed: \$ See the Department's Fee Schedule at www.wrd.state.or.us or call (503) 986-0900.
□ The Evidence of Use Affidavit must be accompanied by supporting documentation.	Instream Water Right Transfers, also include:
Map	Supplemental Form C − Instream Water Right Transfer Complete this form to describe the desired nature and attributes for the proposed instream water right.
 □ Temporary Transfer or Historical POD Change A map meeting the requirements of OAR 690-380-3100 must be included but need <u>not</u> be prepared by a Certified Water Right Examiner. Water Well Report(s)/Well Log(s): □ The application is for a change in point of appropriation or change from surface water to ground water and copies of all water well reports are attached. 	Temporary Transfers, also include: Recorded Deed: ☐ The applicant must submit a copy of the current deed of record for the land from which the authorized place of use or point of diversion/appropriation is being moved. Affidavit of Consent: ☐ If the applicant is NOT the owner of record for the land from which the authorized place of
 □ Water well reports are not available and a description of construction details including well depth, static water level, and information necessary to establish the ground water body developed or proposed to be developed is attached. ☑ N/A. The application does <u>not</u> involve a change in point of appropriation or a change from surface water to ground water, so water well reports are <u>not</u> required.) 	use or point of diversion/appropriation is being moved, a notarized statement from the actual owner of record consenting to the proposed transfer must be submitted. RECEIVED FEB 0 5 2007

WATER RESOURCES DEPT SALEM, OREGON

10312 Transfer Application/5

Before submitting your application to the Department, be sure you have:

- Answered each question completely.
- Included all the required attachments.

submitted; and

Provided original signatures for <u>all</u> named deed holders, or other parties, with an interest in the water right.

10. SIGNATURES

Included a check payable to the Oregon Water Resources Department for the appropriate amount.

CHECK	one of the following, as appropriate, and sign the application in the signature box below:
app for the	accordance with OAR 690-380-3000(13)(a), I (we) understand that prior to Department broval of a permanent transfer and upon my receipt of a draft Preliminary Determination the proposed transfer, I (we) will be required [pursuant to OAR 690-380-4010(5)] to provide following landownership information and evidence demonstrating that I (we) are horized to pursue the transfer:
(a)	A report of ownership and lien information that has been prepared by a title company within the last three months;
(b)	A copy of written notification of the proposed transfer provided by the applicant to <u>all</u> lien holders on the subject lands unless the report of ownership and lien information shows that a water right conveyance agreement has been recorded for the subject lands. If a water right conveyance agreement has been recorded for the subject lands, a copy of the agreement and

(c) If the landowner identified in the report of ownership and lien information is <u>not</u> the applicant, a **notarized statement consenting to the transfer** (attached) signed by the landowner identified in the report or an authorized representative of the entity to whom the interest in the water right has been conveyed as identified in a water right conveyance agreement or other documentation demonstrating that the applicant is authorized to pursue the transfer in the absence of the consent of the landowner.

identification of the owner of the lands at the time the agreement was recorded must be

AND CONTRACTOR OF THE CONTRACT
I (we) affirm that the applicant is a municipality, as defined in ORS 540.510(3)(b), and that the right is in the name of the municipality or a predecessor. Therefore, pursuant to OAR 690-380-3000(13)(b), the applicant is <u>NOT</u> required to provide the above described report of ownership and lien information.
I (we) affirm that the applicant is an entity with the authority to condemn property and is acquiring the property to which the water right proposed for transfer is appurtenant by condemnation. Documentation is provided with this application supporting this statement. Therefore, pursuant to OAR 690-380-3000(13)(c), the applicant is NOT required to provide the above described report of ownership and lien information. (NOTE: Such an entity may only apply for a transfer under this subsection if it has filed a condemnation action to acquire the property.)

I (we) affirm that the information contained in this application is true and accurate.

Starley E. Suel applicant originature	STANLEY E. TENOLD	2/1/07 date
applicant signature	name (print)	date

RECEIVED

T 10312

FEB 05 2007

WATER RESOURCES DEPT SALEM, OREGON

FS

Water Right Transfer Supplemental Form A <u>DESCRIPTION OF PROPOSED CHANGE(S) TO A WATER RIGHT</u>

List only <u>one</u> water right per page. A <u>separate Supplemental Form A</u> must be completed for <u>each</u> certificate, permit, decree, or other right involved in the proposed transfer.

Attach additional copies of Supplemental Form A as needed to describe other certificates, permits, decrees or other rights involved in this transfer.

•	Certificate Number or other identifying number: 81416	
	로보, 12, 2 kg, 5 kg, 1	

1. TYPE OF CHANGE(S) PROPOSED

(Check all that apply.)

<u></u>		
Point of Diversion or Appropriation	Place of Use	Character of Use
□ Change (The old point of diversion or appropriation will <u>not</u> be used for the portion of the water right affected by the transfer.) ☑ Additional (Both the old <u>and</u> new points of diversion or appropriation will be used for the portion of the water right affected by the transfer.) □ Historic Point of Diversion or Appropriation Change (Unauthorized point of diversion or appropriation	☐ All of the right will be exercised at a different location than currently authorized (Use of water at the current location will be discontinued.) ☐ Only a portion of the right will be exercised at a different location than currently authorized (Use of water at the current location will be discontinued.)	Proposed new use: Irrigation Municipal Quasi-municipal Commercial Industrial Instream (complete and attach Supplemental Form C) Domestic (indicate number of households)2
used for more than 10 years.) Surface Water to Ground Water (A new point of appropriation will be used instead of the old point of diversion. The old point of diversion will not be used.) Point of Diversion Change due to Government Action (The old point of diversion or		□ Other □ Substitution (A supplemental ground water right will be substituted for a primary surface water right.) □ Supplemental Use to Primary Use (Primary water right shall be cancelled and the supplemental water right will
appropriation can no longer be used due to government action.) Exchange (Water from another source will be used in exchange for supplying an equal amount of replacement water to that source.)		change to primary use.) RECEIVED FEB 0 5 2007 WATER RESOURCES DEPT SALEM OREGON

2. CURRENT WATER RIGHT INFORMATION

Water Right Subject to Transfer (check and complete one of the following): 81416 47919 Certificated Right Certificate Number Permit Number or Decree Name Adjudicated, Non-certificated Right Name of Decree Page Number Permit for which Proof has been Approved Permit Number Date Claim of Beneficial Use Submitted Transferred Right for which Proof has been Filed Date Claim of Beneficial Use Previous Transfer Number Submitted Name on Permit, Certificate, or Decree: Stanley E. Tenold County: Douglas Authorized Use(s) to be Affected by Transfer: <u>Irrigation</u> Priority Date(s): July 13, 1983 & August 11, 1983 If there are multiple Priority Dates identified on the water right, any information provided on pages 3 through 6 of this form must identify which priority date is associated with each of the authorized and proposed points of diversion or appropriation and places of use. Source(s) of Water to be Affected by Transfer: North Myrtle Creek Tributary to: Myrtle Creek If there are multiple Sources listed on the water right, any information provided on pages 3 through 6 of this form must identify which source is associated with each of the authorized and proposed points of diversion or appropriation and places of use. For applications proposing a Change in Place of Use or Character of Use: Are there Other Water Rights, Permits or Ground Water Registrations associated with this land? ☐ Yes ⋈ No \square N/A – No Change in Place of Use or Character of Use If "Yes", what are the Permit, Registration or Certificate Numbers? Pursuant to ORS 540.510, any "layered" water use or a right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled, except as provided in OAR 690-380-2240(5). FEB 0.5 2007

T 10312

WATER RESOURCES DEPT SALEM, OREGON

Certificate Number or other identifying number: Cert. 81416

The following information **must be provided** <u>only</u> for those points of diversion or appropriation that **are involved in the transfer** (i.e., <u>list only the portion of the water right you propose to transfer</u>.) Attach additional pages as necessary.

Government lot and donation land claim numbers must be included in the tables below **only** if the information is reflected on the existing water right.

Location of Existing Authorized Point(s) of Diversion or Appropriation to be Changed:

(i.e., the allowed point(s) of diversion or appropriation listed on the water right that will be affected by the proposed transfer, the "FROM" point(s) of diversion or appropriation)

If Ground Water, OWRD Well Log ID No. (or Well ID Tag No. L)	Source and Priority Date	Township	Range	Mer	Sec	1/4 1/4	Tax Lot, DLC or Gov't Lot	Survey Coordinates (coordinates from a recognized survey corner)
	NA							

Does the water right being transferred involve a ground water source(s)?

☐ Yes ☐ No (Surface water source only.)

If "Yes", for each authorized point of appropriation (well) involved, you must either:

A. Supply a copy of the well log(s) for <u>each</u> point of appropriation that is clearly labeled and associated with the corresponding well in the table above and on the accompanying application map. (<u>NOTE:</u> You may search for well logs on the Department's web page at: http://www.wrd.state.or.us)

<u>or</u>

B. If a well log is <u>not</u> available, you must describe the construction of the authorized point of appropriation by completing the table below. Attach additional copies as necessary.

Construction of Existing Authorized Point(s) of Appropriation – (Only needed if <u>no</u> well log is available.)
Wells in this listing must be clearly tied to corresponding well location(s) described in the table above and shown on the accompanying application map.

on the tieco	mpunying up	pricurion map.				,			
OWRD Well No. as identified in table above	Diameter	Type and size of casing	No. of feet of casing	Intervals casing is perforated (in feet)	Seal depth	Est. depth to water	Est. depth to water bearing stratum	Type of access port or measuring device	Total well depth
								F	ECEIVED
								F	EB 05 200

WATER RESOURCES DEPT SALEM, OREGON

OWRD Well No. as identified in table above	Diameter	Type and size of casing	No. of feet of casing	Intervals casing is perforated (in feet)	Seal depth	Est. depth to water	Est. depth to water bearing stratum	Type of access port or measuring device	Total well depth

Certificate Number or other identifying number: Cert. 81416

The following information must be provided <u>only</u> for those places of use that are involved in the transfer (i.e., <u>list only the portion of the water right you propose to transfer</u>.) Attach additional pages as necessary.

Government lot and donation land claim numbers must be included in the tables below **only** if the information is reflected on the existing water right.

Location of Existing Authorized Place of Use to be Affected:

(i.e., the allowed lands listed on the water right that will be affected by the proposed transfer, the "FROM" lands)

Source and Priority Date	Township	Range	Mer	Sec	1/4 1/4 Section	Tax Lot, DLC or Gov't Lot	Acres (if applicable)
North Myrtle Creek, July 13,1983	29 S	5W	W M	13	SW SE	Lot 5	0.8
							RECEIVE
							FEB 0 5 20
							WATER RESOURCES SALEM, OREGO
		r 4.0	312				

Acres applicable)		Tax Lot, DLC or Gov't Lot	1/4 1/4 Section	Sec	Mer	Range	Township	Source and Priority Date
	12.00		C + 01416		•	:1:6		Certificate Nu

3. PROPOSED CHANGES TO THE WATER RIGHT

Describe proposed changes to the water right involving point(s) of diversion and/or appropriation. Survey coordinates described below should accurately correspond to the points shown on the accompanying application map. Attach additional pages as necessary.

Location of Proposed Point(s) of Diversion or Appropriation:

N/A − Instream Water Right Transfer (i.e., the "TO" point(s) of diversion or appropriation) (NOTE: Complete this table only if a Change in Point of Diversion or Appropriation is being proposed.)

Source	Township	Range	Mer	Sec	1/4 1/4 Section	Tax Lot, DLC or Gov't Lot	Survey Coordinates (coordinates from a recognized survey corner)
North Myrtle Creek, July 13,1983	29S	5W	W M	13	SW SE	Lot 5	200' North & 2380' West from SE corner of Section 13, T29S, R5W. WM.
North Myrtle Creek, July 13,1983		•					300' North & 2180' West from SE corner of Section 13, T29S, R5W. WM.

well(s) already constructed? listed above.		□No	⊠ N/A - No proposed well(s)
If "Yes", attach and clearly well, or if well log(s) are not			ell log(s) for <u>each</u> proposed nstruction of the well(s) using
the table below NOTE: You	nav search for v	vell logs on t	he Department's web page at DECEIVE

If there are proposed point(s) of appropriation (wells) listed in the table above, are the

If "No", describe the anticipated construction for the proposed well(s) in the following table:

FEB 0 5 2007

WATER RESOURCES DEPT SALEM, OREGON

Construction of Proposed Point(s) of Appropriation or Well(s)

Well numbers in this listing must be clearly tied to corresponding well location(s) described in the table above and shown on the accompanying application map.

T 10312 -5- Description of Proposed Change(s) to a Water Right

http://www.wrd.state.or.us)

Well already built? (Yes/No)	If an existing well, OWRD Well Log ID No. (or Well ID Tag No. L)	Diameter	Type and size of casing	No. of feet of casing	Intervals casing is perforated (in feet)	Seal depth	Est. depth to water	Est. depth to water bearing stratum	Type of access port or measuring device	Total well depth

Certificate Number or other identifying number: Cert. 81416

Describe proposed changes to the water right involving place of use. Information described below should accurately correspond to the proposed place of use shown on the accompanying application map. Attach additional pages as necessary.

Location of Proposed Place of Use: (i.e., the "TO" lands)	☐ N/A – Instream Water Right Transfer
(NOTE: Complete this table only if a Change in Place of Use	is being proposed.)



FEB 0 5 2007

WATER RESOURCES DEPT SALEM, OREGON

Source	Township	Range	Mer	Sec	1/4 1/4 Section	Tax Lot, DLC or Gov't Lot	Acres (if applicable)

Remarks:					



FEB 0 5 2007

WATER RESOURCES DEPT SALEM, OREGON

Dorothy Pedersen

From: Stan Tenold [stantenold@yahoo.com]

Sent: Tuesday, August 14, 2007 10:39 AM

To: Dorothy Pedersen

Subject: Water Rights Transfer T-10312

Dorothy,

I was able to speak with Bill Ruppert today, he will be home tomorrow and will look at my email request that I sent him.

Revision to ation ment

Below is a statement to confirm what I want to want to achieve with the transfer.

- 1. The portion of the right that is <u>included in the transfer</u> is appurtenant to Tax Lot 201 and Tax Lot 202, in Lot 5 (SW SE) of Section 13, T29S, R5W.
- 2. Tax Lot 201 will use POD #1 for one domestic use, and both POD #1 and POD #3 for the portion of irrigation within the tax lot.
- 3. Tax Lot 202 will use POD #2 for one domestic use, and both POD #2 and POD #3 for the portion of irrigation within the tax lot.
- 4. The acreage within each of these tax lots will be quantified on the map, so that the map will show (with acreage labels and hatchuring patterns):
- a. The acreage in each of the two tax lots that is being converted from irrigation to domestic;
- b. The acreage in each of the two tax lots that is remaining as irrigation, but that will now be accessing additional PODs;
- c. The remaining acreage in each quarter-quarter that is NOT included in the transfer.
- 5. The remaining portion, being ____ acres of irrigation and one domestic use from the original PODs on Certificate 81416, will have no changes, and will be included in a remaining right certificate.

Bill Ruppert will modify the map to make the necessary changes.

Thank you,

Stan Tenold

Water Right Transfer Supplemental Form B AFFIDAVIT ATTESTING TO THE USE OF WATER

State of Oregon Californic) Sound Sonoma)										
mailing address PO Box 251, Bodaga Boy, CA										
mailing address PO Bey 251, Bodaga Boy, CA										
telephone number (707) 875 9453, being first duly sworn depose and say:										
1. I attest that:										
 Water was used during the previous five years on the entire authorized place of use of the water right proposed for transfer as described on the accompanying transfer application; or The water right was leased instream at some time within the last five years. The instream lease number is as follows:										
forfeiture for non-use would be rebutted under ORS 540.610(2) is attached.										
 2. My knowledge of the exercise or status of the water right is based on (check one): ☐ Personal observation ☐ Professional expertise 										
3. My knowledge is specific to the use of water at the following locations:										
Township Range Mer Sec Section Gov't Lot Acres (if applicable)										
29 S 5 W WM 13 SW Lot 5 7.1										

Tow	nship	p Range		Mer	Sec	1/4 1/4 Section	Gov't Lot or DLC	Acres (if applicable)	
29	S	5	W	WM	13	SW SE	Lot 5	7.1	
					13	SE SE	Lot 6	0.9	
					13	NE SE	DLC 49	2.1	
									RECEIVED
									FEB 0 5 2007
								W	ATER RESOURCES DE SALEM, OREGON

(continues on reverse side)

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more space. Supporting documentation must be attached.

Supplemental Form B

T 10¹312

Affidavit Attesting to the Use of Water

Township	Range	Mer	Sec	1/4 1/4 Section	Gov't Lot or DLC	Acres (if applicable)

4.	The wat	er right was	exercised for th	e auth	orized p	urpos	se describ	ed below (e.g., c	rops grown):	
Pas	sture										
5.	The wat	er delivery	system used to a	pply v	vater as	autho	rized by t	the right is	descri	bed below:	
Pui	np infor	mation									
Bra	nd	Model	Serial Number	Туре		Intake size		Discharge size		Impeller	7
Pac	co	130-150	Cat #12209-	Cen	trifugal	2"		1.5"		6.15	
		gpm	03-0001-								1
			1741-								
. N	lotor inf	ormation	•								_
Brai	nd	Model	Horsepower		Max RP	M	Voltage				
Bal	dor		7.5		3450		? 3 Phas	se			
		-	rs as listed on Cl following docum					ve statemen	ts is a	ttached:	
\boxtimes		of a water rigertificate),	ght certificate th	at was	s issued	within	the last	five years (not a	remaining	
	Copies water,	of receipts	from sales of irr	igated	l crops o	r for e	expenditu	res relating	to the	e use of	
			arm Service Age plan, or records		-	10.	_	istrict reco	rds, ar	n NRCS	
		97.0	graphs of the lan on and date of th		7	6750	aphs cont	taining suff	icient	detail to	
	Dedica	ted power u	sage records or	receip	ts,					RECEIV	/ED
\boxtimes	Instream	m lease nun	nberL-652_		4						
	Other:				,					FEB 05	2007
_	o unor.	13-							14/	ATED BECOUR	0000000
	0-45	12	- 0.0					2/2/	/	SALEM, ORI	
Signa	ature of Af	fiant	year				Ī) / 2/ Date	0/	O'ILLIII, O'II	20014
		Signed and	sworn to (or aff	irmed) before	me th	is <u>211</u>	day of Fe	BRUAG	24,20 <u>07</u> .	
	Co	SHONA L. WE ommission # 15 tary Public - Ca	40731	2=			Note	ary Public for (Oregon		

My Commission Expires: 01-30-2009

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more space. Supporting documentation must be attached.

Supplemental Form B

-2-

Affidavit Attesting to the Use of Water

STATE OF OREGON

COUNTY OF DOUGLAS

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

RECEIVED

STANLEY E. TENOLD
P.O. BOX 751
BODEGA BAY, CALIFORNIA 94923

FEB 05 2007

WATER RESOURCES DEPT SALEM, OREGON

confirms the right to use the waters of NORTH MYRTLE CREEK, a tributary of MYRTLE CREEK, for DOMESTIC USE FOR ONE FAMILY AND IRRIGATION OF 10.1 ACRES.

This right was perfected under Permit 47919. The date of priority is JULY 13, 1983 FOR 0.095 CUBIC FOOT PER SECOND (CFS) AND AUGUST 11, 1983 FOR 0.036 CFS. The amount of water to which this right is entitled is limited to an amount actually beneficially used and shall not exceed 0.131 CUBIC FOOT PER SECOND; BEING 0.005 CFS FOR DOMESTIC AND 0.126 FOR IRRIGATION, or its equivalent in case of rotation, measured at the point of diversion from the source.

The points of diversion are located as follows:

DOMESTIC - LOT 6 (SE 1/4 SE 1/4), SECTION 13, TOWNSHIP 29 SOUTH, RANGE 5 WEST, W.M.; 2235 FEET SOUTH AND 1100 FEET WEST FROM THE E 1/4 CORNER OF SECTION 13; AND

IRRIGATION - LOT 5 (SW 1/4 SE 1/4), SECTION 13, TOWNSHIP 29 SOUTH, RANGE 5 WEST, W.M.; 2160 FEET SOUTH AND 1715 FEET WEST FROM THE E 1/4 CORNER OF SECTION 13.

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

In addition, under ORS 537.260 any person with an application, permit or water right certificate subsequent in priority may jointly or severally contest the issuance of the certificate at any time before it has issued, and after the time has expired for the completion of the appropriation under the permit, or within three months after issuance of the certificate.

Certificate Number 81416

65296.SB

Page Two

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 ½ acre-feet per acre for each acre irrigated during the irrigation season of each year.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use to which this right is appurtenant is as follows:

NE 1/4 SE 1/4 2.1 ACRES
AS PROJECTED WITHIN DLC 49

LOT 5 (SW 1/4 SE 1/4) 7.1 ACRES

LOT 6 (SE 1/4 SE 1/4) 0.9 ACRE AND DOMESTIC

SECTION 13

TOWNSHIP 29 SOUTH, RANGE 5 WEST, W.M.

The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described. The use confirmed herein may be made only at times when sufficient water is available to satisfy all prior rights, including rights for maintaining instream flows.

Issued May 12, 2005.

Phil/lip C. Ward, Director Water Resources Department


RECEIVED


FEB 0 5 2007

WATER RESOURCES DEPT SALEM, OREGON


Recorded in State Record of Water Right Certificates Number 81416.

65296.SB





MAP TO ACCOMPANY CLAIM OF BENEFICIAL USE FOR WATER PERMIT 47919, APPL. 65296



WATER RESOURCES DEPT

SALEM, OREGON

T 10312

WATER RESOURCES DEPT SALEM, OREGON

Planning and Sanitation Pre-Application Worksheet No.2007-111 Planning approval shall be valid for one (1) year from the date of approval.

OTHER ACTION

APPLICANT INFORMATION

•						RECEIVED
By:		Date:		(CSC Date	:
Remark	ζS:		-	= 5,5.0m. r.ppi		
		Existing System	î .	System: Appr	roved	Denied
		INFORMATION				
Refer T			-	<u> </u>		
		1/26/2007		mount:\$20.00		
Appro	val By: S	DM Receipt#: W2007	7.2030 ₇			
2.uport						
	Codes: <u>V</u>	VATER				
Access		ivia water, Frivate	ruone			
Sanitat	ion: - 00	N/A Water: Private	Dublia			
WATER US DEVELOP.	AUTHOR	RCEL 2 (TL.201) AND PAIZED.	RCEL 3	(TL.202) OF P/D FIL	E 05-026.	NO STRUCTURAL
Conditions of	of Approva	: LUCS TO CONVERT EX	KISTING	IRRIGATION WAT	ER-RIGHT	TS TO DOMESTIC
	lain: <u>N</u>	6 0 3.7 − − − − − − − − − − − − − − − − − − −	F	loor Height Abov	e Ground	1:
		Required: N/A		ming Holpit.	V	
Riparian	Setback in	n Feet:		Building Height:	JC.IVA	
Jac Dillo	5 · 6			Sign Code:	SC.NA	
Side Line				Special Setback:		The second second
Rear Line		in Property Diffe of Put		Ext Side Line :		
		nt Property Line of Pub	olic Righ			
Zoning		ELAKTIMENT INKO	KWIA I I	ON LOR: Overlays:		
7		EPARTMENT INFO		ON LOD.		
Applic	ant Signa	ture: Willimph	rnont	Date:_	1-26	-07
		chalf of, all property ow		,		
	MYRT	LE, TURN LEFT, PROPE	RTY ON T	THE RIGHT.		
	s: I-5 SO	UTH, EXIT MYRTLE CRE	EEK, 3RD	STREET TO DIVIS	ION, GO F	RIGHT TO NORTH
Distance o	f Buildin	g Site from River, Cree	k or Str	eam Bank:		
		(Number & Type): <u>VA</u>	CANT			
Use: <u>LUC</u>		DIOK IKANSPER U	r WAI	EK KIUH I		
		<u>0202</u> 'S FOR TRANSFER O	EWAT	ED DICUT	•	
Acct. No.: MTL: <u>29-0</u>		-		Size: <u>6.98</u>		
		RTH MYRTLE RD, M	IYRTLE			
	863-4855		Phone:			
	MYRTLE	CREEK, OR 97457		BODEGA BAY,	CA 94923	
	I .O. BUX	1304		STANLEY E TE PO BOX 751	NOLD RE	V TRUST
	WILLIAM P.O. BOX	RUPPERT	Owner:	TENOLD, STAN		

FEB 05 2007



Applicant Name:

Oregon Water Resources Department Land Use Information Form

THIS FORM IS NOT REQUIRED IF: 1) water is to be diverted, conveyed, and/or used only on federal lands; or 2) the application is for a water-right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and all of the following apply: a) only the place of use is proposed for change, b) there are no structural changes, c) the use of water is for irrigation, and d) the use is located in an irrigation district or exclusive farm-use zone.

Stanley E. Tenold

Mailing Address: _____ PO Box 751

	City:		Bodega	Bay	State:	OR Z	ip:	94923	Day Phone	:65	0-269-0034
	This app	lication	is related	l to a M	easure 37 cl	aim. 🗆 Y	es □ No				
4. L	and and L	ocation	1		a.						
tran	sported), or	used. A	pplicants	s for mu	for all tax lo inicipal use, tax-lot infor	or irrigation	on uses with	hin irri	rted (taken from gation districts	m its sour s may sub	ce), conveyed stitute existing a
	Township	Range	Section	1414	Tax Lot #		ignation (e.g.)	Water to	be:	Proposed Land Use:
	29S	5W	13	SW SE	201 & 202		CFT		Diverted Conv	eyed Z Us	
	270				20110202			UI	Diverted [] Conv	eyed DUs	ed
								01	Diverted D Conv	eyed 🗆 Us	ed
								01	Diverted Conv	eyed 🗆 Us	ed
ype	□ Permit	to Use o	or Store	Water d Water	Vater Resour	ater-Right	Transfer ter Use Lic		☐ Exchange o	f Water	
our	ce of water:				☐ Ground W			e Wate	r (name)	North Myr	tle Creek
Estin	nated quanti	ty of wa	iter neede	ed:	0.01	_	ic feet per s	econd	☐ gallons po	er minute	□ acre-feet
nten	ded use of v		□ Irrigati □ Munici		□ Commerci □ Quasi-mu		☐ Industr				household(s)
Brief	ly describe:	0.8 acre									
	to applicar	7000									

Receipt for Request for Land Use Information

State of Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, OR 97301-1266

RECEIVED

FEB 0 5 2007

WATER RESOURCES DEPT SALEM, OREGON

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form.

This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

				(4)
Please check the appropriate box be	elow and provide the requested	informatio	<u>n</u>	
	sed water uses (including proposed of e plan. Cite applicable ordinance sec			are not
approvals as listed in the table be already been obtained. Record of	sed water uses (including proposed of elow. (Please attach documentation of of Action/land-use decision and accord to but all appeal periods have not e	of applicable npanying fin	land-use approvals whi dings are sufficient.)	and-use ch have
Type of Land-Use Approval Needed (e.g. plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	325	d-Use Approval:	
conditional-use permits, etc.)	Plo File 05-026	☐ Obtained ☐ Denied	Being pursued Not being pursued	
		☐ Obtained ☐ Denied	☐ Being pursued ☐ Not being pursued	
		☐ Obtained ☐ Denied	☐ Being pursued ☐ Not being pursued	
		Obtained	☐ Being pursued	
		☐ Denied ☐ Obtained	☐ Not being pursued ☐ Being pursued	
		☐ Denied	☐ Not being pursued	
Room 106, justic Douglas county (COURTHOUSE			
Name:	1 97470 Title: Pla	Maga	D 1-7/-0	_
	Morgan-Phone: 440	-9289	_ Date: _ 1 - 26 - 0	
Government Entity:				
Note to local government representative If you sign the receipt, you will have 30 da Land Use Information Form or WRD may local comprehensive plans.	ys from the Water Resources Departs	ment's notice	date to return the comp	oleted
Receip	t for Request for Land Use Ir	nformation	!	FEB 0 5 2007
Applicant name:			V	VATER RESOURCES DEP SALEM, OREGON
City or County:	Staff contact:			
Signature:				

Dorothy Pedersen

From:

Stan Tenold [stantenold@yahoo.com] Friday, December 29, 2006 10:12 AM

Sent:

Dorothy Pedersen

To: Cc:

Anita.M.HUFFMAN@wrd.state.or.us

Subject:

Re: Tenold Water Rights Application

I just wanted to let you know that I have contracted with Mr. Bill Ruppert of Myrtle Creek to file for the water rights change to use a portion of my irrigation rights for the domestic use during the summer months.

In a letter dated 8/8/2006 Anita had placed the transfer on Administrative hold until 2/5/07. I believe Mr. Ruppert will complete the application prior to that date. If you have any questions please contact myself 707 875 9453, or Mr. Ruppert 541 863 4855.

Thank you,

> Stan,

Stan Tenold

On Jul 28, 2006, at 3:52 PM, Dorothy Pedersen wrote:

> Your lease L-652 involves putting the irrigation water from

```
> Certificate
> 81416 instream and expires October 31, 2009. The domestic portion of
> the Certificate 81416 right is still in use on the land.
> Certificate 81479 is for irrigation of 11.3 acres on adjacent
> property.
> You could apply to convert 0.4 acre of irrigation under the
> 81479 right from to 0.005 domestic use during the irrigation season.
> This would involve filing a transfer application for a change in
> character of use and place of use. You could also add a change in
  point of diversion if you wish.
> Another possibility would be to terminate the lease prematurely and
> transfer a portion of the water under Certificate 81416 from
> irrigation to domestic without increasing the total rate or volume of
> water allowed under the right. You could convert 0.4 acre of
> irrigation to domestic use, and keep the amount of water per acre
> constant.
> All transfer applications are subject to a review to determine whether
> the change would cause injury to other water rights. There is a
> backlog in transfer processing, so that a new application may not be
> processed for a couple years, however, through the Reimbursement
> Authority program you have the option to pay extra for the Department
> to contract the project out to an outside consultant. Expedited
> transfers through this program can be processed in about 4-6 months.
> You can learn about this program from www.wrd.state.or.us by selecting
> "forms", then clicking on the gray shaded "Reimbursement Authority"
> box in the lower right corner.
> You can reach me by email or (503) 986-0890 if you have further
> questions.
 Dorothy
```

```
> Dorothy Pedersen
> (503) 986-0890
> ----Original Message----
> From: Stan Tenold [mailto:stantenold@yahoo.com] > Sent: Sunday, July 23, 2006 8:49 PM
> To: Dorothy Pedersen
> Subject: Tenold Water Rights Application
> Dorothy,
> Thank you for speaking with me on Friday.
> The instream lease # is L-652
> The certificate numbers for my water rights are: 47919 is the property
> which contains the two lots that I applied for the domestic Water
> Rights, and 24813 is the water right for adjacent property.
> Please contact me via email or phone 707 875 9453 after you have
> reviewed the situation.
> Thank you,
  Stan Tenold
```

Dorothy Pedersen (503) 986-0890 Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266

Dear Dorothy Pederson,

Attached are the documents for the Water Rights Transfer for the domestic use applications that have previously been filed and are currently on administrative hold (referenced in the attached emails).

I have attached a payment of \$700, which is the amount that my CWRE has computed. I will contact you regarding prior payments to clarify the amounts.

Please call 707 875 9453 if there are any questions.

Thank you,

Stan Tenold

RECEIVED

FEB 0 5 2007

WATER RESOURCES DEPT SALEM, OREGON On Jul 28, 2006, at 3:52 PM, Dorothy Pedersen wrote:

Stan,

Your lease L-652 involves putting the irrigation water from Certificate 81416 instream and expires October 31, 2009. The domestic portion of the Certificate 81416 right is still in use on the land.

Certificate 81479 is for irrigation of 11.3 acres on adjacent property.

You could apply to convert 0.4 acre of irrigation under the Certificate 81479 right from to 0.005 domestic use during the irrigation season. This would involve filing a transfer application for a change in character of use and place of use. You could also add a change in point of diversion if you wish.

Another possibility would be to terminate the lease prematurely and transfer a portion of the water under Certificate 81416 from irrigation to domestic without increasing the total rate or volume of water allowed under the right. You could convert 0.4 acre of irrigation to domestic use, and keep the amount of water per acre constant.

All transfer applications are subject to a review to determine whether the change would cause injury to other water rights. There is a backlog in transfer processing, so that a new application may not be processed for a couple years, however, through the Reimbursement Authority program you have the option to pay extra for the Department to contract the project out to an outside consultant. Expedited transfers through this program can be processed in about 4-6 months. You can learn about this program from www.wrd.state.or.us by selecting "forms", then clicking on the gray

RECEIVED

FEB 05 2007

shaded

"Reimbursement Authority" box in the lower right corner.

You can reach me by email or (503) 986-0890 if you have further questions.

Dorothy

Dorothy Pedersen (503) 986-0890 ----Original Message-----

From: Stan Tenold [mailto:stantenold@yahoo.com]

Sent: Sunday, July 23, 2006 8:49 PM

To: Dorothy Pedersen

Subject: Tenold Water Rights Application

Dorothy,

Thank you for speaking with me on Friday.

The instream lease # is L-652

The certificate numbers for my water rights are: 47919 is the property which contains the two lots that I applied for the domestic Water Rights, and 24813 is the water right for adjacent property.

Please contact me via email or phone 707 875 9453 after you have reviewed the situation.

Thank you,

Stan Tenold



FEB 0.5 2007

WATER RESOURCES DEPT SALEM, OREGON August 1,2007

Water Resources Dept Attn: Dorothy Pedersen North Mall Office Building 725 Summer St. NE, Suite A Salem, OR 97301-1266

Re: T-10312

Dear Ms. Pedersen

Attached are the Title Company Reports regarding ownership of the property involved in T-10312.

There are no liens involved on these properties. If you have further questions please contact me (707 875 9453) or Janice Blohm at Amerititle.

Thank you,

Stan Tenold

RECEIVED

AUG 0 6 2007

WATER RESOURCES DEPT SALEM, ORFO

Dorothy Pedersen

From:

Stan Tenold [stantenold@yahoo.com] Tuesday, August 14, 2007 9:46 AM Dorothy Pedersen

Sent:

To:

Subject:

Water Rights Transfer T-10312, Title Company Lien Statement

Attachments:

Amertitle Lien Statement.pdf



Amertitle Lien Statement.pdf (...

Attached is the Title Company statement regarding liens on the property.

Thank you,

Stan Tenold





Janice Blohm, Title Examiner

541 672 6651 · Fax: 541 672 5793 1495 NW Garden Valley Blvd · Roseburg, Oregon 97470 e-mail: janiceb@ameri-title.com · website: www.ameri-title.com Part Of The JELD-WEN Family

August 7, 2007

Stan Tenold P.O. Box 751 Bodega Bay, CA 94923

Dear Stan,

Per your request, I have completed a search for encumbrances against Parcels 1, 2, and 3 of Land Partition 2006-24 owned by Stanley E. Trenold, trustee of the Stanley E. Trenold Revocable Trust.

As of this date: August 7, 2007 there are none.

Janice Blokm

Respectfully,

Janice Blohm Title Examiner



July 27, 2007

Stan Tenold P.O. Box 751 Bodega Bay CA 94923

Re: Order #69717

Dear Stan:

Please find enclosed per your request, documentation as to your ownership of parcels 1, 2, and 3 of land partitions 2006-24 and 2007-77.

Sincerely,

Ganice Blokm

Janice Blohm Title Examiner

Encls

AUG 0 6 2007
WATER RESOURCES DEPT
SALEM, OPPO

WARRANTY DEED (INDIVIDUAL)

BOOK 843 PAGE 725

AUDREY SHARP		
STANLEY E. TENOLD and MARGO L. TENOLD.		
of, State of Oregon, de	all that real property situated in the County scribed as:	
A parcel of land located in Sections 13 Willamette Meridian, Douglas County, Or follows:	and 24, Township 29 South, Range 5 West. egon, being more particularly described as	
The West one-half of the Northeast one- Range 5 West, Willamette Meridian, Doug	quarter of Section 13, Township 29 South, las County, Oregon.	
of the Donation Land Claim of Henry Wild	(being Lots 1, 2, 5 and 6 and all that portion ey, being Notification No. 149 and Claim ection 13, Township 29 South, Range 5 West,	
Also, Lot 7 and the Northeast quarter of 29 South, Range 5 West, Willamette Merid	f the Northeast quarter of Section 24. Township dian.	
and covenant(s) that grantor is the owner of the about of the public, easement and fore	ove described property free of all encumbrances exceptst_land_tax	
and will warrant and defend the same against all pe	ersons who may lawfully claim the same, except as shown above.	
The true and actual consideration for this tr	ansfer is \$	
Dated this & 9 day of Mar	ch, 19_83	
	Lam wallow attorny in Fact	
	Aynn W. Ulam, attorney in sact for Audrey Sharp	
STATE OF OREGON, County ofDoug		
Lynn M. Illam, attorney for Audrey Sharp		
instrument to be his voluntary		
	Before me:	
	Notary Public for Oregon	
	My commission expires: 4-16-85	
property remains subject or which the purchas		
	value, add the following: "However, the actual consideration value given or promised which is part of the/the whole	
	STATE OF OREGON, STATE OF OREDON SS.	
Audrey Sharp	County of I, DORIS L. WADSWORTH, COUNTY CLERK	
то	I certify that the within instrument, no makey carry man for the day from instrument was recorded to the party of	RECEIVED
Stanley E. & Margo L. Tenold	ato'clockM, and recorded to the key of the page Records of Deeds of said County.	- ILOLIVED
After Recording Return to:	Witness my hand and seal of County SCHESE, KADSTORTH	AUG 0 6 2007
MAIL TAX STATEMENTS TO: 22654 Oak Crest Court	DOUGLAS COUNTY CLERK	ATER RESOURCES DI
Cupertino, CA 95014	or Mary & Theal	SALEM, OPEN
15/14 UMPQUA TITLE & ESCROW SERVICES	No. No.	

			1
	*	8	
FORM No. 702 - SPECIAL WARD	2002-18321	CONTROL TIME STRUDISHMESS LAW AUGUSTICS CO., POSTUARD, OR 67804	
Stanley E. T	ENOLDER A MARGE LI	BOOK 1885 PAGE 765	
Tonges Amelon		STATE OF OREGON STATE OF OREGON,	
Cupschaig. C	A 95014	L DOVLE SHAPER AL, COUNTY CLERK AND that the within instrument was	1
Stan Gry 6	TENOLD asmile man	LOVIE OWNER IN, COUNTY CLERK AND THAT, the within instrument was RECORDER OF CONVENIENCE IN THAT THE DESTRUMENT AND PRODUCE OF CHOCK M. and recorded in	
***************************************	CA 9 4923	02 JUL - Soothed the No	
Albert mountling, regions to discount	Home and Address	since reserved and/or as fee/file/instrument/microfilm/reception	i
	TENOLA	and/or as fee/file/instrument/microfilm/reception recombined S COUNTY CLERK Winels my hand and seal of County affixed.	
Backso B	4. CA 94923	MTHE OFFICIAL RECORDS OF DOUBLAS COUNTY	140
Und requested otherwise, send	G. TENOLD	Chan VI and The	
DO Beg 7	5/ -, CA 94923	B. Deputy,	
Badya Ba	-, CA 94923	Amt 103	1
2	enani	10m all	į.
E WHOWALL BY	Y THESE PRESENTS that	WARRANTY DEED	1
E. L. TANOLD	bushand and it	and a second	se .
bereinafter called grant	or, for the consideration hereinafter	stated, to grantor paid by STRULEY	
hereinafter called grant	se, does hereby grant, bargain, sell :	and convey unto the grantes and grantee's heirs, successors and assigns,	
that certain real proper	ty, with the tenements, hereditamen	ats and appurtenances thereunto belonging or in any way apportaining, e of Oregon, described as follows, to-wit:	
9	Vegetalian Obemy, Olan	o or oregon, discribed as routines, to-wit;	1
A named of In	nd loonand to Good		1
Willamette Mer	idian, Douglas County, O	3 and 24, Township 29 South, Range 5 West, regon, being more particularly described as	1
follows:		seems seems more particularly described as	1
The West one-h	alf of the Northeast one	-quarter of Section 13, Township 29 South,	
	arridacte heritian, pou	gras county, Oregon.	*
Also, the South	heast fractional quarter	(being Lots 1, 2, 5 and 6 and all that portion	1
No. 49, situate	ed in said quarter) of	ley, being Notification No. 149 and Claim Section 13, Township 29 South, Range 5 West,	4
Willamette Mer	idian.	15, Tokniship 29 South, Range 5 West,	- 1
Also, Lot 7 and	the Northeast quarter	of the Northeast quarter of Section 24, Township	1
29 South, Range	5 West, Willamette Mer	idian.	1
			1
To Have and to	of smot resufficient, of Hold the same unto grantee and gran	ONTINUE DESCRIPTION ON REVERSE SIDE) Intee's heirs, successors and assigns forever.	1
And grantor her	eby covenants to and with grantee a	and grantee's heirs, successors and assigns, that the real property is free	
parcel thereof against th	aled or suffered thereon by grantor is lawful claims and demands of all	and that grantor will warrant and defend the same and every part and persons claiming by, through, or under the grantor.	
The true and act	val consideration paid for this transf	er, stated in terms of dollars, is S. A. A. O However, the	
which) consideration.	(The sentence between the symbols ©, if not	or value given or promised which is _ the whole _ part of the (indicate applicable, should be deleted. See ORS 93.030.)	
In construing this made so that this deed a	is deed, where the context so require	ss, the singular includes the plural, and all grammatical changes shall be	1
In witness where	shall apply equally to corporations as of, the grantor has executed this inst	rument on June 36, 3002 ; if grantor	1
by order of its board of	auseu its name to de signed and its s directors.	est, if any, affixed by an officer or other person duly authorized to do so	
THIS INSTRUMENT WILL NO	ALLOW USE OF THE PROPERTY DESCRIBE	ED IN Stale C 7 Lel	
LATIONS. BEFORE SIGNING O	MA ACCEPTING THIS INSTRUMENT, THE PER E PROPERTY SHOULD CHECK WITH THE AP	SON Marga & Tenold	4
PRIATE CITY OR COUNTY PLA AND TO DETERMINE ANY LIM	I ALLOW USE OF THE PROPERTY DESCRIB ION OF APPLICABLE LAND USE LAWS AND R A ACCEPTING THIS INSTRUMENT, THE PE E PROPERTY SHOULD CHECK WITH THE AP WINNING DEPARTMENT TO VERLY APPROVED ITS ON LAWSUITS AGAINST FARMING OR FO 83 30 GGO	USES REST	
PRACTICES AS DEFINED IN O	California		1
	STATE OF GREGON, County of	Completed before me on Silling St. 2002	
	by Margo Lynn Issald		1
2002-18321	This instrument was acknowly	owledged before me on	ECEIVED
TOOK TOOKI	as		
garage		Hu. a. Ospolu K	IG 0 6 2007
	on Ø 1267233	Notary Public for Gregon California	
Notary Pub Sarda C	ig - Collecte ion County	My commission expires MAIMA 181 2004 WAT IR	RESOURCES DEP
- Na Countries	AMINO NAMED IN COLUMN	SA S	LEM, OPEN

CONSENT AFFIDAVIT LAND PARTITION PLAT 2005-

DECLARATION:

Know all people by these present that Stanley E. Tenold, Trustee of the Stanley E. Tenold Revocable Trust, as grantee of that Grant Deed recorded as Instrument No. 2004-025901 of the Records of Douglas County, Oregon is the owner of the land represented on and more particularly described in the Surveyor's Certificate of Land Partition Plat 2006-0024 and in accordance with the provisions of Chapter 92, Oregon Revised Statutes has caused the same to be surveyed and partitioned as shown and described on said Land Partition Plat and also has caused the waterline easement shown thereon to be created.

Stenly	00
Stanley E. Ter	

NOTARY ACKNOWLEDGEMENT

STATE OF CALIFORNIA SOLOMA COUNTY OF SANTA-CLARA)) ss.)	
Before me, SHONA L. WE public, this 26th day of 6th day of Stanley E. Tenold, Trustee of the known to me (or proved to me on whose name is subscribed to the vexecuted the same in his authorize instrument, the person or the entiacted, executed this instrument.	Stanley E. Tenole the basis of satist within instrument ed capacity, and	d Revocable Trust, personally factory evidence) to be the person t and acknowledged to me that he that by his signature on this

WITNESS my hand and official seal.

NOTARY PUBLIC, STATE OF CALIFORNIA
My commission expires: 1-30-2007

END OF DOCUMENT



AUG 0 6 2007
TER RESOURCES DE SALEM, OPEN

DOUGLAS COUNTY OFFICIAL RECORDS BARBARA E. NIELSEN, COUNTY CLERK


00141514200600058280010014

2006-005828

NO FEE

PLAT-CONS Cnt=1 Stn=1 RECEIPTCOUNTER
This is a no fee document

03/02/2006 02:19:57 PM



DOUGLAS COUNTY, OREGON

FILE: 05 059TENOLD DWG

SHEET 1 OF I

P.O. BOX 751

BODEGA BAY, CA. 94923

CONSENT AFFIDAVIT LAND PARTITION PLAT 2001-0017

Declaration:

Known all people by these present that Stanley E. Tenold, Trustee of the Stanley E. Tenold Revocable Trust, as grantee of that Grant Deed recorded as Instrument No. 2004-025901 of the Records of Douglas County, Oregon is the owner of the land represented on and more particularly described in the Surveyor's Certificate of Land Partition Plat 2007-0071 and in accordance with the provisions of Chapter 92, Oregon Revised Statutes, has caused the same to be partitioned as shown and described on said Land Partition Plat and also has caused the new easements shown thereon to be created.

Stanley E. Tenold, Trustee

NOTARY ACKNOWLEDGEMENT
STATE OF CALIFORNIA))ss
COUNTY OF SONOMA)
Before me, Show L. Well , the undersigned notary public, this ZND day of MAY , 2007, personally appeared, Stanley E. Tenold, Trustee of the Stanley E. Tenold Revocable Trust, personally known to me (or provided to me on
the basis of satisfactory evidence) to be the person whose name is subscribed to the
within instrument and acknowledged to me that he executed the same in his authorized
capacity, and that by his signature on this instrument, the person or the entity and person upon behalf of which the person acted, executed this instrument.

WITNESS my hand and official seal.

MOTARY PUBLIC, STATE OF CALIFORNIA My commission expires 61-30-2009



END OF DOCUMENT

DOUGLAS COUNTY OFFICIAL RECORDS BARBARA E. NIELSEN, COUNTY CLERK

2007-012957

00187800200700129570010019

NO FEE

PLAT-CONS Cnt=1 Stn=1 RECEIPTCOUNTER

06/07/2007 11:46:33 AM

This is a no fee document

RECEIVED

. AUG 0 6 2007


WATER RESOURCES DEPT SALEM, OPEN

END OF DOCUMENT

MAY 2007

SHEET 2 OF 2

SURVEY NARRATIVE SURVEYOR'S CERTIFICATE: PURPOSE: THIS PLAT WAS MADE TO PARTITION PARCEL 1 OF LP 2006-0024 INTO TWO PARCELS. I. WILLIAM J. RUPPERT, HEREBY CERTIFY THAT I HAVE NOT SURVEYED THE LANDS REPRESENTED AS PARCEL 1 AND 2 OF THIS PARTITION PLAT WHICH IS DESCRIBED AS FOLLOWS: BOUNDARY CONTROL: POINT A AND HOUSE TIED TO LP 2006-0024.
DMSION LINES ARE PER OWNER INSTRUCTIONS.
APPROXIMATE SEPTIC FIELD AERIAL PHOTO LOCATED PARCEL 1 OF LAND PARTITION 2005-0024 OF THE WATER RECORDS OF DOUGLAS COUNTY OREGON. EXCEPT AS SHOWN, BOUNDARY LINES ARE UNSURVEYED. William & amount SALEM, OP SURVEY, CALCULATIONS AND DRAFTING: WILLIAM J. RUPPERT. LEGEND WILLIAM J. RUPPERT, P.L.S. NO. 866 RESOURCES DEPT [] RECORD AS NOTED INSTRUMENT: NIKON DTM 430 A CALCULATED POINT 0 @ FND. 5/8"X30" IRON ROD WITH 1.5" PLASTIC CAP 5 "BITS ENG-SURV" 2007 COUNTY RD. NO. 15 30 FT. WIDE ACCESS AND UTILITY EASEMENT CREATED HEREON FOR THE BENEFIT OF PARCEL 1. UNSURVEYED SEPTIC FIELD EASEMENT CREATED HEREON FOR THE BONETT OF PARCEL 1. SEPTIC FIELD AND CONNECTING 10 FT, WIDE PIPE LINE EASEMENT LOCATED ON EXISTING FACILITIES. 50034'54'E HOUSE 235.47 BASIS OF DISTANCE AND BEARING TO POINT A APPROXIMATE OF EXISTING SEPTIC FIELD. POINT A [\$89"45"11"E] APPROXIMATE LOCATION OF PIPE CONNECTING TO SEPTIC FIELD. LAND PARTITION [400.98] 10' WATER LINE & WELL EASEMENT SEE LP 2006-0024 OF PARCEL 1 OF LAND PARTITION 2005-0024 PARCEL 2 LP 2006-0024 (\$014'49"W) [465.63] PARCEL 3 LP 2006-0024 A SURVEY OF PARCEL 1 NEEDED TO DETERMINE THE THE DIVISION LINE SETWEEN PARCEL 1 AND 2 SOUTH OF THE COUNTY ROAD. [5014'49"W] [781.13] E 1/2 SECTION 13, T. 29 S. R. 5 W. ,W.M. NE 1/4 SECTION 24, T. 29 S. R. 5 W. ,W.M. METHOD TO DETERMINE DIVISION UNES. 1. HOLD POINT A
2. HOLD BEARING N 20" 22" 12"W FROM POINT A TO
CLOSE ON ACTUAL R/W OF CO. RD. NO. 15
3. HOLD BEARING S 0" 14" 49" W FROM POINT A
4. HOLD BEARING S 80" 45" 11" E FROM POINT
B TO CLOSE ON EAST SECTION LINE
5. CREATE A LINE PRACLEL TO B—C TO MAKE
PARCEL I AREA EQUAL TO 88.00 ACRES. 2007-0077 Stanley E. Tenold, Trustee 2 STANLEY E. TENOLD REVOCABLE TRUST PARCEL [225.00] [200.00] PO BOX 751 BODEGA BAY, CA 94923 [N89'45'11'W] PLANNING DEPARTMENT FILE 06-084 POINT C \$89"45"11"E POINT B REGISTERED OREGON PLAT BY DISTANCES ARE APPROXIMATELY SCALED FOR MAPPING PURPOSES ONLY. LAND SURVEYOR WILLIAM J. RUPPERT 24 Myson Loton P.O. BOX 1564 W JULY 12, 1968 MYRTLE CREEK, OR 97457 WILLIAM J. RUPPERT 856 SCALE 1"=200" MY REGISTRATION



2007-0077 A

SURVEY NARRATIVE

PURPOSE: THIS PLAY WAS MADE TO PARTITION PARCEL 1 OF LP 2008-0024 INTO TWO PARCELS.

BOUNDARY CONTROL:
POINT A AND HOUSE TIED TO LP 2008-0024.
DMSION LINES ARE PER OWNER INSTRUCTIONS.
APPROXIMATE SEPTIC FIELD AERIAL PHOTO LOCATED
BY OWNER.


EXCEPT AS SHOWN, BOUNDARY LINES ARE UNSURVEYED.

SURVEY, CALCULATIONS AND DRAFTING: WILLIAM J. RUPPERT.

INSTRUMENT: NIKON DTM 430

LEGEND


- [] RECORD AS NOTED
- A CALCULATED POINT
- FND. 5/8"X30" IRON F
 "BTS ENG-SURV"



RECEIVED

AUG 0 6 2007

WATER RESOURCES DEPT SALEM, OPEN






RECEIVED does not guarantee its accuracy.

AUG 0 6 2007

WATER RESOURCES DEPT SALEM, OPEN



RECEIVED

AUG 0 6 2007

WATER RESOURCES DEPT SALEM, OPEC

Oregon Water Resources Department



State of Oregon Water Resources Department 725 Summer Street NE, Suite A, Salem, OR. 97301-1271

Phone: 503-986-0900 http://www.wrd.state.or.us

FAX TRANSMITTAL

To: John Borden	Fax Numb	per: (503) 723-4257
Date: 8/7/07	Pages: _ /	3, including cover sheet
From: Dorothy Pede	VSen Phone: 50	3-986-0_ <i>890</i>
Comments:		
Here is the owner	exship information for	T-10312. I've asked
Mr. Tenold for a S.	tatement from the tit	the company regarding
liens. We are	waiting also for revisi	ions to the application to
quantify the irrigated	I area in each tax lot	that is to be supplied by
		When you have all the into please
DIDECTORIC OFFICE	MEGUANG LA CERTACEC	- 0 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -

DIRECTOR'S OFFICE

- · Water Resources Commission
- Legislation and Rules
- Public Information

FIELD SERVICES

- Regional Liaisons
- Transfers
- Hydrographics

NORTHWEST REGION

District 16 Watermaster

ADMINISTRATIVE SERVICES

- Fiscal / Accounting
- Human Resources / Personnel
- Water Development Loan Fund
- Support Services

Fax: 503-986-0903 or 503-986-0904

TECHNICAL SERVICES

- Dam Safety
- Enforcement
- Ground Water
- Information Services
- GIS/Mapping
- Water Use Reporting

Fax: 503-986-0902

WATER RIGHTS prepare a revisa

- · Water Rights Information
- Adjudications
- Hydroelectric
- Certificates / Final Proofs if you need Hearings / Contested Cases to revise

the estimate

Fax: 503-986-0901

Dorothy Pedersen

From:

Dorothy Pedersen

Sent:

Monday, July 16, 2007 5:14 PM

To:

'John Borden'

Subject:

DPD for T-10312 going out

Attachments:

10312-dpd.doc; 10312-dpd(track changes).doc; 10312-DeficLet.doc







KB)

10312-dpd.doc (99 10312-dpd(track 10312-DeficLet.doc (35 KB)

changes).doc (...

Hi John,

Attached are the documents that are going out in tomorrow's mail for T-10312, as well as a "track changes" version.

The only substantive change was just that the portion of the right that is being changed is just the 0.8 acre of irrigation, at the rate associated with that seasonal irrigation use. Even though the rate will be reduced as the season is extended, the characterization of the portion of the water right of record that will be affected is still stated at the original rate.

The remaining right certificate will need a few tweaks to subtract that 0.01 cfs of irrigation rate off. Let me know if you have questions.

Thanks, Dorothy

Dorothy I. Pedersen Field Services Division Oregon Water Resources Department Dorothy. I. PEDERSEN@wrd.state.or.us 503-986-0890

Oregon Water Resources Department



State of Oregon
Water Resources Department
725 Summer Street NE, Suite A, Salem, OR. 97301-1271

Phone: 503-986-0900 http://www.wrd.state.or.us

FAX TRANSMITTAL

To: John Borden Date: 6/22/07		oer: <u>(563) 723-4257</u> Z , including cover sheet
From: Dorothy Peder		3-986-0_ <i>890</i>
Comments:		
Response to the Go ahead and pread contact list.	T-10312 deficiency in part the initial delivery. Thanks.	verables (DPD, DPD coverletter
DIRECTOR'S OFFICE • Water Resources Commission • Legislation and Rules	TECHNICAL SERVICES • Dam Safety • Enforcement	WATER RIGHTS • Water Rights Information • Adjudications

• Public Information

FIELD SERVICES

- Regional Liaisons
- Transfers.
- Hydrographics

NORTHWEST REGION

• District 16 Watermaster

ADMINISTRATIVE SERVICES

- Fiscal / Accounting
- Human Resources / Personnel
- · Water Development Loan Fund
- Support Services

Fax: 503-986-0903 or 503-986-0904

- Ground Water
- Information Services
- GIS/Mapping
- Water Use Reporting

Fax: 503-986-0902

- Hydroelectric
- Certificates / Final Proofs
- Hearings / Contested Cases

Fax: 503-986-0901

Dorothy Pedersen

From:

Dorothy Pedersen

Sent:

Tuesday, April 24, 2007 3:36 PM

To:

'John Borden'

Subject:

T-10312 Templates

Attachments:

supplemental-lang.dot; Contact List.dot; 10312-dpd-template.doc; RR_sw_permit.dot; DPD_cov_approve.dot; DPD_cov_reject.dot; PD_cov_fav_nni.dot; PD_cov_unfav_nni.dot;

PD_notice.dot; DeficLet.dot















supplemental-lang.Contact List.dot (26 10312-dpd-templat RR_sw_permit.dot DPD_cov_approve. DPD_cov_reject.do PD_cov_fav_nni.do (30 KB) t (28 KB) t (30 KB) dot (162 KB)... KB) e.doc (121 KB... dot (27 KB)







PD_cov_unfav_nni. PD_notice.dot (29 dot (30 KB)

KB)

DeficLet.dot (27 KB)

Hi John,

I've attached a fresh set of templates for T-10312 (Stanley Tenold). I think you should have everything you need to work on the project, provided you have a work order. Let me know if anything is missing or you have questions.

Thanks, Dorothy

Dorothy I. Pedersen Field Services Division Oregon Water Resources Department Dorothy.I.PEDERSEN@wrd.state.or.us 503-986-0890

Reimbursement Authority Process Itemized Estimate Sheet for Water Rights Transfer

Application Number T-10312

Name of Applicant: Stanley E. Tenold

Proposed Timeline

2/13/07	Public Notice (start of 30-day comment period).
5/4/07	Completion of draft preliminary determination—I week after contracts signed and removal of deficiencies, but not before the end of the Public Notice comment period and receipt of all agency reviews (Watermaster, groundwater and ODFW as applicable).
6/8/07	Deadline for applicant review of draft preliminary determination30 days or more after draft PD mailed to applicant, depending on issues to be resolved.
5 working days after DPD comments received	Completion of contract work: Submittal of PD cover letter, PD public notice (and remaining rights certificates if applicable)within 5 business days after comments received from applicant that the draft is satisfactory, or after the end of the period for applicant to comment on draft PD and remedy deficiencies.

For purposes of water right transfers, all deliverables must be in Microsoft Word except remaining right certificates for which electronic copies of the existing certificates are currently available in WordPerfect.

Estimate

	Item	Time
1	Review of application for completeness.	1
2	Review of "From" lands to confirm consistency with existing right(s) and ownership.	1
3	Review of "To" lands for conflicts and preparation of draft deficiency letter (if necessary).	2%
4	Preparation of draft preliminary determination, DPD cover letter and contact list.	2
5	Preparation of PD public notice, PD cover letter (and remaining right certificate(s) if necessary), and processing documentation.	2
	Total Estimated Time:	8%

(Indicate the estimated amount of time, in 1/2 hour increments, needed to complete each item listed.)

Prior to preparing an estimate, contact Department staff if work could not be performed consistent with the proposed timeline. In developing the estimate, review the transfer application, transfer map, existing certificate, and final proof map. Pay particular attention to the clarity of the existing rights and the complexity of the request.

Name of Consultant: John Borden Consulting

Authorized Representative:

J

Date: 4-9-2007

Revised 11/5/2004 DIP

Shipping Checklist for Reimbursement Authority File

File T-16312 Applicant: Stan Tenold
Agent/Contact:
Ship to Contractor: John Borden
Items included:
Copy of front of file folder
Reimbursement Authority Estimate Application
☐ Transfer Application form
Transfer map
⊠Evidence of use affidavit
Supporting documentation for evidence of use
Land-use Information form
Lot book report (or deed if instream or temporary transfer, or application
received before 7/1/03)
Certificate or copy of decree for each right to be transferred
Final Proof map or decree map for each right to be transferred
Well logs (if change in POA, SW POD-to-GW POA change)
☑ Watermaster review (all transfers) ☑ ODFW review (if change in POD)
MEI GW review (if ΔPOA, or POD-to-POA change)
Final Deliverable cover sheet
Itemized Estimate sheet for contractor
— ROMIZOG ESTIMATE SHEET TO CONTRACTOR
Additional things to check:
☑ All regular application processing fees paid
Reimbursement Authority \$125 fee paid for preparing estimate
☐ Date of WRD initial Public Notice
Number of sheets copied
Number of sheets copied 18 File contents copied by 2. Paschke Date 3/29/07
Date 3/27/0"

Reimbursement Authority Process Itemized Estimate Sheet for Water Rights Transfer

Application Number T-10312

Name of Applicant: Stanley E. Tenold

Proposed Timeline

2/13/07	Public Notice (start of 30-day comment period).
5/4/07	Completion of draft preliminary determination—1 week after contracts signed and removal of deficiencies, but not before the end of the Public Notice comment period and receipt of all agency reviews (Watermaster, groundwater and ODFW as applicable).
6/8/07	Deadline for applicant review of draft preliminary determination30 days or more after draft PD mailed to applicant, depending on issues to be resolved.
5 working days after DPD comments received	Completion of contract work: Submittal of PD cover letter, PD public notice (and remaining rights certificates if applicable)within 5 business days after comments received from applicant that the draft is satisfactory, or after the end of the period for applicant to comment on draft PD and remedy deficiencies.

For purposes of water right transfers, all deliverables must be in Microsoft Word except remaining right certificates for which electronic copies of the existing certificates are currently available in WordPerfect.

Estimate

	Item	Time
1	Review of application for completeness.	
2	Review of "From" lands to confirm consistency with existing right(s) and ownership.	
3	Review of "To" lands for conflicts and preparation of draft deficiency letter (if necessary).	
4	Preparation of draft preliminary determination, DPD cover letter and contact list.	
5	Preparation of PD public notice, PD cover letter (and remaining right certificate(s) if necessary), and processing documentation.	
	Total Estimated Time:	

(Indicate the estimated amount of time, in 1/2 hour increments, needed to complete each item listed.)

Prior to preparing an estimate, contact Department staff if work could not be performed consistent with the proposed timeline. In developing the estimate, review the transfer application, transfer map, existing certificate, and final proof map. Pay particular attention to the clarity of the existing rights and the complexity of the request.

Name of Consultant: John B	orden Consulting		
Authorized Representative:		Date:	

Reimbursement Authority Final Deliverables Cover Sheet

for **Transfers**

Transfer # <u>T-10312</u>	Applicant: Stanley E. T	<u>Cenold</u>
Contact List Draft Preliminary DPD Cover Letter PD Notice PD Cover Letter		ically*: ght that is not entirely affected by the
*NOTE: Transfer docume format.	ents should be submitted in	MS Word format preferably, or "rich text"
lands (for POU changes) Notes or sketches, help document what Preliminary Determinary Determinary Determination of each cert cert.	ansfer application Plat Card Report marked to Plat Card Report marked to maps, etc. from evaluation at was considered in reachin mination. tificate that is only partially on of the right is being affe	to indicate any other rights on the "From" to indicate rights overlapping proposed POU of changes, injury evaluation, etc. that will ng the findings and determination in the v included in the transfer, marked as needed ected, and what remains unchanged. Date:
For WRD use only:		
WRD approval by:		Date:

WATER RESOURCES DEPARTMENT REIMBURSEMENT AUTHORITY ESTIMATE APPLICATION

MAR 29 2007

House Bill 2551(2003 Oregon Laws) authorizes the Oregon Water Resources Department to expedite or enhanced EM, OREGON regulatory processes voluntarily requested under the agreement. The voluntary agreement can be entered into with any person requesting services and agreeing to pay the Department's costs of providing the service.

The Department has established a pool of qualified contractors to perform expedited services for water right transfers, water right permits extensions, and water right certificates.

The purpose of this application is to obtain an estimate from the next qualified contractor in the appropriate pool. There is a non-refundable application fee of \$125.00 per request. The contractor will provide an estimate of the cost and of the time required to process and develop a recommendation on the request of a: (check one):

the time required to process and develop a recommendation on the request of a: (check one):				
REQUEST	TYPE	FILE NUMBER		
⊠ (Transfer Application	T-10132 T-10312		
	Certificate Request			
<u> </u>	Extension of Time Request			
	Applicant Information	Applicant's Representative/Contact		
Name: (Please Print)	STAN TENOW			
Address:	POB 4 751			
	Bodega Bay, CA 94923			
Phone:	707 875 9453	The state of the s		
Fax E-Mail Address:	STANTENOLD@ Yahoo.com			
I understand the following: There is a non-refundable application fee of \$125.00 per request. That upon receipt of my non-refundable application fee in the amount of \$125.00. OWRD will assign my request to the next contractor in the pool of contractors performing expedited services. That this fee covers the copying, the mailing cost, as well as the cost for the contractor to evaluate and provide the estimate for processing of the request. That OWRD will provide all pertinent information to the assigned contractor within three (3) business days. That OWRD will, within fourteen (14) days, notify me in writing of the estimates of costs and time frame for the expedited service. That upon receiving the estimates I may agree or decline to enter into a formal contract to pay the estimated cost in advance to initiate the expedited service. An incomplete or inaccurate application may delay the process and increase the cost to process my request. Expedited processing does not guarantee a favorable review of my request. Send completed Application and payment to: OWRD — Reimbursement Authority Program 725 Summer St. NE, Suite A Salem, OR 97301-1266. I certify that I am the (check one) Applicant □ Applicant's Representative □ Other (Please specify)				
Signature: Name: 3/26/07				
OWRD USE ONLY Contractor Assigned: John Borden Total Amount Paid; \$ 125,00 OWRD Approval:				