

PERMIT
AMENDMENT

T-10378

Name City of Prineville
 By Attn: Jerry Brummer
 Address 387 NE Third St.
Prineville, OR 97754
541-447-5627 541-447-5628 Fax

Change in POA AOU
 Date filed _____
 Date of hearing _____
 Place of hearing _____
 Date of order 6-25-08 Vol. 25, page 228
 Date for application of water _____
 Proof mailed _____
 Proof received _____
 Certificate issued _____ Vol. _____, page _____

DESCRIPTION OF WATER RIGHT

Name of stream Wells
 Trib. of Ochoco Creek County of Crook County
 Use Mu
 Quantity of water _____ No. of acres _____
 Name of ditch _____
 Date of priority 3/31/2003
 In name of Same as Above
 _____ Adjudication, Vol. _____, page _____
 App. No. G 15974 Per. No. G 16146 Cert. No. _____
 Certificate cancelled _____
 Notation made on record by _____

FEES PAID

Date	Amount	Receipt No.
<u>5/2/07</u>	<u>1050.00</u>	<u>87381</u>
TOTAL . . .		
	Cert. Fee	

FEES REFUNDED

Date	Amount	Check No.

REMARKS

Agent: GST Water Solutions, Inc Attn: Ted Resster 55 SW Yamhill St, Suite 400 Portland OR 97204
503 239-8799 503 239-8940 Fax
 ID: Ochoco Irrigation District 1001 N Deer St, Prineville OR 97754
Crook County 300 NE 3rd St. Prineville OR 97754



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1266
503-986-0900
FAX 503-986-0904

June 26, 2008

CITY OF PRINEVILLE
JERRY BRUMMER
387 NE THIRD ST
PRINEVILLE OR 97754

Reference: Permit Amendment Transfer 10378

Enclosed is a copy of the order approving your Permit Amendment transfer application.

YOU SHOULD GIVE PARTICULAR ATTENTION TO THE CONDITIONS OUTLINED IN THE ORDER. All other terms and conditions of the permit remain the same.

If you have any questions, please call the Transfer Section, (503)986-0900.

Sincerely,

Sarah Henderson
Executive Support

cc: Watermaster #11
Ted Ressler, Agent
Ochoco Irrigation District

Enclosure

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Permit Amendment	)	FINAL ORDER
T-10378, Crook County	)	APPROVING A CHANGE IN POINTS
	)	OF APPROPRIATION, ADDITIONAL
	)	POINTS OF APPROPRIATION, AND A
	)	CHANGE IN PLACE OF USE

Authority

ORS 537.211 establishes the process in which a water right permit holder may submit a request to change the point of appropriation and/or place of use authorized under an existing water right permit.

Applicant

City of Prineville
Attn Jerry Brummer
387 NE Third Street
Prineville, Oregon 97754

Findings of Fact

1. On May 2, 2007, City of Prineville filed an application to change the points of appropriation, add additional points of appropriation, and change the place of use under Permit G-16146. The Department assigned the application number T-10378.

2. The permit to be amended is as follows:

Permit: G-16146, in the name of City of Prineville;
Use: Municipal
Priority Date: March 31, 2003
Quantity: 1.715 cubic feet per second (cfs); being 0.60 cfs from Well 1 (Airport Well 1) and 1.115 cfs from Well 2 (Airport Well 2), limited to a maximum annual volume of 1242.0 acre feet, further limited by the corresponding mitigation provided under the incremental mitigation development plan.
Source: Two wells, in the Ochoco Creek Basin within the Deschutes River Basin
Date of Complete Application of Water: December 29, 2026

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-080 and OAR 690-01-005 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Survey Coordinates
15 S	15 E	WM	11	SE SW	Well 1 (Airport Well 1) - 1290 feet North and 1950 feet East from the SW Corner of Section 11
15 S	15 E	WM	11	SW SW	Well 2 (Airport Well 2) - 600 feet North and 20 feet East from the SW Corner of Section 11

Authorized Place of Use:

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
14 S	15 E	WM	25	NE NE
14 S	15 E	WM	25	NW NE
14 S	15 E	WM	25	SW NE
14 S	15 E	WM	25	SE NE
14 S	15 E	WM	25	NE NW
14 S	15 E	WM	25	NW NW
14 S	15 E	WM	25	SW NW
14 S	15 E	WM	25	SE NW
14 S	15 E	WM	25	NE SW
14 S	15 E	WM	25	NW SW
14 S	15 E	WM	25	SW SW
14 S	15 E	WM	25	SE SW
14 S	15 E	WM	25	NE SE
14 S	15 E	WM	25	NW SE
14 S	15 E	WM	25	SW SE
14 S	15 E	WM	25	SE SE
14 S	15 E	WM	36	NE NE
14 S	15 E	WM	36	NW NE
14 S	15 E	WM	36	SW NE
14 S	15 E	WM	36	SE NE
14 S	15 E	WM	36	NE NW
14 S	15 E	WM	36	NW NW
14 S	15 E	WM	36	SW NW
14 S	15 E	WM	36	SE NW
14 S	15 E	WM	36	NE SW
14 S	15 E	WM	36	NW SW
14 S	15 E	WM	36	SW SW
14 S	15 E	WM	36	SE SW
14 S	15 E	WM	36	NE SE
14 S	15 E	WM	36	NW SE
14 S	15 E	WM	36	SW SE
14 S	15 E	WM	36	SE SE
14 S	16 E	WM	28	NE NE
14 S	16 E	WM	28	NW NE
14 S	16 E	WM	28	SW NE
14 S	16 E	WM	28	SE NE
14 S	16 E	WM	28	NE NW
14 S	16 E	WM	28	NW NW
14 S	16 E	WM	28	SW NW
14 S	16 E	WM	28	SE NW

**MUNICIPAL USES WITHIN THE
MUNICIPAL SERVICE BOUNDARY OF
THE CITY OF PRINEVILLE**

Twp	Rng	Mer	Sec	Q-Q
14 S	16 E	WM	28	NE SW
14 S	16 E	WM	28	NW SW
14 S	16 E	WM	28	SW SW
14 S	16 E	WM	28	SE SW
14 S	16 E	WM	28	NE SE
14 S	16 E	WM	28	NW SE
14 S	16 E	WM	28	SW SE
14 S	16 E	WM	28	SE SE
14 S	16 E	WM	29	NE NE
14 S	16 E	WM	29	NW NE
14 S	16 E	WM	29	SW NE
14 S	16 E	WM	29	SE NE
14 S	16 E	WM	29	NE NW
14 S	16 E	WM	29	NW NW
14 S	16 E	WM	29	SW NW
14 S	16 E	WM	29	SE NW
14 S	16 E	WM	29	NE SW
14 S	16 E	WM	29	NW SW
14 S	16 E	WM	29	SW SW
14 S	16 E	WM	29	SE SW
14 S	16 E	WM	29	NE SE
14 S	16 E	WM	29	NW SE
14 S	16 E	WM	29	SW SE
14 S	16 E	WM	29	SE SE
14 S	16 E	WM	30	NE NE
14 S	16 E	WM	30	NW NE
14 S	16 E	WM	30	SW NE
14 S	16 E	WM	30	SE NE
14 S	16 E	WM	30	NE NW
14 S	16 E	WM	30	NW NW
14 S	16 E	WM	30	SW NW
14 S	16 E	WM	30	SE NW
14 S	16 E	WM	30	NE SW
14 S	16 E	WM	30	NW SW
14 S	16 E	WM	30	SW SW
14 S	16 E	WM	30	SE SW
14 S	16 E	WM	30	NE SE
14 S	16 E	WM	30	NW SE
14 S	16 E	WM	30	SW SE
14 S	16 E	WM	30	SE SE
14 S	16 E	WM	31	NE NE
14 S	16 E	WM	31	NW NE
14 S	16 E	WM	31	SW NE
14 S	16 E	WM	31	SE NE
14 S	16 E	WM	31	NE NW
14 S	16 E	WM	31	NW NW
14 S	16 E	WM	31	SW NW
14 S	16 E	WM	31	SE NW
14 S	16 E	WM	31	NE SW

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
14 S	16 E	WM	31	NW SW
14 S	16 E	WM	31	SW SW
14 S	16 E	WM	31	SE SW
14 S	16 E	WM	31	NE SE
14 S	16 E	WM	31	NW SE
14 S	16 E	WM	31	SW SE
14 S	16 E	WM	31	SE SE
14 S	16 E	WM	32	NE NE
14 S	16 E	WM	32	NW NE
14 S	16 E	WM	32	SW NE
14 S	16 E	WM	32	SE NE
14 S	16 E	WM	32	NE NW
14 S	16 E	WM	32	NW NW
14 S	16 E	WM	32	SW NW
14 S	16 E	WM	32	SE NW
14 S	16 E	WM	32	NE SW
14 S	16 E	WM	32	NW SW
14 S	16 E	WM	32	SW SW
14 S	16 E	WM	32	SE SW
14 S	16 E	WM	32	NE SE
14 S	16 E	WM	32	NW SE
14 S	16 E	WM	32	SW SE
14 S	16 E	WM	32	SE SE
14 S	16 E	WM	33	NE NE
14 S	16 E	WM	33	NW NE
14 S	16 E	WM	33	SW NE
14 S	16 E	WM	33	SE NE
14 S	16 E	WM	33	NE NW
14 S	16 E	WM	33	NW NW
14 S	16 E	WM	33	SW NW
14 S	16 E	WM	33	SE NW
14 S	16 E	WM	33	NE SW
14 S	16 E	WM	33	NW SW
14 S	16 E	WM	33	SW SW
14 S	16 E	WM	33	SE SW
14 S	16 E	WM	33	NE SE
14 S	16 E	WM	33	NW SE
14 S	16 E	WM	33	SW SE
14 S	16 E	WM	33	SE SE
14 S	16 E	WM	34	NE NE
14 S	16 E	WM	34	NW NE
14 S	16 E	WM	34	SW NE
14 S	16 E	WM	34	SE NE
14 S	16 E	WM	34	NE NW
14 S	16 E	WM	34	NW NW
14 S	16 E	WM	34	SW NW
14 S	16 E	WM	34	SE NW
14 S	16 E	WM	34	NE SW
14 S	16 E	WM	34	NW SW

**MUNICIPAL USES WITHIN THE
MUNICIPAL SERVICE BOUNDARY OF
THE CITY OF PRINEVILLE**

Twp	Rng	Mer	Sec	Q-Q
14 S	16 E	WM	34	SW SW
14 S	16 E	WM	34	SE SW
14 S	16 E	WM	34	NE SE
14 S	16 E	WM	34	NW SE
14 S	16 E	WM	34	SW SE
14 S	16 E	WM	34	SE SE
15 S	15 E	WM	1	NE NE
15 S	15 E	WM	1	NW NE
15 S	15 E	WM	1	SW NE
15 S	15 E	WM	1	SE NE
15 S	15 E	WM	1	NE NW
15 S	15 E	WM	1	NW NW
15 S	15 E	WM	1	SW NW
15 S	15 E	WM	1	SE NW
15 S	15 E	WM	1	NE SW
15 S	15 E	WM	1	NW SW
15 S	15 E	WM	1	SW SW
15 S	15 E	WM	1	SE SW
15 S	15 E	WM	1	NE SE
15 S	15 E	WM	1	NW SE
15 S	15 E	WM	1	SW SE
15 S	15 E	WM	1	SE SE
15 S	15 E	WM	2	NE NE
15 S	15 E	WM	2	NW NE
15 S	15 E	WM	2	SW NE
15 S	15 E	WM	2	SE NE
15 S	15 E	WM	2	NE NW
15 S	15 E	WM	2	NW NW
15 S	15 E	WM	2	SW NW
15 S	15 E	WM	2	SE NW
15 S	15 E	WM	2	NE SW
15 S	15 E	WM	2	NW SW
15 S	15 E	WM	2	SW SW
15 S	15 E	WM	2	SE SW
15 S	15 E	WM	2	NE SE
15 S	15 E	WM	2	NW SE
15 S	15 E	WM	2	SW SE
15 S	15 E	WM	2	SE SE
15 S	15 E	WM	3	NE NE
15 S	15 E	WM	3	NW NE
15 S	15 E	WM	3	SW NE
15 S	15 E	WM	3	SE NE
15 S	15 E	WM	3	NE NW
15 S	15 E	WM	3	NW NW
15 S	15 E	WM	3	SW NW
15 S	15 E	WM	3	SE NW
15 S	15 E	WM	3	NE SW
15 S	15 E	WM	3	NW SW
15 S	15 E	WM	3	SW SW

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
15 S	15 E	WM	3	SE SW
15 S	15 E	WM	3	NE SE
15 S	15 E	WM	3	NW SE
15 S	15 E	WM	3	SW SE
15 S	15 E	WM	3	SE SE
15 S	15 E	WM	10	NE NE
15 S	15 E	WM	10	NW NE
15 S	15 E	WM	10	SW NE
15 S	15 E	WM	10	SE NE
15 S	15 E	WM	10	NE NW
15 S	15 E	WM	10	NW NW
15 S	15 E	WM	10	SW NW
15 S	15 E	WM	10	SE NW
15 S	15 E	WM	10	NE SW
15 S	15 E	WM	10	NW SW
15 S	15 E	WM	10	SW SW
15 S	15 E	WM	10	SE SW
15 S	15 E	WM	10	NE SE
15 S	15 E	WM	10	NW SE
15 S	15 E	WM	10	SW SE
15 S	15 E	WM	10	SE SE
15 S	15 E	WM	11	NE NE
15 S	15 E	WM	11	NW NE
15 S	15 E	WM	11	SW NE
15 S	15 E	WM	11	SE NE
15 S	15 E	WM	11	NE NW
15 S	15 E	WM	11	NW NW
15 S	15 E	WM	11	SW NW
15 S	15 E	WM	11	SE NW
15 S	15 E	WM	11	NE SW
15 S	15 E	WM	11	NW SW
15 S	15 E	WM	11	SW SW
15 S	15 E	WM	11	SE SW
15 S	15 E	WM	11	NE SE
15 S	15 E	WM	11	NW SE
15 S	15 E	WM	11	SW SE
15 S	15 E	WM	11	SE SE
15 S	15 E	WM	12	NE NE
15 S	15 E	WM	12	NW NE
15 S	15 E	WM	12	SW NE
15 S	15 E	WM	12	SE NE
15 S	15 E	WM	12	NE NW
15 S	15 E	WM	12	NW NW
15 S	15 E	WM	12	SW NW
15 S	15 E	WM	12	SE NW
15 S	15 E	WM	12	NE SW
15 S	15 E	WM	12	NW SW
15 S	15 E	WM	12	SW SW
15 S	15 E	WM	12	SE SW

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
15 S	15 E	WM	12	NE SE
15 S	15 E	WM	12	NW SE
15 S	15 E	WM	12	SW SE
15 S	15 E	WM	12	SE SE
15 S	16 E	WM	3	NE NE
15 S	16 E	WM	3	NW NE
15 S	16 E	WM	3	SW NE
15 S	16 E	WM	3	SE NE
15 S	16 E	WM	3	NE NW
15 S	16 E	WM	3	NW NW
15 S	16 E	WM	3	SW NW
15 S	16 E	WM	3	SE NW
15 S	16 E	WM	3	NE SW
15 S	16 E	WM	3	NW SW
15 S	16 E	WM	3	SW SW
15 S	16 E	WM	3	SE SW
15 S	16 E	WM	3	NE SE
15 S	16 E	WM	3	NW SE
15 S	16 E	WM	3	SW SE
15 S	16 E	WM	3	SE SE
15 S	16 E	WM	4	NE NE
15 S	16 E	WM	4	NW NE
15 S	16 E	WM	4	SW NE
15 S	16 E	WM	4	SE NE
15 S	16 E	WM	4	NE NW
15 S	16 E	WM	4	NW NW
15 S	16 E	WM	4	SW NW
15 S	16 E	WM	4	SE NW
15 S	16 E	WM	4	NE SW
15 S	16 E	WM	4	NW SW
15 S	16 E	WM	4	SW SW
15 S	16 E	WM	4	SE SW
15 S	16 E	WM	4	NE SE
15 S	16 E	WM	4	NW SE
15 S	16 E	WM	4	SW SE
15 S	16 E	WM	4	SE SE
15 S	16 E	WM	5	NE NE
15 S	16 E	WM	5	NW NE
15 S	16 E	WM	5	SW NE
15 S	16 E	WM	5	SE NE
15 S	16 E	WM	5	NE NW
15 S	16 E	WM	5	NW NW
15 S	16 E	WM	5	SW NW
15 S	16 E	WM	5	SE NW
15 S	16 E	WM	5	NE SW
15 S	16 E	WM	5	NW SW
15 S	16 E	WM	5	SW SW
15 S	16 E	WM	5	SE SW
15 S	16 E	WM	5	NE SE

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
15 S	16 E	WM	5	NW SE
15 S	16 E	WM	5	SW SE
15 S	16 E	WM	5	SE SE
15 S	16 E	WM	6	NE NE
15 S	16 E	WM	6	NW NE
15 S	16 E	WM	6	SW NE
15 S	16 E	WM	6	SE NE
15 S	16 E	WM	6	NE NW
15 S	16 E	WM	6	NW NW
15 S	16 E	WM	6	SW NW
15 S	16 E	WM	6	SE NW
15 S	16 E	WM	6	NE SW
15 S	16 E	WM	6	NW SW
15 S	16 E	WM	6	SW SW
15 S	16 E	WM	6	SE SW
15 S	16 E	WM	6	NE SE
15 S	16 E	WM	6	NW SE
15 S	16 E	WM	6	SW SE
15 S	16 E	WM	6	SE SE
15 S	16 E	WM	7	NE NE
15 S	16 E	WM	7	NW NE
15 S	16 E	WM	7	SW NE
15 S	16 E	WM	7	SE NE
15 S	16 E	WM	7	NE NW
15 S	16 E	WM	7	NW NW
15 S	16 E	WM	7	SW NW
15 S	16 E	WM	7	SE NW
15 S	16 E	WM	7	NE SW
15 S	16 E	WM	7	NW SW
15 S	16 E	WM	7	SW SW
15 S	16 E	WM	7	SE SW
15 S	16 E	WM	7	NE SE
15 S	16 E	WM	7	NW SE
15 S	16 E	WM	7	SW SE
15 S	16 E	WM	7	SE SE
15 S	16 E	WM	8	NE NE
15 S	16 E	WM	8	NW NE
15 S	16 E	WM	8	SW NE
15 S	16 E	WM	8	SE NE
15 S	16 E	WM	8	NE NW
15 S	16 E	WM	8	NW NW
15 S	16 E	WM	8	SW NW
15 S	16 E	WM	8	SE NW
15 S	16 E	WM	8	NE SW
15 S	16 E	WM	8	NW SW
15 S	16 E	WM	8	SW SW
15 S	16 E	WM	8	SE SW
15 S	16 E	WM	8	NE SE
15 S	16 E	WM	8	NW SE

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
15 S	16 E	WM	8	SW SE
15 S	16 E	WM	8	SE SE
15 S	16 E	WM	9	NE NE
15 S	16 E	WM	9	NW NE
15 S	16 E	WM	9	SW NE
15 S	16 E	WM	9	SE NE
15 S	16 E	WM	9	NE NW
15 S	16 E	WM	9	NW NW
15 S	16 E	WM	9	SW NW
15 S	16 E	WM	9	SE NW
15 S	16 E	WM	9	NE SW
15 S	16 E	WM	9	NW SW
15 S	16 E	WM	9	SW SW
15 S	16 E	WM	9	SE SW
15 S	16 E	WM	9	NE SE
15 S	16 E	WM	9	NW SE
15 S	16 E	WM	9	SW SE
15 S	16 E	WM	9	SE SE

3. Application T-10378 proposes to change the place of use of the permit to:

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
14 S	15 E	WM	25	NE NE
14 S	15 E	WM	25	NW NE
14 S	15 E	WM	25	SW NE
14 S	15 E	WM	25	SE NE
14 S	15 E	WM	25	NE NW
14 S	15 E	WM	25	NW NW
14 S	15 E	WM	25	SW NW
14 S	15 E	WM	25	SE NW
14 S	15 E	WM	25	NE SW
14 S	15 E	WM	25	NW SW
14 S	15 E	WM	25	SW SW
14 S	15 E	WM	25	SE SW
14 S	15 E	WM	25	NE SE
14 S	15 E	WM	25	NW SE
14 S	15 E	WM	25	SW SE
14 S	15 E	WM	25	SE SE
14 S	15 E	WM	36	NE NE
14 S	15 E	WM	36	NW NE
14 S	15 E	WM	36	SW NE
14 S	15 E	WM	36	SE NE
14 S	15 E	WM	36	NE NW
14 S	15 E	WM	36	NW NW
14 S	15 E	WM	36	SW NW
14 S	15 E	WM	36	SE NW
14 S	15 E	WM	36	NE SW

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
14 S	15 E	WM	36	NW SW
14 S	15 E	WM	36	SW SW
14 S	15 E	WM	36	SE SW
14 S	15 E	WM	36	NE SE
14 S	15 E	WM	36	NW SE
14 S	15 E	WM	36	SW SE
14 S	15 E	WM	36	SE SE
14 S	16 E	WM	28	NE NE
14 S	16 E	WM	28	NW NE
14 S	16 E	WM	28	SW NE
14 S	16 E	WM	28	SE NE
14 S	16 E	WM	28	NE NW
14 S	16 E	WM	28	NW NW
14 S	16 E	WM	28	SW NW
14 S	16 E	WM	28	SE NW
14 S	16 E	WM	28	NE SW
14 S	16 E	WM	28	NW SW
14 S	16 E	WM	28	SW SW
14 S	16 E	WM	28	SE SW
14 S	16 E	WM	28	NE SE
14 S	16 E	WM	28	NW SE
14 S	16 E	WM	28	SW SE
14 S	16 E	WM	28	SE SE
14 S	16 E	WM	29	NE NE
14 S	16 E	WM	29	NW NE
14 S	16 E	WM	29	SW NE
14 S	16 E	WM	29	SE NE
14 S	16 E	WM	29	NE NW
14 S	16 E	WM	29	NW NW
14 S	16 E	WM	29	SW NW
14 S	16 E	WM	29	SE NW
14 S	16 E	WM	29	NE SW
14 S	16 E	WM	29	NW SW
14 S	16 E	WM	29	SW SW
14 S	16 E	WM	29	SE SW
14 S	16 E	WM	29	NE SE
14 S	16 E	WM	29	NW SE
14 S	16 E	WM	29	SW SE
14 S	16 E	WM	29	SE SE
14 S	16 E	WM	30	NE NE
14 S	16 E	WM	30	NW NE
14 S	16 E	WM	30	SW NE
14 S	16 E	WM	30	SE NE
14 S	16 E	WM	30	NE NW
14 S	16 E	WM	30	NW NW
14 S	16 E	WM	30	SW NW
14 S	16 E	WM	30	SE NW
14 S	16 E	WM	30	NE SW
14 S	16 E	WM	30	NW SW

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
14 S	16 E	WM	30	SW SW
14 S	16 E	WM	30	SE SW
14 S	16 E	WM	30	NE SE
14 S	16 E	WM	30	NW SE
14 S	16 E	WM	30	SW SE
14 S	16 E	WM	30	SE SE
14 S	16 E	WM	31	NE NE
14 S	16 E	WM	31	NW NE
14 S	16 E	WM	31	SW NE
14 S	16 E	WM	31	SE NE
14 S	16 E	WM	31	NE NW
14 S	16 E	WM	31	NW NW
14 S	16 E	WM	31	SW NW
14 S	16 E	WM	31	SE NW
14 S	16 E	WM	31	NE SW
14 S	16 E	WM	31	NW SW
14 S	16 E	WM	31	SW SW
14 S	16 E	WM	31	SE SW
14 S	16 E	WM	31	NE SE
14 S	16 E	WM	31	NW SE
14 S	16 E	WM	31	SW SE
14 S	16 E	WM	31	SE SE
14 S	16 E	WM	32	NE NE
14 S	16 E	WM	32	NW NE
14 S	16 E	WM	32	SW NE
14 S	16 E	WM	32	SE NE
14 S	16 E	WM	32	NE NW
14 S	16 E	WM	32	NW NW
14 S	16 E	WM	32	SW NW
14 S	16 E	WM	32	SE NW
14 S	16 E	WM	32	NE SW
14 S	16 E	WM	32	NW SW
14 S	16 E	WM	32	SW SW
14 S	16 E	WM	32	SE SW
14 S	16 E	WM	32	NE SE
14 S	16 E	WM	32	NW SE
14 S	16 E	WM	32	SW SE
14 S	16 E	WM	32	SE SE
14 S	16 E	WM	33	NE NE
14 S	16 E	WM	33	NW NE
14 S	16 E	WM	33	SW NE
14 S	16 E	WM	33	SE NE
14 S	16 E	WM	33	NE NW
14 S	16 E	WM	33	NW NW
14 S	16 E	WM	33	SW NW
14 S	16 E	WM	33	SE NW
14 S	16 E	WM	33	NE SW
14 S	16 E	WM	33	NW SW
14 S	16 E	WM	33	SW SW

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
14 S	16 E	WM	33	SE SW
14 S	16 E	WM	33	NE SE
14 S	16 E	WM	33	NW SE
14 S	16 E	WM	33	SW SE
14 S	16 E	WM	33	SE SE
14 S	16 E	WM	34	NE NE
14 S	16 E	WM	34	NW NE
14 S	16 E	WM	34	SW NE
14 S	16 E	WM	34	SE NE
14 S	16 E	WM	34	NE NW
14 S	16 E	WM	34	NW NW
14 S	16 E	WM	34	SW NW
14 S	16 E	WM	34	SE NW
14 S	16 E	WM	34	NE SW
14 S	16 E	WM	34	NW SW
14 S	16 E	WM	34	SW SW
14 S	16 E	WM	34	SE SW
14 S	16 E	WM	34	NE SE
14 S	16 E	WM	34	NW SE
14 S	16 E	WM	34	SW SE
14 S	16 E	WM	34	SE SE
15 S	15 E	WM	1	NE NE
15 S	15 E	WM	1	NW NE
15 S	15 E	WM	1	SW NE
15 S	15 E	WM	1	SE NE
15 S	15 E	WM	1	NE NW
15 S	15 E	WM	1	NW NW
15 S	15 E	WM	1	SW NW
15 S	15 E	WM	1	SE NW
15 S	15 E	WM	1	NE SW
15 S	15 E	WM	1	NW SW
15 S	15 E	WM	1	SW SW
15 S	15 E	WM	1	SE SW
15 S	15 E	WM	1	NE SE
15 S	15 E	WM	1	NW SE
15 S	15 E	WM	1	SW SE
15 S	15 E	WM	1	SE SE
15 S	15 E	WM	2	NE NE
15 S	15 E	WM	2	NW NE
15 S	15 E	WM	2	SW NE
15 S	15 E	WM	2	SE NE
15 S	15 E	WM	2	NE NW
15 S	15 E	WM	2	NW NW
15 S	15 E	WM	2	SW NW
15 S	15 E	WM	2	SE NW
15 S	15 E	WM	2	NE SW
15 S	15 E	WM	2	NW SW
15 S	15 E	WM	2	SW SW
15 S	15 E	WM	2	SE SW

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
15 S	15 E	WM	2	NE SE
15 S	15 E	WM	2	NW SE
15 S	15 E	WM	2	SW SE
15 S	15 E	WM	2	SE SE
15 S	15 E	WM	3	NE NE
15 S	15 E	WM	3	NW NE
15 S	15 E	WM	3	SW NE
15 S	15 E	WM	3	SE NE
15 S	15 E	WM	3	NE NW
15 S	15 E	WM	3	NW NW
15 S	15 E	WM	3	SW NW
15 S	15 E	WM	3	SE NW
15 S	15 E	WM	3	NE SW
15 S	15 E	WM	3	NW SW
15 S	15 E	WM	3	SW SW
15 S	15 E	WM	3	SE SW
15 S	15 E	WM	3	NE SE
15 S	15 E	WM	3	NW SE
15 S	15 E	WM	3	SW SE
15 S	15 E	WM	3	SE SE
15 S	15 E	WM	10	NE NE
15 S	15 E	WM	10	NW NE
15 S	15 E	WM	10	SW NE
15 S	15 E	WM	10	SE NE
15 S	15 E	WM	10	NE NW
15 S	15 E	WM	10	NW NW
15 S	15 E	WM	10	SW NW
15 S	15 E	WM	10	SE NW
15 S	15 E	WM	10	NE SW
15 S	15 E	WM	10	NW SW
15 S	15 E	WM	10	SW SW
15 S	15 E	WM	10	SE SW
15 S	15 E	WM	10	NE SE
15 S	15 E	WM	10	NW SE
15 S	15 E	WM	10	SW SE
15 S	15 E	WM	10	SE SE
15 S	15 E	WM	11	NE NE
15 S	15 E	WM	11	NW NE
15 S	15 E	WM	11	SW NE
15 S	15 E	WM	11	SE NE
15 S	15 E	WM	11	NE NW
15 S	15 E	WM	11	NW NW
15 S	15 E	WM	11	SW NW
15 S	15 E	WM	11	SE NW
15 S	15 E	WM	11	NE SW
15 S	15 E	WM	11	NW SW
15 S	15 E	WM	11	SW SW
15 S	15 E	WM	11	SE SW
15 S	15 E	WM	11	NE SE

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
15 S	15 E	WM	11	NW SE
15 S	15 E	WM	11	SW SE
15 S	15 E	WM	11	SE SE
15 S	15 E	WM	12	NE NE
15 S	15 E	WM	12	NW NE
15 S	15 E	WM	12	SW NE
15 S	15 E	WM	12	SE NE
15 S	15 E	WM	12	NE NW
15 S	15 E	WM	12	NW NW
15 S	15 E	WM	12	SW NW
15 S	15 E	WM	12	SE NW
15 S	15 E	WM	12	NE SW
15 S	15 E	WM	12	NW SW
15 S	15 E	WM	12	SW SW
15 S	15 E	WM	12	SE SW
15 S	15 E	WM	12	NE SE
15 S	15 E	WM	12	NW SE
15 S	15 E	WM	12	SW SE
15 S	15 E	WM	12	SE SE
15 S	15 E	WM	13	NE NE
15 S	15 E	WM	13	NW NE
15 S	15 E	WM	13	SW NE
15 S	15 E	WM	13	SE NE
15 S	15 E	WM	13	NE NW
15 S	15 E	WM	13	NW NW
15 S	15 E	WM	13	SW NW
15 S	15 E	WM	13	SE NW
15 S	15 E	WM	13	NE SW
15 S	15 E	WM	13	NW SW
15 S	15 E	WM	13	SW SW
15 S	15 E	WM	13	SE SW
15 S	15 E	WM	13	NE SE
15 S	15 E	WM	13	NW SE
15 S	15 E	WM	13	SW SE
15 S	15 E	WM	13	SE SE
15 S	15 E	WM	14	NE NE
15 S	15 E	WM	14	NW NE
15 S	15 E	WM	14	SW NE
15 S	15 E	WM	14	SE NE
15 S	15 E	WM	14	NE NW
15 S	15 E	WM	14	NW NW
15 S	15 E	WM	14	SW NW
15 S	15 E	WM	14	SE NW
15 S	15 E	WM	14	NE SW
15 S	15 E	WM	14	NW SW
15 S	15 E	WM	14	SW SW
15 S	15 E	WM	14	SE SW
15 S	15 E	WM	14	NE SE
15 S	15 E	WM	14	NW SE
15 S	15 E	WM	14	SW SE

**MUNICIPAL USES WITHIN THE
MUNICIPAL SERVICE BOUNDARY OF
THE CITY OF PRINEVILLE**

Twp	Rng	Mer	Sec	Q-Q
15 S	15 E	WM	14	SE SE
15 S	16 E	WM	3	NE NE
15 S	16 E	WM	3	NW NE
15 S	16 E	WM	3	SW NE
15 S	16 E	WM	3	SE NE
15 S	16 E	WM	3	NE NW
15 S	16 E	WM	3	NW NW
15 S	16 E	WM	3	SW NW
15 S	16 E	WM	3	SE NW
15 S	16 E	WM	3	NE SW
15 S	16 E	WM	3	NW SW
15 S	16 E	WM	3	SW SW
15 S	16 E	WM	3	SE SW
15 S	16 E	WM	3	NE SE
15 S	16 E	WM	3	NW SE
15 S	16 E	WM	3	SW SE
15 S	16 E	WM	3	SE SE
15 S	16 E	WM	4	NE NE
15 S	16 E	WM	4	NW NE
15 S	16 E	WM	4	SW NE
15 S	16 E	WM	4	SE NE
15 S	16 E	WM	4	NE NW
15 S	16 E	WM	4	NW NW
15 S	16 E	WM	4	SW NW
15 S	16 E	WM	4	SE NW
15 S	16 E	WM	4	NE SW
15 S	16 E	WM	4	NW SW
15 S	16 E	WM	4	SW SW
15 S	16 E	WM	4	SE SW
15 S	16 E	WM	4	NE SE
15 S	16 E	WM	4	NW SE
15 S	16 E	WM	4	SW SE
15 S	16 E	WM	4	SE SE
15 S	16 E	WM	5	NE NE
15 S	16 E	WM	5	NW NE
15 S	16 E	WM	5	SW NE
15 S	16 E	WM	5	SE NE
15 S	16 E	WM	5	NE NW
15 S	16 E	WM	5	NW NW
15 S	16 E	WM	5	SW NW
15 S	16 E	WM	5	SE NW
15 S	16 E	WM	5	NE SW
15 S	16 E	WM	5	NW SW
15 S	16 E	WM	5	SW SW
15 S	16 E	WM	5	SE SW
15 S	16 E	WM	5	NE SE
15 S	16 E	WM	5	NW SE
15 S	16 E	WM	5	SW SE
15 S	16 E	WM	5	SE SE

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
15 S	16 E	WM	6	NE NE
15 S	16 E	WM	6	NW NE
15 S	16 E	WM	6	SW NE
15 S	16 E	WM	6	SE NE
15 S	16 E	WM	6	NE NW
15 S	16 E	WM	6	NW NW
15 S	16 E	WM	6	SW NW
15 S	16 E	WM	6	SE NW
15 S	16 E	WM	6	NE SW
15 S	16 E	WM	6	NW SW
15 S	16 E	WM	6	SW SW
15 S	16 E	WM	6	SE SW
15 S	16 E	WM	6	NE SE
15 S	16 E	WM	6	NW SE
15 S	16 E	WM	6	SW SE
15 S	16 E	WM	6	SE SE
15 S	16 E	WM	7	NE NE
15 S	16 E	WM	7	NW NE
15 S	16 E	WM	7	SW NE
15 S	16 E	WM	7	SE NE
15 S	16 E	WM	7	NE NW
15 S	16 E	WM	7	NW NW
15 S	16 E	WM	7	SW NW
15 S	16 E	WM	7	SE NW
15 S	16 E	WM	7	NE SW
15 S	16 E	WM	7	NW SW
15 S	16 E	WM	7	SW SW
15 S	16 E	WM	7	SE SW
15 S	16 E	WM	7	NE SE
15 S	16 E	WM	7	NW SE
15 S	16 E	WM	7	SW SE
15 S	16 E	WM	7	SE SE
15 S	16 E	WM	8	NE NE
15 S	16 E	WM	8	NW NE
15 S	16 E	WM	8	SW NE
15 S	16 E	WM	8	SE NE
15 S	16 E	WM	8	NE NW
15 S	16 E	WM	8	NW NW
15 S	16 E	WM	8	SW NW
15 S	16 E	WM	8	SE NW
15 S	16 E	WM	8	NE SW
15 S	16 E	WM	8	NW SW
15 S	16 E	WM	8	SW SW
15 S	16 E	WM	8	SE SW
15 S	16 E	WM	8	NE SE
15 S	16 E	WM	8	NW SE
15 S	16 E	WM	8	SW SE
15 S	16 E	WM	8	SE SE
15 S	16 E	WM	9	NE NE

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
15 S	16 E	WM	9	NW NE
15 S	16 E	WM	9	SW NE
15 S	16 E	WM	9	SE NE
15 S	16 E	WM	9	NE NW
15 S	16 E	WM	9	NW NW
15 S	16 E	WM	9	SW NW
15 S	16 E	WM	9	SE NW
15 S	16 E	WM	9	NE SW
15 S	16 E	WM	9	NW SW
15 S	16 E	WM	9	SW SW
15 S	16 E	WM	9	SE SW
15 S	16 E	WM	9	NE SE
15 S	16 E	WM	9	NW SE
15 S	16 E	WM	9	SW SE
15 S	16 E	WM	9	SE SE
The proposed place of use is in bold type.				

4. Application T-10378 proposes to change the points of appropriation of the permit to:

Twp	Rng	Mer	Sec	Q-Q	Survey Coordinates
15 S	15 E	WM	11	SE SW	Well 1 (Airport Well 1) - 1210 feet North and 1950 feet East from the SW Corner of Section 11
15 S	15 E	WM	11	SE SW	Well 2 (Airport Well 2) - 1165 feet North and 1990 feet East from the SW Corner of Section 11

5. Application T-10378 proposes an additional point of appropriation for the portion of the water allotted to Well 1 under the permit. The additional point of appropriation is located as follows:

Twp	Rng	Mer	Sec	Q-Q	Survey Coordinates
15 S	15 E	WM	11	SE SW	Well 2 (Airport Well 2) - 1165 feet North and 1990 feet East from the SW Corner of Section 11

6. Application T-10378 proposes an additional point of appropriation for the portion of the water allotted to Well 2 under the permit. The additional point of appropriation is located as follows:

Twp	Rng	Mer	Sec	Q-Q	Survey Coordinates
15 S	15 E	WM	11	SE SW	Well 1 (Airport Well 1) - 1210 feet North and 1950 feet East from the SW Corner of Section 11

7. Notice of the application for the permit amendment was published in the Department's weekly notice on May 8, 2007, and in the Central Oregonian newspaper on May 16, 23, and 30, 2008, pursuant to ORS 540.520(5). No comments were filed in response to the notices.

8. The changes would not result in injury to other water rights.

9. The proposed place of use is controlled by the permit holder.

10. The changes do not enlarge the permit.
11. The changes do not alter any other terms of the permit.
12. The proposed place of use is contiguous to the authorized place of use.

Conclusions of Law

The change in points of appropriation, additional points of appropriation, and change in place of use proposed by Permit Amendment Application T-10378 is consistent with the requirements of ORS 537.211.

Now, therefore, it is ORDERED:

The changes and subsequent use of water shall be subject to the following conditions:

1. The combined quantity of water diverted at the new points of appropriation (wells), together with that diverted at the old points of appropriation, shall not exceed the maximum rate and duty allowed under Permit G-16146.
2. Prior to water use from the proposed point of appropriation, the permittee shall install a totalizing flow meter on each well. The totalizing flow meter must be installed and maintained in good working order consistent with those standards identified in OAR 690-507-645(1) through (3). The permittee shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.

The permittee shall allow the watermaster access to the meters; provided however, where the meter is located within a private structure, the watermaster shall request access upon reasonable notice.

3. Water shall be acquired from the same aquifer as the original points of appropriation.
4. All other terms and conditions of Permit G-16146 remain the same.
5. Permit G-16146, in the name of City of Prineville, is amended as described herein.

Dated at Salem, Oregon this 25th day of June, 2008.



Phillip C. Ward, *for*
Director

Mailing Date: JUN 27 2008

STATE OF OREGON

COUNTY OF CROOK

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CITY OF PRINEVILLE
387 NE THIRD STREET
PRINEVILLE, OR 97754

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-15974

SOURCE OF WATER: TWO WELLS IN OCHOCO CREEK BASIN WITHIN THE
DESCHUTES RIVER BASIN

PURPOSE OR USE: MUNICIPAL USE

MAXIMUM RATE/VOLUME: 1.715 CUBIC FEET PER SECOND (CFS), BEING 0.60
CFS FROM WELL 1 (AIRPORT WELL #1), AND 1.115 CFS FROM WELL 2
(AIRPORT WELL #2), LIMITED TO A MAXIMUM ANNUAL VOLUME OF 1242.0 ACRE
FEET (AF), FURTHER LIMITED BY THE CORRESPONDING MITIGATION PROVIDED
UNDER THE INCREMENTAL MITIGATION DEVELOPMENT PLAN

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: MARCH 31, 2003

WELL LOCATIONS:

WELL #1 (AIRPORT WELL #1) (CROO 1894):
SE ¼ SW ¼, SECTION 11, T15S, R15E, W.M.; 1290 FEET NORTH &
1950 FEET EAST FROM SW CORNER, SECTION 11

WELL #2 (AIRPORT WELL #2):
SW ¼ SW ¼, SECTION 11, T15S, R15E, W.M.; 600 FEET NORTH & 20
FEET EAST FROM SW CORNER, SECTION 11

THE PLACE OF USE IS LOCATED AS FOLLOWS:
WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF
PRINEVILLE

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the
permittee shall install a totalizing flow meter on each
well. The totalizing flow meter must be installed and

maintained in good working order consistent with those standards identified in OAR 690-507-645(1) through 3. The permittee shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.

- B. The permittee shall allow the watermaster access to the meters; provided however, where the meter is located within a private structure, the watermaster shall request access upon reasonable notice.

Use of water under authority of this permit may be regulated if analysis of data available after the permit is issued discloses that the appropriation will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife in effect as of the priority date of the right or as those quantities may be subsequently reduced. However, the use of ground water allowed under the terms of this permit will not be subject to regulation for Scenic Waterway flows so long as mitigation is maintained.

To monitor the effect of water use from the well(s) authorized under this permit, the Department requires the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

Measurements must be made according to the following schedule:

Before Use of Water Takes Place

Initial and Annual Measurements

The Department requires the permittee to submit an initial water level measurement in the month specified above once well construction is complete and annually thereafter until use of water begins; and

After Use of Water has Begun

Seven Consecutive Annual Measurements

Following the first year of water use, the user shall submit seven consecutive annual reports of static water level measurements. The first of these seven annual measurements will establish the reference level against which future annual measurements will be

compared. Based on an analysis of the data collected, the Director may require that the user obtain and report additional annual static water level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- A. Identify each well with its associated measurement; and
- B. Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method used to obtain each well measurement; and
- D. Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- A. Annual water level measurements reveal an average water level decline of three or more feet per year for five consecutive years; or
- B. Annual water level measurements reveal a water level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water level measurements reveal a water level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non or restricted use shall continue until the water level rises above the decline level which triggered the action or until the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

GROUND WATER MITIGATION CONDITIONS

Mitigation Obligation: 496.8 acre-feet of mitigation water in the Crooked River Zone of Impact (anywhere in the Crooked River Basin above River Mile 13.8)

Mitigation Source: Mitigation Credits or a Mitigation Project, in accordance with the incremental development plan on file with the Department, meeting the requirements of OAR Chapter 690, Division 505 (Deschutes Ground Water Mitigation Rules).

The first stage of incremental development was met with 104.4 AF of mitigation, being mitigation water resulting from Mitigation Project MP-25, a permanent instream transfer that meets the requirements of OAR 690-505-0610(2)-(5), within the Crooked River Zone of Impact.

Mitigation water must be legally protected instream for instream use within the Crooked River Zone of Impact and committed for life of the permit and subsequent certificate(s). Regulation of the use and/or cancellation of the permit, or subsequent certificate(s) will occur if the required mitigation is not maintained.

If mitigation is from a secondary right for stored water from a storage project not owned or operated by the permittee, the use of water under this right is subject to the terms and conditions of a valid contract, or a satisfactory replacement, with the owner/operator of the storage project, a copy of which must be on file in the records of the Water Resources Department prior to use of water.

The permittee shall provide additional mitigation if the Department determines that average annual consumptive use of the subject appropriation has increased beyond the originally mitigated amount.

The permittee shall provide mitigation prior to each stage of development under the permit, as described in the incremental development mitigation plan on file with the Department, and in accordance with the standards of the Deschutes Ground Water Mitigation Rules, OAR Chapter 690, Division 505.

The permittee shall not increase the rate or amount of water diverted, as described in the incremental development mitigation plan, prior to increasing the corresponding mitigation.

The permittee shall seek and receive Department approval prior to changing the incremental mitigation development plan and related mitigation obligation for each stage of permit development.

The permittee shall report to the Department the progress of implementing the incremental mitigation development plan and related mitigation no later than April 1 of each year. This annual notification is not necessary if the permittee has completed development and submitted a Claim of Beneficial Use to the Department.

Within two years of permit issuance, the permittee shall submit a new or updated Water Management and Conservation Plan pursuant to OAR Chapter 690, Division 86.

Failure to comply with these mitigation conditions shall result in the Department regulating the ground water permit, or subsequent certificate(s), proposing to deny any permit extension application for the ground water permit, and proposing to cancel the ground water permit, or subsequent certificate(s).

STANDARD CONDITIONS

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The permit holder shall commence and complete the construction of any proposed works within 20 years from the date of permit issuance. The Department may order and allow an extension of time to complete construction or to perfect a water right beyond 20 years from the date of permit issuance.

Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued December 29, 2006



Phillip C. Ward, Director *for*
Water Resources Department

Permit Amendment Checklist

Permit Amendment T-10378

Transfer Specialist: pks

Applicant Name/Address: City of Prineville, Attn: Jerry Brummer, 387 NE Third Street, Prineville, OR 97754

Agent Name/Address: Ted Ressler, GSI Water Solutions, Inc., 55 SW Yamhill Street Suite 400, Portland, OR 97204

CWRE Name/Number: None

Rec Landowner Name/Address: None

Irr. District Name/Address: Ochoco Irrigation District, 1001 N. Deer Street, Prineville, OR 97754

Affected Govt's Name/Address: Crook County, 387 NE Third Street, Prineville, OR 97754

Commentors Name/Address: None

Permits Affected

Records Marked	Records Copied	App File No.	Permit No.
☐	☐	G-15974	G-16146

Key Dates & Initial Actions

Rec'd: 5/2/2007	Proposed Action(s): POU POA APOA	
Fees Pd: \$1050.00	WM District: 11	ODFW District: N/A
Initial Notice: 5/8/2007	WM Review sent: 5/7/2007	ODFW Review sent: N/A
Acknowledgement Letter Sent: X		GW Review sent: 5/7/2007

Processing Dates & Actions

Deficiency Contacts:	Newspaper Pub Affid. Due: 6/23/2008 ☐ not required
Affid of Pub Rec'd: 6/12/2008 Last Day Published: 5/30/2008	Affidavit Reminder Sent:
Reminder Deadline:	

Final Order

☒ Electronic Files uploaded

☐ File Assigned/ ModPod updated

☐ Newspaper Notice Cover letter

☐ Fee Refund Due

☐ Newspaper Notice

Draft Order Review (Optional) Reviewer: _____ Date: _____ Coordinator: _____ Date: _____	Final Order Review (Salem) Reviewer: <u>[Signature]</u> Date: <u>6-25-08</u> Coordinator: <u>[Signature]</u> Date: <u>6/25/08</u>
Comments/Special Issues: ΔPOU, ΔPOA, APOA	

Special Order Volume: Vol: 75, Pages 228 Final Order Signature Date: 6-25-08

Notice of FO e-mailed to processors: Kelly

Legend

- Taxlots
- Prineville City Limits

Map Labels:

- Well Locations:** Airport Well 1, Airport Well 2
- Taxlots:** 1515 00300, 151511 00300, 151511 00400, 1515 00300, 1515 01223, 1515 02300, 1515 01224
- City Limits:** Prineville City Limits
- Section Labels:** NWSW, NESW, SWSW, SESW, NESW, NWSE, SESW, SWSE
- Topography:** 3240 (elevation)
- Highway:** 126
- Township/Range/Section:** Township 15S, Range 15E, Section 11 (WM), Township 15S, Range 15E, Section 14 (WM)

North Arrow: N

Scale: 1 inch = 1 mile

224 - Prineville\001 -\Project_GIS\Project mxds\G-16146 Permit Amend POA.mxd

Data Source: Spatial data sets (GIS) provided by Crook County

T 10378

Affidavit of Publication

STATE OF OREGON)
COUNTY OF CROOK)

I, **VANCE TONG**, being first duly sworn, depose and say that I am the Publisher of the **CENTRAL OREGONIAN**, a newspaper of general circulation, as defined by ORS 193.010 and 193.020; printed and published at Prineville, in the aforesaid county and state; that the **NOTICE** a printed copy of which is hereto annexed, was published in the entire issue of said newspaper for **THREE** successive and consecutive weeks in the following issues:

Issue date: MAY 16, 2008

Issue date: MAY 23, 2008

Issue date: MAY 30, 2008

Issue date:


Fee charged for this publication:

\$90.16



PUBLISHER

Subscribed and sworn to before me this 31TH day of MAY, 2008



Notary Public for Oregon

My Commission expires 9-17-09



(4302) PUBLIC NOTICE
Notice of Permit Amendment T-10378
T-10378 filed by City of Prineville, Attn: Jerry Brummer, 387 NE Third Street, Prineville, Oregon 97754, proposes a change in points of appropriation, additional points of appropriation, and a change in place of use under Permit G-16146. The permit allows the use of 1.715 cfs (being 0.60 cfs from Well 1 and 1.115 cfs from Well 2) (priority date March 31, 2003) from Wells 1 and 2 in Sec. 11, T 15 S, R 15 E, W.M. (Deschutes River Basin) for municipal use within the municipal service boundary of the City of Prineville. The applicant proposes to: change the points of appropriation of Well 1 approximately 80 feet south and Well 2 approximately 2000 feet northeast, both within Sec. 11, T 15 S, R 15 E, W.M.; additional points of appropriation to two wells within Sec. 11, T 15 S, R 15 E, W.M.; and to change the place of use to include Sects. 13 and 14, T 15 S, R 15 E, W.M. The Water Resources Department has concluded that the proposed permit amendment appears to be consistent with the requirements of ORS 537.211. The last day of newspaper publication is May 30, 2008.

RECEIVED

JUN 12 2008

WATER RESOURCES DEPT.
SALEM, OREGON

Permit # T-10378



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1266
503-986-0900
FAX 503-986-0904

May 7, 2008

City of Prineville
Attn: Jerry Brummer
387 NE Third Street
Prineville, Oregon 97754

Reference: Permit Amendment Application T-10378

Please find enclosed a permit amendment notice which must be published in a local newspaper in the general area of the permit (newspapers with statewide circulation such as the Capital Press, Journal of Commerce, etc. do not qualify). The notice must be published at least once a week for three consecutive weeks. Please have the newspaper insert the date of last publication in the proper place.

After publication, the Department needs to receive an **affidavit of publication** specifying the dates the notice was published. Please have the newspaper prepare and mail an original affidavit of publication to me, at the address above, by **June 23, 2008**.

Also enclosed is a draft of the final order for the approval of the permit amendment. If you have any questions about the draft final order, please let me know.

Upon receipt of the affidavit, processing will continue on the permit amendment application.

Please do not hesitate to contact me at 503-986-0886 or Patrick.K.Starnes@wrdd.state.or.us, if you have questions.

Sincerely,

Kelly Starnes
Permit amendment processor

cc: Ted Ressler, GSI Water Solutions, Inc.

encs



Notice of Permit Amendment T-10378

T-10378 filed by City of Prineville, Attn: Jerry Brummer, 387 NE Third Street, Prineville, Oregon 97754, proposes a change in points of appropriation, additional points of appropriation, and a change in place of use under Permit G-16146. The permit allows the use of 1.715 cfs (being 0.60 cfs from Well 1 and 1.115 cfs from Well 2) (priority date March 31, 2003) from Wells 1 and 2 in Sec. 11, T 15 S, R 15 E, W.M. (Deschutes River Basin) for municipal use within the municipal service boundary of the City of Prineville. The applicant proposes to: change the points of appropriation of Well 1 approximately 80 feet south and Well 2 approximately 2000 feet northeast, both within Sec. 11, T 15 S, R 15 E, W.M.; additional points of appropriation to two wells within Sec. 11, T 15 S, R 15 E, W.M.; and to change the place of use to include Sects. 13 and 14, T 15 S, R 15 E, W.M. The Water Resources Department has concluded that the proposed permit amendment appears to be consistent with the requirements of ORS 537.211.

The last date of newspaper publication is [DATE OF LAST PUBLICATION].

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Permit Amendment	)	DRAFT FINAL ORDER
T-10378, Crook County	)	APPROVING A CHANGE IN POINT OF
	)	APPROPRIATION, ADDITIONAL
	)	POINTS OF APPROPRIATION, AND A
	)	CHANGE IN PLACE OF USE

Authority

ORS 537.211 establishes the process in which a water right permit holder may submit a request to change the point of appropriation and/or place of use authorized under an existing water right permit.

Applicant

City of Prineville
Attn Jerry Brummer
387 NE Third Street
Prineville, Oregon 97754

Findings of Fact

1. On May 2, 2007, City of Prineville filed an application to change the points of appropriation, add additional points of appropriation, and change the place of use under Permit G-16146. The Department assigned the application number T-10378.
2. The permit to be amended is as follows:

Permit:	G-16146, in the name of City of Prineville;
Use:	Municipal
Priority Date:	March 31, 2003
Quantity:	1.715 cubic feet per second (cfs); being 0.60 cfs from Well 1 (Airport Well 1) and 1.115 cfs from Well 2 (Airport Well 2), limited to a maximum annual volume of 1242.0 acre feet, further limited by the corresponding mitigation provided under the incremental mitigation development plan.
Source:	Two wells, in the Ochoco Creek Basin within the Deschutes River Basin
Date of Complete Application of Water:	December 29, 2026

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Survey Coordinates
15 S	15 E	WM	11	SE SW	Well 1 (Airport Well 1) - 1290 feet North and 1950 feet East from the SW Corner of Section 11
15 S	15 E	WM	11	SW SW	Well 2 (Airport Well 2) - 600 feet North and 20 feet East from the SW Corner of Section 11

Authorized Place of Use:

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
14 S	15 E	WM	25	NE NE
14 S	15 E	WM	25	NW NE
14 S	15 E	WM	25	SW NE
14 S	15 E	WM	25	SE NE
14 S	15 E	WM	25	NE NW
14 S	15 E	WM	25	NW NW
14 S	15 E	WM	25	SW NW
14 S	15 E	WM	25	SE NW
14 S	15 E	WM	25	NE SW
14 S	15 E	WM	25	NW SW
14 S	15 E	WM	25	SW SW
14 S	15 E	WM	25	SE SW
14 S	15 E	WM	25	NE SE
14 S	15 E	WM	25	NW SE
14 S	15 E	WM	25	SW SE
14 S	15 E	WM	25	SE SE
14 S	15 E	WM	36	NE NE
14 S	15 E	WM	36	NW NE
14 S	15 E	WM	36	SW NE
14 S	15 E	WM	36	SE NE
14 S	15 E	WM	36	NE NW
14 S	15 E	WM	36	NW NW
14 S	15 E	WM	36	SW NW
14 S	15 E	WM	36	SE NW
14 S	15 E	WM	36	NE SW
14 S	15 E	WM	36	NW SW
14 S	15 E	WM	36	SW SW
14 S	15 E	WM	36	SE SW
14 S	15 E	WM	36	NE SE
14 S	15 E	WM	36	NW SE
14 S	15 E	WM	36	SW SE
14 S	15 E	WM	36	SE SE
14 S	16 E	WM	28	NE NE
14 S	16 E	WM	28	NW NE
14 S	16 E	WM	28	SW NE
14 S	16 E	WM	28	SE NE
14 S	16 E	WM	28	NE NW
14 S	16 E	WM	28	NW NW
14 S	16 E	WM	28	SW NW
14 S	16 E	WM	28	SE NW

**MUNICIPAL USES WITHIN THE
MUNICIPAL SERVICE BOUNDARY OF
THE CITY OF PRINEVILLE**

Twp	Rng	Mer	Sec	Q-Q
14 S	16 E	WM	28	NE SW
14 S	16 E	WM	28	NW SW
14 S	16 E	WM	28	SW SW
14 S	16 E	WM	28	SE SW
14 S	16 E	WM	28	NE SE
14 S	16 E	WM	28	NW SE
14 S	16 E	WM	28	SW SE
14 S	16 E	WM	28	SE SE
14 S	16 E	WM	29	NE NE
14 S	16 E	WM	29	NW NE
14 S	16 E	WM	29	SW NE
14 S	16 E	WM	29	SE NE
14 S	16 E	WM	29	NE NW
14 S	16 E	WM	29	NW NW
14 S	16 E	WM	29	SW NW
14 S	16 E	WM	29	SE NW
14 S	16 E	WM	29	NE SW
14 S	16 E	WM	29	NW SW
14 S	16 E	WM	29	SW SW
14 S	16 E	WM	29	SE SW
14 S	16 E	WM	29	NE SE
14 S	16 E	WM	29	NW SE
14 S	16 E	WM	29	SW SE
14 S	16 E	WM	29	SE SE
14 S	16 E	WM	30	NE NE
14 S	16 E	WM	30	NW NE
14 S	16 E	WM	30	SW NE
14 S	16 E	WM	30	SE NE
14 S	16 E	WM	30	NE NW
14 S	16 E	WM	30	NW NW
14 S	16 E	WM	30	SW NW
14 S	16 E	WM	30	SE NW
14 S	16 E	WM	30	NE SW
14 S	16 E	WM	30	NW SW
14 S	16 E	WM	30	SW SW
14 S	16 E	WM	30	SE SW
14 S	16 E	WM	30	NE SE
14 S	16 E	WM	30	NW SE
14 S	16 E	WM	30	SW SE
14 S	16 E	WM	30	SE SE
14 S	16 E	WM	31	NE NE
14 S	16 E	WM	31	NW NE
14 S	16 E	WM	31	SW NE
14 S	16 E	WM	31	SE NE
14 S	16 E	WM	31	NE NW
14 S	16 E	WM	31	NW NW
14 S	16 E	WM	31	SW NW
14 S	16 E	WM	31	SE NW
14 S	16 E	WM	31	NE SW

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
14 S	16 E	WM	31	NW SW
14 S	16 E	WM	31	SW SW
14 S	16 E	WM	31	SE SW
14 S	16 E	WM	31	NE SE
14 S	16 E	WM	31	NW SE
14 S	16 E	WM	31	SW SE
14 S	16 E	WM	31	SE SE
14 S	16 E	WM	32	NE NE
14 S	16 E	WM	32	NW NE
14 S	16 E	WM	32	SW NE
14 S	16 E	WM	32	SE NE
14 S	16 E	WM	32	NE NW
14 S	16 E	WM	32	NW NW
14 S	16 E	WM	32	SW NW
14 S	16 E	WM	32	SE NW
14 S	16 E	WM	32	NE SW
14 S	16 E	WM	32	NW SW
14 S	16 E	WM	32	SW SW
14 S	16 E	WM	32	SE SW
14 S	16 E	WM	32	NE SE
14 S	16 E	WM	32	NW SE
14 S	16 E	WM	32	SW SE
14 S	16 E	WM	32	SE SE
14 S	16 E	WM	33	NE NE
14 S	16 E	WM	33	NW NE
14 S	16 E	WM	33	SW NE
14 S	16 E	WM	33	SE NE
14 S	16 E	WM	33	NE NW
14 S	16 E	WM	33	NW NW
14 S	16 E	WM	33	SW NW
14 S	16 E	WM	33	SE NW
14 S	16 E	WM	33	NE SW
14 S	16 E	WM	33	NW SW
14 S	16 E	WM	33	SW SW
14 S	16 E	WM	33	SE SW
14 S	16 E	WM	33	NE SE
14 S	16 E	WM	33	NW SE
14 S	16 E	WM	33	SW SE
14 S	16 E	WM	33	SE SE
14 S	16 E	WM	34	NE NE
14 S	16 E	WM	34	NW NE
14 S	16 E	WM	34	SW NE
14 S	16 E	WM	34	SE NE
14 S	16 E	WM	34	NE NW
14 S	16 E	WM	34	NW NW
14 S	16 E	WM	34	SW NW
14 S	16 E	WM	34	SE NW
14 S	16 E	WM	34	NE SW
14 S	16 E	WM	34	NW SW

**MUNICIPAL USES WITHIN THE
MUNICIPAL SERVICE BOUNDARY OF
THE CITY OF PRINEVILLE**

Twp	Rng	Mer	Sec	Q-Q
14 S	16 E	WM	34	SW SW
14 S	16 E	WM	34	SE SW
14 S	16 E	WM	34	NE SE
14 S	16 E	WM	34	NW SE
14 S	16 E	WM	34	SW SE
14 S	16 E	WM	34	SE SE
15 S	15 E	WM	1	NE NE
15 S	15 E	WM	1	NW NE
15 S	15 E	WM	1	SW NE
15 S	15 E	WM	1	SE NE
15 S	15 E	WM	1	NE NW
15 S	15 E	WM	1	NW NW
15 S	15 E	WM	1	SW NW
15 S	15 E	WM	1	SE NW
15 S	15 E	WM	1	NE SW
15 S	15 E	WM	1	NW SW
15 S	15 E	WM	1	SW SW
15 S	15 E	WM	1	SE SW
15 S	15 E	WM	1	NE SE
15 S	15 E	WM	1	NW SE
15 S	15 E	WM	1	SW SE
15 S	15 E	WM	1	SE SE
15 S	15 E	WM	2	NE NE
15 S	15 E	WM	2	NW NE
15 S	15 E	WM	2	SW NE
15 S	15 E	WM	2	SE NE
15 S	15 E	WM	2	NE NW
15 S	15 E	WM	2	NW NW
15 S	15 E	WM	2	SW NW
15 S	15 E	WM	2	SE NW
15 S	15 E	WM	2	NE SW
15 S	15 E	WM	2	NW SW
15 S	15 E	WM	2	SW SW
15 S	15 E	WM	2	SE SW
15 S	15 E	WM	2	NE SE
15 S	15 E	WM	2	NW SE
15 S	15 E	WM	2	SW SE
15 S	15 E	WM	2	SE SE
15 S	15 E	WM	3	NE NE
15 S	15 E	WM	3	NW NE
15 S	15 E	WM	3	SW NE
15 S	15 E	WM	3	SE NE
15 S	15 E	WM	3	NE NW
15 S	15 E	WM	3	NW NW
15 S	15 E	WM	3	SW NW
15 S	15 E	WM	3	SE NW
15 S	15 E	WM	3	NE SW
15 S	15 E	WM	3	NW SW
15 S	15 E	WM	3	SW SW

**MUNICIPAL USES WITHIN THE
MUNICIPAL SERVICE BOUNDARY OF
THE CITY OF PRINEVILLE**

Twp	Rng	Mer	Sec	Q-Q
15 S	15 E	WM	3	SE SW
15 S	15 E	WM	3	NE SE
15 S	15 E	WM	3	NW SE
15 S	15 E	WM	3	SW SE
15 S	15 E	WM	3	SE SE
15 S	15 E	WM	10	NE NE
15 S	15 E	WM	10	NW NE
15 S	15 E	WM	10	SW NE
15 S	15 E	WM	10	SE NE
15 S	15 E	WM	10	NE NW
15 S	15 E	WM	10	NW NW
15 S	15 E	WM	10	SW NW
15 S	15 E	WM	10	SE NW
15 S	15 E	WM	10	NE SW
15 S	15 E	WM	10	NW SW
15 S	15 E	WM	10	SW SW
15 S	15 E	WM	10	SE SW
15 S	15 E	WM	10	NE SE
15 S	15 E	WM	10	NW SE
15 S	15 E	WM	10	SW SE
15 S	15 E	WM	10	SE SE
15 S	15 E	WM	11	NE NE
15 S	15 E	WM	11	NW NE
15 S	15 E	WM	11	SW NE
15 S	15 E	WM	11	SE NE
15 S	15 E	WM	11	NE NW
15 S	15 E	WM	11	NW NW
15 S	15 E	WM	11	SW NW
15 S	15 E	WM	11	SE NW
15 S	15 E	WM	11	NE SW
15 S	15 E	WM	11	NW SW
15 S	15 E	WM	11	SW SW
15 S	15 E	WM	11	SE SW
15 S	15 E	WM	11	NE SE
15 S	15 E	WM	11	NW SE
15 S	15 E	WM	11	SW SE
15 S	15 E	WM	11	SE SE
15 S	15 E	WM	12	NE NE
15 S	15 E	WM	12	NW NE
15 S	15 E	WM	12	SW NE
15 S	15 E	WM	12	SE NE
15 S	15 E	WM	12	NE NW
15 S	15 E	WM	12	NW NW
15 S	15 E	WM	12	SW NW
15 S	15 E	WM	12	SE NW
15 S	15 E	WM	12	NE SW
15 S	15 E	WM	12	NW SW
15 S	15 E	WM	12	SW SW
15 S	15 E	WM	12	SE SW

**MUNICIPAL USES WITHIN THE
MUNICIPAL SERVICE BOUNDARY OF
THE CITY OF PRINEVILLE**

Twp	Rng	Mer	Sec	Q-Q
15 S	15 E	WM	12	NE SE
15 S	15 E	WM	12	NW SE
15 S	15 E	WM	12	SW SE
15 S	15 E	WM	12	SE SE
15 S	16 E	WM	3	NE NE
15 S	16 E	WM	3	NW NE
15 S	16 E	WM	3	SW NE
15 S	16 E	WM	3	SE NE
15 S	16 E	WM	3	NE NW
15 S	16 E	WM	3	NW NW
15 S	16 E	WM	3	SW NW
15 S	16 E	WM	3	SE NW
15 S	16 E	WM	3	NE SW
15 S	16 E	WM	3	NW SW
15 S	16 E	WM	3	SW SW
15 S	16 E	WM	3	SE SW
15 S	16 E	WM	3	NE SE
15 S	16 E	WM	3	NW SE
15 S	16 E	WM	3	SW SE
15 S	16 E	WM	3	SE SE
15 S	16 E	WM	4	NE NE
15 S	16 E	WM	4	NW NE
15 S	16 E	WM	4	SW NE
15 S	16 E	WM	4	SE NE
15 S	16 E	WM	4	NE NW
15 S	16 E	WM	4	NW NW
15 S	16 E	WM	4	SW NW
15 S	16 E	WM	4	SE NW
15 S	16 E	WM	4	NE SW
15 S	16 E	WM	4	NW SW
15 S	16 E	WM	4	SW SW
15 S	16 E	WM	4	SE SW
15 S	16 E	WM	4	NE SE
15 S	16 E	WM	4	NW SE
15 S	16 E	WM	4	SW SE
15 S	16 E	WM	4	SE SE
15 S	16 E	WM	5	NE NE
15 S	16 E	WM	5	NW NE
15 S	16 E	WM	5	SW NE
15 S	16 E	WM	5	SE NE
15 S	16 E	WM	5	NE NW
15 S	16 E	WM	5	NW NW
15 S	16 E	WM	5	SW NW
15 S	16 E	WM	5	SE NW
15 S	16 E	WM	5	NE SW
15 S	16 E	WM	5	NW SW
15 S	16 E	WM	5	SW SW
15 S	16 E	WM	5	SE SW
15 S	16 E	WM	5	NE SE

**MUNICIPAL USES WITHIN THE
MUNICIPAL SERVICE BOUNDARY OF
THE CITY OF PRINEVILLE**

Twp	Rng	Mer	Sec	Q-Q
15 S	16 E	WM	5	NW SE
15 S	16 E	WM	5	SW SE
15 S	16 E	WM	5	SE SE
15 S	16 E	WM	6	NE NE
15 S	16 E	WM	6	NW NE
15 S	16 E	WM	6	SW NE
15 S	16 E	WM	6	SE NE
15 S	16 E	WM	6	NE NW
15 S	16 E	WM	6	NW NW
15 S	16 E	WM	6	SW NW
15 S	16 E	WM	6	SE NW
15 S	16 E	WM	6	NE SW
15 S	16 E	WM	6	NW SW
15 S	16 E	WM	6	SW SW
15 S	16 E	WM	6	SE SW
15 S	16 E	WM	6	NE SE
15 S	16 E	WM	6	NW SE
15 S	16 E	WM	6	SW SE
15 S	16 E	WM	6	SE SE
15 S	16 E	WM	7	NE NE
15 S	16 E	WM	7	NW NE
15 S	16 E	WM	7	SW NE
15 S	16 E	WM	7	SE NE
15 S	16 E	WM	7	NE NW
15 S	16 E	WM	7	NW NW
15 S	16 E	WM	7	SW NW
15 S	16 E	WM	7	SE NW
15 S	16 E	WM	7	NE SW
15 S	16 E	WM	7	NW SW
15 S	16 E	WM	7	SW SW
15 S	16 E	WM	7	SE SW
15 S	16 E	WM	7	NE SE
15 S	16 E	WM	7	NW SE
15 S	16 E	WM	7	SW SE
15 S	16 E	WM	7	SE SE
15 S	16 E	WM	8	NE NE
15 S	16 E	WM	8	NW NE
15 S	16 E	WM	8	SW NE
15 S	16 E	WM	8	SE NE
15 S	16 E	WM	8	NE NW
15 S	16 E	WM	8	NW NW
15 S	16 E	WM	8	SW NW
15 S	16 E	WM	8	SE NW
15 S	16 E	WM	8	NE SW
15 S	16 E	WM	8	NW SW
15 S	16 E	WM	8	SW SW
15 S	16 E	WM	8	SE SW
15 S	16 E	WM	8	NE SE
15 S	16 E	WM	8	NW SE

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
15 S	16 E	WM	8	SW SE
15 S	16 E	WM	8	SE SE
15 S	16 E	WM	9	NE NE
15 S	16 E	WM	9	NW NE
15 S	16 E	WM	9	SW NE
15 S	16 E	WM	9	SE NE
15 S	16 E	WM	9	NE NW
15 S	16 E	WM	9	NW NW
15 S	16 E	WM	9	SW NW
15 S	16 E	WM	9	SE NW
15 S	16 E	WM	9	NE SW
15 S	16 E	WM	9	NW SW
15 S	16 E	WM	9	SW SW
15 S	16 E	WM	9	SE SW
15 S	16 E	WM	9	NE SE
15 S	16 E	WM	9	NW SE
15 S	16 E	WM	9	SW SE
15 S	16 E	WM	9	SE SE

3. Application T-10378 proposes to change the place of use of the permit to:

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
14 S	15 E	WM	25	NE NE
14 S	15 E	WM	25	NW NE
14 S	15 E	WM	25	SW NE
14 S	15 E	WM	25	SE NE
14 S	15 E	WM	25	NE NW
14 S	15 E	WM	25	NW NW
14 S	15 E	WM	25	SW NW
14 S	15 E	WM	25	SE NW
14 S	15 E	WM	25	NE SW
14 S	15 E	WM	25	NW SW
14 S	15 E	WM	25	SW SW
14 S	15 E	WM	25	SE SW
14 S	15 E	WM	25	NE SE
14 S	15 E	WM	25	NW SE
14 S	15 E	WM	25	SW SE
14 S	15 E	WM	25	SE SE
14 S	15 E	WM	36	NE NE
14 S	15 E	WM	36	NW NE
14 S	15 E	WM	36	SW NE
14 S	15 E	WM	36	SE NE
14 S	15 E	WM	36	NE NW
14 S	15 E	WM	36	NW NW
14 S	15 E	WM	36	SW NW
14 S	15 E	WM	36	SE NW
14 S	15 E	WM	36	NE SW

**MUNICIPAL USES WITHIN THE
MUNICIPAL SERVICE BOUNDARY OF
THE CITY OF PRINEVILLE**

Twp	Rng	Mer	Sec	Q-Q
14 S	15 E	WM	36	NW SW
14 S	15 E	WM	36	SW SW
14 S	15 E	WM	36	SE SW
14 S	15 E	WM	36	NE SE
14 S	15 E	WM	36	NW SE
14 S	15 E	WM	36	SW SE
14 S	15 E	WM	36	SE SE
14 S	16 E	WM	28	NE NE
14 S	16 E	WM	28	NW NE
14 S	16 E	WM	28	SW NE
14 S	16 E	WM	28	SE NE
14 S	16 E	WM	28	NE NW
14 S	16 E	WM	28	NW NW
14 S	16 E	WM	28	SW NW
14 S	16 E	WM	28	SE NW
14 S	16 E	WM	28	NE SW
14 S	16 E	WM	28	NW SW
14 S	16 E	WM	28	SW SW
14 S	16 E	WM	28	SE SW
14 S	16 E	WM	28	NE SE
14 S	16 E	WM	28	NW SE
14 S	16 E	WM	28	SW SE
14 S	16 E	WM	28	SE SE
14 S	16 E	WM	29	NE NE
14 S	16 E	WM	29	NW NE
14 S	16 E	WM	29	SW NE
14 S	16 E	WM	29	SE NE
14 S	16 E	WM	29	NE NW
14 S	16 E	WM	29	NW NW
14 S	16 E	WM	29	SW NW
14 S	16 E	WM	29	SE NW
14 S	16 E	WM	29	NE SW
14 S	16 E	WM	29	NW SW
14 S	16 E	WM	29	SW SW
14 S	16 E	WM	29	SE SW
14 S	16 E	WM	29	NE SE
14 S	16 E	WM	29	NW SE
14 S	16 E	WM	29	SW SE
14 S	16 E	WM	29	SE SE
14 S	16 E	WM	30	NE NE
14 S	16 E	WM	30	NW NE
14 S	16 E	WM	30	SW NE
14 S	16 E	WM	30	SE NE
14 S	16 E	WM	30	NE NW
14 S	16 E	WM	30	NW NW
14 S	16 E	WM	30	SW NW
14 S	16 E	WM	30	SE NW
14 S	16 E	WM	30	NE SW
14 S	16 E	WM	30	NW SW

**MUNICIPAL USES WITHIN THE
MUNICIPAL SERVICE BOUNDARY OF
THE CITY OF PRINEVILLE**

Twp	Rng	Mer	Sec	Q-Q
14 S	16 E	WM	30	SW SW
14 S	16 E	WM	30	SE SW
14 S	16 E	WM	30	NE SE
14 S	16 E	WM	30	NW SE
14 S	16 E	WM	30	SW SE
14 S	16 E	WM	30	SE SE
14 S	16 E	WM	31	NE NE
14 S	16 E	WM	31	NW NE
14 S	16 E	WM	31	SW NE
14 S	16 E	WM	31	SE NE
14 S	16 E	WM	31	NE NW
14 S	16 E	WM	31	NW NW
14 S	16 E	WM	31	SW NW
14 S	16 E	WM	31	SE NW
14 S	16 E	WM	31	NE SW
14 S	16 E	WM	31	NW SW
14 S	16 E	WM	31	SW SW
14 S	16 E	WM	31	SE SW
14 S	16 E	WM	31	NE SE
14 S	16 E	WM	31	NW SE
14 S	16 E	WM	31	SW SE
14 S	16 E	WM	31	SE SE
14 S	16 E	WM	32	NE NE
14 S	16 E	WM	32	NW NE
14 S	16 E	WM	32	SW NE
14 S	16 E	WM	32	SE NE
14 S	16 E	WM	32	NE NW
14 S	16 E	WM	32	NW NW
14 S	16 E	WM	32	SW NW
14 S	16 E	WM	32	SE NW
14 S	16 E	WM	32	NE SW
14 S	16 E	WM	32	NW SW
14 S	16 E	WM	32	SW SW
14 S	16 E	WM	32	SE SW
14 S	16 E	WM	32	NE SE
14 S	16 E	WM	32	NW SE
14 S	16 E	WM	32	SW SE
14 S	16 E	WM	32	SE SE
14 S	16 E	WM	33	NE NE
14 S	16 E	WM	33	NW NE
14 S	16 E	WM	33	SW NE
14 S	16 E	WM	33	SE NE
14 S	16 E	WM	33	NE NW
14 S	16 E	WM	33	NW NW
14 S	16 E	WM	33	SW NW
14 S	16 E	WM	33	SE NW
14 S	16 E	WM	33	NE SW
14 S	16 E	WM	33	NW SW
14 S	16 E	WM	33	SW SW

**MUNICIPAL USES WITHIN THE
MUNICIPAL SERVICE BOUNDARY OF
THE CITY OF PRINEVILLE**

Twp	Rng	Mer	Sec	Q-Q
14 S	16 E	WM	33	SE SW
14 S	16 E	WM	33	NE SE
14 S	16 E	WM	33	NW SE
14 S	16 E	WM	33	SW SE
14 S	16 E	WM	33	SE SE
14 S	16 E	WM	34	NE NE
14 S	16 E	WM	34	NW NE
14 S	16 E	WM	34	SW NE
14 S	16 E	WM	34	SE NE
14 S	16 E	WM	34	NE NW
14 S	16 E	WM	34	NW NW
14 S	16 E	WM	34	SW NW
14 S	16 E	WM	34	SE NW
14 S	16 E	WM	34	NE SW
14 S	16 E	WM	34	NW SW
14 S	16 E	WM	34	SW SW
14 S	16 E	WM	34	SE SW
14 S	16 E	WM	34	NE SE
14 S	16 E	WM	34	NW SE
14 S	16 E	WM	34	SW SE
14 S	16 E	WM	34	SE SE
15 S	15 E	WM	1	NE NE
15 S	15 E	WM	1	NW NE
15 S	15 E	WM	1	SW NE
15 S	15 E	WM	1	SE NE
15 S	15 E	WM	1	NE NW
15 S	15 E	WM	1	NW NW
15 S	15 E	WM	1	SW NW
15 S	15 E	WM	1	SE NW
15 S	15 E	WM	1	NE SW
15 S	15 E	WM	1	NW SW
15 S	15 E	WM	1	SW SW
15 S	15 E	WM	1	SE SW
15 S	15 E	WM	1	NE SE
15 S	15 E	WM	1	NW SE
15 S	15 E	WM	1	SW SE
15 S	15 E	WM	1	SE SE
15 S	15 E	WM	2	NE NE
15 S	15 E	WM	2	NW NE
15 S	15 E	WM	2	SW NE
15 S	15 E	WM	2	SE NE
15 S	15 E	WM	2	NE NW
15 S	15 E	WM	2	NW NW
15 S	15 E	WM	2	SW NW
15 S	15 E	WM	2	SE NW
15 S	15 E	WM	2	NE SW
15 S	15 E	WM	2	NW SW
15 S	15 E	WM	2	SW SW
15 S	15 E	WM	2	SE SW

**MUNICIPAL USES WITHIN THE
MUNICIPAL SERVICE BOUNDARY OF
THE CITY OF PRINEVILLE**

Twp	Rng	Mer	Sec	Q-Q
15 S	15 E	WM	2	NE SE
15 S	15 E	WM	2	NW SE
15 S	15 E	WM	2	SW SE
15 S	15 E	WM	2	SE SE
15 S	15 E	WM	3	NE NE
15 S	15 E	WM	3	NW NE
15 S	15 E	WM	3	SW NE
15 S	15 E	WM	3	SE NE
15 S	15 E	WM	3	NE NW
15 S	15 E	WM	3	NW NW
15 S	15 E	WM	3	SW NW
15 S	15 E	WM	3	SE NW
15 S	15 E	WM	3	NE SW
15 S	15 E	WM	3	NW SW
15 S	15 E	WM	3	SW SW
15 S	15 E	WM	3	SE SW
15 S	15 E	WM	3	NE SE
15 S	15 E	WM	3	NW SE
15 S	15 E	WM	3	SW SE
15 S	15 E	WM	3	SE SE
15 S	15 E	WM	10	NE NE
15 S	15 E	WM	10	NW NE
15 S	15 E	WM	10	SW NE
15 S	15 E	WM	10	SE NE
15 S	15 E	WM	10	NE NW
15 S	15 E	WM	10	NW NW
15 S	15 E	WM	10	SW NW
15 S	15 E	WM	10	SE NW
15 S	15 E	WM	10	NE SW
15 S	15 E	WM	10	NW SW
15 S	15 E	WM	10	SW SW
15 S	15 E	WM	10	SE SW
15 S	15 E	WM	10	NE SE
15 S	15 E	WM	10	NW SE
15 S	15 E	WM	10	SW SE
15 S	15 E	WM	10	SE SE
15 S	15 E	WM	11	NE NE
15 S	15 E	WM	11	NW NE
15 S	15 E	WM	11	SW NE
15 S	15 E	WM	11	SE NE
15 S	15 E	WM	11	NE NW
15 S	15 E	WM	11	NW NW
15 S	15 E	WM	11	SW NW
15 S	15 E	WM	11	SE NW
15 S	15 E	WM	11	NE SW
15 S	15 E	WM	11	NW SW
15 S	15 E	WM	11	SW SW
15 S	15 E	WM	11	SE SW
15 S	15 E	WM	11	NE SE

**MUNICIPAL USES WITHIN THE
MUNICIPAL SERVICE BOUNDARY OF
THE CITY OF PRINEVILLE**

Twp	Rng	Mer	Sec	Q-Q
15 S	15 E	WM	11	NW SE
15 S	15 E	WM	11	SW SE
15 S	15 E	WM	11	SE SE
15 S	15 E	WM	12	NE NE
15 S	15 E	WM	12	NW NE
15 S	15 E	WM	12	SW NE
15 S	15 E	WM	12	SE NE
15 S	15 E	WM	12	NE NW
15 S	15 E	WM	12	NW NW
15 S	15 E	WM	12	SW NW
15 S	15 E	WM	12	SE NW
15 S	15 E	WM	12	NE SW
15 S	15 E	WM	12	NW SW
15 S	15 E	WM	12	SW SW
15 S	15 E	WM	12	SE SW
15 S	15 E	WM	12	NE SE
15 S	15 E	WM	12	NW SE
15 S	15 E	WM	12	SW SE
15 S	15 E	WM	12	SE SE
15 S	15 E	WM	13	NE NE
15 S	15 E	WM	13	NW NE
15 S	15 E	WM	13	SW NE
15 S	15 E	WM	13	SE NE
15 S	15 E	WM	13	NE NW
15 S	15 E	WM	13	NW NW
15 S	15 E	WM	13	SW NW
15 S	15 E	WM	13	SE NW
15 S	15 E	WM	13	NE SW
15 S	15 E	WM	13	NW SW
15 S	15 E	WM	13	SW SW
15 S	15 E	WM	13	SE SW
15 S	15 E	WM	13	NE SE
15 S	15 E	WM	13	NW SE
15 S	15 E	WM	13	SW SE
15 S	15 E	WM	13	SE SE
15 S	15 E	WM	14	NE NE
15 S	15 E	WM	14	NW NE
15 S	15 E	WM	14	SW NE
15 S	15 E	WM	14	SE NE
15 S	15 E	WM	14	NE NW
15 S	15 E	WM	14	NW NW
15 S	15 E	WM	14	SW NW
15 S	15 E	WM	14	SE NW
15 S	15 E	WM	14	NE SW
15 S	15 E	WM	14	NW SW
15 S	15 E	WM	14	SW SW
15 S	15 E	WM	14	SE SW
15 S	15 E	WM	14	NE SE
15 S	15 E	WM	14	NW SE
15 S	15 E	WM	14	SW SE

**MUNICIPAL USES WITHIN THE
MUNICIPAL SERVICE BOUNDARY OF
THE CITY OF PRINEVILLE**

Twp	Rng	Mer	Sec	Q-Q
15 S	15 E	WM	14	SE SE
15 S	16 E	WM	3	NE NE
15 S	16 E	WM	3	NW NE
15 S	16 E	WM	3	SW NE
15 S	16 E	WM	3	SE NE
15 S	16 E	WM	3	NE NW
15 S	16 E	WM	3	NW NW
15 S	16 E	WM	3	SW NW
15 S	16 E	WM	3	SE NW
15 S	16 E	WM	3	NE SW
15 S	16 E	WM	3	NW SW
15 S	16 E	WM	3	SW SW
15 S	16 E	WM	3	SE SW
15 S	16 E	WM	3	NE SE
15 S	16 E	WM	3	NW SE
15 S	16 E	WM	3	SW SE
15 S	16 E	WM	3	SE SE
15 S	16 E	WM	4	NE NE
15 S	16 E	WM	4	NW NE
15 S	16 E	WM	4	SW NE
15 S	16 E	WM	4	SE NE
15 S	16 E	WM	4	NE NW
15 S	16 E	WM	4	NW NW
15 S	16 E	WM	4	SW NW
15 S	16 E	WM	4	SE NW
15 S	16 E	WM	4	NE SW
15 S	16 E	WM	4	NW SW
15 S	16 E	WM	4	SW SW
15 S	16 E	WM	4	SE SW
15 S	16 E	WM	4	NE SE
15 S	16 E	WM	4	NW SE
15 S	16 E	WM	4	SW SE
15 S	16 E	WM	4	SE SE
15 S	16 E	WM	5	NE NE
15 S	16 E	WM	5	NW NE
15 S	16 E	WM	5	SW NE
15 S	16 E	WM	5	SE NE
15 S	16 E	WM	5	NE NW
15 S	16 E	WM	5	NW NW
15 S	16 E	WM	5	SW NW
15 S	16 E	WM	5	SE NW
15 S	16 E	WM	5	NE SW
15 S	16 E	WM	5	NW SW
15 S	16 E	WM	5	SW SW
15 S	16 E	WM	5	SE SW
15 S	16 E	WM	5	NE SE
15 S	16 E	WM	5	NW SE
15 S	16 E	WM	5	SW SE
15 S	16 E	WM	5	SE SE

**MUNICIPAL USES WITHIN THE
MUNICIPAL SERVICE BOUNDARY OF
THE CITY OF PRINEVILLE**

Twp	Rng	Mer	Sec	Q-Q
15 S	16 E	WM	6	NE NE
15 S	16 E	WM	6	NW NE
15 S	16 E	WM	6	SW NE
15 S	16 E	WM	6	SE NE
15 S	16 E	WM	6	NE NW
15 S	16 E	WM	6	NW NW
15 S	16 E	WM	6	SW NW
15 S	16 E	WM	6	SE NW
15 S	16 E	WM	6	NE SW
15 S	16 E	WM	6	NW SW
15 S	16 E	WM	6	SW SW
15 S	16 E	WM	6	SE SW
15 S	16 E	WM	6	NE SE
15 S	16 E	WM	6	NW SE
15 S	16 E	WM	6	SW SE
15 S	16 E	WM	6	SE SE
15 S	16 E	WM	7	NE NE
15 S	16 E	WM	7	NW NE
15 S	16 E	WM	7	SW NE
15 S	16 E	WM	7	SE NE
15 S	16 E	WM	7	NE NW
15 S	16 E	WM	7	NW NW
15 S	16 E	WM	7	SW NW
15 S	16 E	WM	7	SE NW
15 S	16 E	WM	7	NE SW
15 S	16 E	WM	7	NW SW
15 S	16 E	WM	7	SW SW
15 S	16 E	WM	7	SE SW
15 S	16 E	WM	7	NE SE
15 S	16 E	WM	7	NW SE
15 S	16 E	WM	7	SW SE
15 S	16 E	WM	7	SE SE
15 S	16 E	WM	8	NE NE
15 S	16 E	WM	8	NW NE
15 S	16 E	WM	8	SW NE
15 S	16 E	WM	8	SE NE
15 S	16 E	WM	8	NE NW
15 S	16 E	WM	8	NW NW
15 S	16 E	WM	8	SW NW
15 S	16 E	WM	8	SE NW
15 S	16 E	WM	8	NE SW
15 S	16 E	WM	8	NW SW
15 S	16 E	WM	8	SW SW
15 S	16 E	WM	8	SE SW
15 S	16 E	WM	8	NE SE
15 S	16 E	WM	8	NW SE
15 S	16 E	WM	8	SW SE
15 S	16 E	WM	8	SE SE
15 S	16 E	WM	9	NE NE

MUNICIPAL USES WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF PRINEVILLE				
Twp	Rng	Mer	Sec	Q-Q
15 S	16 E	WM	9	NW NE
15 S	16 E	WM	9	SW NE
15 S	16 E	WM	9	SE NE
15 S	16 E	WM	9	NE NW
15 S	16 E	WM	9	NW NW
15 S	16 E	WM	9	SW NW
15 S	16 E	WM	9	SE NW
15 S	16 E	WM	9	NE SW
15 S	16 E	WM	9	NW SW
15 S	16 E	WM	9	SW SW
15 S	16 E	WM	9	SE SW
15 S	16 E	WM	9	NE SE
15 S	16 E	WM	9	NW SE
15 S	16 E	WM	9	SW SE
15 S	16 E	WM	9	SE SE

The proposed place of use is in bold type

4. Application T-10378 proposes to change the points of appropriation of the permit to:

Twp	Rng	Mer	Sec	Q-Q	Survey Coordinates
15 S	15 E	WM	11	SE SW	Well 1 (Airport Well 1) - 1210 feet North and 1950 feet East from the SW Corner of Section 11
15 S	15 E	WM	11	SE SW	Well 2 (Airport Well 2) - 1165 feet North and 1990 feet East from the SW Corner of Section 11

5. Application T-10378 proposes an additional point of appropriation for Well 1 under the permit located:

Twp	Rng	Mer	Sec	Q-Q	Survey Coordinates
15 S	15 E	WM	11	SE SW	Well 2 (Airport Well 2) - 1165 feet North and 1990 feet East from the SW Corner of Section 11

6. Application T-10378 proposes an additional point of appropriation for Well 2 under the permit located:

Twp	Rng	Mer	Sec	Q-Q	Survey Coordinates
15 S	15 E	WM	11	SE SW	Well 1 (Airport Well 1) - 1210 feet North and 1950 feet East from the SW Corner of Section 11

7. Notice of the application for the permit amendment was published in the Department's weekly notice on May 8, 2007, and in the _____ newspaper on _____, 2008, pursuant to ORS 540.520(5). No comments were filed in response to the notices.
8. The changes would not result in injury to other water rights.
9. The proposed place of use is controlled by the permit holder.

10. The changes do not enlarge the permit.
11. The changes do not alter any other terms of the permit.
12. The proposed place of use is contiguous to the authorized place of use.

Conclusions of Law

The change in points of appropriation, additional points of appropriation, and change in place of use proposed by Permit Amendment Application T-10378 is consistent with the requirements of ORS 537.211.

Now, therefore, it is ORDERED:

The change and subsequent use of water shall be subject to the following conditions:

1. The combined quantity of water diverted at the new points of appropriation (wells), together with that diverted at the old points of appropriation, shall not exceed the maximum rate and duty allowed under Permit G-16146.
2. Prior to water use from the proposed point of appropriation, the permittee shall install a totalizing flow meter on each well. The totalizing flow meter must be installed and maintained in good working order consistent with those standards identified in OAR 690-507-645(1) through (3). The permittee shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.

The permittee shall allow the watermaster access to the meters; provided however, where the meter is located within a private structure, the watermaster shall request access upon reasonable notice.

3. Water shall be acquired from the same aquifer as the original points of appropriation.
4. All other terms and conditions of Permit G-16146 remain the same.
5. Permit G-16146, in the name of City of Prineville, is amended as described herein.



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

INTEROFFICE MEMO

FORWARD TO:  Kelly Starnes DATE: 4/17/2008

FIELD PROCESSOR WORKING ON THIS TRANSFER

FROM: _____ WATERMASTER, DISTRICT # _____
X _____ GROUNDWATER SECTION

(SIGNATURE) K. Lite date signed 4/17/2008
signed by injury reviewer

SUBJECT: **WATER RIGHT TRANSFER** # 10378

A change in: **POU** **POD** **POA** **USE** of water.

In the name(s) of City of Prineville

In my opinion (assuming the right is valid), the proposed change

MAY BE MADE WITHOUT INJURY WOULD RESULT IN INJURY* to an existing water right.

*The approval of this transfer application would result in injury to other water rights because

The existing right may not be valid because

Headgate notices HAVE HAVE NOT Been issued for diversion from the source(s) which serve(s) this right.

If for change in point of diversion, is there any intervening point(s) for diversion between the authorized and proposed points of diversion? (Yes or No) _____

In my opinion, the order approving the subject transfer application should include the following in regard to the appropriator installing suitable measuring devices in the diversion works:


_____ (1) PRIOR to the diverting of water at the new point of diversion . . .

_____ (2) WHEN IN the judgement of the watermaster it becomes necessary . . .

The enclosed copy of the transfer application and map(s) is for your records.

wmtrans.frm

Location Map: T-10378
Huston Lake and Prineville Quadrangles





Oregon

John A. Kitzhaber, M.D., Governor

Water Resources Department

Commerce Building
158 12th Street NE
Salem, OR 97310-0210
(503) 378-3739
FAX (503) 378-8130

INTEROFFICE MEMO

TO: TRANSFER SECTION

DATE: 5-7-07

FROM: X WATERMASTER, DISTRICT # _____
GROUNDWATER SECTION

(SIGNATURE) _____ *date signed*

SUBJECT: PERMIT AMENDMENT # 10378

A change in: POU POD POA of water.

In the name(s) of City of Prineville

In my opinion (assuming the right is valid), the proposed change

MAY BE MADE WITHOUT INJURY WOULD RESULT IN INJURY* to an existing water right.

*The approval of this transfer application would result in injury to other water rights because _____

The existing right may not be valid because _____

Headgate notices HAVE HAVE NOT Been issued for diversion from the source(s) which serve(s) this right.

If for change in point of diversion, is there any intervening point(s) for diversion between the authorized and proposed points of diversion? (Yes or No) _____

In my opinion, the order approving the subject transfer application should include the following in regard to the appropriator installing suitable measuring devices in the diversion works:

_____ (1) PRIOR to the diverting of water at the new point of diversion . . .

_____ (2) WHEN IN the judgement of the watermaster it becomes necessary . . .

The enclosed copy of the transfer application and map(s) is for your records.





Oregon

Theodore R. Kulongoski, Governor

Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1271
503-986-0900
FAX 503-986-0904

INTEROFFICE MEMO

FORWARD TO: Kelly Starnes DATE: 4/17/2008

FIELD PROCESSOR WORKING ON THIS TRANSFER

FROM: WATERMASTER, DISTRICT #
 X GROUNDWATER SECTION

(SIGNATURE) K. Lite date signed 4/17/2008
signed by injury reviewer

SUBJECT: **WATER RIGHT TRANSFER #** 10378

A change in: **POU** **POD** **POA** **USE** of water.

In the name(s) of City of Prineville

In my opinion (assuming the right is valid), the proposed change

MAY BE MADE WITHOUT INJURY WOULD RESULT IN INJURY* to an existing water right.

*The approval of this transfer application would result in injury to other water rights because

The existing right may not be valid because

Headgate notices HAVE HAVE NOT Been issued for diversion from the source(s) which serve(s) this right.

If for change in point of diversion, is there any intervening point(s) for diversion between the authorized and proposed points of diversion? (Yes or No) _____


In my opinion, the order approving the subject transfer application should include the following in regard to the appropriator installing suitable measuring devices in the diversion works:

_____ (1) PRIOR to the diverting of water at the new point of diversion . . .

_____ (2) WHEN IN the judgement of the watermaster it becomes necessary . . .

The enclosed copy of the transfer application and map(s) is for your records.

Location Map: T-10378 Huston Lake and Prineville Quadrangles



2000 0 2000 4000 Feet

WATER RESOURCES DEPARTMENT MEMORANDUM

DATE 4/17/2008

APPLICATION_NUMBER	T 10378		
OWNER	CITY OF PRINEVILLE		
AMOUNT_REQUESTED	527 GPM	NUMBER_OF_WELLS	2
	BASIN DESCHUTES		
	SUB_BASIN CROOKED RIVER		
QUADRANGLE_MAP_1	HUSTON LAKE	COUNTY CROOK	
WELL_#	1	WELL_LOG_STATUS	DRILLED, LOG AVAILABLE
		POA_AMOUNT	527 GPM
WELL_LOG_NUMBER	CROO 1894	DPN_LOG_1	CROO 50095
TWNSHP	15S	RANGE	15E
		SECTION	11
		QQQ	CDB
PROPOSED_LEGAL_LOCATION	1210 FEET NORTH AND 1950 FEET EAST FROM SW CORNER, SECTION 11		
DISTANCE_FROM_STREAM_1	11,500 FEET	STREAM_1	CROOKED RIVER
DISTANCE_FROM_STREAM_2		STREAM_2	
PROPOSED_WELL_DEPTH			
WELL_ELEV	3255	STREAM_ELEV	2875
		WELL_ELEV_minus_STREAM_ELEV	380
WELL_DEPTH	492	SWL	414
SEAL_DEPTH	25	SWL_DATE	12/11/1980
CASING_DEPTH	25	FIRST_WATER_DEPTH	448
LINER_DEPTH	487	WELL_TEST_1_TYPE	AIR
PERFORATIONS_SCREEN_1	447-467	YIELD_1	135 GPM
PERFORATIONS_SCREEN_2		DRAWDOWN_1	
AQUIFER_TYPE	UNCONFINED	DURATION_1	2 HR
HYDRAULIC_CONNECTION	NOT AT NEAREST REACH		
DIVISION_9_FINDING			
ZONE_OF_IMPACT			
CONDITIONED_WATER_RIGHTS_IN_AREA	SEE G-15974 REVIEW NOTES		
OTHER_NEARBY_WATER_RIGHTS	SEE G-15974 REVIEW NOTES		
DENSITY_OF_NEARBY_WELLS	SEE G-15974 REVIEW NOTES		
COMMENTS	WELL NAME: AIRPORT WELL.#1; THE APPLICANT PROPOSES TO ADD THE TOTAL RATE IN PERMIT G-16146 ONTO THIS WELL. (AND ADD THE TOTAL RATE TO WELL #2). WELL #1 IS CONSTRUCTED INTO WATER-BEARING ZONES WITHIN DESCHUTES FM LAVA OR PRINEVILLE BASALT. GROUND WATER FLOW IS TOWARDS THE NORTHWEST WITH THE NEAREST LIKELY DISCHARGE TO THE CROOKED RIVER.		
REFERENCES	USGS WRIR 97-4233,WRIR 00-4162, WRIR 02-4015; APPL. FILE T-10378; PERMIT G-16146; WELL REPORT CROO 1894 AND CROO 50095; SINGLE WELL AQUIFER TEST DATA FOR CROO 1894; HUSTON LAKE QUADRANGLE MAP.		

WATER RESOURCES DEPARTMENT MEMORANDUM

DATE 4/17/2008

APPLICATION_NUMBER T 10378

OWNER CITY OF PRINEVILLE

AMOUNT_REQUESTED 527 GPM NUMBER_OF_WELLS 2 BASIN DESCHUTES

QUADRANGLE_MAP_1 HUSTON LAKE SUB_BASIN CROOKED RIVER
COUNTY CROOK

WELL_# 2 WELL_LOG_STATUS DRILLED, LOG AVAILABLE POA_AMOUNT 527 GPM

WELL_LOG_NUMBER CROO 53453 DPN_LOG_1

TWNSHP 15S RANGE 15E SECTION 11 QQQ CDB

PROPOSED_LEGAL_LOCATION 1165 FEET NORTH AND 1990 FEET EAST FROM SW CORNER, SECTION 11

DISTANCE_FROM_STREAM_1 11,500 FEET STREAM_1 CROOKED RIVER

DISTANCE_FROM_STREAM_2 STREAM_2

PROPOSED_WELL_DEPTH

WELL_ELEV 3255 STREAM_ELEV 2875 WELL_ELEV_minus_STREAM_ELEV 380

WELL_DEPTH 546 SWL 408

SEAL_DEPTH 452 SWL_DATE 7/11/2007

CASING_DEPTH 452 FIRST_WATER_DEPTH 420

LINER_DEPTH 447; 474 WELL_TEST_1_TYPE PUMP

PERFORATIONS_SCREEN_1 447-452 YIELD_1 700 GPM

PERFORATIONS_SCREEN_2 474-539 DRAWDOWN_1 11.5

AQUIFER_TYPE UNCONFINED DURATION_1 24 HR

HYDRAULIC_CONNECTION NOT AT NEAREST REACH

DIVISION_9_FINDING

ZONE_OF_IMPACT

CONDITIONED_WATER_RIGHTS_IN_AREA SEE G-15974 REVIEW NOTES

OTHER_NEARBY_WATER_RIGHTS SEE G-15974 REVIEW NOTES


DENSITY_OF_NEARBY_WELLS SEE G-15974 REVIEW NOTES

COMMENTS WELL NAME: AIRPORT WELL.#2; THE APPLICANT PROPOSES TO ADD THE TOTAL RATE IN PERMIT G-16146 ONTO THIS WELL. (AND ADD THE TOTAL RATE TO WELL #1). WELL #2 IS CONSTRUCTED INTO WATER-BEARING ZONES WITHIN DESCHUTES FM. GROUND WATER FLOW IS TOWARDS THE NORTHWEST WITH THE NEAREST LIKELY DISCHARGE TO THE CROOKED RIVER.

REFERENCES USGS WRIR 97-4233, WRIR 00-4162, WRIR 02-4015; APPL. FILE T-10378; PERMIT G-16146; WELL REPORT CROO 53453; HUSTON LAKE QUADRANGLE MAP.

Pumping started 11/28/2006 at 11:46 AM
Pumping stopped 12/2/2005 at 11:10 AM
Initial Static Water Level = 414.35 ft bgs
Average discharge rate = 259 gpm

Constant-Rate Aquifer Test Drawdown



Airport Well #2

STATE OF OREGON
WATER SUPPLY WELL REPORT

CROO 53453

WELL ID # L 89932

(START CARD) # 190442

(as required by ORS 537.785)

Instructions for completing this report are on the last page of this form

(1) OWNER:

Well Number: Airport#2Name City of PrinevilleAddress 387 NE Third StreetCity Prineville State OR Zip 97754

(2) TYPE OF WORK:

☒ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment

(3) DRILL METHOD:

☒ Rotary Air ☐ Rotary Mud ☒ Cable ☐ Auger
☐ Other

(4) PROPOSED USE:

☐ Domestic ☒ Community ☐ Industrial ☐ Irrigation
☐ Thermal ☐ Injection ☐ Livestock ☐ Other

(5) BORE HOLE CONSTRUCTION:

Special Construction approval ☐ Yes ☒ No Depth of Completed Well 546 ft.
Explosives used ☐ Yes ☒ No Type Amount

HOLE			SEAL			Amount	
Diameter	From	To	Material	From	To	sacks or pounds	
22in	0	30	Cement Slurry	0	112	154 sacks	
20in	30	335	Cement Slurry	403	452	66 sacks	
18in	335	454					
15in	454	546					

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E
☐ OtherBackfill placed from 112 ft. to 403 ft. Material Bentonite ChipsGravel placed from 442 ft. to 546 ft. Size of gravel 8x12

(6) CASING/LINER:

	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:	16	+2	452	.375	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
Liner:	12in	442	447	.250	☒	☐	☒	☐
	12	452	474	.250	☒	☐	☒	☐

Final location of shoe(s)

(7) PERFORATIONS/SCREENS:

☐ Perforations Method Factory - Roscoe Moss
☒ Screens Type Wire Wrap Material Stainless

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
447	452	.055		12	pipe	☐	☒
474	539	.055		12	pipe	☐	☒
						☐	☐
						☐	☐

(8) WELL TESTS: Minimum testing time is 1 hour

☒ Pump ☐ Bailor ☐ Air ☐ Flowing Artesian

Yield gal/min	Drawdown	Drill stem at	Time
700	11.5	475	24 hr.

Temperature of Water 54 Depth Artesian Flow foundWas a water analysis done? ☐ Yes By whomDid any strata contain water not suitable for intended use? ☐ Too little☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other

Depth of strata:

(9) LOCATION OF WELL by legal description:

County Crook Latitude Longitude
Township 15S N or S. Range 15E E or W. of WM.
Section 11 NW 1/4 SE 1/4
Tax lot 303 Lot Block Subdivision
Street Address of Well (or nearest address) 4585 Airport,
Prineville, OR 97754

(10) STATIC WATER LEVEL:

408 ft. below land surface. Date 7/11/2007
Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES:

Depth at which water was first found 420

From	To	Estimated Flow Rate	SWL
420	546	1000+	407

(12) WELL LOG:

Ground elevation

Material	From	To	SWL
Brown Clay & Rock	0	2	
Hard Gray Basalt	2	48	
Fractured Basalt Gray with Brown Seams	48	72	
Hard Gray Basalt with Green Seams	72	152	
Hard Gray with Brown Seams	152	197	
Soft Brown Sandstone Cong.	197	232	
Soft Sand Semi-Consolidated	232	270	
Loose Brown Sand	270	295	
Sand & Gravel	295	372	
Brown Conglomerate	372	420	
Brown Sandstone WB	420	442	408
Hard Gray Basalt	442	452	408
Semi Consolidated River Gravel WB	454	546	408

RECEIVED

WESTERN WATER DEVELOPMENT

P.O. Box 1670

Redmond, OR 97756

WATER RESOURCES DEPT

SALEM, OREGON

Date started 4/13/2007Completed 7/11/2007

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to my best knowledge and belief.

Signed _____ WWC Number _____
Date _____

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed Robert Buckner WWC Number 1385
Date 7/17/2007

Robert Buckner

ORIGINAL - WATER RESOURCES DEPARTMENT

FIRST COPY - CONSTRUCTOR

SECOND COPY - CUSTOMER



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Watermaster Review Form: Water Right Transfer

Transfer Application: T-10378

Review Due Date: 6/5/07

Applicant Name: City of Prineville

Proposed Changes: ☒ POU ☐ POD ☒ POA ☐ USE ☐ OTHER

Reviewer(s): J Giffin

Date of Review: May 14, 2007

1. Do you have information suggesting that the water rights may be subject to forfeiture?
☐ Yes ☒ No If "Yes", describe the information and indicate if you intend to file a cancellation affidavit or if you need additional time to determine if a cancellation affidavit should be filed: _____
2. Is there a history of regulation on the source that serves the right proposed for transfer that has involved the right and downstream water rights? ☐ Yes ☒ No Generally characterize the frequency of any regulation or explain why regulation has not occurred: _____
3. Check here if it appears that downstream water rights benefit from return flows resulting from the current use of the right? ☐ If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most: _____
4. Are there upstream water rights that would be affected by the proposed change?
☐ Yes ☒ No If "Yes", describe how the rights would be affected and list the rights most affected: _____
5. For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? ☐ If you check the box, describe and, if possible, estimate the losses: _____
6. Would distribution of water for the right after the proposed change result in regulation of other water rights that would not have occurred if use of the existing right was maximized?
☐ Yes ☒ No If "Yes", explain: _____
7. For POU changes, would the original place of use continue to receive water from the same source? ☐ Yes ☒ No ☐ N/A If "Yes", explain: _____
8. For POU or USE changes, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste? ☐ Yes ☒ No If "Yes", explain: _____
9. Are there other issues not identified through the above questions? ☐ Yes ☒ No If "Yes", explain: _____
10. What alternatives may be available for addressing any issues identified above: _____

RECEIVED

MAY 17 2007

WATER RESOURCES DEPT
SALEM, OREGON

11. Have headgate notices been issued for the source that serves the right? ☐ Yes ☒ No
12. What water control and measurement conditions should be included in the transfer:

Measurement Devices	☐ Present and should be maintained.	☒ Should be required prior to diverting water.	☐ May be required in the future.
Headgates	☐ Present and should be maintained.	☒ Should be required prior to diverting water.	☐ May be required in the future.



Oregon Water Resources Department
Land Use Information Form

THIS FORM IS NOT REQUIRED IF: 1) water is to be diverted, conveyed, and/or used only on federal lands; or 2) the application is for a water-right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and all of the following apply: a) only the place of use is proposed for change, b) there are no structural changes, c) the use of water is for irrigation, and d) the use is located in an irrigation district or exclusive farm-use zone.

Applicant Name: City of Prineville ATTN: Jerry Brummer
Mailing Address: 387 NE Third Street
City: Prineville State: OR Zip: 97754 Day Phone: (541) 447-5627

This application is related to a Measure 37 claim. ☐ Yes ☒ No

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), or used. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	1/4 1/4	Tax Lot #	Plan Designation (e.g. Rural Residential/RR-5)	Water to be:	Proposed Land Use:
Within City of Prineville service area						☒ Diverted ☒ Conveyed ☒ Used	Municipal
						☐ Diverted ☐ Conveyed ☐ Used	water supply
						☐ Diverted ☐ Conveyed ☐ Used	
						☐ Diverted ☐ Conveyed ☐ Used	

List all counties and cities where water is proposed to be diverted, conveyed, or used. City of Prineville

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water ☐ Water-Right Transfer ☐ Exchange of Water
☐ Allocation of Conserved Water ☐ Limited Water Use License
☒ Permit Amendment or Ground Water Registration Modification

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 770 ☐ cubic feet per second ☒ gallons per minute ☐ acre-feet

Intended use of water: ☐ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☒ Municipal ☐ Quasi-municipal ☐ Instream ☐ Other _____

Briefly describe: The City of Prineville is applying to the Oregon Water Resources Department for an amendment to one of the City's existing water rights (Permit G-16146) requesting a correction of the well locations listed on the permit and a change in the allocation of groundwater pumping allowed at each well.

Note to applicant: *If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt below and include it with the application filed with the Water Resources Department.*

Receipt for Request for Land Use Information

State of Oregon
Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

RECEIVED

MAY 02 2007

WATER RESOURCES DEPT
SALEM, OREGON

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form.

This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

☒ Land uses to be served by proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): 153, of 1057

City of Prineville

☐ Land uses to be served by proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.)

If approvals have been obtained but all appeal periods have not ended, check "Being pursued".

Type of Land-Use Approval Needed (e.g. plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being pursued ☐ Not being pursued
		☐ Obtained ☐ Denied	☐ Being pursued ☐ Not being pursued
		☐ Obtained ☐ Denied	☐ Being pursued ☐ Not being pursued
		☐ Obtained ☐ Denied	☐ Being pursued ☐ Not being pursued
		☐ Obtained ☐ Denied	☐ Being pursued ☐ Not being pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

NS

RECEIVED

MAY 02 2007

WATER RESOURCES DEPT
SALEM, OREGON

Name: Dwight L. Hearing Title: Senior Planner
Signature: [Signature] Phone: 541 447-8338 Date: 3/16/07
Government Entity: City of Prineville

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____

City or County: _____ Staff contact: _____

Signature: _____ Phone: _____ Date: _____

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

RECEIPT # **87381**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

INVOICE # _____

RECEIVED FROM: City of Prineville
BY: _____

APPLICATION	
PERMIT	
TRANSFER	T-10378

CASH: ☐ CHECK: # 905915 OTHER: (IDENTIFY) ☐ _____

TOTAL REC'D \$ 1,050.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES \$ _____
OTHER: (IDENTIFY) \$ _____

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES \$ _____
0410 RESEARCH FEES \$ _____
0408 MISC REVENUE: (IDENTIFY) \$ _____
TC162 DEPOSIT LIAB. (IDENTIFY) \$ _____
0240 EXTENSION OF TIME \$ _____

WATER RIGHTS:

	EXAM FEE		RECORD FEE
0201 SURFACE WATER	\$ _____	0202	\$ _____
0203 GROUND WATER	\$ _____	0204	\$ _____
0205 TRANSFER	\$ <u>1,050.00</u>		

WELL CONSTRUCTION

	EXAM FEE		LICENSE FEE
0218 WELL DRILL CONSTRUCTOR	\$ _____	0219	\$ _____
LANDOWNER'S PERMIT		0220	\$ _____

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE	\$ _____	CARD #	_____
0210 MONITORING WELLS	\$ _____	CARD #	_____

OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD)		\$ _____
0231 HYDRO LICENSE FEE (FW/WRD)		\$ _____
HYDRO APPLICATION		\$ _____

TREASURY OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION _____ \$ _____

RECEIPT: **87381**

DATED: 5/2/07

BY: [Signature]



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Application for Permit Amendment or Ground Water Registration Modification

Please type or print legibly in dark ink. If your application is incomplete or inaccurate, we will return it to you. If any requested information does not apply to your application, insert "N/A" to indicate Not Applicable. As you complete this form, please refer to notes and guidance included on the application. A summary of review criteria and procedures that are generally applicable to these applications is available at www.wrd.state.or.us/OWRD/PUBS/forms.shtml.

1. TYPE OF APPLICATION

Please check **one** of the following:

☒ Permit Amendment ☐ Ground Water Registration Modification

2. APPLICANT INFORMATION

Name: City of Prineville ATTN: Jerry Brummer
First Last
Address: 387 NE Third Street
Prineville OR 97754
City State Zip
Phone: (541) 447-5627
Home Work Other
Fax: (541) 447-5628 E-Mail address: _____

3. AGENT INFORMATION

(The agent listed is authorized to represent the applicant in all matters relating to this application.)

Name: GSI Water Solutions, Inc. ATTN: Ted Ressler
First Last
Address: 55 SW Yamhill Street, Suite 400
Portland OR 97204
City State Zip
Phone: (503) 239-8799
Home Work Other
Fax: (503) 239-8940 E-Mail address: tressler@gsiwatersolutions.com

RECEIVED

MAY 02 2007

WATER RESOURCES DEPT
SALEM, OREGON

- If an agent is listed above, please check **one** of the following:
- ☐ Please send all correspondence to Agent. Send *copies* of correspondence to Applicant; **or**
- ☒ Please send all correspondence to Applicant. Send *copies* of correspondence to Agent.

Permit Amendments

- If you propose to amend multiple permits under this application, a separate set of pages 3 through 7 must be provided for each permit. (**NOTE:** Concurrent changes to a water right must be filed separately on a transfer application.)

Ground Water Registration Modifications

- You may propose modification of only one ground water registration per application, unless in accordance with OAR 690-382-0300(2), the ground water registrations to be modified are layered. (**NOTE:** Concurrent changes to a water right must be filed separately on a transfer application.)

4. TYPE OF AMENDMENT OR MODIFICATION PROPOSED

Please check **all** of the following that apply:

Point of Diversion or Appropriation	Place of Use	Character of Use
☒ Change (The old point of diversion or appropriation will <u>not</u> be used for the portion of the water right affected by the amendment or modification.) ☐ Additional (Both the old <u>and</u> new points of diversion or appropriation will be used for the portion of the water right affected by the amendment or modification.) <i>Not Available for Ground Water Registrations</i> ☐ Surface Water to Ground Water (A new point of appropriation will be used instead of the old point of diversion. The old point of diversion will <u>not</u> be used.)	☒ All of the Permit or Registration will be exercised at a different location than currently authorized (Use of water at the current authorized location will be discontinued.) ☐ Only a <u>portion</u> of the Permit or Registration will be exercised at a different location than currently authorized (Use of water at a <u>portion</u> of the current authorized location will be discontinued.) RECEIVED MAY 02 2007	<i>Not Available for Permit Amendments</i> Change existing authorized use to the following proposed <u>new</u> use: ☐ Irrigation ☐ Municipal ☐ Quasi-municipal ☐ Commercial ☐ Industrial ☐ Domestic (indicate number of households): _____ ☐ Other _____

WATER RESOURCES DEPT
SALEM, OREGON

- Reason(s) for amendment/modification(s): (1) Correct the locations of the two authorized points of appropriation (Airport Well 1 and Airport Well 2) stated on the permit, (2) add Airport Well 1 as an additional point of appropriation for the rate of Airport Well 2 and add Airport Well 2 as an additional point of appropriation for the rate of Airport Well 1, and (3) update the place of use to encompass the City's service area in its entirety.

5. CURRENT PERMIT OR REGISTRATION INFORMATION

Permit or Registration to be Amended/Modified (*check and complete one of the following*):

☒ Permit to be Amended:	<u>G-16146</u> Permit Number	<u>12/29/2026</u> Current Completion Date of Permit
☐ Ground Water Registration to be Modified:	 Ground Water Registration Number	<i>NOTE: Concurrent changes to a water right must be filed separately on a transfer application.</i>

- Name on Permit or Registration: City of Prineville
- County: Crook County
- Authorized Use(s) to be affected by this Amendment/Modification: Municipal water supply
- Priority Date(s): 03/31/2003

*If there are **multiple Priority Dates** identified on the Permit or Registration, any information provided on pages 4 through 7 must identify which priority date is associated with each of the authorized and proposed points of diversion or appropriation and places of use.*

All Source(s) of Water to be affected by this Amendment/Modification: Both authorized points of appropriation listed on the permit: Airport Well 1 and Airport Well 2.

Tributary to: Both wells within Ochoco Creek Basin

*If there are **multiple Sources** listed on the Permit or Registration, any information provided on pages 4 through 7 must identify which source is associated with each of the authorized and proposed points of diversion or appropriation and places of use.*

For an application proposing a Change in Place of Use or Character of Use:

- Are there any other “Layered” Water Rights, Permits, or Ground Water Registrations issued for **Irrigation** purposes that are appurtenant to the same place of use as the Permit or Registration being Amended/Modified? ☐ Yes ☒ No ☐ N/A -No Change in Use or Place of Use

If “Yes”, pursuant to ORS 540.510, OAR 690-380-2240 and OAR 690-382-0200, the other “layered” water uses subject to transfer **must either change concurrently or be cancelled**, except as provided in OAR 690-380-2240(5).

- Remarks: _____

RECEIVED

MAY 02 2007

**WATER RESOURCES DEPT
SALEM, OREGON**

- The following information **must be provided** only for those points of diversion or appropriation that are involved in the permit amendment or ground water registration modification (i.e., list only the portion of the permit/registration you propose to amend/modify.) Attach additional pages as necessary.

Government lot and donation land claim numbers must be included in the tables below **only** if the information is reflected on the existing permit or ground water registration.

Location of Existing Authorized Point(s) of Diversion or Appropriation to be Changed:

(i.e., the allowed point(s) of diversion/appropriation that will be affected by the proposed amendment/modification, the "FROM" point(s) of diversion/appropriation)

If Ground Water, OWRD Well Log ID No. (or Well ID Tag No. L-____)	Source and Priority Date	Township	Range	Mer	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Survey Coordinates (coordinates from a recognized survey corner)
Airport Well 1 (CROO 1894/50095)	3/31/2003	15 S	15 E	WM	11	SE SW	--	1290 feet North and 1950 feet East from SW corner, Section 11
Airport Well 2 (Not constructed)	3/31/2003	15 S	15 E	WM	11	SW SW	--	600 feet North and 20 feet East from SW corner, Section 11

- Does the permit/registration being amended/modified involve a ground water source(s)?
☒ Yes ☐ No (Surface water source only.)

If "Yes", for each authorized point of appropriation (well) involved, you must either:

- Supply a copy of the well log(s) for each point of appropriation that is **clearly labeled** and associated with the corresponding well in the table above and on the accompanying application map.

(NOTE: You may search for well logs on the Department's website at: www.wrd.state.or.us)

or

- If a well log is **not** available, you must describe the construction of the authorized point of appropriation by completing the table below. Attach additional copies as necessary.

Construction of Existing Authorized Point(s) of Appropriation – (Only needed if no well log is available.)

Wells in this listing must be **clearly tied** to corresponding well location(s) described in the table above and shown on the accompanying application map.

OWRD Well No. as identified in table above	Diameter	Type and size of casing	No. of feet of casing	Intervals casing is perforated (in feet)	Seal depth	Est. depth to water	Est. depth to water bearing stratum	Type of access port or measuring device	Total well depth

RECEIVED

MAY 02 2007

WATER RESOURCES DEPT
SALEM, OREGON

- The following information **must be provided** only for those places of use that are involved in the permit amendment or ground water registration modification (i.e., list only the portion of the permit/registration you propose to amend/modify.) Attach additional pages as necessary.

Government lot and donation land claim numbers must be included in the tables below **only** if the information is reflected on the existing permit or ground water registration.

Location of Existing Authorized Place of Use to be Affected:

(i.e., the allowed lands that will be affected by the proposed amendment/modification, the "FROM" lands)

Source and Priority Date	Township	Range	Mer	Sec	¼ ¼ Section	Tax Lot, DLC or Gov't Lot	Acres (if applicable)
All POAs, 3/31/2003	14S	15E	WM	25	ALL		
"	14S	15E	WM	36	ALL		
"	14S	16E	WM	28	ALL		
"	14S	16E	WM	29	ALL		
"	14S	16E	WM	30	ALL		
"	14S	16E	WM	31	ALL		
"	14S	16E	WM	32	ALL		
"	14S	16E	WM	33	ALL		
"	14S	16E	WM	34	ALL		
"	15S	15E	WM	1	ALL		
"	15S	15E	WM	2	ALL		
"	15S	15E	WM	3	ALL		
"	15S	15E	WM	10	ALL		
"	15S	15E	WM	11	ALL		
"	15S	15E	WM	12	ALL		
"	15S	16E	WM	3	ALL		
"	15S	16E	WM	4	ALL		
"	15S	16E	WM	5	ALL		
"	15S	16E	WM	6	ALL		
"	15S	16E	WM	7	ALL		
"	15S	16E	WM	8	ALL		
"	15S	16E	WM	9	ALL		

RECEIVED

MAY 02 2007

WATER RESOURCES DEPT
SALEM, OREGON

6. PROPOSED PERMIT AMENDMENT OR REGISTRATION MODIFICATION

- Describe proposed changes to the permit or registration involving point(s) of diversion and/or appropriation. Survey coordinates described below should accurately correspond to the points shown on the accompanying application map. Attach additional pages as necessary.

Location of Proposed Point(s) of Diversion or Appropriation: (i.e., the "TO" point(s) of diversion/appropriation)

(NOTE: Complete this table only if a Change in Point of Diversion or Appropriation is being proposed.)

Source	Township	Range	Mer	Sec	¼ ¼ Section	Tax Lot, DLC or Gov't Lot	Survey Coordinates (coordinates from a recognized survey corner)
Airport Well 1 (CROO 1894/50095)	15 S	15 E	WM	11	SE SW	--	1210 feet north and 1950 feet east from SW corner, Section 11
Airport Well 2 (Not constructed)	15 S	15 E	WM	11	SE SW	--	1165 feet north and 1990 feet east from SW corner, Section 11

- If there are proposed point(s) of appropriation (wells) listed in the table above, are the well(s) already constructed? ☐ Yes ☒ No ☐ N/A - No proposed well(s) listed above.

If "Yes", attach and **clearly label** the corresponding well log(s) for each proposed well, or if well log(s) are **not** available, describe the construction of the well(s) using the table below.

(NOTE: You may search for well logs on the Department's website at: www.wrd.state.or.us)

If "No", describe the anticipated construction for the proposed well(s) in the following table:

Construction of Proposed Point(s) of Appropriation or Well(s):

Well numbers in this listing must be clearly tied to corresponding well location(s) described in the table above and shown on the accompanying application map.

Well already built? (Yes/No)	If an existing well, OWRD Well Log ID No. (or Well ID Tag No. L-)	Diameter	Type and size of casing	No. of feet of casing	Intervals casing is perforated (in feet)	Seal depth	Est. depth to water	Est. depth to water bearing stratum	Type of access port or measuring device	Total well depth
No	Airport Well 2 (Not constructed)	20-inch 16-inch	16-inch 14-inch	450 120	450-550	100	408	450	1-inch drop tube	525-550

RECEIVED

MAY 02 2007

WATER RESOURCES DEPT
SALEM, OREGON

- Describe proposed changes to the permit or registration involving place of use. Information described below should accurately correspond to the proposed place of use shown on the accompanying application map. Attach additional pages as necessary.

Location of Proposed Place of Use: (i.e., the "TO" lands)

(NOTE: Complete this table *only* if a Change in Place of Use is being proposed.)

Source	Township	Range	Mer	Sec	¼ ¼ Section	Tax Lot, DLC or Gov't Lot	Acres (if applicable)
All POAs, 3/31/2003	14S	15E	WM	25	ALL		
"	14S	15E	WM	36	ALL		
"	14S	16E	WM	28	ALL		
"	14S	16E	WM	29	ALL		
"	14S	16E	WM	30	ALL		
"	14S	16E	WM	31	ALL		
"	14S	16E	WM	32	ALL		
"	14S	16E	WM	33	ALL		
"	14S	16E	WM	34	ALL		
"	15S	15E	WM	1	ALL		
"	15S	15E	WM	2	ALL		
"	15S	15E	WM	3	ALL		
"	15S	15E	WM	10	ALL		
"	15S	15E	WM	11	ALL		
"	15S	15E	WM	12	ALL		
"	15S	15E	WM	13	ALL		
"	15S	15E	WM	14	ALL		
"	15S	16E	WM	3	ALL		
"	15S	16E	WM	4	ALL		
"	15S	16E	WM	5	ALL		
"	15S	16E	WM	6	ALL		
"	15S	16E	WM	7	ALL		
"	15S	16E	WM	8	ALL		
"	15S	16E	WM	9	ALL		

RECEIVED

MAY 02 2007

WATER RESOURCES DEPT
SALEM, OREGON

Remarks: The applicant is requesting the change in place of use to encompass the City's service area in its entirety. The applicant is also requesting to add Airport Well 1 as an additional point of appropriation for the rate of Airport Well 2 and add Airport Well 2 as an additional point of appropriation for the rate of Airport Well 1.

7. AFFECTED DISTRICTS AND LOCAL GOVERNMENTS

- Are any of the Permit(s) or Registration(s) proposed for amendment/modification located within or served by an irrigation or other water district? ☒ Yes ☐ No
- Will any of the Permit(s) or Registration(s) be located within or served by an irrigation or other water district after the proposed amendment/modification? ☒ Yes ☐ No
- Is water for any of the Permit(s) or Registration(s) supplied under a water service agreement or other contract for stored water with a federal agency? ☐ Yes ☒ No

If "Yes", for any of the above, list the name and mailing address of the district and/or agency:

Ochoco Irrigation District – 1001 N. Deer Street, Prineville, OR 97754

- List the name and mailing address of all affected local governments (e.g., county, city, municipal corporation, and tribal governments within whose jurisdiction the right(s) are located).

City of Prineville, 387 NE Third Street, Prineville, OR 97754

Crook County, 300 NE 3rd Street, Prineville, OR 97754

8. PERMIT HOLDER OF RECORD

This section is to be completed only for Permit Amendment applications.

- ☐ *N/A – This is a Ground Water Registration Modification application.*

- Is the applicant the permit holder of record? ☒ Yes ☐ No

If "No", the applicant must either:

- A. *Be assigned as a permit holder of record by submitting a completed **Request for Assignment** form and the required statutory fee for an assignment;*

or

RECEIVED

MAY 02 2007

**WATER RESOURCES DEPT
SALEM, OREGON**

- B. *Submit an Affidavit of Consent from the permit holder of record that gives permission for the applicant to amend the permit.*

9. LAND OWNERSHIP

If for a Permit Amendment proposing a Change in Place of Use:

- Does the permit holder of record own or control the land **TO** which the place of use is being moved? ☒ Yes ☐ No

*If "No", the owner of the land **TO** which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed **Request for Assignment** form and the required statutory fee for an assignment.*

- Check one of the following:
 - ☐ The permit holder of record will be responsible for completion of the proposed changes after the final order is issued. All notices and correspondence should be sent to the permit holder of record.
 - ☒ The applicant will remain responsible for completion of changes. Notices and correspondence should continue to be sent to the applicant and applicant's agent.

If for a Ground Water Registration Modification:

- Does the applicant own the lands **FROM** which the registration is being moved? ☐ Yes ☐ No

If "No", provide the following information:

Names of Current Landowner(s): _____
First Last

Address: _____

City State Zip

- Does the applicant own the lands **TO** which the registration is being moved? ☐ Yes ☐ No

If "No", provide the following information:

Names of Receiving Landowner(s): _____
First Last

Address: _____

City State Zip

- Check one of the following:

- ☐ The receiving landowner will be responsible for completion of the proposed changes after the final order is issued. All notices and correspondence should be sent to this landowner.
- ☐ The applicant will remain responsible for completion of changes. Notices and correspondence should continue to be sent to the applicant and applicant's agent.

RECEIVED

MAY 02 2007

WATER RESOURCES DEPT
SALEM, OREGON

10. ATTACHMENTS

Check each of the following attachments included with this application.
The application will be returned if all required attachments are not included.

Map: (Attachment 1)

- ☒ A map meeting the requirements of OAR 690-380-3100 must be included but need **not** be prepared by a Certified Water Right Examiner.

Land Use Information Form: (Attachment 2)

- ☒ Enclosed; *or*
- ☐ Not required if **all** of the following are met:
- ❶ In EFU zone or irrigation district;
 - ❷ Change in place of use only;
 - ❸ No structural changes needed, including diversion works, delivery facilities, other structures; *and*
 - ❹ Irrigation only.

Water Well Reports/Well Logs: (Attachment 3)

- ☒ The application involves a change in point of appropriation or change from surface water to ground water and copies of all water well reports are attached.
- ☒ Water well reports are not available and a description of construction details including well depth, static water level, and information necessary to establish the ground water body developed or proposed to be developed is attached.
- ☐ N/A. The application does **not** involve a change in point of appropriation or a change from surface water to ground water, so water well reports are **not** required.

Fees:

- ☒ Amount enclosed: \$ 1,050
See the Department's Fee Schedule at www.wrd.state.or.us/OWRD/PUBS/forms.shtml or call (503) 986-0900.

For Permit Amendments Only...

Request for Assignment:

- ☐ Enclosed. The applicant is **NOT** the permit holder of record and needs to be assigned to the permit; ***OR*** the landowner of the proposed place of use is **NOT** the permit holder of record and needs to be assigned to the permit.
*The Request for Assignment form is available online at: www.wrd.state.or.us/OWRD/PUBS/forms.shtml ; ***or****
- ☒ N/A. The applicant is the permit holder of record and owns or controls the proposed place of use; ***OR*** the applicant is ***not*** the permit holder of record but ***is*** supplying an Affidavit of Consent from the permit holder.

Affidavit of Consent:

- ☐ Enclosed. Because the applicant is **NOT** the permit holder of record, an Affidavit of Consent is being supplied that gives permission for the applicant to amend the permit; ***or***
- ☒ N/A. Not required because the applicant is the permit holder of record.

RECEIVED

MAY 02 2007

WATER RESOURCES DEPT
SALEM, OREGON

Before submitting your application to the Department, be sure you have:

- Answered each question completely.
- Included all the required attachments.
- Provided original signatures for all named deed holders, or other parties, with an interest in the water right.
- Included a check payable to the Oregon Water Resources Department for the appropriate amount.

11. SIGNATURES

- ***For Ground Water Registration Modification Applications only, check the appropriate one and sign the application in the signature box below:***


☐ In accordance with OAR 690-382-0400(16)(a), I (we) understand that prior to Department approval of a permanent modification and upon my receipt of a draft Preliminary Determination for the proposed modification, I (we) will be required [pursuant to OAR 690-382-0700(5)] to provide the following landownership information and evidence demonstrating that I (we) are authorized to pursue the modification:

- (a) A report of ownership and lien information that has been prepared by a title company *within the last three months*;
- (b) A copy of written notification of the proposed modification provided by the applicant to all lien holders on the subject lands unless the report of ownership and lien information shows that a water right conveyance agreement has been recorded for the subject lands. *If a water right conveyance agreement has been recorded for the subject lands, a copy of the recorded agreement and a listing of the owner(s) of the lands at the time the agreement was recorded must be submitted; and*
- (c) If the applicant is not both the person named on the ground water registration or the assignee *and* the owner of the lands to which the registration is appurtenant, as identified in the report of ownership and lien information, then either of the following must be provided:
- A) Notarized statements consenting to the modification by all persons, other than the applicant, who are named on the ground water registration or identified as landowners in the report of ownership and lien information or who are authorized representatives of an entity to whom the interest in the water right has been conveyed as identified in a water right conveyance agreement; or
- B) Documentation demonstrating that the applicant is authorized to pursue the modification in the absence of consent of the persons named on the ground water registration or the assignee and the owner of the lands to which the registration is appurtenant.

☒ I (we) affirm that the applicant is a municipality, as defined in ORS 540.510(3)(b), and that the right is in the name of the municipality or a predecessor. Therefore, pursuant to OAR 690-382-0400(16)(b), the applicant is NOT required to provide the above described report of ownership and lien information.

☐ I (we) affirm that the applicant is an entity with the authority to condemn property and is acquiring the property to which the ground water registration proposed for modification is appurtenant by condemnation. Documentation is provided with this application supporting this statement. Therefore, pursuant to OAR 690-382-0400(16)(c), the applicant is NOT required to provide the above described report of ownership and lien information. (NOTE: Such an entity may only apply for recognition of a modification under this subsection if it has filed a condemnation action to acquire the property and deposited the funds with the court as required by ORS 35.265.)

- ***For both Permit Amendment and Ground Water Registration Modification Applications, I (we) affirm that the information contained in this application is true and accurate.***

 applicant signature	<u>Robb Coarney</u> name (print)	<u>4-24-07</u> date
 applicant signature	 name (print)	 date

RECEIVED

WATER RESOURCES DEPARTMENT.
SALEM, OREGON 97310
within 30 days from the date
of well completion.

(Please type or print)

SALEM, OREGON

(Do not write above this line)

State Permit No.

Name JEFF GRUNIGEN
Address P.O. Box 182
Redmond, Oregon 97756

If abandonment, describe material and procedure in Item 12.

Rotary	☒	Driven	☐
Cable	☐	Jettied	☐
	☐	Bored	☐

Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

Threaded ☐ Welded ☒

8" Diam. from 42 ft. to 25 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

Perforated? ☐ Yes ☒ No.

Type of perforator used

Size of perforations	in. by	in.
perforations from	ft. to	ft.
perforations from	ft. to	ft.
perforations from	ft. to	ft.

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name

Type Model No.

Diam. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

Drawdown is amount water level is lowered below static level

Was a pump test made? ☐ Yes ☒ No If yes, by whom?

Yield:	gal./min. with	ft. drawdown after	hrs.
Blow Tested @	135 G.P.M	2	"
"	"	"	"

Peller test — gal./min. with — ft. drawdown after — hrs.
 Sustained flow g.p.m.

Temperature of water Depth artesian flow encountered ft.

Well seal—Material used Cement
Well sealed from land surface to 25 ft.
Diameter of well bore to bottom of seal 12 in.
Diameter of well bore below seal 8 in.
Number of sacks of cement used in well seal 17 sacks
How was cement grout placed? Pressure grouted
with 1" pipe from 25 ft. to
surface

Was a drive shoe used? ☐ Yes ☒ No Plugs Size: location ft.

Did any strata contain unusable water? ☐ Yes ☒ No

Type of water? depth of strata

Method of sealing strata off —

Was well gravel packed? ☐ Yes ☒ No Size of gravel:

Gravel placed from ft. to ft.

County Cherokee Driller's well number _____
N.W. 1/4 S.E. 1/4 Section 11 T. 15S R. 15E W.M. _____
 Bearing and distance from section or subdivision corner _____
Prineville Airport

Depth at which water was first found 4.48 ft.
 Static level 414 ft. below land surface. Date 12-11-8
 Artesian pressure _____ lbs. per square inch. Date _____

Diameter of well below casing 8"
ft. Depth of completed well 475 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

[illegible]

Work started	11-12-19	Completed	12-11-19	80
Date well drilling machine moved off of well	12-13-19		80	

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Th. Gordon Davidson Date 11-17-1980
(Drilling Machine Operator)

Drilling Machine Operator's License No. 685

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name DAVIDSON DRILLING
(Person, firm or corporation) (Type or print)

Address P.O. Box 315 Redmond, Ore,

[Signed] W. Gordon Davidson
(Water Well Contractor)

Contractor's License No. 548 Date 11-12 1980

(USE ADDITIONAL SHEETS IF NECESSARY)

8P-45656-119


(as required by ORS 537.765)

(START CARD) # 88384

T 10378

Anticipated Lithology
(from CROO 1894)

Depth
(ft bgs)



Basalt

Deshutes Formation (?)
Tdbm2 - Upper Meyers Butte
Tdbm1 - Lower Meyers Butte

Conglomerate and Sandstone

Deshutes Formation (?)
Tds - Sedimentary Rocks

RECEIVED

MAY 02 2007

WATER RESOURCES DEPT
SALEM, OREGON


Water first encountered at 443'

* Target Aquifer *

Basalt


Deshutes Formation (?)
Tdbw - White Deer Ranch
and/or,
Prineville Basalt - Tcp

Airport Well #2



* NOTE

* For bidding purposes, assume the screen assembly will consist of 50 feet of blank pipe and 70 feet of screen (2 screen sections @ 20-foot and 3 screen sections @ 10-foot)



Groundwater Solutions Inc.

I 10378

Drawing 6

Airport Well #2 Schematic Well Design
City of Prineville



Water Solutions, Inc.

April 12, 2007

Mr. P. Kelly Starnes
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271

RE: **Application for Water Right Transfer**
Water Right Permit No. G-16146 (Application No. G-15974)
City of Prineville

Kelly:

On behalf of the City of Prineville, please find enclosed an Application for Permit Amendment for the City of Prineville's water right permit G-16146. The City has enclosed a check totaling \$1,050 for payment of the application filing fee.

The City is currently constructing the second point of appropriation (Airport Well 2) listed on the permit, which will allow the City to fully develop the groundwater appropriation authorized by the permit. The City is applying to make a change to the points of appropriation listed on the permit and to revise the authorized place of use to encompass the City's water service area in its entirety.

If you have any questions regarding the enclosed application or the information contained in therein, please call me at (503) 239-8799. Thank you for your assistance and I look forward to hearing from you soon.

Sincerely,
GSI Water Solutions, Inc.

A handwritten signature in blue ink that reads "Theodore R. Ressler".

Theodore Ressler, RG
Project Hydrogeologist

RECEIVED

MAY 02 2007

**WATER RESOURCES DEPT
SALEM, OREGON**

Enclosures: Copy of email approving submission of a map of non-standard size and scale
Application for Permit Amendment
Check totaling \$1,050 for necessary filing fees
CD with Adobe PDF file of complete application and Excel table of place of use T-R-S-QQ

Cc: Adam Sussman – GSI Water Solutions, Inc.
Jerry Brummer – City of Prineville

1 10378

Ted Ressler

From: Kelly Starnes [starnepk@wrd.state.or.us]
Sent: Thursday, April 05, 2007 3:38 PM
To: Ted Ressler
Cc: Adam.Sussman@ch2m.com
Subject: RE: Permit amendment questions

Ted –

The attached non-standard scale map for the City of Prineville permit amendment is approved by OWRD. Please include a copy of this e-mail with the application and map when you send it in.

Kelly

From: Ted Ressler [mailto:TRessler@GSIWaterSolutions.com]
Sent: Thursday, April 05, 2007 3:27 PM
To: Kelly Starnes
Cc: Adam Sussman
Subject: RE: Permit amendment questions

Kelly

Here is a digital copy of the oversized place of use map. Please advise if this map is acceptable.

Thanks
Ted

From: Kelly Starnes [mailto:starnepk@wrd.state.or.us]
Sent: Thursday, April 05, 2007 3:04 PM
To: Ted Ressler
Cc: Adam.Sussman@ch2m.com
Subject: RE: Permit amendment questions

Ted –

1. We will need paper copies of the maps when the application is submitted (you may also submit digital copies in addition to the paper copies). For approval of the non-standard scale map you will need to send me a digital copy of the oversize map so that I may review it and send you approval of the map.
2. Excel table would do. The digital copy could be sent to me via e-mail or on cd.
3. The proposed language looks ok for the additional wells.

Kelly

10378

4/10/2007

Indicate in this column whether or not the item is satisfied.

Permit Amendment Application – ORS 537.211

Completeness Checklist

Applicant's Name: City of Prineville (Form last revised: October 30, 2006)

Section A – Status of Permit

Is this a permit that can be amended?

NOTE: The Department CANNOT accept a Permit Amendment application for any permit that has:

- ___ 1) a permit completion date that has expired; *or*
- ___ 2) a pending permit extension of time application on file with the Department; *or*
- ___ 3) a pending claim of beneficial use report on file with the Department.

If the subject permit falls into any of the above categories, RETURN the application & fee to the applicant.

Section B – Type of Change

Is the proposed change(s) allowed under the Permit Amendment process? [ORS 537.211(4)]

NOTE: Only POD, POA or POU changes are allowed on Permit Amendments.

If the application proposes a change other than those listed above, RETURN the application & fee to the applicant.

Section C - Fees

Have the appropriate fees been paid?

Total Required Fees: _____

Fee Schedule – ORS 536.050(1)(h)

Total Fees Paid: 1050.00

\$350 - Base fee (1st change and 1st CFS of water)

+ \$350 - Each additional type of change requested

Fees Due (if any): _____

+ \$175 - For each CFS, or fraction thereof, requested beyond 1st CFS
(for POU, Type of Use, or Exchange) 1.715?

Refund Due (if any): _____

If the applicant has NOT submitted the total fees required, RETURN the application & deficient fee to the applicant.

Section D – Completeness

Indicate in this column whether an item is incomplete, and if so, identify the deficiency.

Is the Permit Amendment application complete?

All required elements necessary for a complete permit amendment application are listed below.

Indicate whether or not the applicant has answered and/or supplied attachments to adequately address each of the following items. If any one of the items is deficient, then the application is incomplete.

NOTE: For reference, the application page number upon which each item is requested is identified.

If the application is NOT complete, RETURN the application & fee to the applicant.

• Applicant's name, mailing address and contact information. (Page 1)

• Agent's name, mailing address and contact information, if applicable. (Page 1)

• Are multiple permits being amended? YES NO (Page 2)

If YES..... the applicant must supply a separate "set" of pages 3 through 7 of the application form for each permit to be amended.

• The type of amendment being proposed. (Page 2)

• Reason for the permit amendment. (Page 2)

• Current permit information – permit number, use, priority date, source(s), etc. (Page 3)

OK	• If for a change in POU.....Are there any "layered" irrigation rights, permits, or GR registrations appurtenant to the same place of use as the permit proposed to be amended? YES NO (Page 3) If YES..... the other "layered" water uses subject to transfer must either change concurrently or be cancelled, except as provided in OAR 690-380-2240(5).
OK	• Location description of the authorized POA/POD to be amended. (Page 4) NOTE: Ensure that the location coordinates listed in the application match the point and location coordinates illustrated on the application map. Additionally, if the existing authorized source is ground water (POA), the applicant must either: <u>OK</u> 1) supply a copy of the well log(s), <u>or</u> 2) if well logs are not available, describe the construction of the well(s) in the table provided on page 4 of the application.
OK	• Location description of the existing authorized POU and associated acres (if applicable). (Page 5) NOTE: Ensure that the location and number of acres listed per ¼ ¼ in the application match those illustrated on the application map.
OK	• Location description of the proposed POA/POD. (Page 6) NOTE: Ensure that the proposed location coordinates listed in the application match the proposed point and location coordinates illustrated on the application map. Additionally, if the proposed source is ground water (POA), the applicant must either: _____ 1) supply a copy of the well log(s), <u>or</u> _____ 2) if well logs are not available <u>or</u> the well is not yet constructed, describe the construction of the well(s) in the table provided on page 6 of the application.
OK	• Location description of the proposed POU and associated acres (if applicable). (Page 7) NOTE: Ensure that the location and number of acres listed per ¼ ¼ in the application match those illustrated on the application map.
OK	• Affected districts and local governments. (Page 8) If within a district/local government jurisdiction, ensure that name & mailing address is provided.
OK	• Is the applicant the permit holder of record? YES NO (Page 8) If NO..... the applicant must either submit: _____ 1) a Request for Assignment form & fee in order to be assigned to the permit, <u>or</u> _____ 2) an Affidavit of Consent from the permit holder giving permission for the amendment.
OK	• If the permit holder of record does not own or control the land TO which the place of use is being moved, has a Request for Assignment form been submitted to assign the owner of the TO land to the permit? YES NO (Page 9)
OK	• Map..... (NOT required to be prepared by a CWRE). (Page 10) _____ north arrow _____ size & scale _____ other: _____ _____ authorized acreage per ¼ ¼ matches the permit _____ authorized POD/POA and POU (<i>clearly shown, labeled & matches application listing</i>) _____ point plotted for the authorized POD/POA agrees with location coordinates _____ proposed POD/POA and/or POU (<i>clearly shown, labeled & matches application "proposed" listing</i>) _____ location coordinates accurately describe the point identified as the proposed POD/POA
OK	• Land Use form, if applicable. (Page 10) May be needed if the POD/POA or POU is moving a great distance <u>and</u> off of land originally involved in permit.
OK	• Signature(s) of applicant(s): (Page 11) <u>All</u> applicants listed on page 1 of the application must sign the application.
WRD Completeness Reviewer's Name: <u>Sarah Henderson</u> Date: <u>5-2-2007</u>	



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1266
503-986-0900
FAX 503-986-0904

May 4, 2007

CITY OF PRINEVILLE
ATTN: JERRY BRUMMER
387 NE THIRD ST
PRINEVILLE OR 97754

Reference: Permit Amendment Transfer 10378

On May 2, 2007 we received your request for permit amendment change in place of use and point of appropriation for use of water from A WELL, tributary to OCHOCO CREEK. The application was accompanied by \$1050.00. Our receipt 87381 is enclosed.

By copy of this letter, we are asking the Watermaster for his report regarding the potential for injury to existing water rights which may be caused by the change.

Except as provided under ORS 540.510(3) for municipalities, you may not use water in the new place of use, or from the new point of appropriation, until 60 days after we received your notice (application) and the permit amendment has been approved.

We will notify you if additional information or corrections to the application or map are required.

If you have any questions, please call the Transfer Section, (503)986-0900.

cc: Watermaster #11
Groundwater
Ochoco Irrigation District (1001 N Deer St., Prineville, OR, 97754)
Ted Ressler, Agent (55 SW Yamhill St Suite 400, Portland, OR 97204)

enclosure



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

725 Summer Street NE, Suite A

Salem, OR 97301-1271

503-986-0900

FAX 503-986-0904

Notice of Application for Water Right Transfer, Temporary Transfer, or Permit Amendment 05/08/07

The Department seeks comment on the recently-filed application listed below. Any person may comment on the application. Comments must be received by the Department within 30 days of the date of this notice.

County: CROOK
Transfer: 10378
Water Right: PERMIT - G 16146
Priority Date: 2003
Name: CITY OF PRINEVILLE
Address: 387 NE THIRD ST; PRINEVILLE OR 97754
Change: POU/POA
Source: WELLS
Authorized POA: T15S R15E 11
Proposed POA: T15S R15E 11
Authorized POU: T14S R15E 25,36
T14S R16E 29,30,31,32,33,34
T15S R15E 1,2,3,10,11,12
T15S R16E 3,4,5,6,7,8,9
Proposed POU: T14S R15E 25,36
T14S R16E 28,29,30,31,32,33,34
T15S R15E 1,2,3,10,11,12,13,14
T15S R16E 3,4,5,6,7,8,9

The holder of a water right may apply to permanently change an existing water use subject to transfer. A transfer application may involve any of the following changes: Point of diversion or appropriation (POD; POA); Additional point of diversion or appropriation (APOD; APOA); Historic POD (HIST); Place of use (POU); Character of use (USE); Instream (ISWR); Substitution (SUB); or Exchange (EXCH).

The holder of a water right subject to transfer may request to temporarily change the place of use of the water for up to 5 years and, if necessary to convey the water, to temporarily change the point of diversion or appropriation.

The holder of a water right permit may apply to change a point of diversion (POD) or appropriation (POA) or to change the place of use (POU).

Any person who provides comments within the comment period will receive a copy of the Department's preliminary determination of whether the application should be approved or rejected after the Department has completed a review of the application and will be provided an opportunity to protest the application and preliminary determination at that time. The Director may presume that the transfer would be allowed by, and compatible with comprehensive plans unless an affected local government informs the Director otherwise within 30 days of this notice. Comments should be sent to the Transfers Section at the Department's Salem office.

TRANSFER CHECK OFF LIST

TRANSFER FILE #

10378

DATE RECEIVED

5-2-07

DATE MONEY SLIPPED

5-2-07

DATE RECEIPTED

5-2-07

VALID WATER RIGHT?

X Yes No

TEMP ALT AC

IRR DIST

PERM AMEND X

DIV 15

TEMP Div 15

ISWR

LETTER FROM ATTORNEY YES (PUT INFO ON FRONT COVER)

K NO

FOLDER FILLED OUT*

YES

ENTERED IN DB

yes

CONTENTS MARKED

yes

COLOR CODED

X Yes

4 COPIES MADE & STAMPED

yes

CERTIFICATE MARKED

no

CERTIFICATE COPIED

no

PULL APPLICATIONS

yes

APP FOLDER MARKED

yes

FINAL PROOF MAP COPIED

no

PERMIT MARKED

yes

PERMIT COPIED

yes

PERMIT MAP COPIED

no

DECRB MARKED

no

DECRB COPIED

no

ADJUDICATION MAP COPIED

no

ENTRIES CHECKED

CHECKED BY INIT FOLDER

PUBLIC NOTICE DATE

5-8-07

(PREPARED & COPIED)

LETTER SENT

yes

Irrigation District yes (copy of app & map)

COPY TO WM

yes

COPY FORM TO WM

yes

Orange Perm Amend/Yellow Temp/Gra Dist/Lav Alt Acr/pink his

COPY TO GW

yes

POA, APOA, or [SW TO GW ONLY(as POD)]

COPY FORM TO GW

yes

Orange Perm Amend/Yellow Temp/Gra Dist/Lav Alt Acr/pink his

COPY TO CWRE

no

LETTER TO ODFW


no

ALL Surface water POU/USE (POD and APOD FISH SCREENS)

TRANSFER SENT TO:

per amen drawer SW --- NCR --- SCR --- ER

PRINT DATA IF THERE ARE MANY FILES INVOLVED AND GLUE TO FOLDER



LEGEND

- Prineville City Limits
- City Water Main
- G-16146 Point of Appropriation
- G-16146 Existing Place of Use
- G-16146 Revised Place of Use

Map Notes:

Map projection - Oregon Lambert Conformal Conic
Datum - North American Datum of 1983-91 (HPGN).
(Additional information on projection available at
www.gis.state.or.us/data/doc/metadata.pdf)




Figure 2

Proposed Place of Use

City of Prineville
Permit Amendment Application
Permit G-16146 (Application G-15974)

Map Date: March 27, 2007
Created by: R.Cook (GSI)



RECEIVED

MAY 02 2007

WATER RESOURCES DEPT
SALEM, OREGON