

T-10412

T-10412

PERMIT
AMENDMENTName Janice Cox

By _____

Address 9721 Howell Prairie RdSalem, OR 97305503-873-2027Change in POUDate filed 6-22-07

Date of hearing _____

Place of hearing _____

Date of order 8-1-07 Vol. 23, page 37

Date for application of water _____

Proof mailed _____

Proof received _____

Certificate issued _____ Vol. _____, page _____

DESCRIPTION OF WATER RIGHT

Name of stream WellsTrib. of Little Pudding River County of MarionUse Irrigation

Quantity of water _____ No. of acres _____

Name of ditch _____

Date of priority 2002In name of Jackson Inc/William + Janice Cox

_____ Adjudication, Vol. _____, page _____

App. No. 6-15722 Per. No. 6-15990 Cert. No. _____

Certificate cancelled _____

Notation made on record by _____

FEES PAID

Date	Amount	Receipt No.
<u>6/22/07</u>	<u>350.00</u>	<u>88269</u>
TOTAL . . .		
	Cert. Fee	

FEES REFUNDED

Date	Amount	Check No.

REMARKS

Agent: Greg or Malia Kupillas / NOID



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1266
503-986-0900
FAX 503-986-0904

September 4, 2007

RUNNING Y RESORT INC
ATTN: JON BARKEE
5500 RUNNING Y RD
KLAMATH FALLS OR 97601

Reference: Permit Amendment T- 10451

On August 29, 2007 we received your request for permit amendment. The application was accompanied by \$2200.00. Our receipt 89418 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the change.

Except as provided under ORS 540.510(3) for municipalities, you may not use water in the new place of use, or from the new point of appropriation, until we issue a final order approving the application.

We will notify you if additional information or corrections to the application or map are required.

If you have any questions, please call the Transfer Section, (503)986-0900.

cc: Watermaster #17
Groundwater
Adam Sussman, Agent

enclosure



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

725 Summer Street NE, Suite A

Salem, OR 97301-1271

503-986-0900

FAX 503-986-0904

Notice of Application for Water Right Transfer, Temporary Transfer, or Permit Amendment 09/04/07

The Department seeks comment on the recently-filed application listed below. Any person may comment on the application. Comments must be received by the Department within 30 days of the date of this notice. The Director may presume that the transfer would be allowed by, and compatible with comprehensive plans unless an affected local government informs the Director otherwise within 30 days of this notice.

County: KLAMATH
Transfer: 10451
Water Right: PERMIT G 12296, PERMIT G 16117
Priority Date: 1995,2005
Name: RUNNINY Y RESORT INC JON BARKEE
Address: 5500 RUNNING Y RD KLAMATH FALLS OR 97601
Change: POU/POA/APOA
Source: WELLS
Authorized POU: T37S R8E 28,29,33
T38S R8E 3,4,5,9,10,15,16
Proposed POU: T37S R8E 28,29,33
T38S R8E 3,4,5,8,9,10,15,16,22,
T38S R8E 23,25,26,27,25,26
Authorized POA: T38S R8E 9,15
Proposed POA: T38S R8E 15
Proposed APOA: T38S R8E 26,35,36

The holder of a water right may apply to permanently change an existing water use subject to transfer. A transfer application may involve any of the following changes: Point of diversion or appropriation (POD; POA); Additional point of diversion or appropriation (APOD; APOA); Historic POD (HIST); Place of use (POU); Character of use (USE); Instream (ISWR); Substitution (SUB); or Exchange (EXCH).

The holder of a water right subject to transfer may request to temporarily change the place of use of the water for up to 5 years and, if necessary to convey the water, to temporarily change the point of diversion or appropriation.

The holder of a water right permit may apply to change a point of diversion (POD) or appropriation (POA) or to change the place of use (POU).

Any person who provides comments within the comment period will receive a copy of the Department's preliminary determination of whether the application should be approved or rejected after the Department has completed a review of the application and will be provided an opportunity to protest the application and preliminary determination at that time. Comments should be sent to the Transfers Section at the Department's Salem office.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Application for Permit Amendment or Ground Water Registration Modification

Please type or print legibly in dark ink. If your application is incomplete or inaccurate, we will return it to you. If any requested information does not apply to your application, insert "N/A" to indicate Not Applicable. As you complete this form, please refer to notes and guidance included on the application. A summary of review criteria and procedures that are generally applicable to these applications is available at www.wrd.state.or.us/OWRD/PUBS/forms.shtml.

1. TYPE OF APPLICATION

Please check **one** of the following:

☒ Permit Amendment

☐ Ground Water Registration Modification

2. APPLICANT INFORMATION

Name: Running Y Resort, Inc., Attention Jon Barkee

First

Last

Address: 5500 Running Y Road

Klamath Falls

City

OR

State

97601

Zip

Phone: (541) 850-5560

Home

Work

Other

Fax: (541) 850-5563 E-Mail address: JonB@JELD-WENCommunities.com

3. AGENT INFORMATION

(The agent listed is authorized to represent the applicant in all matters relating to this application.)

Name: GSI Water Solutions, Inc. ATTN: Adam Sussman

First

Last

Address: 1600 SW Western Boulevard Suite 240

Corvallis

City

OR

State

97333

Zip

Phone: (541) 753-0745 (541) 602-5188

Home

Work

Other

Fax: (541) 754-4211 E-Mail address: asussman@gsiwatersolutions.com

■ If an agent is listed above, please check **one** of the following:

☒ Please send all correspondence to Agent. Send *copies* of correspondence to Applicant; **or**

☐ Please send all correspondence to Applicant. Send *copies* of correspondence to Agent.



Water Solutions, Inc.

August 28, 2007

Kelly Starnes
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1217

Subject: Permit Amendment, Permit G-12296 and G-16117 in the name of Running Y Inc.

Dear Kelly:

Enclosed is an Application for Permit Amendment for Running Y, Inc. Also enclosed is the required fee of \$2,200. Please direct any correspondence regarding this application to my attention.

This permit amendment application is to change the place of use of both permits and to add the points of appropriation from permit G-12296 to permit G-16117 and visa versa. These proposed changes will allow the contiguous developments to maximize operational flexibility, source and system capacity and redundancy. Included in the application is an e-mail from the Department approving the use of maps with a non-standard scale.

Please let me know if you have any questions about the enclosed material. I can be reached by phone at 541-753-0745 and by e-mail at asussman@gsiwatersolutions.com.

Sincerely,

A handwritten signature in black ink, appearing to read "Adam Sussman", is written over a horizontal line.

GSI Water Solutions, Inc
Adam Sussman
Senior Water Resources Consultant

Enclosure

Cc: Jon Barkee, Running Y Inc.

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

T 10451

Permit Amendments

- If you propose to amend multiple permits under this application, a separate set of pages 3 through 7 must be provided for each permit. (**NOTE:** Concurrent changes to a water right must be filed separately on a transfer application.)

Ground Water Registration Modifications

- You may propose modification of only one ground water registration per application, unless in accordance with OAR 690-382-0300(2), the ground water registrations to be modified are layered. (**NOTE:** Concurrent changes to a water right must be filed separately on a transfer application.)

RECEIVED
AUG 29 2007

4. TYPE OF AMENDMENT OR MODIFICATION PROPOSED

Please check **all** of the following that apply:

WATER RESOURCES DEPT
SALEM, OREGON

Point of Diversion or Appropriation	Place of Use	Character of Use
☒ Change (The old point of diversion or appropriation will <u>not</u> be used for the portion of the water right affected by the amendment or modification.) ☒ Additional (Both the old <u>and</u> new points of diversion or appropriation will be used for the portion of the water right affected by the amendment or modification.) <u>Not Available for Ground Water Registrations</u> ☐ Surface Water to Ground Water (A new point of appropriation will be used <u>instead</u> of the old point of diversion. The old point of diversion will <u>not</u> be used.)	☒ All of the Permit or Registration will be exercised at a different location than currently authorized (Use of water at the current authorized location will be discontinued.) ☐ Only a <u>portion</u> of the Permit or Registration will be exercised at a different location than currently authorized (Use of water at a <u>portion</u> of the current authorized location will be discontinued.)	<u>Not Available for Permit Amendments</u> Change existing authorized use to the following proposed <u>new</u> use: ☐ Irrigation ☐ Municipal ☐ Quasi-municipal ☐ Commercial ☐ Industrial ☐ Domestic (indicate number of households): _____ ☐ Other _____

- Reason(s) for amendment/modification(s): Adding the Points of Appropriation and Place of Use from Permit G-16117 to Permit G-12296, and adding the Points of Appropriation and Place of Use from Permit G-12296 to Permit G-16117 to maximize the operational flexibility, source and system capacity, and water supply system redundancy for the contiguous Running Y Resort and RidgeWater developments under operation by the Running Y Resort, Inc.

5. CURRENT PERMIT OR REGISTRATION INFORMATION

Permit or Registration to be Amended/Modified (check and complete one of the following):

☒	Permit to be Amended:	G-12296 (T-8907) Permit Number	10/01/2009 Current Completion Date of Permit
☐	Ground Water Registration to be Modified:	 Ground Water Registration Number	<i>NOTE: Concurrent changes to a water right must be filed separately on a transfer application.</i>

- Name on Permit or Registration: Running Y, Inc.
- County: Klamath
- Authorized Use(s) to be affected by this Amendment/Modification: Quasi-Municipal

- Priority Date(s): February 9, 1995

If there are multiple Priority Dates identified on the Permit or Registration, any information provided on pages 4 through 7 must identify which priority date is associated with each of the authorized and proposed points of diversion or appropriation and places of use.

- All Source(s) of Water to be affected by this Amendment/Modification: Groundwater

Tributary to: N/A

If there are multiple Sources listed on the Permit or Registration, any information provided on pages 4 through 7 must identify which source is associated with each of the authorized and proposed points of diversion or appropriation and places of use.

For an application proposing a Change in Place of Use or Character of Use:

- Are there any other “Layered” Water Rights, Permits, or Ground Water Registrations issued for Irrigation purposes that are appurtenant to the same place of use as the Permit or Registration being Amended/Modified? ☐ Yes ☐ No ☒ N/A

If “Yes”, pursuant to ORS 540.510, OAR 690-380-2240 and OAR 690-382-0200, **the other “layered” water uses subject to transfer must either change concurrently or be cancelled**, except as provided in OAR 690-380-2240(5).

- Remarks: This water right permit is for quasi-municipal use, layering is not applicable.

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

The following information **must be provided only for those points of diversion or appropriation that are involved in the permit amendment or ground water registration modification (i.e., list only the portion of the permit/registration you propose to amend/modify.)** Attach additional pages as necessary.

Government lot and donation land claim numbers must be included in the tables below only if the information is reflected on the existing permit or ground water registration.

Location of Existing Authorized Point(s) of Diversion or Appropriation to be Changed:

(i.e., the allowed point(s) of diversion/appropriation that will be affected by the proposed amendment/modification, the "FROM" point(s) of diversion/appropriation)

If Ground Water, OWRD Well Log ID No. (or Well ID Tag No. L-)	Source and Priority Date	Township	Range	Mer	Sec	¼¼	Tax Lot, DLC or Gov't Lot	Survey Coordinates (coordinates from a recognized survey corner)
KLAM 50366	Well # 1 2/9/1995	38S	8E	WM	9	NE SW		2050' N & 1980" E from SW Corner of Section 9
KLAM 50552 (KLAM 51052 Alteration)	Well # 2 2/9/1995	38S	8E	WM	9	SE SW		790' N & 2340" E from SW Corner of Section 9
KLAM 53270	Well # 3 2/9/1995	38S	8E	WM	15	NE NE		1279' S & 986" E from NW Corner of Section 15 (as revised by T-8907)
*See Attachment A for map for Permit G-12296 Existing Authorized POAs (as revised by T-8907) and authorized POU.								

- Does the permit/registration being amended/modified involve a ground water source(s)?
☒ Yes ☐ No (Surface water source only.)

If "Yes", for each authorized point of appropriation (well) involved, you must either:

- A. Supply a copy of the well log(s) for each point of appropriation that is **clearly labeled** and associated with the corresponding well in the table above and on the accompanying application map.

*See Attachment B for Well Logs for permit G-12296

(NOTE: You may search for well logs on the Department's website at: www.wrd.state.or.us)

or

- B. If a well log is **not** available, you must describe the construction of the authorized point of appropriation by completing the table below. Attach additional copies as necessary.

Construction of Existing Authorized Point(s) of Appropriation – (Only needed if no well log is available.)
Wells in this listing must be **clearly tied** to corresponding well location(s) described in the table above and shown on the accompanying application map.

RECEIVED

T 10451

AUG 29 2007

OWRD Well No. as identified in table above	Diameter	Type and size of casing	No. of feet of casing	Intervals casing is perforated (in feet)	Seal depth	Est. depth to water	Est. depth to water bearing stratum	Type of access port or measuring device	Total well depth
--	----------	-------------------------	-----------------------	--	------------	---------------------	-------------------------------------	---	------------------

***See Attachment B for Well Logs for permit G-12296**

- The following information **must be provided only** for those places of use that are involved in the permit amendment or ground water registration modification (i.e., list only the portion of the permit/registration you propose to amend/modify.) Attach additional pages as necessary.

Government lot and donation land claim numbers must be included in the tables below **only** if the information is reflected on the existing permit or ground water registration.

Location of Existing Authorized Place of Use to be Affected:

(i.e., the allowed lands that will be affected by the proposed amendment/modification, the "FROM" lands)

Source and Priority Date	Township	Range	Mer	Sec	¼ ¼ Section	Tax Lot, DLC or Gov't Lot	Acres (if applicable)
This Permit Amendment involves the entire Place of Use under Permit G-12296							
*See Attachment C for the Existing Authorized Place of Use for Permit G-12296							

6. PROPOSED PERMIT AMENDMENT OR REGISTRATION MODIFICATION

- Describe proposed changes to the permit or registration involving point(s) of diversion and/or appropriation. Survey coordinates described below should accurately correspond to the points shown on the accompanying application map. Attach additional pages as necessary.

Location of Proposed Point(s) of Diversion or Appropriation: (i.e., the "TO" point(s) of diversion/appropriation)

(NOTE: Complete this table **only** if a Change in Point of Diversion or Appropriation is being proposed.)

Source	Township	Range	Mer	Sec	¼ ¼ Section	Tax Lot, DLC or Gov't Lot	Survey Coordinates (coordinates from a recognized survey corner)
	*See Attachment D for a Table of changed and additional POAs						

- If there are proposed point(s) of appropriation (wells) listed in the table above, are the well(s) already constructed? ☒ Yes ☐ No ☐ N/A - Yes two of the following

AUG 29 2007

Last Updated: 10/30/2006

Permit Amendment or GW Modification/5

WATER RESOURCES DEPT
SALEM, OREGON

FS

T 10451

Ridgewater Wells 2, 3 and 4 have not been constructed at this time and will be constructed in a similar manner as the RidgeWater Well #1 (as described in the table below).

If "Yes", attach and clearly label the corresponding well log(s) for each proposed well, or if well log(s) are not available, describe the construction of the well(s) using the table below.

(NOTE: You may search for well logs on the Department's website at: www.wrd.state.or.us)

*See Attachment E for Well Logs of changed and additional POAs for permit G-12296

If "No", describe the anticipated construction for the proposed well(s) in the following table:

Construction of Proposed Point(s) of Appropriation or Well(s):

Well numbers in this listing must be clearly tied to corresponding well location(s) described in the table above and shown on the accompanying application map.

Well already built? (Yes/No)	If an existing well, OWRD Well Log ID No. (or Well ID Tag No. L-)	Diameter	Type and size of casing	No. of feet of casing	Intervals casing is perforated (in feet)	Seal depth	Est. depth to water	Est. depth to water bearing stratum	Type of access port or measuring device	Total well depth
Running Y Resort Well #3 (changed POA) and RidgeWater Well #1 (added POA) have been constructed – See Attachment E for Well Logs. The remaining three RidgeWater Wells (added POAs) will be constructed in a manner similar to RidgeWater Well #1 – as shown below.										
RidgeWater Well #2 (No)	N/A	10"-22"	Steel	900	955-1015 1135-1155 1215-1255 1295-1335	436'	First encounter -ed at ~300'	First stratum encounter -ed at ~400'	Air line or manual access port	1350'
RidgeWater Well #3 (No)	N/A	10"-22"	Steel	900	955-1015 1135-1155 1215-1255 1295-1335	436'	First encounter -ed at ~300'	First stratum encounter -ed at ~400'	Air line or manual access port	1350'
RidgeWater Well #4 (No)	N/A	10"-22"	Steel	900	955-1015 1135-1155 1215-1255 1295-1335	436'	First encounter -ed at ~300'	First stratum encounter -ed at ~400'	Air line or manual access port	1350'

- Describe proposed changes to the permit or registration involving place of use. Information described below should accurately correspond to the proposed place of use shown on the accompanying application map. Attach additional pages as necessary.

AUG 29 2007

Location of Proposed Place of Use: (i.e., the "TO" lands)

(NOTE: Complete this table only if a Change in Place of Use is being proposed.)

WATER RESOURCES DEPT
SALEM, OREGON

Source	Township	Range	Mer	Sec	¼ ¼ Section	Tax Lot, DLC or Gov't Lot	Acres (if applicable)
*See Attachment F for proposed POU for permit G-12296 and G-16117							

Source	Township	Range	Mer	Sec	¼ ¼ Section	Tax Lot, DLC or Gov't Lot	Acres (if applicable)
*See Attachment G for map of existing, changed and additional POAs and proposed place of use for permit G-12296 G-16117.							

Remarks: Adding the four Points of Appropriation and the Place of Use from Permit G-16117 to Permit G-12296, to maximize the operational flexibility, source and system capacity, and water supply system redundancy for the contiguous Running Y Resort and RidgeWater developments under operation by the Running Y Resort, Inc.

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

5. CURRENT PERMIT OR REGISTRATION INFORMATION

Permit or Registration to be Amended/Modified (check and complete one of the following):

☒ Permit to be Amended:	<u>G-16117</u> Permit Number	<u>10/01/2011</u> Current Completion Date of Permit
☐ Ground Water Registration to be Modified:	 Ground Water Registration Number	<i>NOTE: Concurrent changes to a water right must be filed separately on a transfer application.</i>

- Name on Permit or Registration: Running Y, Resort Inc.
- County: Klamath
- Authorized Use(s) to be affected by this Amendment/Modification: Quasi-Municipal

- Priority Date(s): May 31, 2005

If there are multiple Priority Dates identified on the Permit or Registration, any information provided on pages 4 through 7 must identify which priority date is associated with each of the authorized and proposed points of diversion or appropriation and places of use.

- All Source(s) of Water to be affected by this Amendment/Modification: Groundwater

Tributary to: N/A

If there are multiple Sources listed on the Permit or Registration, any information provided on pages 4 through 7 must identify which source is associated with each of the authorized and proposed points of diversion or appropriation and places of use.

For an application proposing a Change in Place of Use or Character of Use:

- Are there any other "Layered" Water Rights, Permits, or Ground Water Registrations issued for Irrigation purposes that are appurtenant to the same place of use as the Permit or Registration being Amended/Modified? ☐ Yes ☐ No ☒ N/A

If "Yes", pursuant to ORS 540.510, OAR 690-380-2240 and OAR 690-382-0200, the other "layered" water uses subject to transfer must either change concurrently or be cancelled, except as provided in OAR 690-380-2240(5).

- Remarks: This water right permit is for quasi-municipal use, layering is not applicable.

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

The following information **must be provided only** for those points of diversion or appropriation that are involved in the permit amendment or ground water registration modification (i.e., list only the portion of the permit/registration you propose to amend/modify.) Attach additional pages as necessary.

Government lot and donation land claim numbers must be included in the tables below **only** if the information is reflected on the existing permit or ground water registration.

Location of Existing Authorized Point(s) of Diversion or Appropriation to be Changed:

(i.e., the allowed point(s) of diversion/appropriation that will be affected by the proposed amendment/modification, the "FROM" point(s) of diversion/appropriation)

If Ground Water, OWRD Well Log ID No. (or Well ID Tag No. L-)	Source and Priority Date	Township	Range	Mer	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Survey Coordinates (coordinates from a recognized survey corner)
KLAM 55522	RidgeWater Well # 1 5/31/2005	38S	8E	WM	36	SE SW		RidgeWater Well # 1 – 315' North & 1490' East from SW corner of Section 36
Not installed yet.	RidgeWater Well # 2 5/31/2005	38S	8E	WM	36	NE SW		RidgeWater Well # 2 1595' North & 1340' East from SW corner of Section 36 (well not installed yet)
Not installed yet.	RidgeWater Well # 3 5/31/2005	38S	8E	WM	35	NE SE		RidgeWater Well # 3 2095' North & 220' West form SE corner of Section 35 (well not installed yet)
Not installed yet.	RidgeWater Well # 4 5/31/2005	38S	8E	WM	36	SW NW		RidgeWater Well # 4 2830' North & 925' East from SW corner of Section 36 (well not installed yet)
*See Attachment H for map of Permit G-16117 Existing Authorized POAs								

- Does the permit/registration being amended/modified involve a ground water source(s)?
☒ Yes ☐ No (Surface water source only.)

If "Yes", for each authorized point of appropriation (well) involved, you must either:

- B. Supply a copy of the well log(s) for each point of appropriation that is **clearly labeled** and associated with the corresponding well in the table above and on the accompanying application map.

RECEIVED

AUG 29 2007

*See Attachment I for Well Logs for Permit G-16117

WATER RESOURCES DEPT
SALEM, OREGON

(NOTE: You may search for well logs on the Department's website at: www.wrd.state.or.us)

or

- B. If a well log is **not** available, you must describe the construction of the authorized point of appropriation by completing the table below. Attach additional copies as necessary.

Construction of Existing Authorized Point(s) of Appropriation – (Only needed if no well log is available.)
Wells in this listing must be clearly tied to corresponding well location(s) described in the table above and shown on the accompanying application map.

OWRD Well No. as identified in table above	Diameter	Type and size of casing	No. of feet of casing	Intervals casing is perforated (in feet)	Seal depth	Est. depth to water	Est. depth to water bearing stratum	Type of access port or measuring device	Total well depth
--	----------	-------------------------	-----------------------	--	------------	---------------------	-------------------------------------	---	------------------

***See Attachment I for Well Logs for permit G-16117**

- The following information must be provided only for those places of use that are involved in the permit amendment or ground water registration modification (i.e., list only the portion of the permit/registration you propose to amend/modify.) Attach additional pages as necessary.

Government lot and donation land claim numbers must be included in the tables below only if the information is reflected on the existing permit or ground water registration.

Location of Existing Authorized Place of Use to be Affected:

(i.e., the allowed lands that will be affected by the proposed amendment/modification, the "FROM" lands)

Source and Priority Date	Township	Range	Mer	Sec	¼ ¼ Section	Tax Lot, DLC or Gov't Lot	Acres (if applicable)
This Permit Amendment involves the entire Place of Use under Permit G-16117 *See Attachment J for the Existing Authorized Place of Use for Permit G-16117							

6. PROPOSED PERMIT AMENDMENT OR REGISTRATION MODIFICATION

- Describe proposed changes to the permit or registration involving point(s) of diversion and/or appropriation. Survey coordinates described below should accurately correspond to the points shown on the accompanying application map. Attach additional pages as necessary.

Location of Proposed Point(s) of Diversion or Appropriation: (i.e., the "TO" point(s) of diversion/appropriation)

(NOTE: Complete this table only if a Change in Point of Diversion or Appropriation is being proposed.)

Source	Township	Range	Mer	Sec	¼ ¼ Section	Tax Lot, DLC or Gov't Lot	Survey Coordinates (coordinates from a recognized survey corner)
	*See Attachment K for a Table of changed and additional POAs						RECEIVED
							AUG 29 2007
							WATER RESOURCES DEPT SALEM, OREGON

- If there are proposed point(s) of appropriation (wells) listed in the table above, are the well(s) already constructed? ☒ Yes ☐ No ☐ N/A -

If "Yes", attach and clearly label the corresponding well log(s) for each proposed well, or if well log(s) are not available, describe the construction of the well(s) using the table below.

(NOTE: You may search for well logs on the Department's website at: www.wrd.state.or.us)

***See Attachment L for Well Logs of existing, changed, and additional POAs**

If "No", describe the anticipated construction for the proposed well(s) in the following table:

Construction of Proposed Point(s) of Appropriation or Well(s):

Well numbers in this listing must be clearly tied to corresponding well location(s) described in the table above and shown on the accompanying application map.

Well already built? (Yes/No)	If an existing well, OWRD Well Log ID No. (or Well ID Tag No. L-)	Diameter	Type and size of casing	No. of feet of casing	Intervals casing is perforated (in feet)	Seal depth	Est. depth to water	Est. depth to water bearing stratum	Type of access port or measuring device	Total well depth
RidgeWater Well #1 (changed POA) and the Running Y Resort Well #1, 2, and 3 (added POAs) have been constructed – See Attachment L for Well Logs										

- Describe proposed changes to the permit or registration involving place of use. Information described below should accurately correspond to the proposed place of use shown on the accompanying application map. Attach additional pages as necessary.

Location of Proposed Place of Use: (i.e., the "TO" lands)

(NOTE: Complete this table only if a Change in Place of Use is being proposed.)

Source	Township	Range	Mer	Sec	¼ ¼ Section	Tax Lot, DLC or Gov't Lot	Acres (if applicable)
*See Attachment F for proposed POU for permits G-12296 and G-16117							
*See Attachment G for map of existing, changed and additional POAs and proposed POU for Permit G-12296 and G-16117							

Remarks: Adding the three Points of Appropriation and the Place of Use from Permit G-12296 to Permit G-16117, to maximize the operational flexibility, source and system capacity, and water supply system redundancy for the contiguous Running Y Resort and RidgeWater developments under operation by the Running Y Resort, Inc.

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

7. AFFECTED DISTRICTS AND LOCAL GOVERNMENTS

- Are any of the Permit(s) or Registration(s) proposed for amendment/modification located within or served by an irrigation or other water district? Yes ☒ No
- Will any of the Permit(s) or Registration(s) be located within or served by an irrigation or other water district after the proposed amendment/modification? ☐ Yes ☒ No
- Is water for any of the Permit(s) or Registration(s) supplied under a water service agreement or other contract for stored water with a federal agency? ☐ Yes ☒ No

If "Yes", for any of the above, list the name and mailing address of the district and/or agency:

List the name and mailing address of all affected local governments (e.g., county, city, municipal corporation, and tribal governments within whose jurisdiction the right(s) are located).

City of Klamath Falls Community Development Department, 226 South 5th St., Klamath Falls OR 97601

Klamath County Community Development Department, 305 Main St., Klamath Falls OR 97601

***See Attachment M for Land Use Information Forms**

8. PERMIT HOLDER OF RECORD

This section is to be completed only for Permit Amendment applications.

☐ *N/A – This is a Ground Water Registration Modification application.*

- Is the applicant the permit holder of record? ☒ Yes ☐ No

If "No", the applicant must either:

A. *Be assigned as a permit holder of record by submitting a completed **Request for Assignment** form and the required statutory fee for an assignment;*

or

B. *Submit an **Affidavit of Consent** from the permit holder of record that gives permission for the applicant to amend the permit.*

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

9. LAND OWNERSHIP

If for a Permit Amendment proposing a Change in Place of Use:

- Does the permit holder of record own or control the land **TO** which the place of use is being moved? ☒ Yes ☐ No ☐ N/A – no change in POU

*If "No", the owner of the land **TO** which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed **Request for Assignment** form and the required statutory fee for an assignment.*

- Check one of the following:
 - ☐ The permit holder of record will be responsible for completion of the proposed changes after the final order is issued. All notices and correspondence should be sent to the permit holder of record.
 - ☒ The applicant will remain responsible for completion of changes. Notices and correspondence should continue to be sent to the applicant and applicant's agent.

If for a Ground Water Registration Modification:

- Does the applicant own the lands **FROM** which the registration is being moved? ☐ Yes ☐ No

If "No", provide the following information:

Names of Current Landowner(s): _____

First

Last

Address: _____

City

State

Zip

- Does the applicant own the lands **TO** which the registration is being moved? ☐ Yes ☐ No

If "No", provide the following information:

Names of Receiving Landowner(s): _____

First

Last

Address: _____

City

State

Zip

- Check one of the following:
 - ☐ The receiving landowner will be responsible for completion of the proposed changes after the final order is issued. All notices and correspondence should be sent to this landowner.
 - ☐ The applicant will remain responsible for completion of changes. Notices and correspondence should continue to be sent to the applicant and applicant's agent.

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

10. ATTACHMENTS

*Check each of the following attachments included with this application.
The application will be returned if all required attachments are not included.*

Map:

- ☒ A map meeting the requirements of OAR 690-380-3100 must be included but need **not** be prepared by a Certified Water Right Examiner.

Land Use Information Form:

- ☒ Enclosed; *or*
- ☐ Not required if **all** of the following are met:
- ❶ In EFU zone or irrigation district;
 - ❷ Change in place of use only;
 - ❸ No structural changes needed, including diversion works, delivery facilities, other structures; *and*
 - ❹ Irrigation only.

Water Well Reports/Well Logs:

- ☒ The application involves a change in point of appropriation or change from surface water to ground water and copies of all water well reports are attached.
- ☐ Water well reports are not available and a description of construction details including well depth, static water level, and information necessary to establish the ground water body developed or proposed to be developed is attached.
- ☐ N/A. The application does **not** involve a change in point of appropriation or a change from surface water to ground water, so water well reports are **not** required.

Fees:

- ☒ Amount enclosed: \$2,200.00
See the Department's Fee Schedule at www.wrd.state.or.us/OWRD/PUBS/forms.shtml or call (503) 986-0900.

For Permit Amendments Only...

Request for Assignment:

- ☐ Enclosed. The applicant is **NOT** the permit holder of record and needs to be assigned to the permit; **OR** the landowner of the proposed place of use is **NOT** the permit holder of record and needs to be assigned to the permit.
*The Request for Assignment form is available online at: www.wrd.state.or.us/OWRD/PUBS/forms.shtml ; **or***
- ☒ N/A. The applicant is the permit holder of record and owns or controls the proposed place of use; **OR** the applicant is **not** the permit holder of record but **is** supplying an Affidavit of Consent from the permit holder.

Affidavit of Consent:

- ☐ Enclosed. Because the applicant is **NOT** the permit holder of record, an Affidavit of Consent is being supplied that gives permission for the applicant to amend the permit; *or*
- ☒ N/A. Not required because the applicant is the permit holder of record.

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

Before submitting your application to the Department, be sure you have:

- Answered each question completely.
- Included all the required attachments.
- Provided original signatures for all named deed holders, or other parties, with an interest in the water right.
- Included a check payable to the Oregon Water Resources Department for the appropriate amount.

11. SIGNATURES

- **For Ground Water Registration Modification Applications only, check the appropriate one and sign the application in the signature box below:**

☐ In accordance with OAR 690-382-0400(16)(a), I (we) understand that prior to Department approval of a permanent modification and upon my receipt of a draft Preliminary Determination for the proposed modification, I (we) will be required [pursuant to OAR 690-382-0700(5)] to provide the following landownership information and evidence demonstrating that I (we) are authorized to pursue the modification:

- (a) A report of ownership and lien information that has been prepared by a title company *within the last three months*;
- (b) A copy of written notification of the proposed modification provided by the applicant to all lien holders on the subject lands unless the report of ownership and lien information shows that a water right conveyance agreement has been recorded for the subject lands. *If a water right conveyance agreement has been recorded for the subject lands, a copy of the recorded agreement and a listing of the owner(s) of the lands at the time the agreement was recorded must be submitted; and*
- (c) If the applicant is not both the person named on the ground water registration or the assignee *and* the owner of the lands to which the registration is appurtenant, as identified in the report of ownership and lien information, then either of the following must be provided:
- A) Notarized statements consenting to the modification by all persons, other than the applicant, who are named on the ground water registration or identified as landowners in the report of ownership and lien information or who are authorized representatives of an entity to whom the interest in the water right has been conveyed as identified in a water right conveyance agreement; or
- B) Documentation demonstrating that the applicant is authorized to pursue the modification in the absence of consent of the persons named on the ground water registration or the assignee and the owner of the lands to which the registration is appurtenant.

☐ I (we) affirm that the applicant is a municipality, as defined in ORS 540.510(3)(b), and that the right is in the name of the municipality or a predecessor. Therefore, pursuant to OAR 690-382-0400(16)(b), the applicant is NOT required to provide the above described report of ownership and lien information.

☐ I (we) affirm that the applicant is an entity with the authority to condemn property and is acquiring the property to which the ground water registration proposed for modification is appurtenant by condemnation. Documentation is provided with this application supporting this statement. Therefore, pursuant to OAR 690-382-0400(16)(c), the applicant is NOT required to provide the above described report of ownership and lien information. (NOTE: Such an entity may only apply for recognition of a modification under this subsection if it has filed a condemnation action to acquire the property and deposited the funds with the court as required by ORS 35.265.)

- **For both Permit Amendment and Ground Water Registration Modification Applications, I (we) affirm that the information contained in this application is true and accurate.**

 applicant signature	JON L. BARKEE name (print)	8/22/07 date
 applicant signature	 name (print)	 date

RECEIVED

From: Kelly Starnes [mailto:starnepk@wrd.state.or.us]
Sent: Friday, August 10, 2007 10:23 AM
To: Bruce Brody-Heine
Cc: Adam Sussman
Subject: RE: Permit Amendment - Map Scale wavier request

Bruce –

The maps are acceptable for a permit amendment application. Please include a printed copy of this e-mail with the permit amendment application and maps.

One note: Well 3 under Running Y Permit G-12296. Are you going to be changing the location of Well 3 in the upcoming permit amendment application? The proposed map legend indicates a changed POA for Well 3, but the proposed map coordinates do not indicate a change from the authorized location. The location of Well 3 was changed previously by T-8907; so if you are referring to that change maybe T-8907 needs to be referenced in the legend.

Kelly

From: Bruce Brody-Heine [mailto:bbheine@GSIWaterSolutions.com]
Sent: Friday, August 10, 2007 9:14 AM
To: Kelly Starnes
Subject: FW: Permit Amendment - Map Scale wavier request

Kelly,

Please find attached three maps for which we are requesting a map scale waiver. These maps will be part of a permit amendment application to be submitted to the department in the near future. Please call me with any questions or thoughts at my phone number listed below. Thanks for your help.

Bruce Brody-Heine, RG, CWRE

Senior Hydrogeologist

GSI Water Solutions, Inc.
1005 NW Galveston Ave., Suite 215
Bend, OR 97701

Phone: (541) 678-5117
Cell: (541) 390-0591

RECEIVED


AUG 29 2007

**WATER RESOURCES DEPT
SALEM, OREGON**

T 10451

Permit Amendment Application **Existing Authorized Permit G-12296**


Running Y Resort, Inc.
 Township 37 & 38 South, Range 8 East (W.M.)



File Path: P:\245 - Running Y Ranch\Project_GIS\Project_mxd\Existing_Permit_G12296.mxd, Date: July 16, 2007 12:35:40 PM

Legend

- Existing Wells (Permit G-12296; Transfer T-8907)
- Existing Permit G-12296
- Tax Lots
- Roads
- Upper Klamath Lake



Scale

1 inch equals 2,640 feet
 0 1,320 2,640
 Feet

Map Information

Map Projection: Oregon State Plane North Zone
 Map Datum: North American Datum of 1983
 Map Date: July 11, 2007
 Prepared By: GSI Water Solutions, Inc.

Data Sources

WH Pacific, Oregon Geospatial Enterprise Office (GEO),
 Klamath County GIS, ESRI

Note

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide information on location of property ownership lines.

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
 SALEM, OREGON



T 10451

RECEIVED

JUL 30 1996

WATER RESOURCES DEPT.
SALEM, OREGON

STOREY DRILLING SERVICES

P.O. BOX 98 - MIDLAND, OREGON 97634
503/884-3990 / (800) 245-8122
CONTRACTOR'S LICENSES:
OR #601 / CA #583153 / NV #38199



Running Y Resort, Inc.
P. O. Box 1215
Redmond, Oregon 97756

START: April 4, 1996
FINISH: June 14, 1996

WELL LOCATION: Running Y Resort development site $\frac{1}{4}$ mile north of Hwy 140
about 6 miles west of Klamath Falls, Oregon.
NE $\frac{1}{4}$ SW $\frac{1}{4}$ T38S R8E S9

LOG

0	-	1	Brown clay topsoil
1	-	12	Boulders & brown basalt
12	-	40	Broken brown basalt
40	-	50	Grey basalt
50	-	58	Brown basalt
58	-	69	Grey basalt
69	-	80	Broken brown lava
80	-	83	Grey basalt
83	-	86	Broken brown lava
86	-	96	Black basalt
96	-	107	Hard grey basalt
107	-	110	Broken brown lava
110	-	112	Red lava
112	-	126	Bubbly black lava
126	-	137	Hard black basalt
137	-	144	Broken brown lava
144	-	150	Hard broken black basalt
150	-	161	Bubbly brown lava with streaks red lava
161	-	186	Hard black basalt
186	-	198	Red lava
198	-	207	Hard broken black basalt
207	-	224	Hard grey basalt
224	-	236	Brown lava
236	-	247	Hard black basalt
247	-	259	Broken bubbly brown lava
259	-	263	Grey basalt
263	-	293	Broken black lava with streaks brown cinders
293	-	300	Broken black basalt
300	-	304	Grey basalt
304	-	305	Black lava
305	-	316	Hard broken black lava
316	-	329	Black lava
329	-	392	Grey basalt
392	-	425	Hard broken black basalt
425	-	426	Green clay
426	-	427	Coarse black sand
427	-	432	Black lava with streaks brown ash clay
432	-	467	Black coarse sand with streaks pea gravel
467	-	512.	Sandy brown clay

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

T 10451

STOREY DRILLING SERVICES

P.O. BOX 98 - MIDLAND, OREGON 97634
503/884-3990 / (800) 245-8122
CONTRACTOR'S LICENSES:
OR #601 / CA #583153 / NV #38199

RECEIVED

JUL 30 1996

WATER RESOURCES DEPT.
SALEM, OREGON



Running Y Resort, Inc.
P. O. Box 1215
Redmond, Oregon 97756

START: April 4, 1996
FINISH: June 14, 1996

WELL LOCATION: Running Y Resort development site $\frac{1}{2}$ mile north of Hwy 140
about 6 miles west of Klamath Falls, Oregon.
NE $\frac{1}{4}$ SW $\frac{1}{4}$ T38S R8E S9

LOG (continued)

47 feet of 16 inch O.D. x .250 wall steel casing set and cemented at 46 feet
with rolled 16 inch steel casing drive shoe.
22 inch diameter hole drilled from 0 to 46 feet.
15 inch diameter hole drilled from 40 to 300 feet.
12 $\frac{1}{2}$ inch diameter hole drilled from 300 to 512 feet.
Static water level 82 feet measured from top of casing.
Test pumped 750 GPM at 146 feet; Specific capacity is 11.7 GPM/foot.
Temperature 56 degrees Fahrenheit; pH 8; 4 grains hardness; 0.8 PPM iron

CASING AND SCREEN PLACEMENT SEQUENCE

+2 - 140	142 feet of 12 3/4 inch OD solid steel casing
140 - 160	20 feet of 12 3/4 inch OD perforated steel casing
160 - 180	20 feet of 12 3/4 inch OD solid steel casing
180 - 200	20 feet of 12 3/4 inch OD perforated steel casing
200 - 220	20 feet of 12 3/4 inch OD solid steel casing
220 - 290	70 feet of 12 3/4 inch OD perforated steel casing
290 - 293	12 3/4 inch OD to 8 5/8 inch OD casing bell reducer
293 - 343	50 feet of 8 5/8 inch OD perforated steel casing
343 - 433	90 feet of 8 5/8 inch OD solid steel casing
433 - 473	40 feet of 8 5/8 inch OD Johnson mild steel screen
473 - 493	20 feet of 8 5/8 inch OD solid steel casing

GRAVEL ENVELOPE: 3/8 to 1/8 inch minus pea gravel located 350 to 512 feet.

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

STOREY DRILLING SERVICES

P.O. BOX 98 - MIDLAND, OREGON 97634
503/884-3990/(800)245-8122
CONTRACTOR'S LICENSES:
OR #601/CA #583153/NV #38199



Running Y Resort, Inc.
P. O. Box 1215
Redmond, Oregon 97756

START: July 22, 1996
FINISH: October 3, 1996

WELL LOCATION: Well #2 for Running Y Resort, Inc. development site 500 feet
north of HWY 140 about 6 miles west of Klamath Falls, Oregon.
SW¼ SE¼ S9 T38S R7E

RECEIVED

NOV - 4 1996

WATER RESOURCES DEPT.
SALEM, OREGON

LOG

0	-	7	Brown sandy clay topsoil
7	-	10	Decomposed lava
10	-	12	Black basalt
12	-	18	Grey basalt
18	-	34	Broken brown caving lava
34	-	50	Grey basalt
50	-	75	Broken bubbly brown lava
75	-	80	Grey basalt
80	-	97	Brown lava & cinders
97	-	105	Grey basalt
105	-	115	Hard brown broken lava
115	-	124	Grey basalt
124	-	126	Hard broken brown lava
126	-	131	Black basalt
131	-	138	Grey basalt
138	-	139	Hard broken black basalt
139	-	141	Grey basalt
141	-	146	Broken black lava
146	-	148	Hard black basalt
148	-	170	Broken black basalt
170	-	171	Black lava
171	-	176	Hard black basalt
176	-	201	Grey basalt
201	-	202	Broken black basalt
202	-	215	Grey basalt
215	-	226	Brown basalt
226	-	236	Bubbly black basalt
236	-	239	Grey basalt
239	-	244	Bubbly black basalt
244	-	268	Grey basalt
268	-	280	Decomposed brown lava with streaks yellow clay
280	-	304	Brown clay
304	-	563	Grey sticky clay
563	-	576	Black sandstone with streaks grey shale
576	-	589	Decomposed black lava
589	-	604	Grey basalt
604	-	645	Green clay

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

STOREY DRILLING SERVICES

P.O. BOX 98 - MIDLAND, OREGON 97634
503/884-3990 / (800) 245-8122
CONTRACTOR'S LICENSES:
OR #601 / CA #583153 / NV #38199



Running Y Resort, Inc.
Well #2

NOV - 4 1996

WATER RESOURCES DEPT.
SALEM, OREGON

Log continued:

63 feet 3 inches of 16 inch O.D. x .250 wall steel casing set & cemented at 62 feet.

15 inch diameter hole drilled from 62 to 512 feet.

9 7/8 inch diameter hole drilled from 512 feet to 645 feet.

Well liner - 12 3/4 inch O.D. x .250 wall steel casing from 2 feet above ground level to 303 feet placed as follows:

solid casing	+2 feet to 118 feet
perforated casing	118 feet to 178 feet
solid casing	178 feet to 218 feet
perforated casing	218 feet to 238 feet
solid casing	238 feet to 278 feet
perforated casing	278 feet to 298 feet
solid casing	298 feet to 303 feet

- 6 5/8 inch O.D x .250 wall steel casing from 303 feet to 606 feet placed as follows:

solid casing	303 feet to 546 feet
perforated casing	546 feet to 606 feet.

Perforations:

Twenty foot sections of 12 3/4 inch O.D. steel casing is perforated with 25 rows of 38 slots per row with each slot measuring 1/8 inch by 3 inches.

Twenty foot sections of 6 5/8 inch O.D. steel casing is perforated with 8 rows of 38 slots per row with each slot measuring 1/8 inch by 3 inches.

Static water level is 55 feet with a temperature of 55 degrees Fahrenheit.

Water tested at 6 grains hardness with 0.6 PPM Iron and a pH of 8.

Test pumped _____ GPM at _____ feet.

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765)

KLAM

53270

Klam
53270

WELL ID # L 49304
START CARD # 111265

(1) OWNER:

Well Number: #3

Name: Running Y Ranch

Address: 5115 Running Y Road

City: Klamath Falls State: OR Zip: 97601

(2) TYPE OF WORK:

(repair/

☒ New Well ☐ Deepening ☐ Alteration/recondition ☐ Abandonment

(3) DRILL METHOD:

☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger

☐ Other:

(4) PROPOSED USE:

☒ Domestic ☒ Community ☐ Industrial ☒ Irrigation

☐ Thermal ☐ Injection ☐ Livestock ☐ Other

(5) BORE HOLE CONSTRUCTION:

Special Construction approval ☐ Yes ☒ No

Depth of Completed Well 545'

Explosives Used ☐ Yes ☒ No Type --- Amount ---

HOLE			SEAL			sacks or
Diameter	From	To	Material	From	To	pounds
28"	0'	4'	Cement	0'	4'	20 Sacks
23"	-4'	75'	Cement	0'	75'	130 Sacks
19"	-75'	481'	Cement	0'	481'	1600 Sack
15"	-481'	545'	---	---	---	---

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E

☐ Other

Backfill placed from --- to --- Material ---

from --- to --- Material ---

Gravel placed from --- to --- Size of gravel ---

(6) CASING/LINER:

CASING:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
24"	0	4	.375	☒	☐	☐	☐
20"	0	78	.375	☒	☐	☒	☐
16"	+1.5	481	.375	☒	☐	☒	☐

LINER:

---	---	---	---	☐	☐	☐	☐
---	---	---	---	☐	☐	☐	☐

Final location of Shoe(s):

(7) PERFORATIONS/SCREENS:

☐ Perforations Method: ---

☐ Screen Type: --- Material: ---

From	To	Slot Size	No.	Diameter	Tele/pipe size	Casing	Liner
---	---	---	---	---	---	☐	☐
---	---	---	---	---	---	☐	☐
---	---	---	---	---	---	☐	☐
---	---	---	---	---	---	☐	☐
---	---	---	---	---	---	☐	☐

(8) WELL TESTS: Minimum testing time is 1 hour

☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gpm	Drawdown	Drill Stem at	Time
1400	151		1 hr.
			24hr

Temperature of water 57 Depth Artesian Flow Found ---

Was a water analysis done? --- By whom: ---

Did any strata contain water not suitable for intended use? (explain)

Depth of Strata: ---

(9) LOCATION OF WELL by legal description:

County: Klamath Latitude: --- Longitude: ---

Township: 38S Range: 8E

Section: 15 NW 1/4 NW 1/4

Tax Lot: N/A Lot: N/A Block: --- Subdivision: ---

Street Address of Well (or nearest address) ---

Running Y Resort Reservoir

(10) STATIC WATER LEVEL:

296 Ft. below land surface

Date 04/30/02

Artesian pressure --- lb. per sq. in.

Date ---

(11) WATER BEARING ZONES:

Depth at which water was first found ---

From	To	Est. Flow Rate	SWL
130	182	10 GPM	ukn
295	545	1200 GPM	295
---	---	---	---
---	---	---	---

(12) WELL LOG:

Ground Elevation: ---

Material	From	To	SWL
Fill	0	2	
Basalt Boulders Consolidated Brwn Rock	2	7	
Basalt Gray	7	25	
Basalt Gray with Layers of Brown Rock	25	43	
Clay Brownish Yellw with Some Rock	43	130	
Rock Soft Decomposed Brown Clay	130		
Trace Water		182	
Clay Brownish Yellow with Some Rock	182	265	
Rock Brown with Layer of Clay Brown	265	281	
Basalt Reddish Brown	281	298	
Basalt Gray with Brownish Red	298	379	295
Lava Cinders Soft Med Red - Black	379	386	
Basalt Hard Gray Blk	386	392	
Lava Cinder Med Red - Black	392	394	
Basalt Hard Gray	394	406	
Cinder Broken Black - Red	406	445	
Basalt Gray Broken Caving	445	473	
Basalt Gray Hard	473	483	
Basalt Grayish Red Broken WB	483	545	

RECEIVED

MAY 15 2002

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

JAN 03 2005

Date Started: 02/06/02

WATER RESOURCES DEPT
SALEM, OREGON

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration,, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed Dave Denny

WWC Number 806

Date 05/10/02

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed

WWC Number 723

Date 05/10/02

ORIGINAL & FIRST COPY - Water Resources Department

SECOND COPY - Constructor

THIRD COPY - Customer

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

T 10451

STATE OF OREGON

COUNTY OF KLAMATH

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

RUNNING Y, INC.
803 MAIN ST, 3RD FLOOR
KLAMATH FALLS, OREGON 97601

(503) 882-2224

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: G-13980

SOURCE OF WATER: THREE WELLS IN KLAMATH RIVER BASIN

PURPOSE OR USE: QUASI-MUNICIPAL

RATE OF USE: 3.0 CUBIC FEET PER SECOND

PERIOD OF ALLOWED USE: YEAR ROUND

DATE OF PRIORITY: FEBRUARY 9, 1995

POINT OF DIVERSION LOCATION: NE 1/4 SW 1/4, SE 1/4 SW 1/4, SECTION 9, NE 1/4 NE 1/4, SECTION 16, T38S, R8E, W.M.; 2050 FEET NORTH AND 1980 FEET EAST FROM THE SW CORNER OF SECTION 9; 790 FEET NORTH AND 2340 FEET EAST FROM THE SW CORNER OF SECTION 9; 130 FEET SOUTH AND 4490 FEET EAST FROM THE NW CORNER OF SECTION 16

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NE 1/4 SE 1/4
SE 1/4 SE 1/4
Section 29

NW 1/4 SW 1/4
SW 1/4 SW 1/4
SE 1/4 SW 1/4
Section 28

NE 1/4 NW 1/4
NW 1/4 NW 1/4
SW 1/4 NW 1/4
SE 1/4 NW 1/4
NE 1/4 SW 1/4
SE 1/4 SW 1/4
NW 1/4 SE 1/4
SW 1/4 SE 1/4

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

T-8907 Δ POD V.57p.109

T 10451

Application G-13980 Water Resources Department

PERMIT G-12296

SE 1/4 SE 1/4
Section 33
TOWNSHIP 37 SOUTH, RANGE 8 EAST, W.M.

SE 1/4 NE 1/4
SE 1/4
Section 5

NE 1/4
SW 1/4 NW 1/4
SW 1/4
SE 1/4
Section 4

SW 1/4 SW 1/4
SE 1/4 SW 1/4
Section 3

NE 1/4 NE 1/4
NE 1/4 SW 1/4
NE 1/4 SE 1/4
NW 1/4 SE 1/4
Section 8

NE 1/4
NW 1/4
SW 1/4
SE 1/4
Section 9

SW 1/4 NE 1/4
SE 1/4 NE 1/4
NW 1/4
SW 1/4
Section 10

NW 1/4
SW 1/4
NW 1/4 SE 1/4
SW 1/4 SE 1/4
SE 1/4 SE 1/4
Section 15

NE 1/4 NE 1/4
NW 1/4 NE 1/4
SE 1/4 NE 1/4
NE 1/4 SE 1/4
SE 1/4 SE 1/4
Section 16

NE 1/4
NE 1/4 NW 1/4
Section 22
TOWNSHIP 38 SOUTH, RANGE 8 EAST, W.M.

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

Application G-13980 Water Resources Department

PERMIT G-12296

T 10451

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice. Use of water under authority of this (permit or certificate) may be regulated if analysis of data available after the (permit or certificate) is issued discloses that the appropriation will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife in effect as of the priority date of the right or as those quantities may be subsequently reduced.

The water user shall develop a plan to monitor and report the impact of water use under this permit on water levels within the aquifer that provides water to the permitted well(s). The plan shall be submitted to the Department within one year of the date the permit is issued and shall be subject to the approval of the Department. At a minimum, the plan shall include a program to periodically measure static water levels within the permitted well(s) or an adequate substitute such as water levels in nearby wells. The plan shall also stipulate a reference water level against which any water-level declines will be compared. If a well listed on this permit (or replacement well) displays a total static water-level decline of 25 or more feet over any period of years, as compared to the reference level, then the water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s). Such action shall be taken until the water level recovers to above the 25-foot decline level or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit.

If the number, location, or construction of any well deviates from that proposed in the permit application or permit conditions, the conclusions of the Technical Review, Initial Review or Proposed Final Order under which this permit was granted may be revised, conditions may be appropriately revised, or this permit may not be valid.

Application G-13980 Water Resources Department

PERMIT G-12296

RECEIVED

AUG 29 2007

All wells shall be cased and sealed to a depth of 50 feet or to elevation of 4150 feet above sea level, whichever is greater, if shallower water bearing zones are encountered during well construction.

Within TWO YEARS of permit issuance, the permittee shall submit a water management and conservation plan consistent with OAR Chapter 690, Division 86.

STANDARD CONDITIONS

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

SEE NEXT PAGE RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

Application G-13980

Water Resources Department

PERMIT G-12296

T 10451

Actual construction of the well shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. Complete application of the water to the use shall be made on or before October 1, 1999.

Issued February 23, 1996



for Water Resources Department
Martha O. Pagel
Director

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

T 10451

Application G-13980 Water Resources Department
Basin 14 Volume 1 UPPER KLAMATH LAKE & MISC
MGMT.CODES 7AG, 7AR, 7BG, 7BR, 7FG, 7FR

PERMIT G-12296
District 17

STATE OF OREGON

COUNTY OF KLAMATH

ORDER APPROVING A CHANGE IN POINT OF APPROPRIATION

Pursuant to ORS 537.211, after notice was given and finding that no injury to existing water rights would result, this order approves, as conditioned or limited herein, PERMIT AMENDMENT T-8907 submitted by

RUNNING Y, INC.
5500 RUNNING Y ROAD
KLAMATH FALLS, OREGON 97601.

The permit to be modified is Permit G-12296 with a date of priority of FEBRUARY 9, 1995. The permit allows the use of THREE WELLS, in the KLAMATH RIVER BASIN, for QUASI-MUNICIPAL USE. The amount of water to which this permit is entitled is limited to an amount actually beneficially used and shall not exceed 3.0 cubic feet per second, if available at the original wells; NE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, SECTION 9, NE $\frac{1}{4}$ NE $\frac{1}{4}$, SECTION 16, T 38 S, R 8 E, W.M.; WELL 1 - 2050 FEET NORTH AND 1980 FEET EAST; WELL 2 - 790 FEET NORTH AND 2340 FEET EAST; BOTH FROM THE SW CORNER OF SECTION 9; WELL 3 - 130 FEET SOUTH AND 4490 FEET EAST FROM THE NW CORNER OF SECTION 16, or its equivalent in case of rotation, measured at the well.

The use shall conform to any reasonable rotation system ordered by the proper state officer.

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2).

Pursuant to ORS 536.075 and OAR 137-004-080 and OAR 690-01-005 you may either petition for judicial review or petition the Director for reconsideration of this order.

T-8907.PKS

Page 1 of 3 Special Order Volume 57, Page 109.

RECEIVED

AUG 29 2007

T 10451

WATER RESOURCES DEPT
SALEM, OREGON

The authorized place of use is as follows:

NW¼ SW¼
SW¼ SW¼
SE¼ SW¼
SECTION 28

NE¼ SE¼
SE¼ SE¼
SECTION 29

NW¼
NE¼ SW¼
SE¼ SW¼
NW¼ SE¼
SW¼ SE¼
SE¼ SE¼
SECTION 33

TOWNSHIP 37 SOUTH, RANGE 8 EAST, W.M.

SW¼ SW¼
SE¼ SW¼
SECTION 3

NE¼
SW¼ NW¼
SW¼
SE¼
SECTION 4

SE¼ NE¼
SE¼
SECTION 5

NE¼ NE¼
NE¼ SW¼
NE¼ SE¼
NW¼ SE¼
SECTION 8

ALL
SECTION 9

SW¼ NE¼
SE¼ NE¼
NW¼
SW¼
SECTION 10

NW¼
SW¼
NW¼ SE¼
SW¼ SE¼
SE¼ SE¼
SECTION 15

NE¼ NE¼
NW¼ NE¼
SE¼ NE¼
NE¼ SE¼
SE¼ SE¼
SECTION 16

NE¼
NE¼ NW¼
SECTION 22

TOWNSHIP 38 SOUTH, RANGE 8 EAST, W.M.

The applicant proposes to change the point of appropriation of Well 3 to:

NE¼ NE¼, SECTION 15, T 38 S, R 8 E, W.M.; 1279 FEET SOUTH AND 986 FEET EAST FROM THE NW CORNER OF SECTION 15.

T-8907.PKS

Page 2 of 3 Special Order Volume 57, Page 110.

RECEIVED

AUG 29 2007

T 10451

WATER RESOURCES DEPT
SALEM, OREGON

THIS CHANGE TO AN EXISTING WATER PERMIT MAY BE MADE PROVIDED THE FOLLOWING CONDITIONS ARE MET BY THE WATER USER:

1. The quantity of water diverted at the new point of appropriation (well), together with that diverted at the other authorized points of appropriation, shall not exceed the maximum rate and duty allowed under the water right permit.
2. The water user shall install and maintain a headgate, an in-line flow meter, weir, or other suitable device for measuring and recording the quantity of water diverted. The type and plans of the headgate and measuring device must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.
3. Water shall be acquired from the same aquifer as the original point of appropriation.
4. All other terms and conditions of the permit remain the same.

Permit G-12296, in the name of RUNNING Y, INC. is amended as described herein.

WITNESS the signature of the Water Resources
Director, affixed FEB 18 2003



Paul R. Cleary, Director

Table of Changed and Additional Points of Appropriation for Permit G-12296

Changed or Additional POA	Well Log ID #	Source and Priority Date	Township	Range	Meridian	Sec.	¼¼	Survey Coordinates
Changed POA	KLAM 53270	Well # 3 2/9/1995	38S	8E	WM	15	NW NW	Well 3 - 1279' S & 986" E from NW Corner of Section 15
Additional POA	KLAM 55522	RidgeWater Well # 1 5/31/2005	38S	8E	WM	26	SW SE	RidgeWater Well # 1 - 685' North & 1475' West from SE corner of Section 26
Additional POA	Not installed yet.	RidgeWater Well # 2 5/31/2005	38S	8E	WM	36	NE SW	RidgeWater Well # 2 1595' North & 1340' East from SW corner of Section 36 <i>(well not installed yet)</i>
Additional POA	Not installed yet.	RidgeWater Well # 3 5/31/2005	38S	8E	WM	35	NE SE	RidgeWater Well # 3 2095' North & 220' West form SE corner of Section 35 <i>(well not installed yet)</i>
Additional POA	Not installed yet.	RidgeWater Well # 4 5/31/2005	38S	8E	WM	36	SW NW	RidgeWater Well # 4 2830' North & 925' East from SW corner of Section 36 <i>(well not installed yet)</i>

T 10451

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

STATE OF OREGON
WATER SUPPLY WELL REPORT

(as required by ORS 537.765)

(1) OWNER:

Well Number: #3

Name: Running Y Ranch

Address: 5115 Running Y Road

City: Klamath Falls State: OR Zip: 97601

(2) TYPE OF WORK:

(repair/

☒ New Well ☐ Deepening ☐ Alteration/recondition ☐ Abandonment

(3) DRILL METHOD:

☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger

☐ Other:

(4) PROPOSED USE:

☒ Domestic ☒ Community ☐ Industrial ☒ Irrigation

☐ Thermal ☐ Injection ☐ Livestock ☐ Other

(5) BORE HOLE CONSTRUCTION:

Special Construction approval ☐ Yes ☒ No

Depth of Completed Well 545'

Explosives Used ☐ Yes ☒ No Type --- Amount ---

HOLE			SEAL			sacks or pounds
Diameter	From	To	Material	From	To	
28"	0'	4'	Cement	0'	4'	20 Sacks
23"	-4'	75'	Cement	0'	75'	130 Sacks
19"	-75'	481'	Cement	0'	481'	1600 Sack
15"	-481'	545'	---	---	---	---

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E

☐ Other

Backfill placed from --- to --- Material ---

from --- to --- Material ---

Gravel placed from --- to --- Size of gravel ---

(6) CASING/LINER:

CASING:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
24"	0	4	.375	☒	☐	☐	☐
20"	0	78	.375	☒	☐	☒	☐
16"	+1.5	481	.375	☒	☐	☒	☐

LINER:

---	---	---	---	☐	☐	☐	☐
---	---	---	---	☐	☐	☐	☐

Final location of Shoe(s):

(7) PERFORATIONS/SCREENS:

☐ Perforations Method: ---

☐ Screen Type: --- Material: ---

From	To	Slot Size	No.	Diameter	Tele/pipe size	Casing	Liner
---	---	---	---	---	---	☐	☐
---	---	---	---	---	---	☐	☐
---	---	---	---	---	---	☐	☐
---	---	---	---	---	---	☐	☐

(8) WELL TESTS: Minimum testing time is 1 hour

☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gpm	Drawdown	Drill Stem at	Time
1400	151		1 hr.
			24hr

Temperature of water 57 Depth Artesian Flow Found ---

Was a water analysis done? --- By whom: ---

Did any strata contain water not suitable for intended use? (explain)

Depth of Strata: ---

KLAM

53270

Klam
53270

WELL ID # L49304

START CARD # 111265

(9) LOCATION OF WELL by legal description:

County: Klamath Latitude: --- Longitude: ---

Township: 38S Range: 8E

Section: 15 NW 1/4 NW 1/4

Tax Lot: N/A Lot: N/A Block: --- Subdivision: ---

Street Address of Well (or nearest address) ---

Running Y Resort Reservoir

(10) STATIC WATER LEVEL:

296 Ft. below land surface

Date 04/30/02

Artesian pressure --- lb. per sq. in.

Date ---

(11) WATER BEARING ZONES:

Depth at which water was first found

From	To	Est. Flow Rate	SWL
130	182	10 GPM	ukn
295	545	1200 GPM	295

(12) WELL LOG:

Ground Elevation: ---

Material	From	To	SWL
Fill	0	2	
Basalt Boulders Consolidated Brwn Rock	2	7	
Basalt Gray	7	25	
Basalt Gray with Layers of Brown Rock	25	43	
Clay Brownish Yellow with Some Rock	43	130	
Rock Soft Decomposed Brown Clay	130		
Trace Water		182	
Clay Brownish Yellow with Some Rock	182	265	
Rock Brown with Layer of Clay Brown	265	281	
Basalt Reddish Brown	281	298	
Basalt Gray with Brownish Red	298	379	295
Lava Cinders Soft Med Red - Black	379	386	
Basalt Hard Gray Bk	386	392	
Lava Cinder Med Red - Black	392	394	
Basalt Hard Gray	394	406	
Cinder Broken Black - Red	406	445	
Basalt Gray Broken Caving	445	473	
Basalt Gray Hard	473	483	
Basalt Grayish Red Broken WB	483	545	

RECEIVED

MAY 15 2002

RECEIVED

WATER RESOURCES DEPT.
SALEM, OREGON

JAN 03 2005

Date Started: 02/06/02

WATER RESOURCES DEPT.
SALEM, OREGON

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed Dave Denny

WWC Number 806

Date 05/10/02

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed

WWC Number 723

Date 05/10/02

ORIGINAL & FIRST COPY - Water Resources Department

SECOND COPY - Constructor

THIRD COPY - Customer

AUG 29 2007

T 10451

WATER RESOURCES DEPT
SALEM, OREGON

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765)

KLAM 55522

WELL ID # L 81979
START CARD # 168723

(1) OWNER:

Well Number: #1
Name: Ridge Water Utility
Address: 5115 Running Y Road
City: Klamath Falls State: OR Zip: 97601

(2) TYPE OF WORK:

(repair/
☒ New Well ☐ Deepening ☐ Alteration/recondition ☐ Abandonment

(3) DRILL METHOD:

☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger
☐ Other:

(4) PROPOSED USE:

☐ Domestic ☒ Community ☐ Industrial ☐ Irrigation
☐ Thermal ☐ Injection ☐ Livestock ☐ Other

(5) BORE HOLE CONSTRUCTION:

Special Construction approval ☐ Yes ☒ No

Depth of Completed Well 1355

Explosives Used ☐ Yes ☒ No Type Amount

HOLE			SEAL			sacks or pounds
Diameter	From	To	Material	From	To	
23	0	55	cement	0	55	121 bags
19"	55	436	cement	55	436	350 bags
19"	0	55	cmnt-sand	0	55	50 bags

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E
☐ Other

Backfill placed from to Material
from to Material

Gravel placed from to Size of gravel

(6) CASING/LINER:

CASING:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
20"	+1	-55	.375	☒	☐	☒	☐
16"	+1	-436	.375	☒	☐	☒	☐
10"	-416	-899	.365	☒	☐	☒	☐

LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
8	-875	-1355	.250	☒	☐	☒	☐

Final location of Shoe(s): none

(7) PERFORATIONS/SCREENS:

☒ Perforations Method: factory slot

☐ Screen Type: Material:

From	To	Slot Size	No.	Diameter	Tele/pipe size	Casing	Liner
955	1015	1/8	2304		p	☐	☒
1135	1155	1/8	576		p	☐	☒
1215	1255	1/8	1152		p	☐	☒
1295	1335	1/8	1152		p	☐	☒

(8) WELL TESTS: Minimum testing time is 1 hour

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian
Yield gpm Drawdown Drill Stem at Time

Air	1200		1275	1 hr.
PMP	900	16		36

Temperature of water 61 Depth Artesian Flow Found

Was a water analysis done? By whom:

Did any strata contain water not from the well? (explain)
too little

Depth of Strata:

RECEIVED

AUG 15 2006

WATER RESOURCES DEPT

ORIGINAL & FIRST COPY - SALEM, OREGON Department

SECOND COPY - Constructor

THIRD COPY - Customer

(9) LOCATION OF WELL by legal description:

County: Klamath Latitude: Longitude:
Township: 38S Range: 8E
Section: 26 1/4 SW 1/4
Tax Lot: 200 Lot: Block: Subdivision:
Street Address of Well (or nearest address) N/A

(10) STATIC WATER LEVEL:

384 Ft. below land surface Date 6-30-06
Artesian pressure lb. per sq. in. Date

(11) WATER BEARING ZONES:

Depth at which water was first found

From	To	Est. Flow Rate	SWL
See attached			

(12) WELL LOG:

Ground Elevation:

Material	From	To	SWL
SEE ATTACHED!!!!			
RECEIVED			
AUG 29 2007			
WATER RESOURCES DEPT			
SALEM, OREGON			

Date Started: 5-18-06

Completed: 6-30-06

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed Chuck Stadel WWC Number 723 Date 8-30-06

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed [Signature] WWC Number 723 Date 7-30-06

T 10451

KLAM 55522

11) Water Bearing Zones:

Depth at which water was first found: 399 ft

From	To	Estimated Flow Rate	SWL
399 ft	406	50	291
497	520	50	373
763	779	100	373
816	820	100	373
961	1020	200	386
1131	1145	200-250	386
1191		200	386
1199	1253	200	386
1290		100	386
1316	1339	250	386

Material	From	To
Cobbles loose clay	0	17
Rock med-hard	17	24
Rock-brn-med	24	50
Gry	50	71
Brn	71	96
Gry hard	96	171
Brn Med	171	176
Gry Hard	176	179
Brn loose	179	188
Gry hard	188	366
Cindery brn red	366	375
Ash claystone-gry	375	384
Rock gry red	384	392
Softer	392	399

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

AUG 15 2006

WATER RESOURCES DEPT
SALEM, OREGON

T 10451

KLAM 55522

Cinduy Ash	399	406
Rock Gry	406	429
Hrd	429	456
Brn Med	450	497
Cindery-red	497	522
Rock brn	522	701
Cindery gry	701	726
Rock gry med	726	741
Hard	741	763
Fract	763	779
Rock brn	779	816
Cinder ash	816	820
Rock med soft	820	891
Rock gry hrd	891	909
Brnk grey	909	961
Fract zone	920	-
Green		1020
Volcanic hard	1020	1086
Hrd tract	1086	1120
Basalt hard	1120	1131
Rubble mlt clr	1131	1145
Hrd	1145	1159
Med hrd	1159	1161
Basalt hrd	1161	1184
Mug	1184	1191
Grey-some green	1191	1252
Fractured rough	1252	1253
Smooth	1253	1290
Semi fract	1290	1316
Volcanic-multi	1316	1339
Basalt- med-hrd fract	1339	1355

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

AUG 15 2006

WATER RESOURCES DEPT
SALEM OREGON

T 10451

Running Y Resort and Ridgewater Development

Proposed Amended Place of Use

Permits G-16117 and G-12296

TOWNSHIP	RANGE	MER	SECTION	1/4 1/4 SECTION
37S	8E	W.M.	28	NW1/4 SW1/4
37S	8E	W.M.	28	SW1/4 SW1/4
37S	8E	W.M.	28	SE1/4 SW1/4
37S	8E	W.M.	29	NE1/4 SE1/4
37S	8E	W.M.	29	SE1/4 SE1/4
37S	8E	W.M.	33	NE1/4 NW1/4
37S	8E	W.M.	33	NW1/4 NW1/4
37S	8E	W.M.	33	SW1/4 NW1/4
37S	8E	W.M.	33	SE1/4 NW1/4
37S	8E	W.M.	33	NE1/4 SW1/4
37S	8E	W.M.	33	NW1/4 SW1/4
37S	8E	W.M.	33	SE1/4 SW1/4
37S	8E	W.M.	33	NW1/4 SE1/4
37S	8E	W.M.	33	SW1/4 SE1/4
37S	8E	W.M.	33	SE1/4 SE1/4
38S	8E	W.M.	3	SW1/4 SW1/4
38S	8E	W.M.	3	SE1/4 SW1/4
38S	8E	W.M.	4	NE1/4 NE1/4
38S	8E	W.M.	4	NW1/4 NE1/4
38S	8E	W.M.	4	SW1/4 NE1/4
38S	8E	W.M.	4	SE1/4 NE1/4
38S	8E	W.M.	4	SW1/4 NW1/4
38S	8E	W.M.	4	NE1/4 SW1/4
38S	8E	W.M.	4	NW1/4 SW1/4
38S	8E	W.M.	4	SW1/4 SW1/4
38S	8E	W.M.	4	SE1/4 SW1/4
38S	8E	W.M.	4	NE1/4 SE1/4
38S	8E	W.M.	4	NW1/4 SE1/4
38S	8E	W.M.	4	SW1/4 SE1/4
38S	8E	W.M.	4	SE1/4 SE1/4
38S	8E	W.M.	5	SE1/4 NE1/4
38S	8E	W.M.	5	NE1/4 SE1/4
38S	8E	W.M.	5	NW1/4 SE1/4
38S	8E	W.M.	5	SW1/4 SE1/4
38S	8E	W.M.	5	SE1/4 SE1/4
38S	8E	W.M.	8	NE1/4 NE1/4
38S	8E	W.M.	8	NE1/4 SW1/4
38S	8E	W.M.	8	NE1/4 SE1/4
38S	8E	W.M.	8	NW1/4 SE1/4
38S	8E	W.M.	9	NE1/4 NE1/4
38S	8E	W.M.	9	NW1/4 NE1/4
38S	8E	W.M.	9	SW1/4 NE1/4
38S	8E	W.M.	9	SE1/4 NE1/4
38S	8E	W.M.	9	NE1/4 NW1/4
38S	8E	W.M.	9	NW1/4 NW1/4
38S	8E	W.M.	9	SW1/4 NW1/4
38S	8E	W.M.	9	SE1/4 NW1/4
38S	8E	W.M.	9	NE1/4 SW1/4
38S	8E	W.M.	9	NW1/4 SW1/4

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

Proposed Amended Place of Use
Permits G-16117 and G-12296

<i>TOWNSHIP</i>	<i>RANGE</i>	<i>MER</i>	<i>SECTION</i>	<i>1/4 1/4 SECTION</i>
38S	8E	W.M.	9	SW1/4 SW1/4
38S	8E	W.M.	9	SE1/4 SW1/4
38S	8E	W.M.	9	NE1/4 SE1/4
38S	8E	W.M.	9	NW1/4 SE1/4
38S	8E	W.M.	9	SW1/4 SE1/4
38S	8E	W.M.	9	SE1/4 SE1/4
38S	8E	W.M.	10	SW1/4 NE1/4
38S	8E	W.M.	10	SE1/4 NE1/4
38S	8E	W.M.	10	NE1/4 NW1/4
38S	8E	W.M.	10	NW1/4 NW1/4
38S	8E	W.M.	10	SW1/4 NW1/4
38S	8E	W.M.	10	SE1/4 NW1/4
38S	8E	W.M.	10	NE1/4 SW1/4
38S	8E	W.M.	10	NW1/4 SW1/4
38S	8E	W.M.	10	SW1/4 SW1/4
38S	8E	W.M.	10	SE1/4 SW1/4
38S	8E	W.M.	15	NE1/4 NW1/4
38S	8E	W.M.	15	NW1/4 NW1/4
38S	8E	W.M.	15	SW1/4 NW1/4
38S	8E	W.M.	15	SE1/4 NW1/4
38S	8E	W.M.	15	NE1/4 SW1/4
38S	8E	W.M.	15	NW1/4 SW1/4
38S	8E	W.M.	15	SW1/4 SW1/4
38S	8E	W.M.	15	SE1/4 SW1/4
38S	8E	W.M.	15	NW1/4 SE1/4
38S	8E	W.M.	15	SW1/4 SE1/4
38S	8E	W.M.	15	SE1/4 SE1/4
38S	8E	W.M.	16	NE1/4 NE1/4
38S	8E	W.M.	16	NW1/4 NE1/4
38S	8E	W.M.	16	SE1/4 NE1/4
38S	8E	W.M.	16	NE1/4 SE1/4
38S	8E	W.M.	16	SE1/4 SE1/4
38S	8E	W.M.	22	NE1/4 NE1/4
38S	8E	W.M.	22	NW1/4 NE1/4
38S	8E	W.M.	22	SE1/4 NE1/4
38S	8E	W.M.	22	NE1/4 NW1/4
38S	8E	W.M.	22	SE1/4 NE1/4
38S	8E	W.M.	22	NE1/4 SE1/4
38S	8E	W.M.	22	NW1/4 SE1/4
38S	8E	W.M.	22	SW1/4 SE1/4
38S	8E	W.M.	22	SE1/4 SE1/4
38S	8E	W.M.	23	SW1/4 SW1/4
38S	8E	W.M.	25	SW1/4 NW1/4
38S	8E	W.M.	25	SE1/4 NW1/4
38S	8E	W.M.	25	NE1/4 SW1/4
38S	8E	W.M.	25	NW1/4 SW1/4
38S	8E	W.M.	25	SW1/4 SW1/4
38S	8E	W.M.	25	SE1/4 SW1/4
38S	8E	W.M.	26	NW1/4 NE1/4
38S	8E	W.M.	26	SW1/4 NE1/4

RECEIVED

AUG 29 2007

**WATER RESOURCES DEPT
SALEM, OREGON**

**Proposed Amended Place of Use
Permits G-16117 and G-12296**

<i>TOWNSHIP</i>	<i>RANGE</i>	<i>MER</i>	<i>SECTION</i>	<i>1/4 1/4 SECTION</i>
38S	8E	W.M.	26	SE1/4 NE1/4
38S	8E	W.M.	26	NE1/4 NW1/4
38S	8E	W.M.	26	NW1/4 NW1/4
38S	8E	W.M.	26	SW1/4 NW1/4
38S	8E	W.M.	26	SE1/4 NW1/4
38S	8E	W.M.	26	NE1/4 SW1/4
38S	8E	W.M.	26	NW1/4 SW1/4
38S	8E	W.M.	26	SE1/4 SW1/4
38S	8E	W.M.	26	NE1/4 SE1/4
38S	8E	W.M.	26	NW1/4 SE1/4
38S	8E	W.M.	26	SW1/4 SE1/4
38S	8E	W.M.	26	SE1/4 SE1/4
38S	8E	W.M.	27	NE1/4 NE1/4
38S	8E	W.M.	27	SE1/4 NE1/4
38S	8E	W.M.	35	NE1/4 NE1/4
38S	8E	W.M.	35	NW1/4 NE1/4
38S	8E	W.M.	35	SW1/4 NE1/4
38S	8E	W.M.	35	SE1/4 NE1/4
38S	8E	W.M.	35	NE1/4 NW1/4
38S	8E	W.M.	35	NE1/4 SE1/4
38S	8E	W.M.	35	SE1/4 SE1/4
38S	8E	W.M.	36	NE1/4 NW1/4
38S	8E	W.M.	36	NW1/4 NW1/4
38S	8E	W.M.	36	SW1/4 NW1/4
38S	8E	W.M.	36	SE1/4 NW1/4
38S	8E	W.M.	36	NE1/4 SW1/4
38S	8E	W.M.	36	NW1/4 SW1/4
38S	8E	W.M.	36	SW1/4 SW1/4
38S	8E	W.M.	36	SE1/4 SW1/4

RECEIVED


AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

Proposed POU and POA Permit Amendment Application Map

Permits G-12296 & G-16117

Township 37 & 38 South, Range 8 East (W.M.)



POA Descriptions


G-12296
 Changed POA - Well #3
 Additional POAs - RidgeWater Wells 1, 2, 3, & 4

G-16117
 Changed POA - RidgeWater Well #1
 Additional POAs - Running Y Resort Wells 1, 2, & 3



RECEIVED

AUG 29 2007



Scale


1 inch equals 5,280 feet
 0 2,640 5,280
 Feet

WATER RESOURCES DEPT
 SALEM, OREGON

T 10451

Permit Amendment Application **Existing Authorized Permit G-16117**

RidgeWater Development
Township 38 South, Range 8 East (W.M.)




Legend

- Existing Wells (Permit G-16117)
- ▨ Existing Permit G-16117
- ⊕ Tax Lots
- Roads
- ☼ Upper Klamath Lake

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON



Scale

1 inch equals 2,640 feet
0 1,320 2,640
Feet

Map Information

Map Projection: Oregon State Plane North Zone
Map Datum: North American Datum of 1983
Map Date: July 11, 2007
Prepared By: GSI Water Solutions, Inc.

Data Sources

WH Pacific, Oregon Geospatial Enterprise Office (GEO),
Klamath County GIS, ESRI

Note

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.



T 10451

KLAM 55522

11) Water Bearing Zones:

Depth at which water was first found: 399 ft

From	To	Estimated Flow Rate	SWL
399 ft	406	50	291
497	520	50	373
763	779	100	373
816	820	100	373
961	1020	200	386
1131	1145	200-250	386
1191		200	386
1199	1253	200	386
1290		100	386
1316	1339	250	386

Material	From	To
Cobbles loose clay	0	17
Rock med-hard	17	24
Rock-brn-med	24	50
Gry	50	71
Brn	71	96
Gry hard	96	171
Brn Med	171	176
Gry Hard	176	179
Brn loose	179	188
Gry hard	188	366
Cindery brn red	366	375
Ash claystone-gry	375	384
Rock gry red	384	392
Softer	392	399

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

AUG 15 2006

WATER RESOURCES DEPT
SALEM, OREGON

KLAM 55522

Cinduy Ash	399	406
Rock Gry	406	429
Hrd	429	456
Brn Med	450	497
Cindery-red	497	522
Rock brn	522	701
Cindery gry	701	726
Rock gry med	726	741
Hard	741	763
Fract	763	779
Rock brn	779	816
Cinder ash	816	820
Rock med soft	820	891
Rock gry hrd	891	909
Brnk grey	909	961
Fract zone	920	-
Green		1020
Volcanic hard	1020	1086
Hrd tract	1086	1120
Basalt hard	1120	1131
Rubble mlt clr	1131	1145
Hrd	1145	1159
Med hrd	1159	1161
Basalt hrd	1161	1184
Mug	1184	1191
Grey-some green	1191	1252
Fractured rough	1252	1253
Smooth	1253	1290
Semi fract	1290	1316
Volcanic-multi	1316	1339
Basalt- med-hrd fract	1339	1355

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

AUG 15 2006

WATER RESOURCES DEPT
SALEM OREGON

T 10451

STATE OF OREGON

COUNTY OF KLAMATH

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

RUNNING Y RESORT, INC
5500 RUNNING Y RD
KLAMATH FALLS, OR 97601

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-16471

SOURCE OF WATER: FOUR WELLS IN UPPER KLAMATH LAKE BASIN

PURPOSE OR USE: QUASI-MUNICIPAL USES

MAXIMUM RATE: 4.46 CUBIC FEET PER SECOND

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: MAY 31, 2005

WELL LOCATION:

WELL 1 - SE $\frac{1}{4}$ SW $\frac{1}{4}$, SECTION 36, T38S, R8E, W.M.; 315 FEET NORTH & 1490 FEET EAST FROM SW CORNER, SECTION 36

WELL 2 - NE $\frac{1}{4}$ SW $\frac{1}{4}$, SECTION 36, T38S, R8E, W.M.; 1595 FEET NORTH & 1340 FEET EAST FROM SW CORNER, SECTION 36

WELL 3 - NE $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 35, T38S, R8E, W.M.; 2095 FEET NORTH & 220 FEET WEST FROM SE CORNER, SECTION 35

WELL 4 - SW $\frac{1}{4}$ NW $\frac{1}{4}$, SECTION 36, T38S, R8E, W.M.; 2830 FEET NORTH & 925 FEET EAST FROM SW CORNER, SECTION 36

THE PLACE OF USE IS LOCATED AS FOLLOWS:

SE $\frac{1}{4}$ NE $\frac{1}{4}$
NE $\frac{1}{4}$ SE $\frac{1}{4}$
NW $\frac{1}{4}$ SE $\frac{1}{4}$
SW $\frac{1}{4}$ SE $\frac{1}{4}$
SE $\frac{1}{4}$ SE $\frac{1}{4}$
SECTION 22

SW $\frac{1}{4}$ SW $\frac{1}{4}$
SECTION 23

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

Application G-16471 Water Resources Department

PERMIT G-16117

THE PLACE OF USE IS LOCATED AS FOLLOWS (CONTINUED):

SW ¼ NW ¼
 SE ¼ NW ¼
 NE ¼ SW ¼
 NW ¼ SW ¼
 SW ¼ SW ¼
 SE ¼ SW ¼
 SECTION 25

NW ¼ NE ¼
 SW ¼ NE ¼
 SE ¼ NE ¼
 NE ¼ NW ¼
 NW ¼ NW ¼
 SW ¼ NW ¼
 SE ¼ NW ¼
 NE ¼ SW ¼
 NW ¼ SW ¼
 SE ¼ SW ¼
 NE ¼ SE ¼
 NW ¼ SE ¼
 SW ¼ SE ¼
 SE ¼ SE ¼
 SECTION 26

NE ¼ NE ¼
 SE ¼ NE ¼
 SECTION 27

NE ¼ NE ¼
 NW ¼ NE ¼
 SW ¼ NE ¼
 SE ¼ NE ¼
 NE ¼ NW ¼
 NE ¼ SE ¼
 SE ¼ SE ¼
 SECTION 35

NE ¼ NW ¼
 NW ¼ NW ¼
 SW ¼ NW ¼
 SE ¼ NW ¼
 NE ¼ SW ¼
 NW ¼ SW ¼
 SW ¼ SW ¼
 SE ¼ SW ¼
 SECTION 36

TOWNSHIP 38 SOUTH, RANGE 8 EAST, W.M.

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
 SALEM, OREGON

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device on each well as approved by the Director. The permittee shall maintain the meters or measuring devices in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meters or measuring device; provided however, where the meter or measuring devices are located within a private structure, the watermaster shall request access upon reasonable notice.

Use of water under authority of this permit may be regulated if analysis of data available after the permit is issued discloses that the appropriation will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife in effect as of the priority date of the right or as those quantities may be subsequently reduced.

The water user shall develop a plan to monitor and report the impact of water use under this permit on water levels within the aquifer that provides water to the permitted wells. The plan shall be submitted to the Department within one year of the date the permit is issued and shall be subject to the approval of the Department. At a minimum, the plan shall include a program to periodically measure static water levels within the permitted wells or an adequate substitute such as water levels in nearby wells. The plan shall also stipulate a reference water level against which any water-level declines will be compared. If a well listed on this permit (or replacement well) displays a total static water-level decline of 25 or more feet over any period of years, as compared to the reference level, then the water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the wells. Such action shall be taken until the water level recovers to above the 25-foot decline level or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit.

Application G-16471

Water Resources Department

PERMIT G-16117

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGONWATER RESOURCES DEPT
SALEM, OREGON

T 10451

Within three years of permit issuance, the permittee shall submit a Water Management and Conservation Plan consistent with OAR Chapter 690, Division 86. The Director may approve an extension of this time line to complete the required Water Management and Conservation Plan. The time line for submittal of a plan under this permit does not alter the time lines for submittal of a plan under any other order of the Department.

STANDARD CONDITIONS

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may not be valid, unless the Department authorizes the change in writing.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

Application G-16471 Water Resources Department PERMIT G-16117

RECEIVED

AUG 29 2007 T 10451

WATER RESOURCES DEPT
SALEM, OREGON


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.


The use of water shall be limited when it interferes with any prior surface or ground water rights.

Completion of construction and complete application of the water to the use shall be made on or before October 1, 2011. If the water is not completely applied before this date, and the permittee wishes to continue development under the permit, the permittee must submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued October 24, 2006


Philip C. Ward, Director
Water Resources Department



RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

Application G-16471 Water Resources Department
Basin 14 Volume 1 U KLAMATH L & MISC

PERMIT G-16117
17

Table of Changed and Additional Points of Appropriation for Permit G-16117

Changed or Additional POA	Well Log ID #	Source and Priority Date	Township	Range	Meridian	Sec.	¼ ¼	Survey Coordinates
Changed POA	KLAM 55522	RidgeWater Well # 1 5/31/2005	38S	8E	WM	26	SW SE	RidgeWater Well # 1 – 685' North & 1475' West from SE corner of Section 26
Additional POA	KLAM 50366	Well # 1 2/9/1995	38S	8E	WM	9	NE SW	Well 1 - 2050' N & 1980" E from SW Corner of Section 9
Additional POA	KLAM 50552	Well # 2 2/9/1995	38S	8E	WM	9	SE SW	Well 2 -790' N & 2340" E from SW Corner of Section 9
Additional POA	KLAM 53270	Well # 3 2/9/1995	38S	8E	WM	15	NW NW	Well 3 - 1279' S & 986" E from NW Corner of Section 15

T 10451

WELL ID# L 81979
START CARD# 168723

T 10451

KLAM 55522

11) Water Bearing Zones:

Depth at which water was first found: 399 ft

From	To	Estimated Flow Rate	SWL
399 ft	406	50	291
497	520	50	373
763	779	100	373
816	820	100	373
961	1020	200	386
1131	1145	200-250	386
1191		200	386
1199	1253	200	386
1290		100	386
1316	1339	250	386

Material	From	To
Cobbles loose clay	0	17
Rock med-hard	17	24
Rock-brn-med	24	50
Gry	50	71
Brn	71	96
Gry hard	96	171
Brn Med	171	176
Gry Hard	176	179
Brn loose	179	188
Gry hard	188	366
Cindery brn red	366	375
Ash claystone-gry	375	384
Rock gry red	384	392
Softer	392	399

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

AUG 15 2006

WATER RESOURCES DEPT
SALEM, OREGON

T 10451

KLAM 55522

Cinduy Ash	399	406
Rock Gry	406	429
Hrd	429	456
Brn Med	450	497
Cindery-red	497	522
Rock brn	522	701
Cindery gry	701	726
Rock gry med	726	741
Hard	741	763
Fract	763	779
Rock brn	779	816
Cinder ash	816	820
Rock med soft	820	891
Rock gry hrd	891	909
Brnk grey	909	961
Fract zone	920	-
Green		1020
Volcanic hard	1020	1086
Hrd tract	1086	1120
Basalt hard	1120	1131
Rubble mlt clr	1131	1145
Hrd	1145	1159
Med hrd	1159	1161
Basalt hrd	1161	1184
Mug	1184	1191
Grey-some green	1191	1252
Fractured rough	1252	1253
Smooth	1253	1290
Semi fract	1290	1316
Volcanic-multi	1316	1339
Basalt- med-hrd fract	1339	1355

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

AUG 15 2006

WATER RESOURCES DEPT
SALEM OREGON

T 10451

Instructions for completing this report are on the last page of this form.

KLPA
50366

T 10451

RECEIVED

JUL 30 1996

WATER RESOURCES DEPT.
SALEM, OREGON

STOREY DRILLING SERVICES

P.O. BOX 98 - MIDLAND, OREGON 97634
503/884-3990/(800)245-8122
CONTRACTOR'S LICENSES:
OR #601/CA #583153/NV #38199



Running Y Resort, Inc.
P. O. Box 1215
Redmond, Oregon 97756

START: April 4, 1996
FINISH: June 14, 1996

WELL LOCATION: Running Y Resort development site $\frac{1}{2}$ mile north of Hwy 140
about 6 miles west of Klamath Falls, Oregon.
NE $\frac{1}{4}$ SW $\frac{1}{4}$ T38S R8E S9

LOG

0	-	1	Brown clay topsoil
1	-	12	Boulders & brown basalt
12	-	40	Broken brown basalt
40	-	50	Grey basalt
50	-	58	Brown basalt
58	-	69	Grey basalt
69	-	80	Broken brown lava
80	-	83	Grey basalt
83	-	86	Broken brown lava
86	-	96	Black basalt
96	-	107	Hard grey basalt
107	-	110	Broken brown lava
110	-	112	Red lava
112	-	126	Bubbly black lava
126	-	137	Hard black basalt
137	-	144	Broken brown lava
144	-	150	Hard broken black basalt
150	-	161	Bubbly brown lava with streaks red lava
161	-	186	Hard black basalt
186	-	198	Red lava
198	-	207	Hard broken black basalt
207	-	224	Hard grey basalt
224	-	236	Brown lava
236	-	247	Hard black basalt
247	-	259	Broken bubbly brown lava
259	-	263	Grey basalt
263	-	293	Broken black lava with streaks brown cinders
293	-	300	Broken black basalt
300	-	304	Grey basalt
304	-	305	Black lava
305	-	316	Hard broken black lava
316	-	329	Black lava
329	-	392	Grey basalt
392	-	425	Hard broken black basalt
425	-	426	Green clay
426	-	427	Coarse black sand
427	-	432	Black lava with streaks brown ash clay
432	-	467	Black coarse sand with streaks pea gravel
467	-	512.	Sandy brown clay

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

T 10451

STOREY DRILLING SERVICES

P.O. BOX 98 - MIDLAND, OREGON 97634
503/884-3890 / (800) 245-8122
CONTRACTOR'S LICENSES:
OR #601/CA #583153/NV #38199

RECEIVED

JUL 30 1996

WATER RESOURCES DEPT.
SALEM, OREGON



Running Y Resort, Inc.
P. O. Box 1215
Redmond, Oregon 97756

START: April 4, 1996
FINISH: June 14, 1996

WELL LOCATION: Running Y Resort development site $\frac{1}{2}$ mile north of Hwy 140
about 6 miles west of Klamath Falls, Oregon.
NE $\frac{1}{4}$ SW $\frac{1}{4}$ T38S R8E S9

LOG (continued)

47 feet of 16 inch O.D. x .250 wall steel casing set and cemented at 46 feet
with rolled 16 inch steel casing drive shoe.
22 inch diameter hole drilled from 0 to 46 feet.
15 inch diameter hole drilled from 40 to 300 feet.
12 $\frac{1}{2}$ inch diameter hole drilled from 300 to 512 feet.
Static water level 82 feet measured from top of casing.
Test pumped 750 GPM at 146 feet; Specific capacity is 11.7 GPM/foot.
Temperature 56 degrees Fahrenheit; pH 8; 4 grains hardness; 0.8 PPM iron

CASING AND SCREEN PLACEMENT SEQUENCE

+2 - 140	142 feet of 12 3/4 inch OD solid steel casing
140 - 160	20 feet of 12 3/4 inch OD perforated steel casing
160 - 180	20 feet of 12 3/4 inch OD solid steel casing
180 - 200	20 feet of 12 3/4 inch OD perforated steel casing
200 - 220	20 feet of 12 3/4 inch OD solid steel casing
220 - 290	70 feet of 12 3/4 inch OD perforated steel casing
290 - 293	12 3/4 inch OD to 8 5/8 inch OD casing bell reducer
293 - 343	50 feet of 8 5/8 inch OD perforated steel casing
343 - 433	90 feet of 8 5/8 inch OD solid steel casing
433 - 473	40 feet of 8 5/8 inch OD Johnson mild steel screen
473 - 493	20 feet of 8 5/8 inch OD solid steel casing

GRAVEL ENVELOPE: 3/8 to 1/8 inch minus pea gravel located 350 to 512 feet.

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

STOREY DRILLING SERVICES

P.O. BOX 98 - MIDLAND, OREGON 97634
503/884-3990 / (800) 245-8122
CONTRACTOR'S LICENSES:
OR #601 / CA #583153 / NV #38189



Running Y Resort, Inc.
P. O. Box 1215
Redmond, Oregon 97756

START: July 22, 1996
FINISH: October 3, 1996

WELL LOCATION: Well #2 for Running Y Resort, Inc. development site 500 feet
north of HWY 140 about 6 miles west of Klamath Falls, Oregon.
SW¼ SE¼ S9 T38S R7E

RECEIVED

NOV - 4 1996

WATER RESOURCES DEPT.
SALEM, OREGON

LOG

0	-	7	Brown sandy clay topsoil
7	-	10	Decomposed lava
10	-	12	Black basalt
12	-	18	Grey basalt
18	-	34	Broken brown caving lava
34	-	50	Grey basalt
50	-	75	Broken bubbly brown lava
75	-	80	Grey basalt
80	-	97	Brown lava & cinders
97	-	105	Grey basalt
105	-	115	Hard brown broken lava
115	-	124	Grey basalt
124	-	126	Hard broken brown lava
126	-	131	Black basalt
131	-	138	Grey basalt
138	-	139	Hard broken black basalt
139	-	141	Grey basalt
141	-	146	Broken black lava
146	-	148	Hard black basalt
148	-	170	Broken black basalt
170	-	171	Black lava
171	-	176	Hard black basalt
176	-	201	Grey basalt
201	-	202	Broken black basalt
202	-	215	Grey basalt
215	-	226	Brown basalt
226	-	236	Bubbly black basalt
236	-	239	Grey basalt
239	-	244	Bubbly black basalt
244	-	268	Grey basalt
268	-	280	Decomposed brown lava with streaks yellow clay
280	-	304	Brown clay
304	-	563	Grey sticky clay
563	-	576	Black sandstone with streaks grey shale
576	-	589	Decomposed black lava
589	-	604	Grey basalt
604	-	645	Green clay

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

STOREY DRILLING SERVICES

P.O. BOX 98 - MIDLAND, OREGON 97634
503/884-3990 / (800) 245-8122
CONTRACTOR'S LICENSES:
OR #601 / CA #583153 / NV #38199



RECEIVED

NOV - 4 1996

WATER RESOURCES DEPT.
SALEM, OREGON

Running Y Resort, Inc.
Well #2

Log continued:

63 feet 3 inches of 16 inch O.D. x .250 wall steel casing set & cemented at 62 feet.

15 inch diameter hole drilled from 62 to 512 feet.
9 7/8 inch diameter hole drilled from 512 feet to 645 feet.

Well liner - 12 3/4 inch O.D. x .250 wall steel casing from 2 feet above ground level to 303 feet placed as follows:

solid casing	+2 feet to 118 feet
perforated casing	118 feet to 178 feet
solid casing	178 feet to 218 feet
perforated casing	218 feet to 238 feet
solid casing	238 feet to 278 feet
perforated casing	278 feet to 298 feet
solid casing	298 feet to 303 feet

- 6 5/8 inch O.D x .250 wall steel casing from 303 feet to 606 feet placed as follows:

solid casing	303 feet to 546 feet
perforated casing	546 feet to 606 feet.

Perforations:

Twenty foot sections of 12 3/4 inch O.D. steel casing is perforated with 25 rows of 38 slots per row with each slot measuring 1/8 inch by 3 inches.
Twenty foot sections of 6 5/8 inch O.D. steel casing is perforated with 8 rows of 38 slots per row with each slot measuring 1/8 inch by 3 inches.

Static water level is 55 feet with a temperature of 55 degrees Fahrenheit.
Water tested at 6 grains hardness with 0.6 PPM Iron and a pH of 8.

Test pumped _____ GPM at _____ feet.

RECEIVED

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765)

(1) OWNER:

Well Number: #3

Name: Running Y Ranch

Address: 5115 Running Y Road

City: Klamath Falls State: OR Zip: 97601

(2) TYPE OF WORK:

(repair/

☒ New Well ☐ Deepening ☐ Alteration/recondition ☐ Abandonment

(3) DRILL METHOD:

☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger

☐ Other:

(4) PROPOSED USE:

☒ Domestic ☒ Community ☐ Industrial ☒ Irrigation

☐ Thermal ☐ Injection ☐ Livestock ☐ Other

(5) BORE HOLE CONSTRUCTION:

Special Construction approval ☐ Yes ☒ No

Depth of Completed Well 545'

Explosives Used ☐ Yes ☒ No Type --- Amount ---

HOLE

SEAL

sacks or

Diameter	From	To	Material	From	To	sacks or pounds
28"	0'	4'	Cement	0'	4'	20 Sacks
23"	-4'	75'	Cement	0'	75'	130 Sacks
19"	-75'	481'	Cement	0'	481'	1600 Sack
15"	-481'	545'	---	---	---	---

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E

☐ Other

Backfill placed from --- to --- Material ---

from --- to --- Material ---

Gravel placed from --- to --- Size of gravel ---

(6) CASING/LINER:

CASING:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
24"	0	4	.375	☒	☐	☐	☐
20"	0	78	.375	☒	☐	☒	☐
16"	+1.5	481	.375	☒	☐	☒	☐
				☐	☐	☐	☐

LINER:

---	---	---	---	☐	☐	☐	☐
				☐	☐	☐	☐

Final location of Shoe(s):

(7) PERFORATIONS/SCREENS:

☐ Perforations Method: ---

☐ Screen Type: --- Material: ---

From	To	Slot Size	No.	Diameter	Tele/pipe size	Casing Liner
---	---	---	---	---	---	☐
						☐
						☐
						☐
						☐
						☐

(8) WELL TESTS: Minimum testing time is 1 hour

☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gpm	Drawdown	Drill Stem at	Time
1400	151		1 hr.
			24hr

Temperature of water 57 Depth Artesian Flow Found ---

Was a water analysis done? --- By whom: ---

Did any strata contain water not suitable for intended use? (explain)

Depth of Strata: ---

KLAM

53270

Klam
53270

WELL ID # L 49304
START CARD # 111265

(9) LOCATION OF WELL by legal description:

County: Klamath Latitude: --- Longitude: ---

Township: 38S Range: 8E

Section: 15 NW 1/4 NW 1/4

Tax Lot: N/A Lot: N/A Block: --- Subdivision: ---

Street Address of Well (or nearest address) ---

Running Y Resort Reservoir

(10) STATIC WATER LEVEL:

296 Ft. below land surface

Date 04/30/02

Artesian pressure --- lb. per sq. in.

Date ---

(11) WATER BEARING ZONES:

Depth at which water was first found ---

From	To	Est. Flow Rate	SWL
130	182	10 GPM	ukn
295	545	1200 GPM	295

(12) WELL LOG:

Ground Elevation: ---

Material	From	To	SWL
Fill	0	2	
Basalt Boulders Consolidated Brwn Rock	2	7	
Basalt Gray	7	25	
Basalt Gray with Layers of Brown Rock	25	43	
Clay Brownish Yellow with Some Rock	43	130	
Rock Soft Decomposed Brown Clay	130		
Trace Water		182	
Clay Brownish Yellow with Some Rock	182	265	
Rock Brown with Layer of Clay Brown	265	281	
Basalt Reddish Brown	281	298	
Basalt Gray with Brownish Red	298	379	295
Lava Cinders Soft Med Red - Black	379	386	
Basalt Hard Gray Blk	386	392	
Lava Cinder Med Red - Black	392	394	
Basalt Hard Gray	394	406	
Cinder Broken Black - Red	406	445	
Basalt Gray Broken Caving	445	473	
Basalt Gray Hard	473	483	
Basalt Grayish Red Broken WB	483	545	

RECEIVED

MAY 15 2002

RECEIVED

WATER RESOURCES DEPT.
SALEM, OREGON

JAN 03 2005

Date Started: 02/06/02

WATER RESOURCES DEPT.
SALEM, OREGON

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration,, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed Dave Denny

WWC Number 806

Date 05/10/02

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed

WWC Number 723

Date 05/10/02

ORIGINAL & FIRST COPY - Water Resources Department

SECOND COPY - Constructor

THIRD COPY - Customer

RECEIVED

T 10451

AUG 29 2007

WATER RESOURCES DEPT
SALEM, OREGON

STATE OF OREGON

COUNTY OF KLAMATH

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

RUNNING Y RESORT, INC
5500 RUNNING Y RD
KLAMATH FALLS, OR 97601

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-16471

SOURCE OF WATER: FOUR WELLS IN UPPER KLAMATH LAKE BASIN

PURPOSE OR USE: QUASI-MUNICIPAL USES

MAXIMUM RATE: 4.46 CUBIC FEET PER SECOND

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: MAY 31, 2005

WELL LOCATION:

WELL 1 - SE $\frac{1}{4}$ SW $\frac{1}{4}$, SECTION 36, T38S, R8E, W.M.; 315 FEET NORTH & 1490 FEET EAST FROM SW CORNER, SECTION 36

WELL 2 - NE $\frac{1}{4}$ SW $\frac{1}{4}$, SECTION 36, T38S, R8E, W.M.; 1595 FEET NORTH & 1340 FEET EAST FROM SW CORNER, SECTION 36

WELL 3 - NE $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 35, T38S, R8E, W.M.; 2095 FEET NORTH & 220 FEET WEST FROM SE CORNER, SECTION 35

WELL 4 - SW $\frac{1}{4}$ NW $\frac{1}{4}$, SECTION 36, T38S, R8E, W.M.; 2830 FEET NORTH & 925 FEET EAST FROM SW CORNER, SECTION 36

THE PLACE OF USE IS LOCATED AS FOLLOWS:

SE $\frac{1}{4}$ NE $\frac{1}{4}$
NE $\frac{1}{4}$ SE $\frac{1}{4}$
NW $\frac{1}{4}$ SE $\frac{1}{4}$
SW $\frac{1}{4}$ SE $\frac{1}{4}$
SE $\frac{1}{4}$ SE $\frac{1}{4}$
SECTION 22

SW $\frac{1}{4}$ SW $\frac{1}{4}$
SECTION 23

THE PLACE OF USE IS LOCATED AS FOLLOWS (CONTINUED):

SW $\frac{1}{4}$ NW $\frac{1}{4}$
 SE $\frac{1}{4}$ NW $\frac{1}{4}$
 NE $\frac{1}{4}$ SW $\frac{1}{4}$
 NW $\frac{1}{4}$ SW $\frac{1}{4}$
 SW $\frac{1}{4}$ SW $\frac{1}{4}$
 SE $\frac{1}{4}$ SW $\frac{1}{4}$
 SECTION 25

NW $\frac{1}{4}$ NE $\frac{1}{4}$
 SW $\frac{1}{4}$ NE $\frac{1}{4}$
 SE $\frac{1}{4}$ NE $\frac{1}{4}$
 NE $\frac{1}{4}$ NW $\frac{1}{4}$
 NW $\frac{1}{4}$ NW $\frac{1}{4}$
 SW $\frac{1}{4}$ NW $\frac{1}{4}$
 SE $\frac{1}{4}$ NW $\frac{1}{4}$
 NE $\frac{1}{4}$ SW $\frac{1}{4}$
 NW $\frac{1}{4}$ SW $\frac{1}{4}$
 SE $\frac{1}{4}$ SW $\frac{1}{4}$
 NE $\frac{1}{4}$ SE $\frac{1}{4}$
 NW $\frac{1}{4}$ SE $\frac{1}{4}$
 SW $\frac{1}{4}$ SE $\frac{1}{4}$
 SE $\frac{1}{4}$ SE $\frac{1}{4}$
 SECTION 26

NE $\frac{1}{4}$ NE $\frac{1}{4}$
 SE $\frac{1}{4}$ NE $\frac{1}{4}$
 SECTION 27

NE $\frac{1}{4}$ NE $\frac{1}{4}$
 NW $\frac{1}{4}$ NE $\frac{1}{4}$
 SW $\frac{1}{4}$ NE $\frac{1}{4}$
 SE $\frac{1}{4}$ NE $\frac{1}{4}$
 NE $\frac{1}{4}$ NW $\frac{1}{4}$
 NE $\frac{1}{4}$ SE $\frac{1}{4}$
 SE $\frac{1}{4}$ SE $\frac{1}{4}$
 SECTION 35

NE $\frac{1}{4}$ NW $\frac{1}{4}$
 NW $\frac{1}{4}$ NW $\frac{1}{4}$
 SW $\frac{1}{4}$ NW $\frac{1}{4}$
 SE $\frac{1}{4}$ NW $\frac{1}{4}$
 NE $\frac{1}{4}$ SW $\frac{1}{4}$
 NW $\frac{1}{4}$ SW $\frac{1}{4}$
 SW $\frac{1}{4}$ SW $\frac{1}{4}$
 SE $\frac{1}{4}$ SW $\frac{1}{4}$
 SECTION 36

TOWNSHIP 38 SOUTH, RANGE 8 EAST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device on each well as approved by the Director. The permittee shall maintain the meters or measuring devices in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meters or measuring device; provided however, where the meter or measuring devices are located within a private structure, the watermaster shall request access upon reasonable notice.

Use of water under authority of this permit may be regulated if analysis of data available after the permit is issued discloses that the appropriation will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife in effect as of the priority date of the right or as those quantities may be subsequently reduced.

The water user shall develop a plan to monitor and report the impact of water use under this permit on water levels within the aquifer that provides water to the permitted wells. The plan shall be submitted to the Department within one year of the date the permit is issued and shall be subject to the approval of the Department. At a minimum, the plan shall include a program to periodically measure static water levels within the permitted wells or an adequate substitute such as water levels in nearby wells. The plan shall also stipulate a reference water level against which any water-level declines will be compared. If a well listed on this permit (or replacement well) displays a total static water-level decline of 25 or more feet over any period of years, as compared to the reference level, then the water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the wells. Such action shall be taken until the water level recovers to above the 25-foot decline level or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit.

Within three years of permit issuance, the permittee shall submit a Water Management and Conservation Plan consistent with OAR Chapter 690, Division 86. The Director may approve an extension of this time line to complete the required Water Management and Conservation Plan. The time line for submittal of a plan under this permit does not alter the time lines for submittal of a plan under any other order of the Department.

STANDARD CONDITIONS

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may not be valid, unless the Department authorizes the change in writing.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

Completion of construction and complete application of the water to the use shall be made on or before October 1, 2011. If the water is not completely applied before this date, and the permittee wishes to continue development under the permit, the permittee must submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued October 24, 2006



Phillip C. Ward, Director
Water Resources Department



RECEIVED

MAY 31 2005

WATER RESOURCES DEPT
SALEM, OREGON



Application and Owner: Running Y Resort, Inc.
Request: Groundwater Appropriation for Quasi-Municipal Use


Note: This map was prepared for the purpose of identifying the location of water rights. This map is not intended to provide dimensions or the location of property ownership lines.

SCALE



(FEET)

1 INCH = 2640 FT



EXPIRES 6-30-2006

DESIGNED BY: _____ CHECKED BY: _____
DRAWN BY: _____ APPROVED BY: _____
LAST EDIT: _____ PLOT DATE: 04/15/05

DATE	BY	REV	REVISION	CK'D	APPR



880 Highway, Suite C-100
Pine Valley, Oregon
97702-1041
(503) 999-2000
@wheingr.com
www.wheingr.com

Pine Valley

Groundwater Appropriation Application Map

SCALE: PROJECT NO. DRAWING FILE NAME: SHEET

app no G-16471 Permit no G-16117



STATE OF OREGON

COUNTY OF KLAMATH

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

RUNNING Y, INC.
803 MAIN ST, 3RD FLOOR
KLAMATH FALLS, OREGON 97601

(503) 882-2224

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: G-13980

SOURCE OF WATER: THREE WELLS IN KLAMATH RIVER BASIN

PURPOSE OR USE: QUASI-MUNICIPAL

RATE OF USE: 3.0 CUBIC FEET PER SECOND

PERIOD OF ALLOWED USE: YEAR ROUND

DATE OF PRIORITY: FEBRUARY 9, 1995

POINT OF DIVERSION LOCATION: NE 1/4 SW 1/4, SE 1/4 SW 1/4, SECTION 9, NE 1/4 NE 1/4, SECTION 16, T38S, R8E, W.M.; 2050 FEET NORTH AND 1980 FEET EAST FROM THE SW CORNER OF SECTION 9; 790 FEET NORTH AND 2340 FEET EAST FROM THE SW CORNER OF SECTION 9; 130 FEET SOUTH AND 4490 FEET EAST FROM THE NW CORNER OF SECTION 16

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NE 1/4 SE 1/4
SE 1/4 SE 1/4
Section 29

NW 1/4 SW 1/4
SW 1/4 SW 1/4
SE 1/4 SW 1/4
Section 28

NE 1/4 NW 1/4
NW 1/4 NW 1/4
SW 1/4 NW 1/4
SE 1/4 NW 1/4
NE 1/4 SW 1/4
SE 1/4 SW 1/4
NW 1/4 SE 1/4
SW 1/4 SE 1/4

SE 1/4 SE 1/4
Section 33
TOWNSHIP 37 SOUTH, RANGE 8 EAST, W.M.

SE 1/4 NE 1/4
SE 1/4
Section 5

NE 1/4
SW 1/4 NW 1/4
SW 1/4
SE 1/4
Section 4

SW 1/4 SW 1/4
SE 1/4 SW 1/4
Section 3

NE 1/4 NE 1/4
NE 1/4 SW 1/4
NE 1/4 SE 1/4
NW 1/4 SE 1/4
Section 8

NE 1/4
NW 1/4
SW 1/4
SE 1/4
Section 9

SW 1/4 NE 1/4
SE 1/4 NE 1/4
NW 1/4
SW 1/4
Section 10

NW 1/4
SW 1/4
NW 1/4 SE 1/4
SW 1/4 SE 1/4
SE 1/4 SE 1/4
Section 15

NE 1/4 NE 1/4
NW 1/4 NE 1/4
SE 1/4 NE 1/4
NE 1/4 SE 1/4
SE 1/4 SE 1/4
Section 16

NE 1/4
NE 1/4 NW 1/4
Section 22
TOWNSHIP 38 SOUTH, RANGE 8 EAST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice. Use of water under authority of this (permit or certificate) may be regulated if analysis of data available after the (permit or certificate) is issued discloses that the appropriation will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife in effect as of the priority date of the right or as those quantities may be subsequently reduced.

The water user shall develop a plan to monitor and report the impact of water use under this permit on water levels within the aquifer that provides water to the permitted well(s). The plan shall be submitted to the Department within one year of the date the permit is issued and shall be subject to the approval of the Department. At a minimum, the plan shall include a program to periodically measure static water levels within the permitted well(s) or an adequate substitute such as water levels in nearby wells. The plan shall also stipulate a reference water level against which any water-level declines will be compared. If a well listed on this permit (or replacement well) displays a total static water-level decline of 25 or more feet over any period of years, as compared to the reference level, then the water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s). Such action shall be taken until the water level recovers to above the 25-foot decline level or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit.

If the number, location, or construction of any well deviates from that proposed in the permit application or permit conditions, the conclusions of the Technical Review, Initial Review or Proposed Final Order under which this permit was granted may be revised, conditions may be appropriately revised, or this permit may not be valid.

All wells shall be cased and sealed to a depth of 50 feet or to elevation of 4150 feet above sea level, whichever is greater, if shallower water bearing zones are encountered during well construction.

Within TWO YEARS of permit issuance, the permittee shall submit a water management and conservation plan consistent with OAR Chapter 690, Division 86.

STANDARD CONDITIONS

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.


The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

SEE NEXT PAGE

Actual construction of the well shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. Complete application of the water to the use shall be made on or before October 1, 1999.

Issued February 23, 1996



for Water Resources Department
Martha O. Pagel
Director

Application G-13980 Water Resources Department
Basin 14 Volume 1 UPPER KLAMATH LAKE & MISC
MGMT.CODES 7AG, 7AR, 7BG, 7BR, 7FG, 7FR

PERMIT G-12296
District 17



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department
North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1266
503-986-0900
FAX 503-986-0904

August 3, 2007

JANICE COX
JACKSONS INC
9721 HOWELL PRAIRIE RD
SALEM OR 97305

Reference: Permit Amendment Transfer 10412

Enclosed is a copy of the order approving your Permit Amendment transfer application.

YOU SHOULD GIVE PARTICULAR ATTENTION TO THE CONDITIONS OUTLINED IN THE ORDER. All other terms and conditions of the permit remain the same.

If you have any questions, please call the Transfer Section, (503)986-0900.

Sincerely,

Sarah Henderson

for Doug Parrow
Natural Resource Specialist

DP:sh

cc: Watermaster #16
Pacific Hydro-Geology Inc, Agent
Marion County Planning Department

Enclosure

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Permit Amendment	)	FINAL ORDER
T-10412, Marion County	)	APPROVING A CHANGE IN PLACE
	)	OF USE

Authority

ORS 537.211 establishes the process in which a water right permit holder may submit a request to change the point of appropriation and/or place of use authorized under an existing water right permit.

Applicant

Jacksons Inc.
Janice Cox
9721 Howell Prairie Road
Salem, Oregon 97305

Findings of Fact

1. On June 22, 2007, Janice Cox for Jacksons, Inc., filed an application to change a portion of the place of use under Permit G-15990. The Department assigned the application number T-10412.

2. The permit to be amended is as follows:

Permit:	G-15990, in the name of Jacksons, Inc.;
Use:	Irrigation and supplemental irrigation
Priority Date:	February 21, 2002
Quantity:	2.2 cubic feet per second (cfs); being 1.1 cfs from each well
Rate/Duty:	The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to ONE-EIGHTIETH of one cubic foot per second per acre or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2.5 acre-feet for each acre irrigated during the irrigation season of each year.
Acres:	Irrigation of 122.5 acres and supplemental irrigation of 225.7 acres
Source:	Two wells, in the Little Pudding River Basin.
Date of complete application of water:	October 1, 2010

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-080 and OAR 690-01-005 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Survey Coordinates
6 S	2 W	WM	13	NE NW	Well 1 - 210 feet South and 2980 feet West from the NE Corner of Section 13
6 S	2 W	WM	12	SE NE	Well 2 - 800 feet South and 1690 feet West from the SW Corner of William Parker DLC 49

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
6 S	1 W	WM	7	NE NW	2.2
6 S	1 W	WM	7	SW NW	23.9
6 S	1 W	WM	7	SE NW	17.3
6 S	1 W	WM	7	NE SW	2.5
6 S	1 W	WM	7	NW SW	3.5
6 S	1 W	WM	7	SW SW	20.2
6 S	2 W	WM	12	SE NE	6.9
6 S	2 W	WM	12	SE SW	12.4
6 S	2 W	WM	12	NE SE	3.3
6 S	2 W	WM	12	NW SE	4.7
6 S	2 W	WM	12	SW SE	3.1
6 S	2 W	WM	12	SE SE	0.8
6 S	2 W	WM	13	NE NW	8.2
6 S	2 W	WM	13	NW NW	12.4
6 S	2 W	WM	13	SW NW	1.1
Total					122.5

SUPPLEMENTAL IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
6 S	1 W	WM	7	SW NW	13.6
6 S	1 W	WM	7	NE SW	4.0
6 S	1 W	WM	7	NW SW	36.8
6 S	1 W	WM	7	SW SW	4.8
6 S	2 W	WM	12	SE NE	3.6
6 S	2 W	WM	12	SE SW	7.2
6 S	2 W	WM	12	NE SE	36.4
6 S	2 W	WM	12	NW SE	10.8
6 S	2 W	WM	12	SW SE	38.8
6 S	2 W	WM	12	SE SE	37.2
6 S	2 W	WM	13	NE NE	0.7
6 S	2 W	WM	13	NW NE	27.0
6 S	2 W	WM	13	NE NW	4.8
Total					225.7

3. Application T-10412 proposes to change the place of use of the permit to:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	Net acre change from authorized acres
6 S	1 W	WM	7	NE NW	2.2	
6 S	1 W	WM	7	SW NW	23.9	
6 S	1 W	WM	7	SE NW	17.3	
6 S	1 W	WM	7	NE SW	2.5	
6 S	1 W	WM	7	NW SW	3.5	
6 S	1 W	WM	7	SW SW	20.2	
6 S	2 W	WM	12	SE NE	5.8	-
6 S	2 W	WM	12	SE SW	2.6	-
6 S	2 W	WM	12	NE SE	1.4	-
6 S	2 W	WM	12	NW SE	1.3	-
6 S	2 W	WM	12	SW SE	1.7	-
6 S	2 W	WM	12	SE SE	0.8	
6 S	2 W	WM	13	NW NE	2.5	-
6 S	2 W	WM	13	NE NW	32.4	+
6 S	2 W	WM	13	NW NW	3.7	+
6 S	2 W	WM	13	SW NW	0.7	+
Total					122.5	

SUPPLEMENTAL IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
6 S	1 W	WM	7	SW NW	13.6
6 S	1 W	WM	7	NE SW	4.0
6 S	1 W	WM	7	NW SW	36.8
6 S	1 W	WM	7	SW SW	4.8
6 S	2 W	WM	12	SE NE	3.6
6 S	2 W	WM	12	SE SW	7.2
6 S	2 W	WM	12	NE SE	36.4
6 S	2 W	WM	12	NW SE	10.8
6 S	2 W	WM	12	SW SE	38.8
6 S	2 W	WM	12	SE SE	37.2
6 S	2 W	WM	13	NE NE	0.7
6 S	2 W	WM	13	NW NE	27.0
6 S	2 W	WM	13	NE NW	4.8
Total					225.7

Changed place of use in bold type.

- Notice of the application for the permit amendment was published in the Department's weekly notice on July 3, 2007 pursuant to ORS 540.520(5). No comments were filed in response to the notice.
- The change would not result in injury to other water rights.
- The proposed place of use is owned by the permit holder.

7. The change does not enlarge the permit.
8. The change does not alter any other terms of the permit.
9. The proposed place of use is contiguous to the authorized place of use.

Conclusions of Law


The change in place of use proposed by Permit Amendment Application T-10412 is consistent with the requirements of ORS 537.211.

Now, therefore, it is ORDERED:

The change and subsequent use of water shall be subject to the following conditions:

1. The former place of use shall no longer be irrigated as part of this permit.
2. All other terms and conditions of Permit G-15990 remain the same.
3. Permit G-15990, in the name of Jacksons Inc., is amended as described herein.

Dated at Salem, Oregon this 1ST day of August, 2007.


Phillip C. Ward, *m*
Director

Mailing Date: AUG 07 2007

Permit Amendment Checklist

Permit Amendment T-10412

Transfer Specialist: pks

Applicant Name/Address: Janice Cox,
9721 Howell Prairie Road
Salem, Oregon 97305

Agent/CWRE Name/Address: Pacific Hydro-Geology, Inc.
18487 S. Valley Vista Road
Mulino, Oregon 97042

Rec Landowner Name/Address: None

Irr. District Name/Address: None

Affected Govt's Name/Address: Marion County Planning Department
P.O. Box 14500
Salem, Oregon 97309

Commentors Name/Address: None

Permits Affected

Records Marked	Records Copied	App File No.	Permit No.
X	X	G-15722	G-15990

Key Dates & Initial Actions

Rec'd: 6/22/2007	Proposed Action(s): POU	
Fees Pd: \$350.00	WM District: 16	ODFW District: N/A
Initial Notice: 7/3/2007	WM Review sent: 6/28/2007	ODFW Review sent: N/A
Acknowledgement Letter Sent: X		GW Review sent: N/A

Processing Dates & Actions

Deficiency Contacts:	Newspaper Pub Affid. Due: X not required
Affid of Pub Rec'd: Last Day Published:	Affidavit Reminder Sent:
Reminder Deadline:	

Final Order

- ☒ Electronic Files uploaded
☐ Newspaper Notice Cover letter
☐ Newspaper Notice

- ☐ File Assigned/ ModPod updated
☐ Fee Refund Due

Draft Order Review (Optional) Reviewer: _____ Date: _____ Coordinator: _____ Date: _____	Final Order Review (Salem) Reviewer: <u>ADP</u> Date: <u>7/26/07</u> Coordinator: <u>ADP</u> Date: <u>7/26/07</u>
Comments/Special Issues: Change in POU	

Special Order Volume: Vol: 73 Pages 37 Final Order Signature Date: AUG 01 2007

Notice of FO e-mailed to processors: Kelly

Application

- X The type of change is clearly indicated.
- X The application is appropriately signed.
- X Appropriate fees were paid. ☐ If overpayment, Refund Request to be sent with FO
- ☐ Land use form matches affected tax lots and is signed by proper official. (from ALL affected Govt's)
- ☐ Ditch company, district, and/or BOR, sent a copy of the application and map, if appropriate.
- X Valid permit completion date?
- X All required attachments received.

Application Map

- X The map size and scale accurate and appropriate per OAR 690-380-3100(1)(b)(c)&(d).
- X All authorized and proposed POD's/POA's and POU are properly described on the map.
- X Metes and bounds for the POD's/POA's are properly described on the map.
- X The POD/POA dimensions & ¼ ¼ on map match the permit amendment application and permit descriptions.
- X Map acres match the tabulation on the permit.
- X Have permit maps. X Amendment map matches permit map.

Determining the "From" and "To" Lands (make working copy of application and permits to mark on)

- X Only the authorized POD's/POA's and POU's to be transferred are listed.
- X Application & permit tabulations match. (Mark on appl. and permit copies and note corrections needed)
- X Marked on permit the acreage being transferred.

Permit Ownership

- X The applicant is the holder of the permit.
- ☐ All holders of the permit have signed the application.
- ☐ If necessary, there is a notarized, signed statement of consent from permit holders other than applicant.
- ☐ If necessary, the permit has been assigned to permit amendment applicant.
- ☐ Agent has authorization to make decisions.

Evaluation (materials needed for peer reviewer in bold)

- | | | | |
|---------------------------------------|---|---|--|
| X Application complete | X Permit | ☐ Land use form | X Plat card |
| X Amendment Map | X Permit Map | X Fees paid | ☐ Well logs |
| Reviews/comments/conditions received? | X Watermaster | ☐ ODFW | ☐ GW |
| Headgate | ☐ When in the judgment | ☐ Prior to diverting | ☐ Existing and maintain |
| Measuring Devices | ☐ When in the judgment | X Prior to diverting | ☐ Existing and maintain |
- Injury: N Enlargement: N
- Conditions to avoid enlargement/injury -

STATE OF OREGON

COUNTY OF MARION

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

JACKSONS INC.
WILLIAM AND JANICE COX
9721 HOWELL PRAIRIE RD
SALEM, OREGON 97305

(503) 873-2027

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-15722

SOURCE OF WATER: TWO WELLS IN LITTLE PUDDING BASIN

PURPOSE OR USE: IRRIGATION OF 122.5 ACRES AND SUPPLEMENTAL IRRIGATION
OF 225.7 ACRES

MAXIMUM RATE: 2.2 CUBIC FEET PER SECOND (CFS); BEING 1.1 CFS FROM EACH
WELL

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: FEBRUARY 21, 2002

WELL LOCATIONS:

WELL #1: NE $\frac{1}{4}$ NW $\frac{1}{4}$, SECTION 13, T6S, R2W, W.M.; 210 FEET SOUTH &
2980 FEET WEST FROM NE CORNER, SECTION 13

WELL #2: SE $\frac{1}{4}$ NE $\frac{1}{4}$, SECTION 12, T6S, R2W, W.M.; 800 FEET SOUTH &
1690 FEET WEST FROM SW CORNER, WILLIAM PARKER DLC 49

The amount of water used for irrigation under this right, together
with the amount secured under any other right existing for the same
lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot
per second (or its equivalent) and 2.5 acre-feet for each acre
irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

	<u>PRIMARY</u>	<u>SUPPLEMENTAL</u>
NE $\frac{1}{4}$ NW $\frac{1}{4}$	2.2 ACRES	
SW $\frac{1}{4}$ NW $\frac{1}{4}$	23.9 ACRES	13.6 ACRES
SE $\frac{1}{4}$ NW $\frac{1}{4}$	17.3 ACRES	
NE $\frac{1}{4}$ SW $\frac{1}{4}$	2.5 ACRES	4.0 ACRES
NW $\frac{1}{4}$ SW $\frac{1}{4}$	3.5 ACRES	36.8 ACRES

T-10412

Application G-15722 Water Resources Department

PERMIT G-15990

	<u>PRIMARY</u>		<u>SUPPLEMENTAL</u>	
SW ¼ SW ¼	20.2 ACRES		4.8 ACRES	
SECTION 7				
TOWNSHIP 6 SOUTH, RANGE 1 WEST, W.M.				
	From		RR	
SE ¼ NE ¼	1.1	6.9 ACRES	5.8	3.6 ACRES
SE ¼ SW ¼	9.8	12.4 ACRES	2.6	7.2 ACRES
NE ¼ SE ¼	1.9	3.3 ACRES	1.4	36.4 ACRES
NW ¼ SE ¼	3.4	4.7 ACRES	1.3	10.8 ACRES
SW ¼ SE ¼	1.4	3.1 ACRES	1.7	38.8 ACRES
SE ¼ SE ¼		0.8 ACRE		37.2 ACRES
SECTION 12				
NE ¼ NE ¼				0.7 ACRE
NW ¼ NE ¼		+2.5		27.0 ACRES
NE ¼ NW ¼	3.7	+32.4 ACRES		4.8 ACRES
NW ¼ NW ¼	0.7	12.4 ACRES	3.7	
SW ¼ NW ¼	0.4	1.1 ACRES	0.7	
SECTION 13				
TOWNSHIP 6 SOUTH, RANGE 2 WEST, W.M.				

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

To monitor the effect of water use from the well(s) authorized under this permit, the Department requires the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

Measurements must be made according to the following schedule:

Before Use of Water Takes Place

Initial and Annual Measurements

The Department requires the permittee to submit an initial water level measurement in the month specified above once well construction is complete and annually thereafter until use of water begins; and

After Use of Water has Begun

Reference Water Level Determination

Following the first year of water use, the user shall submit one static water level measurement in the month specified above which will establish the reference level against which future annual measurements will be compared. The water user is not required to measure additional water levels after the reference level has been determined unless required by the Director. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- (A) Identify each well with its associated measurement; and
- (B) Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and
- (C) Specify the method used to obtain each well measurement; and
- (D) Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if annual water level measurements reveal any of the following events:

- (A) An average water level decline of three or more feet per year for five consecutive years; or
- (B) A water level decline of 15 or more feet in fewer than five consecutive years; or
- (C) A water level decline of 25 or more feet; or
- (D) Hydraulic interference leading to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non or restricted use shall continue until the annual water level rises above the decline level which triggered the action or until the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines

without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

STANDARD CONDITIONS

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.


The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Complete application of the water to the use shall be made on or before October 1, 2010. If the water is not completely applied before this date, and the permittee wishes to continue development under the permit, the permittee must submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued November 17, 2005


Phillip C. Ward, Director
Water Resources Department






Application G-15722
Basin 02
Gaineyjw

Water Resources Department
Volume 13 PUDDING R MISC

PERMIT G-15990

Application No. 915722
Permit No. 915990

T.6S. R.1&2W. Sec. 7, 12, and 13



Well 1 (MARI 3959) is located 2,980 feet west and 210 feet south of the NE corner Section 13.

Well 2 (Proposed) is located 1,690 feet west and 800 feet south of the SW corner William Parker DLC No. 49.

Diversion Point 1 is located 1,600 feet west and 400 feet south of the SW corner William Parker DLC No. 49.

Diversion Point 2 is located 660 feet west and 380 feet north of the SW corner William Parker DLC No. 49.

 Area (225.7 acres) to be irrigated under existing primary water right Application No. 28465, Permit No. 22496, Certificate No. 23267 and supplemental groundwater right proposed with this application.

 Area (122.5 acres) to be irrigated under primary groundwater right proposed with this application.

Scale: 1" = 1,320'



0 1,320 Feet

This map was prepared for the purpose of identifying the location of a water right only and is not intended to provide legal dimensions or location of property ownership lines.

Permit Application Map for Groundwater Rights

William and Janice Cox
T.6S. R.1&2W. Sec. 7, 12, and 13

Pacific Hydro-Geology Inc.

Water Rights Platcard Report

Meridian: WILLAMETTE Township: 6 South Range: 2 West Section: 12 Records per Page: 10 Search

Water Right	Changing Xfers	Priority	Use	Use Status	DLC	Gov't Lot	QQ(40): Q(160):	NE NE	NW NE	SW NE	SE NE	NE NW	NW NW	SW NW	SE NW	NE SW	NW SW	SW SW	SE SW	NE SE	NW SE	SW SE	SE SE	Unkown QQ
Select Cert:10139 CR CN Additional Info: E A & J O HAYES App: S11306 Permit: S7762 Cert: 10139		2/1/1927	INDUSTRIAL/MANUFACTURING USES	CN												*		*	*					
Select Cert:56252 RR * Additional Info: E A/J O HAYES App: S11306 Permit: S7762 Cert: 56252		2/1/1927	INDUSTRIAL/MANUFACTURING USES														*							
Select Claim:GR 963 * Additional Info: HENRY G STOCKHOFF Claim: GR963		5/10/1953	IRRIGATION					19.7	30															
Select Claim:GR 1469 * Additional Info: MARTIN SCHLECHTER Claim: GR1469		10/15/1950	IRRIGATION											25										
Select Claim:GR 3268 * Additional Info: WILLIS M BARTLETT Claim: GR3268		12/31/1938	IRRIGATION											4.2	19.35									
Select Cert:7780 OR CN Additional Info: E.A. HAYES App: S9600 Permit: S6535 Cert: 7780		6/17/1924	IRRIGATION	CN				2-3		15-6	35					23	0-45	17-4	35-11	4-4	32-1	3		
Select Cert:10139 CR CN Additional Info: E A & J O HAYES App: S11306 Permit: S7762 Cert: 10139		2/1/1927	IRRIGATION	CN											20		5	5						
Select Cert:19431 OR CN Additional Info: ERNEST L DUNN App: S15839 Permit: S11688 Cert: 19431		5/22/1935	IRRIGATION	CN	56												14							

Select Cert:23267 OR *

5/27/1953 IRRIGATION

Additional Info:
JAMES JACKSON
App: S28465
Permit: S22496
Cert: 23267

Select Cert:23267 OR *

5/27/1953 IRRIGATION

5

Additional Info:
JAMES JACKSON
App: S28465
Permit: S22496
Cert: 23267

ok
from
file

1 2 3 4 5														
Acreage Legend: 12.25 Regular acreage 12.25 Acreage is on a canceled right (12.25) Acreage is part of a transfer and has not been proven up on yet (inchoate) [12.25] Acreage has been suspended * Acreage is not specified														

Water Rights Platcard Report

Meridian: WILLAMETTE Township: 6 South Range: 2 West Section: 12 Records per Page: 10 Search

Water Right	Changing Xfers	Priority	Use	Use Status	DLC	Gov't Lot	QQ(40):	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Unkown
Q(160):	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	QQ
Select Cert:23267 OR *		5/27/1953	IRRIGATION			6					3.6											36.4		
Additional Info: JAMES JACKSON App: S28465 Permit: S22496 Cert: 23267 <i>from file</i>																								
Select Cert:27861 OR *		6/1/1956	IRRIGATION			56		1.1				17												
Additional Info: EDWARD PETER SCHLECHTER App: G382 Permit: G257 Cert: 27861																								
Select Cert:31613 OR CN		11/3/1958	IRRIGATION CN			56										1-2	5-3	1-1	0-3					
Additional Info: JOE PFAU App: G1303 Permit: G1087 Cert: 31613																								
Select Cert:34915 OR *		2/11/1965	IRRIGATION			56							29.4	7.2										
Additional Info: GEORGE E COLYER App: G3031 Permit: G2819 Cert: 34915																								
Select Cert:39074 OR *		8/10/1966	IRRIGATION			56						16.8	7.3	4.2	10.4									
Additional Info: CLYDE E REED App: G3611 Permit: G3396 Cert: 39074																								
Select Cert:39076 OR *		12/27/1966	IRRIGATION			56											17	2.6						
Additional Info: TOM JERRY PFAU App: G3762 Permit: G3548 Cert: 39076																								
Select Cert:40015 OR *		4/23/1969	IRRIGATION			11																0.8		
Additional Info: PETE LELACK App: G4851 <i>from e-mapper</i>																								

Permit: G4568 Cert: 40015																			
Select	Cert:40015 OR *	4/23/1969	IRRIGATION	12										8					
Additional Info: PETE LELACK App: G4851 Permit: G4568 Cert: 40015																			
Select	Cert:45197 OR *	6/6/1973	IRRIGATION	9													0.2	0.1	
Additional Info: PETER SPROED App: G6159 Permit: G5203 Cert: 45197																			
Select	Cert:45197 OR *	6/6/1973	IRRIGATION	10									12.9						
Additional Info: PETER SPROED App: G6159 Permit: G5203 Cert: 45197																			
1 2 3 4 5																			

Acreage Legend: 12.25 Regular acreage 12.25 Acreage is on a canceled right (12.25) Acreage is part of a transfer and has not been proven up on yet (inchoate) [12.25] Acreage has been suspended * Acreage is not specified

Meridian: WILLAMETTE Township: 6 South Range: 2 West Section: 12 Records per Page: 10 Search

7/19/2007 9:42 AM

7/19/2007 9:42 AM

Meridian: WILLAMETTE Township: 6 South Range: 2 West Section: 12 Records per Page: 10 Search

1 of 2

App: G5380 Permit: G5311 Cert: 51473																				
Select Cert:55534 RR CN	6/17/1924	IRRIGATION	CN	0.8			8.4							4.13	10.25	3	3.9	0.9		
<u>Additional Info:</u> E A/J O HAYES App: S9600 Permit: S6535 Cert: 55534																				
Select Cert:56252 RR *	2/1/1927	IRRIGATION												1.5						
<u>Additional Info:</u> E A/J O HAYES App: S11306 Permit: S7762 Cert: 56252																				
Select Cert:56619 OR *	3/19/1975	IRRIGATION	10								0.9									
<u>Additional Info:</u> JOSEPH PFAU App: G6856 Permit: G6395 Cert: 56619																				
1 2 3 4 5																				

Acreage Legend: 12.25 Regular acreage
 ~~12.25~~ Acreage is on a canceled right
 (12.25) Acreage is part of a transfer and has not been proven up on yet (inchoate)
 [12.25] Acreage has been suspended
 * Acreage is not specified

Water Rights Platcard Report

Meridian: WILLAMETTE Township: 6 South Range: 2 West Section: 12 Records per Page: 10 Search

Water Right	Changing Xfers	Priority	Use	Use Status	DLC	Gov't Lot	QQ(40): Q(160):	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Unknown QQ	
Select Cert:56619 OR *		3/19/1975	IRRIGATION			11																			
Additional Info: JOSEPH PFAU App: G6856 Permit: G6395 Cert: 56619																									
Select Cert:56619 OR *		3/19/1975	IRRIGATION			12												0.1	1.1						
Additional Info: JOSEPH PFAU App: G6856 Permit: G6395 Cert: 56619																									
Select Cert:56619 OR *		3/19/1975	IRRIGATION			56												0.3	5.9	0.3					
Additional Info: JOSEPH PFAU App: G6856 Permit: G6395 Cert: 56619																									
Select Cert:57440 OR *		6/6/1973	IRRIGATION			56		0.4	0.8		5.8				12.1										
Additional Info: EDWARD PETER SCHLECHTER App: G6162 Permit: G5845 Cert: 57440																									
Select Cert:61112 OR *		4/10/1981	IRRIGATION			56								19				5.7							
Additional Info: JAMES J SCHLECHTER App: G10269 Permit: G9282 Cert: 61112																									
Select Cert:73970 RR *		6/17/1924	IRRIGATION				0.8											4.13	10.25	3	3.9	0.9			
Additional Info: E A HAYES App: S9600 Permit: S6535 Cert: 73970																									
Select Permit:G 15990 *	T10412	2/21/2002	IRRIGATION								6.9									12.4	3.3	4.7	3.1	0.8	
Additional Info: WILLIAM COX App: G15722 Permit: G15990																									

Acree Legend:	12.25 Regular acreeage	12.25 Acreeage is on a canceled right	(12.25) Acreeage is part of a transfer and has not been proven up on yet (inchoate)	[12.25] Acreeage has been suspended	* Acreeage is not specified
---------------	---------------------------	--	---	--	--------------------------------

Water Rights Platcard Report

Meridian: WILLAMETTE Township: 6 South Range: 2 West Section: 13 Records per Page: 10 Search

Water Right	Changing Xfers	Priority	Use	Use Status	DLC	Gov't Lot	QQ(40): Q(160):	NE NE	NW NE	SW NE	SE NE	NE NW	NW NW	SW NW	SE NW	NE SW	NW SW	SW SW	SE SW	NE SE	NW SE	SW SE	SE SE	Unkown QQ
Select Permit:G 12198 *		11/30/1993	IRRIGATION																	0.5	1.5	9.5	3.5	
Additional Info: MARK A SINN App: G13568 Permit: G12198																								
Select Claim:GR 387 *		8/13/1953	IRRIGATION														17.43	12.09						
Additional Info: PAUL GEORGE MAY Claim: GR387																								
Select Claim:GR 2066 *		7/31/1947	IRRIGATION													5	17	4						
Additional Info: JOSEPH MAY Claim: GR2066																								
Select Cert:7780 OR CN		6/17/1924	IRRIGATION CN								7-15	31.45	6											
Additional Info: E.A. HAYES App: S9600 Permit: S6535 Cert: 7780																								
Select Cert:23267 OR *		5/27/1953	IRRIGATION					0.7	27															
Additional Info: JAMES JACKSON App: S28465 Permit: S22496 Cert: 23267																								
Select Cert:23267 OR *		5/27/1953	IRRIGATION			2					4.8													
Additional Info: JAMES JACKSON App: S28465 Permit: S22496 Cert: 23267																								
Select Cert:28593 OR SP	T8744	9/9/1958	IRRIGATION SP												[3.6]	[23.5]								
Additional Info: ANTON PFAU JR App: G1246 Permit: G1010 Cert: 28593																								
Select Cert:30183 OR *		1/16/1956	IRRIGATION					34.3	3.3	22.1	27									24.6	26.3			
Additional Info: from e-mapper																								

MAURICE HYNES App: G206 Permit: G115 Cert: 30183																			
Select	Cert:40015 OR *	4/23/1969	IRRIGATION	4					0.1										
Additional Info: PETE LELACK App: G4851 Permit: G4568 Cert: 40015																			
Select	Cert:40015 OR *	4/23/1969	IRRIGATION	5					14.8										
Additional Info: PETE LELACK App: G4851 Permit: G4568 Cert: 40015																			
① 2 3																			

Acreage Legend: 12.25 Regular acreage ~~12.25~~ Acreage is on a canceled right (12.25) Acreage is part of a transfer and has not been proven up on yet (inchoate) [12.25] Acreage has been suspended * Acreage is not specified

Water Rights Platcard Report

Meridian: WILLAMETTE Township: 6 South Range: 2 West Section: 13 Records per Page: 10 Search

Water Right	Changing Xfers	Priority	Use	Use Status	DLC	Gov't Lot	QQ(40): NE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Unkown QQ
Select Cert:40105 OR *	T10150	4/8/1968	IRRIGATION																	0.4			19.1	
Additional Info: HAROLD R. DUNN App: G4318 Permit: G4076 Cert: 40105																								
Select Cert:46794 OR *		3/26/1974	IRRIGATION				3.3			1.8	6.6									9.9	9.7			
Additional Info: THOMAS E HYNES App: G6477 Permit: G6100 Cert: 46794																								
Select Cert:47847 OR *		6/2/1975	IRRIGATION			5								0.1										
Additional Info: RICHARD D HARRIS App: G6964 Permit: G6476 Cert: 47847 <i>ok from e-mapper</i>																								
Select Cert:50919 RR CN		6/17/1924	IRRIGATION CN								6-62	10-2	4-3											
Additional Info: E A/J O HAYES App: S9600 Permit: S6535 Cert: 50919																								
Select Cert:55534 RR CN		6/17/1924	IRRIGATION CN								6-62	10-2	4-3											
Additional Info: E A/J O HAYES App: S9600 Permit: S6535 Cert: 55534																								
Select Cert:56533 OR *		2/11/1977	IRRIGATION																		2	0.6		
Additional Info: JAMES E. DIETRICH App: G7719 Permit: G7169 Cert: 56533																								
Select Cert:65953 OR *		8/19/1981	IRRIGATION											5.8	0.6									
Additional Info: <i>ok from e-mapper</i>																								

NORMAN CRAIG KLAMPE App: G10523 Permit: G9678 Cert: 65953																			
Select	Cert:68715 OR *	T8744	10/10/1989	IRRIGATION							1.1	6.6	33						
Additional Info: MIKE PENNINGTON App: G11968 Permit: G10947 Cert: 68715																			
Select	Cert:72420 OR *	T10150	6/28/1991	IRRIGATION												18.6	13.4		
Additional Info: HAROLD R. DUNN App: G12594 Permit: G11478 Cert: 72420																			
Select	Cert:73970 RR *		6/17/1924	IRRIGATION					6.62	10.2	4.3								
Additional Info: E A HAYES App: S9600 Permit: S6535 Cert: 73970																			
123																			

Acreage Legend: 12.25 Regular acreage ~~12.25~~ Acreage is on a canceled right (12.25) Acreage is part of a transfer and has not been proven up on yet (Inchoate) [12.25] Acreage has been suspended * Acreage is not specified

Water Rights Platcard Report

Meridian: WILLAMETTE Township: 6 South Range: 2 West Section: 13 Records per Page: 10 Search

Water Right	Changing Xfers	Priority	Use	Use Status	DLC	Gov't Lot	QQ(40): Q(160):	NE NE	NW NE	SW NE	SE NE	NE NW	NW NW	SW NW	SE NW	NE SW	NW SW	SW SW	SE SW	NE SE	NW SE	SW SE	SE SE	Unknown QQ		
Select Permit:G 15990 *	T10412	2/21/2002	IRRIGATION									8.2	12.4	1.1												
Additional Info: WILLIAM COX App: G15722 Permit: G15990																										
Select Cert:81959 OR *	T10150	12/4/2001	IRRIGATION																			11.2	0.2			
Additional Info: DAVID OBERSINNER App: G15662 Permit: G15200 Cert: 81959																										
Select Cert:39906 OR CN		5/7/1968	SUPPLEMENTAL IRRIGATION (Suppl'mtl)	CN		5						4.3	0.3													
Additional Info: RUTH HARRIS App: G4363 Permit: G4115 Cert: 39906																										
Select Cert:41145 OR *	10/1/1968	SUPPLEMENTAL IRRIGATION (Suppl'mtl)					34.3	2.3	22.1	27										24.6	26.3					
Additional Info: THOMAS E HYNES App: G4619 Permit: G4345 Cert: 41145																										
Select Permit:G 15990 *	T10412	2/21/2002	SUPPLEMENTAL IRRIGATION (Suppl'mtl)				0.7	27				4.8														
Additional Info: WILLIAM COX App: G15722 Permit: G15990																										
Select Permit:R 13965 *	2/23/2004	WILDLIFE					*					*														
Additional Info: WILLIAM COX App: R85945 Permit: R13965																										

123

Acreage Legend: 12.25 Regular acreage 12.25 Acreage is on a canceled right (12.25) Acreage is part of a transfer and has not been proven up on yet (inchoate) [12.25] Acreage has been suspended * Acreage is not specified



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

**Watermaster Review Form:
Water Right Transfer**

per Amen

Transfer Application: T-10412

Review Due Date: 7/27/07

Applicant Name: Janice Cox

Proposed Changes: ☒ POU ☐ POD ☐ POA ☐ USE ☐ OTHER

Reviewer(s): M McCord

Date of Review: July. 18, 2007

1. Do you have information suggesting that the water rights may be subject to forfeiture?
☐ Yes ☒ No If "Yes", describe the information and indicate if you intend to file a cancellation affidavit or if you need additional time to determine if a cancellation affidavit should be filed: _____
2. Is there a history of regulation on the source that serves the right proposed for transfer that has involved the right and downstream water rights? ☐ Yes ☒ No Generally characterize the frequency of any regulation or explain why regulation has not occurred: _____
3. Check here if it appears that downstream water rights benefit from return flows resulting from the current use of the right? ☐ If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most: _____
4. Are there upstream water rights that would be affected by the proposed change?
☐ Yes ☒ No If "Yes", describe how the rights would be affected and list the rights most affected: _____
5. For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? ☐ If you check the box, describe and, if possible, estimate the losses: _____
6. Would distribution of water for the right after the proposed change result in regulation of other water rights that would not have occurred if use of the existing right was maximized?
☐ Yes ☒ No If "Yes", explain: _____
7. For POU changes, would the original place of use continue to receive water from the same source? ☐ Yes ☐ No ☐ N/A If "Yes", explain: They have indicated that the "from" acres are wetland so a filed check will have to be done in the future to make sure that those lands are not receiving irrigation water.
8. For POU or USE changes, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste? ☐ Yes ☒ No If "Yes", explain: _____
9. Are there other issues not identified through the above questions? ☐ Yes ☒ No If "Yes", explain: _____

10. What alternatives may be available for addressing any issues identified above: _____

11. Have headgate notices been issued for the source that serves the right? ☐ Yes ☒ No

12. What water control and measurement conditions should be included in the transfer:

Measurement Devices	☒ Present and should be maintained.	☐ Should be required prior to diverting water.	☐ May be required in the future.
Headgates	☐ Present and should be maintained.	☐ Should be required prior to diverting water.	☐ May be required in the future.

Water Right Transfer Checklist

Transfer T-10412

Transfer Specialist: Permit Amendment Drawer

Transfer Type: Permit Amendment

Applicant Name/Address: Janice Cox, 9721 Howell Prairie Road, Salem, OR 97305

Agent Name/Address: Greg Kupillas

CWRE Name/Number: NONE

Rec Landowner Name/Address: NONE

Irr. District Name/Address: NONE

Affected Gov'ts Name/Address: NONE

Commentors: Name/Address: NONE

Water Rights Affected

Records Marked	Records Copied	App File No. or Decree Name	Permit No.	Certificate No.	RR/CR Needed	RR/CR Nos.
☒	☒	G 15722	G 15990		☐ Yes ☐ No	
☐	☐				☐ Yes ☐ No	
☐	☐				☐ Yes ☐ No	

Key Dates & Initial Actions

Rec'd: <u>06/22/07</u>	Proposed Action(s): POU POD HST APOD USE OTHER: POU	
Fees Pd: <u>350</u>	WM District: <u>16</u>	ODFW District: <u>NONE</u>
Initial Notice: <u>07/03/07</u>	WM Review sent: <u>06/28/07</u>	ODFW Review sent: <u>NONE</u>
Acknowledgement Letter Sent ☒		GW Review sent: <u>NONE</u>

Processing Dates & Actions

Deficiency Contacts: _____

Newspaper Pub Affid Due: _____

☐ not required

DPD Mailed: _____

Affid of Pub Rec'd: _____

☐ ODFW contact sheet sent with DPD, or ☐ N/A

Last Day Published: _____

PD Mailed: _____

Affidavit Reminder Sent: _____

PD Weekly Notice: _____

Reminder Deadline: _____

Preliminary Determination

☐ Electronic Files uploaded

☐ Preliminary Determination

☐ PD Cover letter

☐ Fee Refund Due

☐ PD Notice

☐ Remaining Rights

☐ File Assigned/ ModPod updated

DPD Review (Optional)	PD Review (Salem)	Final Order Review (Salem)
Reviewer: _____	Reviewer: _____	Reviewer: _____
Date: _____	Date: _____	Date: _____
Coordinator: _____	Coordinator: _____	Coordinator: _____
Date: _____	Date: _____	Date: _____
Comments/Special Issues:		

Special Order Volume: Vol _____ Pages _____ Final Order Signature Date: _____

Notice of FO email'd to processors _____

Application

- ☐ The type of change is clearly indicated.
- ☐ The application is appropriately signed.
- ☐ Appropriate fees were paid. ☐ If overpayment, Refund Request to be sent with FO
- ☐ Land use form matches affected tax lots and is signed by proper official. *(from ALL affected Govt's)*
- ☐ Ditch company, district and/or BOR, sent a copy of the application and map, if appropriate.
- ☐ All required attachments received.

Water right subject to transfer

- ☐ Certificated right or Proof accepted "to the satisfaction..."
- ☐ The right been exercised according to terms & conditions of certificate.
- ☐ Delivery system has the capacity to fully divert the rate/duty of the right.
- ☐ No information in record that suggests forfeiture.
- ☐ No conflicts identified on the plat cards and plat card reports printed.
- ☐ Affidavits prepared for rights that need to be canceled or diminished.

Application Map

- ☐ The map has an original CWRE signature.
- ☐ The map size and scale accurate and appropriate per OAR 690-380-3100(1)(b)(c)&(d).
- ☐ All authorized and proposed POD's/POA's and POU's shown and clearly labeled.
- ☐ Metes and bounds for the POD's/POA's are properly described on the map.
- ☐ The POD/POA dimensions & 1/4 1/4 on map match the transfer application and certificate descriptions.
- ☐ Map acres match the tabulation on the certificate.
- ☐ Have final proof maps/deed maps for the rights. ☐ Application map matches certificate FPS.
- ☐ Have necessary aerial photos.

Determining the "From" and "To" Lands (make working copy of application and certificates to mark on)

- ☐ Only the authorized POD's/POA's and POUs to be transferred are listed.
- ☐ Application & certificate tabulations match. *(Mark on appl. and cert. copies and note corrections needed)*
- ☐ Marked on certificate the acreage being transferred, cancelled and remaining by 1/4 1/4.

Ownership

- ☐ The deed/ROLI matches the "from" lands. (Don't need to check "to" lands.)
- ☐ Have current tax lot map. *(If transfer application is several years old, contact assessor's office)*
- ☐ The applicant is the owner of the "from" lands.
- ☐ All owners on the deed/ROLI have signed the application.
- ☐ If necessary, there is a notarized, signed statement of consent from landowners other than applicant.
- ☐ If necessary, there is a copy of written notification to each lien holder identified on ROLI.
- ☐ Agent has authorization to make decisions.

Evaluation (materials needed for peer reviewer in bold)

- | | | | | |
|---|--------------------------------------|------------------------------------|--|--|
| ☐ application complete | ☐ map | ☐ FPS | ☐ evidence of use | ☐ land-use form |
| ☐ deed/ROLI | ☐ certificate | ☐ fees paid | ☐ well logs | ☐ plat card |
| ☐ audit | ☐ dpd | | | |

Reviews/comments/conditions received? ☐ Watermaster ☐ ODFW ☐ GW

Headgate ☐ When in the judgment ☐ Prior to diverting ☐ Existing and maintain

Measuring Devices ☐ When in the judgment ☐ Prior to diverting ☐ Existing and maintain

Fish Screen Devices ☐

Injury: Y N Enlargement: Y N

Conditions to avoid enlargement/injury –



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

North Mall Office Building
725 Summer Street NE, Suite A
Salem, OR 97301-1266
503-986-0900
FAX 503-986-0904

June 28, 2007

JANICE COX
9721 HOWELL PRAIRIE RD
SALEM OR 97305

Reference: Permit Amendment T- 10412

On June 22, 2007 we received your request for permit amendment. The application was accompanied by \$350.00. Our receipt 88269 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the change.

Except as provided under ORS 540.510(3) for municipalities, you may not use water in the new place of use, until we issue a final order approving the application.

We will notify you if additional information or corrections to the application or map are required.

If you have any questions, please call the Transfer Section, (503)986-0900.

cc: Watermaster #16
Greg Kupillas, Agent

enclosure



Oregon

Theodore R. Kulongoski, Governor

Water Resources Department

725 Summer Street NE, Suite A

Salem, OR 97301-1271

503-986-0900

FAX 503-986-0904

Notice of Application for Water Right Transfer, Temporary Transfer, or Permit Amendment 07/03/2007

The Department seeks comment on the recently-filed application listed below. Any person may comment on the application. Comments must be received by the Department within 30 days of the date of this notice. The Director may presume that the transfer would be allowed by, and compatible with comprehensive plans unless an affected local government informs the Director otherwise within 30 days of this notice.

County: Marion
Transfer: T -10412
Water Right: Permit:G 15990 *
Priority Date: 2002
Name: JANICE COX
Address: 9721 HOWELL PRAIRIE RD; SALEM OR 97305
Change: POU
Source: A WELL > LITTLE PUDDING RIVER
Authorized POU: T6S R2W 12,13
Proposed POU: T6S R2W 13

The holder of a water right may apply to permanently change an existing water use subject to transfer. A transfer application may involve any of the following changes: Point of diversion or appropriation (POD; POA); Additional point of diversion or appropriation (APOD; APOA); Historic POD (HIST); Place of use (POU); Character of use (USE); Instream (ISWR); Substitution (SUB); or Exchange (EXCH).

The holder of a water right subject to transfer may request to temporarily change the place of use of the water for up to 5 years and, if necessary to convey the water, to temporarily change the point of diversion or appropriation.

The holder of a water right permit may apply to change a point of diversion (POD) or appropriation (POA) or to change the place of use (POU).

Any person who provides comments within the comment period will receive a copy of the Department's preliminary determination of whether the application should be approved or rejected after the Department has completed a review of the application and will be provided an opportunity to protest the application and preliminary determination at that time. Comments should be sent to the Transfers Section at the Department's Salem office.

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

RECEIPT # **88269**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

INVOICE # _____

RECEIVED FROM: Pacific Hydro-Geology
BY: _____

APPLICATION	
PERMIT	
TRANSFER	7-10412

CASH: ☐ CHECK: # 3230 OTHER: (IDENTIFY) ☐ _____

TOTAL REC'D \$ 350.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES \$ _____
OTHER: (IDENTIFY) _____ \$ _____

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES \$ _____
0410 RESEARCH FEES \$ _____
0408 MISC REVENUE: (IDENTIFY) \$ _____
TC162 DEPOSIT LIAB. (IDENTIFY) \$ _____
0240 EXTENSION OF TIME \$ _____

WATER RIGHTS:

0201 SURFACE WATER	EXAM FEE \$ _____	0202 RECORD FEE \$ _____
0203 GROUND WATER	\$ _____	0204 \$ _____
0205 TRANSFER	\$ <u>350.00</u>	

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR	EXAM FEE \$ _____	0219 \$ _____
LANDOWNER'S PERMIT		0220 \$ _____

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE \$ _____ CARD # _____
0210 MONITORING WELLS \$ _____ CARD # _____

OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD) \$ _____
0231 HYDRO LICENSE FEE (FW/WRD) \$ _____
HYDRO APPLICATION \$ _____

TREASURY OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION _____ \$ _____

RECEIPT: **88269**

DATED: 6/22/07 BY: L. Paschke

RECEIVED
OVER THE COUNTER



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Application for Permit Amendment or Ground Water Registration Modification

Please type or print legibly in dark ink. If your application is incomplete or inaccurate, we will return it to you. If any requested information does not apply to your application, insert "N/A" to indicate Not Applicable. As you complete this form, please refer to notes and guidance included on the application. A summary of review criteria and procedures that are generally applicable to these applications is available at www.wrd.state.or.us/OWRD/PUBS/forms.shtml.

1. TYPE OF APPLICATION

Please check **one** of the following:

☒ Permit Amendment ☐ Ground Water Registration Modification

2. APPLICANT INFORMATION

Name: Janice Cox
First Last

Address: 9721 Howell Prairie Road

Salem Oregon 97305
City State Zip

Phone: (503) 873-2027
Home Work Other

Fax: _____ E-Mail address: _____

RECEIVED
JUN 22 2007
WATER RESOURCES DEPT
SALEM, OREGON

3. AGENT INFORMATION

(The agent listed is authorized to represent the applicant in all matters relating to this application.)

Name: Pacific Hydro-Geology Inc. / Greg or Malia Kupillas
First Last

Address: 18487 S. Valley Vista Road

Mulino Oregon 97042
City State Zip

Phone: (503) 632-5016 (503) 632-5016
Home Work Other

Fax: (503) 632-5983 E-Mail address: phggek@bctonline.com

- If an agent is listed above, please check **one** of the following:
 - ☐ Please send all correspondence to Agent. Send *copies* of correspondence to Applicant; **or**
 - ☒ Please send all correspondence to Applicant. Send *copies* of correspondence to Agent.

Permit Amendments

- If you propose to amend multiple permits under this application, a separate set of pages 3 through 7 must be provided for each permit. (**NOTE:** Concurrent changes to a water right must be filed separately on a transfer application.)

Ground Water Registration Modifications

- You may propose modification of only one ground water registration per application, unless in accordance with OAR 690-382-0300(2), the ground water registrations to be modified are layered. (**NOTE:** Concurrent changes to a water right must be filed separately on a transfer application.)

4. TYPE OF AMENDMENT OR MODIFICATION PROPOSED

Please check **all** of the following that apply:

Point of Diversion or Appropriation	Place of Use	Character of Use
☐ Change (The old point of diversion or appropriation will <u>not</u> be used for the portion of the water right affected by the amendment or modification.) ☐ Additional (Both the old <u>and</u> new points of diversion or appropriation will be used for the portion of the water right affected by the amendment or modification.) <i>Not Available for <u>Ground Water Registrations</u></i> ☐ Surface Water to Ground Water (A new point of appropriation will be used instead of the old point of diversion. The old point of diversion will <u>not</u> be used.)	☐ All of the Permit or Registration will be exercised at a different location than currently authorized (Use of water at the current authorized location will be discontinued.) ☒ Only a portion of the Permit or Registration will be exercised at a different location than currently authorized (Use of water at a <u>portion</u> of the current authorized location will be discontinued.)	<i>Not Available for <u>Permit Amendments</u></i> Change existing authorized use to the following proposed <u>new</u> use: ☐ Irrigation ☐ Municipal ☐ Quasi-municipal ☐ Commercial ☐ Industrial ☐ Domestic (indicate number of households): _____ ☐ Other _____

- Reason(s) for amendment/modification(s): Lands requiring irrigation that were not included in the original permit can be covered by lands which are not designated as wetlands.

T 10412

RECEIVED
JUN 22 2007
WATER RESOURCES DEPT.
SALEM, OREGON

5. CURRENT PERMIT OR REGISTRATION INFORMATION

Permit or Registration to be Amended/Modified (*check and complete one of the following*):

☒	Permit to be Amended:	<u>G-15990</u> Permit Number	<u>2010</u> Current Completion Date of Permit
☐	Ground Water Registration to be Modified:	 Ground Water Registration Number	<i>NOTE: Concurrent changes to a water right must be filed separately on a transfer application.</i>

RECEIVED

JUN 22 2007

WATER RESOURCES DEPT
SALEM, OREGON

- Name on Permit or Registration: Jacksons, Inc., William and Janice Cox
- County: Marion
- Authorized Use(s) to be affected by this Amendment/Modification: Irrigation of 122.5 acres
And supplemental irrigation of 225.7 acres
- Priority Date(s): February 21, 2002 _____
*If there are **multiple Priority Dates** identified on the Permit or Registration, any information provided on pages 4 through 7 must identify which priority date is associated with each of the authorized and proposed points of diversion or appropriation and places of use.*
- All Source(s) of Water to be affected by this Amendment/Modification: Two wells

Tributary to: Little Pudding Basin

*If there are **multiple Sources** listed on the Permit or Registration, any information provided on pages 4 through 7 must identify which source is associated with each of the authorized and proposed points of diversion or appropriation and places of use.*

For an application proposing a Change in Place of Use or Character of Use:

- Are there any other “Layered” Water Rights, Permits, or Ground Water Registrations issued for **Irrigation** purposes that are appurtenant to the same place of use as the Permit or Registration being Amended/Modified? ☐ Yes ☒ No ☐ N/A -No Change in Use or Place of Use

If “Yes”, pursuant to ORS 540.510, OAR 690-380-2240 and OAR 690-382-0200, **the other “layered” water uses subject to transfer must either change concurrently or be cancelled**, except as provided in OAR 690-380-2240(5).

- Remarks: _____

T 10412

- The following information **must be provided** only for those points of diversion or appropriation that are involved in the permit amendment or ground water registration modification (i.e., list only the portion of the permit/registration you propose to amend/modify.) Attach additional pages as necessary.

Government lot and donation land claim numbers must be included in the tables below **only** if the information is reflected on the existing permit or ground water registration.

Location of Existing Authorized Point(s) of Diversion or Appropriation to be Changed:

(i.e., the allowed point(s) of diversion/appropriation that will be affected by the proposed amendment/modification, the "FROM" point(s) of diversion/appropriation)

If Ground Water, OWRD Well Log ID No. (or Well ID Tag No. L-_____)	Source and Priority Date	Township	Range	Mer	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Survey Coordinates (coordinates from a recognized survey corner)
								RECEIVED
								JUN 22 2007
								WATER RESOURCES DEPT SALEM, OREGON

- Does the permit/registration being amended/modified involve a ground water source(s)?

☐ Yes ☐ No (Surface water source only.)

If "Yes", for each authorized point of appropriation (well) involved, you must either:

- Supply a copy of the well log(s) for each point of appropriation that is **clearly labeled** and associated with the corresponding well in the table above and on the accompanying application map.

(NOTE: You may search for well logs on the Department's website at: www.wrd.state.or.us)

or

- If a well log is **not** available, you must describe the construction of the authorized point of appropriation by completing the table below. Attach additional copies as necessary.

Construction of Existing Authorized Point(s) of Appropriation – (Only needed if no well log is available.)

Wells in this listing must be **clearly tied** to corresponding well location(s) described in the table above and shown on the accompanying application map.

OWRD Well No. as identified in table above	Diameter	Type and size of casing	No. of feet of casing	Intervals casing is perforated (in feet)	Seal depth	Est. depth to water	Est. depth to water bearing stratum	Type of access port or measuring device	Total well depth

T 10412

- Government lot and donation land claim numbers must be included in the tables below **only** if the information is reflected on the existing permit or ground water registration.*

(i.e., the allowed lands that will be affected by the proposed amendment/modification, the "FROM" lands)

RECEIVED
JUN 22 2007
WATER RESOURCES DEPT
SALEM, OREGON

 FS

6. PROPOSED PERMIT AMENDMENT OR REGISTRATION MODIFICATION

- Describe proposed changes to the permit or registration involving point(s) of diversion and/or appropriation. Survey coordinates described below should accurately correspond to the points shown on the accompanying application map. Attach additional pages as necessary.

Location of Proposed Point(s) of Diversion or Appropriation: (i.e., the "TO" point(s) of diversion/appropriation)
(NOTE: Complete this table only if a Change in Point of Diversion or Appropriation is being proposed.)

Source	Township	Range	Mer	Sec	¼ ¼ Section	Tax Lot, DLC or Gov't Lot	Survey Coordinates (coordinates from a recognized survey corner)
							RECEIVED
							JUN 22 2007
							WATER RESOURCES DEPT SALEM, OREGON

- If there are proposed point(s) of appropriation (wells) listed in the table above, are the well(s) already constructed? ☐ Yes ☐ No ☒ N/A - No proposed well(s) listed above.

If "Yes", attach and clearly label the corresponding well log(s) for each proposed well, or if well log(s) are not available, describe the construction of the well(s) using the table below.

(NOTE: You may search for well logs on the Department's website at: www.wrd.state.or.us)

If "No", describe the anticipated construction for the proposed well(s) in the following table:

Construction of Proposed Point(s) of Appropriation or Well(s):

Well numbers in this listing must be clearly tied to corresponding well location(s) described in the table above and shown on the accompanying application map.

Well already built? (Yes/No)	If an existing well, OWRD Well Log ID No. (or Well ID Tag No. L-____)	Diameter	Type and size of casing	No. of feet of casing	Intervals casing is perforated (in feet)	Seal depth	Est. depth to water	Est. depth to water bearing stratum	Type of access port or measuring device	Total well depth

T 10412

- RECEIVED

JUN 22 2007

WATER RESOURCES DEPT
SALEM, OREGON

Remarks: _____

Last Updated: 10/30/2006

RECEIVED
JUN 22 2007
WATER RESOURCES DEPT
SALEM, OREGON

7. AFFECTED DISTRICTS AND LOCAL GOVERNMENTS

- Are any of the Permit(s) or Registration(s) proposed for amendment/modification located within or served by an irrigation or other water district? ☐ Yes ☒ No
- Will any of the Permit(s) or Registration(s) be located within or served by an irrigation or other water district after the proposed amendment/modification? ☐ Yes ☒ No
- Is water for any of the Permit(s) or Registration(s) supplied under a water service agreement or other contract for stored water with a federal agency? ☐ Yes ☒ No

If "Yes", for any of the above, list the name and mailing address of the district and/or agency:

Not applicable

- List the name and mailing address of all affected local governments (e.g., county, city, municipal corporation, and tribal governments within whose jurisdiction the right(s) are located).

Marion County Planning Department, P.O. Box 14500, Salem, OR 97309

8. PERMIT HOLDER OF RECORD

This section is to be completed only for Permit Amendment applications.

☐ *N/A – This is a Ground Water Registration Modification application.*

- Is the applicant the permit holder of record? ☒ Yes ☐ No

If "No", the applicant must either:

A. *Be assigned as a permit holder of record by submitting a completed **Request for Assignment** form and the required statutory fee for an assignment;*

or

B. *Submit an **Affidavit of Consent** from the permit holder of record that gives permission for the applicant to amend the permit.*

T 10412

9. LAND OWNERSHIP

RECEIVED

JUN 22 2007

WATER RESOURCES DEPT
SALEM, OREGON

If for a Permit Amendment proposing a Change in Place of Use:

- Does the permit holder of record own or control the land **TO** which the place of use is being moved? ☒ Yes ☐ No

If "No", the owner of the land **TO** which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed **Request for Assignment** form and the required statutory fee for an assignment.

- Check one of the following:
 - ☐ The permit holder of record will be responsible for completion of the proposed changes after the final order is issued. All notices and correspondence should be sent to the permit holder of record.
 - ☒ The applicant will remain responsible for completion of changes. Notices and correspondence should continue to be sent to the applicant and applicant's agent.

If for a Ground Water Registration Modification:

- Does the applicant own the lands **FROM** which the registration is being moved? ☐ Yes ☐ No

If "No", provide the following information:

Names of Current Landowner(s): _____
First Last

Address: _____

City State Zip

- Does the applicant own the lands **TO** which the registration is being moved? ☐ Yes ☐ No

If "No", provide the following information:

Names of Receiving Landowner(s): _____
First Last

Address: _____

City State Zip

- Check one of the following:
 - ☐ The receiving landowner will be responsible for completion of the proposed changes after the final order is issued. All notices and correspondence should be sent to this landowner.
 - ☐ The applicant will remain responsible for completion of changes. Notices and correspondence should continue to be sent to the applicant and applicant's agent.

I 10412

10. ATTACHMENTS

Check each of the following attachments included with this application.
The application will be returned if all required attachments are not included.

RECEIVED
JUN 22 2007
WATER RESOURCES DEPT
SALEM, OREGON

Map:

- ☒ A map meeting the requirements of OAR 690-380-3100 must be included but need not be prepared by a Certified Water Right Examiner.

Land Use Information Form:

- ☐ Enclosed; or
- ☒ Not required if all of the following are met:
- ❶ In EFU zone or irrigation district;
 - ❷ Change in place of use only;
 - ❸ No structural changes needed, including diversion works, delivery facilities, other structures; and
 - ❹ Irrigation only.

Water Well Reports/Well Logs:

- ☐ The application involves a change in point of appropriation or change from surface water to ground water and copies of all water well reports are attached.
- ☐ Water well reports are not available and a description of construction details including well depth, static water level, and information necessary to establish the ground water body developed or proposed to be developed is attached.
- ☒ N/A. The application does not involve a change in point of appropriation or a change from surface water to ground water, so water well reports are not required.

Fees:

- ☒ Amount enclosed: \$ 350.00
See the Department's Fee Schedule at www.wrd.state.or.us/OWRD/PUBS/forms.shtml or call (503) 986-0900.

For Permit Amendments Only...

Request for Assignment:

- ☐ Enclosed. The applicant is **NOT** the permit holder of record and needs to be assigned to the permit; OR the landowner of the proposed place of use is **NOT** the permit holder of record and needs to be assigned to the permit.
The Request for Assignment form is available online at: www.wrd.state.or.us/OWRD/PUBS/forms.shtml ; or
- ☒ N/A. The applicant is the permit holder of record and owns or controls the proposed place of use; OR the applicant is *not* the permit holder of record but is supplying an Affidavit of Consent from the permit holder.

Affidavit of Consent:

- ☐ Enclosed. Because the applicant is **NOT** the permit holder of record, an Affidavit of Consent is being supplied that gives permission for the applicant to amend the permit; or
- ☒ N/A. Not required because the applicant is the permit holder of record.

10412

Before submitting your application to the Department, be sure you have:

- Answered each question completely.
- Included all the required attachments.
- Provided original signatures for all named deed holders, or other parties, with an interest in the water right.
- Included a check payable to the Oregon Water Resources Department for the appropriate amount.

RECEIVED

JUN 22 2007

WATER RESOURCES DEPT
SEASIDE, OREGON

11. SIGNATURES

- **For Ground Water Registration Modification Applications only, check the appropriate one and sign the application in the signature box below:**


- ☐ In accordance with OAR 690-382-0400(16)(a), I (we) understand that prior to Department approval of a permanent modification and upon my receipt of a draft Preliminary Determination for the proposed modification, I (we) will be required [pursuant to OAR 690-382-0700(5)] to provide the following landownership information and evidence demonstrating that I (we) are authorized to pursue the modification:

- (a) A report of ownership and lien information that has been prepared by a title company *within the last three months*;
- (b) A copy of written notification of the proposed modification provided by the applicant to all lien holders on the subject lands unless the report of ownership and lien information shows that a water right conveyance agreement has been recorded for the subject lands. *If a water right conveyance agreement has been recorded for the subject lands, a copy of the recorded agreement and a listing of the owner(s) of the lands at the time the agreement was recorded must be submitted; and*
- (c) If the applicant is not both the person named on the ground water registration or the assignee *and* the owner of the lands to which the registration is appurtenant, as identified in the report of ownership and lien information, then either of the following must be provided:
- A) Notarized statements consenting to the modification by all persons, other than the applicant, who are named on the ground water registration or identified as landowners in the report of ownership and lien information or who are authorized representatives of an entity to whom the interest in the water right has been conveyed as identified in a water right conveyance agreement; or
- B) Documentation demonstrating that the applicant is authorized to pursue the modification in the absence of consent of the persons named on the ground water registration or the assignee and the owner of the lands to which the registration is appurtenant.

- ☐ I (we) affirm that the applicant is a municipality, as defined in ORS 540.510(3)(b), and that the right is in the name of the municipality or a predecessor. Therefore, pursuant to OAR 690-382-0400(16)(b), the applicant is NOT required to provide the above described report of ownership and lien information.

- ☐ I (we) affirm that the applicant is an entity with the authority to condemn property and is acquiring the property to which the ground water registration proposed for modification is appurtenant by condemnation. Documentation is provided with this application supporting this statement. Therefore, pursuant to OAR 690-382-0400(16)(c), the applicant is NOT required to provide the above described report of ownership and lien information. (NOTE: Such an entity may only apply for recognition of a modification under this subsection if it has filed a condemnation action to acquire the property and deposited the funds with the court as required by ORS 35.265.)

- **For both Permit Amendment and Ground Water Registration Modification Applications, I (we) affirm that the information contained in this application is true and accurate.**

 applicant signature	<u>Janice Joyce Coff</u> name (print)	<u>June 20 2007</u> date
_____	_____	_____
applicant signature	name (print)	date

Certified Water Rights Examiner
 #432WRE

 GREGORY E. KUPILLAS
 MAY 14, 1996
 STATE OF OREGON

CoxPermAmendMapRvsd.cdr