

Permit Amendment

Name City of Halsey
c/o Wes Hare
 Address P.O. Box 10
Halsey, OR 97348
Admin@HalseyOR.gov

Change in APOA
 Date Filed 10-2-2023
 Initial notice date _____
 DPD issued date _____
 PD issued date _____
 PD notice date _____
 Date of FO 8/29/2025 Vol 135 Page 519-523

C-Date Permit G-1551-10/1/57, Permit G-12998
 COBU due date 10/1/25
 COBU Received date _____
 Certificate issued _____

DESCRIPTION OF WATER RIGHT(S)

Name of Stream Wells

Trib. of _____

Use Municipal County Linn

Quantity of water (CFS) _____ No. of Acres _____

Name of ditch _____

App#	Per #	Cert #	PR Date	Date	Amount	Receipt #
App# <u>G-13998</u>	Per # <u>G-12998</u>	Cert # _____	PR Date <u>3/3/1995</u>			
App# <u>G-15932</u>	Per # <u>G-15551</u>	Cert # _____	PR Date <u>2/24/2003</u>			
App# _____	Per # _____	Cert # _____	PR Date _____			
App# _____	Per # _____	Cert # _____	PR Date _____			
App# _____	Per # _____	Cert # _____	PR Date _____			

Assignments: _____

Irrigation District _____

Agent Mikaela Clarke - mclarke@gsiws.com

CWRE _____

CC's list _____

☐ - Oversized map - Location _____

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A

SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **141714**

INVOICE # _____

RECEIVED FROM: City of Halsey
BY: _____

APPLICATION	
PERMIT	
TRANSFER	T-14333

CASH: ☐ CHECK: # 20532 OTHER: (IDENTIFY) ☐

TOTAL REC'D \$ 2,860.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES \$ _____
OTHER: (IDENTIFY) \$ _____
0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES 46110 \$ _____
0410 RESEARCH FEES \$ _____
0408 MISC REVENUE: (IDENTIFY) _____ \$ _____
TC162 DEPOSIT LIAB. (IDENTIFY) _____ \$ _____
0240 EXTENSION OF TIME \$ _____

WATER RIGHTS:

0201 SURFACE WATER	EXAM FEE \$ _____	0202 \$ _____
0203 GROUND WATER	\$ _____	0204 \$ _____
0205 TRANSFER	\$ <u>2860.00</u>	

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR	EXAM FEE \$ _____	0219 \$ _____
LANDOWNER'S PERMIT		0220 \$ _____

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE \$ _____ CARD# _____
0210 MONITORING WELLS \$ _____ CARD# _____
OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD) \$ _____
0231 HYDRO LICENSE FEE (FW/WRD) \$ _____
HYDRO APPLICATION \$ _____

TREASURY OTHER / RDX

FUND _____ TITLE _____
OBJ. CODE _____ VENDOR # _____
DESCRIPTION \$ _____

RECEIPT: **141714**

DATED 10-2-2023 BY: m. mello



Oregon

Tina Kotek, Governor

Water Resources Department

North Mall Office Building

725 Summer St NE, Suite A

Salem, OR 97301

Phone 503 986-0900

Fax 503 986-0904

August 29, 2025

City Of Halsey
PO BOX 10
Halsey, OR 97348

REFERENCE: Permit Amendment Application T-14333

Enclosed is a copy of the order approving your Permit Amendment application.

Also enclosed is a superseding permit that incorporates the amendments approved by the final order contained herein. Please read this document and abide by the requirements.

If you have any questions related to the approval of this permit amendment, you may contact your caseworker, Arla Davis, by telephone at (503) 979-3129 or by e-mail at Arla.L.Davis@water.oregon.gov.

Sincerely,

David V. Jones Jr
Water Rights Services Support
Transfers and Conservation Section

cc: Lanaya F. Blakely, Watermaster Dist. # 2 (via email)
Mikaela Clarke, Agent

Enclosure

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Permit Amendment	)	FINAL ORDER
T-14333, Linn County	)	APPROVING ADDITIONAL POINTS OF
	)	APPROPRIATION

Authority

Oregon Revised Statute (ORS) 537.211 establishes the process in which a water right permit holder may submit a request to change the point of appropriation and/or place of use authorized under an existing water right permit.

Applicant

CITY OF HALSEY
PO BOX 10
HALSEY, OR 97348

Findings of Fact

1. On October 2, 2023, City of Halsey, filed an application for additional points of appropriation under Permits G-12998 and G-15551. The Department assigned the application number T-14333.
2. On December 10, 2003, the Department approved an extension of time under Permit G-12998, for complete application of water to October 1, 2025. The extension of time final order includes the following Development Limitations:

Diversion of water beyond 0.501 cfs under Permit #G-12998 shall only be authorized upon issuance of a final order approving a Water Management and Conservation Plan under OAR Chapter 690, Division 86. The required Water Management and Conservation Plan shall be submitted to the Department within 3 years from the date this extension is final.

3. On July 21, 2009, the Department approved an extension of time under Permit G-15551, for complete application of water to October 1, 2057. The extension of time final order includes the following Development Limitations:

Diversion of any water beyond 0.320 cfs under Permit G-15551 shall only be authorized upon issuance of a final order approving a Water Management and Conservation Plan (WMCP) under OAR Chapter 690, Division 86. The required WMCP shall be submitted to the Department within 3 years of an approved extension application. Use of water under Permit G-15551 must be consistent with this and subsequent WMCP's approved under OAR Chapter 690, Division 86 on file with the Department.

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

The deadline established in this PFO for submittal of a WMCP shall not relieve a permit holder of any existing or future requirement for submittal of a WMCP at an earlier date as established through other orders of the Department. A WMCP submitted to meet the requirements of this order may also meet the WMCP submittal requirements of other Department orders.

4. On December 15, 2011, the Department approved a Water Management and Conservation Plan (WMCP) under Permits G-12998 and G-15551.
5. On January 25, 2022, the Department approved a Water Management and Conservation Plan (WMCP) under Permits G-12998 and G-15551 to remain in place until January 19, 2032. The WMCP final order includes the following Development Limitations:
 - a. The limitation of the diversion of water under Permit G-12998 established in the Final Order approving an Extension of Time for Permit G-12998 (issued on December 10, 2003) remains unchanged. Subject to other limitations or conditions of the permit, therefore, the City of Halsey remains authorized to divert only up to 0.501 cfs (out of the total permitted 0.613 cfs) of water under Permit G-12998.
 - b. The limitation of the diversion of water under Permit G-15551 established in the Final Order approving an Extension of Time for Permit G-15551 (issued on July 21, 2009) remains unchanged. Subject to other limitations or conditions of the permit, therefore, the City of Halsey remains authorized to divert only up to 0.320 cfs (out of the total permitted 1.0 cfs) of water under Permit G-15551.
6. Notice of the application for the permit amendment was published in the Department's weekly notice on October 10, 2023, pursuant to ORS 540.520(5).
7. The first right to be amended is as follows:

Permit: G-12998 in the name of CITY OF HALSEY
Use: MUNICIPAL USE
Priority Date: MARCH 3, 1995
Quantity: 0.613 CUBIC FOOT PER SECOND
Period of Use: YEAR ROUND
Source: WELL 2 within the WILLAMETTE RIVER BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
14 S	4 W	WM	1	NE SE	WELL 69 (WELL 2) - 340 FEET SOUTH AND 1030 FEET WEST FROM THE E1/4 CORNER OF SECTION 1

Authorized Place of Use:

MUNICIPAL USE
WITHIN THE CITY OF HALSEY SERVICE AREA

8. Permit Amendment Application T-14333 proposes additional points of appropriation as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Distance from authorized point of appropriation
14 S	4 W	WM	1	NE SE	WELL 98 – 328 FEET SOUTH AND 1095 FEET WEST FROM THE E 1/4 CORNER OF SECTION 1	WELL 2- 100 FEET E
14 S	4 W	WM	1	NE SE	WELL 69R – 370 FEET SOUTH AND 1110 FEET WEST FROM THE E 1/4 CORNER OF SECTION 1	WELL 2- 100 FEET E

9. The second right to be amended is as follows:

Permit: G-15551 in the name of CITY OF HALSEY
Use: MUNICIPAL USE
Priority Date: FEBRUARY 24, 2003
Quantity: 1.0 CUBIC FOOT PER SECOND
Period of Use: YEAR ROUND
Source: WELL 2 and WELL 3 in MUDDY CREEK BASIN

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
14 S	4 W	WM	1	NE SE	WELL 69 (WELL 2) - 44 DEGREES 22 MINUTES 50.948 SECONDS NORTH, 123 DEGREES 6 MINUTES 45.094 SECONDS WEST
14 S	4 W	WM	1	NE SE	WELL 98 (WELL 3) - 44 DEGREES 22 MINUTES 50.763 SECONDS NORTH, 123 DEGREES 6 MINUTES 43.934 SECONDS WEST

Authorized Place of Use:

MUNICIPAL USE
WITHIN THE SERVICE BOUNDARIES OF THE CITY OF HALSEY

10. Permit Amendment Application T-14333 proposes an additional point of appropriation as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Distance from authorized point of appropriation
14 S	4 W	WM	1	NE SE	WELL 69R – 370 FEET SOUTH AND 1110 FEET WEST FROM THE E 1/4 CORNER OF SECTION 1	WELL 2 - 100 FEET E WELL 3 - 100 FEET E

Permit Amendment Review Criteria

11. The changes would not result in injury to other water rights.
 12. The changes, as conditioned, do not enlarge the permits.

13. The changes do not alter any other terms of the permits.

Conclusions of Law


The additional points of appropriation proposed by Permit Amendment Application T-14333 are consistent with the requirements of ORS 537.211.

Now, therefore, it is ORDERED:

1. The additional points of appropriation proposed by Permit Amendment Application T-14333 are approved.
2. Approval of this permit amendment application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new additional points of appropriation.
3. Permit G-18971, in the name of City of Halsey, is issued to replace Permit G-12998, and incorporates the amendments approved by this order, the extension of time and the Water Management and Conservation Plan. Permit G-12998, in the name of City of Halsey, is no longer of any force or effect.
4. Permit G-18972, in the name of City of Halsey, is issued to replace Permit G-15551, and incorporates the amendments approved by this order, the extension of time and the Water Management and Conservation Plan. Permit G-15551, in the name of City of Halsey, is no longer of any force or effect.
5. Under Permit G-12998, the combined quantity of water diverted at the new additional points of appropriation (WELL 98 and WELL 69R), together with that diverted at the original point of appropriation (WELL 69 (WELL 2)), shall not exceed the quantity of water lawfully available at the original point of appropriation (WELL 69 (WELL 2)).
6. Under Permit G-15551, the combined quantity of water diverted at the new additional point of appropriation (WELL 69R), together with that diverted at the original points of appropriation (WELL 69 (WELL 2) and WELL 98 (WELL 3)), shall not exceed the quantity of water lawfully available at the original points of appropriation (WELL 69 (WELL 2) and WELL 98 (WELL 3)).
7. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

8. Water shall be acquired from the same aquifer as the original points of appropriation.
9. All other terms and conditions of Permits G-18971 and G-18972 remain the same.

Dated in Salem, Oregon on **AUG 29 2025**



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
IVAN GALL, DIRECTOR
Oregon Water Resources Department

Mailing Date: SEP 02 2025

STATE OF OREGON

COUNTY OF LINN

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CITY OF HALSEY
PO BOX 10
HALSEY, OR 97348

This superseding permit is issued to describe an amendment for additional points of appropriation under Permit Amendment Application T-14333 and approved by Special Order Volume 135, Page 519, entered AUG 29 2025 and to describe an extension of time for complete application of water approved December 10, 2003, and Water Management and Conservation Plans approved December 15, 2011, and January 25, 2022. This permit supersedes Permit G-12998.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-13998

SOURCE OF WATER: WELL 69, WELL 69R, AND WELL 98 WITHIN THE WILLAMETTE BASIN

PURPOSE OR USE: MUNICIPAL USE

MAXIMUM RATE: 0.613 CUBIC FOOT PER SECOND

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: MARCH 3, 1995

WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
14 S	4 W	WM	1	NE SE	WELL 69 - 340 FEET SOUTH AND 1030 FEET WEST FROM THE E1/4 CORNER OF SECTION 1
14 S	4 W	WM	1	NE SE	Well 98 - 328 FEET SOUTH AND 1095 FEET WEST FROM THE E1/4 CORNER OF SECTION 1
14 S	4 W	WM	1	NE SE	WELL 69R - 370 FEET SOUTH AND 1110 FEET WEST FROM THE E 1/4 CORNER OF SECTION 1

THE PLACE OF USE IS LOCATED AS FOLLOWS:

MUNICIPAL USE
WITHIN THE CITY OF HALSEY SERVICE AREA

Permit Amendment T-14333 Conditions:

Under Permit G-12998, the combined quantity of water diverted at the new additional points of appropriation (WELL 98 and WELL 69R), together with that diverted at the original point of appropriation (WELL 69 (WELL 2)), shall not exceed the quantity of water lawfully available at the original point of appropriation (WELL 69 (WELL 2)).

Water use measurement conditions:

- a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer as the original point of appropriation.

Water Management and Conservation Plan (approved January 25, 2022) Development Limitations:

The limitation of the diversion of water under Permit G-12998 established in the Final Order approving an Extension of Time for Permit G-12998 (*issued on December 10, 2003*) remains unchanged. Subject to other limitations or conditions of the permit, therefore, the City of Halsey remains authorized to divert only up to 0.501 cfs (out of the total permitted (0.613 cfs) of water under Permit G-12998.

Extension of time (approved December 10, 2003) Conditions:**Development Limitations:**

Diversion of any water beyond 0.501 cfs under Permit G-12998 shall only be authorized upon issuance of a final order approving a Water Management and Conservation Plan (WMCP) under OAR Chapter 690, Division 86. The required WMCP shall be submitted to the Department within 3 years from the date this extension is final (December 10, 2003).

Original Permit Conditions:

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

The water user shall develop a plan to monitor and report the impact of water use under this permit on water levels within the aquifer that provides water to the permitted well(s). The plan shall be submitted to the Department within one year of the date the permit is issued and shall be subject to the approval of the Department. At a minimum, the plan shall include a program to periodically measure static water levels within the permitted well(s) or an adequate substitute such as water levels in nearby wells. The plan shall also stipulate a reference water level against which any water-level declines will be compared. If a well listed on this permit (or replacement well) displays a total static water-level decline of 25 or more feet over any period of years, as compared to the reference level, then the water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s). Such action shall be taken until the water level recovers to above the 25-foot decline level or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit.

Within one year of permit issuance, the permittee shall submit a water management and conservation plan consistent with OAR Chapter 690, Division 86.

STANDARD CONDITIONS

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.


The original permit, issued on November 27, 1996, specified:

- The deadline to begin construction is November 27, 1997, and shall be completed on or before October 1, 1998.
- The deadline for complete application of the water to the use shall be made on or before October 1, 1999.

By Extension of Time Final Order dated December 10, 2003, the deadline for complete application of water was extended to on or before October 1, 2025.

Issued

AUG 29 2025



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
IVAN GALL, DIRECTOR
Oregon Water Resources Department

STATE OF OREGON

COUNTY OF LINN

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CITY OF HALSEY
PO BOX 10
HALSEY, OR 97348

This superseding permit is issued to describe an amendment for an additional point of appropriation under Permit Amendment Application T-14333 and approved by Special Order Volume 135, Page 519, entered AUG 29 2025, and to describe an extension of time for complete application of water approved July 21, 2009, and Water Management and Conservation Plans approved December 15, 2011, and January 25, 2022. This permit supersedes Permit G-15551.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-15932

SOURCE OF WATER: WELL 69, WELL 98, AND WELL 69R IN MUDDY CREEK BASIN

PURPOSE OR USE: MUNICIPAL USE

MAXIMUM RATE: 1.0 CUBIC FOOT PER SECOND

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: FEBRUARY 24, 2003

WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
14 S	4 W	WM	1	NE SE	WELL 69 - 44 DEGREES 22 MINUTES 50.948 SECONDS NORTH, 123 DEGREES 6 MINUTES 45.094 SECONDS WEST
14 S	4 W	WM	1	NE SE	Well 98 - 44 DEGREES 22 MINUTES 50.763 SECONDS NORTH, 123 DEGREES 6 MINUTES 43.934 SECONDS WEST
14 S	4 W	WM	1	NE SE	WELL 69R - 370 FEET SOUTH AND 1110 FEET WEST FROM THE E 1/4 CORNER OF SECTION 1

THE PLACE OF USE IS LOCATED AS FOLLOWS:

MUNICIPAL USE
WITHIN THE SERVICE BOUNDARIES OF THE CITY OF HALSEY

Permit Amendment T-14333 Conditions:

Under Permit G-15551, the combined quantity of water diverted at the new additional point of appropriation (WELL 69R), together with that diverted at the original points of appropriation (WELL 69 (WELL 2) and WELL 98 (WELL 3)), shall not exceed the quantity of water lawfully available at the original points of appropriation (WELL 69 (WELL 2) and WELL 98 (WELL 3)).

Water use measurement conditions:

- a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer as the original points of appropriation.

Water Management and Conservation Plan (approved January 25, 2022) Development Limitations:

The limitation of the diversion of water under Permit G-15551 established in the Final Order approving an Extension of Time for Permit G-15551 (issued on July 21, 2009) remains unchanged. Subject to other limitations or conditions of the permit, therefore, the City of Halsey remains authorized to divert only up to 0.320 cfs (out of the total permitted 1.0 cfs) of water under Permit G-15551.

Extension of time (approved July 21, 2009) Conditions:**Development Limitations:**

Diversion of any water beyond 0.32 cfs under Permit G-15551 shall only be authorized upon issuance of a final order approving a Water Management and Conservation Plan (WMCP) under OAR Chapter 690, Division 86. The required WMCP shall be submitted to the Department within 3 years of an approved extension application. Use of water under Permit G-15551 must be consistent with this and subsequent WMCP's approved under OAR Chapter 690, Division 86 on file with the Department.

The deadline established in this PFO for submittal of a WMCP shall not relieve a permit holder of any existing or future requirement for submittal of a WMCP at an earlier date as established through other orders of the Department. A WMCP submitted to meet the requirements of this order may also meet the WMCP submittal requirements of other Department orders.

Original Permit Conditions:**Measurement, recording and reporting conditions:**

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

The water user shall develop a plan to monitor and report the impact of water use under this permit on water levels within the aquifer that provides water to the permitted well(s). The plan shall be submitted to the Department within one year of the date the permit is issued and shall be subject to the approval of the Department. At a minimum, the plan shall include a program to periodically measure static water levels within the permitted well(s) or an adequate substitute such as water levels in nearby wells. The plan shall also stipulate a reference water level against which any water-level declines will be compared. If a well listed on this permit (or replacement well) displays a total static water-level decline of 25 or more feet over any period of years, as compared to the reference level, then the water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s). Such action shall be taken until the water level recovers to above the 25-foot decline level or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit.

Within 3 years of permit issuance, the permittee shall submit a Water Management and Conservation Plan consistent with OAR Chapter 690, Division 86. The Director may approve an extension of this time line to complete the required Water Management and Conservation Plan. The time line for submittal of a plan under this permit does not alter the time lines for submittal of a plan under any other order of the Department.

STANDARD CONDITIONS

If the number, location, or construction of any well deviates from that proposed in the permit application or permit conditions, the conclusions of the Proposed Final Order and Final Order under which this permit was granted may be revised, conditions may be appropriately revised, or this permit may not be valid.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

The original permit, issued on January 16, 2004, specified:

- The deadline for complete application of the water is October 1, 2008. If the water is not completely applied before this date, and the permittee wishes to continue development under the permit, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

By Extension of Time Final Order dated July 11, 2009, the deadline for complete application of water was extended to on or before October 1, 2057.

Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued **AUG 29 2025**



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
IVAN GALL, DIRECTOR
Oregon Water Resources Department

REAL ESTATE TRANSACTIONS: Pursuant to ORS 537.330, in any transaction for the conveyance of real estate that includes any portion of the lands described in this permit, the seller of the real estate shall, upon accepting an offer to purchase that real estate, also inform the purchaser in writing whether any permit, transfer approval order, or certificate evidencing the water right is available and that the seller will deliver any permit, transfer approval order or certificate to the purchaser at closing, if the permit, transfer approval order or certificate is available.

CULTURAL RESOURCES PROTECTION LAWS: Permittees involved in ground-disturbing activities should be aware of federal and state cultural resources protection laws. ORS 358.920 prohibits the excavation, injury, destruction or alteration of an archeological site or object, or removal of archeological objects from public and private lands without an archeological permit issued by the State Historic Preservation Office. 16 USC 470, Section 106, National Historic Preservation Act of 1966 requires a federal agency, prior to any undertaking to take into account the effect of the undertaking that is included on or eligible for inclusion in the National Register. For further information, contact the State Historic Preservation Office at 503-378-4168, extension 232.

Groundwater Transfer Review Summary Form

Transfer/PA # T- 14333

GW Reviewer Steve Ahlquist/Travis Brown Date Review Completed: March 19, 2024

Summary of Same Source Review:

☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Injury Review:

☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Ground Water Review Form:

- ☐ Water Right Transfer
☒ Permit Amendment
☐ GR Modification
☐ Other

Application: T-14333

Applicant Name: City of Halsey

Proposed Changes: ☐ POA ☒ APOA ☐ SW→GW ☐ RA
☐ USE ☐ POU ☐ OTHER

Reviewer(s): Steve Ahlquist/Travis Brown

Date of Review: March 19, 2024

Date Returned to WRSD: 3/19/2024

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- ☐ The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- ☐ Other _____

1. Basic description of the changes proposed in this transfer: Applicant proposes to add two wells as APOA to Permit G-12998. Permit G-12998 currently authorizes a maximum rate of 0.613 cfs from well LINN 13705 for municipal use. The proposed APOA are "Well 98" (LINN 51585) and "Well 69R" (not yet drilled).

Applicant proposes to add one APOA to Permit G-15551. Permit G-15551 currently authorizes a combined maximum rate of 1.0 cfs from wells LINN 13705 and LINN 51585. The proposed APOA for Permit G-15551 is "Well 69R".

Applicant requests to update the locations for wells LINN 13705 and LINN 51585 with the metes and bounds location descriptions included in the application.

2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?
☒ Yes ☐ No Comments: The authorized POA and the APOA will produce water from the Willamette alluvial aquifer system (Gannett and Caldwell, 1998).
3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?
☐ Yes ☒ No _____
- b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): _____

4. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?

☐ Yes ☒ No Comments: The proposed APOA are within approximately 100 feet of the authorized POA on Permits G-12998 and G-15551 and the closest other known groundwater rights are more than 2500 feet away. The APOA are not substantially closer to other known well locations and increased interference with other groundwater rights is not expected. The OWRD well log database indicates several domestic wells are located within a mile of the proposed APOAs but lacks specific well location information needed to correlate wells to specific properties. While it is possible that the proposed APOA are closer to domestic wells on adjacent residential properties, it is unlikely that domestic wells are in use on these properties located within the City of Halsey's water distribution area. Furthermore, most water wells in the area are shallower than the proposed APOA, "Well 89" and "Well 69R"(105 feet and 95 feet bls, respectively), and may not fully penetrate the aquifer (Gannett and Caldwell, 1998). Consequently, the proposed use of the APOA will not result in injury to neighboring wells that fully penetrate the aquifer.

b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?

☐ Yes ☐ No If yes, explain: _____

5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?

☐ Yes ☒ No Comments: The closest surface water source, Muddy Creek, is over 1 mile from the authorized POA and proposed APOA (USGS 2017). The APOA is less than 100 feet from the authorized POA and is not appreciably closer to surface water sources. Interference with nearby surface water is not expected to increase as a result of this transfer.

b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?

Stream: _____ ☐ Minimal ☐ Significant

Stream: _____ ☐ Minimal ☐ Significant

Provide context for minimal/significant impact: _____

6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?

☐ Yes ☐ No Comments: N/A

7. What conditions or other changes in the application are necessary to address any potential issues identified above: None

8. Any additional comments: None

References:

Application T-14333

Permit G-12998

Permit G-15551

Gannett, M.W. and Caldwell, R., 1998, *Geologic framework of the Willamette Lowland aquifer system, Oregon and Washington*, Professional Paper 1424-A, 32 p: U. S. Geological Survey, Reston, VA.

United States Geological Survey, 2017, *Halsey quadrangle, Oregon* [map], 1:24,000, 7.5 minute topographic series, U.S. Department of the Interior, Reston, VA.

Well Location Map

T-14333 City of Halsey



Service Layer Credits: Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

PERMIT AMENDMENT COVER SHEET

Transfer: T-14333

Permit Amendment Specialist: *Stacy*

Transfer Type: **Permit Amendment Transfer**

Reimbursement Authority? ☐

Applicant: City Of Halsey; Wes Hare CITY OF HALSEY PO BOX 10 HALSEY, OR 97348	Agent: GSI Water Solutions Inc.; Mikaela Clarke 650 NE Holladay St, Suite 900 Portland, OR 97232	CWRE:
Irrigation District:	Affected Local Gov'ts:	Affected Tribal Gov't:
BOR Notified (date):		

Permit(s) Affected

File Marked	App. File # or Decree Name	Permit Number	Superseding Permit Number
☐	G-13998	G-12998	
☐	G-15932	G-15551	
☐			

Key Dates & Initial Actions (Support Staff)

Rec'd: October 2, 2023	Proposed Action(s): ADDITIONAL POINT OF APPROPRIATION	
Fees Pd: 2860.00	Acknowledgement Letter Sent ☒	Basin: 2 · Willamette
Initial Public Notice: October 10, 2023	County sent cc: of Ack Letter ☐	County: LINN
WM District: 2 Lanaya F. Blakely	WM Review request sent:	WM Review date received:
ODFW District:	ODFW Review sent:	ODFW Review date received:
Groundwater	GW Review sent:	GW Review date received:

Caseworker Actions: Newspaper Notice and other:

Newspaper notice needed: ☐	Name of Newspaper:		
Newspaper notice sent to coordinator:	Newspaper notice quote requested (NRS1):		
Request for news \$ sent:	News \$ received:		
Affidavit of publication received:	Last day of publication:		
Extension of Time? ☐	Assignment? ☐	Previous Permit Amendments? ☐	WMCP? ☐

Peer Review:

Document	Drafted	Peer Review	Coordinator	Changes Made	Signature Bin	Signature Date
FO	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____ Data Review Date: _____	Date: _____ WM Sheet ☐ ODFW Sheet: ☐ No. of docs for sig: _____	Date: _____

Special Issues: _____

Special Order Volume: Vol. _____ Pages _____



Oregon

Tina Kotek, Governor

Water Resources Department

North Mall Office Building

725 Summer St NE, Suite A

Salem, OR 97301

Phone 503 986-0900

Fax 503 986-0904

October 4, 2023

CITY OF HALSEY
PO BOX 10
HALSEY, OR 97348

Reference: Application T-14333

On October 2, 2023, OWRD received your water right Permit Amendment Application. The application was accompanied by \$2860.00. Our receipt number 141714 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to our groundwater staff to determine whether the proposed well accesses the same source of water as the original well.

This application may require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

Except as provided under ORS 540.510(3) for municipalities, you may not use water from the new point of appropriation until a final order approving the application has been issued by the Department.

Refer to the following page for a chart showing the steps and expected timelines for the processing of your application.

If you have any questions, please contact the Transfer Section at (503) 986-0935.

Cc: Watermaster Dist. #2, Lanaya F. Blakely (via email)
Mikaela Clarke, Agent

Enclosure

Oregon Water Resources Department
Fee Calculation for Permit Amendment

[Main](#) [Help](#)
[Return](#) [Contact Us](#)

Today's Date: Tuesday, October 3, 2023

**Fee
Calculation**

Base Fee (includes one type of change to one permit for up to 1 cfs)

\$1,360.00

Fill in information below-- Check each box that applies.

Types of Change Proposed:

☐ Place of Use

☐ Point of Diversion (POD)/Appropriation (POA); and/or Additional POD/POA; and/or SW POD to GW POD

\$0.00

Enter total number of permits included in application.

\$610.00

☐ Check this box if you propose to add or change a well location, or change from a surface water POD to a well.

\$480.00

Enter total number of groundwater wells (POAs) included in permit amendment.

\$410.00

☐ Check this box if you propose to change the place of use for a NON-irrigation permit.

☐ Check this box if you propose to change the place of use for an irrigation permit.

Total Transfer CFS(rounded up to the next whole cfs):

Subtotal:

\$2,860.00

Check each box that applies.

☐ The transfer is necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932.

☐ The transfer is endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat.

Discount

Permit Amendment Fee:

\$2,860.00

[Return to Edit](#)

[Clear](#)

14333

Permit Amendment Application Intake Checklist

Permit Amendment # T-

Reviewer Corie L. Date 10/3/2023	Type of Change(s) Proposed: ☐ POU ☐ POD ☐ APOD ☐ POA ☒ APOA ☐ SW to GW
Calculated Fee \$2860	Fee Received \$2860
Permit: G-12998 Completion Date: 10/1/2025 Permit: G-15551 Completion Date: 10/1/2057 Permit: Completion Date:	Check <u>ALL</u> Permits in WRIS to confirm completion date is not expired
Notes:	

Application:			
1.	☒ YES ☐ NO		Have <u>ALL</u> of the applicant's signed and dated the application? If no, whose signature is missing?
2.	☒ YES ☐ NO		Part 5 of application: Does the information match the description of the explanation on Part 4 of the application?
3.	☒ YES ☐ NO ☐ N/A		For multiple permits: Each permit proposed for transfer has their own separate completed Part 5, Tables 1 & 2? If no, which permit(s) are missing separate Part 5, Tables 1 & 2?

Map Requirements:			
4.	☒ YES ☐ NO		Map included & to scale? (Separate map for each permit if more than 3 permits)
5.	☐ YES ☐ NO ☒ N/A		Map Waiver? The map waiver must be issued by the Department
Notes: The map doesn't have separate hatchery for each permit.			

Attachments:			
6.	☐ YES ☒ NO		Has the Permit Completion Date expired? (If yes, we cannot accept)
7.	☒ YES ☐ NO ☐ N/A		Land Use Form included and signed by the County?
8.	☐ YES ☐ NO ☒ N/A		Consent Form included, signed, & notarized (for applicants who are not a permit holder of record)?
9.	☐ YES ☐ NO ☒ N/A		Assignment?
10.	☒ YES ☐ NO ☐ N/A		For changes in POA/APOA – are the well logs included?
11.	☐ YES ☐ NO ☒ N/A		For change in POU within Umatilla County, Supplemental Form U included?

☒	Application complete: no deficiencies identified, assign a T-number and put this checklist in T-folder.
☐	Application DEFICIENT: DO NOT accept - return to applicant with letter explaining deficiencies identified.

14333 -

Permit Amendment Application Intake Checklist

Permit Amendment # T-14333

Reviewer Corie L. Date 10/3/2023	Type of Change(s) Proposed: ☐ POU ☐ POD ☐ APOD ☐ POA ☒ APOA ☐ SW to GW
Calculated Fee \$2860	Fee Received \$2860
Permit: G-12998 Completion Date: 10/1/2025 Permit: G-15551 Completion Date: 10/1/2057 Permit: Completion Date:	Check ALL Permits in WRIS to confirm completion date is not expired
Notes:	

Application:			
1.	☒ YES	☐ NO	Have ALL of the applicant's signed and dated the application? If no, whose signature is missing?
2.	☒ YES	☐ NO	Part 5 of application: Does the information match the description of the explanation on Part 4 of the application?
3.	☒ YES	☐ NO	☐ N/A
For multiple permits: Each permit proposed for transfer has their own separate completed Part 5, Tables 1 & 2? If no, which permit(s) are missing separate Part 5, Tables 1 & 2?			

Map Requirements:			
4.	☒ YES	☐ NO	Map included & to scale? (Separate map for each permit if more than 3 permits)
5.	☐ YES	☐ NO	☒ N/A
Map Waiver? The map waiver must be issued by the Department			
Notes: The map doesn't have separate hatchery for each permit.			

Attachments:			
6.	☐ YES	☒ NO	Has the Permit Completion Date expired? (If yes, we cannot accept)
7.	☒ YES	☐ NO	☐ N/A
Land Use Form included and signed by the County?			
8.	☐ YES	☐ NO	☒ N/A
Consent Form included, signed, & notarized (for applicants who are not a permit holder of record)?			
9.	☐ YES	☐ NO	☒ N/A
Assignment?			
10.	☒ YES	☐ NO	☐ N/A
For changes in POA/APOA – are the well logs included?			
11.	☐ YES	☐ NO	☒ N/A
For change in POU within Umatilla County, Supplemental Form U included?			

☒	Application complete: no deficiencies identified, assign a T-number and put this checklist in T-folder.
☐	Application DEFICIENT: DO NOT accept - return to applicant with letter explaining deficiencies identified.

14333 -

PHILLIPS Stacy H * WRD

From: SMITH Tamera L * WRD
Sent: Thursday, March 14, 2024 3:28 PM
To: MUTH Adair * WRD; COPE Kerri H * WRD
Cc: JARAMILLO Lisa J * WRD; PHILLIPS Stacy H * WRD
Subject: RE: City of Halsey greenlight water - response: City has water with dev. lims.

Categories: Permit Amendment Stuff

Hi Adair,

The City of Halsey has a WMCP in good standing that was issued on 1/25/2022. The WMCP outlines development limitations as follows:

- Permit G-12998 0.501 cfs out of 0.613 cfs
- Permit G-12998 0.32 cfs out of 1.0 cfs

The City is limited to the highlighted amounts at this time, but that is the water they are using/need, as provided in their Final WMCP dated January 3, 2022.

The City has applied for a Permit Amendment: T-14333, which is for both permits mentioned, adding Additional Points of Appropriation (APOAs). These development limitations will still be reflected upon approval of the Permit Amendment. When the City next sends in a new WMCP (date required: July 19, 2031), this is typically when they will show in the plan the need for greenlight water (more water from the development limitations) for each permit.

If I misunderstand your question, let's chat briefly on Teams.

Thank you for your inquiry.

Kindest regards,
Tamera

From: MUTH Adair * WRD <Adair.MUTH@water.oregon.gov>
Sent: Thursday, March 14, 2024 2:56 PM
To: COPE Kerri H * WRD <Kerri.H.COPE@water.oregon.gov>; SMITH Tamera L * WRD <Tamera.L.SMITH@water.oregon.gov>
Subject: City of Halsey greenlight water

Hi Kerri and Tamera,

The City of Halsey received a Direct Appropriation from the 2023 Legislature, and we are working with them to enter into a grant agreement to drill a new well and connect it to their water system.

Here is the project summary they provided:

The City of Halsey sources water for the City through two groundwater wells located at the public works shop site. One of the wells (#69) has shown deteriorated service capacity, and after inspection, it was found that the casing perforations were obstructed. A feasibility analysis was prepared to look into refurbishment of the existing well, but due to the uncertainty of the results and the relatively high cost, the City has decided to replace the well entirely.

Does the City of Halsey need greenlight water and if so, do they have it? The water rights they identify in their application are G-12998 and G-15551.

Thanks for your help!
Adair

Adair Muth

Grant Coordinator
Planning, Collaboration, and Investments
725 Summer Street NE, Suite A Salem, OR 97301 | Phone 971-301-0718
Pronouns: she/her



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

PHILLIPS Stacy H * WRD

From: SMITH Tamera L * WRD
Sent: Thursday, March 14, 2024 3:30 PM
To: PHILLIPS Stacy H * WRD
Subject: City of Halsey

Categories: Permit Amendment Stuff

Hi Stace,

How are you? Hopefully doing well 😊

I just cc'd you on a response to Adair's question about greenlight water for City of Halsey. I cc'd you because of their permit amendment (I think these are in your wheelhouse?), and just to give you a heads up that they have development limitations in their WMCP. If you have any questions down the road when you are working on the PA, let me or Kerri know.

Thanks,
T

Tamera Smith

EMAIL: tamera.l.smith@water.oregon.gov
MODERNIZATION COORDINATOR AND CONSERVATION ANALYST, TRANSFERS AND CONSERVATION SECTION
725 Summer St. NE, Suite A | Salem, Oregon 97301 | PHONE: 458-253-0597



Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

NOTE: OWRD offices are now open to the public. Given that many staff continue to work remotely or have job duties that take them into the field on a regular basis, availability of staff in the office is not guaranteed 8 a.m. - 5 p.m. every day. The Salem office is closed from 12:00 – 1:00 pm. **Customers and visitors are encouraged to schedule an appointment in advance if they wish to meet in person with specific staff members.** Alternative methods for meeting, such as by phone or virtually via Microsoft Teams, are also available.

Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department
725 Summer St NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Transfer Application: T-14333

Review Due Date:

Applicant Name: City of Halsey

Proposed Changes: ☐ POU ☐ POD ☒ POA ☐ USE ☐ OTHER

Reviewer(s): Lanaya Blakely

Date of Review:

1. Do you have evidence that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? ☐ Yes ☒ No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2. Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? ☐ Yes ☒ No Generally characterize the frequency of any regulation or explain why regulation has not occurred:
3. Have headgate notices been issued for the source that serves the transferred right(s)?
☐ Yes ☒ No ☐ Records not available.
4. In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? ☐ Yes ☒ No If "Yes", explain:
5. In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? ☐ Yes ☒ No If "Yes", describe how the rights would be affected and list the rights most affected:

6. Check here ☐ if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most:

☒ N/A

7. For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses:

☐ N/A

8. For instream transfers that propose protection of a reach beyond the mouth of the source stream:

☒ N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? ☐ Yes ☐ No

9. For POU changes: ☒ N/A Is it likely the original place of use would continue to receive water from the same source? ☐ Yes ☐ No If "Yes", explain:

10. For POU or USE changes: ☒ N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste?

☐ Yes ☐ No If "Yes", explain:

11. For POU changes that involve micro-irrigation: ☒ N/A

- a. Has the applicant made changes (absent a transfer) to convert to micro-irrigation within the current place of use boundary of the water right proposed for transfer, and previously demonstrated to the Department through monitoring and site inspections by the Watermaster that the proposed transfer will not result in injury or enlargement?

☐ Yes ☐ No If "Yes", explain:

- b. Has a temporary transfer of this nature been previously filed and approved on the same lands (or portions thereof) as those lands involved in this transfer?

☐ Yes ☒ No If "Yes", answer the following:

- i. Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? ☐ Yes ☐ No If "Yes", explain:
- ii. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? ☐ Yes ☐ No If "No", explain:
- iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? ☐ Yes ☐ No If "No", explain:
- iv. Do you have any other observations regarding the temporary transfer? ☐ Yes ☐ No If "Yes", describe:
- v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- c. To the best of your knowledge, if this transfer is approved, does it appear that:

- i. "Injury" will occur to other water rights that share the same source?

☐ Yes ☐ No If "Yes", explain:

- ii. "Enlargement" of the water right being transferred will occur?

☐ Yes ☐ No If "Yes", explain:

12. Are there other issues not identified through the above questions that should be considered in determining whether the change "can be effected without injury to other rights"?

☒ Yes ☐ No If "Yes", explain:

A flowmeter should be installed to ensure the maximum rate is not exceeded.

13. What alternatives may be available for addressing any issues identified above:

14. Do conditions need to be included in the transfer order to avoid enlargement of the right or injury to other rights? ☐ No ☒ Yes, as checked and provided below:

☐ For POU changes that involve micro-irrigation, provide the monitoring and reporting conditions necessary to prevent injury/enlargement:

☐ A Headgate should be required prior to diverting water.

☒ Measurement Devices for POD or POA: (if this condition is selected, also fill in the top sections of Page 4)

*a. Before water use may begin under this order, the water user shall install a **totalizing flow meter***, or, with prior approval of the Director, another suitable measuring device, ☒ at each point of diversion/appropriation (new and existing) OR at each new point of diversion/appropriation ☐ with the exception that water rights issued to the Bureau of Reclamation or an irrigation district (or similar entity) are not subject to this condition.*

b. The water user shall maintain the meters or measuring devices in good working order.

c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

☐ Reservoir water use measurement: (if this condition is selected, also fill in the top sections of Page 4)

*a. Before water use may begin under this order, the water user shall install **staff gages***, or, with prior approval of the Director, other suitable measuring devices, that measure the entire range and stage between empty and full in each reservoir. Staff gages shall be United States Geological Survey style.*

b. Before water use may begin under this order, if the reservoir is located in channel, weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, an adjustable outlet valve must be installed. The water user shall maintain such devices in good working order. A written waiver may be obtained, if in the judgment of the Director, the installation of weirs or other suitable measuring devices, or the adjustable outlet valve, will provide no public benefit.

* The following alternative device(s) should be substituted for the bold, underlined device in the above selected condition:

☐

Weir

☐

Submerged Orifice

☐

Parshall Flume

☐

Flow Restrictor

☐

Other: _____

Oregon Water Resources Department**Measurement Condition Information for the Applicant***(To be sent with the Draft Preliminary Determination or Final Order)*Transfer #: T- **14333**

In order to avoid enlargement of the right or injury to other rights, a **totalizing flow meter** will be required to be installed prior to diversion of water, as a condition of this transfer:



at each point of diversion/appropriation (new and existing) **OR**



at each new point of diversion/appropriation.

For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:

Watermaster name: **Lanaya Blakely**District: **2**Address: **125 E 8th Ave**City/State/Zip: **Eugene, OR 97401**Phone: **541-913-1154**Email: **Lanaya.F.Blakely@water.oregon.gov**

Note: If a device other than the one specified in the Preliminary Determination or Final Order is approved by the Watermaster, fill out and mail the form below to the Salem office.

Approval of an Alternate Measurement Device**T- 14333***(to be filled out after consultation with the applicant, or after a site visit)*

On behalf of the Director, I authorize use of the following suitable **alternate measurement device**:

Watermaster signature

District

Date

If this form is used for approval of an alternative measurement device, it must be mailed to:

Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

Application for Permit Amendment

Part 1 of 5 – Minimum Requirements Checklist



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

This permit amendment application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

OCT 02 2023

OWRD

Check all items included with this application. (N/A = Not Applicable)

- ☒ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Application Map Checklist.
- ☒ Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at:
http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator. **Fee enclosed in the amount of \$2,860.00**
- ☒ Part 4 – Completed Applicant Information and Signature.
- ☒ Part 5 – Information about Permits to be Amended: **Number of permits to be amended: 2**
List the Permits here: G-12998 & G-15551 (See Attachment A)
Please include a separate Part 5 for each permit. (See instructions on page 6)
- ☒ Completed Permit Amendment Application Map (Does not have to be prepared by a Certified Water Right Examiner). **See Attachment B**
- ☐ ☒ N/A Request for Assignment Form and statutory fee. The request for assignment form has to be completed if the applicant is **not** the permit holder of record and needs to be assigned to the permit; **or** the landowner of the proposed place of use is **not** the permit holder of record and needs to be assigned to the permit (the Request for Assignment Form is available online at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>). Assignment is not needed if the applicant is the permit holder of record.
- ☐ ☒ N/A Affidavit(s) of Consent are required from all permit holder(s) of record if the permit is not assigned to the applicant **or** other permit holders of record that are not listed as applicants.
- ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone. **See Attachment C**
- ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation. **See Attachment D**
- ☐ ☒ N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500 feet from the surface water source and more than 1000 feet upstream or downstream from the point of diversion. (ORS 540.531(2) or (3)).

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

___ Application fee not enclosed/insufficient ___ Map not included or incomplete

___ Land Use Form not enclosed or incomplete

___ Additional signature(s) required ___ Part ___ is incomplete

Other/Explanation _____

Staff: _____ 503- _____ Date: ____/____/____

Part 2 of 5 – Permit Amendment Map Checklist

Your permit amendment application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

RECEIVED
OCT 02 2023
OWRD

- ☐ ☒ N/A If **more than three** permits are involved, separate maps for each permit.
- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- ☒ Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes separate hachuring for each water use permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the permit is being changed, a separate hachuring is needed for the portion of the permit left unchanged.
- ☐ ☒ N/A If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water use permit.
- ☒ ☐ N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Part 3 of 5 – Fee Worksheet

FEE WORKSHEET for PERMIT AMENDMENT			
1	Base Fee (includes one type of change to one permit for up to 1 cfs)	1	\$1,360
	Types of change proposed: ☐ Place of Use ☒ Point of Diversion/Appropriation Number of above boxes checked = <u>1 (2a)</u> Subtract 1 from the number in line 2a = <u>0 (2b)</u> <i>If only one change, this will be 0</i>		
2	Multiply line 2b by \$1090 and enter »	2	0
3	Number of permits included in Permit Amendment <u>2 (3a)</u> Subtract 1 from the number in 3a: <u>1 (3b)</u> <i>If only one permit this will be 0</i> Multiply line 3b by \$610 and enter »	3	\$610
4	Do you propose to add or change a well, or change from a surface water POD to a well? ☐ No: enter 0 ☒ Yes: enter \$480 for the 1 st well to be added or changed <u>480 (4a)</u> Do you propose to add or change additional wells? ☐ No: enter 0 ☒ Yes: multiply the number of additional wells by \$410 <u>410 (4b)</u> Add line 4a to line 4b and enter »	4	\$890
5	Do you propose to change the place of use? ☒ No: enter 0 on line 5 ☐ Yes: enter the cfs for the portions of the permits to be amended (see below*): _____ (5a) Subtract 1.0 from the number in 5a above: _____ (5b) If 5b is 0, enter 0 on line 5 » If 5b is greater than 0, round up to the nearest whole number: _____ (5c) and multiply 5c by \$350, then enter on line 5 »	5	0
6	Add entries on lines 1 through 5 above » » » » » » » » » » Subtotal:	6	\$2,860
7	Is this permit amendment: ☐ necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? ☐ endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 If no box is applicable, enter 0 on line 7 »	7	0
8	Subtract line 7 from line 6 » » » » » » » » » » » » » » » » Permit Amendment Fee:	8	\$2,860

*Example for Line 5a calculation to transfer 45.0 acres of Primary Permit S-12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Permit S-87654 (1/80 cfs per acre) on the same land:

1. For irrigation calculate cfs for each permit involved as follows:
 - a. Divide total authorized cfs by total acres in the permit (*for S-12345, 1.25 cfs ÷ 100 ac*); then multiply by the number of acres to be changed to get the application cfs (*x 45 ac = 0.56 cfs*).
 - b. If the water right permit does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (*For S-87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs*)
2. Add cfs for the portions of permits on all the land included in the application; however **do not count cfs for supplemental permits on acreage for which you have already calculated the cfs fee for the primary permit on the same land**. The fee should be assessed only once for each “on the ground” acre included in the application. (*In this example, blank 5a would be only 0.56 cfs, since both permits serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0.*)

also become a
RECEIVED
OCT 02 2023
14333
TACS
OWRD

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME City of Halsey, Attn: Wes Hare			PHONE NO. 541-369-2522	ADDITIONAL CONTACT NO.
ADDRESS PO Box 10				FAX NO.
CITY Halsey	STATE OR	ZIP 97348	E-MAIL Admin@HalseyOR.gov	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME GSI Water Solutions Inc., Attn: Mikaela Clarke			PHONE NO. 971-200-8501	ADDITIONAL CONTACT NO.
ADDRESS 650 NE Holladay Street, Suite 900				FAX NO.
CITY Portland	STATE OR	ZIP 97232	E-MAIL mclarke@gsiws.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Explain in your own words what you propose to accomplish with this permit amendment; and why:
The applicant is proposing to add two additional points of appropriation, Well 69R and Well 98, to Permit G-12998, and to add one additional point of appropriation, Well 69R, to Permit G-15551.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

☐ Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Is the applicant the permit holder of record? ☒ Yes ☐ No

If NO, include either:

- ☐ A completed assignment form (with required statutory assignment fee), assigning all or a portion of the permit to the applicant(s), **OR**
- ☐ An affidavit of consent from the permit holder(s) of record that gives permission for the applicant to amend the permit.

Has the Completion ("C") Date of the permit(s) in this application expired? ☐ Yes ☒ No

If YES, this application will not be accepted by the Department.

If NO, what are the completion dates of the permit(s)? **Permit G-12998: 10/1/2025, Permit G-15551: 10/1/2027**

- If the permit completion date expires while the Permit Amendment Application is pending, the Department will not approve the Permit Amendment Application until an Extension of Time Application is approved for the permit.
- You may consider using the Reimbursement Authority process to expedite the processing of this Permit Amendment Application if the completion date of the permit expires within 6 months of the date of filing this application.

RECEIVED
OCT 02 2023
OWRD

By my signature below, I confirm that I understand:

- Prior to Department approval of the permit amendment, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the permit is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: The Brownsville Times

I (we) affirm that the information contained in this application is true and accurate.



Wes Hare

Applicant Signature

Wes Hare, City Administrator

Print Name (and Title if applicable)

9/14/2023

Date

Check one of the following:

- ☒ The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- ☐ The permit holder(s) of record will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to the permit holder(s) of record.


Check the appropriate box, if applicable:

- ☐ Check here if any of the permits proposed for amendment are or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME N/A	ADDRESS	
CITY	STATE	ZIP

- ☐ Check here if water for any of the permits supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME N/A	ADDRESS	
CITY	STATE	ZIP



To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME City of Halsey	ADDRESS 100 W. Halsey St. PO Box 10	
CITY Halsey	STATE OR	ZIP 97348

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

RECEIVED

OCT 02 2023

OWRD

Part 5 of 5 – Water Use Permit Information

PERMIT # G-12998**Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)**

(Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 69* (Well 2)	☒ Authorized ☐ Proposed	LINN 13705	14	S	4	W	1	NE	SE	3300	350 feet South and 1010 feet West from E ¼ corner, Section 1 **
Well 98	☐ Authorized ☒ Proposed	LINN 51585	14	S	4	W	1	NE	SE	3300	328 feet South and 1095 feet West from E ¼ corner, Section 1
Well 69R	☐ Authorized ☒ Proposed	N/A	14	S	4	W	1	NE	SE	3300	370 feet South and 1110 feet West from E ¼ corner, Section 1

*Permit G-13998 lists this point of appropriation as "Well 2". The applicant is requesting that the name of this point of appropriation be updated to Well 69.

**This location description more accurately describes the location of Well 69.

The applicant requests that the Department issue a superseding permit with the new naming conventions and location descriptions to eliminate confusion.

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|---|--|
| ☐ Place of Use (POU) | ☐ Point of Appropriation/Well (POA) |
| ☐ Point of Diversion (POD) | ☒ Additional Point of Appropriation (APOA) |
| ☐ Additional Point of Diversion (APOD) | ☐ Surface water POD to Ground Water POA (SW/GW) |

Will all of the proposed changes affect the entire water use permit?

- ☒ Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- ☐ No Complete all of Table 2 to describe the portion of the permit to be changed.

For a change in place of use: **N/A**

Does the permit holder of record own or control the land TO which the place of use is being moved?

☐ Yes ☐ No

If NO, the landowner of the land TO which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

Is the proposed place of use contiguous to the authorized place of use? ☐ Yes ☐ No

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use unless the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the

listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

RECEIVED

OCT 02 2023

OWRD 14333

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer

Table 2. Description of Changes to Water Use Permit # G-12998

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.										Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.									
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) to be used (from Table 1)	Priority Date		
EXAMPLE																				
2	S	9	E 15 NE NW	100		15.0	POD #1 POD #2		POU/POD	2	S	9	E 15 NW NW	100	1	10.0	POD #5			
"	"	"	"	"	"	EXAMPLE	"		"	2	S	9	E 15 SW NW	200		5.0	POD #6			
									APOA	City of Halsey Service Area (See maps in Attachment B)						Well 69, Well 98, Well 69R	3/3/1995			
TOTAL ACRES										TOTAL ACRES						N/A				

Additional remarks: The applicant is requesting to add two additional points of appropriation (Well 98 and Well 69R) to Permit G-12998. Additionally, the applicant is requesting that the point of appropriation listed as Well 2 in Permit G-12998 be renamed Well 69 in a superseding permit to eliminate confusion.

RECEIVED
OCT 02 2023
OWRD

Are there other water rights certificates, water use permits or ground water registrations associated with the "from" or "to" lands? ☐ Yes ☐ No

If YES, list the other certificate, permit, or ground water registration numbers: **N/A – Permit G-12998 is for municipal use, so "layering" does not apply.**



If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- ☒ Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. **See Attachment D for Well Logs**

AND/OR

- ☒ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
Well 69R	NO	N/A	95'	12"	+3-45' 80-95'	0-30'	45-80'	5'	Alluvium	N/A

RECEIVED

OCT 02 2023

OWRD

14333 -

RECEIVED

OCT 02 2023

OWRD

Part 5 of 5 – Water Use Permit Information

PERMIT # G-15551

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 69* (Well 2)	☒ Authorized ☐ Proposed	LINN 13705	14	S	4	W	1	NE	SE	3300	350 feet South and 1010 feet West from E ¼ corner, Section 1 ***
Well 98** (Well 3)	☒ Authorized ☐ Proposed	LINN 51585	14	S	4	W	1	NE	SE	3300	328 feet South and 1095 feet West from E ¼ corner, Section 1 ***
Well 69R	☐ Authorized ☒ Proposed	N/A	14	S	4	W	1	NE	SE	3300	370 feet South and 1110 feet West from E ¼ corner, Section 1

*Permit G-15551 lists this point of appropriation as "Well 2". The applicant is requesting that the name of this point of appropriation be updated to Well 69.

**Permit G-15551 lists this point of appropriation as "Well 3". The applicant is requesting that the name of this point of appropriation be updated to Well 98.

***The provided location descriptions for Well 69 and Well 98 more accurately describe the locations for the wells.

The applicant requests that the Department issue a superseding permit with the new naming conventions and location descriptions to eliminate confusion.

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|---|--|
| ☐ Place of Use (POU) | ☐ Point of Appropriation/Well (POA) |
| ☐ Point of Diversion (POD) | ☒ Additional Point of Appropriation (APOA) |
| ☐ Additional Point of Diversion (APOD) | ☐ Surface water POD to Ground Water POA (SW/GW) |

Will all of the proposed changes affect the entire water use permit?

- ☒ Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- ☐ No Complete all of Table 2 to describe the portion of the permit to be changed.

For a change in place of use: N/A

Does the permit holder of record own or control the land TO which the place of use is being moved?

☐ Yes ☐ No

If NO, the landowner of the land TO which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

Is the proposed place of use contiguous to the authorized place of use? ☐ Yes ☐ No

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use unless the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken

for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

RECEIVED

OCT 02 2023

OWRD

14333

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer

Table 2. Description of Changes to Water Use Permit # G-15551

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.										Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.													
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) to be used (from Table 1)	Priority Date						
EXAMPLE																								
2	S	9	E	15	NE	NW	100		15.0	POD #1 POD #2		POU/POD	2	S	9	E	15	NW	NW	100	1	10.0	POD #5	
"	"	"	"	"	"	"	"	"	EXAMPLE	"		"	2	S	9	E	15	SW	NW	200		5.0	POD #6	
												APOA	City of Halsey Service Area (See maps in Attachment B)									Well 69, Well 98, Well 69R		2/24/2003
TOTAL ACRES													TOTAL ACRES					N/A						

Additional remarks: The applicant is requesting to add an additional point of appropriation (Well 69R) to Permit G-15551. Additionally, the applicant is requesting that the point of appropriation listed as Well 2 in Permit G-15551 be renamed Well 69, and that the point of appropriation listed as Well 3 in Permit G-15551 be renamed Well 98 in a superseding permit to eliminate confusion.

RECEIVED
OCT 02 2023
OWRD

Are there other water rights certificates, water use permits or ground water registrations associated with the "from" or "to" lands? ☐ Yes ☐ No

If YES, list the other certificate, permit, or ground water registration numbers: N/A – Permit G-15551 is for municipal use, so "layering" does not apply.



If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- ☒ Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. See Attachment D for Well Logs

AND/OR

- ☒ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
Well 69R	NO	N/A	95'	12"	+3-45' 80-95'	0-30'	45-80'	5'	Alluvium	N/A

RECEIVED

OCT 02 2023

OWRD 14333 -

STATE OF OREGON

COUNTY OF LINN

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CITY OF HALSEY
773 W FIRST ST
HALSEY, OREGON 97348

(541) 369-2522

The specific limits for the use and conditions are listed below.

APPLICATION FILE NUMBER: G-13998

SOURCE OF WATER: WELL 2 WITHIN THE WILLAMETTE BASIN

PURPOSE OR USE: MUNICIPAL USE

MAXIMUM RATE: 0.613 CUBIC FOOT PER SECOND

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: March 3, 1995

POINT OF DIVERSION LOCATION: NE 1/4 SE 1/4, SECTION 1, T14S, R4W, W.M.;
340 SOUTH AND 1030 FEET WEST FROM THE E 1/4 CORNER OF SECTION 1

THE PLACE OF USE IS LOCATED AS FOLLOWS:

WITHIN THE CITY OF HALSEY SERVICE AREA

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

Application G-13998 Water Resources Department

PERMIT G-12998

RECEIVED

OCT 02 2023

OWRD

PAGE 2

The water user shall develop a plan to monitor and report the impact of water use under this permit on water levels within the aquifer that provides water to the permitted well(s). The plan shall be submitted to the Department within one year of the date the permit is issued and shall be subject to the approval of the Department. At a minimum, the plan shall include a program to periodically measure static water levels within the permitted well(s) or an adequate substitute such as water levels in nearby wells. The plan shall also stipulate a reference water level against which any water-level declines will be compared. If a well listed on this permit (or replacement well) displays a total static water-level decline of 25 or more feet over any period of years, as compared to the reference level, then the water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s). Such action shall be taken until the water level recovers to above the 25-foot decline level or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit.

Within one year of permit issuance, the permittee shall submit a water management and conservation plan consistent with OAR Chapter 690, Division 86.

STANDARD CONDITIONS

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction of the well shall begin within one year from permit issuance, and shall be completed on or before October 1, 1998. Complete application of the water to the use shall be made on or before October 1, 1999.

Issued November 29, 1996

B+C \$5

RECEIVED

OCT 02 2023

OWRD

Referee B. Bailey for
Martha O. Pagel, Director
Water Resources Department

STATE OF OREGON

COUNTY OF LINN

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CITY OF HALSEY
PO BOX 10
HALSEY, OR 97348

(541) 466-5421

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-15932

SOURCE OF WATER: WELL 2 AND WELL 3 IN MUDDY CREEK BASIN

PURPOSE OR USE: MUNICIPAL USE

MAXIMUM RATE: 1.0 CUBIC FOOT PER SECOND

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: FEBRUARY 24, 2003

RECEIVED

OCT 02 2023

OWRD

WELL LOCATIONS:

WELL 2: NE $\frac{1}{4}$ SE $\frac{1}{4}$ SECTION 1, T14S, R4W, W.M.; 44 DEGREES 22 MINUTES 50.948 SECONDS NORTH, 123 DEGREES 6 MINUTES 45.094 SECONDS WEST

WELL 3: NE $\frac{1}{4}$ SE $\frac{1}{4}$ SECTION 1, T14S, R4W, W.M.; 44 DEGREES 22 MINUTES 50.763 SECONDS NORTH, 123 DEGREES 6 MINUTES 43.934 SECONDS WEST

THE PLACE OF USE IS LOCATED AS FOLLOWS:

WITHIN THE SERVICE BOUNDARIES OF THE CITY OF HALSEY

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information,

including the place and nature of use of water under the permit.

- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

The water user shall develop a plan to monitor and report the impact of water use under this permit on water levels within the aquifer that provides water to the permitted well(s). The plan shall be submitted to the Department within one year of the date the permit is issued and shall be subject to the approval of the Department. At a minimum, the plan shall include a program to periodically measure static water levels within the permitted well(s) or an adequate substitute such as water levels in nearby wells. The plan shall also stipulate a reference water level against which any water-level declines will be compared. If a well listed on this permit (or replacement well) displays a total static water-level decline of 25 or more feet over any period of years, as compared to the reference level, then the water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s). Such action shall be taken until the water level recovers to above the 25-foot decline level or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit.

Within 3 years of permit issuance, the permittee shall submit a Water Management and Conservation Plan consistent with OAR Chapter 690, Division 86. The Director may approve an extension of this time line to complete the required Water Management and Conservation Plan. The time line for submittal of a plan under this permit does not alter the time lines for submittal of a plan under any other order of the Department.

STANDARD CONDITIONS

If the number, location, or construction of any well deviates from that proposed in the permit application or permit conditions, the conclusions of the Proposed Final Order and Final Order under which this permit was granted may be revised, conditions may be appropriately revised, or this permit may not be valid.

RECEIVED

OCT 02 2023

OWRD

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Complete application of the water to the use shall be made on or before October 1, 2008. If the water is not completely applied before this date, and the permittee wishes to continue development under the permit, the permittee must submit an application for extension of time, which may be approved based upon the merit of the application.


RECEIVED

OCT 02 2023

OWRD

Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).


Issued January 16, 2004


Paul R. Gledhill, Director
Water Resources Department

REAL ESTATE TRANSACTIONS: Pursuant to ORS 537.330, in any transaction for the conveyance of real estate that includes any portion of the lands described in this permit, the seller of the real estate shall, upon accepting an offer to purchase that real estate, also inform the purchaser in writing whether any permit, transfer approval order, or certificate evidencing the water right is available and that the seller will deliver any permit, transfer approval order or certificate to the purchaser at closing, if the permit, transfer approval order or certificate is available.

CULTURAL RESOURCES PROTECTION LAWS: Permittees involved in ground-disturbing activities should be aware of federal and state cultural resources protection laws. ORS 358.920 prohibits the excavation, injury, destruction or alteration of an archeological site or object, or removal of archeological objects from public and private lands without an archeological permit issued by the State Historic Preservation Office. 16 USC 470, Section 106, National Historic Preservation Act of 1966 requires a federal agency, prior to any undertaking to take into account the effect of the undertaking that is included on or eligible for inclusion in the National Register. For further information, contact the State Historic Preservation Office at 503-378-4168, extension 232.

RECEIVED
OCT 02 2023
OWRD



LEGEND

- Authorized Point of Appropriation
- Proposed Additional Point of Appropriation
- Conveyance Line
- Place of Use, Permits G-12998 and G-15551
- Property Boundary
- Tax Lot
- City of Halsey Boundary
- Railroad
- Watercourse
- Waterbody

LOCATION DESCRIPTIONS

Authorized Point of Appropriation

Well 69 (LINN 13705): Located 350 feet South and 1010 feet West from E 1/4 corner, Section 1, Township 14 South, Range 4 West (W.M.)

Proposed Additional Point of Appropriation

Well 69R: Located 370 feet South and 1110 feet West from E 1/4 corner, Section 1, Township 14 South, Range 4 West (W.M.)

Well 98 (LINN 51585): Located 328 feet South and 1095 feet West from E 1/4 corner, Section 1, Township 14 South, Range 4 West (W.M.)

Permit Amendment Application for Permit G-12998 City of Halsey

Place of Use/Points of Appropriation Map Township 14 South, Range 4 West (W.M.)

DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.


Date: September 13, 2023

Data Sources: BLM, ESRI, OWRD, USGS


RECEIVED

OCT 02 2023

OWRD



14333 -



LEGEND

- Authorized Point of Appropriation
- Proposed Additional Point of Appropriation
- Conveyance Line
- Place of Use, Permits G-12998 and G-15551
- Property Boundary
- Tax Lot
- City of Halsey Boundary
- Railroad
- Watercourse
- Waterbody

LOCATION DESCRIPTIONS

Authorized Points of Appropriation

Well 69 (LINN 13705): Located 350 feet South and 1010 feet West from E 1/4 corner, Section 1, Township 14 South, Range 4 West (W.M.)

Well 98 (LINN 51585): Located 328 feet South and 1095 feet West from E 1/4 corner, Section 1, Township 14 South, Range 4 West (W.M.)

Proposed Additional Point of Appropriation

Well 69R: Located 370 feet South and 1110 feet West from E 1/4 corner, Section 1, Township 14 South, Range 4 West (W.M.)

Permit Amendment Application for Permit G-15551 City of Halsey

Place of Use/Points of Appropriation Map
Township 14 South, Range 4 West (W.M.)

RECEIVED


OCT 02 2023

OWRD

DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

Date: September 13, 2023
Data Sources: BLM, ESRI, OWRD, USGS



Land Use Information Form

OREGON Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD
**WATER RESOURCES
DEPARTMENT**

Applicant(s): City of Halsey, Attn: Wes Hare

Mailing Address: PO Box 10

City: Halsey

State: OR

Zip Code: 97348

Daytime Phone: 541-369-2522

RECEIVED

OCT 02 2023

OWRD

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:	Proposed Land Use:
14 S	4 W	1	NE SE	3300	R-1	☒ Diverted ☒ Conveyed ☒ Used	Municipal

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

City of Halsey

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water ☐ Water Right Transfer ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License ☐ Allocation of Conserved Water ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 1.613 ☒ cubic feet per second ☐ gallons per minute ☐ acre-feet

Intended use of water: ☐ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☒ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

The applicant is proposing to add two additional points of appropriation, Well 69R and Well 98, to Permit G-12998, and to add one additional point of appropriation, Well 69R, to Permit G-15551. The location of the wells is listed in the above table and shown on the attached maps.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information


- ☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s):
- ☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

The wells are/will be located on the existing City of Halsey public works property. No additional land use decisions are required for the rehabilitation of existing wells or development of new municipal wells.

Name: David W. Kinney Title: City Planner

Signature:  Phone: 503.551.0899 Date: 9-15-2023

Government Entity: City of Halsey


Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____

City or County: _____ Staff contact: _____

Signature: _____ Phone: _____ Date: _____



LEGEND

- Authorized Point of Appropriation
- Proposed Additional Point of Appropriation
- Conveyance Line
- Place of Use, Permits G-12998 and G-15551
- Property Boundary
- Tax Lot
- City of Halsey Boundary
- Railroad
- Watercourse
- Waterbody

LOCATION DESCRIPTIONS

Authorized Point of Appropriation

Well 69 (LINN 13705): Located 350 feet South and 1010 feet West from E 1/4 corner, Section 1, Township 14 South, Range 4 West (W.M.)

Proposed Additional Point of Appropriation

Well 69R: Located 370 feet South and 1110 feet West from E 1/4 corner, Section 1, Township 14 South, Range 4 West (W.M.)

Well 98 (LINN 51585): Located 328 feet South and 1095 feet West from E 1/4 corner, Section 1, Township 14 South, Range 4 West (W.M.)

Permit Amendment Application for Permit G-12998 City of Halsey

Place of Use/Points of Appropriation Map

Township 14 South, Range 4 West (W.M.)

DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

Date: September 13, 2023

Data Sources: BLM, ESRI, OWRD, USGS

RECEIVED


OCT 02 2023

OWRD



0 400 800
1 inch = 400 feet





LEGEND

- Authorized Point of Appropriation
- Proposed Additional Point of Appropriation
- Conveyance Line
- Place of Use, Permits G-12998 and G-15551
- Property Boundary
- Tax Lot
- City of Halsey Boundary
- Railroad
- Watercourse
- Waterbody

LOCATION DESCRIPTIONS

Authorized Points of Appropriation

Well 69 (LINN 13705): Located 350 feet South and 1010 feet West from E 1/4 corner, Section 1, Township 14 South, Range 4 West (W.M.)

Well 98 (LINN 51585): Located 328 feet South and 1095 feet West from E 1/4 corner, Section 1, Township 14 South, Range 4 West (W.M.)

Proposed Additional Point of Appropriation

Well 69R: Located 370 feet South and 1110 feet West from E 1/4 corner, Section 1, Township 14 South, Range 4 West (W.M.)

Permit Amendment Application for Permit G-15551 City of Halsey

Place of Use/Points of Appropriation Map Township 14 South, Range 4 West (W.M.)

DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

Date: September 13, 2023

Data Sources: BLM, ESRI, OWRD, USGS

RECEIVED

OCT 02 2023

OWRD



0 400 800
1 inch = 400 feet



14333 -