

# Application for Permit Amendment

## Part 1 of 4 – Minimum Requirements Checklist



Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266  
(503) 986-0900  
www.oregon.gov/OWRD

**This permit amendment application will be returned if Parts 1 through 4 and  
all required attachments are not completed and included.**

For questions, please call (503) 986-0900, and ask for Transfer Section.

Received

Check all items included with this application. (N/A = Not Applicable)

- Part 1 – Completed Minimum Requirements Checklist.
- Part 2 – Completed Application Map Checklist.
- Part 3 – Completed Applicant Information and Signature.
- Part 4 – Information about Permits to be Amended: **Number of permits to be amended: 1**  
**List the Permits here: G-18411**  
Please include a separate Part 4 for each permit. (See instructions on page 6)
- Application Fee (Attachment 5)** - payable by check to the Oregon Water Resources Department, the online fee calculator is located:  
[https://apps.wrd.state.or.us/apps/wr/wr\\_transfer\\_calculator/permit\\_amendment.aspx](https://apps.wrd.state.or.us/apps/wr/wr_transfer_calculator/permit_amendment.aspx)

NOV 18 2025

OWRD

### Attachments:

- Completed Permit Amendment Application Map (Does not have to be prepared by a Certified Water Right Examiner). **Attachment 1**
- N/A Request for Assignment Form and statutory fee. The request for assignment form has to be completed if the applicant is **not** the permit holder of record and needs to be assigned to the permit; **or** the landowner of the proposed place of use is **not** the permit holder of record and needs to be assigned to the permit (the Request for Assignment Form is available online at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>). Assignment is not needed if the applicant is the permit holder of record.
- N/A Affidavit(s) of Consent are required from all permit holder(s) of record if the permit is not assigned to the applicant **or** other permit holders of record that are not listed as applicants.
- N/A Oregon Water Resources Department's Land Use Information Form with approval and signature from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.

### Attachment 3

- N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation. **Attachment 4**
- N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500 feet from the surface water source and more than 1000 feet upstream or downstream from the point of diversion. (ORS 540.531(2) or (3)).

#### (For Staff Use Only)

##### WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

- Application fee not enclosed/insufficient
- Map not included or incomplete
- Land Use Form not enclosed or incomplete
- Part \_\_\_\_\_ is incomplete
- Additional signature(s) required
- Other/Explanation \_\_\_\_\_

Staff: \_\_\_\_\_ 503- \_\_\_\_\_ Date: \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_

Received  
NOV 18 2025

## Part 2 of 4 – Permit Amendment Map Checklist

OWRD

Your permit amendment application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

- N/A If **more than three** permits are involved, separate maps for each permit.
- Permanent quality printed with dark ink on good quality paper.
- The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- A north arrow, a legend, and scale.
- The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- Existing place of use that includes separate hachuring for each water use permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the permit is being changed, a separate hachuring is needed for the portion of the permit left unchanged.
- N/A If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water use permit.
- N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Received  
NOV 18 2025

Part 3 of 4 – Applicant Information and Signature

Applicant Information

OWRD

APPLICANT/BUSINESS NAME <b>Threemile Canyon Farms LLC; Attn: Greg Harris</b>			PHONE NO. <b>541-481-9274</b>	ADDITIONAL CONTACT NO.
ADDRESS <b>75906 Threemile Road</b>			FAX NO.	
CITY <b>Boardman</b>	STATE <b>OR</b>	ZIP <b>97818</b>	E-MAIL <b>gharris@rdoffutt.com</b>	
<b>BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.</b>				

**Agent Information** – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME <b>THEODORE R. RESSLER</b>			PHONE NO. <b>503-967-7050</b>	ADDITIONAL CONTACT NO.
ADDRESS <b>Summit Water Resources, LLC 4784 SE 17<sup>th</sup> Ave, Suite 111</b>			FAX NO.	
CITY <b>Portland</b>	STATE <b>OR</b>	ZIP <b>97202</b>	E-MAIL <b>tressler@summitwr.com</b>	
<b>BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.</b>				

Explain in your own words what you propose to accomplish with this permit amendment; and why:

**The applicant is requesting to add one additional Point of Appropriation (POA) to Permit G-18411 for operational efficiency. The applicant is also requesting to change the name and location of existing authorized POA Well H-2 to be "Well 8" with a location reflecting the drilled location of the well.**

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

Check box if project is fully or partially funded by the American Recovery & Reinvestment Act. (Federal stimulus dollars)

Is the applicant the permit holder of record?  Yes  No - If NO, include either:

- A completed assignment form (with required statutory assignment fee), assigning all or a portion of the permit to the applicant(s), OR
- An affidavit of consent from the permit holder(s) of record that gives permission for the applicant to amend the permit.

Has the Completion ("C") Date of the permit(s) in this application expired?  Yes  No

If YES, this application will not be accepted by the Department.

If NO, what are the completion dates of the permit(s)? 10/1/2030

- If the permit completion date expires while the Permit Amendment Application is pending, the Department will not approve the Permit Amendment Application until an Extension of Time Application is approved for the permit.
- You may consider using the Reimbursement Authority process to expedite the processing of this Permit Amendment Application if the completion date of the permit expires within 6 months of the date of filing this application.

By my signature below, I confirm that I understand:

- Prior to Department approval of the permit amendment, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the permit is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: East Oregonian

I (we) affirm that the information contained in this application is true and accurate.

  
Signature  
Applicant signature

Greg Harris, Farm Manager of Threemile Canyon Farms  
Print Name (and Title if applicable)

10/13/2025  
Date

**Check one of the following:**

The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.

The permit holder(s) of record will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to the permit holder(s) of record.


**Check the appropriate box, if applicable:**

Check here if any of the permits proposed for amendment are or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME	ADDRESS	
CITY	STATE	ZIP

Check here if water for any of the permits supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

 To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME <b>Morrow County Planning Department</b>	ADDRESS <b>215 NE Main Ave</b>	
CITY <b>Irrigon</b>	STATE <b>OR</b>	CITY <b>Irrigon</b>

Received

NOV 18 2025

OWRD

## Part 4 of 4 – Water Use Permit Information

Please use a separate Part 4 for each permit being changed. See instructions on page 6, to copy and paste additional Part 4s, or to add additional rows to tables within the form.

### PERMIT # G-18411

**Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)**  
(Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-____)	Twp	Rng	Sec	1/4	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)	
Well H-1	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	MORR 635	3	N	23	E	3	NW NW 4	Located 1160 feet South and 1180 feet East from NW corner of Section 3
Well H-2	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	MORR 52892	3	N	23	E	3	NW SW 100	Located 2538 feet North and 746 feet East from SW corner of Section 3 Lat. 45.770017 N, Long. - 119.933932
Well 8	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	MORR 52892	3	N	23	E	3	NW SW 100	Located 1408 feet North and 735 feet East from the SW corner of Section 3 Lat. 45.766900 N, Long. - 119.934000
Well 10	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed		3	N	23	E	3	NW SW 100	Located 2231 feet North and 608 feet East from the SW corner of Section 3

**Check all type(s) of change(s) proposed below (change “CODES” are provided in parentheses):**

<input type="checkbox"/> Place of Use (POU)	<input checked="" type="checkbox"/> Point of Appropriation/Well (POA)
<input type="checkbox"/> Point of Diversion (POD)	<input checked="" type="checkbox"/> Additional Point of Appropriation (APOA)
<input type="checkbox"/> Additional Point of Diversion (APOD)	<input type="checkbox"/> Surface water POD to Ground Water POA (SW/GW)

**Will all of the proposed changes affect the entire water use permit?**

<input checked="" type="checkbox"/> Yes	Complete only the proposed (“to” lands) section of Table 2 on the next page. Use the “CODES” listed above to describe the proposed changes.
<input type="checkbox"/> No	Complete all of Table 2 to describe the portion of the permit to be changed.

**For a change in place of use:**

**Does the permit holder of record own or control the land TO which the place of use is being moved?  Yes  No**

If NO, the landowner of the land TO which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

**Is the proposed place of use contiguous to the authorized place of use?  Yes  No N/A\***  
**\*Note: This permit amendment does not involve a POU change.**

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use unless the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken

for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

Received  
NOV 18 2025  
OWRD

Please use and attach additional pages of Table 2 as needed.  
See page 6 for instructions.

Do you have questions about how to fill-out the tables?  
Contact the Department at 503-986-0900 and ask for Transfer

**Table 2. Description of Changes to Water Use Permit # G-18411**

List the change proposed for the acreage in each  $\frac{1}{4}$   $\frac{1}{4}$ . If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.								Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.											
Twp	Rng	Sec	$\frac{1}{4}$ $\frac{1}{4}$	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) (name or number from Table 1)		Twp	Rng	Sec	$\frac{1}{4}$ $\frac{1}{4}$	Tax Lot	Gvt Lot or DLC	Acres (if applicable)	POD(s) or POA(s) to be used (from Table 1)	Priority Date			
								APOA, POA	3	N	23	E	3	NE	NE	100	1	N/A	WELL H-1, WELL 8, WELL 10	4/25/2014
								APOA, POA	3	N	23	E	3	NW	NE	100	2	"	"	"
								APOA, POA	3	N	23	E	3	SW	NE	100	-	"	"	"
								APOA, POA	3	N	23	E	3	SE	NE	100	-	"	"	"
								APOA, POA	3	N	23	E	3	NE	NW	100	3	"	"	"
								APOA, POA	3	N	23	E	3	NW	NW	100	4	"	"	"
								APOA, POA	3	N	23	E	3	SW	NW	100	-	"	"	"
								APOA, POA	3	N	23	E	3	SE	NW	100	-	"	"	"
								APOA, POA	3	N	23	E	3	NE	SW	100	-	"	"	"
								APOA, POA	3	N	23	E	3	NW	SW	100	-	"	"	"
								APOA, POA	3	N	23	E	3	NE	SE	100	-	"	"	"
								APOA, POA	3	N	23	E	3	NW	SE	100	-	"	"	"

Additional remarks: This permit amendment proposes to add one Additional Point of Appropriation (APOA) to Permit G-18411 for the existing authorized use of Agriculture Use. This permit amendment also proposes to change the name and location of existing POA Well H-2 to be "Well 8" with a location reflecting the drilled location of the well.

Are there other water rights certificates, water use permits or ground water registrations associated with the "from" or "to" lands?  Yes  No

If YES, list the other certificate, permit, or ground water registration numbers: 76711, 76710\*

 \*Note: The permit involved in this permit amendment is for Agriculture Use and not subject to layering rules.

If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation: Attachment 4

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: [http://apps.wrd.state.or.us/apps/gw/well\\_log/Default.aspx](http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx))

AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

**Table 3. Construction of Point(s) of Appropriation**

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-_____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right
Well 10	NO	N/A	845 feet*	12-inch 10-inch	+3-660 feet bgs* 645 - 763 feet bgs*	0 - 660 feet bgs	N/A	383 feet bgs*	Frenchman Springs Member of Wanapum Basalt	

Bgs = below ground surface

\* Estimated

Received

NOV 18 2025

OWRD

Received

MAR 18 2025

OWRD

**Attachment 1**  
**Permit Amendment Map**

---

Received  
NOV 18 2025  
OWRD

**Attachment 2**  
**Water Right Information**

---

**Oregon Water Resources Department  
Water Right Services Division**

**Application for Extension of Time**

In the Matter of the Application for an Extension of Time )  
for Permit G-18411, Water Right Application G-17851, in )  
the name of Threemile Canyon Farm )

FINAL  
ORDER

---

**Permit Information**

Application:	G-17851
Permit:	G-18411
Basin:	7 – Umatilla / Watermaster District 5
Date of Priority:	April 24, 2014
Source of Water:	Well H-1 and Well H-2 in Willow Creek Basin
Purpose of Use:	Irrigation use on agriculture use Acres
Maximum Rate:	2.70 cubic feet per second(cfs)

---

This Extension of Time request is being processed in accordance with Oregon Revised Statute 537.630 and 539.010(5), and Oregon Administrative Rule Chapter 690, Division 315.

*Appeal Rights*

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

*Application History*

Permit G-17520 was issued by the Department on February 21, 2015, and modified by Permit Amendment T-13378 on October 15, 2020. Superseding Permit G-18411 was issued on October 15, 2020, to reflect the changes. The permit specified completion of construction and complete application of water to beneficial use by December 21, 2021. On August 2, 2021, Threemile Canyon Farm submitted an Application for Extension of Time for Permit G-18411. In accordance with OAR 690-315-0050(2), on March 15, 2022, the Department issued a Proposed Final Order proposing to extend the time to complete construction to October 1, 2030, and the time to fully apply water to beneficial use to October 1, 2030. The protest period closed April 29, 2022, in accordance with OAR 690-315-0060(1). No protest was filed.

Received

NOV 18 2025

Final Order: Permit G-18411

Page 1 of 3

OWRD

14766 -

## FINDINGS OF FACT

The Department adopts and incorporates by reference the findings of fact in the Proposed Final Order dated March 15, 2022.

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, any comments received, and information within the file, the permit may be extended subject to the following conditions:

## LIMITATIONS AND CONDITIONS

**1. Well Reconstruction Condition**

Prior to the use of any water under Permit G-18411, or any subsequent permit issued as a result of a Permit Amendment, MORR 635 shall be reconstructed to meet the condition of the permit requiring the well to appropriate water from a single aquifer in the Columbia River Basalt Group aquifer system, and approved by the Groundwater Hydrology Section of the Water Resources Department. The permittee shall demonstrate, using packer tests or other suitable methods, that the hydraulic heads of water-bearing zones in the proposed open interval are similar enough to prevent loss of artesian pressure from one zone to another.

MORR 635 must be reconstructed to appropriate water from a single aquifer in the Columbia River Basalt Group aquifer system to maintain this Extension of Time. Reconstruction of MORR 635 shall be completed prior to October 1, 2023. Failure to reconstruct MORR 635 by October 1, 2023, shall result in the termination of this Extension of Time. MORR 635 must be reconstructed to meet the construction standard prescribed by the permit, regardless of if MORR 635 is ultimately identified in a Claim of Beneficial Use Report and request for issuance of a water right certificate.

**2. Checkpoint Condition**

The permit holder must submit a completed Progress Report Form to the Department by **October 1, 2023, and 2028. A form will be enclosed with your Final Order.**

- (a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;
- (b) The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.

Received  
NIV 18 2025

OWRD


## CONCLUSION OF LAW

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.630, 539.010(5) and OAR 690-315-0040(2).

## ORDER

The extension of time for Application G-17851, Permit G-18411, therefore, is approved subject to conditions contained herein. The deadline for completing construction is extended from December 21, 2021, to October 1, 2030. The deadline for applying water to full beneficial use within the terms and conditions of the permit is extended from December 21, 2021, to October 1, 2030.

DATED: May 13, 2022



Dwight French  
Water Right Services Division Administrator, for  
Thomas M. Byler, Director  
Oregon Water Resources Department

---

- If you have any questions about statements contained in this document, please contact the Permit Extension Specialist at (503) 979-3213.
- If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at (503) 986-0900

---

Received

NOV 18 2025

OWRD

STATE OF OREGON  
COUNTY OF MORROW  
PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

THREEMILE CANYON FARMS LLC  
WELLS FARGO BANK, NATIONAL ASSOCIATION  
75906 THREEMILE RD  
BOARDMAN, OR 97818

**This superseding permit is issued to describe an amendment for a change in points of appropriation and a change in place of use proposed under Permit Amendment Application T-13378 and approved by Special Order Vol. 117, Page 711, entered OCT 15 2020, and describes an assignment approved on December 8, 2015. This permit supersedes Permit G-17520.**

The specific limits and conditions of the use are listed below:

APPLICATION FILE NUMBER: G-17851

SOURCE OF WATER: WELL H-1 AND WELL H-2 IN WILLOW CREEK BASIN

PURPOSE OR USE: AGRICULTURE USE

MAXIMUM RATE: 2.70 CUBIC FEET PER SECOND

PERIOD OF USE: YEAR-ROUND

DATE OF PRIORITY: APRIL 25, 2014

WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
3 N	23 E	WM	3	NW NW	WELL H-1 - 1160 FEET SOUTH AND 1180 FEET EAST FROM THE NW CORNER OF SECTION 3
3 N	23 E	WM	3	NW SW	WELL H-2 - 2538 FEET NORTH AND 746 FEET EAST FROM THE SW CORNER OF SECTION 3 LAT. 45.770017 N, LONG. -119.933932

Received

NOV 18 2025

## THE PLACE OF USE IS AS FOLLOWS:

AGRICULTURE USE					
Twp	Rng	Mer	Sec	Q-Q	G Lot
3 N	23 E	WM	3	NE NE	1
3 N	23 E	WM	3	NW NE	2
3 N	23 E	WM	3	SW NE	
3 N	23 E	WM	3	SE NE	
3 N	23 E	WM	3	NE NW	3
3 N	23 E	WM	3	NW NW	4
3 N	23 E	WM	3	SW NW	
3 N	23 E	WM	3	SE NW	
3 N	23 E	WM	3	NE SW	
3 N	23 E	WM	3	NW SW	
3 N	23 E	WM	3	NE SE	
3 N	23 E	WM	3	NW SE	

Received

NOV 18 2025

OWRD

Permit Amendment T-13378 Conditions:

The quantity of water diverted at the new points of appropriation, (Well H-1 and Well H-2), shall not exceed the quantity of water lawfully available at the original points of appropriation, (Well 1 and Well 2).

Water shall be acquired from the same aquifer as the original points of appropriation.

Original Permit ConditionsMeasurement devices, and recording/reporting of annual water use conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The permittee shall maintain the device in good working order.
- B. The permittee shall allow the watermaster access to the device; provided however, where any device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The permittee shall keep a complete record of the volume of water diverted each month, and shall submit a report which includes water-use measurements to the Department annually, or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

NOV 18 2025

Static Water Level Conditions**OWRD**

The Department requires the water user to obtain, from a qualified individual (see below), and report annual static water levels for each well on the permit. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

The permittee shall report an initial March static water-level measurement once well construction is complete, and annual measurements thereafter. Annual measurements are required whether or not the well is used. The first annual measurement will establish a reference level against which future measurements will be compared. However, the Director may establish the reference level based on an analysis of other water-level data. The Director may require the user to obtain and report additional water levels each year if more data are needed to evaluate the aquifer system.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements shall be submitted on forms provided by, or specified by, the Department. Measurements shall be made with equipment that is accurate to at least the standards specified in OAR 690-217-0045. The Department requires the individual performing the measurement to:

- A. Associate each measurement with an owner's well name or number and a Department well log ID; and
- B. Report water levels to at least the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method of measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The Department may require the discontinuance of groundwater use, or reduce the rate or volume of withdrawal, from the well(s) if any of the following events occur:

- A. Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- B. Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- C. Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or causing substantial interference with senior water rights. The water user shall not allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

Any well drilled as part of this water right must be conditioned to appropriate water from a single aquifer in the Columbia River Basalt Group aquifer system. The permittee shall demonstrate, using packer tests or other suitable methods, that the hydraulic heads of water-bearing zones in the proposed open interval are similar enough to prevent loss of artesian pressure from one zone to another.

Before any new wells are drilled, the permittee shall instruct the well constructor to contact the Groundwater Section of the Water Resources Department to arrange for the collection of drill cuttings.

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level, or pump test data.

### **STANDARD CONDITIONS**

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with surface water or a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The well(s) shall be constructed and maintained in accordance with the General Standards for the Construction and Maintenance of Water Supply Wells in Oregon. The works shall be equipped with a usable access port adequate to determine water-level elevation in the well at all times.

Received

NOV 18 2025

Permit G-18411

OWRD

If the riparian area is disturbed in the process of developing a point of appropriation, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet state or federal water quality standards due to reduced flows.

Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster, and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.


Prior to receiving a certificate of water right, the permit holder shall submit to the Water Resources Department the results of a pump test meeting the Department's standards for each point of appropriation (well), unless an exemption has been obtained in writing under OAR 690-217. The Director may require water-level or pump-test data every ten years thereafter. This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

Completion of construction and application of the water is to be made before December 21, 2020. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Dated in Salem, Oregon on OCT 15 2020



Lisa J. Jaramillo, Transfer and Conservation Section Manager for

THOMAS M. BYLER, DIRECTOR

Oregon Water Resources Department

*Received*

*NOV 18 2025*

*OWRD*

Received  
NOV 18 2025  
OWRD

**Attachment 3**  
**Land Use Information Form**

---

Received  
NOV 18 2025  
**Land Use  
Information Form**OWRD



**Oregon Water Resources Department**  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266  
(503) 986-0900  
[www.oregon.gov/OWRD](http://www.oregon.gov/OWRD)

## NOTE TO APPLICANTS

In order for your application to be processed by the Oregon Water Resources Department (OWRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be diverted, conveyed, used, and developed. The planning official may choose to complete the form while you wait or return the "Receipt Acknowledging Request for Land Use Information" to you. Applications received by OWRD without the Land Use Information Form, or the signed receipt, will be returned to you. **IMPORTANT:** Please note that while OWRD can accept a signed receipt as part of intake for an application for a new permit to use or store water, a completed Land Use Information Form is required for OWRD's acceptance of all other applications. Please be aware that your application cannot be approved without land use approval.

**This form is NOT required if:**

- 1) Water is to be diverted, conveyed, and used on federal lands only; **OR**
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and all of the following apply:
  - a. The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
  - b. The application involves a change in place of use only;
  - c. The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; and
  - d. The application involves irrigation water uses only.

## NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for a new water right or modifying an existing water right. The Oregon Water Resources Department (OWRD) requires applicants to obtain land use information to ensure the water right does not result in land uses that are incompatible with your comprehensive plan. Please complete the form and return it to the applicant for inclusion in their application. **NOTE:** For new water right applications only, if you are unable to complete this form while the applicant waits, you may complete the "Receipt Acknowledging Request for Land Use Information" and return it to the applicant.

You will receive notice via OWRD's weekly Public Notice once the applicant formally submits their request to OWRD. The notice will give more information about OWRD's water right process and provide additional comment opportunities. If you previously only completed the receipt for an application for a new permit to use or store water, you will have 30 days from the Public Notice date to complete the Land Use Information Form and return it to OWRD. Your attention to this request for information is greatly appreciated. If you have questions concerning this form, please contact OWRD's Customer Service Group at 503-986-0900 or [WRD\\_DL\\_customerservice@water.oregon.gov](mailto:WRD_DL_customerservice@water.oregon.gov).

Received  
NOV 18 2025

LUCS-145-25  
REC'D 10/20/2025

# Land Use Information Form

OWRD



Oregon Water Resources Department  
725 Summer Street NE, Suite A  
Salem, Oregon 97301-1266  
(503) 986-0900  
www.oregon.gov/OWRD

NAME Threemile Canyon Farms LLC; Attn: Greg Harris				PHONE 541-481-9274
MAILING ADDRESS 75906 Threemile Road				
CITY Boardman	STATE OR	CITY Boardman	EMAIL gharris@rdoffut.com	

## A. Land and Location

PAID  
25.00 PAID

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts, may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	1/4	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:	Proposed Land Use:
3N	23E	3	NWSW	100	EFU	<input checked="" type="checkbox"/> Diverted <input checked="" type="checkbox"/> Conveyed <input checked="" type="checkbox"/> Used	Agriculture Use

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Morrow County

NOTE: A separate Land Use Information Form must be completed and submitted for each county and city, as applicable.

## B. Description of Proposed Use

Type of application to be filed with the Oregon Water Resources Department:

Permit to Use or Store Water  Water Right Transfer  Permit Amendment or Ground Water Registration Modification  
 Limited Water Use License  Exchange of Water  Allocation of Conserved Water

Source of water:  Reservoir/Pond  Ground Water  Surface Water (name) \_\_\_\_\_

Estimated quantity of water needed: 0\*  cubic feet per second  gallons per minute  acre-feet

Intended use of water:  Irrigation  Commercial  Industrial  Domestic for \_\_\_\_\_ household(s)  
 Municipal  Quasi-Municipal  Instream  Other Agriculture Use

Briefly describe:

The applicant proposes to add an additional well to Permit G-18411 and proposes to change the name and location of existing authorized Well H-2 to reflect a more accurate location and naming convention. \*No additional water is requested other than what is currently authorized under Permit G-18411.

**Note to applicant:** For new water right applications only, if the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt on the bottom of page 4 and include it with the application filed with the Oregon Water Resources Department.

See Page 4 ➔

## For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land use plan. Do not include approval for activities such as building or grading permits.

### **Please check the appropriate box below and provide the requested information**

Land uses to be served by the proposed water use(s), including proposed construction, are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): \_\_\_\_\_

Land uses to be served by the proposed water use(s), including proposed construction, involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being Pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:			
Outright Use	MCZO 3.010.B.1	<input type="checkbox"/> Obtained	<input type="checkbox"/> Being Pursued	<input type="checkbox"/> Not Obtained	<input checked="" type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Denied			
		<input type="checkbox"/> Obtained	<input type="checkbox"/> Being Pursued	<input type="checkbox"/> Not Obtained	<input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Denied			
		<input type="checkbox"/> Obtained	<input type="checkbox"/> Being Pursued	<input type="checkbox"/> Not Obtained	<input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Denied			
		<input type="checkbox"/> Obtained	<input type="checkbox"/> Being Pursued	<input type="checkbox"/> Not Obtained	<input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Denied			

Local governments are invited to express special land use concerns or make recommendations to the Oregon Water Resources Department regarding this proposed use of water in the box below or on a separate sheet.

Outright use. No local land use review required.

Name: Tamra J. Mabbutt Title: Planning Director  
Signature: T.J. Mabbutt Date: 11-03-25  
Governmental Entity: Marrow County Phone: 541-922-4624

### **Receipt Acknowledging Request for Land Use Information**

#### **Note to Local Government Representative:**

Please complete this form and return it to the applicant. **For new water right applications only**, if you are unable to complete this form while the applicant waits, you may complete this receipt and return it to the applicant. If you sign the receipt, you will have 30 days from the date of OWRD's Public Notice of the application to submit the completed Land Use Information Form to Oregon Water Resources Department. Please note while OWRD can accept a signed receipt as part of intake for an application for a new permit to use or store water, a completed Land Use Information Form is required for all other applications.

Applicant Name: \_\_\_\_\_

Staff Name: \_\_\_\_\_ Title: \_\_\_\_\_

Staff Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Governmental Entity: \_\_\_\_\_ Phone: \_\_\_\_\_

Received

NOV 18 2025

OWRD

**Attachment 4**  
**Well Logs**

---

STATE OF OREGON  
WATER WELL REPORT  
(as required by ORS 537.765)

44-235-27  
MORR 636

RECEIVED

SEP 23 1985

WATER RESOURCES DEPT.

44-235-27  
SALEM, OREGON  
(for official use only)

(1) OWNER:

Name Simplet Feedlot  
Address 3 mile canyon  
City Boardman State ORE

(2) TYPE OF WORK (check):

New Well  Deepening  Reconditioning  Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air <input checked="" type="checkbox"/>	Driven <input type="checkbox"/>	Domestic <input type="checkbox"/>	Industrial <input type="checkbox"/>	Municipal <input checked="" type="checkbox"/>	<input type="checkbox"/>
Rotary Mud <input type="checkbox"/>	Dug <input type="checkbox"/>	Irrigation <input type="checkbox"/>	Thermal <input type="checkbox"/>	Withdrawal <input type="checkbox"/>	Reinjection <input type="checkbox"/>
Cable <input type="checkbox"/>	Bored <input type="checkbox"/>	Other: <input type="checkbox"/>	Piezometric <input type="checkbox"/>	Grounding <input type="checkbox"/>	Test <input type="checkbox"/>

(4) CASING INSTALLED:

Steel	<input type="checkbox"/>	Plastic	<input type="checkbox"/>
Threaded	<input type="checkbox"/>	Welded	<input type="checkbox"/>
24 " Diam. from <u>#1</u> ft. to <u>44</u> ft. Gauge <u>.500</u>			
16 " Diam. from <u>#1</u> ft. to <u>594</u> ft. Gauge <u>.375</u>			

(5) LINER INSTALLED:

Steel	<input type="checkbox"/>	Plastic	<input type="checkbox"/>
Threaded	<input type="checkbox"/>	Welded	<input type="checkbox"/>
" Diam. from ..... ft. to ..... ft. Gauge .....			

(6) PERFORATIONS:

Size of perforations	Perforated? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
in. by	in.
..... perforations from .....	ft. to .....
..... perforations from .....	ft. to .....
..... perforations from .....	ft. to .....

(7) SCREENS:

Well screen installed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Manufacturer's Name .....	
Type .....	Model No. .....
Diam. ..... Slot Size .....	Set from ..... ft. to ..... ft.
Diam. ..... Slot Size .....	Set from ..... ft. to ..... ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, by whom? <u>Layne Pump</u>
Yield: <u>will test pump</u> gal/min. with ft. drawdown after hrs.
Air test <u>1000+</u> gal/min. with drill stem at <u>840</u> ft. <u>8</u> hrs.
Bailer test gal/min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water <u>58°</u> Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Well seal—Material used <u>Cement</u>
Well sealed from land surface to <u>85</u> ft.
Diameter of well bore to bottom of seal <u>24"</u> in.
Diameter of well bore below seal <u>24</u> in.
Amount of sealing material <u>170</u> sacks <input checked="" type="checkbox"/> pounds <input type="checkbox"/>
How was cement grout placed? <u>pumped from land surface</u>

Was pump installed? Type ..... HP ..... Depth ..... ft.
Was a drive shoe used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Plugs ..... Size: location ..... ft.
Did any strata contain unusable water? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Type of Water? depth of strata
Method of sealing strata off
Was well gravel packed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size of gravel: .....
Gravel placed from ..... ft. to ..... ft.

(10) LOCATION OF WELL by legal description:

County Morrow SW  $\frac{1}{4}$  sec.  $\frac{1}{4}$  of Section 27 of Township 4N, Range 23E, WM. (Township is North or South) (Range is East or West)

Tax Lot \_\_\_\_\_ Lot \_\_\_\_\_ Block \_\_\_\_\_ Subdivision \_\_\_\_\_

MAILING ADDRESS OF WELL (or nearest address) Simplet Livestock, Boardman, ORE

(11) WATER LEVEL of COMPLETED WELL:

Depth at which water was first found 30 ft.

Static level 281 ft. below land surface. Date

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Depth drilled 875 ft. Depth of completed well 875 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
<u>51 ft</u>	<u>0</u>	<u>5</u>	
<u>Caliche</u>	<u>5</u>	<u>29</u>	
<u>Brown Broken Basalt</u>	<u>29</u>	<u>35</u>	
<u>Black Basalt</u>	<u>35</u>	<u>91</u>	
<u>Micritic Basalt</u>	<u>91</u>	<u>98</u>	<u>WB</u>
<u>Blue Clay</u>	<u>98</u>	<u>157</u>	
<u>Black Basalt</u>	<u>157</u>	<u>215</u>	
<u>Grey Basalt</u>	<u>215</u>	<u>270</u>	
<u>Blue Clay</u>	<u>270</u>	<u>588</u>	
<u>Micritic Basalt</u>	<u>588</u>	<u>610</u>	<u>WB</u>
<u>Black Basalt</u>	<u>610</u>	<u>730</u>	
<u>Grey Basalt</u>	<u>730</u>	<u>785</u>	
<u>Micritic Basalt</u>	<u>785</u>	<u>816</u>	<u>WB</u>
<u>Black Basalt</u>	<u>810</u>	<u>825</u>	
<u>Red Cinders</u>	<u>825</u>	<u>835</u>	<u>WB</u>
<u>Micritic Basalt</u>	<u>835</u>	<u>860</u>	<u>WB</u>
<u>Fractured Black Basalt</u>	<u>860</u>	<u>875</u>	

Date work started 7-7-85 /completed 9-9-85

Date well drilling machine moved off of well 9-9 1985

(unbonded) Water Well Constructor Certification (if applicable):

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Ed Brown Date 9-10-85

(bonded) Water Well Constructor Certification:

Bond \_\_\_\_\_ Issued by: \_\_\_\_\_ (Surety Company Name)

On behalf of Brown & Brown Drilling Inc. (type or print name of Water Well Constructor)

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief:

(Signed) Ed Brown (Water Well Constructor)

(Dated) 9-10-85

Received

SP-46866-690

Nov 18 2025

WATER RESOURCES DEPARTMENT,  
SALEM, OREGON 97310  
within 30 days from the date of well completion.

NOTICE TO WATER WELL CONSTRUCTOR  
The original and first copy of this report  
are to be filed with the

14766 -

OWRD



**WATER SUPPLY WELL REPORT -  
continuation page**

WELL I.D. LABEL# L 151247

START CARD # 1060086

**ORIGINAL LOG #**

---

**(2a) PRE-ALTERATION**

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
Material					From	To	Amt	sacks/lbs

Material	From	To	Amt	sacks/lbs
----------	------	----	-----	-----------

## **(5) BORE HOLE CONSTRUCTION**

## FILTER PACK

From	To	Material	Size

**(6) CASING/LINER**

## **(7) PERFORATIONS/SCREENS**

#### **(8) WELL TESTS: Minimum testing time is 1 hour**

Yield gal/min      Drawdown      Drill stem/Pump depth      Duration (hr)


## Water Quality Concerns

MORR 52892 pg 2

MORR 52892 pg 2

**(10) STATIC WATER LEVEL**

---

**(11) WELL LOG**

### Comments/Remarks

Water Rights permit #G-18411



10621 Todd Road East  
Edgewood, WA 98372  
253 604-4878

Well Name: Threemile Farm Dairy Well #1

Start Card/Permit #: 1060086

---

Label #: L151247

	From:	To:
Soft sand	0	21
Silty clay water	21	35
Shale/ black basalt	35	55
Broken black basalt	55	118
Hard black basalt	118	125
Black basalt with silty brown clay	125	178
Brown clay with silts	178	186
Red claystone or hard red silts	186	193
Black basalt	193	283
Brown silts	283	285
Purple clay	285	307
Black basalt	307	309
Blue clay with sand and clay stone	309	413
Black basalt lens	413	414
Blue clay	414	496
Blue clay and brown clay stone	496	530
Brown clay stone	530	600
Green sand stone	600	602
Green clay with brown sand stone	602	610
Basalt black rock	610	660
Black basalt.	660	672
Black basalt with wood	672	709
Green clay with brown sand stone lenses	709	725
Gray sand with quartz	725	744
Brown sand stone	744	750
Hard black basalt fractured	750	845

Received

RECEIVED

NOV 18 2025

JUN 22 2023

OWBD

OWRD

Received

MEW 18 2025

OWRD

**Attachment 5**  
**OWRD Fee Calculation**

---



Today's Date: Thursday, October 2, 2025

**Fee Calculation**

Base Fee (includes one type of change to one permit for up to 1 cfs)

\$2,040.00

Fill in information below-- Check each box that applies.

Types of Change Proposed:

Place of Use

Point of Diversion (POD)/Appropriation (POA); and/or Additional POD/POA; and/or SW POD to GW POD \$0.00

Enter total number of permits included in application.

1

\$0.00

Check this box if you propose to add or change a well location, or change from a surface water POD to a well. \$720.00

Enter total number of groundwater wells (POAs) included in permit amendment.

2

\$615.00

Check this box if you propose to change the place of use for a NON-irrigation permit.

Check this box if you propose to change the place of use for an irrigation permit.

Total Transfer CFS(rounded up to the next whole cfs):

Subtotal:

\$3,375.00

Check each box that applies.

The transfer is necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932.

The transfer is endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat.

Discount

Permit Amendment Fee:

\$3,375.00

[Return to Edit](#) [Clear](#)

Received

NOV 18 2025

OWRD