

T-13771

GR MOD

T-13771

Name Ginny Klinge trust
Clara Klinge trustee
 Address 191 SE 1st Ave
Canby OR 97013

Change in POA POA
 Date Filed 10/28/2021
 Initial notice date 8/11/2021
 DPD issued date _____
 PD issued date _____
 PD notice date _____
 Date of FO 9/18/2025 Withdrawal Vol 135 Page 652-653

C-Date _____
 COBU due date _____
 COBU Received date _____
 Certificate issued _____

Assignments: _____

Irrigation District _____

Agent Doann Hamilton

CWRE _____
 CC's list Marion County Planning

☐ - Oversized map - Location _____

DESCRIPTION OF WATER RIGHT(s)

Name of Stream Well

Trib. of deer creek

Use irrigation County Marion

Quantity of water (CFS) _____ No. of Acres _____

Name of ditch _____

App# GR-782 Per # _____ Cert # _____ PR Date 9/30/1950

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

FEES PAID

Date	Amount	Receipt #
<u>6-28-2021</u>	<u>\$1,250.00</u>	<u>135698</u>

FEES REFUNDED

Date	Amount	Receipt #
------	--------	-----------

STATE OF OREGON
WATER RESOURCES DEPARTMENT

725 Summer St. N.E. Ste. A

SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

INVOICE # _____

RECEIPT # 135698

RECEIVED FROM: Anne R Klinge Family Trust

BY: Earl M Klinge TTE

CASH: ☐ CHECK # 2450 OTHER: (IDENTIFY) ☐

APPLICATION	
PERMIT	
TRANSFER	<u>7-13711</u>

TOTAL REC'D \$ 1,250.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES \$

OTHER: (IDENTIFY) \$

0243 I/S Lease 0244 Muni Water Mgmt. Plan 0245 Cons. Water

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES \$

0410 RESEARCH FEES \$

0408 MISC REVENUE: (IDENTIFY) \$

TC162 DEPOSIT LIAB. (IDENTIFY) \$

0240 EXTENSION OF TIME \$

WATER RIGHTS:

0201 SURFACE WATER EXAM FEE 0202 RECORD FEE \$

0203 GROUND WATER EXAM FEE 0204 RECORD FEE \$

0205 TRANSFER EXAM FEE \$ 1,250.00

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR EXAM FEE 0219 LICENSE FEE \$

LANDOWNER'S PERMIT 0220 LICENSE FEE \$

OTHER (IDENTIFY)

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE \$ CARD#

0210 MONITORING WELLS \$ CARD#

OTHER (IDENTIFY)

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FWWRD) \$

0231 HYDRO LICENSE FEE (FWWRD) \$

HYDRO APPLICATION \$

TREASURY OTHER / RDX

FUND TITLE

OBJ. CODE VENDOR #

DESCRIPTION \$

RECEIPT: 135698

DATED: 6.28.2021 BY: [Signature]

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal



Oregon

Tina Kotek, Governor

Water Resources Department

North Mall Office Building

725 Summer St NE, Suite A

Salem, OR 97301

Phone 503 986-0900

Fax 503 986-0904

September 18, 2025

Anne Klinge Trust
Lori Klinge Trustee
691 SE 1st Avenue
Canby, OR 97013

ORDER ON WITHDRAWN APPLICATION

Reference: Transfer Application T-13771

The above referenced transfer application was withdrawn from the record of the Water Resources Department on September 18, 2025, by Special Order Volume 135, Page 652 (copy enclosed).

The transfer application is no further force or effect.

If you have any questions related to the withdrawal of this transfer, you may contact your caseworker, Elyse Hennen, by telephone at (971) 701-5485 or by e-mail at Elyse.d.richman@water.oregon.gov.

Sincerely,

David V. Jones Jr
Water Right Services Support
Transfers and Conservation Section

cc: Gregory J. Wacker, Watermaster Dist. # 16 (via email)
Doann Hamilton, Agent
Marion County Planning Department, Local Government

Enclosure

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Groundwater Registration	)	FINAL ORDER WITHDRAWING
Modification Application	)	AN APPLICATION FOR GROUNDWATER
T-13771, Marion County, Oregon	)	REGISTRATION MODIFICATION

Authority

Oregon Revised Statutes (ORS) 537.610, 537.705 and 540.505 to 540.580 establish the process in which the holder of a certificate of registration may submit a request for recognition of modifications to the place of use, character of use or point of appropriation under a groundwater certificate of registration

Oregon Administrative Rules (OAR) Chapter 690, Divisions 382 and 380 implement the statutes and provide the Department's procedures and criteria for evaluating groundwater registration modification applications.

Applicant

ANNE KLINGE TRUST
C/O LORI KLINGE, TRUSTEE
691 SE 1ST AVENUE
CANBY, OR 97013

Findings of Fact


1. On June 28, 2025, Anne Klinge Trust, c/o Lori Klinge, Trustee filed a groundwater registration modification application to modify the point of appropriation and to modify the place of use under Certificate of Registration GR-782. The Department assigned the application number T-13771.
2. On October 28, 2025, the Department mailed a copy of the draft Preliminary Determination to the applicant, proposing to approve Groundwater Registration Modification Application T-13771. The draft Preliminary Determination cover letter provided a deadline of September 27, 2025, for the applicant to respond and submit the required information.
3. On September 8, 2025, the applicant's agent submitted a written request that Transfer Application T-13771 be withdrawn.

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Now, therefore, it is ORDERED:

Transfer Application T-13771, in the name of Anne Klinge Trust, C/O Lori Klinge, Trustee, is withdrawn and of no further force or effect.

Dated in Salem, Oregon on **SEP 18 2025**



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
Ivan Gall, Director
Oregon Water Resources Department

Mailing date: **SEP 19 2025**

GROUNDWATER REGISTRATION MODIFICATION COVER SHEET

Transfer: T-13771

GR Mod Specialist: Elyse

Transfer Type: GR Modification Transfer

Applicant: ANNE KLINGE TRUST LORI KLINGE TRUSTEE 691 SE 1ST AVENUE CANBY, OR 97013	Agent: DOANN HAMILTON 18487 S VALLEY VISTA RD MULINO, OR 97042	Receiving Landowner:
Current Landowner if other than Applicant:	CWRE:	Irrigation District:
Affected Local Gov'ts: Marion County Planning Department	Affected Tribal Gov't:	BOR Notified (date):

Groundwater Registration Affected

File Marked	GR-App #	GR Certificate #
☐	GR-782	GR-757

Key Dates & Initial Actions (Support Staff)

Rec'd: June 28, 2021	Proposed Action(s): POINT OF APPROPRIATION; PLACE OF USE	
Fees Pd: 1250.00	Acknowledgement Letter Sent ☒	Basin: 2 Willamette
Initial Public Notice: 8/10/2021	County sent cc: of Ack Letter ☒	County: MARION
WM District: 16 Gregory J. Wacker	WM Review request sent: 8/5/2021	WM Review date received: 9/15/2021
Groundwater	GW Review sent: 8/5/2021	GW Review date received: 10/6/2023

Caseworker Actions: Newspaper & PD Notice:

Newspaper notice needed: ☒	Name of Newspaper:
Newspaper notice sent to coordinator:	Newspaper notice quote requested (NRS1):
Request for news \$ sent:	News \$ received:
Affidavit of publication received:	Last day of publication:

Peer Review:

Document	Drafted	Peer Review	Coordinator	Changes Made	Signature Bin	Signature Date
DPD	Date: 8/21 Initials: EDH	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	CW Sent: _____ WM Sheet ☐	8/28 N/A
PD	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____ Data Review Date: _____	Date: _____	Date: _____
FO	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: 9/11/25 Initials: Elyse	Date: 9/11/25 No. of docs for sig: 1	Date: 9/18/2025 Withdrawal

Special Issues: _____

Special Order Volume: Vol. 135 Pages 652-653



Oregon

Tina Kotek, Governor

Water Resources Department

North Mall Office Building
725 Summer St NE, Suite A
Salem, OR 97301
Phone 503 986-0900
Fax 503 986-0904
www.oregon.gov/owrd

August 28, 2025

VIA E-MAIL AND REGULAR MAIL

Applicant

ANNE R. KLINGE TRUST
LORI KLINGE TRUSTEE
691 SE 1ST AVENUE
CANBY, OR 97013

SUBJECT: Groundwater Registration Modification T-13771

Your Groundwater Registration Modification is in one of three phases of processing. Enclosed is a draft of our Preliminary Determination regarding Groundwater Registration (GR) Modification Application T-13771. The document reflects the Department's conclusion that, based on the information currently available, the modification will be approved.

Required items needing your immediate attention:

1. Please carefully review the Draft Preliminary Determination to verify that it accurately reflects the changes you intend to make and to become familiar with the proposed conditions.
2. **Respond in writing** by September 27, 2025, with acknowledgement that you agree to the proposed action and conditions.
3. If you find any errors, please let me know.
4. **REQUIRED:** You must submit a **Report of Ownership** for the lands where the water right(s) are currently located (i.e., the FROM lands). This report:
 - a) Must be prepared by a title company;
 - b) Shall include a "prepared by" statement and the date the title company prepared the report printed on the cover sheet;
 - c) Must:
 - i. Be prepared no earlier than 3 months prior to the date of issuance of the Draft Preliminary Determination showing current ownership; **OR**
 - ii. Be prepared within 3 months of the date the water right conveyance agreement was recorded; **OR**

- iii. Show ownership for the FROM land at the time a water right conveyance agreement was recorded.

If water right conveyance agreements are involved, it is helpful to provide copies of those agreements along with the Report of Ownership.

IMPORTANT: In order for the Department to clearly understand the date that the title company prepared the Report of Ownership, the title company must indicate/state the date that they prepared the report on the coversheet and/or first page of the report.

- d) Must include a list of owners at the time the report was generated; **AND**
 - e) Must include a legal description of the property where the water right to be modified is currently located (i.e., the FROM lands).
5. You must provide a notarized statement of consent signed by any landowner listed in the Report of Ownership who is not already included in the modification application. The Department's statement of consent form (**Consent By Deeded Landowner**) is available at:
[https://www.oregon.gov/OWRD/WRDFormsPDF/consent to transfer form.pdf](https://www.oregon.gov/OWRD/WRDFormsPDF/consent%20to%20transfer%20form.pdf)
 6. Notice of this modification will need to be published in a newspaper with general circulation in the area where the water rights are currently located. You will be responsible for the charges. Please provide the name of the newspaper you wish the Department to use for publication of the notice of the Preliminary Determination. The modification application requests the Canby Herald; however, that newspaper does not meet the requirements of newspaper notice publication as it is not in the same county as the water right involved in the transfer. Newspapers in Marion County that meet publication requirements pursuant to OAR 690-380-4020(1)(b) are as follows: The Statesman Journal, Keizer Times, the Woodburn Independent.

What happens next...

Once the Preliminary Determination is issued a publication period is required. Because there is more than ¼ mile between the new and the authorized point of appropriation, the Department will publish notice of the modification in a local newspaper having a general circulation in the area of the water right at least once per week for two consecutive weeks. You are responsible for sending a check to cover the cost of publication prior to the issuance of the Preliminary Determination and publication of notice (see below). As outlined in OAR 690-380-4020(3), publication costs include both the direct cost of the notice and indirect processing costs (not to exceed 20% of the direct costs) for processing.

Issuance of the Preliminary Determination will occur shortly after we receive:

1. Your written response to the conditions and proposed action in the Draft Preliminary Determination (e-mail is acceptable); and
2. The Report of ownership, and affidavits of consent from any landowners shown in the ownership report who have not signed the transfer application. The title company must indicate/state the date that they prepared the ownership report on the coversheet and/or first page of the report; and
3. The name of the newspaper you wish the Department to use for publication of the notice of the Preliminary Determination.

If we do not receive the items listed above by September 27, 2025, a Preliminary Determination may be issued denying the application as incomplete.

Please do not hesitate to contact me at (971) 701-5485 or at elyse.d.richman@water.oregon.gov, if I may be of assistance.

Sincerely,

A handwritten signature in black ink that reads "Elyse Hennen". The signature is written in a cursive, flowing style.

Elyse Hennen
Water Right Transfer Specialist
Transfer and Conservation Section

cc: GR Modification application file T-13771
Gregory J. Wacker, District 16 Watermaster *(via e-mail)*
Doann Hamilton, agent for the applicant *(via e-mail)*

enc

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Groundwater
Registration Modification Application
T-13771, Marion County

)
)
)
)
)
)

D R A F T

PRELIMINARY DETERMINATION
PROPOSING APPROVAL OF RECOGNITION
OF A MODIFICATION IN POINT OF
APPROPRIATION AND A MODIFICATION
OF PLACE OF USE

Authority

Oregon Revised Statutes (ORS) 537.610, 537.705 and 540.505 to 540.580 establish the process in which the holder of a certificate of registration may submit a request for recognition of modifications to the place of use, character of use or point of appropriation under a groundwater certificate of registration.

Oregon Administrative Rules (OAR) Chapter 690, Divisions 382 and 380 implement the statutes and provide the Department's procedures and criteria for evaluating groundwater registration modification applications.

Applicant

ANNE R. KLINGE TRUST
C/O LORI KLINGE, TRUSTEE
691 SE 1ST AVENUE
CANBY, OR 97013

Findings of Fact

1. On June 28, 2021, Anne R. Klinge Trust, C/O Lori Klinge, Trustee filed a groundwater registration modification (GR-Mod) application to modify the point of appropriation and to modify the place of use under Registration Application GR-782 (Certificate of Registration GR-757). The Department assigned the application number T-13771.
2. On July 29, 2021, Registration Application GR-782 (Certificate of Registration GR-757) was partially assigned from WILL E. DREHER to LORI KLINGE, TRUSTEE of ANNE R. KLINGE TRUST.
3. Notice of the application for GR-Mod was published on August 10, 2021, pursuant to OAR 690-382-0600. No comments were filed in response to the notice.

4. The portion of the groundwater registration to be modified is as follows:

Registration: Application GR-782 (Certificate of Registration GR-757), in the name of WILL E. DREHER (*partially assigned to Lori Klinge, Trustee of Anne R. Klinge Trust*)

Use: IRRIGATION of 1.2 ACRES

Tentative

Priority Date: SEPTEMBER 30, 1950

Quantity: 15 GALLONS PER MINUTE (GPM)

Source: PUMP WELL

Original Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
4 S	1 W	WM	2	NW NW	PUMP WELL - 800 FEET SOUTH AND 1300 FEET EAST FROM THE NW CONRER OF SECTION 2

Original Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
4 S	1 W	WM	2	NW NW	1.2

5. GR-Mod Application T-13771 proposes to modify the location of the original point of appropriation approximately 0.28 mile Northwest from the original well to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
4 S	1 W	WM	2	NW NW	WELL 2 - 365 FEET SOUTH AND 115 FEET EAST FROM THE NW CONRER OF SECTION 2

6. GR-Mod Application T-13771 also proposes to modify the place of use under the groundwater registration to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
4 S	1 W	WM	2	NW NW	1.2

Review Criteria for Groundwater Registration Modification Applications

[OAR 690-382-0100(10), 690-382-0700(2), 690-382-1000(1), 690-380-2110(2), and 690-380-2200]

7. The proposed modifications would not result in a state Scenic Waterway not receiving previously available water during periods in which stream flows are less than the quantities determined by the Department to be necessary to meet the requirements of ORS 390.835.
8. The proposed point of appropriation develops groundwater from the same aquifer as the authorized point of appropriation, as required by OAR 690-380-2110(2).
9. The proposed modifications would not result in enlargement of the registration.

10. The proposed modifications would not result in injury to other water rights.

11. All other application requirements are met.

Determination and Proposed Action

The modification in point of appropriation and modification in place of use proposed in Groundwater Registration Modification T-13771 appear to be consistent with the requirements of ORS 537.610, 537.705, 540.505 to 540.580 and OAR 690-382-1000. If protests are not filed pursuant to OAR 690-382-0900, the modification will be approved.

If Groundwater Registration Modification T-13771 is approved, the final order will include the following:

- 1. The modifications to Registration Application GR-782 (Certificate of Registration GR-757) proposed in Groundwater Registration Modification Application T-13771 are recognized. Recognition of the modifications shall not be construed as a final determination of the right to appropriate groundwater under the certificate of registration or modification. Such a determination will occur in an adjudication proceeding under ORS 537.670 to 537.695.*
- 2. The use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Registration Application GR-782 (Certificate of Registration GR-757) and any related decree.*
- 3. Approval of this groundwater registration modification application does not constitute nor grant legal access onto or through another person's property for purposes of accessing the new point of appropriation or the new place of use.*
- 4. Water shall be acquired from the same aquifer (water source) as the original point of appropriation.*
- 5. Water shall no longer be appropriated from the original point of appropriation (PUMP WELL) as part of this groundwater certificate of registration.*
- 6. The quantity of water diverted at the proposed point of appropriation (WELL 2), shall not exceed the quantity of water lawfully available at the original point of appropriation (PUMP WELL).*

7. *The former place of use of the modified groundwater registration shall no longer receive water as part of the groundwater certificate of registration.*

Dated in Salem, Oregon on

D R A F T

Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
IVAN GALL, DIRECTOR
Oregon Water Resources Department

This draft Preliminary Determination was prepared by Elyse Hennen. If you have questions about the information in this document, you may reach me at 971-701-5485 or at elyse.d.richman@water.oregon.gov.

Groundwater Transfer Review Summary Form

Transfer/PA # T- 13771

GW Reviewer Stacey Garrison/Travis Brown Date Review Completed: 10/6/2023

Summary of Same Source Review:

☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Injury Review:

☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Ground Water Review Form:

- ☐ Water Right Transfer
☐ Permit Amendment
☐ GR Modification
☐ Other

Application: T-13771

Applicant Name: Anne R Klinge Trust, Lori Klinge Trustee

Proposed Changes: ☒ POA ☐ APOA ☐ SW→GW ☐ RA
☐ USE ☐ POU ☐ OTHER

Reviewer(s): Stacey Garrison, Travis Brown

Date of Review: 10/6/2023

Date Returned to WRSD: 10/12/2023

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- ☐ The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- ☐ Other _____

-
1. Basic description of the changes proposed in this transfer: Applicant proposes to change to new POA for irrigation of 1.2 acres (maximum annual volume of 3 af/year) under Claim GR-782. The From-POA is MARI 241 and the To-POA is MARI 229. Claim GR-782 authorizes irrigation of 40 acres total at a maximum rate of 1.114 cfs. The proportional rate of withdrawal from the proposed To-POA (MARI 229) would be 0.03342 cfs based on the acreage to be irrigated by the proposed To-POA. The remaining 38.8 ac of POU on Claim GR-782 would continue to be irrigated using the From-POA MARI 241 at a maximum rate of 1.0806 cfs.
 2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?
☒ Yes ☐ No Comments: The To-POA (MARI 229) develops the sand and gravel Willamette aquifer (Woodward et al 1998) from 130 to 143 ft bls [46 to 59 ft msl]. The From-POA (MARI 241) is drilled to a maximum depth of 134 ft [57 ft msl]; although the lithology is not recorded for the From-POA (MARI 241). Based on the recorded maximum depth, the recorded well yield of 600 gpm, surrounding well logs (MARI 229, MARI 233, MARI 247, MARI 249, MARI 242), and geology reports (O'Connor et al 2001) the From-POA (MARI 241) likely utilizes the same sand and gravel Willamette aquifer as the To-POA (MARI 229).
 3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?
☐ Yes ☒ No _____

- b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): NA
4. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?
☐ Yes ☒ No Comments: The closest well to the From-POA (MARI 241) is likely MARI 249, a domestic well serving tax lot 1000 at 23241 Boones Ferry Rd. MARI 249 is 532 ft from the From-POA (MARI 241) and 1,735 ft from the To-POA (MARI 229). The closest well to the To-POA (MARI 229) is likely MARI 233, a domestic well serving tax lot 1300 at 13652 Arndt Rd. MARI 233 is 689 ft from the To-POA (MARI 229) and 944 ft from the From-POA (MARI 241). The To-POA (MARI 229) is further from the closest well than the From-POA (MARI 241), so a decrease in interference with other groundwater users is anticipated.
- b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?
☐ Yes ☐ No If yes, explain: NA
5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?
☒ Yes ☐ No Comments: The From-POA (MARI 241) and the To-POA (MARI 229) both produce from the Willamette alluvial sand and gravel aquifer which is hydraulically connected to local streams (Woodward et al 1998). The To-POA (MARI 229) is 668 ft west of Senecal Creek, whereas the From-POA (MARI 241) is 1,216 ft east of Senecal Creek*. The reduced intervening distance will likely increase interference with Senecal Creek. The proposed To-POA (MARI 229) is 1,755 ft west of Kraus Creek, whereas the From-POA (MARI 241) is 560 ft north of Kraus Creek. The increased intervening distance will likely decrease interference with Kraus Creek. Both Senecal Creek and Kraus Creek are tributaries to Deer Creek and within the Mill Creek>Pudding River at Mouth Water Availability Basin (WAB). The difference in proximity (distance from nearest surface water to From-POA vs To POA) for Senecal Creek is 548 ft and for Kraus Creek is 1,195 ft, with an overall reduced stream-to-well distance of 647 ft for the To-POA (MARI 229).
- *Senecal Creek has been mapped most recently as intermittent, however historic topographic maps indicate Senecal Creek as perennial adjacent to the To-POA (MARI 229) and there are three PODs for two surface water rights for irrigation on Senecal Creek: Certificate 22662 with a priority date of 11/28/1949 and Certificate 23216 with a priority date of 11/6/1950. It is therefore assumed that there is potential for interference to occur during the irrigation season with these surface water rights; the most upstream POD is used as the potential point of interference reflected in the distances to the From-POA (MARI 241) and the To-POA (MARI 229).
- b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?
Stream: Senecal Creek ☒ Minimal ☐ Significant
Provide context for minimal/significant impact: The reduced intervening distance between the To-POA (MARI 229) and Senecal Creek will likely cause an overall increase in interference with Senecal Creek. However, at the WAB scale, the overall impact is anticipated to be null due to the reduced interference with Kraus Creek and the inefficient

hydraulic connection. In addition, potential interference with Senecal Creek is anticipated to be minimal as assessed using the Hunt 2003 analytical stream depletion model (Hunt 2003).

6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?
☐ Yes ☐ No Comments: _____
7. What conditions or other changes in the application are necessary to address any potential issues identified above: _____
8. Any additional comments: _____

References:

Application File: T-13771

Conlon, T.D., Wozniak, K.C., Woodcock, D., Herrera, N.B., Fisher, B.J., Morgan, D.S., Lee, K.K., and Hinkle, S.R., 2005, Ground-water hydrology of the Willamette Basin, Oregon: U.S. Geological Survey Scientific Investigations Report 2005-5168.

Gannett, M.W. and Caldwell, R., 1998, Geologic framework of the Willamette Lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-A, 32 p.


Hunt, B., 1999, Unsteady stream depletion from ground water pumping: Ground Water, v. 37, no. 1, p. 98-102.

Jenkins, C.T., 1968, Techniques for computing rate and volume of stream depletion by wells: Ground Water, v. 6, no. 2, p. 37-46.

O'Connor, J.E., Sarna-Wojcick, A., Wozniak, K.C., Polette, D.J., Fleck, R.J., 2001, Origin, Extent, and Thickness of Quaternary Geologic Units in the Willamette Valley, Oregon; U.S. Geological Survey, Professional Paper 1620, 51 p

Woodward, D.G., Gannett, M.W., and Vaccaro, J.J., 1998, Hydrogeologic framework of the Willamette Lowland aquifer system, Oregon and Washington: U.S. Geological Survey Professional Paper 1424-B, 82 p.

T13771 Anne R Klinge Trust, Lore Klinge Trustee



Service Layer Credits:

Oregon Water Resources Department
Water Availability Analysis

Water Availability Analysis
Detailed Reports

MILL CR + PUDDING R - AT MOUTH
WILLAMETTE BASIN

Watershed ID #: 30200001 [Map](#)
Date: 11/5/2021

Water Availability as of 10/5/2023

Exceedance Level: 20%
Time: 3:21 PM

Water Availability Calculation Consumptive Uses and Storages Instream Flow Requirements Reservations

Water Rights Watershed Characteristics

Water Availability Calculation
Monthly Streamflow in Cubic Feet per Second
Annual Volume at 50% Exceedance in Acre-Feet


Month	Natural Stream Flow	Consumptive Uses and Storages	Expected Stream Flow	Reserved Stream Flow	Instream Flow Requirements	Net Water Available
JAN	39.20	9.74	29.46	0.00	0.00	29.46
FEB	53.00	9.85	43.15	0.00	0.00	43.15
MAR	30.40	9.47	20.93	0.00	0.00	20.93
APR	27.60	7.10	20.50	0.00	0.00	20.50
MAY	13.70	5.73	7.97	0.00	0.00	7.97
JUN	8.72	7.06	1.66	0.00	0.00	1.66
JUL	3.79	12.00	-8.21	0.00	0.00	-8.21
AUG	2.09	8.81	-6.72	0.00	0.00	-6.72
SEP	1.80	4.81	-3.01	0.00	0.00	-3.01
OCT	2.39	1.25	1.14	0.00	0.00	1.14
NOV	6.66	7.23	-0.57	0.00	0.00	-0.57
DEC	25.50	9.56	15.94	0.00	0.00	15.94
ANN	30,010.00	5,520.00	24,490.00	0.00	0.00	24,490.00

Download Data: [Text](#) [Formatted](#) [Text](#) [Tab Delimited](#) [Excel](#)

Application type:	T	Parameter	Symbol	Scenario 1	Scenario 2	Scenario 3	Units
Application number:	13771	Distance from well to stream	a	668.0	668.0	668.0	ft
Well number:	2	Aquifer transmissivity	T	720.0	3700.0	6680.0	ft ² /day
Stream Number:	1	Aquifer storativity	S	0.001	0.0005	0.0001	-
Pumping rate (cfs):	0.03342	Aquitard vertical hydraulic conductivity	Kva	0.001	0.005	0.01	ft/day
Pumping duration (days):	245.0	Aquitard saturated thickness	ba	160.0	160.0	160.0	ft
Pumping start month number (3=March)	3.0	Aquitard thickness below stream	bab	160.0	160.0	160.0	ft
		Aquitard specific yield	Sya	0.2	0.2	0.2	-
		Stream width	ws	15.0	15.0	15.0	ft

Stream depletion for Scenario 2:

Days	10	330	360	30	60	90	120	150	180	210	240	270	300
Depletion (%)	0	0	0	0	0	0	0	0	0	0	0	0	0
Depletion (cfs)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00



Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department
725 Summer St NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Transfer Application: T-13771

Review Due Date: 09/04/2021

Applicant Name: Anne Klinge Trust

Proposed Changes: ☒ POU ☐ POD ☒ POA ☐ USE ☐ OTHER

Reviewer(s): G. Wacker

Date of Review: 09/15/2021

1. Do you have evidence that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? ☐ Yes ☒ No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2. Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? ☐ Yes ☒ No Generally characterize the frequency of any regulation or explain why regulation has not occurred:
3. Have headgate notices been issued for the source that serves the transferred right(s)?
☐ Yes ☒ No ☐ Records not available.
4. In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? ☐ Yes ☒ No If "Yes", explain:
5. In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? ☐ Yes ☒ No If "Yes", describe how the rights would be affected and list the rights most affected:

6. Check here ☐ if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most:

☒ N/A

7. For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses:

☒ N/A

8. For instream transfers that propose protection of a reach beyond the mouth of the source stream:

☒ N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? ☐ Yes ☐ No

9. For POU changes: ☐ N/A Is it likely the original place of use would continue to receive water from the same source? ☐ Yes ☒ No If "Yes", explain:

10. For POU or USE changes: ☐ N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste?

☐ Yes ☒ No If "Yes", explain:

11. For POU changes that involve micro-irrigation: ☒ N/A

- a. Has the applicant made changes (absent a transfer) to convert to micro-irrigation within the current place of use boundary of the water right proposed for transfer, and previously demonstrated to the Department through monitoring and site inspections by the Watermaster that the proposed transfer will not result in injury or enlargement?

☐ Yes ☐ No If "Yes", explain:

- b. Has a temporary transfer of this nature been previously filed and approved on the same lands (or portions thereof) as those lands involved in this transfer?

☐ Yes ☐ No If "Yes", answer the following:

- i. Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? ☐ Yes ☐ No If "Yes", explain:

- ii. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? ☐ Yes ☐ No If "No", explain:

- iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- iv. Do you have any other observations regarding the temporary transfer?

☐ Yes ☐ No If "Yes", describe:

- v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- c. To the best of your knowledge, if this transfer is approved, does it appear that:

- i. "Injury" will occur to other water rights that share the same source?

☐ Yes ☐ No If "Yes", explain:

- ii. "Enlargement" of the water right being transferred will occur?

☐ Yes ☐ No If "Yes", explain:

12. Are there other issues not identified through the above questions that should be considered in determining whether the change "can be effected without injury to other rights"?

☐ Yes ☒ No If "Yes", explain:

13. What alternatives may be available for addressing any issues identified above:

14. Do conditions need to be included in the transfer order to avoid enlargement of the right or injury to other rights? ☒ No ☐ Yes, as checked and provided below:

☐ For POU changes that involve micro-irrigation, provide the monitoring and reporting conditions necessary to prevent injury/enlargement:

☐ A Headgate should be required prior to diverting water.

☐ Measurement Devices for POD or POA: (if this condition is selected, also fill in the top sections of Page 4)

a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, ☐ at each point of diversion/appropriation (new and existing) OR at each new point of diversion/appropriation ☐ with the exception that water rights issued to the Bureau of Reclamation or an irrigation district (or similar entity) are not subject to this condition.*

b. The water user shall maintain the meters or measuring devices in good working order.

c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

☐ Reservoir water use measurement: (if this condition is selected, also fill in the top sections of Page 4)

a. Before water use may begin under this order, the water user shall install staff gages, or, with prior approval of the Director, other suitable measuring devices, that measure the entire range and stage between empty and full in each reservoir. Staff gages shall be United States Geological Survey style.*

b. Before water use may begin under this order, if the reservoir is located in channel, weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, an adjustable outlet valve must be installed. The water user shall maintain such devices in good working order. A written waiver may be obtained, if in the judgment of the Director, the installation of weirs or other suitable measuring devices, or the adjustable outlet valve, will provide no public benefit.

* The following alternative device(s) should be substituted for the bold, underlined device in the above selected condition:

☐ Weir
☐ Parshall Flume
☐ Other: ____

☐ Submerged Orifice
☐ Flow Restrictor

Oregon Water Resources Department
Measurement Condition Information for the Applicant
(To be sent with the Draft Preliminary Determination or Final Order)

Transfer #: T-

☐ In order to avoid enlargement of the right or injury to other rights, a _____ will
 be required to be installed prior to diversion of water, as a condition of this transfer:
 ☐ at each point of diversion/appropriation (new and existing) **OR**
 ☐ at each new point of diversion/appropriation.

For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:

Watermaster name:

District:

Address:

City/State/Zip:

Phone:

Email:

Note: If a device other than the one specified in the Preliminary Determination or Final Order is approved by the Watermaster, fill out and mail the form below to the Salem office.

Approval of an Alternate Measurement Device **T-**
(to be filled out after consultation with the applicant, or after a site visit)

On behalf of the Director, I authorize use of the following suitable **alternate measurement device**:

 Watermaster signature

 District

 Date

If this form is used for approval of an alternative measurement device, it must be mailed to:

Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, OR 97301-1266



Oregon

Kate Brown, Governor

Water Resources Department
725 Summer St NE, Suite A
Salem, OR 97301
(503) 986-0900
Fax (503) 986-0904

August 5, 2021

ANNE KLINGE TRUST
LORI KLINGE TRUSTEE
691 SE 1ST AVENUE
CANBY, OR 97013

Reference: Application T- 13771

On June 28, 2021, OWRD received your water Groundwater Registration Modification application. The application was accompanied by \$1250.00. Our receipt number 135698 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to our groundwater staff to determine whether the proposed well accesses the same source of water as the original well.

This application may require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

You may not use water for the new use, in the new place of use or from the new point of appropriation until a final order approving recognition of the groundwater registration modification application has been issued by the Department. If the land is sold before the modification is approved, the buyer's consent to the modification will be required unless a recorded deed or other legal document clearly established that the groundwater registration was not conveyed in the sale.

Please refer to the following page for a chart showing the steps and expected timelines for the processing of your application.

If you have any questions, please contact the Transfer Section at (503) 986-0815.

Cc: Watermaster Dist. #16, Gregory J. Wacker (via email)
Doann Hamilton, Agent
Marion County Planning


Enclosure

T.4S. R.1W. Section 2, W.M.

RECEIVED

JUN 28 2021

OWRD



Authorized Well 1 (MARI 241) is located 800 feet south and 1,300 feet east from the NW corner, Section 2.

 Area (38.8 Acres) irrigated under GR-782, priority date 9-30-1950, not affected by this modification.

 "From" Area (1.2 Acres) irrigated under GR-782, priority date 9-30-1950, to be modified by this application.


----- Tax lot boundary

..... Water main lines are portable



RECEIVED June 30, 2021

Scale: 1" = 400'



This map was prepared for the purpose of identifying the location of a water right only and is not intended to provide legal dimensions or location of property ownership lines.



Groundwater Registration Modification Application "From" Map
GR-782


13771

Pacific Hydro-Geology Inc.

Anne R. Klinge Trust, Lori Klinge Trustee
T.4S. R.1W. Section 2, W.M.

03/2021

T.4S. R.1W. Section 2, W.M.



RECEIVED
JUN 28 2021
OWRD

Proposed Well 2 (MARI 229) is located 365 feet south and 115 feet east from the NW corner, Section 2.

 "To" Area (1.2 Acres) irrigated under GR-782, priority date 9-30-1950, affected by this modification.


----- Tax lot boundary

..... Water main lines are portable



13771

Scale: 1" = 400'



This map was prepared for the purpose of identifying the location of a water right only and is not intended to provide legal dimensions or location of property ownership lines.

Groundwater Registration Modification Application "To" Map
 GR-782

Pacific Hydro-Geology Inc.

Anne R. Klinge Trust, Lori Klinge Trustee
 T.4S. R.1W. Section 2, W.M.

03/2021



State of Oregon
Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900

Application for Groundwater Registration Modification

Part 1 of 5 – Minimum Requirements Checklist

This Groundwater Registration Modification application will be returned if Parts 1 through 4 and all required attachments are not completed and included.
For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

JUN 28 2021

OWRD

Check all included with this application (N/A = Not Applicable)

- ☒ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Application Map Checklist.
- ☒ Part 3 – Completed Applicant Information and Signature.
- ☒ Part 4 – Completed Groundwater Registration Modification Application – Groundwater Registration Information. (Only one Groundwater registration per application, unless the Groundwater registrations to be modified are layered).
- ☒ Completed Groundwater Registration Modification Application Map (Does not have to be prepared by a Certified Water Right Examiner).
- ☒ Groundwater registration modification fees – Amount enclosed: \$ 1,250.00.
(\$875.00 for a place of use change only; \$1,250.00 for any other change or combination).
- Attachments:**
 - ☒ ☐ N/A Request for Assignment Form and statutory fee. This form needs to be completed if the applicant owns the land to which the registration is appurtenant and is **not** the registration certificate holder of record. The Request for Assignment Form is available at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>.
Assignment is not needed for any person or entity who can demonstrate authorization to request recognition of a modification (e.g. legal representative, power of attorney, agent, etc.) or the applicant is named on the certificate of registration, or has been assigned to the certificate of registration.
 - ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
 - ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

- | | |
|--|--|
| ☐ Application fee not enclosed/insufficient | ☐ Map not included or incomplete |
| ☐ Land Use Form not enclosed or incomplete | ☐ Assignment Form and fee not enclosed/insufficient |
| ☐ Additional signature(s) required | ☐ Part _____ is incomplete |

Other/Explanation _____

Staff: _____ 503-986-0 _____

Date: ____/____/____

Part 2 of 4 – Groundwater Registration Modification Map Checklist

Your Groundwater Registration Modification application will be returned if any of the map requirements listed below are not met.

RECEIVED

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

JUN 28 2021

OWRD

- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads and railroads.
- ☒ Major water delivery system features from the point(s) of appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes hachuring, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the registration is being changed, a separate hachuring is needed for the portion of the registration left unchanged.
- ☒ ☐ N/A If you are proposing a modification in place of use, show the proposed place of use with hachuring including priority date and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of appropriation with distance and bearing or coordinates from a recognized survey corner.
- ☒ ☐ N/A If you are proposing a modification in point(s) of appropriation, show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Part 3 of 4 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME Anne R. Klinge Trust, Lori Klinge Trustee			PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS 691 SE 1st Ave.			FAX NO.	
CITY Canby	STATE OR	ZIP 97013	E-MAIL	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application

AGENT/BUSINESS NAME Doann Hamilton/Pacific Hydro-Geology, Inc.			PHONE NO. (503) 632-5016	ADDITIONAL CONTACT NO. (503) 349-6946 (cell)
ADDRESS 18487 S. Valley Vista Road			FAX NO. (503) 632-5983	
CITY Mulino	STATE OR	ZIP 97042	E-MAIL phgdmh@gmail.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Explain in your own words what you propose to accomplish with this modification; and why:
The authorized well (MARI 241) is not located on our property limiting access to the well. We propose to add our existing well (MARI 229) to simplify irrigating our portion of this water right and to better locate the place of use.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

☐ Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

(Check one box)

- ☒ By signing this application, I (we) understand that, upon receipt of the draft preliminary determination and prior to Department approval of the Groundwater modification, I (we) will be required to provide landownership information and evidence that I am authorized to pursue the modification as identified in OAR 690-382-0400(16)(a); OR
- ☐ I (we) affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; OR
- ☐ I (we) affirm that the applicant is an entity with the authority to condemn property and is acquiring the property to which the Groundwater registration proposed for modification is appurtenant by condemnation and have attached supporting documentation.

RECEIVED

JUN 28 2021

OWRD

I understand that prior to Department approval of the groundwater registration modification, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the groundwater registration is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following paper: Canby Herald.

I (we) affirm that the information contained in this application is true and accurate.


Lori A. Klinge
Applicant Signature
Lori A. Klinge
Print Name and title if applicable
6-22-2021
Date

Is the applicant the sole owner of the land on which the Groundwater registration modification or portion thereof, is located? ☒ Yes ☐ No If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the Groundwater registration has been conveyed.

Check the appropriate box, if applicable:

- ☐ Check here if the Groundwater registration proposed for modification is or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME NA	ADDRESS	
CITY	STATE	ZIP

- ☐ Check here if water for the Groundwater registration is supplied under a water service agreement or other contract with a federal agency or other entity.

ENTITY NAME NA	ADDRESS	
CITY	STATE	ZIP

To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Marion County Planning Division	ADDRESS 5155 Silvertown Road NE	
CITY Salem	STATE Oregon	ZIP 97305

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

RECEIVED

JUN 28 2021

OWRD

13771

Part 4 of 4 – Groundwater Registration Information

Please use a separate Part 4 for each registration being modified. See instructions on page 5, to copy and paste additional Part 4s, or to add additional rows to tables within the form.

Table 1. Location of Authorized and Proposed Point(s) of Appropriation (POA)

(Note: If the POA name is not specified in the registration, assign it a name or number here.)

POA Name or Number	Is this POA Authorized by the registration or is it Proposed?	OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 1	☒ Authorized ☐ Proposed	MARI 241	4	S	1	W	2	NW	NW	TL 1100	800 feet south and 1.300 feet east from NW corner, Section 2
Well 2	☐ Authorized ☒ Proposed	MARI 229	4	S	1	W	2	NW	NW	TL 1600	365 feet south and 115 feet east from NW corner, Section 2
	☐ Authorized ☐ Proposed										
	☐ Authorized ☐ Proposed										

Check all type(s) of modifications(s) proposed below (modification “CODES” are provided in parentheses):

- | | |
|--|---|
| ☒ Place of Use (POU) | ☒ Point of Appropriation (well) (POA) |
| ☐ Character of Use (USE) | ☐ Additional Point of Appropriation (APOA) |

Will all of the proposed changes affect the entire Groundwater registration?

- ☐ Yes Complete only the proposed (“to” lands) section of Table 2 on the next page. Use the “CODES” listed above to describe the proposed changes.
- ☒ No Complete all of Table 2 to describe the portion of the registration to be changed.

RECEIVED

JUN 28 2021

OWRD

13771

Please use and attach additional pages of Table 2 as needed.
See page 5 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer

Table 2. Description of Modifications to Registration GR-782 (Certificate # GR-757)

List only the part of the registration that will be modified. For the acreage in each ¼ ¼, list the modification proposed. If more than one modification, specify the acreage associated with each modification. If more than one POA, specify the acreage associated with each POA.

AUTHORIZED (the “from” or “off” lands) The listing that appears in the registration BEFORE PROPOSED CHANGES List only that part or portion of the groundwater registration that will be changed.											Proposed Changes (see “CODES” from previous page)	PROPOSED (the “to” or “on” lands) The listing as it would appear AFTER PROPOSED CHANGES are made.															
Twp	Rng		Sec	¼ ¼		Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POA(s) (name or number from Table 1)		Priority Date	Twp	Rng		Sec	¼ ¼		Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POA(s) to be used (from Table 1)	Priority Date			
4	S	1	W	2	NW	NW	1101, 1600	NA	1.2	IR	Well 1	9-30- 1950	POA, POU	4	S	1	W	2	NW	NW	1101, 1600, 1700	NA	1.2	IR	Well 2	9-30- 1950	
TOTAL ACRES								1.2						TOTAL ACRES								1.2					

Additional remarks: Note: An accurate map showing the place of use for GR-782 is not available in the Department file. The presumed location of the place of use was determined by the 35 acres designated within the NW NW ¼ corner mainly covered the original farm. Therefore allowing 33.8 acres for the original farm in tax lot 1100 there is an additional 1.2 acres located off the farm. Without an official map these acres have been located on TL 1101 and 1600 which have been irrigated.

Groundwater Registration # GR-782 (Certificate # GR-757)

For a modification in place of use or character of use:

Are there other water right certificates, water use permits, or Groundwater registrations associated with the “from” or “to” lands? ☐ Yes ☒ No

If YES, list the other certificate, water use permit, or other Groundwater registration numbers:

NA

Pursuant to OAR 690-382-0200, any “layered” water use, such as an irrigation right that is supplemental to a primary irrigation right proposed for transfer, must be concurrently transferred with the registration or be cancelled. Any change to a water right must be filed separately in a transfer application. Any change to a water use permit must be filed separately with a permit amendment. Any modification to a Groundwater registration on the “to” lands must be filed separately with a Groundwater registration modification.

For modifications in point(s) of appropriation (well(s) or additional point(s) of appropriation:

- ☒ Well log(s) are attached for each well that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

(Tip: You may search for well logs on the Department’s web page at:

http://apps.wrd.state.or.us/apps/gw/well_log/)

RECEIVED

JUN 28 2021

OWRD

AND/OR

- ☐ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide “a best estimate” for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide adequate information is likely to delay the processing of your modification application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). <u>If</u> less than full rate of water right
Well 1	Yes	MARI 241	See Well log (MARI 241)							Not less than full rate of water right
Well 2	Yes	MARI 229	See Well log (MARI 229)							

13771

STATE ENGINEER
Salem, Oregon

OBSERVATION WELL

Well Record

STATE WELL NO. 4/1W-2A(1) ^{C 2}
COUNTY Marion
APPLICATION NO. GR-782

OWNER: Will E. Dreher


MAILING ADDRESS: Rt. 2

LOCATION OF WELL: Owner's No. #1

CITY AND STATE: Aurora, Oregon

NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 2 T. 4 S. R. 1 W., W.M.

Bearing and distance from section or subdivision
corner #300' E. & 800' S. of NW corner of
section 2



Section 2

Altitude at well 190 ft.

TYPE OF WELL: Drilled Date Constructed Oct. 10, '50

Depth drilled 134 ft. Depth cased

CASING RECORD:

12 "

RECEIVED

JUN 28 2021

FINISH:

OWRD

AQUIFERS:

WATER LEVEL:

PUMPING EQUIPMENT: Type Peerless pump H.P. 20
Capacity 450 G.P.M.

WELL TESTS:

Drawdown ft. after hours G.P.M.

Drawdown ft. after hours G.P.M.

USE OF WATER Irrigation - 40 acres Temp. °F. 19

SOURCE OF INFORMATION GR-782

DRILLER or DIGGER John J. Miller, Sr.

ADDITIONAL DATA:

Log None Water Level Measurements ✓ Chemical Analysis ✓ Aquifer Test ✓

REMARKS:

13771

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT.
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No. 451W-2bb

State Permit No. RECEIVED

JUN 28 2021

(1) OWNER:

Name EARL M. KLINGE

Address RT 2 BOX 125

AURORA, OR

PH 678-1125

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☐ Driven ☐
Jetted ☐
Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

(5) CASING INSTALLED:

8" Diam. from 0 ft. to 152 ft. Gage 1250

" Diam. from ft. to ft. Gage

" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? ☒ Yes ☐ No.

Type of perforator used STAR

Size of perforations 1 1/4 in. by 3/8 in.

150 perforations from 135 ft. to 145 ft.

perforations from ft. to ft.

perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☐ No

Manufacturer's Name

Type Model No.

Diam. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

a pump test made? ☒ Yes ☐ No If yes, by whom? DRILLER

Yield: 180 gal./min. with 65 ft. drawdown after 4 hrs.

220 " 65 " 24 "

" " " "

Artesian flow gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water 51 Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Cement

Well sealed from land surface to 24 ft.

Diameter of well bore to bottom of seal 12 in.

Diameter of well bore below seal 8 in.

Number of sacks of cement used in well seal 21 sacks

How was cement grout placed? Pump

Was a drive shoe used? ☒ Yes ☐ No Plugs Size: location ft.

Did any strata contain unusable water? ☐ Yes ☒ No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? ☒ Yes ☐ No Size of gravel: 3/8 to 3/4"

Gravel placed from 152 ft. to 185 ft.

(10) LOCATION OF WELL:

County MARION Driller's well number

NN 1/4 NW 1/4 Section 2 T. 43 R. 1W

Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 18 ft.

Static level 61 ft. below land surface. Date SEP 8, 1979

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 8"

Depth drilled 185 ft. Depth of completed well 185 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Topsoil	0	3	
Clay-Brown-Silty	3	18	11
Clay-BLUE	18	70	
SILT, DARK BLUE	70	73	
Clay, DARK BLUE	73	110	
SILT, DARK GREY	110	124	
SANDSTONE, BROWN	124	130	
GRAVEL & SAND, CLAY STREAKS	130	143	
Clay BLUE GREEN	143	148	
CLAY SILTY DARK BLUE	148	158	
SANDSTONE	158	160	
SAND & GRAVEL	160	161	
SILT	161	166	
CLAY BLUE	166	183	
Rock	183	185	

Work started 8-25-1979 Completed 9-2-79 19

Date well drilling machine moved off of well SEP 8, 1979

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Richard J. Beck Date SEP 8, 1979

(Drilling Machine Operator)

Drilling Machine Operator's License No. 1200

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name J.W. Beck Well Drilling

(Person, firm or corporation)

(Type or print)

Address 24437 Skyline Dr. Clatsop Co.

[Signed] John W. Beck

(Water Well Contractor)

Contractor's License No. 4119 Date SEP 10, 1979

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

RECEIVED

JUN 28 2021

OWRD

Applicant(s): Lori Klinge Trustee for Anne R. Klinge Trust

Mailing Address: 691 SE 1st Ave.

City: Canby

State: OR

Zip Code: 97013

Daytime Phone: _____

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
<u>4S</u>	<u>1W</u>	<u>2B</u>	_____	<u>1600</u>	_____	☒ Diverted	☒ Conveyed	☒ Used	<u>IR</u>
<u>4S</u>	<u>1W</u>	<u>2B</u>	_____	<u>1700</u>	_____	☐ Diverted	☒ Conveyed	☒ Used	<u>IR</u>
_____	_____	_____	_____	_____	_____	☐ Diverted	☐ Conveyed	☐ Used	_____

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Marion County

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water ☐ Water Right Transfer ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License ☐ Allocation of Conserved Water ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 0.03 ☒ cubic feet per second ☐ gallons per minute ☐ acre-feet

Intended use of water: ☒ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☐ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

This Land Use Information Form is to accompany a Groundwater Registration Modification that proposes to change from the authorized well for Groundwater Registration GR-782 to another existing well and correct the place of use.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

13771

JUN 28 2021

For Local Government Use Only

OWRD

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): MC 17.136.020

☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: Ryan Dyar Title: Associate Planner

Signature: Ryan Dyar Phone: 503-566-4173 Date: 6-21-21

Government Entity: Marion County

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____

City or County: _____ Staff contact: _____

Signature: _____ Phone: _____ Date: _____

13771

Groundwater Registration Modification (GR Mod) Application Checklist

Checked by Scott

Date 7/16/21

(If OK, check box to left; if not, fill in the blank)

- ☒ 1. Is the name of the GR Mod applicant(s) the same as the GR claim holder(s) of record?

If not, one of the following must be included with the application:

- ☐ a) A written statement from the GR claim holder, consenting to the proposed GR Mod Application (if the GR claim holder(s) of record is the current property owner), **OR**.
- ☐ b) A concurrent "Request for Assignment" to move the GR claim into the GR Mod applicant's name must be submitted (if the GR Mod applicant(s) is the current property owner), **OR**
- ☐ c) A concurrent "Request for Assignment" to move the GR claim into the name of a third party (who now owns the property) must be submitted, and the third party will need to provide a written statement consenting to the proposed GR Mod Application.

If not, what is missing? _____

- ☒ 2. Page 1 of application: Are all attachments that have been checked actually included?

If not, what is missing? _____

- ☒ 3. Are fees included and correct? 1250

If not, the correct fee would be: _____, so the amount missing is: _____

- If application proposes ONLY a change in place of use = \$875.00
- If application proposes any other change or combination of changes = \$1,250.00

- ☒ 4. Page 3 of application: Have all the applicants listed at the top of the page signed at the bottom?

If not, whose signature is missing? _____

- ☒ 5. If all #1-#4 boxes on this checklist are checked (with no remaining deficiencies identified), accept the application. Put this check sheet in the transfer folder.

If #1, #2, #3, or #4 on this checklist is deficient, the application CANNOT be accepted.

It should be returned and the deficiencies listed in the "staff" section at the bottom of Application Page 1, unless the applicant or agent can resolve the deficiencies within 2-3 days.