

TEMPORARY

Name J.R.S. Properties III, LLLP

Address PO Box 27
Boise, ID 83707
vic.conrad@simplot.com

Change in POV, POA, APOA
Date Filed 9/29/2025
Initial notice date 10/14/2025
DPD issued date _____
PD issued date _____
PD notice date _____
Date of FO 11/24/2025 Vol 138 Page 125-131

C-Date _____
COBU due date _____
COBU Received date _____
Certificate issued _____

Assignments: _____

Irrigation District _____

Agent Scott D Montgomery
scott@apeands.com

CWRE _____
CC's list Lake County

- Oversized map - Location

DESCRIPTION OF WATER RIGHT(S)

Name of Stream A Well

Trib. of Chewaucan Basin

Use Irrigation County Lake

Quantity of water (CFS) _____ No. of Acres _____

Name of ditch _____

App# G-15510 Per # G-15037 Cert # 93777 PR Date 5/24/2001

App# G-14870 Per # G-13714 Cert # 93778 PR Date 11/30/1998

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

FEES PAID		
Date	Amount	Receipt #
<u>9-29-25</u>	<u>\$3,017.09</u>	<u>146122</u>

FEES REFUNDED		
Date	Amount	Receipt #

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A

SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **146122**

INVOICE # _____

RECEIVED FROM: JRS Properties III LLP
BY: OK Trkst.

APPLICATION	
PERMIT	
TRANSFER	<u>T-14738</u>

CASH: CHECK:# 11768 OTHER: (IDENTIFY)

TOTAL REC'D \$ 3,017.09

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES	\$
OTHER: (IDENTIFY)	\$
0243 I/S Lease	
0244 Muni Water Mgmt. Plan	
0245 Cons. Water	

4270 WRD OPERATING ACCT

MISCELLANEOUS			
0407 COPY & TAPE FEES	\$		
0410 RESEARCH FEES	\$		
0408 MISC REVENUE: (IDENTIFY)	\$		
TC162 DEPOSIT LIAB. (IDENTIFY)	\$		
0240 EXTENSION OF TIME	\$		
WATER RIGHTS:			
0201 SURFACE WATER	EXAM FEE	0202	RECORD FEE
0203 GROUND WATER	\$	0204	\$
0205 TRANSFER	\$ <u>3,017.09</u>		
WELL CONSTRUCTION			
0218 WELL DRILL CONSTRUCTOR	EXAM FEE	0219	LICENSE FEE
LANDOWNER'S PERMIT	\$	0220	\$
OTHER (IDENTIFY)			

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE	\$	CARD#	
0210 MONITORING WELLS	\$	CARD#	
OTHER (IDENTIFY)			

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD)	\$
0231 HYDRO LICENSE FEE (FW/WRD)	\$
HYDRO APPLICATION	\$

TREASURY OTHER / RDX

FUND _____ TITLE _____
OBJ. CODE _____ VENDOR # _____
DESCRIPTION _____ \$ _____

RECEIPT: **146122** DATED: 9-29-75 BY: B

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal



Oregon

Tina Kotek, Governor

Water Resources Department

North Mall Office Building

725 Summer St NE, Suite A

Salem, OR 97301

Phone 503 986-0900

Fax 503 986-0904

www.oregon.gov/owrd

November 24, 2025

JRS Properties III LP

PO BOX 27

Boise, ID 83707

REFERENCE: District Temporary Transfer Application T-14738

Enclosed is a copy of the final order approving your TEMPORARY water right transfer application.

The temporary change shall be effective at the **beginning of the 2026 irrigation season**. The use shall revert to the original authorized place of use at the **end of the 2030 irrigation season**.

If you have any questions related to the approval of this temporary transfer, you may contact your caseworker, Joan Smith, by telephone at (503) 986-0892 or by e-mail at Joan.m.smith@water.oregon.gov.

Sincerely,

David V. Jones Jr

Water Rights Services Support

Transfers and Conservation Section

cc: Matt A. Anderson, Watermaster Dist. # 12 (via email)

Scott D. Montgomery, Agent

Lake County, Local Government

Enclosure

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Transfer Application)
T-14738, Lake County)
)
) FINAL ORDER APPROVING TEMPORARY
) CHANGES IN PLACES OF USE, POINTS OF
) APPROPRIATION, AND ADDITIONAL
) POINTS OF APPROPRIATION

Authority

Oregon Revised Statute (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to temporarily transfer the place of use and, if necessary to convey the water to the temporary place of use, the point of appropriation authorized under an existing water right. Oregon Administrative Rule (OAR) Chapter 690, Division 380 implements the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

JRS PROPERTIES III LP
PO BOX 27
BOISE, ID 83707

Findings of Fact

1. On September 29, 2025, JRS Properties III LLLP filed an application to temporarily change the places of use, add additional points of appropriation and change the points of appropriation to serve the proposed place of use under Certificates 93777 and 93778 for a period of 5 years. The Department assigned the application number T-14738.

2. Notice of the application for transfer was published on October 14, 2025, pursuant to OAR 690-380-4000.

3. The portion of the first right to be transferred is as follows:

Certificate: 93777 in the name of J R SIMPLOT SELF DECLARATION REVOCABLE TRUST
(perfected under Permit G-15037)
Use: IRRIGATION of 81.3 ACRES
Priority Date: MAY 24, 2001
Rate: 1.02 CUBIC FEET PER SECOND, IN ANY COMBINATION FROM THE FOUR
WELLS (WELLS 1, 2, 3, AND 4)

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Period of Use: March 1 through October 31

Limit/Duty: The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: FOUR WELLS in the CHEWAUCAN BASIN

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
33 S	19 E	WM	7	NE SE	WELL 2 - 1690 FEET NORTH AND 770 FEET WEST FROM THE SE CORNER OF SECTION 7
33 S	19 E	WM	8	SE NE	WELL 3 - 2048 FEET SOUTH AND 563 FEET WEST FROM THE NE CORNER OF SECTION 8
33 S	19 E	WM	8	NW NW	WELL 4 - 325 FEET SOUTH AND 4704 FEET WEST FROM THE NE CORNER OF SECTION 8
33 S	19 E	WM	17	SW NW	WELL 1 - 2600 FEET SOUTH AND 50 FEET EAST FROM THE NW CORNER OF SECTION 17

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
33 S	19 E	WM	7	NE NE	0.8
33 S	19 E	WM	7	SE NE	1.1
33 S	19 E	WM	8	NE NW	12.4
33 S	19 E	WM	8	NW NW	22.5
33 S	19 E	WM	8	SW NW	26.3
33 S	19 E	WM	8	SE NW	18.2
Total					81.3

4. Temporary Transfer Application T-14738 proposes to temporarily change the place of use of the right and reduce 45.3 acres to Supplemental Irrigation as described in the tables below:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
34 S	19 E	WM	14	SW SW	0.5
34 S	19 E	WM	14	SE SW	0.5
34 S	19 E	WM	14	SW SE	0.6
34 S	19 E	WM	15	NW SW	0.9
33 S	19 E	WM	15	SW SW	25.6
34 S	19 E	WM	22	NW NE	2.4
34 S	19 E	WM	22	NE NW	0.4
33 S	19 E	WM	22	NW NW	3.0
34 S	19 E	WM	23	NW NE	0.6
34 S	19 E	WM	23	SW NE	0.2
34 S	19 E	WM	23	NE NW	0.2
34 S	19 E	WM	23	NW NW	0.6

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
34 S	19 E	WM	23	SE NW	0.5
Total					36.0

SUPPLEMENTAL IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
34 S	19 E	WM	15	NE SW	4.5
34 S	19 E	WM	15	NW SW	9.2
34 S	19 E	WM	15	SW SW	10.4
34 S	19 E	WM	15	SE SW	20.8
33 S	19 E	WM	22	NE NW	0.4
Total					45.3

5. Changes in points of appropriation (POA) and an additional point of appropriation (APOA) are necessary to convey the water to the proposed temporary place of use with approximate distances in miles southeast as described below:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Distance from Authorized POA	Type of change
34 S	19 E	WM	15	SW SW	WELL 9 - 825 FEET NORTH AND 1080 FEET EAST FROM THE SW CORNER OF SECTION 15	Well 2-3.84	POA
						Well 3-4.92	
						Well 4-4.3	
						Well 1-3.82	
34 S	19 E	WM	15	SE SE	WELL 8 - 800 FEET NORTH AND 650 FEET WEST FROM THE SE CORNER OF SECTION 15	Well 2-3.2	POA
						Well 3-4.29	
						Well 4-3.73	
34 S	19 E	WM	22	NW NE	WELL 10 - 510 FEET NORTH AND 3530 FEET EAST FROM THE NW CORNER OF SECTION 22	Well 1-3.19	POA
						Well 2-3.42	
						Well 3-4.49	
34 S	19 E	WM	23	NW NE	WELL 11 - 1295 FEET SOUTH AND 3840 FEET WEST FROM THE NE CORNER OF SECTION 23	Well 4-3.9	POA
						Well 1-3.35	
						Well 2-2.81	
34 S	19 E	WM	23	NE NW	WELL 7R- 95 FEET SOUTH AND 3010 FEET WEST FROM THE SE CORNER OF SECTION 23	Well 3-3.92	APOA
						Well 4-3.35	
						Well 1-2.76	
						Well 2-3.37	
						Well 3-4.38	
						Well 4-4.0	
						Well 1-3.01	

6. The second right to be transferred is as follows:

Certificate: 93778 in the name of J R SIMPLOT SELF DECLARATION OF REVOCABLE TRUST, RONALD N. GRAVES, TRUSTEE (perfected under Permit G-13714)

Use: IRRIGATION of 193.6 ACRES

Priority Date: NOVEMBER 30, 1998

Rate: 2.42 CUBIC FEET PER SECOND

Period of Use: March 1 through October 31

Limit/Duty: The amount of water used for irrigation, under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its

equivalent) and 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: TWO WELLS in the CHEWAUCAN RIVER BASIN

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
33 S	19 E	WM	8	SE NE	WELL 3 - 2048 FEET SOUTH AND 563 FEET WEST FROM THE NE CORNER OF SECTION 8
33 S	19 E	WM	8	NW NW	WELL 4 - 325 FEET SOUTH AND 4704 FEET WEST FROM THE NE CORNER OF SECTION 8

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
33 S	19 E	WM	5	NE SW	38.7
33 S	19 E	WM	5	NW SW	14.5
33 S	19 E	WM	5	SW SW	22.1
33 S	19 E	WM	5	SE SW	40.0
33 S	19 E	WM	5	NW SE	23.1
33 S	19 E	WM	5	SW SE	31.8
33 S	19 E	WM	8	NW NE	4.8
33 S	19 E	WM	8	NE NW	16.1
33 S	19 E	WM	8	NW NW	2.5
Total:					193.6

7. Temporary Transfer Application T-14738 proposes to temporarily change the place of use of the right and reduce 74.8 acres to Supplemental Irrigation as described in the tables below to:

PRIMARY IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
34 S	19 E	WM	14	NW SW	5.3
34 S	19 E	WM	14	SW SW	29.5
34 S	19 E	WM	15	SW SE	13.2
33 S	19 E	WM	15	SE SE	35.0
34 S	19 E	WM	22	NE NE	23.5
34 S	19 E	WM	22	NW NE	4.6
34 S	19 E	WM	23	NW NW	7.7
Total					118.8

SUPPLEMENTAL IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
33 S	19 E	WM	14	NW SW	7.9
34 S	19 E	WM	15	NE SE	32.0
34 S	19 E	WM	15	NW SE	14.1
34 S	19 E	WM	15	SW SE	15.8
33 S	19 E	WM	15	SE SE	5.0
Total					74.8

8. Changes in points of appropriation (POA) and additional points of appropriation (APOA) are necessary to convey the water to the proposed temporary place of use, with approximate distances in miles southeast from the authorized points as described below:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Distance from the authorized POA	Type of change
34 S	19 E	WM	15	SW SW	WELL 9 - 825 FEET NORTH AND 1080 FEET EAST FROM THE SW CORNER OF SECTION 15	Well 3-4.92	APOA
						Well 4-4.3	
34 S	19 E	WM	15	SE SE	WELL 8 - 800 FEET NORTH AND 650 FEET WEST FROM THE SE CORNER OF SECTION 15	Well 3-4.28	APOA
						Well 4-3.71	
34 S	19 E	WM	22	NW NE	WELL 10 - 510 FEET NORTH AND 3530 FEET EAST FROM THE NW CORNER OF SECTION 22	Well 3-4.5	POA
						Well 4-3.9	
34 S	19 E	WM	23	NE NW	WELL 11 - 1295 FEET SOUTH AND 3840 FEET WEST FROM THE NE CORNER OF SECTION 23	Well 3-4.12	POA
						Well 4-3.57	
34 S	19 E	WM	23	NE NW	WELL 7R- 95 FEET SOUTH AND 3010 FEET WEST FROM THE SE CORNER OF SECTION 23	Well 3-4.37	APOA
						Well 4-4.05	

Temporary Transfer Review Criteria

9. Water has been used within the last five years according to the terms and conditions of the rights. There is no evidence available that would demonstrate that the rights are subject to forfeiture under ORS 540.610.
10. A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing rights are present.
11. The proposed changes would prevent the lands from which the water right is removed during the period of the temporary transfer from receiving water under the transferred rights, as required by ORS 540.523(7).
12. The proposed changes would not result in injury to other water rights. This finding is made through an abbreviated review recognizing that the transfer may be revoked under ORS 540.523(5) if the Department later finds that the transfer is causing injury to any existing water right.

Conclusions of Law

The temporary changes in place of use, points of appropriation and additional points of appropriation to serve the temporary places of use proposed in Temporary Transfer Application T-14738 are consistent with the requirements of ORS 540.523 and OAR 690-380-8000.

Now, therefore, it is ORDERED:

1. The temporary change in places of use, change in points of appropriation, and additional points of appropriation to serve the temporary places of use proposed in Temporary Transfer Application T-14738 are approved.

2. The former places of use **shall not** be irrigated as part of this water right during the 2026, 2027, 2028, 2029, and 2030 irrigation seasons.
3. The use shall revert to the authorized places of use at the end of the 2030 irrigation season. The authorization to use the temporary points of appropriation shall be terminated concurrently.
4. The approval of this temporary transfer may be revoked or modified if the Department finds the changes cause injury to any existing water right.
5. The quantity of water diverted at the proposed temporary points of appropriation shall not exceed the quantity of water lawfully available at the original points of appropriation.
6. The quantity of water diverted at the proposed temporary additional points of appropriation, together with that diverted at the original points of appropriation, shall not exceed the quantity of water lawfully available at the original points of appropriation.
7. A subsequent application for permanent transfer of Certificates 93777 and 93778 shall be subject to a full and complete review to determine consistency with the requirements of OAR Chapter 690, Division 380. Approval of this temporary transfer does not establish a precedent for approval of a subsequent application filed for a permanent transfer.
8. The use of water at the temporary places of use authorized by this transfer shall be in accordance with the terms and conditions of Certificates 93777 and 93778.
9. The time during which water is used under this approved temporary transfer does not apply toward a finding of forfeiture under ORS 540.610.
10. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

11. The use of the remaining water right described by Certificates 93777 and 93778 shall continue to be in accordance with the terms and conditions of Certificates 93777 and 93778.

Dated in Salem, Oregon on NOV 24 2025



Lisa J. Jaramillo, Transfer and Conservation Section Manager for
IVAN GALL, DIRECTOR
Oregon Water Resources Department

Mailing Date: NOV 25 2025

WATER RIGHT TRANSFER COVER SHEET

Transfer: T-14738

Transfer Specialist: *Joan*

Transfer Type: Temporary Transfer

DROUGHT?

Applicant: JRS Properties III LP PO BOX 27 Boise, ID 83707	Agent: Scott D. Montgomery PO BOX 767 Terrebonne, OR 97760	Receiving Landowner:
Current Landowner if other than Applicant:	CWRE:	Irrigation District:
Affected Local Gov'ts: Lake County	Affected Tribal Gov't:	BOR Notified (date):

Water Rights Affected

File Marked	App. File # or Decree Name	Permit	Certificate
<input type="checkbox"/>	G-15510	G-15037	93777
<input type="checkbox"/>	G-14870	G-13714	93778
<input type="checkbox"/>			

Key Dates & Initial Actions (Support Staff)

Rec'd: September 29, 2025	Proposed Action(s): POINT OF APPROPRIATION; ADDITIONAL POINT OF APPROPRIATION; PLACE OF USE	
Fees Pd: 3017.09	Acknowledgement Letter Sent <input checked="" type="checkbox"/>	Basin: 13 Goose & Summer Lake
Initial Public Notice: 10/14/2025	County sent cc: of Ack Letter <input checked="" type="checkbox"/>	County: LAKE
WM District: 12 Matt A. Anderson	WM Review request sent:10/8/2025	WM Review date received:
Groundwater	GW Review sent: 10/8/2025	GW Review date received:

Peer Review:

Document	Drafted	Peer Review	Coordinator	Changes Made	Signature Bin	Signature Date
FO	Date: <u>10/29/25</u> Initials: <u>Joan</u>	Date: <u>11/6/25</u> Initials: <u>SAH</u>	Date: _____ Initials: <u>CC</u>	Date: <u>11/12/25</u> Initials: <u>Joan</u>	Date: _____ No. of docs for sig: _____ WM Sheet <input type="checkbox"/>	Date: <u>11/24/2025</u>

Special Issues: _____

Special Order Volume: Vol. 138 Pages 125-131

Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department
725 Summer St NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Transfer Application: T-14738

Review Due Date: 11/07/2025

Applicant Name: J.R.S. Properties III LLLP

Proposed Changes: POU POD POA USE OTHER

Reviewer(s): Matthew Anderson

Date of Review: 11/03/2025

1. Do you have evidence that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? Yes No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)

2. Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? Yes No Generally characterize the frequency of any regulation or explain why regulation has not occurred:

3. Have headgate notices been issued for the source that serves the transferred right(s)?
 Yes No Records not available.

4. In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? Yes No If "Yes", explain:

5. In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? Yes No If "Yes", describe how the rights would be affected and list the rights most affected:

6. Check here if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most:

N/A

7. For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses:

N/A

8. For instream transfers that propose protection of a reach beyond the mouth of the source stream:

N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? Yes No

9. For POU changes: N/A Is it likely the original place of use would continue to receive water from the same source? Yes No If "Yes", explain:

10. For POU or USE changes: N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste?

Yes No If "Yes", explain:

11. For POU changes that involve micro-irrigation: N/A

- a. Has the applicant made changes (absent a transfer) to convert to micro-irrigation within the current place of use boundary of the water right proposed for transfer, and previously demonstrated to the Department through monitoring and site inspections by the Watermaster that the proposed transfer will not result in injury or enlargement?

Yes No If "Yes", explain:

b. Has a temporary transfer of this nature been previously filed and approved on the same lands (or portions thereof) as those lands involved in this transfer?

Yes No If "Yes", answer the following:

i. Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? Yes No If "Yes", explain:

ii. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? Yes No If "No", explain:

iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? Yes No If "No", explain:

iv. Do you have any other observations regarding the temporary transfer?

Yes No If "Yes", describe:

It looks like this is a temporary transfer where a permanent one has been filed.

v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? Yes No If "No", explain:

c. To the best of your knowledge, if this transfer is approved, does it appear that:

i. "Injury" will occur to other water rights that share the same source?

Yes No If "Yes", explain:

ii. "Enlargement" of the water right being transferred will occur?

Yes No If "Yes", explain:

12. Are there other issues not identified through the above questions that should be considered in determining whether the change "can be effected without injury to other rights"?

Yes No If "Yes", explain:

It looks like there may be interference with near by wells but not enough to prevent them from getting their water.

13. What alternatives may be available for addressing any issues identified above:

It looks like there is groundwater level decline conditions.

14. Do conditions need to be included in the transfer order to avoid enlargement of the right or injury to other rights? No Yes, as checked and provided below:

For POU changes that involve micro-irrigation, provide the monitoring and reporting conditions necessary to prevent injury/enlargement:

A Headgate should be required prior to diverting water.

Measurement Devices for POD or POA: (if this condition is selected, also fill in the top sections of Page 4)

*a. Before water use may begin under this order, the water user shall install a **totalizing flow meter***, or, with prior approval of the Director, another suitable measuring device, at each point of diversion/appropriation (new and existing) OR at each new point of diversion/appropriation with the exception that water rights issued to the Bureau of Reclamation or an irrigation district (or similar entity) are not subject to this condition.*

b. The water user shall maintain the meters or measuring devices in good working order.

c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Reservoir water use measurement: (if this condition is selected, also fill in the top sections of Page 4)

*a. Before water use may begin under this order, the water user shall install **staff gages***, or, with prior approval of the Director, other suitable measuring devices, that measure the entire range and stage between empty and full in each reservoir. Staff gages shall be United States Geological Survey style.*

b. Before water use may begin under this order, if the reservoir is located in channel, weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, an adjustable outlet valve must be installed. The water user shall maintain such devices in good working order. A written waiver may be obtained, if in the judgment of the Director, the installation of weirs or other suitable measuring devices, or the adjustable outlet valve, will provide no public benefit.

* The following alternative device(s) should be substituted for the bold, underlined device in the above selected condition:

- Weir
- Parshall Flume
- Other: ___
- Submerged Orifice
- Flow Restrictor

Oregon Water Resources Department
Measurement Condition Information for the Applicant
(To be sent with the Draft Preliminary Determination or Final Order)

Transfer #: T- 14738

In order to avoid enlargement of the right or injury to other rights, a Totalizing flow meter will be required to be installed prior to diversion of water, as a condition of this transfer:

at each point of diversion/appropriation (new and existing) **OR**

at each new point of diversion/appropriation.

For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:

Watermaster name: Matthew Anderson

District: 12

Address: 3125 Crosby Ave

City/State/Zip: Klamath Falls, OR, 97603

Phone: 541-947-6038

Email: Matthew.A.Anderson@Water.Oregon.Gov

Note: If a device other than the one specified in the Preliminary Determination or Final Order is approved by the Watermaster, fill out and mail the form below to the Salem office.

Approval of an Alternate Measurement Device T-
(to be filled out after consultation with the applicant, or after a site visit)

On behalf of the Director, I authorize use of the following suitable **alternate measurement device**:

Watermaster signature

District

Date

If this form is used for approval of an alternative measurement device, it must be mailed to:

Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

Groundwater Transfer Review Summary Form

Transfer/PA # T- 14738

GW Reviewer Grayson Fish Date Review Completed: 10/24/2025

Summary of Same Source Review:

The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Water Level Decline Condition Review:

Water levels at the original point(s) of appropriation have exceeded the allowed decline threshold defined by conditions in the originating water right.

Summary of Injury Review:

The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1271
 (503) 986-0900
 www.wrd.state.or.us

Ground Water Review Form:

- Water Right Transfer
- Permit Amendment
- GR Modification
- Other

Application: T-14738

Applicant Name: J.R.S. Properties III LP

- Proposed Changes: POA APOA SW→GW RA
 USE POU OTHER

Reviewer(s): Grayson Fish

Date of Review: 10/24/2025

Date Reviewed by GW Mgr. and Returned to WRSD: _____

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- Other _____

1. Basic description of the changes proposed in this transfer: Applicant is requesting a temporary transfer of POAs and POU's for certificates 93777 and 93778.

a. Cert 93777

- b) Authorized FROM Wells: Well 1 (LAKE 4564), Well 2 (LAKE 51182), Well 3 (LAKE 50941), Well 4 (LAKE 51031).
- c) Proposed TO Wells: Well 8 (LAKE 52491), Well 9 (LAKE 52492), Well 10 (LAKE 52770), Well 11 (LAKE 53479) and Well 7R (not yet constructed)
- d) Combined max rate: 1.02 CFS, duty 3 AF/acre for 81.3 acres, period of use is 3/1- 10/31

b. Cert 93778

- b) Authorized FROM Wells: Well 3: LAKE 50941, Well 4: LAKE 51031
- c) Proposed TO Wells: Well 8 (LAKE 52491), Well 9 (LAKE 52492), Well 10 (LAKE 52770), Well 11 (LAKE 53479) and Well 7R (not yet constructed)

- d) Combined max rate: 2.42 CFS, duty 3 AF/acre for 193.6 acres, period of use is 3/1 – 10/31

Note: This temporary transfer proposes the same changes listed under permanent transfer T-14011. The only difference is that Well 11 (LAKE 53479) has been constructed as of 7/9/2025.

The authorized POAs and POU's and the proposed APOAs and POU's have variously been subject to the following transfers: T-11341 (temporary, 2012 to 2016), T- 11602 (temporary, 2013 to 2017), T-11654 (temporary, 2014 to 2018), T-12386 (regular, approved 2018), T-12794 (regular, withdrawn), T-13524 (temporary, 2021 to 2025) and T-14011 (permanent, in review).

2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?
 Yes No Comments: Available data indicates a predominantly volcanic rock and sediment unit (some identify the unit as predominantly basalt) occurs beneath a predominantly basin fill sediment unit. Reports for the Goose and Summer Lakes Basin indicate groundwater occurs in both the predominantly basin fill sediment unit and predominantly volcanic rock and sediment unit. The groundwater is likely hydraulically connected, making a single groundwater system occurring in different geologic units with different permeability for each unit. A higher permeability and transmissivity generally occur in the predominantly volcanic rock and sediment unit and a lower permeability and transmissivity generally occur in the predominantly basin fill sediment unit.

Given the predominantly basin fill sediment unit and predominantly volcanic rock and sediment unit often have notably different hydraulic properties despite being hydraulically connected, they should be considered different in regard to this portion of the review. Wells completed solely in the predominantly volcanic rock and sediment unit tend to be more seasonally protective of shallower wells and surface water.

The currently authorized POA wells:

LAKE 4564 is 388-feet total depth and constructed to obtain groundwater solely from the shallower and lower permeability predominantly basin fill sediment unit;

LAKE 51031 is 551-feet total depth and constructed with casing to 466-feet bld and a split seal to obtain groundwater primarily from the deeper and higher permeability predominantly volcanic rock and sediment unit below the casing and minimally from the shallower and lower permeability predominantly basin fill sediment unit;

LAKE 50941 is 490-feet total depth and constructed with casing to 448-feet bld and a split seal to obtain groundwater solely from the deeper and higher permeability predominantly volcanic rock and sediment unit below the casing;

LAKE 51182 is 619-feet total depth and constructed with casing to 560-feet bld and a split seal to obtain groundwater solely from the deeper and higher permeability predominantly volcanic rock and sediment unit below the casing.

The proposed POA wells:

LAKE 52491 and LAKE 52492 are 450-feet and 330-feet total depth respectively and constructed to obtain groundwater solely from the shallower and lower permeability predominantly basin fill sediment unit.

LAKE 52770 is 1,100-feet total depth with a 600-foot seal to obtain groundwater from the deeper and higher permeability predominantly volcanic rock and sediment unit.

LAKE 53479 is 800-feet total depth with a 50-foot seal and likely obtains groundwater from both the basin fill sediment unit and the predominantly volcanic rock and sediment unit.

The applicant proposes that Wells 7R source water from “basalt” with a total depth of 500 feet. However, based on nearby well logs it is likely that wells with the proposed construction would source water the from the shallower and lower permeability predominantly basin fill sediments. To source water from the predominantly volcanic rock and sediment unit (“basalt”), the well would need to be cased and sealed to ~625 feet (closer to the construction of LAKE 52770).

3. a) Is the existing authorized POA subject to a water level decline condition?
 Yes No Comments: Certificate 93777 has reference levels for wells 1 -4. The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well if annual water level measurements reveal any of the following events:
- a. An average water level decline of three or more feet per year for five consecutive years; or
 - b. A water level decline of 15 or more feet in fewer than five consecutive years; or
 - c. A water level decline of 25 or more feet; or
 - d. Hydraulic interference leading to a decline of 25 or more feet in any neighboring well with senior priority.

b) If yes, for each POA identify the reference level, most recent spring-high water level, and whether an applicable permit decline condition has been exceeded:

Well	Reference Level (ft bls / date)	Recent Spring-High (ft bls / date)	Exceeded?
LAKE 4564	20.61 on 3/25/2003	33.82 on 3/14/2013	No (no recent data)
LAKE 51182	68.63 on 3/25/2003	53.90 on 3/25/2025	No
LAKE 50941	60.67 on 3/25/2003	68.65 on 3/25/2025	No
LAKE 51031	71.17 on 3/25/2003	79.22 on 3/25/2025	No

Recommend reference levels for the “To” wells proposed under this transfer are listed in Section 8 of this review form.

4. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?
 Yes No Comments: Wells authorized under Certificates 93777 and 93778 source water from basin fill sediments, volcanic rock and sediments or both.

b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): Changing the pumping from the current "From" authorized POA wells to the proposed "To" APOA wells will shift tapping groundwater from about 73% from the deeper predominantly volcanic rock and sediment unit via three wells and 27% from the shallower predominantly basin fill sediment unit via one well (percentages based upon 2002 to 2022 reported water use for certificates 93777 and 93778) to possibly about 40% from the deeper predominantly volcanic rock and sediment unit and 60% from the shallower predominantly basin fill sediment unit.

Newly installed Well 11 (KLAM 53479) is 800 feet deep with a 50-foot seal and a 1200 gpm yield. The well report lists a single water bearing zone between 50 to 800 feet bls and appears to document basin fill sediments to a depth of 410 feet. The materials described below 410 feet appear part of the deeper volcanic rock and sediment unit despite no "basalt" being described. Given the information available, it is likely that most of the water would be sourced from the deeper volcanic units encountered below 410 feet due to the porous nature of the material described ("pumice stone" and "perlite").

5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with another ground water right?

Yes No Comments: The proposed change will move groundwater pumping about 6.8 to 8.8 mile south from the north side of Upper Chewaucan Marsh to the south side of Upper Chewaucan Marsh (see attached maps). The proposed change will move groundwater pumping closer to a different set of groundwater right wells (see attached maps).

- b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?

Yes No If yes, explain: The calculated increase in seasonal drawdown at the nearest neighboring groundwater right well (south side of Upper Chewaucan Marsh) ranges from more than 8.75 feet (pro-rated pumping rate) to more than 17.75 feet (full pumping rate) at the end of 30 days to more than 15.25 feet (pro-rated pumping rate) to nearly 31.25 feet (full pumping rate) at the irrigation season end (245 days) (see attached calculations). Interference at wells further away will be less. A decline condition within certificate 93777 addresses the potential situation of the authorized groundwater use adding 25 or more feet of seasonal interference (decline) at a neighboring senior groundwater right well. While an increase in seasonal interference (drawdown) of 25 feet or more is possible (see attached hydrograph showing seasonal drawdown exceeding 30 feet total at well LAKE 52770), the maximum increase in seasonal interference at the nearest neighboring groundwater right well due solely to the proposed transfer is likely to be closer to the pro-rated pumping rate calculated nearly 15.50 feet at the end of 245 days. The neighboring well should be able to accommodate 15 feet of additional seasonal drawdown.

Additionally, the proposed change moves groundwater pumping into a vicinity that appears to be experiencing a groundwater level decline since 2005 (see attached hydrographs). The groundwater level at well LAKE 1719 is relatively stable, near 4302 feet elevation amsl from 1960 to the mid-1970s, a decline of about 5.5 feet from the mid-1970s to early 1980s to a new equilibrium of about 4297 feet elevation amsl that is close to the Chewaucan River stage near the Narrows (relatively steady from about 1980 to 2005), and an ongoing decline since 2005, possibly taking the groundwater level below the river bottom. The groundwater level decline in the 1970s and after 2010 may correspond to increased groundwater development in the area.

The applicant has submitted 2017 to 2023 data (see hydrographs) for wells LAKE 52769 [60 feet total depth], and LAKE 52770 [1,100 feet total depth], and LAKE 52463 [410 feet total depth]. The data can be interpreted as showing an annual decline like LAKE 1719 which has experienced a total groundwater level decline of 20.2 feet over the period of record.

Based on a preponderance of the evidence standard, it is unlikely that another groundwater right will not receive the water to which it is legally entitled.

6. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?

Yes No Comments: Yes. Despite the proposed POA change moving the net groundwater pumping further away from Chewaucan River, which typically decreases the net seasonal groundwater level drawdown at the river and the net groundwater interference with the river, the proposed POA change will likely increase the net seasonal groundwater level drawdown at the river and the net groundwater interference with the river due to a higher percentage of "To" wells sourcing water from the shallow basin fill sediments (see the attached seasonal drawdown calculation and seasonal interference calculation summary).

The proposed POA change will likely increase the net seasonal groundwater level drawdown at the river and the net groundwater interference with the river given the current "From" POA wells tap groundwater from mostly from the deeper predominantly volcanic rock and sediment unit (73%) and less from the shallower predominantly basin fill sediment unit (27%) (percentages based upon 2002 to 2022 reported water use for certificates 93777 and 93778); whereas the proposed "To" POA wells tap groundwater less from the deeper predominantly volcanic rock and sediment unit (possibly 40%, two wells, driller report indicates well yield from 500 to 1,200 gpm) and more from the shallower predominantly basin fill sediment unit (about 60%, three wells, driller reports indicate well yields from 2,700 to 3,000 gpm each). This is less protective of shallower wells and surface water. Consequently, the seasonal groundwater interference with the river at the end of the irrigation season (240 days) is calculated to increase from about 11.5% of the pumping rate when pumping the "From" wells to about 23.7% of the pumping rate when pumping the "To" wells. This results in an estimated additional 0.21 cfs of surface water depletion after 240 days of pumping at the pro-rated rate.

- b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?

Stream: Chewaucan River Minimal Significant

Stream: _____ Minimal Significant

Provide context for minimal/significant impact: See discussion in part 6a above. There is a potential that the seasonal groundwater interference with the Chewaucan River could increase from about 11.5% to 23.7% of the pumping rate after 240 days of pumping. However, given the relatively minor estimated increase in interference (0.21 cfs after 240 days of pumping at the pro-rated rate) and the fact that use has already been occurring at the "From" wells under temporary transfer T-13524, it is likely that the expected change in degree of interference with the Chewuacan River would be minimal.

7. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?

Yes No Comments: N/A

8. What conditions or other changes in the application are necessary to address any potential issues identified above:

Reference Levels:

The "From" certificate 93777 contains water level decline permit language and establishes reference levels for the 4 authorized wells based on static water level measurements collected on 3/25/2003 (see section 3b). Given that the proposed "To" wells were not yet constructed in 2003, reference levels will need to be extrapolated back to 2003 to prevent a situation where enlargement is able to occur.

Groundwater level measurements have been collected from observation well LAKE 1719 starting in 1959 and continuing through 2025. LAKE 1719 is located 0.5 to 1.6 miles to the east of the proposed "To" wells associated with this transfer and is constructed to obtain water from shallow basin fill sediments and deeper volcanic rock and sediments. LAKE 52770 is proposed "To" POA 10 associated with this transfer and has water level measurement data available starting in May 2017 though March 2023. LAKE 52770 is sealed to 600 feet and sources water from the deeper volcanic rock and sediments. Where LAKE 1719 and LAKE 52770's periods of record overlap, the measured water levels trend similarly and are at similar elevations with annual highs being within several feet. Well 7R has not been installed at the time of this review, however, recent groundwater level data from LAKE 52463 (the well that 7R is to replace) is available. Spring water level data available for LAKE 52463 show similar trends and water levels as LAKE 1719 and LAKE 52770. The similar trend and spring water levels in recent years suggest that LAKE 1719, LAKE 52770 and LAKE 52463 are accessing the same groundwater reservoir.

LAKE 52491 and LAKE 52492 were installed in 2013, however, March groundwater levels have not been collected despite these wells being listed under temporary transfer T-13524. No groundwater levels are available from LAKE 53479 other than at time of well completion in July of 2025 Given the lack of water level data for these wells, it is not possible to make well specific evaluations regarding extrapolating reference levels. However, given that data available from LAKE 1719, LAKE 52770 and LAKE 52463 suggest similar groundwater levels and trends despite differing construction, it is likely that the other "From" POAs listed on this transfer would also show similar groundwater levels and trends (See attached "Reference Level Discussion Hydrographs").

The water level in LAKE 1719 was 19.84 bls (4298.22 ft amsl) on 2/14/2003 which is the same year that the reference levels were established for the "From" POA under Certificate 93777. Groundwater elevations measured in LAKE 52770 are several feet lower than water levels measured at roughly the same time in LAKE 1719 during March. Taking this elevation difference into consideration, a water level elevation of 4295 ft amsl is likely a reasonable estimation of water level in LAKE 52770 in March of 2003. The ground surface elevation at the location (as shown on the transfer application map and in GWIS) of LAKE 52770 as determined by LiDAR is 4329 ft amsl. Using a reference level elevation of 4295 ft amsl results in a reference level of 34 feet bls for LAKE 52770. This same reasoning was used to establish reference levels for the other wells listed on this transfer. See the below table for a summary of these reference levels:

POA #	Well Log ID	2003 Water Level Reference Elevation (amsl)	Land Surface Elevation at Well Location (amsl)	Permit Condition Reference Level (bls)
7R	Not constructed	4295	4315	20
8	LAKE 52491	4295	4320	25
9	LAKE 52592	4295	4329	34
10	LAKE 52770	4295	4329	34
11	LAKE 53479	4295	4319	24

Additional recommendations:


"Large" flow meter condition for all the "From" POA and the proposed "To" POA wells to prevent enlargement. Require the flow meter for each well be properly installed and maintained. Each meter shall be either within 50 feet of the well head with a clearly visible monument adjacent to the meter or a surveyed location shall be provided and a clearly visible monument adjacent to the meter shall be installed for each meter more than 50 feet from the well head.

Condition 7P (well tag condition) for all the "To" and "From" POA wells.


Condition 7T (modified) for both the proposed "To" wells: "Prior to use, the proposed "To" wells shall be configured to allow a strictly clean water (no oil) static water level measurements with an electric-tape. That can include measurement access via an unobstructed vertical discharge pipe that allows the groundwater level to fluctuate freely within the discharge pipe (no valves, etc.). Otherwise, a dedicated measuring tube must be installed prior to use. The tube must be unobstructed, have a diameter of 3/4 inch (0.75 inch) or greater, and pursuant to figure 200-5 in OAR 690-200."

9. Any additional comments: _____


T-14738 - From Wells




T-14738 - To Wells



Area Hydrographs



Reference Level Discussion Hydrographs



Aquifer Parameters

Theis Equation specific capacity to transmissivity					
From Driller Water Well Report Recorded Pump Test Data					
Basin Fill					
Well County	Well Num	Transmissivity gpd/ft	Transmissivity ft ² /day	Open Interval feet	Conductivity ft/day
From Wells					
LAKE	4564	51,036.85	6,822.63	360.00	18.95
		51,036.85	6,822.63	From Wells Average	18.95
To Wells					
LAKE	1712	5,187.30	693.44	435.00	1.59
LAKE	1714	4,869.60	650.97	365.00	1.78
LAKE	1717	3,657.33	488.91	464.00	1.05
LAKE	1715	17,137.04	2,290.89	252.00	9.09
LAKE	1719	71,089.20	9,503.24	284.00	33.46
LAKE	1724	6,934.26	926.98	297.00	3.12
		18,145.79	2,425.74	To Wells Average	8.35
		22,844.51	3,053.87	Overall Average	9.87
Basalt, Volcanic Rocks & Sediments					
Well County	Well Num		Transmissivity ft ² /day	Open Interval feet	Conductivity ft/day
From Wells					
LAKE	51882	76,985.84	10,291.51	59.00	174.43
LAKE	50941	66,521.18	7,555.78	42.00	179.90
LAKE	51031	66,988.37	8,955.04	85.00	105.35
		66,831.80	8,934.11	From Wells Average	153.23
To Wells					
None	(all air tests, no pump test)				
		---	---	To Wells Average	---
		66,831.80	8,934.11	Overall Average	153.23

Well-to-Well Interference Calculations

Drawdown Calculations Using This Equation

This Equation: $s = \frac{Q(4-T^2\pi)}{4T^2}W(u)$
 $u = (r^2S)/(4Tt)$
 $W(u) = (-\ln u) - 0.5772157 + (u^{1/4})^{1/4} - (u^{1/2})^{1/2} + (u^{3/4})^{3/4} - (u^{5/4})^{5/4} + \dots$

s = drawdown (L)
 T = transmissivity (L²/T)
 S = storage coefficient (dimensionless)
 pi = 3.141592654

r = radial distance (L)
 t = time (T)
 u = dimensionless
 W(u) = well function

Transmissivity T (gpd/ft)	Transmissivity T (ft ² /day)	Storage Coefficient S	Pumping Rate Q (gal/min)	Pumping Rate Q (ft ³ /sec)	Time t (days)	Distance r (feet)	pi	u	W(u)	Drawdown s (feet)	Drawdown Change s (feet)	Well	Comments
Note: yellow grid areas are where values are calculated													W(u) calculation test
From* POA wells to closest Water Right Well LAKE 51588 (Transmissivity from specific capacity data: Used S = 0.001)													
22.852 99	3.065 00	0.00100	385 57	0.86	30.00	7.910 00	3.14	0.1707	1.3645	2.8187		LAKE 4564	Continuous Pumping at Full Rate (Basin Fill Portion)
66.838 45	8.935 00	0.00100	385 57	0.86	30.00	7.910 00	3.14	0.0528	2.4159	1.5670		LAKE 51182	Continuous Pumping at Full Rate (Volcanics Portion)
66.838 45	8.935 00	0.00100	385 57	0.86	30.00	2.600 00	3.14	0.0063	4.4955	2.9718		LAKE 50941	Continuous Pumping at Full Rate (Volcanics Portion)
66.838 45	8.935 00	0.00100	385 57	0.86	30.00	7.015 00	3.14	0.0459	2.5495	1.6854		LAKE 51031	Continuous Pumping at Full Rate (Volcanics Portion)
			1,542.39	3.44						8.87			
To* POA wells to closest Water Right Well Solheim Well POD #1 (Transmissivity from specific capacity data: Used S = 0.001)													
22.852 99	3.065 00	0.00100	385 57	0.86	30.00	4.425 00	3.14	0.0534	2.4052	4.6502		LAKE 52463	Continuous Pumping at Full Rate (Basin Fill Portion)
22.852 99	3.065 00	0.00100	385 57	0.86	30.00	3.555 00	3.14	0.0345	2.8245	5.4009		LAKE 52491	Continuous Pumping at Full Rate (Basin Fill Portion)
22.852 99	3.065 00	0.00100	385 57	0.86	30.00	4.515 00	3.14	0.0556	2.3671	4.5765		LAKE 52492	Continuous Pumping at Full Rate (Basin Fill Portion)
66.838 45	8.935 00	0.00100	385 57	0.86	30.00	2.170 00	3.14	0.0044	4.8552	3.2095		LAKE 52770	Continuous Pumping at Full Rate (Volcanics Portion)
			1,542.39	3.44						17.99	9.0242		
From* POA wells to closest Water Right Well LAKE 51588 (Transmissivity from specific capacity data: Used S = 0.001)													
22.852 99	3.065 00	0.00100	190 43	0.42	30.00	7.910 00	3.14	0.1707	1.3645	1.2333		LAKE 4564	Continuous Pro-Rated Pumping (Basin Fill Portion)
66.838 45	8.935 00	0.00100	190 43	0.42	30.00	7.910 00	3.14	0.0528	2.4159	0.7887		LAKE 51182	Continuous Pro-Rated Pumping (Volcanics Portion)
66.838 45	8.935 00	0.00100	190 43	0.42	30.00	2.600 00	3.14	0.0063	4.4955	1.4677		LAKE 50941	Continuous Pro-Rated Pumping (Volcanics Portion)
66.838 45	8.935 00	0.00100	190 43	0.42	30.00	7.015 00	3.14	0.0459	2.5495	0.8324		LAKE 51031	Continuous Pro-Rated Pumping (Volcanics Portion)
			761.71	1.70						4.38			
To* POA wells to closest Water Right Well Solheim Well POD #1 (Transmissivity from specific capacity data: Used S = 0.001)													
22.852 99	3.065 00	0.00100	190 43	0.42	30.00	4.425 00	3.14	0.0534	2.4052	2.2966		LAKE 52463	Continuous Pro-Rated Pumping (Basin Fill Portion)
22.852 99	3.065 00	0.00100	190 43	0.42	30.00	3.555 00	3.14	0.0345	2.8245	2.6970		LAKE 52491	Continuous Pro-Rated Pumping (Basin Fill Portion)
22.852 99	3.065 00	0.00100	190 43	0.42	30.00	4.515 00	3.14	0.0556	2.3671	2.2002		LAKE 52492	Continuous Pro-Rated Pumping (Basin Fill Portion)
66.838 45	8.935 00	0.00100	190 43	0.42	30.00	2.170 00	3.14	0.0044	4.8552	1.5551		LAKE 52770	Continuous Pro-Rated Pumping (Volcanics Portion)
			761.71	1.70						8.84	4.4569		

Drawdown Calculations Using This Equation

This Equation: $s = \frac{Q(4-T^2\pi)}{4T^2}W(u)$
 $u = (r^2S)/(4Tt)$
 $W(u) = (-\ln u) - 0.5772157 + (u^{1/4})^{1/4} - (u^{1/2})^{1/2} + (u^{3/4})^{3/4} - (u^{5/4})^{5/4} + \dots$

s = drawdown (L)
 T = transmissivity (L²/T)
 S = storage coefficient (dimensionless)
 pi = 3.141592654

r = radial distance (L)
 t = time (T)
 u = dimensionless
 W(u) = well function

Transmissivity T (gpd/ft)	Transmissivity T (ft ² /day)	Storage Coefficient S	Pumping Rate Q (gal/min)	Pumping Rate Q (ft ³ /sec)	Time t (days)	Distance r (feet)	pi	u	W(u)	Drawdown s (feet)	Drawdown Change s (feet)	Well	Comments
Note: yellow grid areas are where values are calculated													W(u) calculation test
From* POA wells to closest Water Right Well LAKE 51588 (Transmissivity from specific capacity data: Used S = 0.001)													
22.852 99	3.065 00	0.00100	385 57	0.86	245.00	7.910 00	3.14	0.0209	3.3117	6.4027		LAKE 4564	Continuous Pumping at Full Rate (Basin Fill Portion)
66.838 45	8.935 00	0.00100	385 57	0.86	245.00	7.910 00	3.14	0.0065	4.4703	2.9551		LAKE 51182	Continuous Pumping at Full Rate (Volcanics Portion)
66.838 45	8.935 00	0.00100	385 57	0.86	245.00	2.600 00	3.14	0.0008	6.5901	4.3564		LAKE 50941	Continuous Pumping at Full Rate (Volcanics Portion)
66.838 45	8.935 00	0.00100	385 57	0.86	245.00	7.015 00	3.14	0.0056	4.6098	3.0473		LAKE 51031	Continuous Pumping at Full Rate (Volcanics Portion)
			1,542.39	3.44						18.76			
To* POA wells to closest Water Right Well Solheim Well POD #1 (Transmissivity from specific capacity data: Used S = 0.001)													
22.852 99	3.065 00	0.00100	385 57	0.86	245.00	4.425 00	3.14	0.0065	4.4591	8.6211		LAKE 52463	Continuous Pumping at Full Rate (Basin Fill Portion)
22.852 99	3.065 00	0.00100	385 57	0.86	245.00	3.555 00	3.14	0.0042	4.8045	9.4532		LAKE 52491	Continuous Pumping at Full Rate (Basin Fill Portion)
22.852 99	3.065 00	0.00100	385 57	0.86	245.00	4.515 00	3.14	0.0063	4.4191	8.5438		LAKE 52492	Continuous Pumping at Full Rate (Basin Fill Portion)
66.838 45	8.935 00	0.00100	385 57	0.86	245.00	2.170 00	3.14	0.0005	6.9514	4.5952		LAKE 52770	Continuous Pumping at Full Rate (Volcanics Portion)
			1,542.39	3.44						31.22	14.4619		
From* POA wells to closest Water Right Well LAKE 51588 (Transmissivity from specific capacity data: Used S = 0.001)													
22.852 99	3.065 00	0.00100	190 43	0.42	245.00	7.910 00	3.14	0.0209	3.3117	3.1621		LAKE 4564	Continuous Pro-Rated Pumping (Basin Fill Portion)
66.838 45	8.935 00	0.00100	190 43	0.42	245.00	7.910 00	3.14	0.0065	4.4703	1.4595		LAKE 51182	Continuous Pro-Rated Pumping (Volcanics Portion)
66.838 45	8.935 00	0.00100	190 43	0.42	245.00	2.600 00	3.14	0.0008	6.5901	2.1515		LAKE 50941	Continuous Pro-Rated Pumping (Volcanics Portion)
66.838 45	8.935 00	0.00100	190 43	0.42	245.00	7.015 00	3.14	0.0056	4.6098	1.8050		LAKE 51031	Continuous Pro-Rated Pumping (Volcanics Portion)
			761.71	1.70						8.28			
To* POA wells to closest Water Right Well Solheim Well POD #1 (Transmissivity from specific capacity data: Used S = 0.001)													
22.852 99	3.065 00	0.00100	190 43	0.42	245.00	4.425 00	3.14	0.0065	4.4591	4.2578		LAKE 52463	Continuous Pro-Rated Pumping (Basin Fill Portion)
22.852 99	3.065 00	0.00100	190 43	0.42	245.00	3.555 00	3.14	0.0042	4.8045	4.6736		LAKE 52491	Continuous Pro-Rated Pumping (Basin Fill Portion)
22.852 99	3.065 00	0.00100	190 43	0.42	245.00	4.515 00	3.14	0.0068	4.4191	4.2196		LAKE 52492	Continuous Pro-Rated Pumping (Basin Fill Portion)
66.838 45	8.935 00	0.00100	190 43	0.42	245.00	2.170 00	3.14	0.0005	6.9514	2.2695		LAKE 52770	Continuous Pro-Rated Pumping (Volcanics Portion)
			761.71	1.70						15.42	7.1424		

Drawdown Calculations Using Thels Equation

Thels Equation: $s = \frac{Q}{4\pi T} W(u)$
 $u = \frac{r^2 S}{4 T t}$
 $W(u) = (-\ln u) - 0.5772157 + (\frac{u}{1!}) - (\frac{u^2}{2!}) + (\frac{u^3}{3!}) - (\frac{u^4}{4!}) + \dots$

s = drawdown (L)
 T = transmissivity (L²/T)
 S = storage coefficient (dimensionless)
 pi = 3.141592654

r = radial distance (L)
 t = time (T)
 u = dimensionless
 W(u) = well function

Transmissivity T (gpd/ft)	Transmissivity T (ft ² /day)	Storage Coefficient S	Pumping Rate Q (gal/min)	Pumping Rate Q (ft ³ /sec)	Time t (days)	Distance r (feet)	pi	u	W(u)	Drawdown s (feet)	Drawdown Change s (feet)	Well	Comments
Note: yellow grid areas are where values are calculated													
								7.0000	1.1545E-04				W(u) calculation test
From POA wells to closest reach of Chewaucan River (Transmissivity from specific capacity data: Used S = 0.001)													
22.852.99	3.055.00	0.00100	385.57	0.86	30.00	3,700.00	3.14	0.0073	2.7474	5.3117		LAKE 4564	Continuous Pumping at Full Rate (Basin Fill Portion)
68.838.45	8.935.00	0.00100	385.57	0.86	30.00	8,020.00	3.14	0.0060	2.2955	1.5174		LAKE 51182	Continuous Pumping at Full Rate (Volcanics Portion)
68.838.45	8.935.00	0.00100	385.57	0.86	30.00	10,680.00	3.14	0.1064	1.7671	1.1682		LAKE 50941	Continuous Pumping at Full Rate (Volcanics Portion)
68.838.45	8.935.00	0.00100	385.57	0.86	30.00	11,315.00	3.14	0.1194	1.6639	1.0069		LAKE 51031	Continuous Pumping at Full Rate (Volcanics Portion)
			1,542.39	3.44						9.10			
To POA wells to closest reach of Chewaucan River (Transmissivity from specific capacity data: Used S = 0.001)													
22.852.99	3.055.00	0.00100	385.57	0.86	30.00	5,635.00	3.14	0.0066	1.9538	3.7775		LAKE 52463	Continuous Pumping at Full Rate (Basin Fill Portion)
22.852.99	3.055.00	0.00100	385.57	0.86	30.00	7,810.00	3.14	0.1604	1.3760	2.6002		LAKE 52491	Continuous Pumping at Full Rate (Basin Fill Portion)
22.852.99	3.055.00	0.00100	385.57	0.86	30.00	11,325.00	3.14	0.3499	0.7945	1.6301		LAKE 52492	Continuous Pumping at Full Rate (Basin Fill Portion)
68.838.45	8.935.00	0.00100	385.57	0.86	30.00	9,350.00	3.14	0.0815	2.0094	1.3283		LAKE 52770	Continuous Pumping at Full Rate (Volcanics Portion)
			1,542.39	3.44						9.59	0.2049		
From POA wells to closest reach of Chewaucan River (Transmissivity from specific capacity data: Used S = 0.001)													
22.852.99	3.055.00	0.00100	190.43	0.42	30.00	3,700.00	3.14	0.0073	2.7474	2.8234		LAKE 4564	Continuous Pro-Rated Pumping (Basin Fill Portion)
68.838.45	8.935.00	0.00100	190.43	0.42	30.00	8,020.00	3.14	0.0060	2.2955	0.7496		LAKE 51182	Continuous Pro-Rated Pumping (Volcanics Portion)
68.838.45	8.935.00	0.00100	190.43	0.42	30.00	10,680.00	3.14	0.1064	1.7671	0.5760		LAKE 50941	Continuous Pro-Rated Pumping (Volcanics Portion)
68.838.45	8.935.00	0.00100	190.43	0.42	30.00	11,315.00	3.14	0.1194	1.6639	0.5432		LAKE 51031	Continuous Pro-Rated Pumping (Volcanics Portion)
			761.71	1.70						4.49			
To POA wells to closest reach of Chewaucan River (Transmissivity from specific capacity data: Used S = 0.001)													
22.852.99	3.055.00	0.00100	190.43	0.42	30.00	5,635.00	3.14	0.0066	1.9538	1.8056		LAKE 52463	Continuous Pro-Rated Pumping (Basin Fill Portion)
22.852.99	3.055.00	0.00100	190.43	0.42	30.00	7,810.00	3.14	0.1604	1.3760	1.3138		LAKE 52491	Continuous Pro-Rated Pumping (Basin Fill Portion)
22.852.99	3.055.00	0.00100	190.43	0.42	30.00	11,325.00	3.14	0.3499	0.7945	0.7986		LAKE 52492	Continuous Pro-Rated Pumping (Basin Fill Portion)
68.838.45	8.935.00	0.00100	190.43	0.42	30.00	9,350.00	3.14	0.0815	2.0094	0.6560		LAKE 52770	Continuous Pro-Rated Pumping (Volcanics Portion)
			761.71	1.70						4.59	0.1012		

Drawdown Calculations Using Thels Equation

Thels Equation: $s = \frac{Q}{4\pi T} W(u)$
 $u = \frac{r^2 S}{4 T t}$
 $W(u) = (-\ln u) - 0.5772157 + (\frac{u}{1!}) - (\frac{u^2}{2!}) + (\frac{u^3}{3!}) - (\frac{u^4}{4!}) + \dots$

s = drawdown (L)
 T = transmissivity (L²/T)
 S = storage coefficient (dimensionless)
 pi = 3.141592654

r = radial distance (L)
 t = time (T)
 u = dimensionless
 W(u) = well function

Transmissivity T (gpd/ft)	Transmissivity T (ft ² /day)	Storage Coefficient S	Pumping Rate Q (gal/min)	Pumping Rate Q (ft ³ /sec)	Time t (days)	Distance r (feet)	pi	u	W(u)	Drawdown s (feet)	Drawdown Change s (feet)	Well	Comments
Note: yellow grid areas are where values are calculated													
								7.0000	1.1545E-04				W(u) calculation test
From POA wells to closest reach of Chewaucan River (Transmissivity from specific capacity data: Used S = 0.001)													
22.852.99	3.055.00	0.00100	385.57	0.86	245.00	3,700.00	3.14	0.0046	4.8150	9.3093		LAKE 4564	Continuous Pumping at Full Rate (Basin Fill Portion)
68.838.45	8.935.00	0.00100	385.57	0.86	245.00	8,020.00	3.14	0.0073	4.3458	2.8714		LAKE 51182	Continuous Pumping at Full Rate (Volcanics Portion)
68.838.45	8.935.00	0.00100	385.57	0.86	245.00	10,680.00	3.14	0.0130	3.7766	2.4065		LAKE 50941	Continuous Pumping at Full Rate (Volcanics Portion)
68.838.45	8.935.00	0.00100	385.57	0.86	245.00	11,315.00	3.14	0.0148	3.6826	2.4212		LAKE 51031	Continuous Pumping at Full Rate (Volcanics Portion)
			1,542.39	3.44						17.19			
To POA wells to closest reach of Chewaucan River (Transmissivity from specific capacity data: Used S = 0.001)													
22.852.99	3.055.00	0.00100	385.57	0.86	245.00	5,635.00	3.14	0.0106	3.9797	7.6943		LAKE 52463	Continuous Pumping at Full Rate (Basin Fill Portion)
22.852.99	3.055.00	0.00100	385.57	0.86	245.00	7,810.00	3.14	0.0204	3.3966	6.4509		LAKE 52491	Continuous Pumping at Full Rate (Basin Fill Portion)
22.852.99	3.055.00	0.00100	385.57	0.86	245.00	11,325.00	3.14	0.0428	2.6155	5.0567		LAKE 52492	Continuous Pumping at Full Rate (Basin Fill Portion)
68.838.45	8.935.00	0.00100	385.57	0.86	245.00	9,350.00	3.14	0.0100	4.0395	2.6703		LAKE 52770	Continuous Pumping at Full Rate (Volcanics Portion)
			1,542.39	3.44						21.87	4.7738		
From POA wells to closest reach of Chewaucan River (Transmissivity from specific capacity data: Used S = 0.001)													
22.852.99	3.055.00	0.00100	190.43	0.42	245.00	3,700.00	3.14	0.0046	4.8150	4.9976		LAKE 4564	Continuous Pro-Rated Pumping (Basin Fill Portion)
68.838.45	8.935.00	0.00100	190.43	0.42	245.00	8,020.00	3.14	0.0073	4.3458	1.4181		LAKE 51182	Continuous Pro-Rated Pumping (Volcanics Portion)
68.838.45	8.935.00	0.00100	190.43	0.42	245.00	10,680.00	3.14	0.0130	3.7766	1.2330		LAKE 50941	Continuous Pro-Rated Pumping (Volcanics Portion)
68.838.45	8.935.00	0.00100	190.43	0.42	245.00	11,315.00	3.14	0.0146	3.6826	1.1958		LAKE 51031	Continuous Pro-Rated Pumping (Volcanics Portion)
			761.71	1.70						8.44			
To POA wells to closest reach of Chewaucan River (Transmissivity from specific capacity data: Used S = 0.001)													
22.852.99	3.055.00	0.00100	190.43	0.42	245.00	5,635.00	3.14	0.0106	3.9797	3.8000		LAKE 52463	Continuous Pro-Rated Pumping (Basin Fill Portion)
22.852.99	3.055.00	0.00100	190.43	0.42	245.00	7,810.00	3.14	0.0204	3.3966	3.1859		LAKE 52491	Continuous Pro-Rated Pumping (Basin Fill Portion)
22.852.99	3.055.00	0.00100	190.43	0.42	245.00	11,325.00	3.14	0.0428	2.6155	2.4914		LAKE 52492	Continuous Pro-Rated Pumping (Basin Fill Portion)
68.838.45	8.935.00	0.00100	190.43	0.42	245.00	9,350.00	3.14	0.0100	4.0395	1.3188		LAKE 52770	Continuous Pro-Rated Pumping (Volcanics Portion)
			761.71	1.70						10.89	2.3577		

Surface water Interference Calculations

T-14738 JRS Properties III LP River Interece Compared Updated 2025

From Wells				Distance to Chewaucan River (Feet)	Pumping rate		River Interference (cfs)		River Interference (cfs)		River Interference (cfs)	
Well	GW Source	Steam Depletion Evaluated with	Transmissivity (ft ² /day)		Full Rate (cfs)	Pro-Rated (cfs)	Full Rate 30 days	Pro-Rated 30 days	Full Rate 120 days	Pro-Rated 120 days	Full Rate 240 days	Pro-Rated 240 days
LAKE 4564	Basin Fill Seds	Hunt (1999)	3055	3700	0.8591	0.4243	0.1480	0.0730	0.2950	0.1460	0.3820	0.1890
LAKE 51182	Basalt	Hunt (2003)	8935	8020	0.8591	0.4243	0.0000	0.0000	0.0020	0.0010	0.0080	0.0040
LAKE 51031	Volcanic Seds & Rocks	Hunt (2003)	8935	11315	0.8591	0.4243	0.0000	0.0000	0.0000	0.0000	0.0020	0.0010
LAKE 50941	Basin Fill and Basalt	Hunt (2003)	8935	10680	0.8591	0.4243	0.0000	0.0000	0.0000	0.0000	0.0020	0.0010
Average				8428.75	0.8591	0.4243	0.0370	0.0183	0.0743	0.0368	0.0985	0.0488
Net Total				33715	3.4364	1.6972	0.1480	0.0730	0.2970	0.1470	0.3940	0.1950
Total River Interference as Percent of Total Pumping Rate							4.31%	4.30%	8.64%	8.66%	11.47%	11.49%

To Wells				Distance to Chewaucan River (Feet)	Pumping rate		River Interference (cfs)		River Interference (cfs)		River Interference (cfs)	
Well	GW Source	Steam Depletion Evaluated with	Transmissivity		Full Rate (cfs)	Pro-Rated (cfs)	Full Rate 30 days	Pro-Rated 30 days	Full Rate 120 days	Pro-Rated 120 days	Full Rate 240 days	Pro-Rated 240 days
7R (prop)	Basin Fill Seds	Hunt (1999)	3055	5635	0.6880	0.3400	0.0070	0.0480	0.2160	0.1070	0.2890	0.1430
LAKE 52491	Basin Fill Seds	Hunt (1999)	3055	7810	0.6880	0.3400	0.0760	0.0380	0.1950	0.0960	0.2700	0.1330
LAKE 52492	Basin Fill Seds	Hunt (1999)	3055	11325	0.6880	0.3400	0.0500	0.0250	0.1630	0.0810	0.2400	0.1190
LAKE 52770	Volcanic Seds & Rocks	Hunt (2003)	8935	9350	0.6880	0.3400	0.0000	0.0000	0.0010	0.0000	0.0040	0.0020
LAKE 53479	Basin Fill & Volcanics	Hunt (2003)	8935	6900	0.6880	0.3400	0.0000	0.0000	0.0030	0.0010	0.0100	0.0050
Average				8204	0.6880	0.3400	0.0446	0.0222	0.1156	0.0570	0.1626	0.0804
Net Total				41020	3.4400	1.7000	0.2230	0.1110	0.5780	0.2850	0.8130	0.4020
Total River Interference as Percent of Total Pumping Rate							6.48%	6.53%	16.80%	16.76%	23.63%	23.65%

Groundwater Transfer Review Summary Form

Transfer/PA # T- 14738

GW Reviewer Grayson Fish Date Review Completed: 10/24/2025

Summary of Same Source Review:

The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Water Level Decline Condition Review:

Water levels at the original point(s) of appropriation have exceeded the allowed decline threshold defined by conditions in the originating water right.

Summary of Injury Review:

The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1271
 (503) 986-0900
 www.wrd.state.or.us

Ground Water Review Form:

- Water Right Transfer**
- Permit Amendment**
- GR Modification**
- Other**

Application: T-14738

Applicant Name: J.R.S. Properties III LP

- Proposed Changes: POA APOA SW→GW RA
 USE POU OTHER

Reviewer(s): Grayson Fish

Date of Review: 10/24/2025

Date Reviewed by GW Mgr. and Returned to WRSD: _____

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- Other _____

1. Basic description of the changes proposed in this transfer: Applicant is requesting a temporary transfer of POAs and POU's for certificates 93777 and 93778.

a. Cert 93777

- b) Authorized FROM Wells: Well 1 (LAKE 4564), Well 2 (LAKE 51182), Well 3 (LAKE 50941), Well 4 (LAKE 51031).
- c) Proposed TO Wells: Well 8 (LAKE 52491), Well 9 (LAKE 52492), Well 10 (LAKE 52770), Well 11 (LAKE 53479) and Well 7R (not yet constructed)
- d) Combined max rate: 1.02 CFS, duty 3 AF/acre for 81.3 acres, period of use is 3/1- 10/31

b. Cert 93778

- b) Authorized FROM Wells: Well 3: LAKE 50941, Well 4: LAKE 51031
- c) Proposed TO Wells: Well 8 (LAKE 52491), Well 9 (LAKE 52492), Well 10 (LAKE 52770), Well 11 (LAKE 53479) and Well 7R (not yet constructed)

- d) Combined max rate: 2.42 CFS, duty 3 AF/acre for 193.6 acres, period of use is 3/1 – 10/31

Note: This temporary transfer proposes the same changes listed under permanent transfer T-14011. The only difference is that Well 11 (LAKE 53479) has been constructed as of 7/9/2025.

The authorized POAs and POUs and the proposed APOAs and POUs have variously been subject to the following transfers: T-11341 (temporary, 2012 to 2016), T- 11602 (temporary, 2013 to 2017), T-11654 (temporary, 2014 to 2018), T-12386 (regular, approved 2018), T-12794 (regular, withdrawn), T-13524 (temporary, 2021 to 2025) and T-14011 (permanent, in review).

- 2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?

Yes No Comments: Available data indicates a predominantly volcanic rock and sediment unit (some identify the unit as predominantly basalt) occurs beneath a predominantly basin fill sediment unit. Reports for the Goose and Summer Lakes Basin indicate groundwater occurs in both the predominantly basin fill sediment unit and predominantly volcanic rock and sediment unit. The groundwater is likely hydraulically connected, making a single groundwater system occurring in different geologic units with different permeability for each unit. A higher permeability and transmissivity generally occur in the predominantly volcanic rock and sediment unit and a lower permeability and transmissivity generally occur in the predominantly basin fill sediment unit.

Given the predominantly basin fill sediment unit and predominantly volcanic rock and sediment unit often have notably different hydraulic properties despite being hydraulically connected, they should be considered different in regard to this portion of the review. Wells completed solely in the predominantly volcanic rock and sediment unit tend to be more seasonally protective of shallower wells and surface water.

The currently authorized POA wells:

LAKE 4564 is 388-foot total depth and constructed to obtain groundwater solely from the shallower and lower permeability predominantly basin fill sediment unit;

LAKE 51031 is 551-foot total depth and constructed with casing to 466-foot blsd and a split seal to obtain groundwater primarily from the deeper and higher permeability predominantly volcanic rock and sediment unit below the casing and minimally from the shallower and lower permeability predominantly basin fill sediment unit;

LAKE 50941 is 490-foot total depth and constructed with casing to 448-foot blsd and a split seal to obtain groundwater solely from the deeper and higher permeability predominantly volcanic rock and sediment unit below the casing;

LAKE 51182 is 619-foot total depth and constructed with casing to 560-foot blsd and a split seal to obtain groundwater solely from the deeper and higher permeability predominantly volcanic rock and sediment unit below the casing.

The proposed POA wells:

LAKE 52491 and LAKE 52492 are 450-feet and 330-feet total depth respectively and constructed to obtain groundwater solely from the shallower and lower permeability predominantly basin fill sediment unit.

LAKE 52770 is 1,100-feet total depth with a 600-foot seal to obtain groundwater from the deeper and higher permeability predominantly volcanic rock and sediment unit.

LAKE 53479 is 800-feet total depth with a 50-foot seal and likely obtains groundwater from both the basin fill sediment unit and the predominantly volcanic rock and sediment unit.

The applicant proposes that Wells 7R source water from “basalt” with a total depth of 500 feet. However, based on nearby well logs it is likely that wells with the proposed construction would source water the from the shallower and lower permeability predominantly basin fill sediments. To source water from the predominantly volcanic rock and sediment unit (“basalt”), the well would need to be cased and sealed to ~625 feet (closer to the construction of LAKE 52770).

3. a) Is the existing authorized POA subject to a water level decline condition?
 Yes No Comments: Certificate 93777 has reference levels for wells 1 -4. The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well if annual water level measurements reveal any of the following events:
- a. An average water level decline of three or more feet per year for five consecutive years; or
 - b. A water level decline of 15 or more feet in fewer than five consecutive years; or
 - c. A water level decline of 25 or more feet; or
 - d. Hydraulic interference leading to a decline of 25 or more feet in any neighboring well with senior priority.

b) If yes, for each POA identify the reference level, most recent spring-high water level, and whether an applicable permit decline condition has been exceeded:

Well	Reference Level (ft bls / date)	Recent Spring-High (ft bls / date)	Exceeded?
LAKE 4564	20.61 on 3/25/2003	33.82 on 3/14/2013	No (no recent data)
LAKE 51182	68.63 on 3/25/2003	53.90 on 3/25/2025	No
LAKE 50941	60.67 on 3/25/2003	68.65 on 3/25/2025	No
LAKE 51031	71.17 on 3/25/2003	79.22 on 3/25/2025	No

Recommend reference levels for the “To” wells proposed under this transfer are listed in Section 8 of this review form.

4. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?
 Yes No Comments: Wells authorized under Certificates 93777 and 93778 source water from basin fill sediments, volcanic rock and sediments or both.

b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): Changing the pumping from the current "From" authorized POA wells to the proposed "To" APOA wells will shift tapping groundwater from about 73% from the deeper predominantly volcanic rock and sediment unit via three wells and 27% from the shallower predominantly basin fill sediment unit via one well (percentages based upon 2002 to 2022 reported water use for certificates 93777 and 93778) to possibly about 40% from the deeper predominantly volcanic rock and sediment unit and 60% from the shallower predominantly basin fill sediment unit.

Newly installed Well 11 (KLAM 53479) is 800 feet deep with a 50-foot seal and a 1200 gpm yield. The well report lists a single water bearing zone between 50 to 800 feet bls and appears to document basin fill sediments to a depth of 410 feet. The materials described below 410 feet appear part of the deeper volcanic rock and sediment unit despite no "basalt" being described. Given the information available, it is likely that most of the water would be sourced from the deeper volcanic units encountered below 410 feet due to the porous nature of the material described ("pumice stone" and "perlite").

5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?

Yes No Comments: The proposed change will move groundwater pumping about 6.8 to 8.8 mile south from the north side of Upper Chewaucan Marsh to the south side of Upper Chewaucan Marsh (see attached maps). The proposed change will move groundwater pumping closer to a different set of groundwater right wells (see attached maps).

- b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?

Yes No If yes, explain: The calculated increase in seasonal drawdown at the nearest neighboring groundwater right well (south side of Upper Chewaucan Marsh) ranges from more than 8.75 feet (pro-rated pumping rate) to more than 17.75 feet (full pumping rate) at the end of 30 days to more than 15.25 feet (pro-rated pumping rate) to nearly 31.25 feet (full pumping rate) at the irrigation season end (245 days) (see attached calculations). Interference at wells further away will be less. A decline condition within certificate 93777 addresses the potential situation of the authorized groundwater use adding 25 or more feet of seasonal interference (decline) at a neighboring senior groundwater right well. While an increase in seasonal interference (drawdown) of 25 feet or more is possible (see attached hydrograph showing seasonal drawdown exceeding 30 feet total at well LAKE 52770), the maximum increase in seasonal interference at the nearest neighboring groundwater right well due solely to the proposed transfer is likely to be closer to the pro-rated pumping rate calculated nearly 15.50 feet at the end of 245 days. The neighboring well should be able to accommodate 15 feet of additional seasonal drawdown.

Additionally, the proposed change moves groundwater pumping into a vicinity that appears to be experiencing a groundwater level decline since 2005 (see attached hydrographs). The groundwater level at well LAKE 1719 is relatively stable, near 4302 feet elevation amsl from 1960 to the mid-1970s, a decline of about 5.5 feet from the mid-1970s to early 1980s to a new equilibrium of about 4297 feet elevation amsl that is close to the Chewaucan River stage near the Narrows (relatively steady from about 1980 to 2005), and an ongoing decline since 2005, possibly taking the groundwater level below the river bottom. The groundwater level decline in the 1970s and after 2010 may correspond to increased groundwater development in the area.

The applicant has submitted 2017 to 2023 data (see hydrographs) for wells LAKE 52769 [60 feet total depth], and LAKE 52770 [1,100 feet total depth], and LAKE 52463 [410 feet total depth]. The data can be interpreted as showing an annual decline like LAKE 1719 which has experienced a total groundwater level decline of 20.2 feet over the period of record.

Based on a preponderance of the evidence standard, it is unlikely that another groundwater right will not receive the water to which it is legally entitled.

6. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?

Yes No Comments: Yes. Despite the proposed POA change moving the net groundwater pumping further away from Chewaucan River, which typically decreases the net seasonal groundwater level drawdown at the river and the net groundwater interference with the river, the proposed POA change will likely increase the net seasonal groundwater level drawdown at the river and the net groundwater interference with the river due to a higher percentage of "To" wells sourcing water from the shallow basin fill sediments (see the attached seasonal drawdown calculation and seasonal interference calculation summary).

The proposed POA change will likely increase the net seasonal groundwater level drawdown at the river and the net groundwater interference with the river given the current "From" POA wells tap groundwater from mostly from the deeper predominantly volcanic rock and sediment unit (73%) and less from the shallower predominantly basin fill sediment unit (27%) (percentages based upon 2002 to 2022 reported water use for certificates 93777 and 93778); whereas the proposed "To" POA wells tap groundwater less from the deeper predominantly volcanic rock and sediment unit (possibly 40%, two wells, driller report indicates well yield from 500 to 1,200 gpm) and more from the shallower predominantly basin fill sediment unit (about 60%, three wells, driller reports indicate well yields from 2,700 to 3,000 gpm each). This is less protective of shallower wells and surface water. Consequently, the seasonal groundwater interference with the river at the end of the irrigation season (240 days) is calculated to increase from about 11.5% of the pumping rate when pumping the "From" wells to about 23.7% of the pumping rate when pumping the "To" wells. This results in an estimated additional 0.21 cfs of surface water depletion after 240 days of pumping at the pro-rated rate.

- b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?

Stream: Chewaucan River Minimal Significant

Stream: _____ Minimal Significant

Provide context for minimal/significant impact: See discussion in part 6a above. There is a potential that the seasonal groundwater interference with the Chewaucan River could increase from about 11.5% to 23.7% of the pumping rate after 240 days of pumping. However, given the relatively minor estimated increase in interference (0.21 cfs after 240 days of pumping at the pro-rated rate) and the fact that use has already been occurring at the "From" wells under temporary transfer T-13524, it is likely that the expected change in degree of interference with the Chewaucan River would be minimal.

- 7. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?

Yes No Comments: N/A

- 8. What conditions or other changes in the application are necessary to address any potential issues identified above:

Reference Levels:

The "From" certificate 93777 contains water level decline permit language and establishes reference levels for the 4 authorized wells based on static water level measurements collected on 3/25/2003 (see section 3b). Given that the proposed "To" wells were not yet constructed in 2003, reference levels will need to be extrapolated back to 2003 to prevent a situation where enlargement is able to occur.

Groundwater level measurements have been collected from observation well LAKE 1719 starting in 1959 and continuing through 2025. LAKE 1719 is located 0.5 to 1.6 miles to the east of the proposed "To" wells associated with this transfer and is constructed to obtain water from shallow basin fill sediments and deeper volcanic rock and sediments. LAKE 52770 is proposed "To" POA 10 associated with this transfer and has water level measurement data available starting in May 2017 through March 2023. LAKE 52770 is sealed to 600 feet and sources water from the deeper volcanic rock and sediments. Where LAKE 1719 and LAKE 52770's periods of record overlap, the measured water levels trend similarly and are at similar elevations with annual highs being within several feet. Well 7R has not been installed at the time of this review, however, recent groundwater level data from LAKE 52463 (the well that 7R is to replace) is available. Spring water level data available for LAKE 52463 show similar trends and water levels as LAKE 1719 and LAKE 52770. The similar trend and spring water levels in recent years suggest that LAKE 1719, LAKE 52770 and LAKE 52463 are accessing the same groundwater reservoir.

LAKE 52491 and LAKE 52492 were installed in 2013, however, March groundwater levels have not been collected despite these wells being listed under temporary transfer T-13524. No groundwater levels are available from LAKE 53479 other than at time of well completion in July of 2025 Given the lack of water level data for these wells, it is not possible to make well specific evaluations regarding extrapolating reference levels. However, given that data available from LAKE 1719, LAKE 52770 and LAKE 52463 suggest similar groundwater levels and trends despite differing construction, it is likely that the other "From" POAs listed on this transfer would also show similar groundwater levels and trends (See attached "Reference Level Discussion Hydrographs").

The water level in LAKE 1719 was 19.84 bls (4298.22 ft amsl) on 2/14/2003 which is the same year that the reference levels were established for the "From" POA under Certificate 93777. Groundwater elevations measured in LAKE 52770 are several feet lower than water levels measured at roughly the same time in LAKE 1719 during March. Taking this elevation difference into consideration, a water level elevation of 4295 ft amsl is likely a reasonable estimation of water level in LAKE 52770 in March of 2003. The ground surface elevation at the location (as shown on the transfer application map and in GWIS) of LAKE 52770 as determined by LiDAR is 4329 ft amsl. Using a reference level elevation of 4295 ft amsl results in a reference level of 34 feet bls for LAKE 52770. This same reasoning was used to establish reference levels for the other wells listed on this transfer. See the below table for a summary of these reference levels:

POA #	Well Log ID	2003 Water Level Reference Elevation (amsl)	Land Surface Elevation at Well Location (amsl)	Permit Condition Reference Level (bls)
7R	Not constructed	4295	4315	20
8	LAKE 52491	4295	4320	25
9	LAKE 52592	4295	4329	34
10	LAKE 52770	4295	4329	34
11	LAKE 53479	4295	4319	24

Additional recommendations:


"Large" flow meter condition for all the "From" POA and the proposed "To" POA wells to prevent enlargement. Require the flow meter for each well be properly installed and maintained. Each meter shall be either within 50 feet of the well head with a clearly visible monument adjacent to the meter or a surveyed location shall be provided and a clearly visible monument adjacent to the meter shall be installed for each meter more than 50 feet from the well head.

Condition 7P (well tag condition) for all the "To" and "From" POA wells.


Condition 7T (modified) for both the proposed "To" wells: "Prior to use, the proposed "To" wells shall be configured to allow a strictly clean water (no oil) static water level measurements with an electric-tape. That can include measurement access via an unobstructed vertical discharge pipe that allows the groundwater level to fluctuate freely within the discharge pipe (no valves, etc.). Otherwise, a dedicated measuring tube must be installed prior to use. The tube must be unobstructed, have a diameter of ¾ inch (0.75 inch) or greater, and pursuant to figure 200-5 in OAR 690-200."

9. Any additional comments: _____


T-14738 - From Wells




T-14738 - To Wells



Area Hydrographs



Reference Level Discussion Hydrographs



Aquifer Parameters

Thels Equation specific capacity to transmissivity					
From Driller Water Well Report Recorded Pump Test Data					
Basin Fill					
Well County	Well Num	Transmissivity gpd/ft	Transmissivity ft²/day	Open Interval feet	Conductivity ft/day
From Wells					
LAKE	4554	51,036.85	6,822.63	360.00	18.95
		51,036.85	6,822.63	From Wells Average	18.95
To Wells					
LAKE	1712	5,187.30	693.44	435.00	1.59
LAKE	1714	4,869.60	650.97	365.00	1.78
LAKE	1717	3,657.33	488.91	464.00	1.05
LAKE	1715	17,137.04	2,290.89	252.00	9.09
LAKE	1719	71,089.20	9,503.24	284.00	33.46
LAKE	1724	6,934.26	926.98	297.00	3.12
		18,145.79	2,426.74	To Wells Average	8.35
		22,844.51	3,053.87	Overall Average	9.87
Basalt, Volcanic Rocks & Sediments					
Well County	Well Num		Transmissivity ft²/day	Open Interval feet	Conductivity ft/day
From Wells					
LAKE	51882	76,985.84	10,291.51	59.00	174.43
LAKE	50941	56,521.18	7,555.78	42.00	179.90
LAKE	51031	66,988.37	8,955.04	85.00	105.35
		66,831.60	8,934.11	From Wells Average	153.23
To Wells					
None	(all air tests, no pump test)				
		---	---	To Wells Average	---
		66,831.60	8,934.11	Overall Average	153.23

Well-to-Well Interference Calculations

Drawdown Calculations Using This Equation

This Equation: $s = [Q/(4\pi T^2)]W(u)$
 $u = (r^2 S)/(4 T t)$
 $W(u) = (-\ln u) - 0.5772157 + (u^{1/4})^{1/4} - (u^{1/2})^{1/2} + (u^{3/4})^{3/4} - (u^{1/4})^{1/4} + \dots$

s = drawdown (L)
 T = transmissivity (L²/T)
 S = storage coefficient (dimensionless)
 pi = 3.141592654

r = radial distance (L)
 t = time (T)
 u = dimensionless
 W(u) = well function

Transmissivity T (gpd/ft)	Transmissivity T (ft ² /day)	Storage Coefficient S	Pumping Rate Q (gal/min)	Pumping Rate Q (ft ³ /sec)	Time t (days)	Distance r (feet)	pl	u	W(u)	Drawdown s (feet)	Drawdown Change s (feet)	Well	Comments
Note: yellow grid areas are where values are calculated													
Note: W(u) calculation valid when u < 7.1													
7.0000 1.1545E-04 W(u) calculation test													
From POA wells to closest Water Right Well LAKE 51588 (Transmissivity from specific capacity data: Used S = 0.001)													
22.852.99	3.055.00	0.00100	385.57	0.86	30.00	7.910.00	3.14	0.1707	1.3545	2.6187		LAXE 4564	Continuous Pumping at Full Rate (Basin Fill Portion)
66.838.45	8.935.00	0.00100	385.57	0.86	30.00	7.525.00	3.14	0.0628	2.4199	1.5970		LAXE 51182	Continuous Pumping at Full Rate (Volcanics Portion)
66.838.45	8.935.00	0.00100	385.57	0.86	30.00	2.600.00	3.14	0.0063	4.4955	2.9718		LAXE 50941	Continuous Pumping at Full Rate (Volcanics Portion)
66.838.45	8.935.00	0.00100	385.57	0.86	30.00	7.015.00	3.14	0.0459	2.5495	1.6854		LAXE 51031	Continuous Pumping at Full Rate (Volcanics Portion)
			1.542.30	3.44						8.87			
To POA wells to closest Water Right Well Solheim Well POD #1 (Transmissivity from specific capacity data: Used S = 0.001)													
22.852.99	3.055.00	0.00100	385.57	0.86	30.00	4.425.00	3.14	0.0534	2.4052	4.6502		LAXE 52463	Continuous Pumping at Full Rate (Basin Fill Portion)
22.852.99	3.055.00	0.00100	385.57	0.86	30.00	3.555.00	3.14	0.0345	2.8245	5.4809		LAXE 52491	Continuous Pumping at Full Rate (Basin Fill Portion)
22.852.99	3.055.00	0.00100	385.57	0.86	30.00	4.515.00	3.14	0.0565	2.3671	4.5765		LAXE 52492	Continuous Pumping at Full Rate (Basin Fill Portion)
66.838.45	8.935.00	0.00100	385.57	0.86	30.00	2.170.00	3.14	0.0044	4.8552	3.2005		LAXE 52770	Continuous Pumping at Full Rate (Volcanics Portion)
			1.542.30	3.44						17.90			8.6242
From POA wells to closest Water Right Well LAKE 51588 (Transmissivity from specific capacity data: Used S = 0.001)													
22.852.99	3.055.00	0.00100	190.43	0.42	30.00	7.910.00	3.14	0.1707	1.3545	1.2933		LAXE 4564	Continuous Pro-Rated Pumping (Basin Fill Portion)
66.838.45	8.935.00	0.00100	190.43	0.42	30.00	7.525.00	3.14	0.0628	2.4199	0.7897		LAXE 51182	Continuous Pro-Rated Pumping (Volcanics Portion)
66.838.45	8.935.00	0.00100	190.43	0.42	30.00	2.600.00	3.14	0.0063	4.4955	1.4673		LAXE 50941	Continuous Pro-Rated Pumping (Volcanics Portion)
66.838.45	8.935.00	0.00100	190.43	0.42	30.00	7.015.00	3.14	0.0459	2.5495	0.8324		LAXE 51031	Continuous Pro-Rated Pumping (Volcanics Portion)
			761.71	1.70						4.38			
To POA wells to closest Water Right Well Solheim Well POD #1 (Transmissivity from specific capacity data: Used S = 0.001)													
22.852.99	3.055.00	0.00100	190.43	0.42	30.00	4.425.00	3.14	0.0534	2.4052	2.2966		LAXE 52463	Continuous Pro-Rated Pumping (Basin Fill Portion)
22.852.99	3.055.00	0.00100	190.43	0.42	30.00	3.555.00	3.14	0.0345	2.8245	2.6970		LAXE 52491	Continuous Pro-Rated Pumping (Volcanics Portion)
22.852.99	3.055.00	0.00100	190.43	0.42	30.00	4.515.00	3.14	0.0565	2.3671	2.2602		LAXE 52492	Continuous Pro-Rated Pumping (Basin Fill Portion)
66.838.45	8.935.00	0.00100	190.43	0.42	30.00	2.170.00	3.14	0.0044	4.8552	1.5851		LAXE 52770	Continuous Pro-Rated Pumping (Volcanics Portion)
			761.71	1.70						8.84			4.4369

Drawdown Calculations Using This Equation

This Equation: $s = [Q/(4\pi T^2)]W(u)$
 $u = (r^2 S)/(4 T t)$
 $W(u) = (-\ln u) - 0.5772157 + (u^{1/4})^{1/4} - (u^{1/2})^{1/2} + (u^{3/4})^{3/4} - (u^{1/4})^{1/4} + \dots$

s = drawdown (L)
 T = transmissivity (L²/T)
 S = storage coefficient (dimensionless)
 pi = 3.141592654

r = radial distance (L)
 t = time (T)
 u = dimensionless
 W(u) = well function

Transmissivity T (gpd/ft)	Transmissivity T (ft ² /day)	Storage Coefficient S	Pumping Rate Q (gal/min)	Pumping Rate Q (ft ³ /sec)	Time t (days)	Distance r (feet)	pl	u	W(u)	Drawdown s (feet)	Drawdown Change s (feet)	Well	Comments
Note: yellow grid areas are where values are calculated													
Note: W(u) calculation valid when u < 7.1													
7.0000 1.1545E-04 W(u) calculation test													
From POA wells to closest Water Right Well LAKE 51588 (Transmissivity from specific capacity data: Used S = 0.001)													
22.852.99	3.055.00	0.00100	385.57	0.86	245.00	7.910.00	3.14	0.0209	3.3117	6.4027		LAXE 4564	Continuous Pumping at Full Rate (Basin Fill Portion)
66.838.45	8.935.00	0.00100	385.57	0.86	245.00	7.525.00	3.14	0.0065	4.4703	2.6551		LAXE 51182	Continuous Pumping at Full Rate (Volcanics Portion)
66.838.45	8.935.00	0.00100	385.57	0.86	245.00	2.600.00	3.14	0.0008	6.5001	4.3064		LAXE 50941	Continuous Pumping at Full Rate (Volcanics Portion)
66.838.45	8.935.00	0.00100	385.57	0.86	245.00	7.015.00	3.14	0.0066	4.6098	3.9473		LAXE 51031	Continuous Pumping at Full Rate (Volcanics Portion)
			1.542.30	3.44						16.76			
To POA wells to closest Water Right Well Solheim Well POD #1 (Transmissivity from specific capacity data: Used S = 0.001)													
22.852.99	3.055.00	0.00100	385.57	0.86	245.00	4.425.00	3.14	0.0065	4.4591	8.8211		LAXE 52463	Continuous Pumping at Full Rate (Basin Fill Portion)
22.852.99	3.055.00	0.00100	385.57	0.86	245.00	3.555.00	3.14	0.0042	4.8946	9.4832		LAXE 52491	Continuous Pumping at Full Rate (Basin Fill Portion)
22.852.99	3.055.00	0.00100	385.57	0.86	245.00	4.515.00	3.14	0.0068	4.4191	8.5438		LAXE 52492	Continuous Pumping at Full Rate (Basin Fill Portion)
66.838.45	8.935.00	0.00100	385.57	0.86	245.00	2.170.00	3.14	0.0005	6.9514	4.5652		LAXE 52770	Continuous Pumping at Full Rate (Volcanics Portion)
			1.542.30	3.44						31.22			14.4619
From POA wells to closest Water Right Well LAKE 51588 (Transmissivity from specific capacity data: Used S = 0.001)													
22.852.99	3.055.00	0.00100	190.43	0.42	245.00	7.910.00	3.14	0.0209	3.3117	3.1621		LAXE 4564	Continuous Pro-Rated Pumping (Basin Fill Portion)
66.838.45	8.935.00	0.00100	190.43	0.42	245.00	7.525.00	3.14	0.0065	4.4703	1.4595		LAXE 51182	Continuous Pro-Rated Pumping (Volcanics Portion)
66.838.45	8.935.00	0.00100	190.43	0.42	245.00	2.600.00	3.14	0.0008	6.5001	2.1515		LAXE 50941	Continuous Pro-Rated Pumping (Volcanics Portion)
66.838.45	8.935.00	0.00100	190.43	0.42	245.00	7.015.00	3.14	0.0066	4.6098	1.8050		LAXE 51031	Continuous Pro-Rated Pumping (Volcanics Portion)
			761.71	1.70						8.28			
To POA wells to closest Water Right Well Solheim Well POD #1 (Transmissivity from specific capacity data: Used S = 0.001)													
22.852.99	3.055.00	0.00100	190.43	0.42	245.00	4.425.00	3.14	0.0065	4.4591	4.2878		LAXE 52463	Continuous Pro-Rated Pumping (Basin Fill Portion)
22.852.99	3.055.00	0.00100	190.43	0.42	245.00	3.555.00	3.14	0.0042	4.8946	4.6736		LAXE 52491	Continuous Pro-Rated Pumping (Basin Fill Portion)
22.852.99	3.055.00	0.00100	190.43	0.42	245.00	4.515.00	3.14	0.0068	4.4191	4.2106		LAXE 52492	Continuous Pro-Rated Pumping (Basin Fill Portion)
66.838.45	8.935.00	0.00100	190.43	0.42	245.00	2.170.00	3.14	0.0005	6.9514	2.2695		LAXE 52770	Continuous Pro-Rated Pumping (Volcanics Portion)
			761.71	1.70						15.42			7.1424

Drawdown Calculations Using Thels Equation

Thels Equation: $s = \frac{Q(1-T^2)^2}{4T^2} W(u)$
 $u = \frac{r^2 S}{4T^2} W(u)$
 $W(u) = (-\ln u) - 0.5772157 + (\frac{1}{2} - \ln 2) (\frac{u}{2}) + (\frac{u^2}{3} - \frac{1}{2}) (\frac{u^2}{4}) + \dots$

s = drawdown (L)
 T = transmissivity (L²/T)
 S = storage coefficient (dimensionless)
 pi = 3.141592654

r = radial distance (L)
 t = time (T)
 u = dimensionless
 W(u) = well function

Transmissivity T (gpd/ft)	Transmissivity T (ft ² /day)	Storage Coefficient S	Pumping Rate Q (gal/min)	Pumping Rate Q (ft ³ /sec)	Time t (days)	Distance r (feet)	pi	u	W(u)	Drawdown s (feet)	Drawdown Change s (feet)	Well	Comments
Note: yellow grid areas are where values are calculated													W(u) calculation test
From POA wells to closest reach of Chewaucan River (Transmissivity from specific capacity data: Used S = 0.091)													
22.852.99	3.055.00	0.00100	385.57	0.88	30.00	3,700.00	3.14	0.0373	2.7474	5.3117		LAXE 4564	Continuous Pumping at Full Rate (Basin Fill Portion)
68.838.45	8.938.00	0.00100	385.57	0.88	30.00	8,020.00	3.14	0.0600	2.2995	1.5174		LAXE 51182	Continuous Pumping at Full Rate (Volcanics Portion)
68.838.45	8.935.00	0.00100	385.57	0.88	30.00	10,680.00	3.14	0.1064	1.7871	1.1682		LAXE 50941	Continuous Pumping at Full Rate (Volcanics Portion)
68.838.45	8.935.00	0.00100	385.57	0.88	30.00	11,315.00	3.14	0.1194	1.6639	1.0969		LAXE 51031	Continuous Pumping at Full Rate (Volcanics Portion)
			1,542.39	3.44						9.19			
To POA wells to closest reach of Chewaucan River (Transmissivity from specific capacity data: Used S = 0.601)													
22.852.99	3.055.00	0.00100	385.57	0.88	30.00	5,635.00	3.14	0.0866	1.9538	3.7775		LAXE 52463	Continuous Pumping at Full Rate (Basin Fill Portion)
22.852.99	3.055.00	0.00100	385.57	0.88	30.00	7,810.00	3.14	0.1664	1.3760	2.6002		LAXE 52491	Continuous Pumping at Full Rate (Basin Fill Portion)
22.852.99	3.055.00	0.00100	385.57	0.88	30.00	11,325.00	3.14	0.3499	0.7945	1.5361		LAXE 52492	Continuous Pumping at Full Rate (Basin Fill Portion)
68.838.45	8.935.00	0.00100	385.57	0.88	30.00	9,350.00	3.14	0.0815	2.0094	1.3283		LAXE 52770	Continuous Pumping at Full Rate (Volcanics Portion)
			1,542.39	3.44						9.30	0.2049		
From POA wells to closest reach of Chewaucan River (Transmissivity from specific capacity data: Used S = 0.091)													
22.852.99	3.055.00	0.00100	190.43	0.42	30.00	3,700.00	3.14	0.0373	2.7474	2.6234		LAXE 4564	Continuous Pro-Rated Pumping (Basin Fill Portion)
68.838.45	8.935.00	0.00100	190.43	0.42	30.00	8,020.00	3.14	0.0600	2.2995	0.7494		LAXE 51182	Continuous Pro-Rated Pumping (Volcanics Portion)
68.838.45	8.935.00	0.00100	190.43	0.42	30.00	10,680.00	3.14	0.1064	1.7871	0.4769		LAXE 50941	Continuous Pro-Rated Pumping (Volcanics Portion)
68.838.45	8.935.00	0.00100	190.43	0.42	30.00	11,315.00	3.14	0.1194	1.6639	0.4332		LAXE 51031	Continuous Pro-Rated Pumping (Volcanics Portion)
			761.71	1.70						4.49			
To POA wells to closest reach of Chewaucan River (Transmissivity from specific capacity data: Used S = 0.601)													
22.852.99	3.055.00	0.00100	190.43	0.42	30.00	5,635.00	3.14	0.0866	1.9538	1.6656		LAXE 52463	Continuous Pro-Rated Pumping (Basin Fill Portion)
22.852.99	3.055.00	0.00100	190.43	0.42	30.00	7,810.00	3.14	0.1664	1.3760	1.3138		LAXE 52491	Continuous Pro-Rated Pumping (Basin Fill Portion)
22.852.99	3.055.00	0.00100	190.43	0.42	30.00	11,325.00	3.14	0.3499	0.7945	0.7588		LAXE 52492	Continuous Pro-Rated Pumping (Basin Fill Portion)
68.838.45	8.935.00	0.00100	190.43	0.42	30.00	9,350.00	3.14	0.0815	2.0094	0.6660		LAXE 52770	Continuous Pro-Rated Pumping (Volcanics Portion)
			761.71	1.70						4.59	0.1012		

Drawdown Calculations Using Thels Equation

Thels Equation: $s = \frac{Q(1-T^2)^2}{4T^2} W(u)$
 $u = \frac{r^2 S}{4T^2} W(u)$
 $W(u) = (-\ln u) - 0.5772157 + (\frac{1}{2} - \ln 2) (\frac{u}{2}) + (\frac{u^2}{3} - \frac{1}{2}) (\frac{u^2}{4}) + \dots$

s = drawdown (L)
 T = transmissivity (L²/T)
 S = storage coefficient (dimensionless)
 pi = 3.141592654

r = radial distance (L)
 t = time (T)
 u = dimensionless
 W(u) = well function

Transmissivity T (gpd/ft)	Transmissivity T (ft ² /day)	Storage Coefficient S	Pumping Rate Q (gal/min)	Pumping Rate Q (ft ³ /sec)	Time t (days)	Distance r (feet)	pi	u	W(u)	Drawdown s (feet)	Drawdown Change s (feet)	Well	Comments
Note: yellow grid areas are where values are calculated													W(u) calculation test
From POA wells to closest reach of Chewaucan River (Transmissivity from specific capacity data: Used S = 0.091)													
22.852.99	3.055.00	0.00100	385.57	0.88	245.00	3,700.00	3.14	0.0046	4.8150	9.3093		LAXE 4564	Continuous Pumping at Full Rate (Basin Fill Portion)
68.838.45	8.935.00	0.00100	385.57	0.88	245.00	8,020.00	3.14	0.0073	4.3428	2.8114		LAXE 51182	Continuous Pumping at Full Rate (Volcanics Portion)
68.838.45	8.935.00	0.00100	385.57	0.88	245.00	10,680.00	3.14	0.0130	3.7766	2.4955		LAXE 50941	Continuous Pumping at Full Rate (Volcanics Portion)
68.838.45	8.935.00	0.00100	385.57	0.88	245.00	11,315.00	3.14	0.0148	3.6626	2.4212		LAXE 51031	Continuous Pumping at Full Rate (Volcanics Portion)
			1,542.39	3.44						17.10			
To POA wells to closest reach of Chewaucan River (Transmissivity from specific capacity data: Used S = 0.601)													
22.852.99	3.055.00	0.00100	385.57	0.88	245.00	5,635.00	3.14	0.0106	3.9797	7.6943		LAXE 52463	Continuous Pumping at Full Rate (Basin Fill Portion)
22.852.99	3.055.00	0.00100	385.57	0.88	245.00	7,810.00	3.14	0.0204	3.3366	6.4509		LAXE 52491	Continuous Pumping at Full Rate (Basin Fill Portion)
22.852.99	3.055.00	0.00100	385.57	0.88	245.00	11,325.00	3.14	0.0428	2.6155	5.0567		LAXE 52492	Continuous Pumping at Full Rate (Basin Fill Portion)
68.838.45	8.935.00	0.00100	385.57	0.88	245.00	9,350.00	3.14	0.0100	4.0395	2.8703		LAXE 52770	Continuous Pumping at Full Rate (Volcanics Portion)
			1,542.39	3.44						21.87	4.7738		
From POA wells to closest reach of Chewaucan River (Transmissivity from specific capacity data: Used S = 0.091)													
22.852.99	3.055.00	0.00100	190.43	0.42	245.00	3,700.00	3.14	0.0046	4.8150	4.9976		LAXE 4564	Continuous Pro-Rated Pumping (Basin Fill Portion)
68.838.45	8.935.00	0.00100	190.43	0.42	245.00	8,020.00	3.14	0.0073	4.3433	1.4181		LAXE 51182	Continuous Pro-Rated Pumping (Volcanics Portion)
68.838.45	8.935.00	0.00100	190.43	0.42	245.00	10,680.00	3.14	0.0130	3.7766	1.2330		LAXE 50941	Continuous Pro-Rated Pumping (Volcanics Portion)
68.838.45	8.935.00	0.00100	190.43	0.42	245.00	11,315.00	3.14	0.0148	3.6626	1.1958		LAXE 51031	Continuous Pro-Rated Pumping (Volcanics Portion)
			761.71	1.70						8.44			
To POA wells to closest reach of Chewaucan River (Transmissivity from specific capacity data: Used S = 0.601)													
22.852.99	3.055.00	0.00100	190.43	0.42	245.00	5,635.00	3.14	0.0106	3.9797	3.8000		LAXE 52463	Continuous Pro-Rated Pumping (Basin Fill Portion)
22.852.99	3.055.00	0.00100	190.43	0.42	245.00	7,810.00	3.14	0.0204	3.3366	3.1859		LAXE 52491	Continuous Pro-Rated Pumping (Basin Fill Portion)
22.852.99	3.055.00	0.00100	190.43	0.42	245.00	11,325.00	3.14	0.0428	2.6155	2.4974		LAXE 52492	Continuous Pro-Rated Pumping (Basin Fill Portion)
68.838.45	8.935.00	0.00100	190.43	0.42	245.00	9,350.00	3.14	0.0100	4.0395	1.3163		LAXE 52770	Continuous Pro-Rated Pumping (Volcanics Portion)
			761.71	1.70						10.89	2.3577		

Surface water Interference Calculations

T-14738 IRS Properties III LP River Interence Compared Updated 2025

Well	From Wells			Distance to Chewaucan River (Feet)	Pumping rate		River Interference (cfs)		River Interference (cfs)		River Interference (cfs)	
	GW Source	Steam Depletion Evaluated with	Transmissivity (ft ² /day)		Full Rate (cfs)	Pro-Rated (cfs)	Full Rate 30 days	Pro-Rated 30 days	Full Rate 120 days	Pro-Rated 120 days	Full Rate 240 days	Pro-Rated 240 days
LAKE 4564	Basin Fill Seds	Hunt (1999)	3055	3700	0.8591	0.4243	0.1480	0.0730	0.2950	0.1460	0.3820	0.1890
LAKE 51182	Basalt	Hunt (2003)	8935	8020	0.8591	0.4243	0.0000	0.0000	0.0020	0.0010	0.0080	0.0040
LAKE 51031	Volcanic Seds & Rocks	Hunt (2003)	8935	11315	0.8591	0.4243	0.0000	0.0000	0.0000	0.0000	0.0020	0.0010
LAKE 50941	Basin Fill and Basalt	Hunt (2003)	8935	10650	0.8591	0.4243	0.0000	0.0000	0.0000	0.0000	0.0020	0.0010
Average				8428.75	0.8591	0.4243	0.0370	0.0183	0.0743	0.0368	0.0985	0.0488
Net Total				33715	3.4364	1.6972	0.1480	0.0730	0.2970	0.1470	0.3940	0.1950
Total River Interference as Percent of Total Pumping Rate							4.31%	4.30%	8.64%	8.66%	11.47%	11.49%

Well	To Wells			Distance to Chewaucan River (Feet)	Pumping rate		River Interference (cfs)		River Interference (cfs)		River Interference (cfs)	
	GW Source	Steam Depletion Evaluated with	Transmissivity		Full Rate (cfs)	Pro-Rated (cfs)	Full Rate 30 days	Pro-Rated 30 days	Full Rate 120 days	Pro-Rated 120 days	Full Rate 240 days	Pro-Rated 240 days
7R (prop)	Basin Fill Seds	Hunt (1999)	3055	5635	0.6880	0.3400	0.0870	0.0480	0.2160	0.1070	0.2690	0.1430
LAKE 52491	Basin Fill Seds	Hunt (1999)	3055	7810	0.6880	0.3400	0.0760	0.0380	0.1950	0.0960	0.2700	0.1330
LAKE 52492	Basin Fill Seds	Hunt (1999)	3055	11325	0.6880	0.3400	0.0500	0.0250	0.1630	0.0810	0.2400	0.1190
LAKE 52770	Volcanic Seds & Rocks	Hunt (2003)	8935	9350	0.6880	0.3400	0.0000	0.0000	0.0010	0.0000	0.0040	0.0020
LAKE 53479	Basin Fill & Volcanics	Hunt (2003)	8935	6900	0.6880	0.3400	0.0000	0.0000	0.0030	0.0010	0.0100	0.0050
Average				8204	0.6880	0.3400	0.0446	0.0222	0.1156	0.0570	0.1626	0.0904
Net Total				41020	3.4400	1.7000	0.2230	0.1110	0.5780	0.2850	0.8130	0.4020
Total River Interference as Percent of Total Pumping Rate							6.48%	6.53%	16.80%	16.76%	23.63%	23.65%



Oregon

Tina Kotek, Governor

Water Resources Department

North Mall Office Building

725 Summer St NE, Suite A

Salem, OR 97301

Phone 503 986-0900

Fax 503 986-0904

October 8, 2025

JRS Properties III LP
PO BOX 27
Boise, ID 83707

Reference: Application T-14738

On September 29, 2025, the Department received your water right Temporary Transfer Application. The application was accompanied by \$3017.09. Receipt number 146122 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change.

Except as provided under ORS 540.510(3) for municipalities, you may not *temporarily* use water at the new place of use or from the new point of appropriation until a final order approving the temporary transfer application has been issued by the Department. Additionally, pursuant to OAR 690-380-8010, the lands from which an irrigation water right is to be temporarily transferred and the land to which the right is to be temporarily transferred may not both receive water during the same season. If the temporary transfer is approved during an irrigation season and water has already been used at the currently authorized location during that season, then the temporary transfer will not take effect until the following season.

If the land is sold before the temporary transfer is approved, the buyer's consent to the temporary transfer will be required unless a recorded deed or other legal document clearly established that the water right was not conveyed in the sale.

If you have any questions, please contact the Transfer Section at (503) 986-0935.

Cc: Watermaster Dist. #12, Matt A. Anderson (via email)
Scott D. Montgomery, Agent
Lake County, Local Government

Enclosure

**Application for Water Right
Temporary or Drought Temporary Transfer
Part 1 of 4 – Minimum Requirements Checklist**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

This temporary transfer application will be returned if Parts 1 through 4 and all required attachments are not completed and included.
For questions, please call (503) 986-0900, and ask for Transfer Section.

FOR ALL TEMPORARY TRANSFER APPLICATIONS

Received
SEP 29 2025
OWRD

Check all items included with this application. (N/A = Not Applicable)

- Part 1 – Completed Minimum Requirements Checklist.
- Part 2 – Completed Temporary Transfer Application Map Checklist.
- Part 3 – Completed Applicant Information and Signature.
- Part 4 – Information about Transferred Water Rights: **How many water rights are to be transferred? 2 List them here: C-93777 & 93778**
Please include a separate Part 4 for each water right. (See instructions on page 5)
- N/A For standard Temporary Transfer (one to five years) **Begin Year: 2026 End Year: 2030.**
- N/A Temporary Drought Transfer (Only in counties where the Governor has declared drought)
- Application Fee** - payable by check to the Oregon Water Resources Department, the online fee calculator is located:
https://apps.wrd.state.or.us/apps/wr/wr_transfer_calculator/temporary_transfer.aspx

Attachments:

- Completed Temporary Transfer Application Map.
- Completed Evidence of Use Affidavit and supporting documentation.
- Current recorded deed for the land **from** which the authorized place of use is temporarily being moved.
- N/A Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the land upon which the water right is located.)
- N/A Supplemental Form D – For water rights served by or issued in the name of a district. Complete when the temporary transfer applicant is not the district.
- N/A Oregon Water Resources Department’s Land Use Information Form with approval and signature from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation (if necessary to convey water to the proposed place of use).

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

<input type="checkbox"/> Application fee not enclosed/insufficient	<input type="checkbox"/> Map not included or incomplete
<input type="checkbox"/> Land Use Form not enclosed or incomplete	<input type="checkbox"/> Part ____ is incomplete
<input type="checkbox"/> Additional signature(s) required	

Other/Explanation _____

Staff: _____ Phone: _____ Date: ____/____/____

Part 2 of 4 – Temporary Transfer Application Map Checklist

Your temporary transfer application will be returned if any of the map requirements listed below are not met.

Received

SEP 29 2025

OWRD

Please be sure that the temporary transfer application map you submit includes all the required items and matches the existing water right map. Check all boxes that apply.

- N/A If more than three water rights are involved, separate maps are needed for each water right.
- Permanent quality printed with dark ink on good quality paper.
- The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- A north arrow, a legend, and scale.
- The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet; the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated); the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet; or a scale that has been pre-approved by the Department.
- Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
- N/A Proposed temporary place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.
- N/A If you are proposing a change in point(s) of diversion or well(s) to convey water to the new temporary place of use, show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Part 3 of 4 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME J.R.S. Properties III, LLLP		PHONE NO. 208-780-7359	ADDITIONAL CONTACT NO.
ADDRESS PO Box 27			FAX NO.
CITY Boise	STATE ID	ZIP 83707	E-MAIL Vic.Conrad@Simplot.com
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.			


Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME Scott D Montgomery		PHONE NO. 541-548-5833	ADDITIONAL CONTACT NO. 541-420-0401
ADDRESS PO Box 767			FAX NO.
CITY Terrebonne	STATE OR	ZIP 97760	E-MAIL Scott@Apeands.com
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.			

Explain in your own words what you propose to accomplish with this transfer application and why:
 Water user proposes to move water from two certificated rights, six miles south, to a location with a better water source.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

I (we) affirm that the information contained in this application is true and accurate.

	JRS Properties III, LLLP By: JRS Management, LLC, its general partner By: Scott R Simplot, Manager	<u>September 22, 2025</u>
Applicant signature	Print Name (and Title if applicable)	Date

_____	_____	_____
Applicant signature	Print Name (and Title if applicable)	Date

Is the applicant, as listed in Part 4 of 4, Table 2, the sole owner of the land on which the water right/claim, or portion thereof, proposed for transfer is located? Yes No

If NO, include signatures of all landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent from all landowners or individuals/entities (and mailing and/or e-mail addresses) to which the water right(s) has been conveyed.


Received
SEP 29 2025
OWRD

Check here if any of the water rights proposed for transfer are or will be located within or served by an irrigation or other water district. (NOTE: If this box is checked, you must complete and attach Supplemental Form D.)

DISTRICT NAME NA	ADDRESS	
CITY	STATE	ZIP

Check here if water for any of the rights supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME NA	ADDRESS	
CITY	STATE	ZIP



To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed and/or used.

ENTITY NAME Lake County	ADDRESS 513 Center St	
CITY Lakeview	STATE OR	ZIP 97630

Received
SEP 29 2025
OWRD

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

Received
SEP 29 2025
OWRD

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Temporary Changes to Water Right Certificate # 93777

List only the part of the right that will be changed. For the acreage in each ¼ ¼, list the change proposed. If more than one change, specify the acreage associated with each change. If more than one POD/POA, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the Certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.										
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date		
33	S	19	E 7	NE NE	500		0.8	IR	1,2,3,4	2001	POU/POA/ APOA	34	S	19	E 14	SW SW	200		0.5	IR	7R,8-11	2001
33	S	19	E 7	SE NE	500		1.1	IR	1,2,3,4	2001	POU/POA/ APOA	34	S	19	E	SE SW			0.5	IR	7R,8-11	2001
33	S	19	E 8	NE NW	500		12.4	IR	1,2,3,4	2001	POU/POA/ APOA	34	S	19	E	SW SE			0.6	IR	7R,8-11	2001
33	S	19	E 8	NW NW	500		22.5	IR	1,2,3,4	2001	POU/POA/ APOA	34	S	19	E 15	NE SW			4.5	IS	7R,8-11	2001
33	S	19	E 8	SW NW	500		26.3	IR	1,2,3,4	2001	POU/POA/ APOA	34	S	19	E	NW SW			9.2	IS	7R,8-11	2001
33	S	19	E 8	SE NW	500		18.2	IR	1,2,3,4	2001	POU/POA/ APOA	34	S	19	E				0.9	IR	7R,8-11	2001
											POU/POA/ APOA	34	S	19	E	SW SW			25.6	IR	7R,8-11	2001
											POU/POA/ APOA	34	S	19	E				10.4	IS	7R,8-11	2001
											POU/POA/ APOA	34	S	19	E	SE SW			20.8	IS	7R,8-11	2001
											POU/POA/ APOA	34	S	19	E 22	NW NE			2.4	IR	7R,8-11	2001
											POU/POA/ APOA	34	S	19	E	NE NW			0.4	IR	7R,8-11	2001
											POU/POA/ APOA	34	S	19	E				0.4	IS	7R,8-11	2001
											POU/POA/ APOA	34	S	19	E	NW NW			3.0	IR	7R,8-11	2001

Received

SEP 29 2025

OWRD

										POU/POA/ APOA	34	S	19	E	23	NW	NE			0.6	IR	7R,8-11	2001
										POU/POA/ APOA	34	S	19	E		SW	NE			0.2	IR	7R,8-11	2001
										POU/POA/ APOA	34	S	19	E		NE	NW			0.2	IR	7R,8-11	2001
										POU/POA/ APOA	34	S	19	E		NW	NW			0.6	IR	7R,8-11	2001
										POU/POA/ APOA	34	S	19	E		SE	NW			0.5	IR	7R,8-11	2001
TOTAL ACRES										81.3	TOTAL ACRES										36.0 IR 45.3 IS		

Additional remarks:45.3 acres proposed to be downgraded to supplemental (Certificate 2817 Moss Creek)

Well 1 replaced by Well 8

Well 2 replaced by Well 9

Well 3 replaced by Well 10

Well 4 replaced by Well 11


Well 7R is an additional point of appropriation

Received
SEP 29 2025
OWRD

For Place of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? Yes No

If YES, list the certificate, water use permit, or ground water registration numbers: C-2817



Pursuant to ORS 540.523, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for temporary transfer can be included in the transfer or remain unused on the authorized place of use. If the primary water right does not revert soon enough to allow use of the supplemental right within five years, the supplemental right shall become subject to cancellation for nonuse under ORS 540.610.

If a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation is necessary to convey the water to the new temporary place of use you must provide:

- Well log(s) for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

AND/OR

- Describe the construction of the authorized and proposed well(s) in Table 3 below for any well that does not have a well log. For a *proposed well(s) not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the Department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-___	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right
7R	NO	NA	500'	12"	+1 to -500'	0' to -20'	NA	UNK	Basalt	

Received
SEP 29 2025
OWRD

Water Right Certificate # 93778

Description of Water Delivery System

System capacity: **2.42** cubic feet per second (cfs) OR
 _____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. **Water will be pumped from POAs 7R, 8, 9, 10 & 11 and conveyed by pipe to center pivot sprinklers per T-13524**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA OWRD Well Log ID# (or Well ID Tag #)	Twp	Rng	Sec	1/4	1/4	Tax Lot, DL Cor, Govt Lot	Measured Distances (from a recognized survey corner)
3	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 50941	33 S	19 E	8	SE	NE	500	2048' S & 563' W from NE cor, Sec 8
4	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 51031	33 S	19 E	8	NW	NW		325' S & 4704' W from NE cor, Sec 8
7R	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	NOT BUILT	34 S	19 E	23	NE	NW	200	95' S & 3010 W from NE cor, Sec 23
8	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE S2491	34 S	19 E	15	SE	SE		800' N & 650' W from SE cor, Sec 15
9	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE 52492	34 S	19 E	15	SW	SW		825' N & 1080' E from SW cor, Sec 15
10	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE 52770	34 S	19 E	22	NW	NE		510' N & 3530' E from NW cor, Sec 22
11	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE 53479	34 S	19 E	23	NE	NW		1295' S & 3840' W from NE cor, Sec 23

Received

Check all type(s) of temporary change(s) proposed below (change "CODES" are provided in parentheses): SEP 29 2025

- Place of Use (POU)
- Point of Diversion (POD)
- Additional Point of Diversion (APOD)
- Appropriation/Well (POA)
- Additional Point of Appropriation (APOA)

OWRD

Check all type(s) of temporary change(s) due to drought proposed below (change "CODES" are provided in parentheses):

- Place of Use (POU)
- Character of Use (USE)
- Point of Diversion (POD)
- Point of Appropriation/Well (POA)
- Additional Point of Appropriation (APOA)
- Additional Point of Diversion (APOD)

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed

Received
SEP 29 2025
OWRD

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Temporary Changes to Water Right Certificate # 93778

List only the part of the right that will be changed. For the acreage in each ¼ ¼, list the change proposed. If more than one change, specify the acreage associated with each change. If more than one POD/POA, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the Certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.									
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date	
33	S	19	E S	NE SW	S00	38.7	IR	3 & 4	1998	POU/APOA/ POA	34	S	19	E 14	NW SW	200	7.9	IS	7R,8-11	1998	
33	S	19	E	NW SW		14.5	IR	3 & 4	1998	POU/APOA/ POA	34	S	19	E			5.3	IR	7R,8-11	1998	
33	S	19	E	SW SW		22.1	IR	3 & 4	1998	POU/APOA/ POA	34	S	19	E	SW SW		29.5	IR	7R,8-11	1998	
33	S	19	E	SE SW		40.0	IR	3 & 4	1998	POU/APOA/ POA	34	S	19	E 15	NE SE		32.0	IS	7R,8-11	1998	
33	S	19	E	NW SE		23.1	IR	3 & 4	1998	POU/APOA/ POA	34	S	19	E	NW SE		14.1	IS	7R,8-11	1998	
33	S	19	E	SW SE		31.8	IR	3 & 4	1998	POU/APOA/ POA	34	S	19	E	SW SE		15.8	IS	7R,8-11	1998	
33	S	19	E 8	NW NE		4.8	IR	3 & 4	1998	POU/APOA/ POA	34	S	19	E			13.2	IR	7R,8-11	1998	
33	S	19	E	NE NW		16.1	IR	3 & 4	1998	POU/APOA/ POA	34	S	19	E	SE SE		35.0	IR	7R,8-11	1998	
33	S	19	E	NW NW		2.5	IR	3 & 4	1998	POU/APOA/ POA	34	S	19	E			5.0	IS	7R,8-11	1998	
										POU/APOA/ POA	34	S	19	E 22	NE NE		23.5	IR	7R,8-11	1998	
										POU/APOA/ POA	34	S	19	E	NW NE		4.6	IR	7R,8-11	1998	
										POU/APOA/ POA	34	S	19	E 23	NW NW		7.7	IR	7R,8-11	1998	
TOTAL ACRES						193.6							TOTAL ACRES						118.8 74.8 IS		


Additional remarks:74.8 acres proposed to be downgraded to supplemental (Certificate 2817 Moss Creek)
Well 3 is replaced by Well 11, Well 4 is replaced by Well 10, Wells 7R, 8 & 9 are APOAs

Received
SEP 29 2025
OWRD

For Place of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? Yes No

If YES, list the certificate, water use permit, or ground water registration numbers: C-2817



Pursuant to ORS 540.523, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for temporary transfer can be included in the transfer or remain unused on the authorized place of use. If the primary water right does not revert soon enough to allow use of the supplemental right within five years, the supplemental right shall become subject to cancellation for nonuse under ORS 540.610.

If a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation is necessary to convey the water to the new temporary place of use you must provide:

- Well log(s) for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

AND/OR

- Describe the construction of the authorized and proposed well(s) in Table 3 below for any well that does not have a well log. For a *proposed well(s) not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the Department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-___	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right
7R	NO	NA	500'	12"	+1 to -500'	0' to 20'	NA		Basalt	

Received
SEP 29 2025

Application for Water Right Transfer Evidence of Use Affidavit



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900
 www.wrd.state.or.us

Please print legibly or type. Be as specific as possible. Attach additional pages if you need more spacing. Supporting documentation must be attached.

State of Oregon)
) ss
 County of LAKE)

I, JADE COOPER, in my capacity as SENIOR RANCH MANAGER,
 mailing address 36554 EAGLE ROAD, PAISLEY, OR, 97636
 telephone number (541)280-5644, being first duly sworn depose and say:

1. My knowledge of the exercise or status of the water right is based on (check one):

- Personal observation Professional expertise

2. I attest that:

- Water was used during the previous five years on the **entire** place of use for Certificate # ____; **OR**
- My knowledge is specific to the use of water at the following locations within the last five years:

Certificate #	Township	Range	Mer	Sec	¼ ¼	Gov't Lot or DLC	Acres (if applicable)
See Attached							

OR

- Confirming Certificate # ____ has been issued within the past five years; **OR**
- Part or all of the water right was leased instream at some time within the last five years. The instream lease number is: ____ (Note: If the entire right proposed for transfer was not leased, additional evidence of use is needed for the portion not leased instream.); **OR**
- The water right is not subject to forfeiture and documentation that a presumption of forfeiture for non-use would be rebutted under ORS 540.610(2) is attached.
- Water has been used at the actual current point of diversion or appropriation for more than 10 years for Certificate # ____ (For Historic POD/POA Transfers)

(continues on reverse side)

Received
 SEP 29 2025
 OWRD


3. The water right was used for: (e.g., crops, pasture, etc.): CROPS PER T-13524

4. I understand that if I do not attach one or more of the documents shown in the table below to support the above statements, my application will be considered incomplete.

Fade Cooper
Signature of Affiant

Sept 17, 2025
Date

Signed and sworn to (or affirmed) before me this 17 day of September, 2025.



Theresa O'Leary Baker
Notary Public for Oregon

My Commission Expires: May 5, 2028

Supporting Documents	Examples
<input type="checkbox"/> Copy of a water right certificate that has been issued within the last five years. (not a remaining right certificate)	Copy of confirming water right certificate that shows issue date
<input type="checkbox"/> Copies of receipts from sales of irrigated crops or for expenditures related to use of water	<ul style="list-style-type: none"> ● Power usage records for pumps associated with irrigation use ● Fertilizer or seed bills related to irrigated crops ● Farmers Co-op sales receipt
<input type="checkbox"/> Records such as FSA crop reports, irrigation district records, NRCS farm management plan, or records of other water suppliers	<ul style="list-style-type: none"> ● District assessment records for water delivered ● Crop reports submitted under a federal loan agreement ● Beneficial use reports from district ● IRS Farm Usage Deduction Report ● Agricultural Stabilization Plan ● CREP Report
<input checked="" type="checkbox"/> Aerial photos containing sufficient detail to establish location and date of photograph	<p>Multiple photos can be submitted to resolve different areas of a water right. If the photograph does not print with a "date stamp" or without the source being identified, the date of the photograph and source should be added.</p> <p>Sources for aerial photos: OSU – www.oregonexplorer.info/imagery OWRD – www.wrd.state.or.us Google Earth – earth.google.com TerraServer – www.terraserver.com</p>
<input type="checkbox"/> Approved Lease establishing beneficial use within the last 5 years	Copy of instream lease or lease number

Received

SEP 29 2025

OWRD

Areas Irrigated with Certificates 93777 & 93778 Pursuant to T-13524


Cert	Twp	Rge	Sec	NE				NW				SW				SE				Sub Total	Total
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
93777	34S	19E	14											0.5	0.5			0.6		1.6	81.3
93777	34S	19E	15									4.5	10.1	36	20.8					71.4	
93777	34S	19E	22			2.4		0.8	3											6.2	
93777	34S	19E	23			0.6	0.2	0.2	0.6		0.5									2.1	

Cert	Twp	Rge	Sec	NE				NW				SW				SE				Sub Total	Total
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
93778	34S	19E	14											13.2	29.5					42.7	193.6
93778	34S	19E	15													32	14.1	29	40	115.1	
93778	34S	19E	22	23.5	4.6															28.1	
93778	34S	19E	23						7.7											7.7	

Received
SEP 29 2025

OWRD

T34S, R19E, W.M.



2022 aerial imagery, downloaded from Oregon Statewide Imagery Program (OSIP) - Oregon Imagery Framework Implementation Team, Oregon Water Resources Department and US Geological Survey, Oregon Department of Forestry

0 0.01 0.02 Miles



Received
SEP 29 2025

14738 -

OWRD

LAKE COUNTY, OREGON 2013-002465
D-BSDEED 12/31/2013 02:39:35 PM
Cnt=1 Pgs=15
\$75.00 \$11.00 \$15.00 \$10.00 Total:\$111.00



00007650201300024650150151

I, Stacie Geaney, County Clerk for Lake County, Oregon
certify that the instrument identified herein was
recorded in the Clerk records.

Stacie Geaney - County Clerk

After recording, return to:

JRS Properties III L.P.
P.O. Box 27
Boise ID 83707

Until requested otherwise
Send all tax statements to:

JRS Properties III L.P.
P.O. Box 27
Boise ID 83707

BARGAIN AND SALE DEED

EFFECTIVE THE 31ST DAY OF DECEMBER, 2012, GRANTOR, Ronald N. Graves, Trustee of J.R. Simplot Self-Declaration of Revocable Trust, Established By Written Instrument Dated December 21, 1989, and Registered In The Fourth Judicial District Of The State Of Idaho, Ada County, as No. 3T-788 ("Grantor"), conveys, bargains and sells to JRS Properties III L.P., an Idaho limited partnership ("Grantee"), the real property located in Lake County, Oregon, legally described on Exhibit A attached hereto and made a part hereof, (the "Real Property").

The true and actual consideration for these conveyances is \$0.00.

BEFORE SIGNING OR ACCEPTING THIS INSTRUMENT, THE PERSON TRANSFERRING FEE TITLE SHOULD INQUIRE ABOUT THE PERSON'S RIGHTS, IF ANY, UNDER ORS 195.300, 195.301 AND 195.305 TO 195.336 AND SECTIONS 5 TO 11, CHAPTER 424, OREGON LAWS 2007, AND SECTIONS 2 TO 9 AND 17, CHAPTER 855, OREGON LAWS 2009. THIS INSTRUMENT DOES NOT ALLOW USE OF THE PROPERTY DESCRIBED IN THIS INSTRUMENT IN VIOLATION OF APPLICABLE LAND USE LAWS AND REGULATIONS. BEFORE SIGNING OR ACCEPTING THIS INSTRUMENT, THE PERSON ACQUIRING FEE TITLE TO THE PROPERTY SHOULD CHECK WITH THE APPROPRIATE CITY OR COUNTY PLANNING DEPARTMENT TO VERIFY THAT THE UNIT OF LAND BEING TRANSFERRED IS A LAWFULLY ESTABLISHED LOT OR PARCEL, AS DEFINED IN ORS 92.010 OR 215.010, TO VERIFY THE APPROVED USES OF THE LOT OR PARCEL, TO DETERMINE ANY LIMITS ON LAWSUITS AGAINST FARMING OR FOREST PRACTICES, AS DEFINED IN ORS 30.930, AND TO INQUIRE ABOUT THE RIGHTS OF NEIGHBORING PROPERTY OWNERS, IF ANY, UNDER ORS 195.300, 195.301 AND 195.305 TO 195.336 AND SECTIONS 5 TO 11, CHAPTER 424, OREGON LAWS 2007, AND SECTIONS 2 TO 9 AND 17, CHAPTER 855, OREGON LAWS 2009

Received

SEP 29 2025

OWRD

The following described property in the County of Lake, State of Oregon, to-wit:

Parcel No. 1:
Township 23 South, Range 16 East of the Willamette Meridian,
Section 1: SE $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$.

231600-001

Township 23 South, Range 17 East of the Willamette Meridian,
Section 16: All of Section.
Section 26: SW $\frac{1}{4}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$
Section 27: SE $\frac{1}{4}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$.
Section 34: E $\frac{1}{2}$ E $\frac{1}{4}$.
Section 36: E $\frac{1}{4}$.

231700-004, 005,
007

Township 23 South, Range 18 East of the Willamette Meridian,
Section 3: Lots 1, 2 and 3.
Section 4: Lots 1, 2, 3, 4, S $\frac{1}{2}$ N $\frac{1}{2}$.

231800-001, 002

Township 23 South, Range 19 East of the Willamette Meridian,
Section 11: NW $\frac{1}{4}$ SW $\frac{1}{4}$.
Section 36: N $\frac{1}{2}$, E $\frac{1}{2}$ SE $\frac{1}{4}$.

231900-003, 005

Township 24 South, Range 17 East of the Willamette Meridian,
Section 10: S $\frac{1}{2}$ SE $\frac{1}{4}$.
Section 15: W $\frac{1}{2}$ NE $\frac{1}{4}$.
Section 16: E $\frac{1}{4}$.
Section 36: E $\frac{1}{4}$.

241700-002, 003,
006

Township 24 South, Range 18 East of the Willamette Meridian,
Section 16: NW $\frac{1}{4}$.
Section 29: S $\frac{1}{2}$.
Section 31: NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, Lots 1, 2 and 4, SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$.
Section 32: NE $\frac{1}{4}$, W $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$.

241800-
003, 006

Township 24 South, Range 19 East of the Willamette Meridian,
Section 16: All of Section.

241900-002

Township 24 South, Range 21 East of the Willamette Meridian,
Section 17: NW $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$.
Section 19: Lots 1 and 2, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$.
Section 20: SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$.

242100-
003, 010

Township 25 South, Range 18 East of the Willamette Meridian,
Section 11: W $\frac{1}{2}$ NE $\frac{1}{4}$, W $\frac{1}{2}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$.
Section 13: SW $\frac{1}{4}$.
Section 14: SE $\frac{1}{4}$.
Section 31: Lots 3 and 4, E $\frac{1}{2}$ SW $\frac{1}{4}$.

251800-022, 047
065

Township 25 South, Range 19 East of the Willamette Meridian,
Section 28: NW $\frac{1}{4}$ SW $\frac{1}{4}$.

251900-043

Received

SEP 29 2025

OWRD

14738 -

In the County of Lake, State of Oregon, to-wit:

Parcel No. 1 continued:

Township 25 South, Range 20 East of the Willamette Meridian,
Section 1: Lots 1, 2 and 3, S $\frac{1}{2}$ N $\frac{1}{2}$ E $\frac{1}{2}$, N $\frac{1}{2}$ S $\frac{1}{2}$ E $\frac{1}{2}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$. 252000-001

legal

Township 26 South, Range 16 East of the Willamette Meridian,
Section 1: Lots 5, 6, 7, 8, 9, 10, 11 and 12. 261600-002, 034, 038

Township 26 South, Range 17 East of the Willamette Meridian,
Section 6: Lots 3, 4, 5, 6, 7, SE $\frac{1}{4}$ NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$.
Section 16: N $\frac{1}{2}$.
Section 35: NE $\frac{1}{4}$ NE $\frac{1}{2}$. 261700-002, 003

Township 27 South, Range 18 East of the Willamette Meridian,
Section 12: SE $\frac{1}{4}$.
Section 13: NW $\frac{1}{4}$ NE $\frac{1}{2}$, S $\frac{1}{2}$ NE $\frac{1}{2}$, E $\frac{1}{2}$ SE $\frac{1}{4}$ NW $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$.
Section 22: S $\frac{1}{2}$ NE $\frac{1}{2}$, W $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$. 271800-032, 062
Section 24: N $\frac{1}{2}$ NE $\frac{1}{2}$, SE $\frac{1}{4}$ NE $\frac{1}{2}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$. 271800-032, 062

Township 27 South, Range 19 East of the Willamette Meridian,
Section 7: Lot 4 (SW $\frac{1}{4}$ SW $\frac{1}{4}$).
Section 10: SW $\frac{1}{4}$. 271900-008
Section 16: S $\frac{1}{2}$. 271910-008
Section 17: E $\frac{1}{2}$ E $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$.
Section 18: Lots 1, 2, 3 and 4, E $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$.
Section 19: All of Section.
Section 20: NE $\frac{1}{4}$, W $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, S $\frac{1}{2}$. 271900-029, 028
Section 21: All of Section. 031, 022
Section 22: SW $\frac{1}{4}$ SW $\frac{1}{4}$.
Section 27: All of Section.
Section 28: N $\frac{1}{2}$, W $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$.
Section 29: N $\frac{1}{2}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$.
Section 30: N $\frac{1}{2}$ NE $\frac{1}{2}$, SE $\frac{1}{4}$ NE $\frac{1}{2}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, Lots 1 and 2, NE $\frac{1}{4}$ SE $\frac{1}{4}$.
Section 32: W $\frac{1}{2}$ SE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$.
Section 33: E $\frac{1}{2}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$.
Section 34: W $\frac{1}{2}$.

Township 27 South, Range 20 East of the Willamette Meridian,
Section 9: S $\frac{1}{2}$.
Section 36: W $\frac{1}{2}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$. 272000-059

Township 27 South, Range 21 East of the Willamette Meridian,
Section 1: S $\frac{1}{2}$ SW $\frac{1}{4}$. 272036-047
Section 11: E $\frac{1}{2}$ NE $\frac{1}{2}$. 272100-002
Section 12: NW $\frac{1}{4}$.

Township 27 South, Range 22 East of the Willamette Meridian,
Section 21: SW $\frac{1}{4}$ NE $\frac{1}{2}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$. 272200-022

Township 28 South, Range 15 East of the Willamette Meridian,
Section 11: NE $\frac{1}{4}$ SE $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$. 281500-005

Received
SEP 29 2025
OWRD

In the County of Lake, State of Oregon, to-wit:

Parcel No. 1 continued:

Township 28 South, Range 15 East of the Willamette Meridian,
 Section 12: S $\frac{1}{2}$ SW $\frac{1}{4}$.
 Section 13: S $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$.
 Section 14: NE $\frac{1}{4}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$.
 Section 23: N $\frac{1}{2}$ NE $\frac{1}{4}$.
 Section 24: N $\frac{1}{2}$ NE $\frac{1}{4}$.

281500-005

Township 28 South, Range 16 East of the Willamette Meridian,
 Section 2: Lot 2, S $\frac{1}{2}$ NE $\frac{1}{4}$.
 Section 18: Lots 3 and 4, SE $\frac{1}{4}$ SW $\frac{1}{4}$.
 Section 19: SW $\frac{1}{4}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, Lots 1, 2 and 3, and that part of

281602-001

Lot 4 lying NORTH of the existing Fremont Highway right of way (State Highway No. 31); E $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, EXCEPTING THEREFROM a strip of land 200 feet in width, more or less, parallel and adjoining the South line of the SE $\frac{1}{4}$ SW $\frac{1}{4}$ and S $\frac{1}{2}$ SE $\frac{1}{4}$ of said Section 19, said parcel is more completely described in that certain deed recorded in Book 120 at page 109, Record of Deeds.

281600-017, 018, 019, 021

Section 30: NE $\frac{1}{4}$ NE $\frac{1}{4}$, EXCEPTING THEREFROM a strip of land, triangular in shape and adjoining the North line of said NE $\frac{1}{4}$ NE $\frac{1}{4}$ of said Section 30, said parcel is more completely described in that certain deed recorded in Book 120 at page 109, Record of Deeds.

Township 28 South, Range 19 East of the Willamette Meridian,
 Section 2: Lots 3 and 4, S $\frac{1}{2}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$.
 Section 3: Lots 1 and 2, S $\frac{1}{2}$ NE $\frac{1}{4}$, Lots 3 and 4, S $\frac{1}{2}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$.
 Section 4: Lots 1 and 2, S $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$.
 Section 10: NW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$.
 Section 11: SW $\frac{1}{4}$.

281900-001, 002

003, 006

Parcel No. 2:

Township 23 South, Range 17 East of the Willamette Meridian,
 Section 5: Government Lots 3 and 4, S $\frac{1}{2}$ NW $\frac{1}{4}$.
 Section 6: Government Lots 1, 2, 3, 4, 5, S $\frac{1}{2}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, Lots 6 and 7, E $\frac{1}{2}$ SW $\frac{1}{4}$, EXCEPT THE SOUTH 886 FEET OF THE S $\frac{1}{2}$ SW $\frac{1}{4}$ (sometimes being described as S $\frac{1}{2}$ SW $\frac{1}{4}$ EXCEPT the South 50 acres thereof).

231700-002, 003

Parcel No. 3:

Beginning at the Northeast corner of Section 36, Township 27 South, Range 22 East of the Willamette Meridian, thence South 00°17'23" East along the East line of said Section 36, 1095.25 feet to a point on the Northerly right of way of County Road No. 5-14F, thence North 61°37'19" West 2379.98 feet along the Northerly right of way of said County Road, to a point on the North line of said Section 36; thence South 89°00'51" East 2088.75 feet along the North line of said Section 36, to the point of beginning.

272236-027

Received

SEP 29 2025

OWRD

14738 -

In the County of Lake, State of Oregon, to-wit:

Parcel No. 4:

Township 27 South, Range 19 East of the Willamette Meridian,
 Section 18: NW $\frac{1}{4}$ SE $\frac{1}{4}$.
 Section 20: NE $\frac{1}{4}$ NW $\frac{1}{4}$.
 Section 28: E $\frac{1}{2}$ SW $\frac{1}{2}$.
 Section 29: SE $\frac{1}{2}$ SE $\frac{1}{4}$.

271900-030, 032,
 054, 055

Township 28 South, Range 16 East of the Willamette Meridian,
 Section 18: S $\frac{1}{2}$ N $\frac{1}{2}$ S $\frac{1}{2}$ NE $\frac{1}{2}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ S $\frac{1}{2}$ NE $\frac{1}{2}$ SW $\frac{1}{4}$.

281600-024

Parcel No. 5:

Township 28 South, Range 14 East of the Willamette Meridian,
 Section 16: S $\frac{1}{2}$ N $\frac{1}{2}$, S $\frac{1}{2}$.
 Section 20: S $\frac{1}{2}$ NE $\frac{1}{4}$, SE $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$.
 Section 21: NE $\frac{1}{4}$, NW $\frac{1}{4}$ EXCEPTING THEREFROM a parcel of land conveyed to the State of Oregon, by deed recorded in Book 75 page 132, Record of Deeds, described as follows:

281400-017

Beginning at a point which is the intersection of the easterly line of the SE $\frac{1}{2}$ NW $\frac{1}{4}$ of Section 21, Township 28 South, Range 14 East of the Willamette Meridian, with the southerly right of way line of the Fremont Highway, said point being 40 feet distant from (and measured at right angles to) the center line of said highway at Engineer's station 518+49.6, said point also being 40 feet North of the center of said Section 21, thence along said highway right of way line on a 1472.5 foot radius curve right (the long chord of which bears North 61°48'00" West, 1019.32 feet,) a distance of 1040.85 feet; thence continuing along said highway right of way line, North 41°34'00" West 575 feet to an intersection with the west line of the SE $\frac{1}{2}$ NW $\frac{1}{4}$ of said Section 21, thence South along said west line a distance of 952 feet, more or less to the Southwest corner of said SE $\frac{1}{2}$ NW $\frac{1}{4}$ of said Section 21, thence East a distance of 1280 feet, more or less, to the center of said Section 21, thence North a distance of 40 feet to the point of beginning.

ALSO EXCEPTING THEREFROM, a parcel of land heretofore conveyed to County of Lake, State of Oregon, by instrument more fully described and recorded May 29, 1991 in Book 217 page 423 of the Record of Deeds.

Section 21: That part of the SW $\frac{1}{4}$ lying Northwesterly of the County Road. (Road No. 4-11.)

N $\frac{1}{2}$ N $\frac{1}{2}$ SE $\frac{1}{4}$, EXCEPTING THEREFROM the Southerly 66 feet thereof, as conveyed in Book 139 at page 638 of the Record of Deeds, to Kenneth Emery and Dorothy Emery.

Received

SEP 29 2025

OWRD

14738 -

In the County of Lake, State of Oregon, to-wit:

Parcel No. 5 continued:

Township 28 South, Range 14 East of the Willamette Meridian,
Section 22: W $\frac{1}{2}$ NW $\frac{1}{4}$, EXCEPTING THEREFROM a tract of land conveyed
to the State of Oregon, by deed recorded
in Book 101 page 141 of the Record of Deeds,
described as follows:

Beginning at a point on the Northerly right of way
line of the constructed Fremont Highway, said
point also being 40 feet distant from (when
measured at right angles to) Engineer's Station
5143+55 of said highway, said point also being 72
feet North and 910 feet East of the West Quarter
corner of Section 22, Township 28 South, Range 14
East of the Willamette Meridian, thence South
89°06'00" East along the Northerly right of way
line of said Fremont Highway, a distance of 386
feet, thence North 00°54'00" East along Westerly
Silver Lake City limits boundary, a distance of
250 feet; thence North 89°06'00" West, a distance
of 386 feet, thence South 00°54'00" West a
distance of 250 feet to the point of beginning.

ALSO EXCEPTING: Beginning at a point on the North
right of way line of Fremont Highway, which
point is 72 feet North and 1296 feet East of the
West Quarter corner of Section 22, Township 28
South, Range 14 E.W.M., thence North 00°54' East
250 feet, thence East to the West line of the
SE $\frac{1}{4}$ NW $\frac{1}{4}$ of said Section 22, thence South along said
West line of said SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 22, 250 feet
to the North margin of said Fremont Highway,
thence West along the North margin of said Fremont
Highway to a point of beginning.

Section 23: S $\frac{1}{4}$.
Section 24: S $\frac{1}{4}$ SW $\frac{1}{4}$.
Section 25: W $\frac{1}{2}$.
Section 26: N $\frac{1}{2}$, N $\frac{1}{2}$ S $\frac{1}{2}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$.
Section 27: All of Section.
Section 34: N $\frac{1}{2}$, E $\frac{1}{2}$ SE $\frac{1}{4}$.
Section 35: SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$.

28 1400-028

Received

SEP 29 2025

14738 -

OWRD

In the County of Lake, State of Oregon, to-wit:

Parcel No. 5 continued:

- Township 28 South, Range 15 East of the Willamette Meridian,
- Section 5: Lots 4, 5, 6, 7, SE $\frac{1}{4}$ NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$.
- Section 8: E $\frac{1}{2}$.
- Section 9: SW $\frac{1}{4}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$.
- Section 10: E $\frac{1}{2}$ SE $\frac{1}{4}$.
- Section 11: SW $\frac{1}{4}$, EXCEPTING that portion EAST of County Road No. 5-14.
- Section 14: N $\frac{1}{2}$ NW $\frac{1}{4}$, EXCEPTING that portion EAST of County Road No. 5-14.
- Section 15: S $\frac{1}{2}$ N $\frac{1}{2}$, SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$.
- Section 16: All of Section.
- Section 17: Lots 4, 5, 6, 7, 10, 11, SE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$.
- Section 20: SE $\frac{1}{4}$ SE $\frac{1}{4}$, and that part of the NE $\frac{1}{4}$ and SE $\frac{1}{4}$ NW $\frac{1}{4}$ lying North of the Fremont Highway.
- Section 21: Lots 1, 2, 6, 7, 8, 9, SE $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$.
- Section 22: NE $\frac{1}{4}$ NW $\frac{1}{4}$, Lot 4, THAT PART OF Lots 1, 2 and 5 lying NORTH of the Fremont Highway, EXCEPTING THEREFROM a parcel of land lying in Lot 1 more fully described in Book 134 Page 375, Record of Deeds.
- Section 28: NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$.
- Section 29: E $\frac{1}{2}$ NE $\frac{1}{4}$.

Township 29 South, Range 14 East of the Willamette Meridian,
 Section 2: NW $\frac{1}{4}$ NW $\frac{1}{4}$ (Lot 4).

281500-
 003, 038
 037, 036

291400-001

Township 32 South, Range 19 East of the Willamette Meridian,
 Section 32: E $\frac{1}{2}$ E $\frac{1}{2}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ E $\frac{1}{2}$ SE $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$.
 Section 33: S $\frac{1}{2}$.

321900-002

Received

SEP 29 2025

14738 - OWRD

In the County of Lake, State of Oregon, to-wit:

Parcel No. 5 continued:

Township 33 South, Range 18 East of the Willamette Meridian,

Section 36: SW $\frac{1}{4}$ NE $\frac{1}{4}$.

3318 00 - 02b

3318
24CA-
002

The following described property in Section 24, Township 33 South, Range 18 East of the Willamette Meridian, as follows: Commencing at a point on the West boundary line of Main Street in the Town of Paisley, Oregon 242 feet North from the Southeast corner of Block G in said Town, and running thence South 83° West from said West boundary line of Main Street to the West boundary line of the NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 24, Township 33 South, Range 18 E.W.M., thence North along the West boundary line of the NE $\frac{1}{4}$ SW $\frac{1}{4}$ of said Section 24 to the Northwest corner thereof, thence East along the North boundary line of the NE $\frac{1}{4}$ SW $\frac{1}{4}$ of said Section 24, to a point where the northerly extension of the West boundary of said Main Street would intersect the North boundary line of the NE $\frac{1}{4}$ SW $\frac{1}{4}$ of said Section 24, thence Southerly and parallel to the West boundary line of said Main Street to the place of beginning. EXCEPTING THEREFROM a tract of land conveyed to the State of Oregon, by deed recorded in Book 144 page 105 of the Record of Deeds.

[Remainder of page intentionally left blank.]

Received
SEP 29 2025
OWRD

In the County of Lake, State of Oregon, to-wit:

Parcel No. 5 continued:

Township 33 South, Range 18 East of the Willamette Meridian,
Section 24: The following described property in the Town of
Paisley, Lake County, Oregon, to-wit:

33 18 24CA
004

Beginning 188 feet West from the Southwest corner of Block G in the Second Addition to the Town of Paisley, Lake County, Oregon, and running thence North 03°58' West 115 feet, thence North 86°02' East 83 feet, thence North 03°58' West 123.5 feet, thence South 83° West to a point on the West boundary line of the Northeast Quarter of the Southwest Quarter of Section 24, Township 33 South, Range 18 E.W.M., thence South along the West boundary line of the last described 40 acre tract to the Northwest corner of a certain tract of land particularly described in Book 18 page 456 of the Record of Deeds for Lake County, Oregon, thence Easterly along the North boundary line of said tract of land more particularly described in Book 18 page 456, Record of Deeds, to the Northeast corner of said tract described in Book 18 page 456, Record of Deeds, thence Southerly along the East boundary line of said Tract described in Book 18 page 456, Record of Deeds to the North boundary line of an unnamed street, the South boundary line of which unnamed street forms the North boundary line of Block I in the West Addition to said Town, and thence East along the North boundary line of said unnamed street, approximately 125 feet to the point of beginning.

EXCEPTING THEREFROM a tract of land conveyed to the State of Oregon, by deed recorded in Book 144 at page 105 of the Record of Deeds.

Township 33 South, Range 19 East of the Willamette Meridian,
Section 3: Lots 3 and 4, S $\frac{1}{2}$ NW $\frac{1}{4}$.
Section 4: Lots 3 and 4, S $\frac{1}{2}$ NW $\frac{1}{4}$.
Section 5: SW $\frac{1}{4}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, Lots 1, 2, 3, 4, 5, 7, 8, 9, 10, 11 and 12.
Section 6: Lots 1, 2, and S $\frac{1}{2}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$
Section 7: E $\frac{1}{2}$, E1/2SW1/4
Section 8: All.
Section 9: Lots 1, 2, 3, 4, 5, 6, E $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$.
Section 10: S $\frac{1}{2}$.
Section 11: W $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$.
Section 13: SW $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$.
Section 14: All.
Section 15: All.
Section 16: All.
Section 17: Lots 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, NW $\frac{1}{4}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$.
Section 18: N $\frac{1}{2}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Lots 1 and 2.
Section 19: Lots 1, 5, 6, NW $\frac{1}{4}$ NE $\frac{1}{4}$.
Section 20: Lots 1, 6, 7, 8, 9, 10, NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$.

331900-001,
002, 005

Received

SEP 29 2025

14738 - OWRD

In the County of Lake, State of Oregon, to-wit:

Parcel No. 5 continued:

Township 33 South, Range 19 East of the Willamette Meridian,
Section 21: Lots 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15,
and 16, NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$.

Section 22: All.

Section 23: Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, NE $\frac{1}{4}$ NE $\frac{1}{4}$, W $\frac{1}{2}$ NW $\frac{1}{4}$,
SE $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$.

Section 24: W $\frac{1}{2}$.

Section 25: Lots 1, 2, 3, 4, 5, 6, 7, NE $\frac{1}{4}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$.

Section 26: All.

Section 27: All.

Section 28: Lots 5, 6, 7 and 8, E $\frac{1}{2}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$.

Section 31: Lot 2 (SW $\frac{1}{4}$ NW $\frac{1}{4}$), AND the right to construct and
maintain a roadway over and across the following
described property, to-wit:

Beginning at a point 30 feet West of Station 2261
of the Prineville-Lakeview Highway (Fremont
Highway) survey which station is approximately 1980
feet East and 1375 feet South of the Northwest
corner of Section 31, Township 33 South, Range 19
E.W.M., thence running West approximately 635 feet
to the present County Road, thence North along said
County Road, a distance of 30 feet, thence East
approximately 625 feet to a point on the West
boundary line of the Prineville-Lakeview Highway
right of way, thence Southerly along the boundary
line of the Prineville-Lakeview Highway, a distance
of 30 feet to the point of beginning. (67-232)

Section 32: Lots 6, 7, 8, 9 and 10, SE $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$.

Section 33: All.

Section 34: All.

Section 35: All.

Section 36: All.

Township 34 South, Range 19 East of the Willamette Meridian,

Section 1: Lots 1, 2, 3, 4, 5, 6, 7 and 8, SW $\frac{1}{4}$ NE $\frac{1}{4}$, W $\frac{1}{2}$ W $\frac{1}{2}$,
SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$.

Section 2: All.

Section 3: All.

Section 4: All.

Section 5: Lots 1, 8, 9, 10, 11, S $\frac{1}{2}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$.

33 19.00-005, 017

34 19.00-002

Received

SEP 29 2025

OWRD

In the County of Lake, State of Oregon, to-wit:

Parcel No. 5 continued:

Township 34 South, Range 19 East of the Willamette Meridian,
 Section 5: A strip of land one chain in width running along
 and on the South side of the division line between
 Lots 1 and 2 of said Section 5, and continuing the
 same width into and through the E $\frac{1}{2}$ of Section 6,
 along and on the South side of the division line
 separating Lots 1 and 2 from the S $\frac{1}{2}$ NE $\frac{1}{4}$ of said
 Section 6 to the County Road, all in Township 34
 South, Range 19 E.W.M. (7-117)

Section 5: Commencing at a point 481.3 feet East and 66 feet
 South of the Northwest corner of the SW $\frac{1}{4}$ NW $\frac{1}{4}$ of
 Section 5, Township 34 South, Range 19 E.W.M.,
 thence South 208.71 feet, thence East 208.71 feet,
 thence North 208.71 feet, thence West 208.71 feet
 to the point of beginning. (99-463)

Section 5: That portion of Lots 2, 3, 5, 6 and 7 in Section
 5, Township 34 South, Range 19 E.W.M., lying EAST
 of a line which is 10 chains East and parallel
 with the West line of Section 5.

Section 8: All of that part of Lot 10 in said Section 8,
 bounded on the West by a line commencing in the
 segregation line between the swamp land and the
 high land (the Meander line) in Section 8, at a
 point 10 chains due East from the East line of
 Section 7, Township 34 South, Range 19 E.W.M.,
 thence running North and parallel with the East
 line of said Section 7 to the North line of said
 Section 8, Township 34 South, Range 19 E.W.M.

Section 9: Lots 6, 7, 8, 9, NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$.

Section 9: N $\frac{1}{2}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, Lot 2, SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$.

Section 10: All.

Section 11: All.

Section 12: All.

Section 13: N $\frac{1}{4}$ NE $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$, W $\frac{1}{2}$ E $\frac{1}{2}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$,
 S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, E $\frac{1}{2}$ E $\frac{1}{2}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$.

Section 14: All.

Section 15: All.

Section 16: Commencing at the Northeast corner of the SE $\frac{1}{4}$ of
 Section 16, Township 34 South, Range 19 E.W.M.,
 thence West 21.2 chains, thence North to the North
 line of said Section 16, thence East to the
 Northeast corner of said Section 16, thence South
 to the place of beginning.

341900-
 002, 007, 008,
 009, 010, 011, 012,
 013

Received

SEP 29 2025

OWRD

In the County of Lake, State of Oregon, to-wit:

Parcel No. 5 continued:

Township 34 South, Range 19 East of the Willamette Meridian,
Section 16: A strip of land 40 feet wide, being 20 feet on each side of the following described center line: Beginning at a point on the North line of the SE $\frac{1}{4}$ of Section 16, Twp. 34 S.R. 19 E.W.M., 2405 feet from the Northeast corner of said Quarter Section, which point is the center of the canal at Station 0-18.4, also known as Station 1, thence South 55° East 281.6 feet to Station 2, thence South 51°10' East 474.2 feet to Station 3, thence South 57°45' East 257.8 feet to Station 4, thence South 64°05' East, 304 feet to Station 5, thence South 76° East 549.8 feet to Station 6, thence South 69° East 536 feet to Station 7, thence South 76° East 267.1 feet to Station 8, which point is on the East line of said Section 16, 1094 feet from the Northeast corner making a forward angle of 76°. (48-73)

341900-002

Section 22: N $\frac{1}{2}$ N $\frac{1}{2}$.
Section 23: All.
Section 24: Lots 1, 2, 3, 4, 5, 6, 7, 8, N $\frac{1}{2}$ SE $\frac{1}{4}$.

Township 34 South, Range 20 East of the Willamette Meridian,
Section 7: Lots 2, 3 and 4.

342000-003, 004, 008

Section 18: Lot 1.
Section 19: Lots 5 and 6, W $\frac{1}{2}$ SW $\frac{1}{4}$.
Section 29: S $\frac{1}{2}$ SW $\frac{1}{4}$.
Section 30: NW $\frac{1}{4}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ N $\frac{1}{2}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ S $\frac{1}{2}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, N $\frac{1}{2}$ N $\frac{1}{2}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$, N $\frac{1}{2}$ S $\frac{1}{2}$ N $\frac{1}{2}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$, N $\frac{1}{2}$ N $\frac{1}{2}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$, N $\frac{1}{2}$ S $\frac{1}{2}$ N $\frac{1}{2}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, N $\frac{1}{2}$ N $\frac{1}{2}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$, N $\frac{1}{2}$ S $\frac{1}{2}$ N $\frac{1}{2}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$, N $\frac{1}{2}$ S $\frac{1}{2}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$, the East 904 feet of the S $\frac{1}{2}$ S $\frac{1}{2}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$.
Section 31: The East 904 feet of the E $\frac{1}{2}$ E $\frac{1}{2}$.
Section 32: N $\frac{1}{2}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$, N $\frac{1}{2}$ S $\frac{1}{2}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$.
Section 33: N $\frac{1}{2}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$ NW $\frac{1}{4}$, S $\frac{1}{2}$ S $\frac{1}{2}$ SE $\frac{1}{4}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ N $\frac{1}{2}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$, N $\frac{1}{2}$ N $\frac{1}{2}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$.
Section 34: S $\frac{1}{2}$ N $\frac{1}{2}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$, N $\frac{1}{2}$ S $\frac{1}{2}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ N $\frac{1}{2}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$.

Township 35 South, Range 19 East of the Willamette Meridian,
Section 1: N $\frac{1}{2}$, Lots 1, 2, 3, 4, 5, 6, 7 and 8.
Section 2: Lots 4, 5 and 6.

351900-001

Received
SEP 29 2025
OWRD

In the County of Lake, State of Oregon, to-wit:

Parcel No. 5 continued:

352000-
002

- Township 35 South, Range 20 East of the Willamette Meridian,
- Section 2: All.
- Section 3: All.
- Section 4: All.
- Section 5: All.
- Section 6: N $\frac{1}{2}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, Lots 1, 2, 3, 4, SE $\frac{1}{4}$.
- Section 7: NE $\frac{1}{4}$ NE $\frac{1}{4}$, Lots 1, 2, 5, 6, 7, 8, 9, 10, 11, SE $\frac{1}{4}$ NW $\frac{1}{4}$.
- Section 8: N $\frac{1}{2}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, Lots 3 and 4, SE $\frac{1}{4}$.
- Section 9: All.
- Section 10: All, EXCEPT Lot 1.
- Section 11: Lots 6, 7, 8, 9, 10, NW $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$.
- Section 17: N $\frac{1}{2}$ NE $\frac{1}{4}$.

Parcel No. 6:

- Township 28 South, Range 15 East of the Willamette Meridian,
- Section 13: N $\frac{1}{2}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$.

281500-006

Received
SEP 29 2025

OWRD

ZX RANCH
EXHIBIT A

The following real property situated in Lake County Oregon:

PARCEL 1:

Township 34 South, Range 19 EWM:

Section 25: E $\frac{1}{2}$ SE $\frac{1}{4}$

34 19 00 - 022

Section 35: LOTS 1, 2, 3 and 4

Section 36: S $\frac{1}{2}$, S $\frac{1}{2}$ NE $\frac{1}{4}$, Lots 4, 5 and 6.

Township 35 South, Range 19 EWM:

Section 2: Lots 1, 2 and 3.

35 19 00 - 002

PARCEL 2:

Township 34 South, Range 20 EWM:

Section 30: N $\frac{1}{2}$ S $\frac{1}{2}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$,
West 416 feet of the S $\frac{1}{2}$ S $\frac{1}{2}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$

Section 31: W $\frac{1}{2}$, W $\frac{1}{2}$ E $\frac{1}{2}$, West 416 feet of the E $\frac{1}{2}$ E $\frac{1}{2}$.

34 20 00 - 007, 006,

Township 30 South, Range 15 East of the Willamette Meridian,
Section 28: The NE $\frac{1}{4}$

30 15 00 - 011
010

Township 24 South, Range 21 East of the Willamette Meridian,
Section 19: NE $\frac{1}{4}$ NW $\frac{1}{4}$

24 21 00 - 009

Township 31 South, Range 14 East of the Willamette Meridian,
Section 21: NE $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$

31 14 00 - 014, 026, 027

Township 27 South, Range 15 East of the Willamette Meridian,
Section 32: The W $\frac{1}{2}$ of the SW $\frac{1}{4}$
The SW $\frac{1}{4}$ of the NW $\frac{1}{4}$

27 15 00 - 050

Received

SEP 29 2025

OWRD

14738 -



0003672279



STATE OF IDAHO
Office of the secretary of state, Lawrence Denney
AMENDMENT TO CERTIFICATE OF LIMITED PARTNERSHIP

Idaho Secretary of State
PO Box 83720
Boise, ID 83720-0080
(208) 334-2301
Filing Fee: \$30.00 - Make Checks Payable to Secretary of State

For Office Use Only

-FILED-

File #: 0003672279

Date Filed: 11/7/2019 9:37:23 AM

Amendment to Certificate of Registration of Limited Partnership					
Select one: Standard, Expedited or Same Day Service (see descriptions below)	Same Day Service (+\$100; filing fee \$130)				
The current name of the limited partnership is:	JRS PROPERTIES III L.P.				
The file number of this entity on the records of the Idaho Secretary of State is:	0000024788				
The date the certificate of organization was originally filed:	1999-08-03 12:00:00.000				
Entity Type:	Limited Partnership				
Entity Subtype:	Limited Liability Limited Partnership				
Limited Partnership Name					
Entity name	JRS PROPERTIES III LLLP				
Limited Liability Limited Partnership Designation					
<input checked="" type="checkbox"/> This limited partnership is a limited liability limited partnership.					
The complete street address of the principal office is:					
Principal Office Address	1099 W. FRONT STREET BOISE, ID 83702				
The mailing address of the principal office is:					
Mailing Address	PO BOX 27 BOISE, ID 83707-0027				
Names and street addresses of each general partner.					
<table border="1"> <thead> <tr> <th>Name</th> <th>Address</th> </tr> </thead> <tbody> <tr> <td>JRS Management L.L.C.</td> <td>PO BOX 27 BOISE, ID 83707</td> </tr> </tbody> </table>		Name	Address	JRS Management L.L.C.	PO BOX 27 BOISE, ID 83707
Name	Address				
JRS Management L.L.C.	PO BOX 27 BOISE, ID 83707				
6. Signatures of all general partners:					
<u>Stephen A. Beebe, Manager</u>	<u>11/07/2019</u>				
JRS Management L.L.C.	Date				

B0399-0417 11/07/2019 9:37 AM Received by ID Secretary of State Lawrence Denney

14738 -

Received
SEP 29 2025
OWRD



0006345225



STATE OF IDAHO
 Office of the secretary of state, Phil McGrane
ANNUAL REPORT
 Idaho Secretary of State
 PO Box 83720
 Boise, ID 83720-0080
 (208) 334-2301
 Filing Fee: \$0.00

For Office Use Only
-FILED-
 File #: 0006345225
 Date Filed: 7/8/2025 1:36:32 PM

Entity Name and Mailing Address:
 Entity Name: JRS MANAGEMENT L.L.C.
 The file number of this entity on the records of the Idaho Secretary of State is: 0000043502
 Address: PO BOX 27
 BOISE, ID 83707-0027

Entity Details:
 Entity Status: Active-Existing
 This entity is organized under the laws of: IDAHO
 If applicable, the old file number of this entity on the records of the Idaho Secretary of State was: W9463

The registered agent on record is:
 Registered Agent: RONALD N GRAVES
 Registered Agent
 Physical Address
 1099 W FRONT ST
 BOISE, ID 83702
 Mailing Address

Limited Liability Company Managers and Members

Name	Title	Business Address
Scott R. Simplot	Manager	1099 W. FRONT STREET BOISE, ID 83702
Stephen A. Beebe	Manager	1099 W. FRONT STREET BOISE, ID 83702

The annual report must be signed by an authorized signer of the entity.
 Job Title: Manager

Scott R. Simplot _____ 07/08/2025
 Sign Here Date

BL029-3120 01/08/2025 1:36 PM Received by Office of the Idaho Secretary of State

Received
 SEP 29 2025
 OWRD

14738 -

Land Use Information Form



Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900
 www.owrd.state.or.us

Applicant(s): JRS Properties III, L.L.P.

Mailing Address: PO Box 27

City: Boise

State: ID

Zip Code: 83707

Daytime Phone: 208-389-7312

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	1/4	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use
						Diverted	Conveyed	Used	
34S	19E	14	NW NW	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IR
34S	19E	14	SW SW	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IR
34S	19E	14	SE SW	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IR
34S	19E	14	SW SE	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IR
34S	19E	15	NE SW	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IS
34S	19E	15	NW SW	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IS/IR
34S	19E	15	SW SW	200	EFU	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	IS/IR
34S	19E	15	SE SW	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IS
34S	19E	15	NE SE	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IS
34S	19E	15	NW SE	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IS
34S	19E	15	SW SE	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IS/IR
34S	19E	15	SE SE	200	EFU	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	IS/IR
34S	19E	22	NE NE	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IS
34S	19E	22	NW NE	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IS/IR
34S	19E	22	NE NW	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IS/IR
34S	19E	22	NW NW	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IR
34S	19E	23	NW NE	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IR
34S	19E	23	SW NE	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IR
34S	19E	23	NE NW	200	EFU	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	IR
34S	19E	23	NW NW	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IR
34S	19E	23	SE NW	200	EFU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	IR

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Lake County

Received
 SEP 29 2025
 OWRD

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- Permit to Use or Store Water Water Right Transfer Permit Amendment or Ground Water Registration Modification
 Limited Water Use License Allocation of Conserved Water Exchange of Water

Source of water: Reservoir/Pond Ground Water Surface Water (name) _____

Estimated quantity of water needed: 3.44 cubic feet per second gallons per minute acre-feet

Intended use of water: Irrigation Commercial Industrial Domestic for _____ household(s)
 Municipal Quasi-Municipal Instream Other _____

Briefly describe:

Water user proposes to move water from two certified rights six miles south to a location with a better source

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

Received
SEP 29 2025
OWRD

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): Lake County Zoning Ordinance Sects. 2 + 3
- Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being pursued."

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued
		<input type="checkbox"/> Obtained <input type="checkbox"/> Denied	<input type="checkbox"/> Being Pursued <input type="checkbox"/> Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

34-19-200

Received
SEP 29 2025
OWRD

Name: Darwin Johnson Title: Planning Director
 Signature: [Signature] Phone: 541-247-6226 Date: 27 Aug 2020
 Government Entity: Lake County Planning Dept.

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____
 City or County: _____ Staff contact: _____
 Signature: _____ Phone: _____ Date: _____

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

LAKE 52770

WELL I.D. LABEL# L124489

START CARD # 1033721

5/3/2017

ORIGINAL LOG #

(1) LAND OWNER

Owner Well I.D. _____
First Name _____ Last Name _____
Company ZX RANCH
Address P.O BOX 7
City PAISLEY State OR Zip 97636

(2) TYPE OF WORK

New Well Deepening Conversion
 Alteration (complete 2a & 10) Abandonment (complete 5a)

(2a) PRE-ALTERATION

Dia + From To Gauge Stl Plstc Wld Thrd
Casing:
Material From To Amt sacks/lbs
Seal:

(3) DRILL METHOD

Rotary Air Rotary Mud Cable Auger Cable Mud
 Reverse Rotary Other _____

(4) PROPOSED USE

Domestic Irrigation Community
 Industrial/ Commercial Livestock Dewatering
 Thermal Injection Other _____

(5) BORE HOLE CONSTRUCTION

Special Standard (Attach copy)
Depth of Completed Well 1110.00 ft.

BORE HOLE			SEAL			Amt	sacks/lbs
Dia	From	To	Material	From	To		
12	0	613	Cement w/2% Bentonite	0	600	205	S
8	613	1008				Calculated	191
6	1008	1110				Calculated	

How was seal placed: Method A B C D E

Other _____

Backfill placed from _____ ft. to _____ ft. Material _____

Filter pack from _____ ft. to _____ ft. Material _____ Size _____

Explosives used: Yes Type _____ Amount _____

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount _____ Actual Amount _____

(6) CASING/LINER

Casing	Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
<input checked="" type="checkbox"/>	<input type="checkbox"/>	8	<input checked="" type="checkbox"/>	2	613	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Shoe Inside Outside Other Location of shoe(s) 613

Temp casing Yes Dia _____ From + _____ To _____

(7) PERFORATIONS/SCREENS

Perforations Method _____ Screens Type _____ Material _____

Perf/ Screen	Casing/ Screen	Screen Dia	From	To	Scrwn/slot width	Slot length	# of slots	Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Pump Bailer Air Flowing Artesian

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
300		580	1

Temperature 76 °F Lab analysis Yes By _____

Water quality concerns? Yes (describe below) TDS amount 196 ppm
From _____ To _____ Description _____ Amount _____ Units _____

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)

County LAKE Twp 34.00 S N/S Range 19.00 E E/W WM
Sec 22 NW 1/4 of the NE 1/4 Tax Lot 200
Tax Map Number _____ Lot _____
Lat _____ " or _____ DMS or DD
Long _____ " or _____ DMS or DD
 Street address of well Nearest address

8 MILES SOUTH OF PAISLEY ON HWY 31 ON LEFT

(10) STATIC WATER LEVEL

	Date	SWL(psi)	+	SWL(ft)
Existing Well / Pre-Alteration				
Completed Well	5/2/2017			46
Flowing Artesian?	<input type="checkbox"/>			
Dry Hole?	<input type="checkbox"/>			

WATER BEARING ZONES

Depth water was first found 45.00

SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)
4/17/2017	45	551	200			31
5/2/2017	617	1079	300			46

(11) WELL LOG

Ground Elevation _____

Material	From	To
gravel- sand	0	34
brown clay	34	45
medium gravel	45	49
layers of gravel - clay	49	68
brown clay -gravel	68	137
gravel-clay-sand	137	320
brown clay-medium gravel	320	412
brown clay-fine gravel	412	463
brown sandstone	463	551
hard grey sandstone	551	617
grey rhyolite	617	622
reddish brown rhyolite-grey layers	622	664
brown sandstone	664	813
grey rhyolite- some clay	813	980
brown sandstone	980	1008
brown sand-medium gravel	1008	1045
brown sandstone	1045	1050
sand- gravel, fine to medium	1050	1064
perlite	1064	1066

Date Started 4/13/2017 Completed 5/2/2017

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number _____ Date _____

Signed _____

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1355 Date 5/3/2017

Signed ARTHUR L FRY (E-filed)

Contact Info (optional) _____

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

LAKE 53479

7/11/2025

Received

SEP 29 2025

OWRD

Map of Hole

STATE OF OREGON
WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department
725 Summer St NE, Salem OR 97301
(503)986-0900



LOCATION OF WELL

Latitude: 42.61195000 Datum: WGS84

Longitude: -120.44930000

Township/Range/Section/Quarter-Quarter Section:

WM34.00S19.00E23NENW

Address of Well:

MILE MARKER 15 PAISLY OR

Well Label: 157877

Printed: July 11, 2025



DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor



MAP TO ACCOMPANY APPLICATION TO CHANGE PLACE OF USE AND POINTS OF APPROPRIATION FOR JRS PROPERTIES III, LLLP

"TO" TAX LOT 200 IN
SECTIONS 14 & 23, TOWNSHIP 34 SOUTH, RANGE 19 EAST, W.M.
LAKE COUNTY, OREGON



3.7 ACRES PRIMARY RIGHTS FROM WELL 7 OF
CERTIFICATE #93777 (G-15510) POU & POA
TRANSFERRED OUT, AS SHOWN.

- WELL #7 (LAKE 52463 AUTHORIZED) IN THE NE 1/4 NW 1/4 SECTION 23, T34S R19E, W.M. LOCATED 105 FEET SOUTH AND 3000 FEET WEST FROM THE NE CORNER OF SECTION 23.
- WELL #7R (PROPOSED) IN THE NE 1/4 NW 1/4 SECTION 23, T34S R19E, W.M. LOCATED 125 FEET SOUTH AND 2980 FEET WEST FROM THE NE CORNER OF SECTION 23.
- WELL #11 (LAKE 53479 PROPOSED) IN THE NE 1/4 NW 1/4 SECTION 23, T34S R19E, W.M. LOCATED 1295 FEET SOUTH AND 3840 FEET WEST FROM THE NE CORNER OF SECTION 23.


THIS MAP IS FOR THE PURPOSE OF LOCATING A WATER
RIGHT ONLY AND HAS NO INTENT TO PROVIDE LEGAL
DIMENSIONS OR THE LOCATION OF PROPERTY LINES.

Received
SEP 29 2025
OWRD

PROJECT No. 24-102

PREPARED AT THE REQUEST OF:
JRS PROPERTIES III, LLLP
P.O. BOX 27
BOISE, ID 83707

ALL POINTS ENGINEERING
& SURVEYING, INC.



P.O. BOX 767
TERREBONNE, OREGON 97760
(541) 548-5833 PH
Scott@APEandS.com
www.APEandS.com



RENEWAL DATE: 12/31/2026

Temporary Transfer Application Intake Checklist

Transfer # T- 14738

Reviewer <i>Joan</i>	Type of Change(s) Proposed: <u>MUST INCLUDE A CHANGE IN PLACE OF USE</u>		
Date <i>10/1/25</i>	<input type="checkbox"/> POU	<input type="checkbox"/> POU/POD	<input type="checkbox"/> POU/APOD
	<input checked="" type="checkbox"/> POU/POA	<input checked="" type="checkbox"/> POU/APOA	
Calculated Fee \$ <i>3017.09</i>		Fee Received \$	
Certificate(s): <i>93777 & 93778</i>		Check <u>ALL</u> Certs in WRIS to confirm they are not cancelled	
For multiple certificates, does application meet requirement of OAR 690-380-3220? If no, why? Use the flow chart for multiple Certs			<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A
Notes: <i>5 year temp beginning 2026</i>			

Application: OAR 690-380-3000; OAR 690-380-3220

1.	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO	Have <u>ALL</u> of the applicant's signed and dated the application? If no, whose signature is missing?
2.	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO	Part 5 of application: Does the information match the description of the explanation on Part 4 of the application?
3.	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO	<input type="checkbox"/> N/A
	For multiple certificates: Each certificate proposed for transfer has their own separate completed Part 5, Tables 1 & 2? If no, which certificate(s) are missing separate Part 5, Tables 1 & 2?		

Map Requirements: OAR 690-380-3100

4.	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO	Map included and meets mapping requirements?
5.	<input type="checkbox"/> YES	<input type="checkbox"/> NO	<input checked="" type="checkbox"/> N/A
	Map Waiver? The map waiver must be issued by the Department		
Notes:			

Attachments: OAR 690-380-3000

6.	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO	Evidence of Use included, signed, & notarized w/supporting documentation?
	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO	Current recorded deed for the land from which the authorized place of use is temporarily being moved included?
	<input type="checkbox"/> YES	<input type="checkbox"/> NO	<input checked="" type="checkbox"/> N/A
	Affidavit of Consent from Landowner(s) described on the deed?		
7.	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO	<input type="checkbox"/> N/A
	Land Use Form included and signed by the County?		
8.	<input type="checkbox"/> YES	<input type="checkbox"/> NO	<input checked="" type="checkbox"/> N/A
	District: Place of use is in <u>or</u> near an irrigation district?		
	If Yes, is Form D included? Name of the District		
9.	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO	<input type="checkbox"/> N/A
	For changes in POA/APOA – are the well logs included?		
10.	<input type="checkbox"/> YES	<input type="checkbox"/> NO	<input checked="" type="checkbox"/> N/A
	For change in POU within Umatilla County, Supplemental Form U included?		

<input checked="" type="checkbox"/>	Application complete: no deficiencies identified, assign a T-number and put this checklist in T-folder.
<input type="checkbox"/>	Application DEFICIENT: DO NOT accept - return to applicant with letter explaining deficiencies identified.



J.R. Simplot Company
P.O. Box 27, Boise, Idaho
83707 0027

1099 West Front Street
Boise, Idaho 83702

Vic.conrad@simplot.com
208 780 7359 Business
208 780 7333 Fax

September 26, 2025

State of Oregon
Water Resources Department
Attn: Transfer Processing
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266

RE: Temporary Transfer of Certificate Nos. C93777 and C93778.

Enclosed for filing is an application to temporarily change the places of use and points of diversion for the above referenced certificates. Also enclosed is a check in the amount of \$3,017.09 to cover the State's fee for the processing of the enclosed application.

Please contact me if there are any questions about this filing.

Respectfully,

A handwritten signature in blue ink, appearing to read "Vic Conrad".


Vic Conrad
Director, Land, Water & Asset Recovery

Received
SEP 29 2025
OWRD




TRANSFER MAP TO ACCOMPANY APPLICATION TO CHANGE PLACE OF USE & POINTS OF APPROPRIATION FOR JRS PROPERTIES III, LP

"FROM" TAX LOT 500
IN SECTIONS 7, 8, 17, AND 18, TOWNSHIP 33 SOUTH, RANGE 19 EAST, W.M.
LAKE COUNTY, OREGON



"TO" TAX LOT 200
IN SECTIONS 14, 15, 22, & 23, TOWNSHIP 34 SOUTH, RANGE 19 EAST, W.M.
LAKE COUNTY, OREGON



- WELL #1 (LAKE 4564-G15037) IN THE SW 1/4 NW 1/4 SECTION 17, T33S R19E, W.M. LOCATED 2600 FEET SOUTH AND 50 FEET EAST FROM THE NW CORNER OF SECTION 17.
- WELL #2 (LAKE 51182-G15037) IN THE NE 1/4 SE 1/4 SECTION 7, T33S R19E, W.M. LOCATED 1690 FEET SOUTH AND 770 FEET WEST FROM THE SE CORNER OF SECTION 7.
- WELL #3 (LAKE 50941-BOTH) IN THE SE 1/4 NE 1/4 SECTION 8, T33S R19E, W.M. LOCATED 2048 FEET SOUTH AND 563 FEET WEST FROM THE NE CORNER OF SECTION 8.
- WELL #4 (LAKE 51031-BOTH) IN THE NW 1/4 NW 1/4 SECTION 8, T33S R19E, W.M. LOCATED 325 FEET SOUTH AND 4704 FEET WEST FROM THE NE CORNER OF SECTION 8.


- 193.6 ACRES PRIMARY RIGHTS FROM CERTIFICATE #93778 (G-13714) POU & POA TRANSFERRED OUT, AS SHOWN.
- 81.3 ACRES PRIMARY RIGHTS FROM CERTIFICATE #93777 (G-15510) POU & POA TRANSFERRED OUT, AS SHOWN.

- WELL #8 (LAKE 52491) IN THE SE 1/4 SE 1/4 SECTION 15, T34S R19E, W.M. LOCATED 800 FEET NORTH AND 650 FEET WEST FROM THE SE CORNER OF SECTION 15.
- WELL #9 (LAKE 52492) IN THE SW 1/4 SW 1/4 SECTION 15, T34S R19E, W.M. LOCATED 825 FEET NORTH AND 1080 FEET EAST FROM THE SW CORNER OF SECTION 15.
- WELL #10 (LAKE 52770) IN THE NW 1/4 NE 1/4 SECTION 22, T34S R19E, W.M. LOCATED 510 FEET SOUTH AND 3530 FEET EAST FROM THE NW CORNER OF SECTION 22.

- 118.8 ACRES PRIMARY RIGHTS FROM CERTIFICATE #93778 (G-13714) POU & POA TRANSFERRED TO PROPOSED PRIMARY, AS SHOWN.
- 74.8 ACRES PRIMARY GROUND WATER RIGHTS FROM CERTIFICATE #93778 (G-13714) TRANSFERRED TO SUPPLEMENTAL AS SHOWN.
- 32.3 ACRES PRIMARY RIGHTS FROM CERTIFICATE #93777 (G-15510) TRANSFERRED POU & POA TO PROPOSED PRIMARY, AS SHOWN.
- 45.3 ACRES PRIMARY GROUND WATER RIGHTS FROM CERTIFICATE #93777 (G-15510) TRANSFERRED TO SUPPLEMENTAL, AS SHOWN.

THIS MAP IS FOR THE PURPOSE OF LOCATING A WATER RIGHT ONLY AND HAS NO INTENT TO PROVIDE LEGAL DIMENSIONS OR THE LOCATION OF PROPERTY LINES.

Received
SEP 29 2025
OWRD



**ALL POINTS ENGINEERING
& SURVEYING, INC.**

P.O. BOX 767
TERREBONNE, OREGON 97760
(541) 548-5833 PH
Scott@APEandS.com
www.APEandS.com

PROJECT No. 24-102

PREPARED AT THE REQUEST OF:
J.R.S. PROPERTIES III, LLLP
P.O. BOX 27
BOISE, ID 83707