



State of Oregon
Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1271
(503) 986-0900

Watermaster Review Form Instream Lease Application

Pursuant to OAR 690-077-0077(2) and (3)

Lease Application #: IL-2162

Reviewer: R Wood

Review date: 6/15/2026

Involving Certificate(s) #: 95429

PLEASE SEND TO WRD_DL_instreamlease@water.oregon.gov

If more than one certificate - please be specific by identifying the certificate to which your comment applies.

Department staff verifies that:

1. Is this a renewal? Yes No

If "yes" was the prior Watermaster review completed within the last 6 seasons and still valid?

Yes (Stop here and send in this review) No (continue to question 2)

2. The lease application meets the requirements to suspend the original use (can it be dried up?).

Yes

No - If "no", please explain:

3. Do you have any information that the right has **not** been used in the last 5 years?

Yes - If "yes", please attach any evidence and explain:

No

4. The proposed instream use is for a:

Point (protected at the authorized point of diversion only)

Reach (protected from the authorized point of diversion to somewhere downstream)

If water for the proposed reach is to be protected beyond the source stream, is the quantity measurable into the receiving stream consistent with OAR 690-077-0015(8)?

Yes No

5. Do you regulate for any existing state agency or converted minimum flow instream water right(s) at the same point or reach?

Yes

No

6. Does the certificate and/or lease application accurately describe the location of the authorized point of diversion?

Yes

No - If "no", please provide measured distances, lat/long coordinates or river mile:

7. Is water availability (WAB) available on the Department's web site?

Yes

No - If "no" -What is the estimated average natural flow (ENAF) of each stream where the instream right is to be protected:

