

Application for Permanent Water Right Transfer

Attention Joan Smith



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Part 1 of 4 – Permanent Water Right Transfer Application Minimum Requirements Checklist

This application <u>will be returned</u> if Parts 1 through Part 4 and all required attachments are not completed and included upon submittal.	
Check all items included with this application. (N/A = Not Applicable)	
☒	Part 1 – Completed Minimum Requirements Checklist.
☒	Part 2 – Completed Transfer Application Map Checklist.
☒	Part 3 – Completed Applicant Information and Signature. (NOTE: If the applicant is a public agency, corporation or business, trust, or other organization, the title or authority of the person who signs the application on behalf of the entity and evidence of signatory authority or a signed statement that such authority exists must be included.)
☒	Part 4 – Information about Water Rights to be Transferred: How many water rights are to be transferred? <u>1</u> List them here: <u>Certificate 98500</u> Please include a separate Part 4 for each water right - see instructions on last page. (NOTE: A separate transfer application is required for each water right unless the criteria in OAR 690-380-3220 are met.)
☒	Application Fee - payable by check to the Oregon Water Resources Department (OWRD). The online fee calculator is located: https://apps.wrd.state.or.us/apps/wr/wr_transfer_calculator/permanent_transfer.aspx (NOTE: If claiming a fee waiver, you must provide documentation showing that the proposed transfer qualifies for the fee waiver pursuant to OAR 690-380-3400.)
Required Attachments:	
☒	Completed Transfer Application Map.
☒ N/A	Completed Evidence of Use Affidavit and supporting documentation.
☐ ☒ N/A	Oregon Water Resources Department's Land Use Information Form with approval and signature from each local land use authority in which water is to be diverted, conveyed, and/or used. (NOTE: This form is not required if water is to be diverted, conveyed, and/or used only on federal lands or if all of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.)
☐ ☒ N/A	Affidavit(s) of Consent from Deeded Landowner(s) or Deeded Water Right Holder(s) (NOTE: only if the applicant does not own the land on which the water right is located or if the water right was severed from the land and conveyed separately to other individuals/entities.)
☐ ☒ N/A	Supplemental Form D – For water rights served by or issued in the name of an irrigation district. (NOTE: Complete when the transfer applicant is not the irrigation district.)
☐ ☒ N/A	Supplemental Form U - For water rights involving irrigation within portions of Morrow & Umatilla Counties only.
☐	Affidavit of Voluntary Cancellation or Diminution. (NOTE: only if application proposes to cancel or diminish a water right.)
Required Groundwater Attachments:	
☒ ☐ N/A	Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.
☐ ☒ N/A	Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500 feet from the surface water source and more than 1000 feet upstream or downstream from the point of diversion. See OAR 690-380-2130 for requirements and applicability.

Part 2 of 4 – Permanent Water Right Transfer Application Map Requirements Checklist

The application will be returned if any of the map requirements listed below are not met.

Please be sure that the transfer application map you submit includes all the required items and matches the existing water right map.

Check all boxes that apply.

☒ ☐ N/A	Certified Water Right Examiner (CWRE) stamp and original signature. A digital stamp or seal and signature are acceptable, provided they meet OAR 690-014-0050. NOTE: CWRE stamp and signature are not required for substitutions. For a list of CWRE's, see http://apps.wrd.state.or.us/apps/wr/cwre_license_view/ .
☐ ☒ N/A	If more than three water rights are involved, a separate map for each water right is required.
☒	Permanent quality printed with dark ink on polyester film or good quality paper. Maps may also be submitted as a PDF (portable document format) if they meet all other requirements.
☒	The preferred size is 8½ x 11 inches and should be no larger than 30 x 30 inches (one extra map copy is required for 30 x 30 inch maps). To request a waiver for a map larger than 30 x 30 inches, please send an email to mapwaiver@water.oregon.gov .
☒	A north arrow and a legend.
☒	Include the scale, which must be even-numbered and not exceed 1 inch = 1,320 feet. To request a waiver for a map scale that exceeds 1 inch = 1,320 feet, please send an email to mapwaiver@water.oregon.gov .
☒ ☐ N/A	For uses other than municipal use, quasi-municipal use, and similar uses, include Township, Range, Section, ¼ ¼, tax lot boundaries (property lines) and tax lot numbers, DLC, Government Lot, and other recognized public land survey lines.
☐ ☒ N/A	If the use is municipal, quasi-municipal, or similar uses, include Township, Range, Section, and service area boundaries. The map must also identify quarter-quarter (¼ ¼) sections but does not need to label the ¼ ¼.
☒	Major physical features including rivers, creeks, streams, lakes, reservoirs, ponds, roads and railroads. For any surface water on the map, indicate the direction of flow.
☒	All point(s) of diversion (POD for surface water), point(s) of appropriation (POA for wells/groundwater), or dam location(s) (or center of reservoir(s) if no dam exists) authorized by the water right(s), clearly labeled, shown by distance and bearing, or by coordinates (distance north/south and distance east/west) from a recognized public land survey corner. (This information can be found in the water right certificate or decree.) In addition, include latitude and longitude for each POD or POA in degrees-decimal with five or more digits after the decimal (example – 44.53764°) and the datum used (example – NAD 83, NAD 27 or WGS 84).
☐ ☒ N/A	If a change in point(s) of diversion (POD for surface water) or a change in point(s) of appropriation (POA for wells/groundwater) is proposed, include the proposed location(s), clearly labeled, shown by distance and bearing, or by coordinates (distance north/south and distance east/west) from a recognized public land survey corner. In addition, include latitude and longitude for each POD or POA in degrees-decimal with five or more digits after the decimal (example – 44.53764°) and the datum used (example – NAD 83, NAD 27 or WGS 84).
☒	General location of main canals, ditches, flumes, pipelines, pumps, or other water delivery features used to transport water from the point(s) of diversion, point(s) of appropriation, and/or reservoir/pond to the place of use, including delivery features at the place of use.
☒	Place of use (POU) by Township, Range, Section, and ¼ ¼, that includes separate hachuring for lands affected by changes proposed in this transfer application, for lands left unchanged and not affected by this transfer application, for each water right, for each priority date, for each use, and served by each point of diversion (POD), point of appropriation (POA), and/or reservoir/pond (POD).
☒ ☐ N/A	For a place of use limited to a point, like a stock watering tank, include latitude and longitude for the place of use in degrees-decimal with five or more digits after the decimal (example – 44.53764°) and the datum used (example – NAD 83, NAD 27 or WGS 84).
☐ ☒ N/A	If the use is irrigation, nursery, cranberry, or other similar uses with acreage associated with it, the place of use must include the number of acres in each ¼ ¼ section, government lot, or in each ¼ ¼ section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
☐ ☒ N/A	If the use is supplemental irrigation, include the location(s) and water right reference number of the underlying primary right, registration, or claim.

Received by CWRE

JUN 02 2026

**Part 3 of 4 –Permanent Water Right Transfer Application
Applicant Information and Signature**

Applicant Information

APPLICANT/BUSINESS NAME Brad Hazenberg/Hazenberg Dairy LLC			PHONE NO. (503) 805-2342	ADDITIONAL CONTACT NO. (503) 633-2876
ADDRESS 5828 Champoege Rd NE				FAX NO. (503) 633-2874
CITY Saint Paul	STATE OR	ZIP 97137	E-MAIL hazenbergfarms@gmail.com	
DOCUMENTS AND NOTIFICATIONS WILL BE SENT BY E-MAIL UNLESS REQUESTED OTHERWISE. HOWEVER, ANY PROPOSED FINAL ORDER WILL BE SENT BY CERTIFIED MAIL AND ANY CERTIFICATE BY STANDARD MAIL.				
IMPORTANT NOTE - Electronic forms of documents: Beginning on April 1, 2026, and unless requested otherwise by the applicant, the Department will send documents and notifications associated with processing of applications in electronic form (i.e., by email). These emails may come from an automated system (word_automated_email@water.oregon.gov). Consider adding this email address to your safe sender list. The department will send proposed final orders by certified mail and any remaining right that may be issued by standard mail.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME Bruce D. Wilson/H&R Engineering LLC			PHONE NO. (503) 881-4254	ADDITIONAL CONTACT NO. (503) 390-8446
ADDRESS 1975 Rock Ledge Dr. NE				FAX NO. (503) 967-9791
CITY Keizer	STATE OR	ZIP 97303	E-MAIL BDWEng@comcast.net	
DOCUMENTS AND NOTIFICATIONS WILL BE SENT BY E-MAIL UNLESS REQUESTED OTHERWISE. HOWEVER, ANY PROPOSED FINAL ORDER WILL BE SENT BY CERTIFIED MAIL AND ANY CERTIFICATE BY STANDARD MAIL. SEE IMPORTANT NOTE ABOVE.				
Explain in your own words what you propose to accomplish with this transfer application, and why: Hazenberg Dairy would like to change the Character of USE for Well #4 (MARI 69050) listed in Certificate 98500 from Irrigation to Agriculture Commercial/Industrial and Stockwater. If you need additional space, continue on separate piece of paper and attach to application as "Attachment 1".				

Check One Box

- ☒ By signing this application, I understand that, upon receipt of the Initial Review (IR) and prior to Department approval of the transfer, I will be required to provide landownership information and evidence that I am authorized to pursue the transfer as identified in 690-380-4000(5)(b)(B); **OR**
- ☐ I affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; **OR**
- ☐ I affirm the applicant is an entity with the authority to condemn property and is acquiring by condemnation the property to which the water right proposed for transfer is appurtenant and have supporting documentation.

Received by OWRD
JUN 02 2026
Salem, OR

- Prior to Department approval of the transfer application, if more than five (5) water rights would be injured as a result of my proposed transfer, then I will be required to submit payment to the Department pursuant to OAR 690-380-4020(3) for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: Statesman Journal.
- Amendments to the application may only be made in response to the Initial Review (IR). The applicant will have a period of at least 30 days to amend the application to address any issues identified by the Department in the IR, or to withdraw the application. **NOTE:** that amendments may be subject to additional fees, pursuant to ORS 536.050.
- Failure to complete an approved change in place of use and/or change in character of use, will result in loss of the water right (OAR 690-380-6010).
- Refunds may only be granted upon request and, as set forth in ORS 536.050(4)(a), if the Director determines that a refund of all or part of a fee is appropriate in the interests of fairness to the public or necessary to correct an error of the Department.
- Approval of the change(s) proposed in this application does not constitute a right to trespass upon property or ditches not owned or controlled by the applicant.

I (we) affirm that the information contained in this application is true and accurate.

Brad Hazenberg


Brad Hazenberg, Owner/Operator

5/21/26

Applicant signature

Print Name (and Title if applicable)

Date



Applicant signature

Print Name (and Title if applicable)

Date

Is the person signing this application doing so on behalf of a public agency, corporation or business, trust, or other organization? ☒ Yes* ☐ No

**If Yes evidence of signatory authority or a signed statement that such authority exists must be attached to this application.*

Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located? ☒ Yes ☐ No**

***If No, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the water right(s) were conveyed.*

Check the following box that applies:

- ☒ The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- ☐ The receiving landowner will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to this landowner.
- ☐ Both the receiving landowner and applicant will be responsible for completion of change(s). Copies of notices and correspondence should be sent to this landowner and the applicant.

Received by OWRD

JUN 02 2026

Salem, OR

At this time, are the lands in this transfer application in the process of being sold? ☐ Yes*** ☒ No

***If Yes, and you know who the new landowner will be, please complete the receiving landowner information table below. If you do not know who the new landowner will be, then a Request for Assignment form will have to be submitted to the Department at a later date.

If a property sells, the certificated water right(s) located on the land belong to the new owner, unless a properly recorded sale agreement or other document states otherwise. For more information see:

https://www.oregon.gov/owrd/WRDFormsPDF/Transfer_Property_Transactions.pdf


RECEIVING LANDOWNER NAME N/A		PHONE NO. N/A	ADDITIONAL CONTACT NO. N/A
ADDRESS N/A			FAX NO. N/A
CITY N/A	STATE N/A	ZIP N/A	E-MAIL N/A
Describe any special ownership circumstances: N/A			
The confirming Certificate shall be issued in the name of: ☐ Applicant ☐ Receiving Landowner			

☐ Check here if any of the water rights proposed for transfer are or will be located within or served by an irrigation or other water district. (NOTE: Complete Supplemental Form D.)

IRRIGATION DISTRICT NAME N/A	ADDRESS N/A	
CITY N/A	STATE N/A	ZIP N/A

☐ Check here if water for any of the rights supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME N/A	ADDRESS N/A	
CITY N/A	STATE N/A	ZIP N/A



To meet state land use compatibility requirements, you must list the names and mailing addresses of all affected local governments, including but not limited to county, city, municipal corporation, or tribal governments within whose jurisdiction water will be diverted, conveyed and/or used.

ENTITY NAME Marion County	ADDRESS 5155 Silverton Rd NE	
CITY Salem	STATE OR	ZIP 97305

ENTITY NAME N/A	ADDRESS N/A	
CITY N/A	STATE N/A	ZIP N/A

Received by OWRD

JUN 02 2026

Part 4 of 4 – Permanent Water Right Transfer Application
Water Right POD Information – For Proposed Changes to a Surface Water Right ONLY

SURFACE WATER RIGHT CERTIFICATE # N/A **and name(s) appearing on the certificate:** N/A

Water Right Information	
Please check the appropriate box below and provide the requested information: Received by OWRD JUN 02 2026 Salem, OR	
☐ If the water right was certificated under a decree, please indicate: • Name of Decree: <u>N/A</u>	
☐ If the water right was certificated through the permit process, please indicate: • Permit # <u>N/A</u> and the name(s) appearing on the permit: <u>N/A</u>	
☐ If Proof of Appropriation under the water right has been determined by the Department, please indicate: • Special Order Volume # <u>N/A</u>, Page # <u>N/A</u> and the name(s) appearing on the Proof of Appropriation Special Order: <u>N/A</u>	

Table 1A-SW. Location of Existing Authorized Surface Water Point(s) of Diversion (POD(s))								
Authorized POD Name or Number	Twp	Rng	Sec	¼	¼	Tax Lot, DLC, or Gov-Lot	Measured Distances (from a recognized survey corner)	
N/A								

Description of Water Delivery System
System capacity: <u>N/A</u> ☐ Cubic Feet per Second (CFS) ☐ Gallons Per Minute (GPM) ☐ Acre-Feet (AF)
Describe the current water delivery system (or the system that was in place at sometime within the last five years) used to accomplish beneficial use under the water right. The description must demonstrate that the applicant is/ was ready, willing, and able to exercise the water right. Include information on the capacity of pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Please provide as much detail as possible: <u>N/A</u>

Table 1B-SW. Location of Proposed Surface Water POD(s)									
Proposed POD Name or Number	Proposed Change	Twp	Rng	Sec	¼	¼	Tax Lot, DLC, or Gov-Lot	Measured Distances (from a recognized survey corner)	Upstream from authorized POD(s)?
N/A	☐ APOD ☐ POD								☐ Yes ☐ No
	☐ APOD ☐ POD								☐ Yes ☐ No
	☐ APOD ☐ POD								☐ Yes ☐ No
	☐ APOD ☐ POD								☐ Yes ☐ No
	☐ APOD ☐ POD								☐ Yes ☐ No

Fish Screen Requirement
Does the proposed POD have an existing approved fish screen pursuant to ORS 540.525 or 540.532?
☐ Yes – If Yes, please, submit documentation of the approved fish screen with your application, such as any Oregon Department of Fish and Wildlife (ODFW) fish screening certification letter and/or passage approval letter.
☐ No – If No, please be aware that fish screening and passage may be required. If fish screen/passage approval is in process, please provide a copy of any preliminary ODFW fish screen and/or passage determination, as well as the name and contact information for the ODFW representative(s) with whom the applicant is working.

Part 4 of 4 Continued– Permanent Water Right Transfer Application
Water Right POD Information – For Proposed Changes to a Surface Water Right ONLY

Check all type(s) of change(s) proposed below (change “CODES” are provided in parentheses):	
Changes to Surface Water Point(s) of Diversion:	
☐ Point of Diversion (POD) – the proposed POD will replace the existing authorized POD	
☐ Additional Point of Diversion (APOD) – the proposed POD will be in addition to the existing authorized POD	
☐ Surface Water POD to Groundwater POA (SW/GW) – proposed POA will replace the existing authorized POD	
☐ Government Action POD (GOV) – the proposed POD is due to a government action (ORS 540.510(6))	
Changes in Place of Use, Character of Use, and Supplemental to Primary Use:	
☐ Place of Use (POU) - the proposed changes to the place of use will replace the authorized place of use	
☐ Character of Use (USE) - the proposed changes to the character of use of the water right will modify the authorized character of use	
☐ Supplemental Use to Primary Use (S to P) – supplemental (GW) irrigation replaces primary (SW) irrigation	
Will <u>ALL</u> of the change(s) proposed above affect the entirety of the water right?	
☐ Yes - If Yes, Complete only Table 2B-SW on next page.	☐ No - If No, Complete both Table 2A-SW and 2B-SW on next pages.

Received by OWRD

JUN 02 2026

Salem, OR

**Part 4 of 4 Continued – Permanent Water Right Transfer Application
Water Right Information – “TO” LANDS - Surface Water Right ONLY**

SURFACE WATER RIGHT CERTIFICATE # N/A

Table 2B-SW. Description of PROPOSED (the “to” or “on” lands) Place of Use, Character of Use, and Point of Diversion changes (as applicable) to the Water Right as it would appear AFTER PROPOSED CHANGES are made. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POD/APOD involved in the proposed changes, specify the acreage associated with each POD/APOD.

Twp	Rng	Sec	¼	¼	Tax Lot, DLC, or Gov-Lot	Acres	POD Name from Table 1B- SW	Change “Code”	Proposed Use (if a “USE” change)	Priority Date
N/A										
TOTAL ACRES										

Additional remarks:

N/A

For Place of Use and/or Character of Use Changes – Irrigation Water Rights ONLY

Are there other water right certificates, water use permits or ground water registrations associated with the “to” lands? ☐ Yes ☐ No

If YES, list the certificate, water use permit, or ground water registration number(s) that may become layered if the transfer is approved: N/A. **NOTE: If water rights will be cancelled or diminished, you must submit a signed and notarized voluntary cancellation/diminution affidavit with your application.**

For Substitution of GW supplemental irrigation for SW primary irrigation (SUB)

Groundwater supplemental irrigation Certificate # N/A Surface water primary irrigation Certificate # N/A

For a change from Supplemental Irrigation Use to Primary Irrigation Use (S to P)

Identify the primary certificate to be cancelled. Certificate # N/A **NOTE: If water rights will be cancelled you must submit a signed and notarized voluntary cancellation/diminution affidavit with your application.**

Received by OWRD

JUN 02 2026

Salem, OR

Part 4 of 4 – Permanent Water Right Transfer Application
Water Right Existing POA Information – Groundwater Right ONLY

GROUNDWATER RIGHT CERTIFICATE # 98500 **and name(s) appearing on the certificate:** Hazenber Dairy LLC

Water Right Information

Please check the appropriate box below and provide the requested information:

☒ If the water right was certificated through the permit process, please indicate:

- Permit # G-13343 and the name(s) appearing on the permit: Hazenber Dairy

☐ If Proof of Appropriation under the water right was determined by the Department, please indicate:

- Special Order Volume # _____, Page # _____ and the name(s) appearing on the Proof of Appropriation Special Order: _____

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

Changes to Point(s) of Groundwater Appropriation:

- ☐ Point of Appropriation (POA) – the proposed POA will replace the authorized POA
- ☐ Additional Point of Appropriation (APOA) - proposed POA will be in addition to the authorized POA

Changes in Place of Use, Character of Use, and Supplemental to Primary Use:

- ☐ Place of Use (POU) - the proposed changes to the place of use will replace the authorized place of use
- ☒ Character of Use (USE) - the proposed changes to the character of use of the water right will modify the authorized character of use
- ☐ Supplemental Use to Primary Use (S to P) – supplemental (GW) irrigation replaces primary (SW) irrigation

Will ALL of the change(s) proposed above affect the entirety of the water right?

- ☐ Yes - Complete only Table 2B-GW on next page.
- ☒ No - Complete both Table 2A-GW and 2B-GW on next pages.

Table 1A-GW. Location of Existing Authorized Groundwater Point(s) of Appropriation (POA(s))

Authorized POA Name or Number	Twp		Rng		Sec	¼	¼	Tax Lot, DLC, or Gov-Lot	Measured Distances (from a recognized survey corner)
Well 1	4	S	2	W	4	NW	NW	39	1070 Ft South and 520 Ft East from NW Corner Section 4
Well 2	4	S	2	W	5	SE	SE	38	660 Ft North and 50 Ft West from SE Corner Section 5
Well 3	4	S	2	W	9	NW	NW	38	330 Ft South and 1200 Ft East from SE Corner Section 5
Well 4	4	S	2	W	9	NW	NW	38	170 Ft South and 870 Ft East from NW Corner Section 9

Description of Water Delivery System

System capacity: 3.56 ☒ Cubic Feet per Second (CFS) ☐ Gallons Per Minute (GPM) ☐ Acre-Feet (AF)

Describe the current water delivery system (or the system that was in place at sometime within the last five years) used to accomplish beneficial use under the water right. The description must demonstrate that the applicant is ready, willing, and able to exercise the water right. Include information on the capacity of pumps, canals, pipelines, and sprinklers used to divert, convey, and apply the water at the authorized place of use. Please provide as much detail as possible:

Well Construction for Authorized Groundwater POA(s)

- ☒ Well log(s) are attached for each authorized POA (well) and are clearly labeled and associated with the corresponding well(s) in Table 1A-GW above and on the accompanying application map. **NOTE:** Find well logs here: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx **AND/OR**

- ☐ Describe the construction of the authorized well(s) in table below for any wells that do not have a well log.

Authorized POA Name or Number	OWRD Well ID Tag No. L-_____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well-specific rate (cfs or gpm). If less than full rate of water right

Received by OWRD

JUN 02 2026

Salem, OR

Part 4 of 4 Continued-Permanent Water Right Transfer Application
Water Right Proposed POA Information – Groundwater Right ONLY

GROUNDWATER RIGHT CERTIFICATE # 98500

Table 1B-GW. Location of Proposed Groundwater POA(s)

Proposed POA Name or Number	Proposed Change	Twp	Rng	Sec	¼	¼	Tax Lot, DLC, or Gov-Lot	Measured Distances (from a recognized survey corner)
See Remarks	☐ APOA ☐ POA							
	☐ APOA ☐ POA							
	☐ APOA ☐ POA							
	☐ APOA ☐ POA							
	☐ APOA ☐ POA							

Well Construction for Proposed Groundwater POA(s)

- ☒ Well log(s) are attached for each proposed POA (well) and are clearly labeled and associated with the corresponding well(s) in Table 1B-GW above and on the accompanying application map. **NOTE:** Find well logs here: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

- ☐ Describe the construction of the proposed well(s) in table (below) for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide “a best estimate” for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete the below table.

Proposed POA Name or Number	OWRD Well ID Tag No. L-_____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right

Received by OWRD
JUN 02 2026
Salem, OR

**Part 4 of 4 Continued –Permanent Water Right Transfer Application
Water Right Information – “FROM” LANDS - Groundwater Right ONLY**

GROUNDWATER RIGHT CERTIFICATE # 98500

Table 2A-GW. Description of Existing AUTHORIZED (the “from” or “off” lands) Place of Use, Character of Use, and Point(s) of Appropriation appearing on the certificate BEFORE PROPOSED CHANGES to Water Right Certificate.


NOTE: List only that part or portion of the water right that will be changed.

Twp		Rng		Sec	¼	¼	Tax Lot, DLC, or Gov-Lot	Acres	Authorized POA Name from Table 1A-GW	Authorized Use	Priority Date
4	S	2	W	9	NW	NW	38	See Remarks	Well 4 (MARI 69050)	Irrigation	01/13/1997
TOTAL ACRES								See Remarks			

For Irrigation Water Rights ONLY

Are there other water right certificates, water use permits or ground water registrations associated with the “from” lands ☐ Yes ☒ No

If YES, list the certificate, water use permit, or ground water registration number(s): _____.



Pursuant to ORS 540.510, any “layered” water use such as an irrigation water right that is supplemental to a primary water right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

Additional remarks:

No changes will be made to the POAs listed in Table 1A-GW.

The proposed change is for Character of USE only so there are no acres associated with this change.

Received by OWRD
JUN 02 2026
Salem, OR

14883 -

**Part 4 of 4 Continued –Permanent Water Right Transfer Application
Water Right Information – “TO” LANDS - Groundwater Right ONLY**

GROUNDWATER RIGHT CERTIFICATE # 98500

Table 2B-GW. Description of PROPOSED (the “to” or “on” lands) Place of Use, Character of Use, and Point(s) of Appropriation (as applicable) to the Water Right as it would appear AFTER PROPOSED CHANGES are made. If more than one change is proposed, specify the acreage associated with each change. If there is more than one POA/APOA involved in the proposed changes, specify the acreage associated with each POA/APOA.

Twp		Rng		Sec	¼	¼	Tax Lot, DLC, or Gov-Lot	Acres	POA Name from Table 1B- GW	Change “Code”	Proposed Use (if a “USE” change)	Priority Date
4	S	2	W	9	NW	NW	38	See Remarks	Well 4	USE	See Remarks	01/13/1997
TOTAL ACRES								See Remarks				

Additional remarks:
 The proposed change is for Character of USE only so there are no acres associated with this change.
 The proposed Character of USE for Well 4 (MARI 69050) is Agricultural Commercial/Industrial and Stockwater.

For Place of Use and/or Character of Use Changes – Irrigation Water Rights ONLY

Are there other water right certificates, water use permits or ground water registrations associated with the “to” lands? ☐ Yes ☒ No

If YES, list the certificate, water use permit, or ground water registration number(s) that may become layered if the transfer is approved: N/A **NOTE: If water rights will be cancelled or diminished you must submit a signed and notarized voluntary cancellation/diminution affidavit with your application.**

For Substitution of GW supplemental irrigation for SW primary irrigation (SUB)

Groundwater supplemental irrigation Certificate # N/A ; Surface water primary irrigation Certificate # N/A ;

For a change from Supplemental Irrigation Use to Primary Irrigation Use (S to P)

Identify the primary certificate to be cancelled. Certificate # N/A **NOTE: If water rights will be cancelled you must submit a signed and notarized voluntary cancellation/diminution affidavit with your application.**

Received by OWRD
 JUN 02 2026
 Salem, OR

14883 -

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

NOTE TO APPLICANTS

In order for your application to be processed by the Oregon Water Resources Department (OWRD), this Land Use Information Form must be completed by a local government planning official in the jurisdiction(s) where your water right will be diverted, conveyed, used, and developed. Applications received by OWRD without the Land Use Information Form will be returned to you. Please be aware that your application cannot be approved without land use approval.

This form is NOT required if:

- 1) Water is to be diverted, conveyed, and used on federal lands only; **OR**
- 2) The application is for a water right transfer, allocation of conserved water, exchange, permit amendment, or ground water registration modification, and all of the following apply:
 - a. The existing and proposed water use is located entirely within lands zoned for exclusive farm-use or within an irrigation district;
 - b. The application involves a change in place of use only;
 - c. The change does not involve the placement or modification of structures, including but not limited to water diversion, impoundment, distribution facilities, water wells and well houses; and
 - d. The application involves irrigation water uses only.

NOTE TO LOCAL GOVERNMENTS

The person presenting the attached Land Use Information Form is applying for a new water right or modifying an existing water right. The Oregon Water Resources Department (OWRD) requires applicants to obtain land use information to ensure the water right does not result in land uses that are incompatible with your comprehensive plan. Please complete the form and return it to the applicant for inclusion in their application.

You will receive notice via OWRD's weekly Public Notice once the applicant formally submits their request to OWRD. The notice will give more information about OWRD's water right process and provide additional comment opportunities. If you have questions concerning this form, please contact OWRD's Customer Service Group at 503-986-0900 or WRD_DL_customerservice@water.oregon.gov.

Received by OWRD

JUN 02 2026

Salem, OR

This page intentionally left blank.

Received by OWRD
JUN 02 2026
Salem, OR

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

NAME Hazenber Dairy LLC			PHONE (503) 633-2876	
MAILING ADDRESS 5828 Champoeg Rd NE				
CITY Saint Paul	STATE OR	ZIP 97137	EMAIL hazenberfarms@gmail.com	

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts, may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
4 South	2 West	9	NW1/4, NW1/4	1000	EFU	☒ Diverted	☒ Conveyed	☐ Used	EFU
4 South	2 West	4	SW1/4, SW1/4	1000	EFU	☐ Diverted	☒ Conveyed	☐ Used	EFU
4 South	2 West	5	SE1/4, SE1/4	1000	EFU	☐ Diverted	☒ Conveyed	☐ Used	EFU
4 South	2 West	5	NE1/4, SE1/4	1400	EFU	☐ Diverted	☒ Conveyed	☐ Used	EFU
4 South	2 West	5	SE1/4, NE1/4	1400	EFU	☐ Diverted	☒ Conveyed	☐ Used	EFU
4 South	2 West	5	NE1/4, NE1/4	1400, 100	EFU	☐ Diverted	☒ Conveyed	☒ Used	EFU

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Marion

NOTE: A separate Land Use Information Form must be completed and submitted for each county and city, as applicable.

B. Description of Proposed Use

Type of application to be filed with the Oregon Water Resources Department:

- ☐ Permit to Use or Store Water
 ☒ Water Right Transfer
 ☐ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License
 ☐ Exchange of Water
 ☐ Allocation of Conserved Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 1.0 ☒ cubic feet per second ☐ gallons per minute ☐ acre-feet

Intended use of water: ☐ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☐ Municipal ☐ Quasi-Municipal ☐ Instream ☒ Other Agricultural Commercial/Industrial, Stockwater

Briefly describe:

Water will be used for cleanup and drinking water for livestock on the dairy.

See Page 4 →

Received by OWRD

JUN 02 2026

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

☒ Land uses to be served by the proposed water use(s), including proposed construction, are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): MCC 17.136.020 (A) Farm Use

☐ Land uses to be served by the proposed water use(s), including proposed construction, involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being Pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land use concerns or make recommendations to the Oregon Water Resources Department regarding this proposed use of water in the box below or on a separate sheet.

Name: John Speckman Title: Associate Planner
 Signature: [Signature] Date: 5/1/2026
 Governmental Entity: Marion County Planning Phone: 503-566-4173

Received by OWRD
JUN 02 2026
Salem, OR

Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/QWRD

Supporting documentation must be attached.

5. I attest that the following is a description of the water delivery system attested to in Item #4 above. Please check all applicable boxes below and include information that describes the type, model, dimensions (size/diameter, length, etc.) and delivery capacity, in cubic feet per second (cfs) or gallons per minute (gpm):

- ☐ Pump(s) in stream _____
- ☐ Pump(s) in reservoir/pond _____
- ☒ Pump(s) in well(s) 1.43 CFS
- ☐ Headgate in stream/canal _____
- ☐ Headgate in reservoir pond _____
- ☐ Gravity Ditch _____
- ☒ Pipeline See Attachments
- ☒ Sprinklers See Attachments
- ☐ Other (also include its general location in the description) _____

6. Can you attest to beneficial water use under Certificate # 98500, consistent with the terms and conditions of the water right, during the past five years on the **entire** place of use or a **portion** of the place of use?

- ☐ No [skip to Question 7]
- ☒ Yes, water was used on the **entire** place of use [skip to Question 8]
- ☐ Yes, my knowledge is specific to only the **portion** of the place use described below:
[complete **Table 1** below, then go to Question 8]

Table 1. Description of Water Use

Certificate #	Township		Range		Mer	Sec	¼ ¼	Gov't Lot or DLC	Acres (if applicable)

Received by OWRD
JUN 02 2026
Salem, OR

14883 -

7. I attest, as indicated under either **Item a.** or **Item b.** below, that:

a. Beneficial water use is evidenced by one of the following:

- ☐ Certificate # _____, confirming beneficial water use to perfect Permit # _____ was issued within the past five years. (**NOTE:** This cannot be a remaining right certificate.)
- ☐ Certificate # _____, confirming completion of a change in place of use, point(s) of diversion/ appropriation, or character of use authorized under Transfer Application #T-_____, was issued within the past five years.
- ☐ Part or all of the water right was leased instream at some point within the last five years. The instream lease number is: _____, (**NOTE:** If the entire right proposed for transfer was not leased, then additional evidence of use is needed for the portion not leased instream.)
- ☐ Water has been diverted at the actual current point of diversion for more than 10 years for beneficial use under Certificate # _____, (For Historic POD Transfers).

-OR-

b. Water was not used in the past 5 years, but the water right is not subject to forfeiture and documentation is attached to support the assertion that the presumption of forfeiture for nonuse would be rebutted under ORS 540.610(2) due to the following:

- ☐ Consistent with ORS 540.610(2)(e), the period of nonuse occurred during a period of time within which land was withdrawn from use in accordance with the Federal Conservation Reserve Program.
- ☐ Consistent with ORS 540.610(2)(h), the nonuse occurred during a period of time when I/we was/were using reclaimed water in lieu of using water under the water right.
- ☐ Consistent with ORS 540.610(2)(j), I/we was/were unable to make full beneficial use of the water because water was not available. During this time I/we had a facility capable of handling the full allowed rate and duty, and I/we was/were otherwise ready, willing and able to beneficially use the entire amount of water allowed under the water right.
- ☐ Consistent with ORS 540.610(2)(L), the nonuse occurred during a period of time within which the exercise of the water right was not necessary due to climatic conditions. During this time I/we had a facility capable of handling the full allowed rate and duty, and I/we was/were otherwise ready, willing and able to beneficially use the entire amount of water allowed under the water right.
- ☐ Consistent with ORS 540.610(2)(n), the nonuse of the supplemental water right occurred during a period of time when the primary water right used in conjunction with the supplemental water right was leased as an in-stream water right pursuant to ORS 537.348.
- ☐ Other (please explain and cite the statutory reference under ORS 540.610(2) that applies):

Received by OWRD

JUN 02 2026

Salem, OR


8. I understand that if I do not attach one or more of the documents shown in **Table 2** below (see page 4) to support the above statements, my application will be considered incomplete.

Brad Hazenberg
Affiant Signature

Brad Hazenberg
Printed Name

June 1 2026
Date

Signed and sworn to (or affirmed) before me this 1st day of June, 2026.



Olivia Chesser
Notary Public for Oregon

My Commission Expires: 4/17/28

Table 2. Supporting Documentation

Supporting Documents	Examples
A confirming water right certificate that was issued within the last five years. (NOT a remaining right certificate.)	• Copy of a water right certificate confirming the beneficial use of water under a Water Use Permit that shows date of issuance • Copy of a water right certificate confirming completion of a change in place of use, point of diversion/appropriation, or character of use authorized by an approved Water Right Transfer showing issuance date
Records such as Farm Service Agency (FSA) crop reports, irrigation district records, Natural Resources Conservation Service (NRCS) farm management plan, or records of other water suppliers	• District assessment records for water delivered • Crop reports submitted under a federal loan agreement • Beneficial use reports from district • IRS Farm Usage Deduction Report • Agricultural Stabilization Plan • Conservation Reserve Enhancement Program (CREP) Report
Dated satellite imagery, aerial photos or other photographs containing sufficient detail to establish location and date of photograph (i.e., dated aerial photographs)	• Multiple photos can be submitted to show different areas of a water right • If photograph does not print with a "date stamp" or without the source identified, the date of the photograph and source should be added Sources for dated aerial photos: OSU – https://www.oregonexplorer.info OWRD – https://www.oregon.gov/owrd Google Earth – https://earth.google.com/
Approved instream lease establishing beneficial use for instream purposes within the last 5 years	Copy of final order approving an instream lease that shows instream lease number and date of issuance
If water has not been beneficially used in the past 5 years, documentation showing the right is not subject to forfeiture under ORS 540.610. (NOTE: Refer to ORS 540.610(2) for rebuttals to the presumption of forfeiture.)	• Copy of an agreement or contract for the use of reclaimed municipal water • Contract showing the authorized place of use enrolled in the Conservation Reserve Enhancement Program (CREP). • Copy of the Governor's executive order declaring a drought in the county within which the water right is located
Any other documentation with sufficient detail to support the affidavit attesting to beneficial use during the past 5 years	

Received by OWRD

JUN 02 2026

TACS

Salem, OR

Business Registry Business Name Search

[New Search](#)

Business Entity Data

04-22-2026
15:40

Registry Nbr	Entity Type	Entity Status	Jurisdiction	Registry Date	Next Renewal Date	Renewal Due?
2005705-96	DLLC	ACT	OREGON	08-18-2022	08-18-2026	
Entity Name	HAZENBERG DAIRY, LLC					
Foreign Name						

Received by OWRD

JUN 02 2026

[New Search](#)

Associated Names

Salem, OR

Type	PPB	PRINCIPAL PLACE OF BUSINESS			
Addr 1	5828 CHAMPOEG RD NE				
Addr 2					
CSZ	ST PAUL	OR	97137	Country	UNITED STATES OF AMERICA

Please click [here](#) for general information about registered agents and service of process.

Type	AGT	REGISTERED AGENT	Start Date	08-18-2022	Resign Date	
Name	BRAD	HAZENBERG				
Addr 1	5828 CHAMPOEG RD NE					
Addr 2						
CSZ	ST PAUL	OR	97137	Country	UNITED STATES OF AMERICA	

Type	MAL	MAILING ADDRESS			
Addr 1	5828 CHAMPOEG RD NE				
Addr 2					
CSZ	ST PAUL	OR	97137	Country	UNITED STATES OF AMERICA

Type	MEM	MEMBER			Resign Date	
Name	LISA	HAZENBERG				
Addr 1	31775 WILSONVILLE RD					
Addr 2						
CSZ	NEWBERG	OR	97132	Country	UNITED STATES OF AMERICA	

Type	MEM	MEMBER			Resign Date	
Name	BRANDON	HAZENBERG				
Addr 1	5338 CHAMPOEG RD					
Addr 2						
CSZ	ST PAUL	OR	97137	Country	UNITED STATES OF AMERICA	

Type	MEM	MEMBER			Resign Date	
Name	BRADLEY	HAZENBERG				
Addr 1	31775 WILSONVILLE RD					

Addr 2							
CSZ	NEWBERG	OR	97132		Country	UNITED STATES OF AMERICA	
Type	MEM	MEMBER				Resign Date	
Name	CONOR		HAZENBERG				
Addr 1	5350 CHAMPOEG RD						
Addr 2							
CSZ	ST PAUL	OR	97137		Country	UNITED STATES OF AMERICA	

[New Search](#)

Name History

Business Entity Name	Name Type	Name Status	Start Date	End Date
HAZENBERG DAIRY, LLC	EN	CUR	08-18-2022	

Please [read](#) before ordering [Copies](#).

[New Search](#)

Summary History

Image Available	Action	Transaction Date	Effective Date	Status	Name/Agent Change	Dissolved By
	AMENDED ANNUAL REPORT	07-24-2025		FI		
	AMENDED ANNUAL REPORT	08-08-2024		FI		
	AMENDED ANNUAL REPORT	07-07-2023		FI		
	AMNDMT TO ANNUAL RPT/INFO STATEMENT	12-09-2022		FI		
	ARTICLES OF ORGANIZATION	08-18-2022		FI	Agent	

© 2026 Oregon Secretary of State. All Rights Reserved.

Received by OWRD


JUN 02 2026

Salem, OR

14883 -

Hazenberg Dairy LLC

Water Supply Plan Water Rights



Map Legend

Field Name
Water Right
Certificate

- Field Name, Water Right Certificate Number(s),
Field Boundary

Received by OWRD

JUN 02 2026

Salem, OR



Scale 0 2000 4000 6000 Feet



14883 -

(Do not write above WATER)

NP-45634-118

14883 -

Henry Hazenberg

Material	From	To
Top soil	0	2
Clay, light brown silty soft	2	43
Clay, light brown silty medium	43	53
Clay, light brown silty soft	53	61
Clay, light green silty soft	61	64
Clay, greenish brown gritty & sandy soft	64	67
Clay, gray gritty soft	67	69
Clay, Green & gray gritty soft	69	71
Clay, gray sandy medium	71	74
Sand stone, green soft	74	75
Clay, green & brown w/ green sand	75	78
Gravel, $\frac{1}{2}$ " w/ sand, green & gray coarse	78	79
Gravel w/ clay, brown	79	81
Clay, green & sand, fine	81	88
Gravel & sand, coarse	88	89
Clay, brown soft	89	123
Gravel & sand, coarse	123	124
Clay, green medium	124	130
Clay, green & brown medium	130	147
Clay, green medium	147	175
Clay, green hard sticky	175	200
Gravel w/ clay, green	200	202
Clay, green hard & sticky	202	223
Clay, green soft & sticky	223	227
Clay, green w/ grit	227	245
Clay, green & brown w/ grit	245	249
Clay, gray hard	249	251
Clay, green silty soft	251	258
Clay, green & sand, fine soft	258	259
Clay, green & sand, fine hard	259	261
Clay, green gritty	261	262
Clay, green & sand, fine	262	264
Sand, black coarse	264	267
Sand & gravel $\frac{1}{2}$ "	267	269
Clay, green sandy	269	270
Sand, black medium to fine	270	275
Sand, medium	275	276
Sand, coarse & clay, gray	276	279
Clay, green hard	279	281
Clay, blue gray gritty soft	281	287
Clay, green hard	287	296
Clay, green gritty	296	297
Clay, sandy & sand, fine	297	300
Sand, black medium	300	302
Sand, coarse	302	303
Clay, gray hard	303	308
Clay, gritty	308	316
Clay, hard green	316	324

Received by OWRD

JUN 02 2026

Salem, OR

7704

Henry Hazenberg

CASING INSTALLED:

16" Diam. from +3 ft	to	117' 1 3/4 "	Gage .250
16" Diam. from 117' 13/4"	to	136' 6 1/4 "	Gage .375
16" Diam. from 136' 6 1/4 "	to	196' 6"	Gage .250
16" Diam. from 196' 6"	to	215' 10 1/2 "	Gage .375
16" Diam. from 215' 10 1/2 "	to	255' 9 3/4 "	Gage .250
16" Diam. from 255' 9 3/4 "	to	318' 7 7/8 "	Gage .375
16" Diam. from 318' 7 7/8 "	to	338' 8 3/4 "	Gage .250
6" Diam. from +1'	to	39' (gravel feed)	

Received by OWRD

JUN 02 2026

Salem OR

14883 -

STATE OF OREGON
WATER WELL REPORT
(as required by ORS 537.765)

RECEIVED
MAY 20 1989

(START CARD) # 7029

Well 2

(1) OWNER:

Name Henry Hazenberg Dairy
Address 5574 Ray Bell Rd.
City St. Paul State OR Zip 97137

WATER RESOURCES DEPT.
LOCATION OF WELL by legal description:

County Marion Latitude Longitude
Township 4S N or S, Range 2W E or W, WM.
Section 5 SE 1/4 SE 1/4
Tax Lot Lot Block Subdivision
Street Address of Well (or nearest address) Hwy 219
St. Paul, OR

(2) TYPE OF WORK:

☒ New Well ☐ Deepen ☐ Recondition ☐ Abandon

(3) DRILL METHOD

☐ Rotary Air ☐ Rotary Mud ☒ Cable
☐ Other

(4) PROPOSED USE:

☐ Domestic ☐ Community ☐ Industrial ☒ Irrigation
☐ Thermal ☐ Injection ☐ Other

(5) BORE HOLE CONSTRUCTION:

Special Construction approval Yes No
Yes No ☒ Depth of Completed Well 335' ft.
Explosives used ☐ ☒ Type Amount

HOLE			SEAL			Amount sacks or pounds
Diameter	From	To	Material	From	To	
16"	0	20	cement	0	20	38 sacks
12"	20	335				

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E

☐ Other

Backfill placed from ft. to ft. Material
Gravel placed from 275 ft. to 335 ft. Size of gravel pea

(6) CASING/LINER:

	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:	12"	+2	311	.250	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
Liner:					☐	☐	☐	☐
					☐	☐	☐	☐

Final location of shoe(s) 311'

(7) PERFORATIONS/SCREENS:

☐ Perforations Method
☒ Screens Type Material stainless

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
272	312	-		8"	pipe	☐	☐
312	327	150		8"	pipe size	☐	☐
327	335	-		8"	pipe	☐	☐
335	Bottom plate	lifting bail				☐	☐

(8) WELL TESTS: Minimum testing time is 1 hour

☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian
Yield gal/min Drawdown Drill stem at Time

			1 hr.
490	105'		4 hrs.
710	187'		4 hrs.

Temperature of water Depth Artesian Flow Found

Was a water analysis done? ☐ Yes By whom

Did any strata contain water not suitable for intended use? ☐ Too little

☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other

Depth of strata:

(10) STATIC WATER LEVEL:

63' ft. below land surface. Date 5/18/89
Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES:

Depth at which water was first found 312'

From	To	Estimated Flow Rate	SWL
312	327	700gpm	63

(12) WELL LOG:

Ground elevation

Material	From	To	SWL
Clay brown	0	38	
Clay brown sandy	38	84	
Clay grey	84	98	
Clay sandy	98	153	
Clay sticky blue	153	185	
Sand, clay grey	185	193	
Clay sticky grey	193	247	
Clay grey	247	253	
Clay sticky grey	253	284	
Clay sandy brown	284	289	
Clay grey	289	304	
Clay sandy grey	304	312	
Sand black	312	318	
Sand & pea gravel	318	328	
Clay grey	328	333	
Sand & gravel	333	334	
Clay sticky grey	334	336	

Date started 4/3/89

Completed 5/18/89

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.

WWC Number

Signed Date

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. all work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 783

Signed Date 5/19/89

RECEIVED

STATE OF OREGON
WATER WELL REPORT
(as required by ORS 537.765)

JUN 20 1996

L02405

WATER RESOURCES DEPT. (START CARD) #

78613

Well 3

Instructions for completing this report are on the last page of this form.

SALEM, OREGON

(1) OWNER: Well Number 2G96
Name Henry Hazenberg/Hazenberg Dairy
Address 5574 Ray Bell Rd.
City St. Paul State OR Zip 97137

(2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment

(3) DRILL METHOD:

☐ Rotary Air ☐ Rotary Mud ☒ Cable ☐ Auger
☐ Other

(4) PROPOSED USE:

☒ Domestic ☐ Community ☐ Industrial ☒ Irrigation
☐ Thermal ☐ Injection ☐ Livestock ☐ Other

(5) BORE HOLE CONSTRUCTION:

Special Construction approval ☐ Yes ☒ No Depth of Completed Well 321 ft.
Explosives used ☐ Yes ☒ No Type Amount

HOLE

SEAL

Diameter	From	To	Material	From	To	Sacks or pounds
20"	0	43	3/8 hole-	0	43	48 sacks
			plug bentonite			
16"	43	347				

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E

☒ Other OAR 690-210-340

Backfill placed from ft. to ft. Material

Gravel placed from 329 ft. to 347 ft. Size of gravel 5-8

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 16"	+2'	281'	.375	☒	☐	☒	☐
				☐	☐	☐	☐
				☐	☐	☐	☐
				☐	☐	☐	☐
Liner:				☐	☐	☐	☐
				☐	☐	☐	☐

Final location of shoe(s) 281'

(7) PERFORATIONS/SCREENS:

☐ Perforations Method
☒ Screens Type Material stainless

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
+3'	281'			12"	pipe	☐	☐
281'	299'	.085		12"	screen	☐	☐
299'	301'			12"	pipe	☐	☐
301'	319'	.085		12"	screen	☐	☐
319'	328'9"			12"	pipe	☐	☐

321' 327' Cement Plug

(8) WELL TESTS: Minimum testing time is 1 hour

☒ Pump ☐ Bailer ☐ Air ☐ Flowing
Yield gal/min Drawdown Drill stem at Time

1000	102'		4 hrs
------	------	--	-------

Temperature of water 51 Depth Artesian Flow Found

Was a water analysis done? ☐ Yes By whom

Did any strata contain water not suitable for intended use? ☐ Too little

☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other

Depth of strata:

(9) LOCATION OF WELL by legal description:

County Marion Latitude Longitude
Township 4S N or S Range 2W E or W. WM.
Section 4 SE 1/4 SW 1/4
Tax Lot 01300 Lot Block Subdivision
Street Address of Well (or nearest address) Ray Bell Rd.
St. Paul, OR 97137

(10) STATIC WATER LEVEL:

52 ft. below land surface. Date 5/15/95
Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES:

Depth at which water was first found 12'

From	To	Estimated Flow Rate	SWL
12'	28'	10 gpm	25
281'	319'	1000 gpm	52

(12) WELL LOG:

Ground Elevation

Material	From	To	SWL
Top soil	0	1	
Clay brown	1	12	
Clay sandy brown	12	28	25'
Clay brown	28	50	
Clay sandy gray	50	56	
Sand, silt, clay	56	90	
Clay gray	90	138	
Sand, clay	138	140	
Clay gray	140	181	
Sand, clay	181	189	
Clay gray	189	255	
Sand, clay	255	259	
Clay gray	259	281	
Sand silt, dense clay	281	319	52'
Clay gray	319	347	

Date started 3/8/96 Salem, OR Completed 5/17/96

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed *Kermit Martin* WWC Number 1391
Date 6/17/96

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed *Ivan Grossen* WWC Number 783
Date 6/16/96

ORIGINAL & FIRST COPY-WATER RESOURCES DEPARTMENT SECOND COPY-CONSTRUCTOR THIRD COPY-CUSTOMER

14883 -

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

MARI 69050

1/27/2020

WELL I.D. LABEL# L

132874

START CARD #

1043787

ORIGINAL LOG #

Page 1 of 2

(1) LAND OWNER

Owner Well I.D. 132874

First Name HENRY & BRAD Last Name HAZENBERG
Company
Address 5828 CHAMPOEG RD.
City ST. PAUL State OR Zip 97137

(2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Conversion
☐ Alteration (complete 2a & 10) ☐ Abandonment (complete 5a)

(2a) PRE-ALTERATION

Casing: Dia + From To Gauge Stl Plstc Wld Thrd
Material From To Amt sacks/lbs
Seal: Dia + From To Gauge Stl Plstc Wld Thrd
Material From To Amt sacks/lbs

(3) DRILL METHOD

☐ Rotary Air ☐ Rotary Mud ☒ Cable ☐ Auger ☐ Cable Mud
☐ Reverse Rotary ☐ Other

(4) PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Community
☐ Industrial/ Commercial ☒ Livestock ☐ Dewatering
☐ Thermal ☐ Injection ☐ Other

(5) BORE HOLE CONSTRUCTION

Special Standard ☐ (Attach copy)

Depth of Completed Well 321.58 ft.

BORE HOLE			SEAL			Amt	sacks/ lbs
Dia	From	To	Material	From	To		
20	0	37	Bentonite Chips	0	37	44	S
16	37	321.58			Calculated	44	
					Calculated		

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E

☒ Other OAR 690-210-0340

Backfill placed from ft. to ft. Material

Filter pack from 280 ft. to 318 ft. Material CSS & PEA Size 4/9

Explosives used: ☐ Yes Type Amount

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount

Actual Amount

(6) CASING/LINER

Casing	Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
☒	☒	16	☒	1.25	280.3	.375	☒	☒	☒	☒
☒	☒	12	☒	2	321.58	.250	☒	☒	☒	☒

Shoe ☐ Inside ☒ Outside ☐ Other Location of shoe(s) 280.3

Temp casing ☐ Yes Dia From + To

(7) PERFORATIONS/SCREENS

Perforations Method

Screens Type v wire

Material stainless

Perf/	Casing/ Screen	Screen Liner	Dia	From	To	Scr/slot width	Slot length	# of slots	Tele/ pipe size
Screen	Liner	12	281.25	311.75	.07				
Screen	Liner	12	311.75	317.9	.25				

(8) WELL TESTS: Minimum testing time is 1 hour

☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
800	75.8	275	4

Temperature 53 °F Lab analysis ☐ Yes By

Water quality concerns? ☐ Yes (describe below) TDS amount 86 ppm
From To Description Amount Units

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)

County MARION Twp 4.00 S N/S Range 2.00 W E/W WM

Sec 9 NW 1/4 of the NW 1/4 Tax Lot 1300

Tax Map Number Lot

Lat ' or DMS or DD

Long ' or DMS or DD

☒ Street address of well ☐ Nearest address

RIVER RD. ST. PAUL

(10) STATIC WATER LEVEL

	Date	SWL(psi)	+	SWL(ft)
Existing Well / Pre-Alteration				
Completed Well	10/22/2019			129

Flowing Artesian? ☐ Dry Hole? ☐

WATER BEARING ZONES

Depth water was first found 52.00

SWL Date From To Est Flow SWL(psi) + SWL(ft)

8/5/2019	257	261			122
8/8/2019	284	319			129

(11) WELL LOG

Ground Elevation

Material	From	To
Topsoil	0	1
Clay, brown, med.	1	19
Clay, greenish gray, soft	19	52
Sand, black, fine, dark gray silt	52	87
Silt, dark gray, dense, sandy	87	102
Clay, dark green, med. sticky	102	110
Clay, dark green and gray, med.	110	116
Silt, dark green, dense	116	118
Silt, dark greenish gray, sandy	118	126
Clay, dark greenish gray, sandy	126	145
Clay, dark greenish gray, hard, sticky	145	159
Clay, greenish gray, hard sticky	159	172
Clay, greenish gray & light brown, med.	172	177
Clay, light brown, soft	177	179
Clay, brown, sandy	179	186
Clay, dark greenish gray, sandy, hard	186	196
Clay, dark greenish gray, hard, sticky	196	213
Clay, dark greenish gray, sandy	213	227
Clay, dark greenish gray, hard, sticky	227	251

Date Started 7/16/2019

Completed 10/22/2019

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number Date

Signed

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 783 Date 1/27/2020

Signed IVAN GROSSEN (E-filed)

Contact Info (optional)

ORIGINAL - WATER RESOURCES DEPARTMENT

THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version, OR

14883 -

Well 4

JUN 02 2020

Salem, OR



Oregon

Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

July 20, 2022

HAZENBERG DAIRY
BRAD HAZENBERG
5828 CHAMPOEG RD NE
SAINT PAUL, OR 97137

REFERENCE: Transfer Application T-13201

Enclosed is a copy of the final order approving your water right transfer application.

The time allowed to complete the transfer is specified in the final order. YOU SHOULD GIVE PARTICULAR ATTENTION TO THE TIME LIMIT. The water right for any portion of the authorized change in character of use or change in place of use NOT carried out within the time allowed will be lost.

An extension of the time limit can be allowed only upon a showing that diligent effort has been made to complete the actual change(s) within the time allowed.

You are required to hire a Certified Water Rights Examiner (CWRE) to complete a Claim of Beneficial Use report and map which must be submitted to this Department within one year of the date you complete the change(s) or within one year of the completion date authorized in the transfer final order, whichever occurs first.

If you have any questions related to the approval of this temporary transfer, you may contact your caseworker, Joan Smith, by telephone at (503) 986-0892 or by e-mail at Joan.M.Smith@oregon.gov.

Sincerely,

Julie C. Baustian

Water Rights Services Support
Transfers and Conservation Section

cc: Gregory J. Wacker, Watermaster Dist. # 16 (via email)
James M. Schuette, Agent
Marion County Planning Department
Bureau of Reclamation

Enclosure

Received by OWRD

JUN 02 2026

Salem, OR

14883 -

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Transfer Application	)	FINAL ORDER APPROVING
T-13201, Marion County	)	AN ADDITIONAL POINT OF
	)	APPROPRIATION

Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

HAZENBERG DAIRY
ATTN: BRAD HAZENBERG
5828 CHAMPOEG RD NE
ST PAUL, OR 97137

Received by OWRD

JUN 02 2026

Findings of Fact

Salem, OR

1. On June 7, 2019, HAZENBERG DAIRY, ATTN: BRAD HAZENBERG, filed an application for an additional point of appropriation under Certificate 89298. The Department assigned the application number T-13201.
2. Notice of the application for transfer was published on June 18, 2019, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
3. On March 22, 2022, the Department mailed a copy of the draft Preliminary Determination proposing to approve Transfer Application T-13201 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of April 22, 2022, for the applicant to respond. The applicant requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

4. On May 25, 2022, the Department issued a Preliminary Determination proposing to approve Transfer T-13201 and mailed a copy to the applicant. Additionally, notice of the Preliminary Determination for the transfer application was published on the Department's weekly notice on May 31, 2022, and in the Statesman Journal newspaper on May 27, and June 3, 2022, pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notice.

5. The right to be transferred is as follows:

Certificate: 89298 in the name of HAZENBERG DAIRY (perfected under Permit G-13343)
Use: IRRIGATION of 265.2 ACRES, SUPPLEMENTAL IRRIGATION of 78.3 ACRES
Priority Date: JANUARY 13, 1997
Rate: 3.56 CUBIC FEET PER SECOND (CFS) BEING 3.32 CFS FOR IRRIGATION AND 0.98 CFS FOR SUPPLEMENTAL IRRIGATION
Limit/Duty: The amount of water used for irrigation under this right, together with the amount secured under any other right for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

Period of Use: MARCH 1 THROUGH OCTOBER 31

Source: THREE WELLS in the WILLAMETTE RIVER BASIN

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
4 S	2 W	WM	4	NW NW	39	WELL #1 (MARI 1072) - 1070 FEET SOUTH AND 520 FEET EAST FROM THE NW CORNER OF SECTION 4
4 S	2 W	WM	5	SE SE	38	WELL #2 (MARI 1072) - 660 FEET NORTH AND 50 FEET WEST FROM THE SE CORNER OF SECTION 5
4 S	2 W	WM	9	NW NW	38	WELL #3 (MARI 50581) - 330 FEET SOUTH AND 1200 FEET EAST FROM THE SE CORNER OF SECTION 5

Authorized Place of Use:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
3 S	2 W	WM	32	NE SE	65	11.5
3 S	2 W	WM	32	SW SE	65	0.2
3 S	2 W	WM	32	SE SE	65	16.1
3 S	2 W	WM	33	NW SW	65	9.6
3 S	2 W	WM	33	SW SW	65	5.1
4 S	2 W	WM	4	SW SW	38	7.8
4 S	2 W	WM	5	NE NE	39	16.4
4 S	2 W	WM	5	NW NE	39	1.9
4 S	2 W	WM	5	SW NE	39	12.8
4 S	2 W	WM	5	SE NE	39	38.9
4 S	2 W	WM	5	NE SE	39	30.3
4 S	2 W	WM	5	NE SE	38	3.4

Received by OWRD
 JUN 02 2026
 Salem, OR

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
4 S	2 W	WM	5	NW SE	39	10.7
4 S	2 W	WM	5	NW SE	38	2.9
4 S	2 W	WM	5	SW SE	38	13.4
4 S	2 W	WM	5	SE SE	39	4.7
4 S	2 W	WM	5	SE SE	38	35.1
4 S	2 W	WM	8	NE NE	38	26.6
4 S	2 W	WM	9	NW NW	38	17.8
Total						265.2

SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
3 S	2 W	WM	32	SW NE	65	14.0
3 S	2 W	WM	32	SE NE	65	1.9
3 S	2 W	WM	32	NE SE	65	19.9
3 S	2 W	WM	32	NW SE	65	18.6
3 S	2 W	WM	32	SE SE	65	7.1
3 S	2 W	WM	33	SW SW	65	15.9
4 S	2 W	WM	4	NW NW	40	0.9
Total						78.3

6. Transfer Application T-13201 proposes an additional point of appropriation approximately 0.8 to 0.1 mile from the existing points of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
4 S	2 W	WM	9	NW NW	38	WELL # 4 - 170 FEET SOUTH AND 870 FEET EAST FROM THE NW CORNER OF SECTION 9

Transfer Review Criteria (OAR 690-380-4010)

7. Water has been used within the last five years prior to submittal of Transfer Application T-13201 according to the terms and conditions of the right. There is no information in the record that would demonstrate that the right is subject to forfeiture under ORS 540.610.
8. A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing right were present within the five-year period prior to submittal of Transfer Application T-13201.
9. The proposed change would not result in injury to other water rights.
10. The proposed change would not result in enlargement of the right.
11. All other application requirements are met.

Received by OWRD

JUN 02 2026

Salem, OR

Conclusions of Law


The additional point of appropriation proposed in Transfer Application T-13201 is consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000.

Now, therefore, it is ORDERED:

1. The additional point of appropriation proposed in Transfer Application T-13201 is approved.
2. The right to the use of the water is restricted to beneficial use at the place of use described and is subject to all other conditions and limitations contained in Certificate 89298 and any related decree.
3. Water right Certificate 89298 is cancelled.
4. The quantity of water diverted at the additional point of appropriation (Well #4), together with that diverted at the original points of appropriation, shall not exceed the quantity of water lawfully available at the original points of appropriation.
5. Water shall be acquired from the same aquifer (water source) as the original points of appropriation.
6. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before **October 1, 2023**. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the change and full beneficial use of the water.
7. After satisfactory proof of beneficial use is received, a new certificate confirming the right transferred will be issued.

Dated in Salem, Oregon on

JUL 20 2022


Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department

Mailing date: **JUL 21 2022**

Received by OWRD
JUN 02 2026
Salem, OR

STATE OF OREGON

COUNTY OF MARION

CERTIFICATE OF WATER RIGHT

THIS CERTIFICATE ISSUED TO

HAZENBURG DAIRY LLC
5828 CHAMPOEG RD NE
SAINT PAUL OR 97137

confirms the right to use the waters of FOUR WELLS IN THE WILLAMETTE RIVER BASIN for IRRIGATION of 265.2 ACRES and SUPPLEMENTAL IRRIGATION OF 78.3 ACRES.

This right was perfected under Permit G-13343. The date of priority is JANUARY 13, 1997. The amount of water to which this right is entitled is limited to an amount actually used beneficially, and shall not exceed a maximum cumulative total of 3.56 CUBIC FEET PER SECOND (CFS), BEING 3.32 CFS FOR IRRIGATION AND 0.98 CFS FOR SUPPLEMENTAL IRRIGATION, FURTHER LIMITED TO 1.00 CFS FROM WELL 4, NOT TO EXCEED A COMBINED TOTAL RATE OF 3.56 CFS IN ANY COMBINATION BETWEEN THE WELLS, measured at the point of wells.

The period of use is March 1 through October 31.

The wells are located as follows:

Twp	Rng	Mer	Sec	Q-Q	DLC	Measured Distances
4 S	2 W	WM	4	NW NW	39	WELL 1 (MARI 1057) – ORIGINAL - 1070 FEET SOUTH AND 520 FEET EAST FROM NW CORNER, SECTION 4
4 S	2 W	WM	5	SE SE	38	WELL 2 (MARI 1072) – ORIGINAL - 660 FEET NORTH AND 50 FEET WEST FROM SE CORNER, SECTION 5
4 S	2 W	WM	9	NW NW	38	WELL 3 (MARI 50581) – ORIGINAL - 330 FEET SOUTH AND 1200 FEET EAST FROM SE CORNER, SECTION 5
4 S	2 W	WM	9	NW NW	38	WELL 4 170 FEET SOUTH AND 870 FEET EAST FROM NW CORNER, SECTION 9

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

A description of the place of use is as follows:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	DLC	Acres
3 S	2 W	WM	32	NE SE	65	11.5
3 S	2 W	WM	32	SW SE	65	0.2

Received by OWRD

JUN 02 2026

Salem, OR

NOTICE OF RIGHT TO PETITION FOR RECONSIDERATION OR JUDICIAL REVIEW

This is an order in other than a contested case. This order is subject to judicial review under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482. Pursuant to ORS 183.482, ORS 536.075 and OAR 137-003-0675, you may petition for judicial review and petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	DLC	Acres
3 S	2 W	WM	32	SE SE	65	16.1
3 S	2 W	WM	33	NW SW	65	9.6
3 S	2 W	WM	33	SW SW	65	5.1
4 S	2 W	WM	4	SW SW	38	7.8
4 S	2 W	WM	5	NE NE	39	16.4
4 S	2 W	WM	5	NW NE	39	1.9
4 S	2 W	WM	5	SW NE	39	12.8
4 S	2 W	WM	5	SE NE	39	38.9
4 S	2 W	WM	5	NE SE	39	30.3
4 S	2 W	WM	5	NE SE	38	3.4
4 S	2 W	WM	5	NW SE	39	10.7
4 S	2 W	WM	5	NW SE	38	2.9
4 S	2 W	WM	5	SW SE	38	13.4
4 S	2 W	WM	5	SE SE	39	4.7
4 S	2 W	WM	5	SE SE	38	35.1
4 S	2 W	WM	8	NE NE	38	26.6
4 S	2 W	WM	9	NW NW	38	17.8

SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	DLC	Acres
3 S	2 W	WM	32	SW NE	65	14.0
3 S	2 W	WM	32	SE NE	65	1.9
3 S	2 W	WM	32	NE SE	65	19.9
3 S	2 W	WM	32	NW SE	65	18.6
3 S	2 W	WM	32	SE SE	65	7.1
3 S	2 W	WM	33	SW SW	65	15.9
4 S	2 W	WM	4	NW NW	40	0.9

Measurement, recording and reporting conditions:

- A. The water user shall maintain the meter or other suitable measuring device in good working order, shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the water user to report general water-use information, including the place and nature of use of water under the right.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where the meter is located within a private structure, the watermaster shall request access upon reasonable notice.

The quantity of water diverted at the additional point of appropriation (Well 4), together with that diverted at the original points of appropriation, shall not exceed the quantity of water lawfully available at the original points of appropriation.

Water shall be acquired from the same aquifer (water source) as the original points of appropriation.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this right, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interference.

To monitor the effect of water use from the well(s) authorized under this right, the Department requires the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

Following the first year of water use, the user shall submit seven consecutive annual reports of static water level measurements. The first of these seven annual measurements will establish the reference level against which future annual measurements will be compared. Based on an analysis of the data collected, the Director may require that the user obtain and report additional annual static water level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

The reference level against which any future measurements will be compared for Well 1 (MARI 1057) is 77.42 feet below land surface.

The reference level against which any future measurements will be compared for Well 2 (MARI 1072) is 73.25 feet below land surface.

The reference level against which any future measurements will be compared for Well 3 (MARI 50581) is 98.0 feet below land surface.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- (A) Identify each well with its associated measurement; and
- (B) Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and
- (C) Specify the method used to obtain each well measurement; and
- (D) Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if annual water level measurements reveal any of the following events:

- (A) An average water level decline of three or more feet per year for five consecutive years; or
- (B) A water level decline of 15 or more feet in fewer than five consecutive years; or
- (C) A water level decline of 25 or more feet; or
- (D) Hydraulic interference leading to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non or restricted use shall continue until the water level rises above the decline level which triggered the action or until the Department determines, based on the water user's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this right. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

The right is limited to any deficiency in the available supply of any prior right existing for the same land.

The works shall be equipped with a usable access port, and may also include an air line and pressure gauge to determine the water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

The Director may require water level or pump test results every ten years.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This right is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The right to use water for the above purpose is restricted to beneficial use on the lands or place of use described.

This certificate is issued to confirm a change in ADDITIONAL POINT OF APPROPRIATION approved by an order of the Water Resources Director entered JULY 20, 2022, at Special Order Volume 125, Page 442, approving Transfer Application T-13201, supersedes Certificate 89298, State Record of Water Right Certificates.

Issued JUL 11 2025.



Katherine Ratcliffe
Water Right Services Division Administrator, for
Ivan Gall, Director
Oregon Water Resources Department

Received by OWRD

JUN 02 2026

Salem, OR

Pump Capacity Calculation Sheet

Using Department designed formula:

$(hp)(\text{efficiency}) / (\text{lift} + \text{psi head}) = \text{capacity in cfs}$

Efficiency:

Centrifugal = 6.61

Turbine = 7.04

Data Entry (fill in underlined blanks)

HP =	<u>75</u>	
Efficiency =	<u>7.04</u>	
Lift (Ft) =	<u>191</u>	Well #4(APOA) to Fields
Pump PSI =	<u>70</u>	

Results Calculated

(hp)(efficiency) =	528
Head based on psi (Ft)=	177.8
Total dynamic head (Ft)=	368.8
(head + lift)	

Pump Capacity = **1.43 cubic feet per second**
 643 gallons per minute

Received by OWRD

JUN 02 2026

Salem, OR

14883 -

Hazenberg Dairy Irrigation Pipeline

Date: 5/8/2026

Station, Ft	Q, gpm	Pipe ID, In*	Mannings n	Elevation Change, Ft	Km Losses	Kp	Pipe Length, Ft	Pressure at Pump=		Working Pressure, Ft	Working Pressure, PSI
								Velocity, fps	Headloss, Ft		
0.0	660	11.938	0.012	0.00	2	0.027	0.0	1.89	0.17	561.16	242.93
130.0	660	11.938	0.012	130.00	0	0.027	130	1.89	0.25	430.91	186.54
3,354.0	660	6.115	0.013	0.00	1	0.077	3224	7.21	201.70	229.22	99.23
6,147.0	330	6.115	0.013	0.00	1	0.077	2793	3.61	43.74	185.48	80.29

14883 -

Received by OWRD
 JUN 02 2026
 Salem, OR

Sprinkler Capacity Calculator

Data Entry (fill in underlined blanks)

Sprinkler group 1 Nozzle size = 1.2 inch (type an apostrophe before the size)
 Pressure = 60 PSI
 Number of heads = 2

Sprinkler group 2 Nozzle size = 0 inch (type an apostrophe before the size)
(if applicable) Pressure = 0 PSI
 Number of heads = 0

Sprinkler group 3 Nozzle size = 0 inch (type an apostrophe before the size)
(if applicable) Pressure = 0 PSI
 Number of heads = 0

Results calculated

Sprinkler group 1 capacity = 660 gpm, or 1.47 cfs
Sprinkler group 2 capacity = 0 gpm, or 0 cfs
Sprinkler group 3 capacity = 0 gpm, or 0 cfs

Total sprinkler capacity = 660 gpm, or 1.47 cfs

Note: If entered values return a result of "#N/A" gpm, then the sprinkler capacity chart does not contain a rate for that nozzle size and PSI.
Manufacturer data used for nozzle sizes larger than 1/2 inch.

Received by OWRD

JUN 02 2026

Salem, OR

14883 -