

Name of Stream Wen

Trib. of Deschutes River Basin

Use municipal

County Deschutes

Quantity of water (CFS)

No. of Acres

Name of ditch

App# G 14908Per # G 18297

Cert # _____

PR Date 4/13/1999

App#

Per #

Cert #

PR Date

App#

Per #

Cert #

PR Date

App#

Per #

Cert #

PR Date

App#

Per #

Cert #

PR Date

Change in POA

Date Filed 9/21/2020

Initial notice date 10/16/2020

DPD issued date

PD issued date

PD notice date

Date of FO 4/7/2021 Vol 120 Page 54-5

C-Date

COBU due date

COBU Received date

Certificate issued

Assignments:

Irrigation District COID

Agent GSI water Solutions attn Adam Sussman

CWRE

CC's list City of Redmond

□ - Oversized map - Location.

Date	Amount	Receipt #
9-21-2020	\$1,570.00	133516
1-25-2021	\$188.88	134394

FEES REFUNDED

Date	Amount	Receipt #
12/1/2011	100.00	1001
12/2/2011	200.00	1002
12/3/2011	300.00	1003
12/4/2011	400.00	1004
12/5/2011	500.00	1005
12/6/2011	600.00	1006
12/7/2011	700.00	1007
12/8/2011	800.00	1008
12/9/2011	900.00	1009
12/10/2011	1000.00	1010
12/11/2011	1100.00	1011
12/12/2011	1200.00	1012
12/13/2011	1300.00	1013
12/14/2011	1400.00	1014
12/15/2011	1500.00	1015
12/16/2011	1600.00	1016
12/17/2011	1700.00	1017
12/18/2011	1800.00	1018
12/19/2011	1900.00	1019
12/20/2011	2000.00	1020
12/21/2011	2100.00	1021
12/22/2011	2200.00	1022
12/23/2011	2300.00	1023
12/24/2011	2400.00	1024
12/25/2011	2500.00	1025
12/26/2011	2600.00	1026
12/27/2011	2700.00	1027
12/28/2011	2800.00	1028
12/29/2011	2900.00	1029
12/30/2011	3000.00	1030
12/31/2011	3100.00	1031
1/1/2012	3200.00	1032
1/2/2012	3300.00	1033
1/3/2012	3400.00	1034
1/4/2012	3500.00	1035
1/5/2012	3600.00	1036
1/6/2012	3700.00	1037
1/7/2012	3800.00	1038
1/8/2012	3900.00	1039
1/9/2012	4000.00	1040
1/10/2012	4100.00	1041
1/11/2012	4200.00	1042
1/12/2012	4300.00	1043
1/13/2012	4400.00	1044
1/14/2012	4500.00	1045
1/15/2012	4600.00	1046
1/16/2012	4700.00	1047
1/17/2012	4800.00	1048
1/18/2012	4900.00	1049
1/19/2012	5000.00	1050
1/20/2012	5100.00	1051
1/21/2012	5200.00	1052
1/22/2012	5300.00	1053
1/23/2012	5400.00	1054
1/24/2012	5500.00	1055
1/25/2012	5600.00	1056
1/26/2012	5700.00	1057
1/27/2012	5800.00	1058
1/28/2012	5900.00	1059
1/29/2012	6000.00	1060
1/30/2012	6100.00	1061
1/31/2012	6200.00	1062
2/1/2012	6300.00	1063
2/2/2012	6400.00	1064
2/3/2012	6500.00	1065
2/4/2012	6600.00	1066
2/5/2012	6700.00	1067
2/6/2012	6800.00	1068
2/7/2012	6900.00	1069
2/8/2012	7000.00	1070
2/9/2012	7100.00	1071
2/10/2012	7200.00	1072
2/11/2012	7300.00	1073
2/12/2012	7400.00	1074
2/13/2012	7500.00	1075
2/14/2012	7600.00	1076
2/15/2012	7700.00	1077
2/16/2012	7800.00	1078
2/17/2012	7900.00	1079
2/18/2012	8000.00	1080
2/19/2012	8100.00	1081
2/20/2012	8200.00	1082
2/21/2012	8300.00	1083
2/22/2012	8400.00	1084
2/23/2012	8500.00	1085
2/24/2012	8600.00	1086
2/25/2012	8700.00	1087
2/26/2012	8800.00	1088
2/27/2012	8900.00	1089
2/28/2012	9000.00	1090
2/		



Oregon

Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

April 7, 2021

CITY OF REDMOND
JOSH WEDDING
411 SW 9TH ST
REDMOND, OR 97756

REFERENCE: Permit Amendment Application T-13528

Enclosed is a copy of the order approving your Permit Amendment application.

Also enclosed is a superseding permit that incorporates the amendments approved by the final order contained herein. Please read this document and abide by the requirements.

If you have any questions related to the approval of this permit amendment, you may contact your caseworker, Corey Courchane by telephone at (503) 986-0825 or by e-mail at Corey.A.Courchane@oregon.gov.

Sincerely,

Julie C. Baustian
Water Rights Services Support
Transfers and Conservation Section

cc: Jeremy T. Giffin, Watermaster Dist. # 11 (via email)
Central Oregon Irrigation District
Adam Sussman, Agent

Enclosure

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Permit Amendment	)	FINAL ORDER
T-13528, Deschutes County	)	APPROVING A CHANGE IN POINT
	)	OF APPROPRIATION

Authority

Oregon Revised Statute (ORS) 537.211 establishes the process in which a water right permit holder may submit a request to change the point of appropriation and/or place of use authorized under an existing water right permit.

Applicant

CITY OF REDMOND
ATTN: JOSH WEDDING
411 SW 9TH ST
REDMOND, OR 97756

Findings of Fact

1. On September 21, 2020, CITY OF REDMOND, ATTN: JOSH WEDDING filed an application to change the point of appropriation under Permit G-18292. The Department assigned the application number T-13528.
2. On May 9, 2013, the Department issued Permit G-17042 in the name of the City of Redmond, authorizing the use of 25.0 cubic feet per second of water from six wells for municipal use.
3. On May 14, 2013, the Department approved a Final Order (Special Order Volume 89, Page 612), approving a Water Management and Conservation Plan (WMCP).
4. On August 28, 2019, the Department issued a Final Order (Special Order Volume 113, Page 958), approving a change in points of appropriation. The Department subsequently issued superseding Permit G-18266, describing the changes.
5. On October 28, 2019, the Department issued a Correcting Final Order (Special Order Volume 114, Page 236), and subsequently issued superseding Permit G-18266.
6. On December 31, 2019, the Department issued a Correcting Final Order (Special Order Volume 114, Page 623), and subsequently issued superseding Permit G-18292. The correcting final order contained a scrivener's error in the location of Well 8, identified in Finding of Fact 4 of the order. The order and superseding Permit G-18292 incorrectly

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 and OAR 690-01-0005 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

describe the location of Well 8 with a reference to the SE corner of Section 10, instead of Section 19. The applicant requests that the location description be corrected in this order for Permit G-18292.

7. Notice of the application for the permit amendment was published in the Department's weekly notice on October 6, 2020, and in the Redmond Spokesman newspaper on February 3 and 10, 2021, pursuant to ORS 540.520(5). No comments were filed in response to the notices.
8. Permit Amendment Application T-13528 proposes to move the authorized point of appropriation for Well 9 approximately 0.3 mile from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
15 S	13 E	WM	9	SW SW	WELL 9 - 185 FEET NORTH AND 1190 FEET EAST FROM THE SW CORNER OF SECTION 9

9. Permit Amendment Application T-13528 proposes to correct the authorized point of appropriation for Well 8 as identified in FOF 6 to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
15 S	13 E	WM	19	SE SW	WELL 8 - 513 FEET NORTH AND 2807 FEET WEST FROM THE SE CORNER OF SECTION 19

Permit Amendment Review Criteria

10. The change would not result in injury to other water rights.
11. The change does not enlarge the permit.
12. The change does not alter any other terms of the permit.

Conclusions of Law

The change in point of appropriation proposed by Permit Amendment Application T-13528 is consistent with the requirements of ORS 537.211.


Now, therefore, it is ORDERED:

1. The change in point of appropriation proposed by Permit Amendment Application T-13528 is approved.
2. Permit G-18157, in the name of THE CITY OF REDMOND, is issued to replace Permit G-18292, and incorporates the amendments approved by this order and the Water Management and Conservation Plan. Permit G-18292, in the name of CITY OF REDMOND, is no longer of any force or effect.
3. The quantity of water diverted at the new point of appropriation (Well 9), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 9).

4. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
5. Water shall be acquired from the same aquifer as the original point of appropriation.
6. The City of Redmond Water Management and Conservation Plan is approved and shall remain in effect until May 14, 2023, unless this approval is rescinded pursuant to OAR 690-086-0920.
7. The City of Redmond shall submit an updated plan meeting the requirements of OAR Chapter 690, Division 086 within 10 years and no later than November 14, 2022.
8. The City of Redmond shall submit a progress report containing the information required under OAR 690-086-0120(4) by May 14, 2018.
9. The deadline established herein for the submittal of an updated Water Management and Conservation Plan (consistent with OAR Chapter 690, Division 086) shall not relieve the City of Redmond from any existing or future requirement(s) for submittal of a Water Management and Conservation Plan at an earlier date as established through other final orders of the Department.
10. All other terms and conditions of Permit G-18157 remain the same.

Dated in Salem, Oregon on

APR 07 2021



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department

APR 09 2021

Mailing Date:

STATE OF OREGON

COUNTY OF DESCHUTES

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CITY OF REDMOND
411 SW 9TH ST
REDMOND, OR 97756

This superseding permit is issued to describe an amendment for a change in point of appropriation under Permit Amendment Application T-13528 and approved by Special Order Vol. 120, Page 54, entered **APR 07 2021**, and to correct a scrivener's error in the description of the location of Well 8, approved by a Corrected Order, recorded at Special Order Volume 114, Page 623, entered December 31, 2019, and a Water Management and Conservation Plan approved by Special Order Vol. 89, Page 612, entered May 14, 2013. This permit supersedes Permit G-18292.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-14908

SOURCE OF WATER: SIX WELLS IN THE DESCHUTES RIVER BASIN

PURPOSE OR USE: MUNICIPAL USE

MAXIMUM RATE/VOLUME: 25.0 CUBIC FEET PER SECOND, LIMITED TO A MAXIMUM ANNUAL VOLUME OF 3492.0 ACRE FEET

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: JANUARY 13, 1999

WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
15S	13E	WM	9	SE NW	WELL 10 – 1332 FEET SOUTH AND 2020 FEET EAST FROM THE NW CORNER OF SECTION 9
15S	13E	WM	9	NE SW	WELL 11 – 2530 FEET NORTH AND 2160 FEET EAST FROM THE SW CORNER OF SECTION 9
15 S	13 E	WM	9	SW SW	WELL 9 - 185 FEET NORTH AND 1190 FEET EAST FROM THE SW CORNER OF SECTION 9
15S	13E	WM	10	SW SE	WELL 7 – 1210 FEET NORTH AND 1640 FEET WEST FROM THE SE CORNER OF SECTION 10
15S	13E	WM	19	SE SW	WELL 8 – 513 FEET NORTH AND 2807 FEET WEST FROM THE SE CORNER OF SECTION 19
15S	13E	WM	21	NW SE	WELL 6 – NORTH 35 DEGREES 38 MINUTES 4 SECONDS WEST 2443.94 FEET FROM THE SE CORNER OF SECTION 21

THE PLACE OF USE IS LOCATED AS FOLLOWS:

WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF REDMOND

Permit Amendment T-13528 Conditions:

The quantity of water diverted at the new point of appropriation (Well 9), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 9).

Water use measurement conditions:

- a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer as the original point of appropriation.

Permit Amendment T-12887 Conditions:

The quantity of water diverted at the new points of appropriation (Wells 6, 7, and 8), shall not exceed the quantity of water lawfully available at the original points of appropriation (Wells 6, 7, and 8).

Water shall be acquired from the same aquifer as the original points of appropriation.

WMCP Conditions:

The City of Redmond Water Management and Conservation Plan is approved and shall remain in effect until May 14, 2023, unless this approval is rescinded pursuant to OAR 690-086-0920.

The City of Redmond shall submit an updated plan meeting the requirements of OAR Chapter 690, Division 086 within 10 years and no later than November 14, 2022.

The City of Redmond shall submit a progress report containing the information required under OAR 690-086-0120(4) by May 14, 2018.

The deadline established herein for the submittal of an updated Water Management and Conservation Plan (consistent with OAR Chapter 690, Division 086) shall not relieve the City of Redmond from any existing or future requirement(s) for submittal of a Water Management and Conservation Plan at an earlier date as established through other final orders of the Department.

Original Permit Conditions:

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The permittee shall maintain the meter in good working order.
- B. The permittee shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- C. The permittee shall allow the watermaster access to the meter; provided however, where any meter is located within a private structure, the watermaster shall request access upon reasonable notice.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

Use of water under authority of this permit may be regulated if analysis of data available after the permit is issued discloses that the appropriation will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife in effect as of the priority date of the right or as those quantities may be subsequently reduced. However, the use of ground water allowed under the terms of this permit will not be subject to regulation for Scenic Waterway flows so long as mitigation is maintained.

Within five years of permit issuance, the permittee shall submit a Water Management and Conservation Plan consistent with OAR Chapter 690, Division 86. The Director may approve an extension of this time line to complete the required Water Management and conservation Plan. The time line for submittal of a plan under this permit does not alter the time lines for submittal of a plan under any other order of the Department.

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level or pump test data.

GROUND WATER MITIGATION CONDITIONS

Mitigation Obligation: 1746.0 acre-feet annually in the General Zone of Impact, located anywhere in the Deschutes River basin above the Madras gage, which is located below Lake Billy Chinook.

Mitigation Source: 1746.0 acre-feet of mitigation water from mitigation project MP-175, established by instream water right certificate 88033, within the General Zone of Impact.

Mitigation water must be legally protected instream for instream use within the General Zone of Impact and committed for the life of the permit and subsequent certificate(s). Regulation of the use and/or cancellation of the permit, or subsequent certificate(s), will occur if the required mitigation is not maintained.

The permittee shall provide additional mitigation if the Department determines that average annual consumptive use of the subject appropriation has increased beyond that originally mitigated amount.

If mitigation is from a secondary right for stored water from a storage use from a storage project not owned or operated by the permittee the use of water under this right is subject to the terms and conditions of a valid contract, a copy of which must be on file in the records of the Water Resources Department prior to use of water.

The permittee shall provide a mitigation update report to the Department, with a copy to WaterWatch, every three years until the permit is fully developed. The report shall compare actual monthly water use to the estimates used for determining prior mitigation requirements and shall identify whether additional mitigation is required.

The permittee shall provide 90 days prior written notice to the appropriate OWRD Watermaster in the event that the permittee intends to irrigate with reclaimed water that originates from water use under this permit.

Failure to comply with these mitigation conditions shall result in the Department regulating the ground water permit, or subsequent certificates(s), proposing to deny any permit extension application for the ground water permit, and proposing to cancel the ground water permit, or subsequent certificate(s).

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.


This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The original permit was issued May 9, 2013. Actual construction of the well(s) was to begin within one year of original permit issuance. Complete application of water to beneficial use shall be on or before May 9, 2033. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued APR 07 2021



Lisa J. Jaramillo, Transfer and Conservation Section Manager for
THOMAS M. BYLER, DIRECTOR
Oregon Water Resources Department

Permit Amendment Checklist

Transfer: T- 13528

Transfer Specialist: *Cory*

Transfer Type: Permit Amendment

Applicant Name/Address/email: CITY OF REDMOND 411 SW 9TH ST REDMOND, OR 97756 JOSH WEDDING	Agent Name/Address/email: ADAM SUSSMAN 1600 SW WESTERN BLVD. SUITE 240 CORVALLIS, OR 97333	Rec Landowner Name/Address:
CWRE Name/Number:	Irr. District Name/Address:	Affected Gov'ts Name/Address:
Commentor(s): Name/Address:	Current Landowner Name/Address (if different than applicant):	

Permit(s) Affected

Records Marked	Records Copied	App File No. or Decree Name	Permit No.	Superseding Permit No.
☐	☐	G-14908	G-18292	G-18157

Key Dates & Initial Actions

Rec'd: September 21, 2020	Proposed Action(s): POINT OF APPROPRIATION	
Fees Pd: 1570.00	WM District: 11	ODFW District:
Initial Notice: October 6, 2020	WM Review sent: Done:	ODFW Review sent: Done:
Acknowledgement Letter Sent: ☒ Date:		GW Review sent: Done:

Processing Dates & Actions

Deficiency Contact(s): _____

Draft Mailed: _____

If yes, date rec'd okay from agent/applicant: _____

☐ ODFW contact sheet sent; need? Yes ☐ or No ☐

☐ WM measurement sheet sent; need?

Yes ☐ or No ☐

Newspaper: _____

☐ not required

Date quote requested: **12/29/20**

Request for news \$ sent: **1/11/21**

News \$ received: **1/28/21**

Request to publish sent to newspaper: _____

Affidavit of publication received: **2/16/21**

Dates of publication: **2/3/21**

2/10/21

Final Order

Draft Order & Superseding Permit Review (Optional) Reviewer: _____ Date: _____ Coordinator: _____ Date: _____ Signature Bin Date: _____	Final Order & Superseding Permit Review (Salem) Reviewer: ALB Date: 12/13/20 Coordinator: PKS Date: 12/21/20 Signature Bin Date: _____
Comments/Special Issues: _____	

Special Order Volume: Vol: **120** Pages **54-57**

Final Order Signature Date: **4/7/2021**

Notice of FO e-mailed to processors: _____

Application

PR CW

- ☐ ☒ The type of change is clearly indicated.
- ☐ ☒ The application is appropriately signed.
- ☐ ☒ Appropriate fees were paid. ☒ N/A ☐ If overpayment, Refund Request submitted _____
- ☐ ☒ Land use form matches affected tax lots and is signed by proper official. (from ALL affected Gov't's) _____
- ☐ ☒ N/A Ditch company, district, and/or BOR, sent a copy of the application and map, if appropriate.
- ☐ ☒ All required attachments received.
- ☐ ☒ Check application file and WRIS for assignment(s) and/or extension(s). _____

Application Map

PR CW

- ☐ ☒ The map size and scale are accurate and appropriate per OAR 690-380-3100(1)(b)(c)&(d).
- ☐ ☒ All authorized and proposed POD's/POA's and POU are properly described on the map.
- ☐ ☒ The POD/POA location description(s) on the map match the PA application and permit descriptions.
- ☐ ☒ N/A Map acres (to, from and rr, if applicable) match Table 2 on the PA application and as applicable, on the permit
- ☐ ☒ Have permit map(s).

Determining the "From" and "To" Lands (make working copy of application and permit(s))

PR CW

- ☐ ☒ Only the authorized POD's/POA's and/or POU's to be transferred are listed (Tables 1 & 2).
- ☐ ☒ PA application and permit tabulations (acreage) match. (Mark on appl. and permit copies and note corrections needed)
- ☐ ☒ ALL Mark on permit the acreage and amount of water being transferred.

Permit Ownership

- ☐ ☒ The applicant(s) is/are the holder(s) of the permit.
- ☐ ☒ All holders of the permit have signed the application or
- ☐ ☐ N/A If necessary, there is a notarized, signed statement of consent from permit holders other than applicant.
- ☐ ☐ N/A If necessary, the permit has been assigned to permit amendment applicant.

Evaluation Materials

- | | | | |
|--|--|---|--|
| ☒ Application complete | ☒ Permit | ☒ Land Use form | ☐ ☒ N/A Plat card |
| ☒ Amendment Map | ☒ Permit Map | ☒ Fees paid | ☒ N/A Well logs |

Reviews/comments/conditions received? ☐ ☒ Watermaster ☐ ☐ N/A ODFW ☐ ☒ N/A GW

N/A Headgate ☐ When in the judgment ☐ Prior to diverting ☐ Existing and maintain

N/A Measuring Devices ☐ When in the judgment ☐ Prior to diverting ☐ Existing and maintain

Type of device, if applicable: _____ totalizing flow meter: at new at existing and new

Injury: ☐ Yes ☒ No

Enlargement: ☐ Yes ☒ No

Conditions to avoid enlargement/injury –

ODFW conditions: _____

GW Conditions: _____

STATE OF OREGON

COUNTY OF DESCHUTES

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CITY OF REDMOND
411 SW 9TH ST
REDMOND, OR 97756

This superseding permit is issued to describe an amendment for a change in point of appropriation under Permit Amendment Application T-13528 and approved by Special Order Vol. 118, Page _____, entered _____, and to correct a scrivener's error in the description of the location of Well 8, approved by a Corrected Order, recorded at Special Order Volume 114, Page 623, entered December 31, 2019, and a Water Management and Conservation Plan approved by Special Order Vol. 89, Page 612, entered May 14, 2013. This permit supersedes Permit G-18292.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-14908

SOURCE OF WATER: SIX WELLS IN THE DESCHUTES RIVER BASIN

PURPOSE OR USE: MUNICIPAL USE

MAXIMUM RATE/VOLUME: 25.0 CUBIC FEET PER SECOND, LIMITED TO A MAXIMUM ANNUAL VOLUME OF 3492.0 ACRE FEET

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: JANUARY 13, 1999

WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
15S	13E	WM	9	SE NW	WELL 10 – 1332 FEET SOUTH AND 2020 FEET EAST FROM THE NW CORNER OF SECTION 9
15S	13E	WM	9	NE SW	WELL 11 – 2530 FEET NORTH AND 2160 FEET EAST FROM THE SW CORNER OF SECTION 9
15 S	13 E	WM	9	SW SW	WELL 9 - 185 FEET NORTH AND 1190 FEET EAST FROM THE SW CORNER OF SECTION 9
15S	13E	WM	10	SW SE	WELL 7 – 1210 FEET NORTH AND 1640 FEET WEST FROM THE SE CORNER OF SECTION 10
15S	13E	WM	19	SE SW	WELL 8 – 513 FEET NORTH AND 2807 FEET WEST FROM THE SE CORNER OF SECTION 19
15S	13E	WM	21	NW SE	WELL 6 – NORTH 35 DEGREES 38 MINUTES 4 SECONDS WEST 2443.94 FEET FROM THE SE CORNER OF SECTION 21

THE PLACE OF USE IS LOCATED AS FOLLOWS:

WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF REDMOND

Permit Amendment T-13528 Conditions:

The quantity of water diverted at the new point of appropriation (Well 9), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 9).

Water use measurement conditions:

- a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer as the original point of appropriation.

Permit Amendment T-12887 Conditions:

The quantity of water diverted at the new points of appropriation (Wells 6, 7, and 8), shall not exceed the quantity of water lawfully available at the original points of appropriation (Wells 6, 7, and 8).

Water shall be acquired from the same aquifer as the original points of appropriation.

WMCP Conditions:

The City of Redmond Water Management and Conservation Plan is approved and shall remain in effect until May 14, 2023, unless this approval is rescinded pursuant to OAR 690-086-0920.

The City of Redmond shall submit an updated plan meeting the requirements of OAR Chapter 690, Division 086 within 10 years and no later than November 14, 2022.

The City of Redmond shall submit a progress report containing the information required under OAR 690-086-0120(4) by May 14, 2018.

The deadline established herein for the submittal of an updated Water Management and Conservation Plan (consistent with OAR Chapter 690, Division 086) shall not relieve the City of Redmond from any existing or future requirement(s) for submittal of a Water Management and Conservation Plan at an earlier date as established through other final orders of the Department.

Original Permit Conditions:**Measurement, recording and reporting conditions:**

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The permittee shall maintain the meter in good working order.
- B. The permittee shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- C. The permittee shall allow the watermaster access to the meter; provided however, where any meter is located within a private structure, the watermaster shall request access upon reasonable notice.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

Use of water under authority of this permit may be regulated if analysis of data available after the permit is issued discloses that the appropriation will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife in effect as of the priority date of the right or as those quantities may be subsequently reduced. However, the use of ground water allowed under the terms of this permit will not be subject to regulation for Scenic Waterway flows so long as mitigation is maintained.

Within five years of permit issuance, the permittee shall submit a Water Management and Conservation Plan consistent with OAR Chapter 690, Division 86. The Director may approve an extension of this time line to complete the required Water Management and conservation Plan. The time line for submittal of a plan under this permit does not alter the time lines for submittal of a plan under any other order of the Department.

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level or pump test data.

GROUND WATER MITIGATION CONDITIONS

Mitigation Obligation: 1746.0 acre-feet annually in the General Zone of Impact, located anywhere in the Deschutes River basin above the Madras gage, which is located below Lake Billy Chinook.

Mitigation Source: 1746.0 acre-feet of mitigation water from mitigation project MP-175, established by instream water right certificate 88033, within the General Zone of Impact.

Mitigation water must be legally protected instream for instream use within the General Zone of Impact and committed for the life of the permit and subsequent certificate(s). Regulation of the use and/or cancellation of the permit, or subsequent certificate(s), will occur if the required mitigation is not maintained.

The permittee shall provide additional mitigation if the Department determines that average annual consumptive use of the subject appropriation has increased beyond that originally mitigated amount.

If mitigation is from a secondary right for stored water from a storage use from a storage project not owned or operated by the permittee the use of water under this right is subject to the terms and conditions of a valid contract, a copy of which must be on file in the records of the Water Resources Department prior to use of water.

The permittee shall provide a mitigation update report to the Department, with a copy to WaterWatch, every three years until the permit is fully developed. The report shall compare actual monthly water use to the estimates used for determining prior mitigation requirements and shall identify whether additional mitigation is required.

The permittee shall provide 90 days prior written notice to the appropriate OWRD Watermaster in the event that the permittee intends to irrigate with reclaimed water that originates from water use under this permit.

Failure to comply with these mitigation conditions shall result in the Department regulating the ground water permit, or subsequent certificates(s), proposing to deny any permit extension application for the ground water permit, and proposing to cancel the ground water permit, or subsequent certificate(s).

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The original permit was issued May 9, 2013. Actual construction of the well(s) was to begin within one year of original permit issuance. Complete application of water to beneficial use shall be on or before May 9, 2033. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued _____

Lisa J. Jaramillo, Transfer and Conservation Section Manager for
THOMAS M. BYLER, DIRECTOR
Oregon Water Resources Department

STATE OF OREGON

COUNTY OF DESCHUTES

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CITY OF REDMOND
411 SW 9TH ST
REDMOND, OR 97756

This superseding permit is issued to describe an amendment for a change in point of appropriation under Permit Amendment Application T-13528 and approved by Special Order Vol. 118, Page _____, entered _____, and to correct a scrivener's error in the description of the location of Well 8, approved by a Corrected Order, recorded at Special Order Volume 114, Page 623, entered December 31, 2019, and a Water Management and Conservation Plan approved by Special Order Vol. 89, Page 612, entered May 14, 2013. This permit supersedes Permit G-18292.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-14908

SOURCE OF WATER: SIX WELLS IN THE DESCHUTES RIVER BASIN

PURPOSE OR USE: MUNICIPAL USE

MAXIMUM RATE/VOLUME: 25.0 CUBIC FEET PER SECOND, LIMITED TO A MAXIMUM ANNUAL VOLUME OF 3492.0 ACRE FEET

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: JANUARY 13, 1999

WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
15S	13E	WM	9	SE NW	WELL 10 – 1332 FEET SOUTH AND 2020 FEET EAST FROM THE NW CORNER OF SECTION 9
15S	13E	WM	9	NE SW	WELL 11 – 2530 FEET NORTH AND 2160 FEET EAST FROM THE SW CORNER OF SECTION 9
15 S	13 E	WM	9	SW SW	WELL 9 - 185 FEET NORTH AND 1190 FEET EAST FROM THE SW CORNER OF SECTION 9
15S	13E	WM	10	SW SE	WELL 7 – 1210 FEET NORTH AND 1640 FEET WEST FROM THE SE CORNER OF SECTION 10
15S	13E	WM	19	SE SW	WELL 8 – 513 FEET NORTH AND 2807 FEET WEST FROM THE SE CORNER OF SECTION 19
15S	13E	WM	21	NW SE	WELL 6 – NORTH 35 DEGREES 38 MINUTES 4 SECONDS WEST 2443.94 FEET FROM THE SE CORNER OF SECTION 21

THE PLACE OF USE IS LOCATED AS FOLLOWS:

WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF REDMOND

Permit Amendment T-13528 Conditions:

The quantity of water diverted at the new point of appropriation (Well 9), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 9).

Water use measurement conditions:

- a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer as the original point of appropriation.

Permit Amendment T-12887 Conditions:

The quantity of water diverted at the new points of appropriation (Wells 6, 7, and 8), shall not exceed the quantity of water lawfully available at the original points of appropriation (Wells 6, 7, and 8).

Water shall be acquired from the same aquifer as the original points of appropriation.

WMCP Conditions:

The City of Redmond Water Management and Conservation Plan is approved and shall remain in effect until May 14, 2023, unless this approval is rescinded pursuant to OAR 690-086-0920.

The City of Redmond shall submit an updated plan meeting the requirements of OAR Chapter 690, Division 086 within 10 years and no later than November 14, 2022.

The City of Redmond shall submit a progress report containing the information required under OAR 690-086-0120(4) by May 14, 2018.

The deadline established herein for the submittal of an updated Water Management and Conservation Plan (consistent with OAR Chapter 690, Division 086) shall not relieve the City of Redmond from any existing or future requirement(s) for submittal of a Water Management and Conservation Plan at an earlier date as established through other final orders of the Department.

Original Permit Conditions:

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The permittee shall maintain the meter in good working order.
- B. The permittee shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- C. The permittee shall allow the watermaster access to the meter; provided however, where any meter is located within a private structure, the watermaster shall request access upon reasonable notice.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

Use of water under authority of this permit may be regulated if analysis of data available after the permit is issued discloses that the appropriation will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife in effect as of the priority date of the right or as those quantities may be subsequently reduced. However, the use of ground water allowed under the terms of this permit will not be subject to regulation for Scenic Waterway flows so long as mitigation is maintained.

Within five years of permit issuance, the permittee shall submit a Water Management and Conservation Plan consistent with OAR Chapter 690, Division 86. The Director may approve an extension of this time line to complete the required Water Management and conservation Plan. The time line for submittal of a plan under this permit does not alter the time lines for submittal of a plan under any other order of the Department.

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level or pump test data.

GROUND WATER MITIGATION CONDITIONS

Mitigation Obligation: 1746.0 acre-feet annually in the General Zone of Impact, located anywhere in the Deschutes River basin above the Madras gage, which is located below Lake Billy Chinook.

Mitigation Source: 1746.0 acre-feet of mitigation water from mitigation project MP-175, established by instream water right certificate 88033, within the General Zone of Impact.

Mitigation water must be legally protected instream for instream use within the General Zone of Impact and committed for the life of the permit and subsequent certificate(s). Regulation of the use and/or cancellation of the permit, or subsequent certificate(s), will occur if the required mitigation is not maintained.

The permittee shall provide additional mitigation if the Department determines that average annual consumptive use of the subject appropriation has increased beyond that originally mitigated amount.

If mitigation is from a secondary right for stored water from a storage use from a storage project not owned or operated by the permittee the use of water under this right is subject to the terms and conditions of a valid contract, a copy of which must be on file in the records of the Water Resources Department prior to use of water.

The permittee shall provide a mitigation update report to the Department, with a copy to WaterWatch, every three years until the permit is fully developed. The report shall compare actual monthly water use to the estimates used for determining prior mitigation requirements and shall identify whether additional mitigation is required.

The permittee shall provide 90 days prior written notice to the appropriate OWRD Watermaster in the event that the permittee intends to irrigate with reclaimed water that originates from water use under this permit.

Failure to comply with these mitigation conditions shall result in the Department regulating the ground water permit, or subsequent certificate(s), proposing to deny any permit extension application for the ground water permit, and proposing to cancel the ground water permit, or subsequent certificate(s).

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The original permit was issued May 9, 2013. Actual construction of the well(s) was to begin within one year of original permit issuance. Complete application of water to beneficial use shall be on or before May 9, 2033. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued _____

Lisa J. Jaramillo, Transfer and Conservation Section Manager for
THOMAS M. BYLER, DIRECTOR
Oregon Water Resources Department

✓

Notice of Permit Amendment T-13528

T-13528 filed by City of Redmond, Attn: Josh Wedding, 411 SW 9th St., Redmond, OR 97756, proposes a change in point of appropriation under Permit G-18292. The permit allows the use of 25.0 cubic feet per second from a well in Sec. 16, T15S, R13E, WM for municipal use within the municipal service boundary of the City of Redmond. The applicant proposes to move the point of appropriation to Sec. 9, T15S, R13E, WM. The Water Resources Department has concluded that the proposed permit amendment appears to be consistent with the requirements of ORS 537.211. The last date of newspaper publication is MM/DD/YEAR.

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Permit Amendment	)	FINAL ORDER
T-13528, Deschutes County	)	APPROVING A CHANGE IN POINT
	)	OF APPROPRIATION

Authority

Oregon Revised Statute (ORS) 537.211 establishes the process in which a water right permit holder may submit a request to change the point of appropriation and/or place of use authorized under an existing water right permit.

Applicant

CITY OF REDMOND
ATTN: JOSH WEDDING
411 SW 9TH ST
REDMOND, OR 97756

Findings of Fact

1. On September 21, 2020, CITY OF REDMOND, ATTN: JOSH WEDDING filed an application to change the point of appropriation under Permit G-18292. The Department assigned the application number T-13528.
2. On May 9, 2013, the Department issued Permit G-17042 in the name of the City of Redmond, authorizing the use of 25.0 cubic feet per second of water from six wells for municipal use.
3. On May 14, 2013, the Department approved a Final Order (Special Order Volume 89, Page 612), approving a Water Management and Conservation Plan (WMCP).
4. On August 28, 2019, the Department issued a Final Order (Special Order Volume 113, Page 958), approving a change in points of appropriation. The Department subsequently issued superseding Permit G-18266, describing the changes.
5. On October 28, 2019, the Department issued a Correcting Final Order (Special Order Volume 114, Page 236), and subsequently issued superseding Permit G-18266.
6. On December 31, 2019, the Department issued a Correcting Final Order (Special Order Volume 114, Page 623), and subsequently issued superseding Permit G-18292. The correcting final order contained a scrivener's error in the location of Well 8, identified in Finding of Fact 4 of the order. The order and superseding Permit G-18292 incorrectly

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 and OAR 690-01-0005 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

describe the location of Well 8 with a reference to the SE corner of Section 10, instead of Section 19. The applicant requests that the location description be corrected in this order for Permit G-18292.

7. Notice of the application for the permit amendment was published in the Department's weekly notice on October 6, 2020, and in the Redmond Spokesman newspaper on _____, 2020, pursuant to ORS 540.520(5). No comments were filed in response to the notices.
8. Permit Amendment Application T-13528 proposes to move the authorized point of appropriation for Well 9 approximately 0.3 mile from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
15 S	13 E	WM	9	SW SW	WELL 9 - 185 FEET NORTH AND 1190 FEET EAST FROM THE SW CORNER OF SECTION 9

9. Permit Amendment Application T-13528 proposes to correct the authorized point of appropriation for Well 8 as identified in FOF 6 to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
15 S	13 E	WM	19	SE SW	WELL 8 - 513 FEET NORTH AND 2807 FEET WEST FROM THE SE CORNER OF SECTION 19

Permit Amendment Review Criteria

10. The change would not result in injury to other water rights.
11. The change does not enlarge the permit.
12. The change does not alter any other terms of the permit.

Conclusions of Law

The change in point of appropriation proposed by Permit Amendment Application T-13528 is consistent with the requirements of ORS 537.211.

Now, therefore, it is ORDERED:

1. The change in point of appropriation proposed by Permit Amendment Application T-13528 is approved.
2. Permit G-XXXXX, in the name of THE CITY OF REDMOND, is issued to replace Permit G-18292, and incorporates the amendments approved by this order and the Water Management and Conservation Plan. Permit G-18292, in the name of CITY OF REDMOND, is no longer of any force or effect.
3. The quantity of water diverted at the new point of appropriation (Well 9), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 9).

4. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
5. Water shall be acquired from the same aquifer as the original point of appropriation.
6. The City of Redmond Water Management and Conservation Plan is approved and shall remain in effect until May 14, 2023, unless this approval is rescinded pursuant to OAR 690-086-0920.
7. The City of Redmond shall submit an updated plan meeting the requirements of OAR Chapter 690, Division 086 within 10 years and no later than November 14, 2022.
8. The City of Redmond shall submit a progress report containing the information required under OAR 690-086-0120(4) by May 14, 2018.
9. The deadline established herein for the submittal of an updated Water Management and Conservation Plan (consistent with OAR Chapter 690, Division 086) shall not relieve the City of Redmond from any existing or future requirement(s) for submittal of a Water Management and Conservation Plan at an earlier date as established through other final orders of the Department.
10. All other terms and conditions of Permit G-XXXXX remain the same.

Dated in Salem, Oregon on

Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department

Mailing Date:

COURCHANE Corey A * WRD

From: BAUSTIAN Julie C * WRD
Sent: Thursday, January 07, 2021 10:24 AM
To: COURCHANE Corey A * WRD
Cc: STARNES Patrick K * WRD
Subject: Legal notice 13528

Good morning,

The quote came back at \$188.88 for two weeks.

[Julie Baustian](#)

Water Right Support
725 Summer Street NE Ste A
Salem, Oregon 97301 | Phone 503-986-0815



[Integrity](#) | [Service](#) | [Technical Excellence](#) | [Teamwork](#) | [Forward-Looking](#)

Transfer / Data Center ROUTE SLIP

(...in between PD Peer Review and PD issuance)

1. Transfer Caseworker:

- Attach PD and RR (if any) to the front of the Transfer file and give to Transfer Support

Transfer Number:	T-13528
Caseworker:	Corey
Is a Living Certificate Involved? → If YES... list Living Certificate number(s) HERE: ☐ YES ☒ NO	
Date delivered to T-Support:	12/29/20

2. Transfer Support:

Date Received from Caseworker:	12/30/2020
☐ Update Transfer/Data Center Tracking Log (...file sent to Data Center)	
Date Delivered to Data Center:	12/30/2020 (email)

3. Data Center:

Date Received from T-Support:	
☐ WRIS entry and mapping in ARCGIS. Any discrepancies noted? ☐ YES ☐ NO → If YES... Data Center routes back to Caseworker for re-review. • Date file sent back to CW for re-review: _____ ☐ Modified OR ☐ Determined should not be modified • Date CW returns file to Data Center: _____ • Date WRIS entry & ARCGIS Mapping completed: _____	
Date Delivered to T-Support:	

4. Transfer Support:

Date Received from Data Center:	
☐ Update Transfer/Data Center Tracking Log (...file received back from Data Center)	
Date Delivered back to Caseworker:	

STATE OF OREGON

COUNTY OF DESCHUTES

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CITY OF REDMOND
411 SW 9TH ST
REDMOND, OR 97756

This superseding permit is issued to correct a scrivener's error in the description of the location of Wells 6, 7, and 10, approved by a Corrected Order, recorded at Special Order Volume 114, Page 623, entered DEC 31 2019. This permit correctly describes an amendment for a change in points of appropriation under Permit Amendment Application T-13114 and approved by Special Order Vol. 113, Page 958 – 960, entered August 28, 2019. This permit supersedes Permit G-18266, originally G-17042.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-14908

SOURCE OF WATER: SIX WELLS IN THE DESCHUTES RIVER BASIN

PURPOSE OR USE: MUNICIPAL USE

MAXIMUM RATE/VOLUME: 25.0 CUBIC FEET PER SECOND, LIMITED TO A MAXIMUM ANNUAL VOLUME OF 3492.0 ACRE FEET

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: JANUARY 13, 1999

WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
15S	13E	WM	9	SE NW	WELL 10 – 1332 FEET SOUTH AND 2020 FEET EAST FROM THE NW CORNER OF SECTION 9
15S	13E	WM	9	NE SW	WELL 11 – 2530 FEET NORTH AND 2160 FEET EAST FROM THE SW CORNER OF SECTION 9
15S	13E	WM	10	SW SE	WELL 7 – 1210 FEET NORTH AND 1640 FEET WEST FROM THE SE CORNER OF SECTION 10
15S	13E	WM	16	SW NW	WELL 9 – 1457 FEET SOUTH AND 580 FEET EAST FROM THE NW CORNER OF SECTION 16
15S	13E	WM	19	SE SW	WELL 8 – 513 FEET NORTH AND 2807 FEET WEST FROM THE SE CORNER OF SECTION 10
15S	13E	WM	21	NW SE	WELL 6 – NORTH 35 DEGREES 38 MINUTES 4 SECONDS WEST 2443.94 FEET FROM THE SE CORNER OF SECTION 21

*Entirety
of
Permit*

THE PLACE OF USE IS LOCATED AS FOLLOWS:

WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF REDMOND

Permit Amendment T-12887 Conditions:

The quantity of water diverted at the new points of appropriation (Wells 6, 7, and 8), shall not exceed the quantity of water lawfully available at the original points of appropriation (Wells 6, 7, and 8).

Water shall be acquired from the same aquifer as the original points of appropriation.

WMCP Conditions:

The next requirement related to the City's approved WMCP calls for the submittal of an updated WMCP to the Department by November 14, 2022.

Original Permit Conditions:

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The permittee shall maintain the meter in good working order.
- B. The permittee shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- C. The permittee shall allow the watermaster access to the meter; provided however, where any meter is located within a private structure, the watermaster shall request access upon reasonable notice.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

Use of water under authority of this permit may be regulated if analysis of data available after the permit is issued discloses that the appropriation will measurable reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife in effect as of the priority date of the right or as those quantities may be subsequently reduced. However, the use of ground water allowed under the terms of this permit will not be subject to regulation for Scenic Waterway flows so long as mitigation is maintained.

Within five years of permit issuance, the permittee shall submit a Water Management and Conservation Plan consistent with OAR Chapter 690, Division 86. The Director may approve an extension of this time line to complete the required Water Management and conservation Plan. The time line for submittal of a plan under this permit does not alter the time lines for submittal of a plan under any other order of the

Department.

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level or pump test data.

GROUND WATER MITIGATION CONDITIONS

Mitigation Obligation: 1746.0 acre-feet annually in the General Zone of Impact, located anywhere in the Deschutes River basin above the Madras gage, which is located below Lake Billy Chinook.

Mitigation Source: 1746.0 acre-feet of mitigation water from mitigation project MP-175, established by instream water right certificate 88033, within the General Zone of Impact.

Mitigation water must be legally protected instream for instream use within the General Zone of Impact and committed for the life of the permit and subsequent certificate(s). Regulation of the use and/or cancellation of the permit, or subsequent certificate(s), will occur if the required mitigation is not maintained.

The permittee shall provide additional mitigation if the Department determines that average annual consumptive use of the subject appropriation has increased beyond that originally mitigated amount.

If mitigation is from a secondary right for stored water from a storage use from a storage project not owned or operated by the permittee the use of water under this right is subject to the terms and conditions of a valid contract, a copy of which must be on file in the records of the Water Resources Department prior to use of water.

The permittee shall provide a mitigation update report to the Department, with a copy to WaterWatch, every three years until the permit is fully developed. The report shall compare actual monthly water use to the estimates used for determining prior mitigation requirements and shall identify whether additional mitigation is required.

The permittee shall provide 90 days prior written notice to the appropriate OWRD Watermaster in the event that the permittee intends to irrigate with reclaimed water that originates from water use under this permit.

Failure to comply with these mitigation conditions shall result in the Department regulating the ground water permit, or subsequent certificate(s), proposing to deny any permit extension application for the ground water permit, and proposing to cancel the ground water permit, or subsequent certificate(s).

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.


This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.


The original permit was issued May 9, 2013. Actual construction of the well(s) was to begin within one year of original permit issuance. Complete application of water to beneficial use shall be on or before May 9, 2033. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued **DEC 31 2019**



Lisa J. Jaramillo, Transfer and Conservation Section Manager for
THOMAS M. BYLER, DIRECTOR
Oregon Water Resources Department



Explanation

- Place Of Use For Water Right Permit
G-12401, City Of Redmond UGB
- W-01 Location of City Well and Designation

City Well Location

Well #	Reference Corner	Distance
W-01 (e)	NW corner of Sec 9	2078'E - 64'S
W-02 (e)	SW corner of Sec 16	853'E - 1600'N
W-03 (e)	SW corner of Sec 22	1291'E - 2330'N
W-04 (e)	SW corner of Sec 20	1420'E - 475'N
W-05 (e)	NE corner of Sec 20	140'W - 1233'S
W-06 (e)	SE corner of Sec 21	1662'W - 2035'N
W-07 (p)	NW corner of Sec 15	2826'E - 158'S
W-08 (p)	NE corner of Sec 20	127'W - 190'S
W-09 (p)	NW corner of Sec 16	580'E - 1457'S
W-10 (p)	NW corner of Sec 9	2020'E - 1332'S
W-11 (p)	SW corner of Sec 9	2160'E - 2530'N



(e) = Existing Wells as of August 2006.

(p) = New Wells Proposed in this Application.

Deschutes County, Oregon

Township 15 South, Range 13 East, W.M.


Sections 3, 4, 5, 8, 9, 10, 11, 14, 15, 16, 17, 19,
20, 21, 22, 23, 26, 27, 28, 29, 30, 32



NOTES

- THIS MAP WAS PREPARED FOR THE PURPOSE OF IDENTIFYING THE LOCATION OF WATER RIGHTS ONLY AND IS NOT INTENDED TO PROVIDE LEGAL DIMENSIONS OR LOCATIONS OF PROPERTY OWNERSHIP LINES.

City Well Locations
Ground Water Right Permit Application G-14908
City of Redmond, Oregon



NEWTON
CONSULTANTS INC.
Earth, Water and Rock Specialists
Fax: 503-504-4661

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **134394**

INVOICE # _____

RECEIVED FROM: 6SF Water Solutions, Inc.

APPLICATION

PERMIT

TRANSFER T-13528

BY: _____

CASH: ☐

CHECK: # 22865

OTHER: (IDENTIFY) _____

TOTAL REC'D \$ 188.88

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES 46118

\$

0207 OTHER: (IDENTIFY) Newspaper Notice

\$ 188.88

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES

\$

0410 RESEARCH FEES

\$

0408 MISC REVENUE: (IDENTIFY) _____

\$

TC162 DEPOSIT LIAB. (IDENTIFY) _____

\$

0240 EXTENSION OF TIME

\$

WATER RIGHTS:

EXAM FEE

RECORD FEE

0201 SURFACE WATER

\$

0202

\$

0203 GROUND WATER

\$

0204

\$

0205 TRANSFER

\$

WELL CONSTRUCTION

EXAM FEE

LICENSE FEE

0218 WELL DRILL CONSTRUCTOR

\$

0219

\$

LANDOWNER'S PERMIT

0220

\$

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE

\$

CARD #

0210 MONITORING WELLS

\$

CARD #

OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD)

\$

0231 HYDRO LICENSE FEE (FW/WRD)

\$

HYDRO APPLICATION

\$

TREASURY OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION _____

\$

RECEIPT: **134394**

DATED: 1-25-2021

BY: [Signature]

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

Affidavit of Publication

STATE OF OREGON, COUNTY OF DESCHUTES

I, **Leanna Williams**, a citizen of the United State and a resident of the county aforesaid; I am over the age of eighteen years, and not part to or interested in the above-entitled matter. I am the principal clerk of the printer of

THE REDMOND
Spokesman

PO Box 6020, Bend, Oregon 97708

a daily newspaper of general circulation, published in the aforesaid county and state as defined by ORS 192.010 and ORS 192.020, that

RECEIVED

FEB 16 2021

OWRD

Acct Name: OREGON WATER RESOURCE DEPARTMENT

PO Number:

Legal Description: Legal Notice

Notice of Permit Amendment T-13528

T-13528 filed by City of Redmond, Attn: Josh Wedding, 411 SW 9th St., Redmond, OR 97756, proposes a change in point of appropriation under Permit G-18292. The permit allows the use of 25.0 cubic feet per seco

a printed copy of which is hereto affixed was published in each regular and entire issue of the said newspaper and not in any supplement thereof on the following dates to wit:

02/03/2021, 02/10/2021

I certify (or declare) under penalty of perjury that the foregoing is true and correct.

Leanna W
Signature

Dated at Bend, Oregon, this 10th day of February, 2021

AdName: 135259

State of Oregon, County of Deschutes

Subscribed and Sworn to before me this 10 day of Feb, 20 21 by

Linda Lea Preston



Notary Public for Oregon

No. _____
In the _____ Court of the

STATE OF OREGON
for the
COUNTY OF DESCHUTES

AFFIDAVIT OF PUBLICATION

Filed _____

By _____

From the office of _____

Attorney for _____



Oregon
Kate Brown, Governor

Water Resources Department
725 Summer St NE, Suite A
Salem, OR 97301
(503) 986-0900
Fax (503) 986-0904

January 11, 2021

CITY OF REDMOND
ATTN: JOSH WEDDING
411 SW 9TH ST
REDMOND, OR 97756

SUBJECT: Permit Amendment Application T-13528

Your Permit Amendment application requires publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the permit is located. The Department will publish the notice in the Redmond Spokesman newspaper upon receiving your payment for the notice.

At this time you need to:

1. submit a check for **\$188.88** (to cover cost of publication of the notice), made out to the Oregon Water Resources Department.
2. write **"for T-13528 NOTICE"** on the front of your check, and
3. submit it with the tracking stub at the bottom of this letter.

Mail the check to 725 Summer St. NE, Suite A, Salem, OR 97301-1266, **no later than February 11, 2021.**

Upon receipt of your check, processing will continue on the permit amendment application. **If we do not receive payment for newspaper notice by February 11, 2021, a Final Order may be issued denying the application as incomplete.**

✂-----

Attached is a check for **\$188.88** Newspaper Notice for Permit Amendment T-13528

- made out to Oregon Water Resources Department (or WRD)
- "for T-13528 NOTICE" written on front of check

Mail to: Oregon Water Resources Department
725 Summer St. NE, Suite A
Salem, OR 97301-1266

Caseworker: cc

Please do not hesitate to contact me, at corey.a.courchane@oregon.gov or (503) 986-0825, if I may be of assistance.

Sincerely,

A handwritten signature in blue ink, appearing to read "Corey Courchane". The signature is fluid and cursive, with the first name "Corey" and last name "Courchane" clearly distinguishable.

Corey Courchane
Transfer Specialist
Transfer and Conservation Section

cc: T-13528
Jeremy T. Giffin, District 11 Watermaster *(via e-mail)*
Adam Sussman, Agent for the applicant *(via e-mail)*

COURCHANE Corey A * WRD

From: BUCHHOLZ Sheila L * WRD
Sent: Friday, January 08, 2021 7:31 AM
To: COURCHANE Corey A * WRD; BAUSTIAN Julie C * WRD
Cc: MARTIN Duff A * WRD
Subject: PD-T-13528

Good Morning Cory & Julie,

This has been reviewed by data and is ready to go.

Have a great weekend!

[Sheila Buchholz](#)

Data Technician 1

725 Summer St. NE, Suite A | Salem, Oregon 97301

Email: Sheila.L.Buchholz@oregon.gov



[Integrity](#) | [Service](#) | [Technical Excellence](#) | [Teamwork](#) | [Forward-Looking](#)

Groundwater Transfer Review Summary Form

Transfer/PA # T- 13528

GW Reviewer Aurora C Bouchier Date Review Completed: 11/12/2020

Summary of Same Source Review:

☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Injury Review:

☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Ground Water Review Form:

- ☐ Water Right Transfer
☒ Permit Amendment
☐ GR Modification
☐ Other

Application: T-13528

Applicant Name: City of Redmond

Proposed Changes: ☒ POA ☐ APOA ☐ SW→GW ☐ RA
☐ USE ☐ POU ☐ OTHER

Reviewer(s): Aurora C Bouchier

Date of Review: 11/12/2020

Date Reviewed by GW Mgr. and Returned to WRSD: JTI 11/20/20

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- ☐ The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- ☐ Other _____

1. Basic description of the changes proposed in this transfer: This transfer proposes changing the location of proposed Well 9 on permit G-18292. The proposed change will bring the location of proposed Well 9 under this permit in line with the location of proposed Well 9 under Certificates 87796, 89448, 89447 and 89415 (as amended by recent transfer T-13391).

This transfer also wishes to correct a scrivener's error describing the location of Well 8 reference FROM the SE corner of Section 10 TO the SE corner of Section 19.

2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?
☒ Yes ☐ No Comments: All wells in under this water right are producing from water-bearing zones in the Deschutes Formation within the Middle Deschutes River ZOI
3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?
☐ Yes ☒ No _____
- b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): _____
4. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?
☐ Yes ☒ No Comments: The proposed location change brings Well 9 approximately 1800-feet nearer to proposed Well 11. Proposed Well 11 is included on the same water rights as proposed Well 9.

b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?

☐ Yes ☐ No If yes, explain: _____

5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?

☐ Yes ☒ No Comments: _____

b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?

Stream: _____ ☐ Minimal ☐ Significant

Stream: _____ ☐ Minimal ☐ Significant

Provide context for minimal/significant impact: _____


6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?

☐ Yes ☐ No Comments: NA


7. What conditions or other changes in the application are necessary to address any potential issues identified above: NA

8. Any additional comments: The groundwater in this region of the Deschutes Basin has been declining since the 1990's with a reduced decline rate from approximately 1997 through 2002 following high precipitation years in the mid 1990's. Some of the basin wells which have long-term monitoring records have recently been abandoned or become un-measurable. Water-level measurements (required in Certificate 87796) should continue to be made on all wells – including the proposed APOAs.

Well Location Map



Water-Level Trend in Nearby Wells



Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department
725 Summer St NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Transfer Application: T-13528

Review Due Date: 10/29/2020

Applicant Name: City of Redmond; Josh Wedding

Proposed Changes: ☐ POU ☐ POD ☒ POA ☐ USE ☐ OTHER

Reviewer(s): Giffin

Date of Review: 10/05/2020

1. Do you have evidence that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? ☐ Yes ☒ No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2. Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? ☐ Yes ☒ No Generally characterize the frequency of any regulation or explain why regulation has not occurred:
3. Have headgate notices been issued for the source that serves the transferred right(s)?
☐ Yes ☒ No ☐ Records not available.
4. In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? ☐ Yes ☒ No If "Yes", explain:
5. In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? ☐ Yes ☒ No If "Yes", describe how the rights would be affected and list the rights most affected:

6. Check here ☐ if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most:

☒ N/A

7. For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses:

☒ N/A

8. For instream transfers that propose protection of a reach beyond the mouth of the source stream:

☒ N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? ☐ Yes ☐ No

9. For POU changes: ☒ N/A Is it likely the original place of use would continue to receive water from the same source? ☐ Yes ☐ No If "Yes", explain:

10. For POU or USE changes: ☒ N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste? ☐ Yes ☐ No If "Yes", explain:

11. For POU changes that involve micro-irrigation: ☒ N/A

- a. Has the applicant made changes (absent a transfer) to convert to micro-irrigation within the current place of use boundary of the water right proposed for transfer, and previously demonstrated to the Department through monitoring and site inspections by the Watermaster that the proposed transfer will not result in injury or enlargement?

☐ Yes ☐ No If "Yes", explain:

- b. Has a temporary transfer of this nature been previously filed and approved on the same lands (or portions thereof) as those lands involved in this transfer?

☐ Yes ☒ No If "Yes", answer the following:

- i. Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? ☐ Yes ☐ No If "Yes", explain:

- ii. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? ☐ Yes ☐ No If "No", explain:

- iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- iv. Do you have any other observations regarding the temporary transfer?

☐ Yes ☐ No If "Yes", describe:

- v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- c. To the best of your knowledge, if this transfer is approved, does it appear that:

- i. "Injury" will occur to other water rights that share the same source?

☐ Yes ☒ No If "Yes", explain:

- ii. "Enlargement" of the water right being transferred will occur?

☐ Yes ☒ No If "Yes", explain:

12. Are there other issues not identified through the above questions that should be considered in determining whether the change "can be effected without injury to other rights"?

☐ Yes ☒ No If "Yes", explain:

13. What alternatives may be available for addressing any issues identified above:

14. Do conditions need to be included in the transfer order to avoid enlargement of the right or injury to other rights? ☐ No ☒ Yes, as checked and provided below:

☐ For POU changes that involve micro-irrigation, provide the monitoring and reporting conditions necessary to prevent injury/enlargement:

☐ A Headgate should be required prior to diverting water.

☐ Measurement Devices for POD or POA: (if this condition is selected, also fill in the top sections of Page 4)

a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, ☒ at each point of diversion/appropriation (new and existing) OR at each new point of diversion/appropriation ☐ with the exception that water rights issued to the Bureau of Reclamation or an irrigation district (or similar entity) are not subject to this condition.*

b. The water user shall maintain the meters or measuring devices in good working order.

c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

☐ Reservoir water use measurement: (if this condition is selected, also fill in the top sections of Page 4)

a. Before water use may begin under this order, the water user shall install staff gages, or, with prior approval of the Director, other suitable measuring devices, that measure the entire range and stage between empty and full in each reservoir. Staff gages shall be United States Geological Survey style.*

b. Before water use may begin under this order, if the reservoir is located in channel, weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, an adjustable outlet valve must be installed. The water user shall maintain such devices in good working order. A written waiver may be obtained, if in the judgment of the Director, the installation of weirs or other suitable measuring devices, or the adjustable outlet valve, will provide no public benefit.

* The following alternative device(s) should be substituted for the bold, underlined device in the above selected condition:

☐ Weir	☐ Submerged Orifice
☐ Parshall Flume	☐ Flow Restrictor
☐ Other: ____	

Oregon Water Resources Department
Measurement Condition Information for the Applicant
(To be sent with the Draft Preliminary Determination or Final Order)

Transfer #: T- 13528

☒ In order to avoid enlargement of the right or injury to other rights, a **totalizing flowmeter** will be required to be installed **prior to diversion of water**, as a condition of this transfer:

☒ at each point of diversion/appropriation (new and existing) **OR**

☐ at each new point of diversion/appropriation.

For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:

Watermaster name: **Jeremy Giffin**

District: **11**

Address: **231 SW Scalehouse Lp STE 103**

City/State/Zip: **Bend, Oregon 97702**

Phone: **541-306-6885**

Email: **Jeremy.T.Giffin@oregon.gov**

Note: If a device other than the one specified in the Preliminary Determination or Final Order is approved by the Watermaster, fill out and mail the form below to the Salem office.

Approval of an Alternate Measurement Device **T-**
(to be filled out after consultation with the applicant, or after a site visit)

On behalf of the Director, I authorize use of the following suitable **alternate measurement device**:

 Watermaster signature

 District

 Date

If this form is used for approval of an alternative measurement device, it must be mailed to:

Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, OR 97301-1266



Oregon
Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

September 29, 2020

CITY OF REDMOND
JOSH WEDDING
411 SW 9TH ST
REDMOND, OR 97756

Reference: Application T- 13528

On September 21, 2020, we received your water right Transfer application. The application was accompanied by \$1570.00. Our receipt number 133516 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to our groundwater staff to determine whether the proposed well accesses the same source of water as the original well.

This application may require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

Except as provided under ORS 540.510(3) for municipalities, you may not use water from the new point of appropriation until a final order approving the application has been issued by the Department.

Refer to the following page for a chart showing the steps and expected timelines for the processing of your application.

If you have any questions, please contact the Transfer Section at (503) 986-0815.

Cc: Watermaster Dist. #11 (via email)
Central Oregon Irrigation District
Adam Sussman, Agent

Enclosure

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **133516**

INVOICE # _____

RECEIVED FROM: B-SF Water Solutions, Inc.

APPLICATION	
PERMIT	
TRANSFER	<u>T-13528</u>

BY: _____

CASH: ☐ CHECK: # 22844 OTHER: (IDENTIFY) ☐

TOTAL REC'D \$ 1,570.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES	\$
OTHER: (IDENTIFY)	\$
0243 I/S Lease	0244 Muni Water Mgmt. Plan
0245 Cons. Water	

4270 WRD OPERATING ACCT

MISCELLANEOUS		
0407 COPY & TAPE FEES		\$
0410 RESEARCH FEES		\$
0408 MISC REVENUE: (IDENTIFY)		\$
TC162 DEPOSIT LIAB. (IDENTIFY)		\$
0240 EXTENSION OF TIME		\$
WATER RIGHTS:		
0201 SURFACE WATER	EXAM FEE \$	0202 \$
0203 GROUND WATER	\$	0204 \$
0205 TRANSFER	\$ <u>1,570.00</u>	
WELL CONSTRUCTION		
0218 WELL DRILL CONSTRUCTOR	EXAM FEE \$	0219 \$
LANDOWNER'S PERMIT		0220 \$
OTHER (IDENTIFY)		

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE	\$	CARD #	
0210 MONITORING WELLS	\$	CARD #	
OTHER (IDENTIFY)			

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FWWRD)		\$
0231 HYDRO LICENSE FEE (FWWRD)		\$
HYDRO APPLICATION		\$

TREASURY OTHER / RDX

FUND	TITLE
OBJ. CODE	VENDOR #
DESCRIPTION	\$

RECEIPT: **133516**

DATED: 9-21-2020 BY: [Signature]



State of Oregon
Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900

Application for Permit Amendment

Part 1 of 5 – Minimum Requirements Checklist

This permit amendment application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED
SEP 21 2020

Check all items included with this application. (N/A = Not Applicable)

OWRD

- ☒ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Application Map Checklist.
- ☒ Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator. If you have questions, call Customer Service at (503) 986-0801.
- ☒ Part 4 – Completed Applicant Information and Signature.
- ☒ Part 5 – Information about Permits to be Amended: **Number of permits to be amended: 1**
List the Permits here: G-18292 (Attachment A)
Please include a separate Part 5 for each permit. (See instructions on page 6)
- ☒ Completed Permit Amendment Application Map (Does not have to be prepared by a Certified Water Right Examiner). **(Attachment B)**
- ☐ ☒ N/A Request for Assignment Form and statutory fee. The request for assignment form has to be completed if the applicant is **not** the permit holder of record and needs to be assigned to the permit; **or** the landowner of the proposed place of use is **not** the permit holder of record and needs to be assigned to the permit (the Request for Assignment Form is available online at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>). Assignment is not needed if the applicant is the permit holder of record.
- ☐ ☒ N/A Affidavit(s) of Consent are required from all permit holder(s) of record if the permit is not assigned to the applicant **or** other permit holders of record that are not listed as applicants.
- ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone. **(Attachment C)**
- ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation. **(Attachment D)**
- ☐ ☒ N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500 feet from the surface water source and more than 1000 feet upstream or downstream from the point of diversion. (ORS 540.531(2) or (3)).

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

___ Application fee not enclosed/insufficient

___ Map not included or incomplete

___ Land Use Form not enclosed or incomplete

___ Additional signature(s) required

___ Part ___ is incomplete

Other/Explanation _____

Staff: _____ 503-986-0 _____

Date: ____/____/____

Part 2 of 5 – Permit Amendment Map Checklist

Your permit amendment application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

RECEIVED
SEP 21 2020

OWRD

- ☐ ☒ N/A If **more than three** permits are involved, separate maps for each permit.
- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- ☒ Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes separate hachuring for each water use permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the permit is being changed, a separate hachuring is needed for the portion of the permit left unchanged.
- ☐ ☒ N/A If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water use permit.
- ☒ ☐ N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Part 3 of 5 – Fee Worksheet

FEE WORKSHEET for PERMIT AMENDMENT			
1	Base Fee (includes one type of change to one permit for up to 1 cfs)	1	\$1,160
2	Types of change proposed: ☐ Place of Use ☒ Point of Diversion/Appropriation Number of above boxes checked = 1 (2a) Subtract 1 from the number in line 2a = 0 (2b) <i>If only one change, this will be 0</i> Multiply line 2b by \$930 and enter » » » » » » » » » » » » » » » »	2	\$0
3	Number of permits included in Permit Amendment 1 (3a) Subtract 1 from the number in 3a: 0 (3b) <i>If only one permit this will be 0</i> Multiply line 3b by \$520 and enter » » » » » » » » » » » » » » » »	3	\$0
4	Do you propose to add or change a well, or change from a surface water POD to a well? ☐ No: enter 0 » ☒ Yes: enter \$410 »	4	\$410
5	Do you propose to change the place of use? ☒ No: enter 0 on line 5 » ☐ Yes: enter the cfs for the portions of the permits to be amended (see example below*): _____ (5a) Subtract 1.0 from the number in 5a above: _____ (5b) If 5b is 0, enter 0 on line 5 » If 5b is greater than 0, round up to the nearest whole number: _____ (5c) and multiply 5c by \$350, then enter on line 5 » » » » » » » » » » » » » » » »	5	\$0
6	Add entries on lines 1 through 5 above » » » » » » » » » » Subtotal:	6	\$1,570
7	Is this permit amendment: ☐ necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? ☐ endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 » If no box is applicable, enter 0 on line 7 » » » » » » » » » » » » » » » »	7	0
8	Subtract line 7 from line 6 » » » » » » » » » » Permit Amendment Fee:	8	\$1,570

RECEIVED
SEP 21 2020
OWRD

*Example for Line 5a calculation to transfer 45.0 acres of Primary Permit S-12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Permit S-87654 (1/80 cfs per acre) on the same land:

1. For irrigation calculate cfs for each permit involved as follows:
 - a. Divide total authorized cfs by total acres in the permit (*for S-12345, 1.25 cfs ÷ 100 ac*); then multiply by the number of acres to be changed to get the application cfs (*x 45 ac = 0.56 cfs*).
 - b. If the water right permit does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (*For S-87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs*)
2. Add cfs for the portions of permits on all the land included in the application; however **do not count cfs for supplemental permits on acreage for which you have already calculated the cfs fee for the primary permit on the same land**. The fee should be assessed only once for each “on the ground” acre included in the application. (*In this example, blank 5a would be only 0.56 cfs, since both permits serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0*).

13528

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME City of Redmond, Attn: Josh Wedding			PHONE NO. 541-504-2022	ADDITIONAL CONTACT NO.
ADDRESS 411 SW 9th Street			FAX NO.	
CITY Redmond	STATE OR	ZIP 97756	E-MAIL Joshua.Wedding@redmondoregon.gov	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME GSI Water Solutions, Attn: Adam Sussman			PHONE NO. 541-257-9001	ADDITIONAL CONTACT NO.
ADDRESS 1600 SW Western Blvd., Suite 240			FAX NO.	
CITY Corvallis	STATE OR	ZIP 97333	E-MAIL asussman@gsiws.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Explain in your own words what you propose to accomplish with this permit amendment; and why:
The Applicant is proposing to change the location of one authorized point of appropriation for Permit G-18292.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

☐ Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Is the applicant the permit holder of record? ☒ Yes ☐ No

If NO, include either:

- ☐ A completed assignment form (with required statutory assignment fee), assigning all or a portion of the permit to the applicant(s), **OR**
- ☐ An affidavit of consent from the permit holder(s) of record that gives permission for the applicant to amend the permit.

Has the Completion ("C") Date of the permit(s) in this application expired? ☐ Yes ☒ No

If YES, this application will not be accepted by the Department.

If NO, what are the completion dates of the permit(s)? 5/9/2033

- If the permit completion date expires while the Permit Amendment Application is pending, the Department will not approve the Permit Amendment Application until an Extension of Time Application is approved for the permit.
- You may consider using the Reimbursement Authority process to expedite the processing of this Permit Amendment Application if the completion date of the permit expires within 6 months of the date of filing this application.


By my signature below, I confirm that I understand:

- Prior to Department approval of the permit amendment, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the permit is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: The Redmond Spokesman.

RECEIVED

SEP 21 2020

OWRD

 I (we) affirm that the information contained in this application is true and accurate.

Josh Wedding
Applicant Signature

Josh Wedding, Water Utilities Manager
Print Name (and Title if applicable)

9-8-20
Date

Josh Wedding
Applicant Signature

Print Name (and Title if applicable)

9-8-20
Date

RECEIVED

SEP 21 2020

OWRD

13528

Check one of the following:

- ☒ The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- ☐ The permit holder(s) of record will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to the permit holder(s) of record.


Check the appropriate box, if applicable:

- ☒ Check here if any of the permits proposed for amendment are or will be located within or served by an irrigation or other water district. **Although the authorized place of use for the permit proposed for amendment is located within the boundaries of the Central Oregon Irrigation District service area, this groundwater right is neither held by nor served by the District.**

IRRIGATION DISTRICT NAME Central Oregon Irrigation District	ADDRESS 1055 SW Lake Ct.	
CITY Redmond	STATE OR	ZIP 97756

- ☐ Check here if water for any of the permits supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME N/A	ADDRESS	
CITY	STATE	ZIP

 To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME City of Redmond	ADDRESS 411 SW 9th St.	
CITY Redmond	STATE OR	ZIP 97756

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

RECEIVED
SEP 21 2020
OWRD

Part 5 of 5 – Water Use Permit Information

Please use a separate Part 5 for each permit being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

RECEIVED

SEP 21 2020

PERMIT # G-18292

OWRD

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
(Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 6	☒ Authorized ☐ Proposed	DESC 55853	15 S	13 E	21	NW SE	400	North 35° 38' 4" West 2443.94 feet from the SE corner of Section 21
Well 7	☒ Authorized ☐ Proposed	DESC 57788	15 S	13 E	10	SW SE	1100	1210 feet North and 1640 feet West from the SE corner of Section 10
Well 8	☒ Authorized ☐ Proposed	N/A	15 S	13 E	19	SE SW	102	513 feet North and 2807 feet West from the SE corner of Section 19*
Well 9	☒ Authorized ☐ Proposed	N/A	15 S	13 E	16	SW NW	109	1457 feet South and 580 feet East from the NW corner of Section 16
Well 9	☐ Authorized ☒ Proposed	N/A	15 S	13 E	9	SW SW	200	185 feet North and 1190 feet East from the SW corner of Section 9
Well 10	☒ Authorized ☐ Proposed	N/A	15 S	13 E	9	SE NW	506	1332 feet South and 2020 feet East from the NW corner of Section 9
Well 11	☒ Authorized ☐ Proposed	N/A	15 S	13 E	9	NE SW	103	2530 feet North and 2160 feet East from the SW corner of Section 9

*** This location description represents the accurate location of Well 8. Due to a scrivener's error in the final order for T-13114, superseding Permit G-18292 incorrectly describes the location of Well 8 with a reference to the SE corner of Section 10, instead of Section 19. The applicant requests that this location description be corrected in the final order for the permit amendment.**

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|---|--|
| ☐ Place of Use (POU) | ☒ Point of Appropriation/Well (POA) |
| ☐ Point of Diversion (POD) | ☐ Additional Point of Appropriation (APOA) |
| ☐ Additional Point of Diversion (APOD) | ☐ Surface water POD to Ground Water POA (SW/GW) |

Will all of the proposed changes affect the entire water use permit?

- ☒ Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- ☐ No Complete all of Table 2 to describe the portion of the permit to be changed.

For a change in place of use:

Does the permit holder of record own or control the land TO which the place of use is being moved?

☐ Yes ☐ No ☒ N/A (Change in POA only)

If NO, the landowner of the land TO which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

Is the proposed place of use contiguous to the authorized place of use? ☐ Yes ☐ No ☒ N/A (Change in POA only)

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use **unless** the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

RECEIVED

SEP 21 2020

OWRD

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Use Permit # G-18292

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.										Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.													
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acre (if applicable)	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acre (if applicable)	POD(s) or POA(s) to be used (from Table 1)	Priority Date				
EXAMPLE																								
2	S	9	E	15	NE	NW	100		15.0	POD #1 POD #2		POU/POD	2	S	9	E	15	NW	NW	100	1	10.0	POD #5	
"	"	"	"	"	"	"	"	"	EXAMPLE	"		"	2	S	9	E	15	SW	NW	200		5.0	POD #6	
												POA	Municipal Service Boundary of the City of Redmond								Well 6 Well 7 Well 8 Well 9 Well 10 Well 11	1/13/1999		
TOTAL ACRES											TOTAL ACRES													

Additional remarks: The City is requesting to change the authorized location for Well 9. All other elements of Permit G-18292 would remain the same. Please refer to Attachment B, Permit Amendment Application Map, for the location of the authorized place of use (the City's municipal service boundary).

RECEIVED

SEP 21 2020

OWRD

Are there other water rights certificates, water use permits or ground water registrations associated with the "from" or "to" lands? ☒ Yes ☐ No

If YES, list the other certificate, permit, or ground water registration numbers: N/A - The authorized use is municipal use, so water rights are not "layered."



If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

RECEIVED

SEP 21 2020

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

(See Attachment D for well logs of Well 6 and Well 7)

OWRD

- ☒ Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

AND/OR

- ☒ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
Well 8	No	N/A	880 ft	16 in	+2-525	0-300 ft	525-875 (assemblage)	325 ft	Basalt & alluvial deposits	3,500 gpm
Well 9	No	N/A	800 ft	16 in	+2-800	0-100 ft	507-547 567-797	259 ft	Basalt & alluvial deposits	3,300 gpm

STATE OF OREGON

COUNTY OF DESCHUTES

PERMIT TO APPROPRIATE THE PUBLIC WATERS

RECEIVED

SEP 21 2020

OWRD

THIS PERMIT IS HEREBY ISSUED TO

CITY OF REDMOND
411 SW 9TH ST
REDMOND, OR 97756

This superseding permit is issued to correct a scrivener's error in the description of the location of Wells 6, 7, and 10, approved by a Corrected Order, recorded at Special Order Volume 114, Page 623, entered DEC 31 2019. This permit correctly describes an amendment for a change in points of appropriation under Permit Amendment Application T-13114 and approved by Special Order Vol. 113, Page 958 – 960, entered August 28, 2019. This permit supersedes Permit G-18266, originally G-17042.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-14908

SOURCE OF WATER: SIX WELLS IN THE DESCHUTES RIVER BASIN

PURPOSE OR USE: MUNICIPAL USE

MAXIMUM RATE/VOLUME: 25.0 CUBIC FEET PER SECOND, LIMITED TO A MAXIMUM ANNUAL VOLUME OF 3492.0 ACRE FEET

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: JANUARY 13, 1999

WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
15S	13E	WM	9	SE NW	WELL 10 – 1332 FEET SOUTH AND 2020 FEET EAST FROM THE NW CORNER OF SECTION 9
15S	13E	WM	9	NE SW	WELL 11 – 2530 FEET NORTH AND 2160 FEET EAST FROM THE SW CORNER OF SECTION 9
15S	13E	WM	10	SW SE	WELL 7 – 1210 FEET NORTH AND 1640 FEET WEST FROM THE SE CORNER OF SECTION 10
15S	13E	WM	16	SW NW	WELL 9 – 1457 FEET SOUTH AND 580 FEET EAST FROM THE NW CORNER OF SECTION 16
15S	13E	WM	19	SE SW	WELL 8 – 513 FEET NORTH AND 2807 FEET WEST FROM THE SE CORNER OF SECTION 10
15S	13E	WM	21	NW SE	WELL 6 – NORTH 35 DEGREES 38 MINUTES 4 SECONDS WEST 2443.94 FEET FROM THE SE CORNER OF SECTION 21

13528

RECEIVED

SEP 21 2020

OWRD

THE PLACE OF USE IS LOCATED AS FOLLOWS:

WITHIN THE MUNICIPAL SERVICE BOUNDARY OF THE CITY OF REDMOND

Permit Amendment T-12887 Conditions:

The quantity of water diverted at the new points of appropriation (Wells 6, 7, and 8), shall not exceed the quantity of water lawfully available at the original points of appropriation (Wells 6, 7, and 8).

Water shall be acquired from the same aquifer as the original points of appropriation.

WMCP Conditions:

The next requirement related to the City's approved WMCP calls for the submittal of an updated WMCP to the Department by **November 14, 2022**.

Original Permit Conditions:

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of appropriation. The permittee shall maintain the meter in good working order.
- B. The permittee shall keep a complete record of the amount of water used each month, and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- C. The permittee shall allow the watermaster access to the meter; provided however, where any meter is located within a private structure, the watermaster shall request access upon reasonable notice.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

Use of water under authority of this permit may be regulated if analysis of data available after the permit is issued discloses that the appropriation will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife in effect as of the priority date of the right or as those quantities may be subsequently reduced. However, the use of ground water allowed under the terms of this permit will not be subject to regulation for Scenic Waterway flows so long as mitigation is maintained.

Within five years of permit issuance, the permittee shall submit a Water Management and Conservation Plan consistent with OAR Chapter 690, Division 86. The Director may approve an extension of this time line to complete the required Water Management and conservation Plan. The time line for submittal of a plan under this permit does not alter the time lines for submittal of a plan under any other order of the

Department.

OWRD

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well. The Well ID shall be used as a reference in any correspondence regarding the well, including any reports of water use, water level or pump test data.

GROUND WATER MITIGATION CONDITIONS

Mitigation Obligation: 1746.0 acre-feet annually in the General Zone of Impact, located anywhere in the Deschutes River basin above the Madras gage, which is located below Lake Billy Chinook.

Mitigation Source: 1746.0 acre-feet of mitigation water from mitigation project MP-175, established by instream water right certificate 88033, within the General Zone of Impact.

Mitigation water must be legally protected instream for instream use within the General Zone of Impact and committed for the life of the permit and subsequent certificate(s). Regulation of the use and/or cancellation of the permit, or subsequent certificate(s), will occur if the required mitigation is not maintained.

The permittee shall provide additional mitigation if the Department determines that average annual consumptive use of the subject appropriation has increased beyond that originally mitigated amount.

If mitigation is from a secondary right for stored water from a storage use from a storage project not owned or operated by the permittee the use of water under this right is subject to the terms and conditions of a valid contract, a copy of which must be on file in the records of the Water Resources Department prior to use of water.

The permittee shall provide a mitigation update report to the Department, with a copy to WaterWatch, every three years until the permit is fully developed. The report shall compare actual monthly water use to the estimates used for determining prior mitigation requirements and shall identify whether additional mitigation is required.

The permittee shall provide 90 days prior written notice to the appropriate OWRD Watermaster in the event that the permittee intends to irrigate with reclaimed water that originates from water use under this permit.

Failure to comply with these mitigation conditions shall result in the Department regulating the ground water permit, or subsequent certificate(s), proposing to deny any permit extension application for the ground water permit, and proposing to cancel the ground water permit, or subsequent certificate(s).

STANDARD CONDITIONS

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

13528

If the number, location, source, or construction of any well deviates from that proposed in the permit application or required by permit conditions, this permit may be subject to cancellation, unless the Department authorizes the change in writing.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The original permit was issued May 9, 2013. Actual construction of the well(s) was to begin within one year of original permit issuance. Complete application of water to beneficial use shall be on or before May 9, 2033. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued DEC 31 2019

RECEIVED

SEP 21 2020

OWRD



Lisa J. Jaramillo, Transfer and Conservation Section Manager for
THOMAS M. BYLER, DIRECTOR
Oregon Water Resources Department

From: STARNES Patrick K * WRD
To: Leah Cogan
Subject: RE: Map scale waiver request for City of Redmond
Date: Wednesday, September 2, 2020 10:13:32 AM

RECEIVED

SEP 21 2020

OWRD

Hi Leah –

I apologize for the late response.

The Department will grant a map scale waiver for the attached permit amendment application maps. Please include a copy of this e-mail when you submit the maps.

Kelly

Kelly Starnes, Transfer Program Analyst
Oregon Water Resources Department
725 Summer St NE Suite A
Salem OR 97301-1271
Telephone: 503-986-0886 Fax: 503-986-0903
E-mail: patrick.k.starnes@oregon.gov

Please Note: Under Oregon Law, messages to and from this e-mail address may be available to the public.

From: Leah Cogan <lcogan@gsiws.com>
Sent: Tuesday, August 25, 2020 12:48 PM
To: STARNES Patrick K * WRD <Patrick.K.Starnes@oregon.gov>
Subject: RE: Map scale waiver request for City of Redmond

Good afternoon,

I'm following up on this map scale waiver request as the City is hoping to submit the application soon. Please let me know if you need any other information in order to consider the scale waiver request.

Thank you,
Leah

From: Leah Cogan
Sent: Wednesday, July 29, 2020 11:32 AM
To: Patrick.K.Starnes@oregon.gov
Subject: Map scale waiver request for City of Redmond

Good morning Kelly,

The City of Redmond is preparing a permit amendment application to change the location of one

13528

well authorized by Permit G-18292. Because of the size of Redmond's service area, we are requesting a map scale waiver for the place of use map, attached. The authorized/proposed point of appropriation map is also attached and is at a standard scale (1 inch = 1,320 feet).

Please let me know if you have any questions.

Thank you,

Leah Cogan

Water Resources Analyst

mobile: 541.272.9888

1600 SW Western Boulevard, Suite 240, Corvallis, OR 97333

GSI Water Solutions, Inc. | www.gsiws.com

pronouns: she, her

RECEIVED

SEP 21 2020

OWRD

Well Number: #6

State **OR** Zip **97756**

☒ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment

☐ Rotary Air ☐ Rotary Mud ☒ Cable ☐ Auger
☐ Other

☐ Domestic ☒ Community ☐ Industrial ☐ Irrigation
☐ Thermal ☐ Injection ☐ Livestock ☐ Other

Special Construction approval ☐ Yes ☒ No Depth of Completed Well **855** ft.
Explosives used ☐ Yes ☒ No Type Amount

HOLE			SEAL			Amount
Diameter	From	To	Material	From	To	sacks or pounds
26in	0	867	Cement Grout	374	399	88 sacks
			Cement	0	98	12 Cu. Yds.

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E
☐ Other

Backfill placed from 99 ft. to 399 ft. Material **Bentonite 31cyd**
Gravel placed from 399 ft. to 855 ft. Size of gravel **6x12 RMC**

	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing:	16in	+2	550	.375	☒	☐	☒	☐
	16in	850	855	.375	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
Liner:					☐	☐	☐	☐
					☐	☐	☐	☐

Final location of shoe(s)

☐ Perforations Method **Factory**
☒ Screens Type **Slotted** Material **SS316L**

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
550	850	.070		16in	pipe	☒	☐
						☐	☐
						☐	☐
						☐	☐
						☐	☐

☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal/min	Drawdown	Drill stem at	Time
2700	6	400	24 hr.

Temperature of Water **54** Depth Artesian Flow found

Was a water analysis done? ☐ Yes By whom _____

Did any strata contain water not suitable for intended use? ☐ Too little

☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other

Depth of strata:

County **Deschutes** Latitude _____ Longitude _____
Township **15S** N or S. Range **13E** E or W. of WM.
Section **21(D)** **NW** 1/4 **SE** 1/4
Tax lot **400** Lot _____ Block _____ Subdivision _____
Street Address of Well (or nearest address) **2551 S.W. 6th St.,**
Redmond, OR

336 ft. below land surface. Date 12/22/03
Artesian pressure lb. per square inch. Date

Depth at which water was first found

From	To	Estimated Flow Rate	SWL
342	697	1500	336
697	811	1000	336
811	867	4000+	336

Ground elevation

[illegible]

Date started **4/2/03** Completed **12/31/03**

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to my best knowledge and belief.

WWC Number _____
Date _____

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed Robert Buck WWC Number 1385
Date 1/27/04

Robert Buckner

13528

DESC
55853DRILLERS'
LOG OF BOREHOLEBOREHOLE REDMOND WELL #6PAGE 1 OF 6LOC. OR COORDS. SE 1/4 Sec.DRILLER WESTERN WATER21, T.15S., R.13E. (Williams Lake)DEVELOPMENT

GROUND ELEV. _____

TOTAL DEPTH _____

BOREHOLE DIAM. 2.6"RIG BACTUS-ERIE 36LBIT(S) 2.6" StarFLUID Not Applicable

START

FINISH

DATE 4/02/03 10/31/03TIME 08:30 16:00GEOPHYS. LOG YES NOHOW LEFT See Geophys. logLOCATION 121° 10' 28" W 44° 15' 35" N
LOGGED BY GALE ABERNATHY & DDB BUCKNERPROJECT CITY OF REDMOND, OR
WELL #6

DEPTH	PEN. RATE	CIRC. REV. LOSS	AIR LIFT Q(GPM)	MATERIAL	SYM-BOL	DESCRIPTION AND COMMENTS
	1.047	6.6	7/4			0-1 Brown sand 1-2 Broken brown & grey lava
10	8.5 0 2.5 3.5	4/3 7/4 4/7 4/4		Lava Flow		2-14' Grey vesicular lava
20	0 0 0	4/4 4/4 4/4				14-24' Hard grey lava
30	4	4/10		Rubble Zone		24-28.5' Brown lava w/ red cinders
40	1 2 3	4/10 4/11 4/11				31-32 Hard grey lava 32-33 Brown lava 33-34 Dark Brown & grey lava rock, broken or caving 34-35 Brown & grey lava, broken, caving 35-40 Hard grey lava 40-43 Hard grey lava 43-45 Hard grey rock 45-47 Hard grey rock
50	2 2 3	4/10 4/10 4/13				47-50 Grey lava rock
	5	1/12				Hard grey lava
60	4 2.5	4/14 4/15		Lava Flow		55-59 Hard grey lava Med grey lava 61-66 Medium grey lava
70	5	4/15				66-71 Medium grey lava 71-77 Medium grey lava Med. grey lava
80	6	4/30				Med. hard grey lava
90	4 6 3	5/2 5/3 5/10		Inter Flow Zone		86-88 Med Hard grey lava 88-91 Red & Brown Conglomerate 91-92 Harder grey & brown lava 92-95 Hard dark grey lava 95-101 Black, grey & brown lava
100	6	5/7				
	5	5/8				
110	4 3 2	5/9 5/10 5/11		Cinders Sandstone		107.5-108.5' Red Cinders conglomerate 110-113 Brown & Grey lava 113-115 Brown & Grey lava 115-119 Brown & Grey lava 119-122 Hard grey lava 122-127 Grey lava 127-131 Med. grey lava 131-134 Hard grey lava 134-136 Hard grey lava 136-142 Med grey lava 142-146 Med grey lava 146-149 Med. grey lava 149-150 Red & brown sandstone
120	9 2 5	5/12 5/13 5/14				
130	5 3 2	5/15 5/16 5/17		Lava Flow		
140	6	5/17				
150	4 9	5/18 5/21		Sandstone		

RECEIVED

SEP 21 2020

OWRD

RECEIVED

JAN 28 2004

Added
comment to
stabilize
borehole

DESC
55853

DRILLERS'
LOG OF BOREHOLE

BOREHOLE REDMOND WELL #4

PAGE 2 OF 6

LOC. OR COORDS. SE 1/4 Sec. 21
T. 15S, R. 13E. (Willamette Meridian)
GROUND ELEV. _____
TOTAL DEPTH 872 FT
BOREHOLE DIAM. 26"

DRILLER WESTERN WATER
DEVELOPMENT _____
RIG BURRUS-ERIS 36L
BIT(S) 26" STAR
FLUID Not Applicable

START FINISH
DATE 4/02/03 10/30/03
TIME 08:30 16:00
GEOPHYS. LOG YES NO
HOW LEFT See Constr Log

LOCATION 121° 10.423' W 44° 15.173' N
LOGGED BY GAIL ABERNATHY & BOB BURKHMAN

PROJECT CITY OF REDMOND, OR
WELL # 4

DEPTH	PEN. RATE	CIRC. RET. LOSS	AIR LIFT Q (GPM)	MATERIAL	SYM-BOL	DESCRIPTION AND COMMENTS
160		9 3/4				150-151 Red & brown sandstone
		7 3/4				153-162 Medium brown sandstone
170						MISSING reports
		6 5/8		Sandstone		170-172 Brown & green sandstone
180		8 5/8				172-176 Brown & grey - Broken Water loss 174'
		5 5/8				170-174 Brown & black sandstone
190		3 5/8				187-189 Brown & black sandstone
		4 1/2				189-192 Grey & black sandstone
		2 5/8				192-196 Grey & brown lava
200		1 5/8				196-198.5 Broken brown & grey lava
		3 6/8		Basalt Lava Flow		198.5-203 Hard grey basalt, broken
210		5 6/8				203-206 Hard grey basalt, broken
		2 4/8				206-211 Hard grey basalt, broken
220		3 4/8				211-213 Grey basalt
		4 4/8				213-216 Grey basalt
		4 4/8				216-220 Hard grey basalt
230		4 4/8				220-224 Hard grey basalt
		2 4/8				224-228 Hard grey basalt. Loss zone @ 224.5'
		5 4/8				228-230 Broken grey lava Run 2nd Plumbness Test
240		3 4/8				230-235 Broken black & brown lava
		7 4/8				235-238 Hard dark grey-black lava - Caving?
		5 4/8		Basalt Lava Flow		238-242 Black & Brown lava - Sloughing + @ 226'
250		6 4/8				242-247 Black & brown lava, softer & broken
		4 6/8				247-253 Black & brown lava
260		4 6/8				253-257 Hard grey basalt
		5 4/8				257-260 Hard grey basalt
		8 4/8		Volcanic Conglomerate		260-262 Broken grey
270		8 4/8				262-270 Brown volcanic conglomerate
		4 4/8				270-278 Brown volcanic conglomerate
280		14 4/8				278-292 Brown volcanic conglomerate
290		3 4/8				292-295 Brown volcanic conglomerate Rig down for repairs thru 9/10
300		7 4/8				295-300 Dark grey volcanic conglomerate

RECEIVED

JAN 28 2004

RECEIVED

SEP 21 2020

OWRD

13528

DRILLERS' LOG OF BOREHOLE

BOREHOLE Redmond Well 6

PAGE 3 OF 6

LOC. OR COORDS. SE 1/4 Sec 21

DRILLER WESTERN WATER

T. 15N, R. 13E. (Willamette Meadows)

DEVELOPMENT

GROUND ELEV. _____

START FINISH

DATE 4/02/05 10/30/03

TIME 08:30 16:00

TOTAL DEPTH 872 FT

RIG Buckeye Erie 36L

GEOPHYS. LOG EYES NO

BOREHOLE DIAM. 26"

BIT(S) 26" STAR

HOW LEFT See Conn. Log

FLUID M/A

LOCATION 121° 10' 42" W 44° 45' 13" N
LOGGED BY G. BERGSON & B. BUCKNER

PROJECT CITY OF REDMOND, OR
WELL #6

DEPTH	PEN. RATE	CIRC.		AIR LIFT Q (GPM)	MATERIAL	SYM- BOL	DESCRIPTION AND COMMENTS
		RET.	LOSS				
		7	7/8		volcanic conglom- erate	300-307	
310		5	7/9			307-312	Dark grey volcanic conglomerate
		6	7/10			312-316	Dark grey volcanic conglomerate
320		7	7/11		Sandstone	316-318	Brown hard sandstone
		7	7/11			318-320	Brown sandstone
330		7	7/14			320-327	Brown sandstone
		6	7/15			327-332	Brown sandstone
340		9	7/16		sandstone w/ gravel	332-334	Dark grey sandstone
		11	7/17			334-338	Brown sandstone
350		12	7/18			338-347	Brown sandstone w/ gravel
360		10	7/21		Sandstone	347-358	Brown sandstone w/ gravel & silt
370		1	7/25			358-370	Brown sandstone w/ gravel
380		10	7/21			370-380	Grey sandstone
390		6	7/25			380-381	Note: problems with casing, lost 9' 7/26, filled 380 to 371'
400		8	7/28			381-391	light grey sandstone
410		13	7/29			391-397	grey sandstone
420		10	7/30			397-405	Brown & grey sandstone
430		10	7/31			405-418	Brown sandstone
440		8	8/1			418-428	Brown & grey sandstone
450		6	8/4			428-438	Brown & grey sandstone
						438-445	Brown & grey sandstone
						445-451	Red-brown sandstone

RECEIVED

SEP 21 2020

OWRD

RECEIVED

JAN 28 2004

Plumbness & Alignment
test performed at
440'

DRILLERS' LOG OF BOREHOLE

BOREHOLE Redmond Well 6PAGE 4 OF 6

LOC. OR COORDS. SE 1/4 Sec 21, T. 15S, R. 13E. (W. 1/4 quarter) DRILLER WESTERN
WATER DEVELOPMENT
 GROUND ELEV. _____
 TOTAL DEPTH 872 ft RIG Bacynus Erie 36L
 BOREHOLE DIAM. 26" BIT(S) 26" steel
 FLUID N/A

START FINISH
 DATE 4/02/03 10/30/03
 TIME 08:30 16:00
 GEOPHYS. LOG X YES NO
 HOW LEFT See Core Log

DEPTH	PEN. RATE	CIRC. REC. LOSS	AIR LIFT (GPM)	MATERIAL	SYM-BOL	DESCRIPTION AND COMMENTS
460	11 8/5			sandstone	457-462	Red brown sandstone
					462-468	Brown-tan sandstone
470	14 8/6				468-470	Brown-Tan sandstone
					470-477	Grey sandstone
480	11 8/7				476-487	Grey sandstone
490	8 8/8				487-492	Grey sandstone - possibly broken. Add 1 hour
500	13 8/11				495-500	Brown & grey sandstone
					500-508	Grey sandstone, softer
510	12 8/12				508-520	Grey sandstone w/ black sand streaks
520	10 8/13				520-530	Brown & grey sandstone
530	12 8/14			sandstone w/ gravel	530-542	Brown sandstone w/ pea gravel
540	12 8/15				542-557	Dark grey sandstone w/ gravel
550						
560	13 8/18				554-567	Dark grey sandstone w/ gravel
570	10 8/19				567-577	Dark grey sandstone w/ gravel Possibly sloughing
580	13 8/20				577-590	Dark grey sandstone w/ gravel
590	15 8/20				590-597	Dark grey sandstone w/ gravel
600					590-597	Tan-brown sandstone w/ gravel

RECEIVED

SEP 21 2020

OWRD

RECEIVED

JAN 28 2004

13528

LOCATION 12° 10.428' N 40° 44' 15.173' W
 LOGGED BY SALE ABERNATHY & BOB BUCKNER

PROJECT CITY OF REDMOND
 WELL # 6

PRILLERS'
LOG OF BOREHOLE

BOREHOLE Redmond well 6PAGE 5 OF 6
 LOC. OR COORDS. SE 1/4 Sec
21, T.15S, R.13E (Williamette)
DRILLER WESTERN

START

FINISH

GROUND ELEV. _____

WATER DEVELOPMENT _____

DATE 4/02/03 10/30/03TOTAL DEPTH 872 FTRIG Bucyrus-Erie 36LTIME 08:30 16:00BOREHOLE DIAM. 26"BIT(S) 26" STARGEOPHYS. LOG X YES NOFLUID N/AHOW LEFT See Constr. Log

FT/ DPT DATE

DEPTH	PEN. RATE	DIR. <u>REL</u>	AIR LIFT Q (GPM)	MATERIAL	SYM-BOL	DESCRIPTION AND COMMENTS
		<u>8/11</u>		Sandstone w/ gravel		597-605 Tan-brown sandstone w/ gravels
610		<u>8/12</u>				605-618 Brown sandstone w/ gravel
620		<u>8/15</u>				618-632 Brown sandstone w/ gravel
630		<u>8/16</u>				632-650 Dark brown sandstone w/ cinders & gravels
640		<u>8/23</u>				650-670 Dark brown sandstone w/ gravels
650		<u>8/18</u>				670-686 Dark brown sandstone w/ gravels
660		<u>8/19</u>				686-697 Dark brown sandstone w/ gravels & cinders
670		<u>9/2</u>				697-699 Hard gray lava
680		<u>9/13</u>				699-703 Hard gray lava
690		<u>9/14</u>				703-706 Hard gray basalt
700		<u>9/5</u>				706-708.5 Hard gray basalt
710		<u>9/8</u>		Basalt lava flow		708.5-712.5
720		<u>9/10</u>				712-715 Hard gray basalt
730		<u>9/11</u>				715-716.5 Hard gray basalt
740		<u>9/12</u>				716.5-724.5 Hard lt gray basalt
750		<u>9/15</u>				724.5-729 Hard gray basalt
760		<u>9/16</u>				729-733 Hard gray basalt
770		<u>7/17</u>		Sandstone w/ gravel		733-735.5 Hard gray basalt
780						735.5-741 Brown sandstone w/ small gravel
790						741-746 Brown sandstone w/ gravel
800						746-753 gray sandstone w/ gravel

RECEIVED

SEP. 21 2020

OWRD

RECEIVED

JAN 28 2006

 LOCATION 121° 10.428' W 44° 15.173' N
 LOGGED BY GALE ABERNATHY & BOB BUCKNER
PROJECT CITY OF REDMONDWELL 26

DRILLERS' LOG OF BOREHOLE

BOREHOLE Redmond Well 6PAGE 6 OF 6LOC. OR COORDS. SE 1/4 Sec 21DRILLER WESTERT. 15S, R. 13E (Williamette)WATER DEVELOPMENT

GROUND ELEV. _____

START FINISH

DATE 4/02/03 10/30/03TIME 08:30 18:00TOTAL DEPTH 872 ftRIG RUCYRUS-EQUIP 36LGEOPHYS. LOG X YES NOBOREHOLE DIAM. 26"BIT(S) 26" STA2HOW LEFT See LogFLUID NONELog

LOCATION 121°10.428'W 44°15.173'N
LOGGED BY GEO ASSOCIATES & BOB BUCKNER

PROJECT CITY OF REDMOND
WELL # 6

DEPTH	PEN. RATE	AIR LIFT Q (GPM)	MATERIAL	SYM-BOL	DESCRIPTION AND COMMENTS
	12 9/13		Sandstone	9-0-0	746-753 grey sandstone w/ gravel
	9 9/18		Basalt		753-757 Hard grey vesicular lava
760	3 9/19				757-760 Hard grey basalt
	3 9/22				760-763 Hard grey basalt
	4 9/23				763-765 Hard grey basalt
			Flow boundary?		765-767 Dark grey lava (soften)
770	7 7/24				767-774 Dark grey lava
	6 7/25				774-780 Grey vesicular lava
780	4 9/26				780-784 Grey Vesicular Basalt, Harder
	4 7/27				784-788
790	4 9/30				788-792 Hard grey basalt
	2 10/1				792-797 Hard grey basalt
	3 10/2		Flow boundary?		797-799 Hard grey basalt
800	7 10/4				799-803 Grey vesicular lava Breccia?
	2				803-806 Hard grey basalt
					806-807 Hard grey basalt
810	5 10/9				807-811 Dark grey vesicular lava Note: Driller remarked the water in the bailer was clean.
	5 10/9				811-816 Dark grey Vesicular lava
	1 10/10		Flow boundary		816-817 Grey vesicular lava
820	5 10/13				817-822 Grey vesicular lava? NO SAMPLE AFTER 818 FT LIVE WATER - ABE
	3 10/14				822-825 Grey vesicular lava? NO SAMPLE COLLECTED IN BAILER
	5 10/15				825-830 Fractured lava? NO SAMPLE
820	5 10/16				830-835 Fractured lava? NO SAMPLE
	7 10/20				835-842 Fractured lava? NO SAMPLE
840	3 10/24				842-845 Fractured lava? Harder. NO SAMPLE
	2 10/22				845-848 Dark grey basalt
850	2 10/23				848-850 Hard grey basalt, Gaining (from surface)
	4 10/24				850-857 Hard grey lava
					857-859 Broken grey lava? No cuttings
860	12 10/27				859-860 Broken lava? No cuttings
			Cinders, sand & gravel		860-866 Dark red-brown cinders with sand & small gravel
					866-868 Brown red cinders & gravels, Note: 4' of fine
870	5 10/28				868-871 Brown & grey vesicular lava
	1 10/29				871-872 [Terminate drilling on 10/29 due to formation instability. Bail the hole on 10/30
880					E-Logged 11/2/03 - sloughed in to 862'

RECEIVED

JAN 28 2004

RECEIVED

SEP 21 2020

OWRD

13528

ORIGINAL - WATER RESOURCES DEPARTMENT FIRST COPY - CONSTRUCTOR SECOND COPY - CUSTOMER

**CITY OF REDMOND
WELL #7 DRILLERS FROMATION LOG**

RECEIVED

SEP 21 2020

OWRD

Description		From	To	
3/4" Crushed Rock		0	1	
Broken Gray Lava		1	15	
Gray Basalt		15	31	
Red Cinders		31	34	
Broken Black/Red Rock		34	53	
Brown Rock		53	61	
Black Lava		61	77	
Brown Sandstone		77	84	
Brown Conglomerate		84	88	
Black Lava		88	107	
Brown Sandstone		107	121	
Redish & Black Lava		121	130	
Brown Sandstone		130	133	
Black Lava		133	144	
Gray Lava		144	158	
Reddish Brown Rock		158	159	
Brown Rock		159	172	
Brown Sandstone		172	176	
Red and Black Lava		176	181	
Redish & Brown Sandstone		181	191	
Black Lava		191	206	
Brown Sandstone		206	209	
Coarse Black Sand		209	221	
Black Lava		221	243	
Brown Sandstone		243	249	
Black Lava & with Brown Ash		249	273	
Hard Black Basalt		273	283	
Red Sandstone		283	306	
Brown Sandstone		306	325	
Light Brown Sandstone		325	335	
Dark Brown Sandstone	WB	335	391	330
Black Sandstone	WB	391	423	328
Fine Black Sand	WB	423	458	328
Brown Sandstone	WB	458	526	328
Broken Blue & Gray Basalt	WB	526	529	328
Blue & Gray Basalt	WB	529	537	328
Gray Basalt	WB	537	553	328
No Cuttings Semi Soft	WB	553	565	328
No Cuttings Harder	WB	565	580	328
Red & Black Basalt	WB	580	600	328
No Cuttings Broken & Hard	WB	600	610	328
Black Basalt	WB	610	613	328
Black Sandstone	WB	613	625	328
Brown Sandstone	WB	625	632	328
Reddish Brown Sandstone	WB	632	641	328
Multi Colored Coarse Sand	WB	641	658	328

RECEIVED

FEB 07 2007

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

JAN 17 2007

WATER RESOURCES DE
SALEM, OREGON

DESC 57788

Dark Brown Sandstone	WB	658	690	328
Brown Sandstone	WB	690	706	328
Blue & Gray Basalt	WB	706	711	328
Gray Basalt	WB	711	731	328
No Cuttings Soft	WB	731	734	328
No Cuttings Harder	WB	734	741	328
No Cuttings Soft	WB	741	745	328
No Cuttings Harder	WB	745	750	328
Broken Vesicular Basalt	WB	750	754	327
Black Sandstone	WB	754	770	327
Black & Brown Sandstone	WB	770	785	327
Vesicular Black Basalt	WB	785	790	327
Vesicular Red & Black Basalt	WB	790	800	327
Hard & Broken No Cuttings	WB	800	810	327
Brown Sandstone with Multi				327
Colored Sand Lenses	WB	810	818	327
Vesicular Red & Black Basalt	WB	818	826	327
Black Sandstone	WB	826	831	327
Black & Gray Basalt	WB	831	838	327
Red & Black Basalt	WB	838	843	327
Vesicular Black Basalt	WB	843	847	327
Hard Black & Gray Basalt	WB	847	850	327
Very Hard Gray Basalt		850	860	327

RECEIVED

SEP 21 2020

OWRD**RECEIVED**

FEB 07 2007

WATER RESOURCES DEPT
SALEM, OREGON**RECEIVED**

JAN 17 2007


WATER RESOURCES DEPT
SALEM, OREGON

CITY OF REDMOND WELL #7 AS BUILT

RECEIVED

SEP 21 2020

OWRD



RECEIVED

FEB 07 2007

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED

JAN

WATER RES.
SALEM,



RECEIVED

SEP 21 2020

OWRD

September 14, 2020

Kelly Starnes
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301

Re: Permit Amendment for Permit G-18292 in the name of the City of Redmond

Dear Mr. Starnes:

GSI Water Solutions, Inc. (GSI) is submitting the enclosed permit amendment application on behalf of the City of Redmond. The City is proposing to change the location of one point of appropriation, Well 9, which is authorized under Permit G-18292. This well has not yet been drilled.

The Permit Amendment Application and a check in the amount of \$1,570.00 for the application fee are enclosed. If you have any questions regarding this application, you may reach me at 541-257-9001.

Sincerely,

A handwritten signature in black ink, appearing to read "Adam Sussman", is written over a horizontal line.

Adam Sussman
Principal Water Resources Consultant

CC: Bill Duerden, City of Redmond
Josh Wedding, City of Redmond

Enclosures: Permit Amendment Application
Check in the amount of \$1,570

13528

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

RECEIVED

SEP 21 2020

OWRD

Applicant(s): City of Redmond, Attn: Bill Duerden

Mailing Address: 411 SW 9th Street

City: Redmond

State: OR

Zip Code: 97756

Daytime Phone: 541-504-2001

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:	Proposed Land Use:
<u>15S</u>	<u>13E</u>	<u>9</u>	<u>SWSW</u>	<u>200</u>	<u>LDR</u>	☒ Diverted ☒ Conveyed ☐ Used	<u>Municipal</u>
_____	_____	_____	_____	_____	_____	☐ Diverted ☐ Conveyed ☐ Used	_____
_____	_____	_____	_____	_____	_____	☐ Diverted ☐ Conveyed ☐ Used	_____

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

City of Redmond

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water ☐ Water Right Transfer ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License ☐ Allocation of Conserved Water ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 25.0 ☒ cubic feet per second ☐ gallons per minute ☐ acre-feet

Intended use of water: ☐ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☒ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

The City of Redmond proposes to change the location of one point of appropriation (Well 9) authorized by Permit G-18292 for municipal use to the location designated on the attached map.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

RECEIVED

SEP 21 2020

OWRD

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- ☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s):
- ☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: Deborah McMahon Title: Planning Manager

Signature: [Signature] Phone: 541-83-7244 Date: 09-3-20

Government Entity: City of Redmond

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information


Applicant name: _____

City or County: _____ Staff contact: _____

Signature: _____ Phone: _____ Date: _____

Permit Amendment Application for Permit G-18292 Authorized and Proposed Points of Appropriation

Deschutes County, Oregon
Township 15 South, Range 13 East (W.M.)



LEGEND

- Authorized Point of Appropriation (POA)
- ⊙ Proposed Point of Appropriation (POA)
- Government Lot (GL)

All Other Features

- Major Road
- Watercourse
- Waterbody

AUTHORIZED POA LOCATION DESCRIPTION

Well 9 Located 1457 feet South and 580 feet East from the NW corner of Section 16, Township 15 South, Range 13 East (W.M.)

PROPOSED POA LOCATION DESCRIPTION

Proposed Well 9 Located 185 feet North and 1190 feet East from the SW corner of Section 9, Township 15 South, Range 13 East (W.M.)


DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

MAP NOTES

Date: August 31, 2020

Data Sources: BLM, Deschutes Co., USGS




Permit Amendment Application Permit G-18292 Authorized Place of Use and Authorized and Proposed Points of Appropriation

RECEIVED

SEP 21 2020

Deschutes County, Oregon
Township 14, 15 South, Range 12, 13 East (W.M.)

OWRD



LEGEND

- Authorized Point of Appropriation (POA)
- Proposed Point of Appropriation (POA)
- Place of Use (POU)
- Redmond Municipal Service Boundary
- Government Lot (GL)

All Other Features

- Major Road
- Watercourse
- Waterbody

AUTHORIZED POA LOCATION DESCRIPTION

Well 6 Located North 35° 38' 4" West 2443.94 feet from the SE corner of Section 21, Township 15 South, Range 13 East (W.M.)
Well 7 Located 1210 feet North and 1640 feet West from the SE corner of Section 10, Township 15 South, Range 13 East (W.M.)
Well 8 Located 513 feet North and 2807 feet West from the SE corner of Section 19, Township 15 South, Range 13 East (W.M.)
Well 9 Located 1457 feet South and 580 feet East from the NW corner of Section 16, Township 15 South, Range 13 East (W.M.)
Well 10 Located 1332 feet South and 2020 feet East from the NW corner of Section 9, Township 15 South, Range 13 East (W.M.)
Well 11 Located 2530 feet North and 2160 feet East from the SW corner of Section 9, Township 15 South, Range 13 East (W.M.)

PROPOSED POA LOCATION DESCRIPTION


Proposed Well 9 Located 185 feet North and 1190 feet East from the SW corner of Section 9, Township 15 South, Range 13 East (W.M.)

DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.


MAP NOTES

Date: August 31, 2020
Data Sources: BLM, Deschutes Co., USGS



Permit Amendment Application for Permit G-18292 Authorized and Proposed Points of Appropriation

Deschutes County, Oregon
Township 15 South, Range 13 East (W.M.)



LEGEND

- Authorized Point of Appropriation (POA)
- ⊙ Proposed Point of Appropriation (POA)
- Government Lot (GL)

All Other Features

- Major Road
- Watercourse
- Waterbody

AUTHORIZED POA LOCATION DESCRIPTION

Well 9 Located 1457 feet South and 580 feet East from the NW corner of Section 16, Township 15 South, Range 13 East (W.M.)

PROPOSED POA LOCATION DESCRIPTION

Proposed Well 9 Located 185 feet North and 1190 feet East from the SW corner of Section 9, Township 15 South, Range 13 East (W.M.)


DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

MAP NOTES

Date: August 31, 2020

Data Sources: BLM, Deschutes Co., USGS



Permit Amendment Application Checklist

Checked by Joan

Date 9/21/20

App # Q-14908

Permit # 5-18292

Permit Amendments are authorized for changes in POD/POA, APOD/APOA, or POU.

(If OK, check box to left; if not, fill in the blank)

- ☒ 1. Is the name of the Permit Amendment applicant the same as the Water Right Permit holder(s) of record?

If not, one of the following must be included with the application:

- ___ a) An affidavit of consent from all Permit holder(s) or the other Permit holders that have not signed the Permit Amendment application form, consenting to the proposed Permit Amendment application; **OR**,
___ b) A completed Request for Assignment form (and statutory fee) to move all (or portion) of the permit into the Permit Amendment applicant's name.

If not, what is missing? _____

- ☒ 2. Page 1 of application: Are all attachments that have been checked actually included?

If not, what is missing? _____

- ☒ 3. Are fees included and correct? Fee Paid: \$1570.00

If not, the correct fee would be: _____, so the amount missing is: _____

- ☒ 4. Part 4 of application: Have all the applicants listed at the top of the page signed at the bottom?

If not, whose signature is missing? _____

- ☒ 5. Are the Permit completion date(s) current?

If the Permit completion date has expired, we **CANNOT** accept the application.

- ☒ 6. If all #1-#5 boxes on this checklist are checked (with no remaining deficiencies identified), accept the application. Put this check sheet in the transfer folder.

If #1, #2, #3, #4 or #5 on this checklist is deficient, the application **CANNOT** be accepted.

It should be returned and the **deficiencies listed in the "staff" section at the bottom of Application Page 1**, unless the applicant or agent can resolve the deficiencies within 2-3 days.

T-13528

**Oregon Water Resources Department
Fee Calculation for Permit Amendment**

[Main](#) [Help](#)
[Return](#) [Contact Us](#)

	Fee Calculation
Today's Date: Wednesday, September 23, 2020	
Base Fee (includes one type of change to one permit for up to 1 cfs)	\$1,160.00
Fill in information below-- Check each box that applies.	
Types of Change Proposed:	
☐ Place of Use	
☒ Point of Diversion (POD)/Appropriation (POA); and/or Additional POD/POA; and/or SW POD to GW POD	\$0.00
Enter total number of permits included in application. 1	\$0.00
☒ Check this box if you propose to add or change a well, or change from a surface water POD to a well.	\$410.00
☐ Check this box if you propose to change the place of use for a NON-irrigation permit.	
☐ Check this box if you propose to change the place of use for an irrigation permit.	
Total Transfer CFS(rounded up to the next whole cfs):	
Subtotal:	\$1,570.00
Check each box that applies.	
☐ The transfer is necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932.	
☐ The transfer is endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat.	
Discount	
Permit Amendment Fee:	\$1,570.00
Return to Edit	Clear