

GR MOD

T-13477

Name Stauffer Farm Inc
attn Jeff Bizon
 Address 13851 Stauffer Rd NE
Hubbard Oregon 97032

Change in POA
 Date Filed 6/24/2020
 Initial notice date 7/7/2020
 DPD issued date _____
 PD issued date _____
 PD notice date _____
 Date of FO 8/26/2020 Vol 117 Page 355

C-Date _____
 COBU due date _____
 COBU Received date _____
 Certificate issued _____

Assignments: _____

Irrigation District _____

Agent Deann Hamilton Pacific hydrogeology dhamh@gmail

CWRE _____
 CC's list marion county planning

DESCRIPTION OF WATER RIGHT(s)

Name of Stream well

Trib. of pudding river

Use irrigation County marion

Quantity of water (CFS) _____ No. of Acres _____

Name of ditch _____

App# GR-751 Per # _____ Cert # GR 707 PR Date 10/31/1950

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

FEES PAID

Date	Amount	Receipt #
<u>6-24-2020</u>	<u>\$1,250.00</u>	<u>132877</u>

FEES REFUNDED

Date	Amount	Receipt #
<u>9/8/2020</u>	<u>\$990.00</u>	<u>VP051386</u>

☐ - Oversized map - Location _____

WATER RESOURCES DEPARTMENT
REQUEST FOR DISTRIBUTION OF FUNDS

TO: **Fiscal Services Section**

DATE: August 3, 2020

FROM: Scott Grew, Transfer Specialist
Phone: 503-986-0890

SUBJECT: **TRANSFER FILE - Request for Payment or Refund**

TRANSFER FILE #: T-13477

RECEIPT #: 132877

Please prepare payment in the amount of \$990.00, made payable to:

Name:
Organization STAUFFER FARMS INC.
Address: 13851 STAUFFER ROAD NE
City: HUBBARD, OR 97032


46110
0208

These funds are being paid or refunded as a result of (check one):

- ☒ Request for file to be Rejected/**Withdrawn**/Misfiled
- ☐ Excess fees were collected for application/PON
- ☐ Payment of PON
- ☐ Protest filing fee
- ☐ Other:

I have reviewed this distribution request and have determined the request to be justified as to the purpose indicated above. Fiscal Services is hereby authorized to process the requested distribution.

Authorized Signature: _____



Date: _____

8-27-2020



Oregon
Kate Brown, Governor

Water Resources Department
725 Summer St NE, Suite A
Salem, OR 97301
(503) 986-0900
Fax (503) 986-0904

August 26, 2020

STAUFFER FARMS INC.
13851 STAUFFER ROAD NE
HUBBARD, OR 97032

Reference: Transfer Application T-13477

The above referenced transfer application was withdrawn from the record of the Water Resources Department.

A refund check in the amount of \$990.00 is currently being processed and will be arriving separately at a later time.

Sincerely,

Scott Grew

Scott Grew
Transfer Specialist
Transfer and Conservation Section

cc: Transfer Application T-13477
Doann Hamilton, Pacific Hydro-Geology Inc.

BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON

In the Matter of Groundwater Registration	)	FINAL ORDER WITHDRAWING
Modification Application	)	AN APPLICATION FOR
T-13477, Marion County, Oregon	)	GROUNDWATER REGISTRATION
	)	MODIFICATION

Authority

Oregon Revised Statutes (ORS) 537.610, 537.705 and 540.505 to 540.580 establish the process in which the holder of a certificate of registration may submit a request for recognition of modifications to the place of use, character of use or point of appropriation under a groundwater certificate of registration.

Applicant

STAUFFER FARM INC. AND
CNR FARMS INC. C/O JEFF BIZON
13851 STAUFFER ROAD NE
HUBBARD, OR 97032


Findings of Fact

1. Groundwater Registration Modification Application T-13477, in the name of STAUFFER FARM INC. AND CNR FARMS INC. C/O JEFF BIZON, was filed on June 24, 2020.
2. On July 31, 2020, the applicant's agent submitted a written request on behalf of the applicant requesting that Groundwater Registration Modification Application T-13477 be withdrawn.

Now, therefore, it is **ORDERED**:

Groundwater Registration Modification Application T-13477, in the name of STAUFFER FARM INC. AND CNR FARMS INC. C/O JEFF BIZON, is withdrawn and of no further force or effect.

Dated in Salem, Oregon on AUG 26 2020


Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department

Mailing date: AUG 27 2020

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

WATER RIGHT TRANSFER COVER SHEET

Transfer: T- 13477

Transfer Specialist: *Scott*

Transfer Type: GR Modification

Applicant: STAUFFER FARM INC. JEFF BIZON 13821 STAUFFER RD NE HUBBARD, OR 97032 Email: _____ Phone: _____		Agent: ☐ N/A DOANN HAMILTON 18487 S VALLEY VISTA RD MULINO, OR 97042-8741 Email: _____ Phone: _____	
Irrigation District: ☐ N/A Email: _____		CWRE: ☐ N/A Email: _____	
Affected Local Gov'ts: ☐ N/A Marion Countyplanning Dept Email: _____		Affected Tribal Gov't: ☐ N/A UNAVAILABLE Email: _____	
Current Landowner if other than Applicant: ☐ N/A Email: _____		Receiving Landowner: ☐ N/A Email: _____	

Water Rights Affected

File Marked	App. File # or Decree Name	Permit	Certificate	RR/CR Needed	RR/CR Nos.
☐	GR-751		GR-727	☐ Yes ☐ No	
☐				☐ Yes ☐ No	
☐				☐ Yes ☐ No	

Key Dates & Initial Actions:

Rec'd: June 24, 2020	Proposed Action(s): POINT OF APPROPRIATION	
Fees Pd: 1250.00	WM District: 16	ODFW District:
Initial Public Notice: July 7, 2020	WM Review sent:	ODFW Review sent:
Acknowledgement Letter Sent ☒		GW Review sent: ☐ N/A
County sent cc: of Ack Letter ☐	BOR notified (date): ☐ N/A	
Newspaper quote requested:	Request for news \$ sent:	News \$ received:
Request to publish sent:	Affidavit of publication received:	Last day of publication:

Document	Drafted	Peer Review	Changes Made	Coordinator	Changes Made	Signature Bin	Signature Date
DPD	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	CW Sent: _____	N/A
PD	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____ Initials: _____	Date: _____	Date: _____
FO	Date: 8/3/20 Initials: Scott	Date: 8/4/20 Initials: CC	Date: _____ Initials: _____	Date: 8/6/20 Initials: PICS	Date: 8/21/20 Initials: Scott	Date: 8/21/20	Date: 8/24/2020

Special Issues: *Revd WM Review 7/31/20 WITHDRAWAL*

Special Order Volume: Vol. *117* Pages *355*

*1250 — pd
\$260 WM review
\$990 refund*

Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department
725 Summer St NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Transfer Application: T-13477

Review Due Date: 07-31-2020

Applicant Name: STAUFFER FARM INC. AND CNR FARMS INC.

Proposed Changes: ☐ POU ☐ POD ☒ POA ☐ USE ☐ OTHER

Reviewer(s): G Wacker

Date of Review: 07-29-2020

1. Do you have evidence that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? ☐ Yes ☒ No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2. Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? ☐ Yes ☒ No Generally characterize the frequency of any regulation or explain why regulation has not occurred:
3. Have headgate notices been issued for the source that serves the transferred right(s)?
☐ Yes ☒ No ☐ Records not available.
4. In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? ☐ Yes ☒ No If "Yes", explain:
5. In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? ☐ Yes ☒ No If "Yes", describe how the rights would be affected and list the rights most affected:

6. Check here ☐ if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most:

☒ N/A

7. For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses:

☒ N/A

8. For instream transfers that propose protection of a reach beyond the mouth of the source stream:

☐ N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? ☐ Yes ☐ No

9. For POU changes: ☒ N/A Is it likely the original place of use would continue to receive water from the same source? ☐ Yes ☐ No If "Yes", explain:

10. For POU or USE changes: ☒ N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste? ☐ Yes ☐ No If "Yes", explain:

11. For POU changes that involve micro-irrigation: ☒ N/A

- a. Has the applicant made changes (absent a transfer) to convert to micro-irrigation within the current place of use boundary of the water right proposed for transfer, and previously demonstrated to the Department through monitoring and site inspections by the Watermaster that the proposed transfer will not result in injury or enlargement?

☐ Yes ☐ No If "Yes", explain:

- b. Has a temporary transfer of this nature been previously filed and approved on the same lands (or portions thereof) as those lands involved in this transfer?

☐ Yes ☐ No If "Yes", answer the following:

- i. Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? ☐ Yes ☐ No If "Yes", explain:

- ii. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? ☐ Yes ☐ No If "No", explain:

- iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- iv. Do you have any other observations regarding the temporary transfer?

☐ Yes ☐ No If "Yes", describe:

- v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- c. To the best of your knowledge, if this transfer is approved, does it appear that:

- i. "Injury" will occur to other water rights that share the same source?

☐ Yes ☐ No If "Yes", explain:

- ii. "Enlargement" of the water right being transferred will occur?

☐ Yes ☐ No If "Yes", explain:

12. Are there other issues not identified through the above questions that should be considered in determining whether the change "can be effected without injury to other rights"?

☐ Yes ☒ No If "Yes", explain:

13. What alternatives may be available for addressing any issues identified above:

14. Do conditions need to be included in the transfer order to avoid enlargement of the right or injury to other rights? ☐ No ☒ Yes, as checked and provided below:

☐ For POU changes that involve micro-irrigation, provide the monitoring and reporting conditions necessary to prevent injury/enlargement:

☐ A Headgate should be required prior to diverting water.

☒ Measurement Devices for POD or POA: (if this condition is selected, also fill in the top sections of Page 4)

*a. Before water use may begin under this order, the water user shall install a **totalizing flow meter***, or, with prior approval of the Director, another suitable measuring device, ☒ at each point of diversion/appropriation (new and existing) OR at each new point of diversion/appropriation ☐ with the exception that water rights issued to the Bureau of Reclamation or an irrigation district (or similar entity) are not subject to this condition.*

b. The water user shall maintain the meters or measuring devices in good working order.

c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

☐ Reservoir water use measurement: (if this condition is selected, also fill in the top sections of Page 4)

*a. Before water use may begin under this order, the water user shall install **staff gages***, or, with prior approval of the Director, other suitable measuring devices, that measure the entire range and stage between empty and full in each reservoir. Staff gages shall be United States Geological Survey style.*

b. Before water use may begin under this order, if the reservoir is located in channel, weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, an adjustable outlet valve must be installed. The water user shall maintain such devices in good working order. A written waiver may be obtained, if in the judgment of the Director, the installation of weirs or other suitable measuring devices, or the adjustable outlet valve, will provide no public benefit.

* The following alternative device(s) should be substituted for the bold, underlined device in the above selected condition:

☐ Weir
☐ Parshall Flume
☐ Other: ____

☐ Submerged Orifice
☐ Flow Restrictor

Oregon Water Resources Department
Measurement Condition Information for the Applicant
(To be sent with the Draft Preliminary Determination or Final Order)

Transfer #: T-

☐ In order to avoid enlargement of the right or injury to other rights, a _____ will
 be required to be installed prior to diversion of water, as a condition of this transfer:
☐ at each point of diversion/appropriation (new and existing) **OR**
☐ at each new point of diversion/appropriation.

For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:

Watermaster name:

District:

Address:

City/State/Zip:

Phone:

Email:

Note: If a device other than the one specified in the Preliminary Determination or Final Order is approved by the Watermaster, fill out and mail the form below to the Salem office.

Approval of an Alternate Measurement Device T-
(to be filled out after consultation with the applicant, or after a site visit)

On behalf of the Director, I authorize use of the following suitable alternate measurement device:

 Watermaster signature

 District

 Date

If this form is used for approval of an alternative measurement device, it must be mailed to:

Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, OR 97301-1266

GREW Scott A * WRD

From: JARAMILLO Lisa J * WRD
Sent: Friday, July 31, 2020 2:44 PM
To: GREW Scott A * WRD
Cc: STARNES Patrick K * WRD; Kelly Starnes
Subject: FW: Withdrawal of Applications T-13247, T-13477, and T-13478

Hi Scott,

Would you please start working up Transfer Withdrawal Orders and Refund request sheets for the three Transfer applications identified? (See Greg Kupillas' email below).

We should be able to offer a fairly sizeable refund on these applications, since neither the WM nor GW Reviews had been completed yet when I checked yesterday.

Please let me know if you have any questions.

Thank you!
Lisa

[Lisa J. Jaramillo](#)

Transfer and Conservation Section Manager
725 Summer Street NE, Suite A, Salem, OR 97301 | Phone 503-986-0880



[Integrity](#) | [Service](#) | [Technical Excellence](#) | [Teamwork](#) | [Forward-Looking](#)

From: Greg Kupillas <phggek@bctonline.com>
Sent: Friday, July 31, 2020 12:02 PM
To: JARAMILLO Lisa J * WRD <Lisa.J.Jaramillo@oregon.gov>
Cc: Doann Hamilton <phgdmh@gmail.com>
Subject: Withdrawal of Applications T-13247, T-13477, and T-13478

Lisa,

As agent for the applicants, and acting on behalf of the applicants, we are requesting withdrawal of Transfer Application T-13247 and Groundwater Registration Modification Applications T-13477 and T-13478 and a refund of the application fees.

Please let me know if you need any additional information to be able to put the withdrawals into effect.

Regards,

Greg Kupillas
Pacific Hydro-Geology Inc.
503.939.3167



Oregon
Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A
Salem, OR 97301
(503) 986-0900
Fax (503) 986-0904

July 1, 2020

STAUFFER FARM INC. AND CNR FARMS INC.
JEFF BIZON
13821 STAUFFER RD NE
HUBBARD, OR 97032

Reference: Application T- 13477

On June 24, 2020, we received your water right Transfer application. The application was accompanied by \$1250.00. Our receipt number 132877 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to our groundwater staff to determine whether the proposed well accesses the same source of water as the original well.

This application may require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

You may not use water from the new point of appropriation until a final order approving recognition of the groundwater registration modification application has been issued by the Department. If the land is sold before the modification is approved, the buyer's consent to the modification will be required unless a recorded deed or other legal document clearly established that the groundwater registration was not conveyed in the sale.

Refer to the following page for a chart showing the steps and expected timelines for the processing of your application.

If you have any questions, please contact the Transfer Section at (503) 986-0815.

Cc: Watermaster Dist. #16 (via email)
Marion County Planning
Doann Hamilton, Agent

Enclosure

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **132877**

INVOICE # _____

RECEIVED FROM:

Stauffer Farms, Inc.

APPLICATION

PERMIT

TRANSFER

7-13477

BY:

CASH: ☐ CHECK: # *41514* OTHER: (IDENTIFY) ☐

TOTAL REC'D \$ *1,250.00*

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES

\$

OTHER: (IDENTIFY)

\$

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES

\$

0410 RESEARCH FEES

\$

0408 MISC REVENUE: (IDENTIFY)

\$

TC162 DEPOSIT LIAB. (IDENTIFY)

\$

0240 EXTENSION OF TIME

\$

WATER RIGHTS:

0201 SURFACE WATER

\$

0202

\$

0203 GROUND WATER

\$

0204

\$

0205 TRANSFER

\$ *1,250.00*

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR

\$

0219

\$

LANDOWNER'S PERMIT

0220

\$

OTHER (IDENTIFY)

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE

\$

CARD #

0210 MONITORING WELLS

\$

CARD #

OTHER (IDENTIFY)

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD)

\$

0231 HYDRO LICENSE FEE (FW/WRD)

\$

HYDRO APPLICATION

\$

TREASURY OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION _____

\$

RECEIPT: **132877**

DATED: *6-24-2020* BY: *[Signature]*

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal



State of Oregon
Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900

Application for Groundwater Registration Modification

Part 1 of 5 – Minimum Requirements Checklist

This Groundwater Registration Modification application will be returned if Parts 1 through 4 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

JUN 24 2020

OWRD

Check all included with this application (N/A = Not Applicable)

- ☒ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Application Map Checklist.
- ☒ Part 3 – Completed Applicant Information and Signature.
- ☒ Part 4 – Completed Groundwater Registration Modification Application – Groundwater Registration Information. (Only one Groundwater registration per application, unless the Groundwater registrations to be modified are layered).
- ☒ Completed Groundwater Registration Modification Application Map (Does not have to be prepared by a Certified Water Right Examiner).
- ☒ Groundwater registration modification fees – Amount enclosed: \$ **1,250**.
(\$875.00 for a place of use change only; \$1,250.00 for any other change or combination).

Attachments:

- ☐ ☒ N/A Request for Assignment Form and statutory fee. This form needs to be completed if the applicant owns the land to which the registration is appurtenant and is **not** the registration certificate holder of record. The Request for Assignment Form is available at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>.
Assignment is not needed for any person or entity who can demonstrate authorization to request recognition of a modification (e.g. legal representative, power of attorney, agent, etc.) **or** the applicant is named on the certificate of registration, or has been assigned to the certificate of registration.
- ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

- | | |
|--|--|
| ☐ Application fee not enclosed/insufficient | ☐ Map not included or incomplete |
| ☐ Land Use Form not enclosed or incomplete | ☐ Assignment Form and fee not enclosed/insufficient |
| ☐ Additional signature(s) required | ☐ Part _____ is incomplete |

Other/Explanation _____

Staff: _____ 503-986-0 _____ Date: ____ / ____ / ____

Part 2 of 4 – Groundwater Registration Modification Map Checklist

Your Groundwater Registration Modification application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads and railroads.
- ☒ Major water delivery system features from the point(s) of appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes hachuring, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the registration is being changed, a separate hachuring is needed for the portion of the registration left unchanged.
- ☐ ☒ N/A If you are proposing a modification in place of use, show the proposed place of use with hachuring including priority date and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of appropriation with distance and bearing or coordinates from a recognized survey corner.
- ☒ ☐ N/A If you are proposing a modification in point(s) of appropriation, show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

13477 -

Part 3 of 4 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME Stauffer Farm Inc. and CNR Farms Inc. c/o Jeff Bizon		PHONE NO. (503) 476-4712	ADDITIONAL CONTACT NO.
ADDRESS 13851 Stauffer Road NE		FAX NO.	
CITY Hubbard	STATE OR	ZIP 97032	E-MAIL
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.			

RECEIVED
JUN 24 2020
OWRD

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME Doann Hamilton/Pacific Hydro-Geology, Inc.		PHONE NO. (503) 632-5016	ADDITIONAL CONTACT NO. (503) 349-6946 (cell)
ADDRESS 18487 S. Valley Vista Road		FAX NO. (503) 632-5983	
CITY Mulino	STATE OR	ZIP 97042	E-MAIL phgdmh@gmail.com
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.			

Explain in your own words what you propose to accomplish with this modification; and why:
We wish to drill a new well and tie all of our water rights through a common irrigation system to create a well field and allow the use of any of our wells individually or in any combination to irrigate over the entire farm property.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

☐ Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

(Check one box)

- ☒ By signing this application, I (we) understand that, upon receipt of the draft preliminary determination and prior to Department approval of the Groundwater modification, I (we) will be required to provide landownership information and evidence that I am authorized to pursue the modification as identified in OAR 690-382-0400(16)(a); **OR**
- ☐ I (we) affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor: **OR**
- ☐ I (we) affirm that the applicant is an entity with the authority to condemn property and is acquiring the property to which the Groundwater registration proposed for modification is appurtenant by condemnation and have attached supporting documentation.

I understand that prior to Department approval of the groundwater registration modification, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the groundwater registration is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following paper: Woodburn Independent.

I (we) affirm that the information contained in this application is true and accurate.


 Applicant Signature

Jeffrey M. Bizon U.P.
 Print Name and title if applicable

5-29-2020
 Date

Is the applicant the sole owner of the land on which the Groundwater registration modification or portion thereof, is located? ☐ Yes ☒ No *If NO, include signatures of all deeded landowners (and mailing*

and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the Groundwater registration has been conveyed.

Check the appropriate box, if applicable:

- ☐ Check here if the Groundwater registration proposed for modification is or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME NA	ADDRESS	
CITY	STATE	ZIP

- ☐ Check here if water for the Groundwater registration is supplied under a water service agreement or other contract with a federal agency or other entity.

ENTITY NAME NA	ADDRESS	
CITY	STATE	ZIP

To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Marion County Planning Division	ADDRESS 5155 Silvertown Road NE	
CITY Salem	STATE Oregon	ZIP 97305

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

RECEIVED
JUN 24 2020
OWRD

and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the Groundwater registration has been conveyed.

Check the appropriate box, if applicable:

- ☐ Check here if the Groundwater registration proposed for modification is or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME NA	ADDRESS	
CITY	STATE	ZIP

- ☐ Check here if water for the Groundwater registration is supplied under a water service agreement or other contract with a federal agency or other entity.

ENTITY NAME NA	ADDRESS	
CITY	STATE	ZIP

To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Marion County Planning Division	ADDRESS 5155 Silverton Road NE	
CITY Salem	STATE Oregon	ZIP 97305

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

RECEIVED

JUN 24 2020

OWRD

13477 -

JUN 24 2020

OWRD

Part 4 of 4 – Groundwater Registration Information

Please use a separate Part 4 for each registration being modified. See instructions on page 5, to copy and paste additional Part 4s, or to add additional rows to tables within the form.

Table 1. Location of Authorized and Proposed Point(s) of Appropriation (POA)

(Note: If the POA name is not specified in the registration, assign it a name or number here.)

POA Name or Number	Is this POA Authorized by the registration or is it Proposed?	OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Authorized Well	☒ Authorized ☐ Proposed	MARI 1016	4 S	1 W	35	NW NW	DLC 63	1,442 feet north and 1,504 feet east from the SW corner, DLC 63.
Well 1	☐ Authorized ☒ Proposed	MARI 765	4 S	1 W	26	SW NW	DLC 63	25 feet south and 1,960 feet east from the NW corner, DLC 63.
Well 2	☐ Authorized ☒ Proposed	MARI 63689	4 S	1 W	26	SW NW	DLC 63	40 feet south and 1,860 feet east from the NW corner, DLC 63.
Well 3	☐ Authorized ☒ Proposed	MARI 767	4 S	1 W	26	NW SW	DLC 63	1,470 feet south and 860 feet east from the NW corner, DLC 63.
Well 4	☐ Authorized ☒ Proposed	MARI 764	4 S	1 W	26	SW SW	DLC 63	220 feet north and 70 feet east from the SW corner, Section 26.
Well 5	☐ Authorized ☒ Proposed	NA	4 S	1 W	35	NW NW	DLC 63	1,030 feet south and 555 feet east from the NW corner, Section 35.
Well 6	☐ Authorized ☒ Proposed	MARI 1013	4 S	1 W	26	SE SW	DLC 63	30 feet north and 1,360 feet west from the NW corner, DLC 53.

Check all type(s) of modifications(s) proposed below (modification "CODES" are provided in parentheses):

- ☐ Place of Use (POU)
 ☒ Point of Appropriation (well) (POA)
 ☐ Character of Use (USE)
 ☐ Additional Point of Appropriation (APOA)

Will all of the proposed changes affect the entire Groundwater registration?

- ☐ Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
 ☒ No Complete all of Table 2 to describe the portion of the registration to be changed.

13477 -

Please use and attach additional pages of Table 2 as needed.
See page 5 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer

Table 2. Description of Modifications to Registration GR-751 (Certificate # GR-727)

List only the part of the registration that will be modified. For the acreage in each ¼ ¼, list the modification proposed. If more than one modification, specify the acreage associated with each modification. If more than one POA, specify the acreage associated with each POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears in the registration BEFORE PROPOSED CHANGES List only that part or portion of the groundwater registration that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.														
Twp	Rng		Sec	¼ ¼		Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POA(s) (name or number from Table 1)		Priority Date	Twp	Rng		Sec	¼ ¼		Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POA(s) to be used (from Table 1)	Priority Date		
4	S	1	W	34	NE	NE	100, 600	DLC 63	25.0	IR	Authorized Well	10-31- 46	POA	4	S	1	W	34	NE	NE	100, 600	DLC 63	25.0	IR	Wells 1, 2,3,4,5, & 6	10-31- 46
4	S	1	W	34	SE	NE	600	DLC 63	22.5	IR	Authorized Well	10-31- 46	POA	4	S	1	W	34	SE	NE	600	DLC 63	22.5	IR	Wells 1, 2,3,4,5, & 6	10-31- 46
4	S	1	W	35	NW	NW	600	DLC 63	3.98	IR	Authorized Well	10-31- 46	POA	4	S	1	W	35	NW	NW	600	DLC 63	3.98	IR	Wells 1, 2,3,4,5, & 6	10-31- 46
4	S	1	W	35	SW	NW	600	DLC 63	23.0	IR	Authorized Well	10-31- 46	POA	4	S	1	W	35	SW	NW	600	DLC 63	23.0	IR	Wells 1, 2,3,4,5, & 6	10-31- 46
TOTAL ACRES									74.48	TOTAL ACRES														74.48		

Additional remarks: None.

RECEIVED

JUN 24 2020

OWRD

Groundwater Registration # GR-751 (Certificate # GR-727)

For a modification in place of use or character of use:

Are there other water right certificates, water use permits, or Groundwater registrations associated with the "from" or "to" lands? ☒ Yes ☐ No

If YES, list the other certificate, water use permit, or other Groundwater registration numbers:

CERTIFICATE 56269

Pursuant to OAR 690-382-0200, any "layered" water use, such as an irrigation right that is supplemental to a primary irrigation right proposed for transfer, must be concurrently transferred with the registration or be cancelled. Any change to a water right must be filed separately in a transfer application. Any change to a water use permit must be filed separately with a permit amendment. Any modification to a Groundwater registration on the "to" lands must be filed separately with a Groundwater registration modification.

For modifications in point(s) of appropriation (well(s) or additional point(s) of appropriation:

- ☒ Well log(s) are attached for each well that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

(Tip: You may search for well logs on the Department's web page at:

http://apps.wrd.state.or.us/apps/gw/well_log/)

AND/OR

- ☐ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide adequate information is likely to delay the processing of your modification application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

promoted by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right	
Authorized Well	YES	MARI 1016	See Well Log MARI 1016								250 gpm
Well 1	YES	MARI 765	See Well Log MARI 765								
Well 2	YES	MARI 63689	See Well Log MARI 63689								
Well 3	YES	MARI 767	See Well Log MARI 767								
Well 4	YES	MARI 764	See Well Log MARI 764								
Well 5	NO	NA	300 feet	16 inch	150	0 to 50 feet	TBD	NA	Alluvium		
Well 6	YES	MARI 1013	See Well Log MARI 1013								

Application for Water Right
Transfer
Consent by Deeded Landowner



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

State of Oregon)
County of Marion)ss
)

RECEIVED
SEP 10 2019
OWRD

I Jeff Bizon of CNR Farms Inc. in my/our capacity as owner,

mailing address 13851 Stauffer Rd NE, Hubbard, OR 97032,

telephone number 503-474-4712, duly sworn depose and say that I

consent to the proposed change(s) to Water Right Certificate Number GR-751

described in a Transfer Application (T-NA) submitted by Stauffer Farms Inc.,
(transfer number, if known)

on the property in tax lot number(s) 100, Section 34, Township 4 South, Range 1 West, W.M.,
located at no site address - near southwest corner of TL 041W27, lot 1200, address 13851
Stauffer Rd NE, Hubbard, OR 97032.

(site address)

RECEIVED
JUN 24 2020
OWRD


[Signature]
Signature of Affiant

8-15-19
Date

Signature of Affiant

Date

Subscribed and Sworn to before me this 15 day of August, 2019.



Tanya Ann McCall
Notary Public for Oregon

My commission expires May 22, 2023

STATE ENGINEER
Salem, Oregon

Well Record

STATE WELL NO. 4/1W-35D(1)
COUNTY Marion
APPLICATION NO. GR-751

OWNER: Boyd E. Brown

MAILING ADDRESS: Route 1


LOCATION OF WELL: Owner's No. 1

CITY AND STATE: Hubbard, Oregon

NE 1/4 NE 1/4 Sec. 35 T. 4 N. S. R. 1 W., W.M.

Bearing and distance from section or subdivision

corner 1504' E. & 1442' N. from SW cor.
Wm. Vanderwacker DLC



Altitude at well 160' Interpolated

TYPE OF WELL: Drilled Date Constructed Oct. 46

Depth drilled 210' Depth cased 210'

Section 35

CASING RECORD:

12 inch steel casing 0 to 210 feet

RECEIVED

JUN 24 2020

OWRD

FINISH:

Perforated 100 to 110' 200 to 210'

AQUIFERS:

WATER LEVEL:

60 feet

PUMPING EQUIPMENT: Type Elec. turbine H.P. 15
Capacity 300 G.P.M.

WELL TESTS:

Drawdown 40 ft. after 250 hours G.P.M.

Drawdown ft. after hours G.P.M.

USE OF WATER Irrigation Temp. °F. 19

SOURCE OF INFORMATION GR-751

DRILLER or DIGGER Strasser, Portland

ADDITIONAL DATA:

Log None Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

13477 -

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

RECEIVED

MAR 20 1978

WATER RESOURCES DEPT.

SALEM, OREGON

State Well No.

State Permit No.

431W-26
6-8085
Appl. G-8774

(1) OWNER:

Name Stauffer Bros.

Address Hubbard, Oregon 97032

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☒ Cable ☐ Dug ☐

Driven ☐ Jetted ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐ Irrigation ☒ Test Well ☐ Other ☐

CASING INSTALLED:

Threaded ☐ Welded ☒

18" Diam. from 0 ft. to 20 ft. Gage 1/4"
12" Diam. from +2 ft. to 197 ft. Gage 1/4"
" Diam. from " ft. to " ft. Gage "

PERFORATIONS:

Perforated? ☒ Yes ☐ No.

Type of perforator used Pre-perforated pipe

Size of perforations 1/4 in. by 2 in.
960 perforations from 112 ft. to 132 ft.
480 perforations from 168 ft. to 178 ft.
perforations from " ft. to " ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name

Type Model No.

Diam. Slot size Set from " ft. to " ft.

Diam. Slot size Set from " ft. to " ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level -41'

Was a pump test made? ☒ Yes ☐ No If yes, by whom? driller

Yield: 700 gal./min. with 35 ft. drawdown after 8 hrs.

1000 " " 49 " " 8 "

1500 " " 60 " " 8 "

2000 " " 75 " " 8 "

Ballor test gal./min. with " ft. drawdown after " hrs.

Artesian flow g.p.m.

Temperature of water Depth artesian flow encountered " ft.

(9) CONSTRUCTION:

Well seal—Material used Cement

Well sealed from land surface to 20 ft.

Diameter of well bore to bottom of seal 24 in.

Diameter of well bore below seal 24 in.

Number of sacks of cement used in well seal 30 sacks

How was cement grout placed?

Pressure grout pump

Was a drive shoe used? ☐ Yes ☒ No Pile Size: location " ft.

Did any strata contain unusable water? ☐ Yes ☒ No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? ☒ Yes ☐ No Size of gravel: 1/4"

Gravel placed from 20 ft. to 197 ft.

(10) LOCATION OF WELL:

County Marian

Driller's well number

1/4 Section 26 T.4S R. 1W W.M.

Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 85 ft.

Static level 41 ft. below land surface. Date 3/14/78

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled 197 ft. Depth of completed well 197 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Surface	0	3	
Brown clay	3	44	
Blue clay	44	85	
Red sand & gravel	85	91	
Blue sandy clay	91	99	
Black sand	99	105	
Sand & gravel	105	134	
Blue clay	134	164	
Black sand & gravel	164	179	
Blue clay	179	197	

RECEIVED

JUN 24 2020

OWRD

Work started Dec 16 1977 Completed Mar. 14 1978

Date well drilling machine moved off of well Mar 17 1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] John T. Miller Date Mar 17, 1978

(Drilling Machine Operator)

Drilling Machine Operator's License No. 26

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name John T. Miller (Person, firm or corporation) (Type or print)

Address 1780 Tomlin Ave. Woodburn, Ore 97071

[Signed] John T. Miller (Water Well Contractor)

Contractor's License No. 277 Date Mar 17, 1978

(USE ADDITIONAL SHEETS IF NECESSARY)

13477 -

SP*45858-119

RECEIVED

JUN 24 2020

OWRD

MARI 63689

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

WELL LABEL # L 105628

START CARD # 201752

(1) LAND OWNER Owner Well I.D.

First Name _____ Last Name _____
Company Stauffer Farms INC.
Address 13851 Stauffer Rd. NE
City Hubbard State OR Zip 97032

(2) TYPE OF WORK ☒ New Well ☐ Deepening ☐ Conversion
☐ Alteration (repair/recondition) ☐ Abandonment

(3) DRILL METHOD

☐ Rotary Air ☐ Rotary Mud ☒ Cable ☐ Auger ☐ Cable Mud
☐ Reverse Rotary ☐ Other _____

(4) PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Community
☐ Industrial/ Commercial ☐ Livestock ☐ Dewatering
☐ Thermal ☐ Injection ☐ Other _____(5) BORE HOLE CONSTRUCTION Special Standard ☐ Attach copy
Depth of Completed Well 301 ft.

BORE HOLE			SEAL			sacks/	
Dia	From	To	Material	From	To	Amt	lbs
20	0	48	Bentonite	0	48	86	S
16	48	301					

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E☒ Other OAR 690-210-0340

Backfill placed from _____ ft. to _____ ft. Material _____

Filter pack from 141.75 ft. to 301 ft. Material gravel Size 4/12

Explosives used: ☐ Yes Type _____ Amount _____

(6) CASING/LINER

Casing	Liner	Dia	+	From	To	Gauge	Std	Plstc	Wld	Thrd
☒	☒	12	☒	2	301	250	☒	☒	☒	☒
☒	☒	16	☒	1	141.75	375	☒	☒	☒	☒

Shoe ☐ Inside ☒ Outside ☐ Other Location of shoe(s) 141.75Temp casing ☐ Yes Dia _____ From _____ To _____

(7) PERFORATIONS/SCREENS

Perforations Method torch

Screens Type v-wire Material stainless

Perf/	Casing/	Screen	Dia	From	To	Scrn/slot	Slot	# of	Tele/
Screen	Liner					width	length	slots	pipe size
Screen			12	142	147.36	.085			
Screen			12	158.69	173	.085			
Perf			12	247.83	252.83	.125	6	112	
Perf			12	265.83	272.83	.125	6	144	
Perf			12	276.83	279.83	.125	6	54	

(8) WELL TESTS: Minimum testing time is 1 hour

☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
600	77.2		1
600	85.5		3
600	86.2		4

Temperature 53 °F Lab analysis ☐ Yes By _____Water quality concerns? ☐ Yes (describe below)

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)

County MARION Twp 4 S N/S Range 1 W E/W WM

Sec 26 SW 1/4 of the NW 1/4 Tax Lot 00500

Tax Map Number _____ Lot _____

Lat _____ or _____ DMS or DD

Long _____ or _____ DMS or DD

☐ Street address of well ☐ Nearest address

19328 Hwy 99E NE Hubbard, OR 97032

(10) STATIC WATER LEVEL

Date SWL(psi) + SWL(ft)

Existing Well / Predeepening			
Completed Well	05-03-2011		55

Flowing Artesian? ☐ Dry Hole? ☐

WATER BEARING ZONES Depth water was first found 94

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)
11-29-2010	94	122	350		49
12-09-2010	143	173	600		55
01-27-2011	252	279	40		55

(11) WELL LOG

Ground Elevation _____

Material	From	To
Topsoil	0	1
Clay brown silty	1	73
Sand brown fine & silt	73	83
Sand fine & silt gray	83	84
Sand black	84	85
Clay gray & sand	85	89
Clay green sticky	89	94
Sand black	94	111
Sand 60% & gravel to 4"	111	122
Clay green, sand & gravel	122	126
Clay green	126	134
Clay gray silty	134	137
Clay sand & gravel	137	143
Sand black	143	147
Clay green & gray sticky	147	159
Sand black med. fine	159	164
Sand & gravel	164	173
Clay gray	173	177
Clay gray & blue	177	183

Date Started 11-05-2010 Completed 05-03-2011

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number 1704 Date _____

Password: (if filing electronically) _____

Signed _____

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 783 Date 6/2/11

Password: (if filing electronically) _____

Signed *Mark J. Gossen*

Contact Info (optional) Gossen Well Drilling P.O. Box 526 Woodburn, OR 97071

ORIGINAL FILED IN THE WATER RESOURCES DEPARTMENT

THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK

Form Version: 0.88

JUN 06 2011

WATER RESOURCES DEPT
SALEM, OREGON

13477 =

WATER SUPPLY WELL REPORT -
continuation page

MARI 63689

WELL I.D. # L 105628

START CARD # 201752

RECEIVED

JUN 24 2020

OWRD

(5) BORE HOLE CONSTRUCTION

BORE HOLE			SEAL			sacks/
Dia	From	To	Material	From	To	lbs

FILTER PACK			
From	To	Material	Size

(6) CASING/LINER

Casing Liner	Dia	+	From	To	Gauge	Std	Plstc	Wld	Thrd

(7) PERFORATIONS/SCREENS

Perf/	Casing/Screen	Dia	From	To	Scrm/slot	Slot	# of	Tele/
Screen	Liner				width	length	slots	pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

Water Quality Concerns

From	To	Description	Amount	Units

(10) STATIC WATER LEVEL

Water Bearing Zones

SWL Date	From	To	Est Flow	SWL (psi)	+	SWL (ft)

(11) WELL LOG

Material	From	To
Clay blue sticky	183	193
Clay gray sandy	193	198
Clay dark green silty	198	209
Clay blue-green hard	209	211
Gravel & basalt	211	213
Clay green & gravel	213	219
Clay green sticky	219	224
Clay green hard	224	234
Clay green hard & gravel	234	243
Gravel cemented w/some clay gray	243	244.5
Clay sticky gray	244.5	246
Clay green & gray sticky	246	249
Clay soft green & clay gray sandy, small gravel	249	252
Clay green, gray, brown & gravel	252	254
Clay green, brown, soft	254	258
Clay green, gray, sticky	258	259
Clay gray sticky hard	259	267
Clay green, gray, sticky w/seams of fine black sand	267	270
Clay green sandy & gravel	270	272
Clay gray sticky	272	278
Clay gray, sand & gravel	278	279
Clay blue sticky hard	279	292
Clay black hard	292	299
Clay blue sticky hard	299	301

Comments/Remarks

RECEIVED

JUN 06 2011

WATER RESOURCES DEPT
SALEM, OREGON

13477 -

NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filled with the

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

STATE ENGINEER

(Do not write above this line) SALEM, OREGON

RECEIVED

AUG 21 1974

State Well No.

45/IW-26

State Permit No.

6-8128

(1) OWNER:

Name Stauffer Bros.
Address 462 4th
Hubbard, Oregon

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☐ Driven ☐
Cable ☒ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐

CASING INSTALLED:

Threaded ☐ Welded ☒

12" Diam. from 0 ft. to 205 ft. Gage 250

" Diam. from ft. to ft. Gage

" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? ☒ Yes ☐ No.Type of perforator used Mills KnifeSize of perforations 3/8 in. by 3/4 in.

192 perforations from 112 ft. to 123 ft.

300 perforations from 184 ft. to 201 ft.

perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name

Type Model No.

Diam. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static levelWas a pump test made? ☒ Yes ☐ No If yes, by whom? StettlersYield: 650 gal./min. with 52 ft. drawdown after 8 hrs.

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

(10) LOCATION OF WELL:

County Marion Driller's well number1/4 1/4 Section 26 T. 4S R. 1W W.M.

Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 96 ft.Static level 53 ft. below land surface. Date 7-30-74

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled 205 ft. Depth of completed well 205 ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top soil	0	2	
Brown clay	2	21	
Brown sandy clay	21	56	
Blue clay	56	73	
Grey sandy clay	73	79	
Black silt	79	84	
Grey clay	84	96	
Black sand	96	105	
Sand and Gravel	105	112	
Gravel	112	123	
Grey clay	123	136	
Grey sandy clay	136	141	
Black silt	141	147	
Grey sandy clay	147	167	
Black sand	167	176	
Grey clay	176	184	
Black sand & gravel	184	202	
Grey clay	202	205	

Work started 5-17 1974 Completed 7-30 1974Date well drilling machine moved off of well 7-30 1974

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Richard L. Wright Date 7-30, 1974

(Drilling Machine Operator)

Drilling Machine Operator's License No. 761

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name William D. Christensen Jr. (Type or print)Address P.O. Box 313 Hubbard, Oregon (Type or print)[Signed] William D. Christensen Jr. (Water Well Contractor)Contractor's License No. 511 Date 7-30, 1974

(USE ADDITIONAL SHEETS IF NECESSARY)

SP#46558-119

13477 -

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the
STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

RECEIVED
JUL 14 1965
STATE ENGINEER
SALEM OREGON

WATER WELL REPORT

State Well No. 4/100-35C
State Permit No. 6-3722

(1) OWNER:

Name Stauffer Bros.
Address Hubbard, Oregon

(2) LOCATION OF WELL:

County Marian Driller's well number
1/4 1/4 Section 26 T. 48 R. 1W W.M.
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐
Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☒ Test Well ☐ Other ☐

(5) TYPE OF WELL:

Rotary ☐ Driven ☐
Cable ☒ Jetted ☐
Dug ☐ Bored ☐

(6) CASING INSTALLED:

Threaded ☐ Welded ☒
12" Diam. from 0 ft. to 120 ft. Gage 1/4"
8" Diam. from 0 ft. to 80 ft. Gage 1/4"
" Diam. from ft. to ft. Gage

(7) PERFORATIONS:

Perforated? ☒ Yes ☐ No
Type of perforator used Millknife
Size of perforations 1/2 in. by 2 1/2 in.
315 perforations from 83 ft. to 112 ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(8) SCREENS:

Well screen installed? ☐ Yes ☒ No
Manufacturer's Name
Type Model No.
Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Puddled mud
Depth of seal 18 ft. Was a packer used? no
Diameter of well bore to bottom of seal 24 in.
Were any loose strata cemented off? ☐ Yes ☒ No Depth
Was a drive shoe used? ☐ Yes ☒ No
Was well gravel packed? ☒ Yes ☐ No Size of gravel: 1/4"
Gravel placed from 80 ft. to 105 ft.
Did any strata contain unusuable water? ☐ Yes ☒ No
Type of water? depth of strata
Method of sealing strata off

(10) WATER LEVELS:

Static level 34 ft. below land surface Date 7/2/65
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? ☒ Yes ☐ No If yes, by whom? driller
Yield: 400 gal./min. with 81 ft. drawdown after 6 hrs.
" 250 " 51 " 6 "

Ballor test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m. Date

Temperature of water Was a chemical analysis made? ☐ Yes ☒ No

(12) WELL LOG:

Diameter of well below casing 12

Depth drilled 136 ft. Depth of completed well 136 ft.

Formation: Describe by color, character, size of material and structure, and
show thickness of aquifers and the kind and nature of the material in each
stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Surface	0	3
Brown sandy clay	3	43
Blue sandy clay	43	82
Broken sand and gravel	82	86
Blue sandy clay	86	92
Red sand	92	97
Black sand	97	102
Broken gravel	102	112
Blue clay	112	136

RECEIVED

JUN 24 2020

OWRD

Work started June 2 1965 Completed July 2 1965
Date well drilling machine moved off of well July 2 1965

(13) PUMP:

Manufacturer's Name
Type: H.P.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

NAME John Truman Miller
(Person, firm or corporation) (Type or print)
Address P O Box 42 Hubbard, Oregon

Drilling Machine Operator's License No. 277

[Signed] John T. Miller (Water Well Contractor)

Contractor's License No. 26 Date July 10 1965

(USE ADDITIONAL SHEETS IF NECESSARY)

JUN 24 2020

OWRD

T.4S. R.1W. Sec. 26, 27, 34, & 35 W.M.

Authorized Well (MARI 1016) is located 1,442 feet north and 1,504 feet east from the SW corner, DLC 63.

Proposed Well 1 (MARI 765) is located 25 feet south and 1,960 feet east from the NW corner, DLC 63.

Proposed Well 2 (MARI 63689) is located 40 feet south and 1,860 feet east from the NW corner, DLC 63.

Proposed Well 3 (MARI 767) is located 1,470 feet south and 860 feet east from the NW corner, DLC 63.


Proposed Well 4 (MARI 764) is located 220 feet north and 70 feet east from the SW corner, Section 26.

Proposed Well 5 is located 1,030 feet south and 555 feet east from the NW corner, Section 35.

Proposed Well 6 (MARI 1013) is located 30 feet north and 1,360 feet west from the NW corner, DLC 53.

Area (74.48 Acres) irrigated under GR-751, priority date, 10-31-46, change in POA only.

Area (5.5 Acres) irrigated under GR-751, priority date, 10-31-46, not affected.



Scale: 1" = 1,320'



This map was prepared for the purpose of identifying the location of a water right only and is not intended to provide legal dimensions or location of property ownership lines.

Pacific Hydro-Geology Inc.

Groundwater Registration Modification Application Map GR-751

04/2020

Stauffer Farms Inc.
T.4S. R.1W. Sec. 26, 27, 34 & 35, W.M.

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

RECEIVED

JUN 24 2020

OWRD

Applicant(s): Stauffer Farm Inc. c/o Jeff Bizon

Mailing Address: 13821 Stauffer Road NE

City: Hubbard

State: OR

Zip Code: 97032

Daytime Phone: (503) 476-4712

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
4S	1W	26	_____	400	_____ EFLD	☐ Diverted	☒ Conveyed	☐ Used	IR
4S	1W	26	_____	500	_____ "	☐ Diverted	☒ Conveyed	☐ Used	IR
4S	1W	26	_____	600	_____ "	☐ Diverted	☒ Conveyed	☐ Used	IR
4S	1W	26	_____	1900	_____ "	☐ Diverted	☒ Conveyed	☐ Used	IR
4S	1W	27	_____	1100	_____ "	☐ Diverted	☒ Conveyed	☐ Used	IR
4S	1W	27	_____	1200	_____ "	☒ Diverted	☒ Conveyed	☐ Used	IR
4S	1W	27	_____	1700	_____ "	☐ Diverted	☒ Conveyed	☐ Used	IR
4S	1W	27	_____	1900	_____ "	☐ Diverted	☒ Conveyed	☐ Used	IR
4S	1W	34	_____	100	_____ "	☒ Diverted	☒ Conveyed	☒ Used	IR
4S	1W	34	_____	200	_____ "	☐ Diverted	☒ Conveyed	☐ Used	IR
4S	1W	34	_____	600	_____ "	☒ Diverted	☒ Conveyed	☒ Used	IR

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

Marion County

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water ☐ Water Right Transfer ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License ☐ Allocation of Conserved Water ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 250 ☐ cubic feet per second ☒ gallons per minute ☐ acre-feet

Intended use of water: ☒ Irrigation ☐ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☐ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

This Land Use Information Form is to accompany a Groundwater Registration Modification that proposes to change the point of appropriation (well) for Groundwater Registration GR-751.

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

RECEIVED

JUN 24 2020

Please check the appropriate box below and provide the requested information

☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s): MCC 17.136

WRD

☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) If approvals have been obtained but all appeal periods have not ended, check "Being pursued."

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Name: LISA MILLIMAN Title: ASSOCIATE PLANNER
Signature: Lisa Milliman Phone: 5035835038 Date: 9/10/19
Government Entity: MARION COUNTY

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.



Receipt for Request for Land Use Information

Applicant name: _____
City or County: _____ Staff contact: _____
Signature: _____ Phone: _____ Date: _____

RECEIVED

SEP 10 2019

1347 WRD

Groundwater Registration Modification (GR Mod) Application Checklist

Checked by Joan

Date 6-19-2020

(If OK, check box to left; if not, fill in the blank)

- ☒ 1. Is the name of the GR Mod applicant(s) the same as the GR claim holder(s) of record?

If not, one of the following must be included with the application:

- ___ a) A written statement from the GR claim holder, consenting to the proposed GR Mod Application (if the GR claim holder(s) of record is the current property owner), **OR**.
- ___ b) A concurrent "Request for Assignment" to move the GR claim into the GR Mod applicant's name must be submitted (if the GR Mod applicant(s) is the current property owner), **OR**
- ___ c) A concurrent "Request for Assignment" to move the GR claim into the name of a third party (who now owns the property) must be submitted, **and** the third party will need to provide a written statement consenting to the proposed GR Mod Application.

If not, what is missing? _____

- ☒ 2. Page 1 of application: Are all attachments that have been checked actually included?

If not, what is missing? _____

- ☒ 3. Are fees included and correct?

If not, the correct fee would be: _____, so the amount missing is: _____

- If application proposes ONLY a change in place of use = \$875.00
- If application proposes any other change or combination of changes = \$1,250.00

- ☒ 4. Page 3 of application: Have all the applicants listed at the top of the page signed at the bottom?

If not, whose signature is missing? _____

- ☒ 5. If all #1-#4 boxes on this checklist are checked (with no remaining deficiencies identified), accept the application. Put this check sheet in the transfer folder.

If #1, #2, #3, or #4 on this checklist is deficient, the application CANNOT be accepted.

It should be returned and the deficiencies listed in the "staff" section at the bottom of Application Page 1, unless the applicant or agent can resolve the deficiencies within 2-3 days.

OK

T-13477