

Permit Amendment

T-13446

Name City of Prineville
attn Eric Klann
 Address 387 NE 3rd Street
Prineville Oregon 97754

Change in APOA
 Date Filed 5/26/2020
 Initial notice date 6/9/2020
 DPD issued date _____
 PD issued date _____
 PD notice date _____
 Date of FO 3/30/2021 Vol 118 Page 788-90

C-Date _____
 COBU due date _____
 COBU Received date _____
 Certificate issued _____

Assignments: _____

Irrigation District Ochoco Irrigation district

Agent GSI Water Solutions Adam Sussman asussman@gsiws.com

CWRE _____
 CC's list City of Prineville Planning dept
Crook County Planning

DESCRIPTION OF WATER RIGHT(s)

Name of Stream well

Trib. of Ochoco Creek Basin

Use Fire Protection, ind/mfg, road construction County Crook

Quantity of water (CFS) _____ No. of Acres _____

Name of ditch _____

App# 6-13238 Per # G-18304 Cert # _____ PR Date 6/16/1993

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

FEES PAID

Date	Amount	Receipt #
<u>5-26-2020</u>	<u>\$1,570.00</u>	<u>132615</u>
<u>1-11-2021</u>	<u>\$60.00</u>	<u>134319</u>

FEES REFUNDED

Date	Amount	Receipt #

☐ - Oversized map - Location _____



Oregon

Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

March 30, 2021

CITY OF PRINEVILLE
ATTN: ERIC KLANN
387 NE 3RD ST
PRINEVILLE, OR 97754

REFERENCE: Permit Amendment Application T-13446

Enclosed is a copy of the order approving your Permit Amendment application.

Also enclosed is a superseding permit that incorporates the amendments approved by the final order contained herein. Please read this document and abide by the requirements.

If you have any questions related to the approval of this permit amendment, you may contact your caseworker, Corey Courchane, by telephone at (503) 986-0825 or by e-mail at Corey.A.Courchane@oregon.gov.

Sincerely,

Julie C. Baustian
Water Rights Services Support
Transfers and Conservation Section

cc: Jeremy T. Giffin, Watermaster Dist. # 11 (via email)
Ochoco Irrigation District
Crook County Planning
Adam Sussman, Agent

Enclosure

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Permit Amendment	)	FINAL ORDER
T-13446, Crook County	)	APPROVING AN ADDITIONAL POINT
	)	OF APPROPRIATION

Authority

Oregon Revised Statute (ORS) 537.211 establishes the process in which a water right permit holder may submit a request to change the point of appropriation and/or place of use authorized under an existing water right permit.

Applicant

CITY OF PRINEVILLE
ATTN: ERIC KLANN
387 NE 3RD ST
PRINEVILLE, OR 97754

Findings of Fact

1. On May 26, 2020, CITY OF PRINEVILLE, ATTN: ERIC KLANN filed an application for an additional point of appropriation under Permit G-18304. The Department assigned the application number T-13446.
2. On February 18, 2004, the Department approved an extension of time for complete application of water to October 1, 2009.
3. On April 20, 2010, the Department approved an extension of time for complete application of water to October 1, 2019.
4. On January 5, 2011, Application G-13238 (Permit G-12541) was assigned from Clear Pine Mouldings, Inc. to the City of Prineville.
5. On August 29, 2019, the Department approved Permit Amendment application T-13026 for additional points of appropriation and a change in place of use. The Department subsequently issued superseding Permit G-18274.
6. On November 8, 2019, the Department approved an extension of time for complete application of water to October 1, 2026.

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 and OAR 690-01-0005 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

7. On January 8, 2020, the Department issued a correcting order under Permit Amendment application T-13026, which identified a scrivener's error in the place of use. The Department subsequently issued superseding Permit G-18304.
8. Notice of the application for the permit amendment was published in the Department's weekly notice on June 9, 2020, and in the Central Oregonian newspaper on January 26 and February 2, 2021, pursuant to ORS 540.520(5). No comments were filed in response to the notices.
9. On July 7, 2020, the Department contacted the applicant by written correspondence to notify the applicant and the applicant's agent of deficiencies in the application. The application map and Table 1 locations for proposed Lamonta Well 2 did not match, and the Department's Groundwater section determined potential injury to a well authorized under Certificate 94818. The Department requested that the deficiencies be resolved by August 7, 2020.
10. On July 15, 2020, the Department received correspondence from the City of Prineville, indicating that they acknowledge they could potentially injure their own well under Certificate 94818, and that they wish the Department to proceed with T-13446.
11. On July 17, 2020, the applicant submitted a revised Table 1, resolving the deficiencies.
12. Permit Amendment Application T-13446 proposes an additional point of appropriation as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
14 S	16 E	WM	31	NE NW	LAMONTA WELL 2 - 765 FEET SOUTH AND 1240 FEET EAST FROM THE NW CORNER OF SECTION 31

Approximate distance from authorized points of appropriation in miles (mi.)						
WELL #1	WELL #2	WELL #3	YANCEY WELL 2	NEW OCHOCO HEIGHTS WELL	JUNIPER WELL	STRYKER PARK WELL
0.6 mi.	0.4 mi.	0.2 mi.	0.8 mi.	1.0 mi.	1.5 mi.	1.3 mi.

Permit Amendment Review Criteria

13. The change would not result in injury to other water rights.
14. The change does not enlarge the permit.
15. The change does not alter any other terms of the permit.

Conclusions of Law


The additional point of appropriation proposed by Permit Amendment Application T-13446 is consistent with the requirements of ORS 537.211.

Now, therefore, it is ORDERED:

1. The additional point of appropriation proposed by Permit Amendment Application T-13446 is approved.
2. Permit G-18482, in the name of CITY OF PRINEVILLE, is issued to replace Permit G-18304, and incorporates the amendments approved by this order, the assignment, and the extensions of time. Permit G-18304, in the name of CITY OF PRINEVILLE, is no longer of any force or effect.
3. The combined quantity of water diverted at the new additional point of appropriation (Lamonta Well 2), together with that diverted at the old points of appropriation (Well #1, Well #2, Well 33, Yancey Well 2, New Ochoco Heights Well, Juniper Well, and Stryker Park Well), shall not exceed the quantity of water lawfully available at the original point(s) of appropriation (Well #1, Well #2, Well 33, Yancey Well 2, New Ochoco Heights Well, Juniper Well, and Stryker Park Well).
4. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
5. Water shall be acquired from the same aquifer as the original points of appropriation.
6. All other terms and conditions of Permit G-18482 remain the same.

Dated in Salem, Oregon on

MAR 30 2021


Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department

Mailing Date:

MAR 31 2021

STATE OF OREGON

COUNTY OF CROOK

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CITY OF PRINEVILLE
ATTN: ERIC KLANN
387 NE 3RD ST
PRINEVILLE, OR 97754

This superseding permit is issued to describe an amendment for an additional point of appropriation proposed under Permit Amendment Application T-13446 and approved by Special Order Vol. 118, Page 188, entered March 30, 2021, an amendment for additional points of appropriation proposed under Permit Amendment Application T-13026 and approved by Special Order Vol. 113, Page 983, entered August 29, 2019, and correcting order approved by Special Order Vol. 114, Page 141, entered January 8, 2020, and to describe an assignment approved January 5, 2011, and extensions of time for complete application approved February 19, 2004, April 20, 2010, and November 8, 2019. This permit supersedes Permit G-18304.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-13238

SOURCE OF WATER: EIGHT WELLS IN OCHOCO CREEK BASIN

PURPOSE OR USE: INDUSTRIAL USE INCLUDING FIRE PROTECTION AND DUST CONTROL

VOLUME OF USE: 3.99 CUBIC FEET PER SECOND (CFS), BEING 1.33 CFS FROM WELL #1, YANCEY WELL 2, NEW OCHOCO HEIGHTS WELL, JUNIPER WELL, STRYKER PARK WELL, AND LAMONTA WELL 2, 1.33 CFS FROM WELL #2, YANCEY WELL 2, NEW OCHOCO HEIGHTS WELL, JUNIPER WELL, STRYKER PARK WELL, AND LAMONTA WELL 2, AND 1.33 CFS FROM WELL #3, YANCEY WELL 2, NEW OCHOCO HEIGHTS WELL, JUNIPER WELL, AND STRYKER PARK WELL, AND LAMONTA WELL 2

PERIOD OF ALLOWED USE: YEAR-ROUND

DATE OF PRIORITY: JANUARY 6, 1993

POINT OF DIVERSION LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
14 S	16 E	WM	31	NE NE	WELL #1 - 878 FEET SOUTH AND 1009 FEET WEST FROM THE NE CORNER OF SECTION 31

Twps	Rng	Mer	Sec	Q-Q	Measured Distances
14 S	16 E	WM	31	SW NE	WELL #2 - 1678 FEET SOUTH AND 2033 FEET WEST FROM THE NE CORNER OF SECTION 31
14 S	16 E	WM	31	NE NW	WELL #3 - 1002 FEET SOUTH AND 3087 FEET WEST FROM THE NE CORNER OF SECTION 31
14 S	16 E	WM	31	NE NW	LAMONTA WELL 2 - 765 FEET SOUTH AND 1240 FEET EAST FROM THE NW CORNER OF SECTION 31
14 S	16 E	WM	31	SW SE	YANCEY WELL 2 - 613 FEET NORTH AND 1730 FEET WEST FROM THE SE CORNER OF SECTION 31
14 S	16 E	WM	32	NW SW	NEW OCHOCO HEIGHTS WELL - 1677 FEET NORTH AND 680 FEET EAST FROM THE SW CORNER OF SECTION 32
14 S	16 E	WM	32	SE SW	JUNIPER WELL - 97 FEET NORTH AND 2493 FEET EAST FROM THE SW CORNER OF SECTION 32
15 S	16 E	WM	5	NW NW	STRYKER PARK WELL - 277 FEET SOUTH AND 812 FEET EAST FROM THE SW CORNER OF SECTION 32

THE PLACE OF USE IS LOCATED AS FOLLOWS:

INDUSTRIAL USE INCLUDING FIRE PROTECTION AND DUST CONTROL				
Twps	Rng	Mer	Sec	Q-Q
14 S	15 E	WM	25	NE SW
14 S	15 E	WM	25	SE SW
14 S	15 E	WM	25	NW SE
14 S	15 E	WM	25	SW SE
14 S	15 E	WM	25	SE SE
14 S	15 E	WM	36	NE NE
14 S	15 E	WM	36	NW NE
14 S	15 E	WM	36	SW NE
14 S	15 E	WM	36	SE NE
14 S	15 E	WM	36	NE NW
14 S	15 E	WM	36	NE SW
14 S	15 E	WM	36	SE SW
14 S	15 E	WM	36	NE SE
14 S	15 E	WM	36	NW SE
14 S	15 E	WM	36	SW SE
14 S	15 E	WM	36	SE SE
14 S	16 E	WM	28	NW SW
14 S	16 E	WM	28	SW SW
14 S	16 E	WM	28	SE SW
14 S	16 E	WM	29	NE NE
14 S	16 E	WM	29	NW NE
14 S	16 E	WM	29	SW NE
14 S	16 E	WM	29	SE NE
14 S	16 E	WM	29	NE SW
14 S	16 E	WM	29	NW SW
14 S	16 E	WM	29	SW SW
14 S	16 E	WM	29	SE SW
14 S	16 E	WM	29	NE SE
14 S	16 E	WM	29	NW SE
14 S	16 E	WM	29	SW SE
14 S	16 E	WM	29	SE SE
14 S	16 E	WM	30	NW SW

INDUSTRIAL USE INCLUDING FIRE
PROTECTION AND DUST CONTROL

Twp	Rng	Mer	Sec	Q-Q
14 S	16 E	WM	30	SW SW
14 S	16 E	WM	30	SE SW
14 S	16 E	WM	30	SE SE
14 S	16 E	WM	31	NE NE
14 S	16 E	WM	31	NW NE
14 S	16 E	WM	31	SW NE
14 S	16 E	WM	31	SE NE
14 S	16 E	WM	31	NE NW
14 S	16 E	WM	31	NW NW
14 S	16 E	WM	31	SW NW
14 S	16 E	WM	31	SE NW
14 S	16 E	WM	31	NE SW
14 S	16 E	WM	31	NW SW
14 S	16 E	WM	31	SW SW
14 S	16 E	WM	31	SE SW
14 S	16 E	WM	31	NE SE
14 S	16 E	WM	31	NW SE
14 S	16 E	WM	31	SW SE
14 S	16 E	WM	31	SE SE
14 S	16 E	WM	32	NE NE
14 S	16 E	WM	32	NW NE
14 S	16 E	WM	32	SW NE
14 S	16 E	WM	32	SE NE
14 S	16 E	WM	32	NE NW
14 S	16 E	WM	32	NW NW
14 S	16 E	WM	32	SW NW
14 S	16 E	WM	32	SE NW
14 S	16 E	WM	32	NE SW
14 S	16 E	WM	32	NW SW
14 S	16 E	WM	32	SW SW
14 S	16 E	WM	32	SE SW
14 S	16 E	WM	32	NE SE
14 S	16 E	WM	32	NW SE
14 S	16 E	WM	32	SW SE
14 S	16 E	WM	32	SE SE
14 S	16 E	WM	33	NW NE
14 S	16 E	WM	33	SW NE
14 S	16 E	WM	33	NE NW
14 S	16 E	WM	33	NW NW
14 S	16 E	WM	33	SW NW
14 S	16 E	WM	33	SE NW
14 S	16 E	WM	33	NE SW
14 S	16 E	WM	33	NW SW
14 S	16 E	WM	33	SW SW
14 S	16 E	WM	33	SE SW
14 S	16 E	WM	33	NE SE
14 S	16 E	WM	33	NW SE
14 S	16 E	WM	33	SW SE
14 S	16 E	WM	33	SE SE
14 S	16 E	WM	34	NW SW

INDUSTRIAL USE INCLUDING FIRE PROTECTION AND DUST CONTROL				
Twp	Rng	Mer	Sec	Q-Q
15 S	15 E	WM	1	NE NE
15 S	15 E	WM	1	NW NE
15 S	15 E	WM	1	SW NE
15 S	15 E	WM	1	SE NE
15 S	15 E	WM	1	NE NW
15 S	15 E	WM	1	SE NW
15 S	15 E	WM	1	NE SW
15 S	15 E	WM	1	NW SW
15 S	15 E	WM	1	SW SW
15 S	15 E	WM	1	SE SW
15 S	15 E	WM	1	NE SE
15 S	15 E	WM	1	NW SE
15 S	15 E	WM	1	SW SE
15 S	15 E	WM	1	SE SE
15 S	15 E	WM	2	NE SW
15 S	15 E	WM	2	SW SW
15 S	15 E	WM	2	SE SW
15 S	15 E	WM	2	NE SE
15 S	15 E	WM	2	NW SE
15 S	15 E	WM	2	SW SE
15 S	15 E	WM	2	SE SE
15 S	15 E	WM	3	NE SW
15 S	15 E	WM	3	NW SW
15 S	15 E	WM	3	SW SW
15 S	15 E	WM	3	SE SW
15 S	15 E	WM	3	NE SE
15 S	15 E	WM	3	NW SE
15 S	15 E	WM	3	SW SE
15 S	15 E	WM	3	SE SE
15 S	15 E	WM	10	NE NE
15 S	15 E	WM	10	SW NE
15 S	15 E	WM	10	SE NE
15 S	15 E	WM	10	SE NW
15 S	15 E	WM	10	NE SW
15 S	15 E	WM	10	NE SE
15 S	15 E	WM	10	NW SE
15 S	15 E	WM	10	SE SE
15 S	15 E	WM	11	NE NE
15 S	15 E	WM	11	NW NE
15 S	15 E	WM	11	SW NE
15 S	15 E	WM	11	SE NE
15 S	15 E	WM	11	NE NW
15 S	15 E	WM	11	NW NW
15 S	15 E	WM	11	SW NW
15 S	15 E	WM	11	SE NW
15 S	15 E	WM	11	NE SW
15 S	15 E	WM	11	NW SW
15 S	15 E	WM	11	SW SW
15 S	15 E	WM	11	SE SW
15 S	15 E	WM	11	NE SE

INDUSTRIAL USE INCLUDING FIRE
PROTECTION AND DUST CONTROL

Twp	Rng	Mer	Sec	Q-Q
15 S	15 E	WM	11	NW SE
15 S	15 E	WM	11	SW SE
15 S	15 E	WM	11	SE SE
15 S	15 E	WM	12	NE NE
15 S	15 E	WM	12	NW NE
15 S	15 E	WM	12	SW NE
15 S	15 E	WM	12	SE NE
15 S	15 E	WM	12	NE NW
15 S	15 E	WM	12	NW NW
15 S	15 E	WM	12	SW NW
15 S	15 E	WM	12	SE NW
15 S	15 E	WM	12	NE SW
15 S	15 E	WM	12	NW SW
15 S	15 E	WM	12	SW SW
15 S	15 E	WM	12	SE SW
15 S	15 E	WM	12	NW SE
15 S	15 E	WM	12	SW SE
15 S	15 E	WM	14	NW NE
15 S	15 E	WM	14	SW NE
15 S	15 E	WM	14	NE NW
15 S	15 E	WM	14	SE NW
15 S	15 E	WM	14	NW SE
15 S	15 E	WM	14	SW SE
15 S	16 E	WM	4	NE NE
15 S	16 E	WM	4	NW NE
15 S	16 E	WM	4	SW NE
15 S	16 E	WM	4	SE NE
15 S	16 E	WM	4	NE NW
15 S	16 E	WM	4	NW NW
15 S	16 E	WM	4	SW NW
15 S	16 E	WM	4	SE NW
15 S	16 E	WM	4	NE SW
15 S	16 E	WM	4	NW SW
15 S	16 E	WM	4	SW SW
15 S	16 E	WM	4	SE SW
15 S	16 E	WM	5	NE NE
15 S	16 E	WM	5	NW NE
15 S	16 E	WM	5	SW NE
15 S	16 E	WM	5	SE NE
15 S	16 E	WM	5	NE NW
15 S	16 E	WM	5	NW NW
15 S	16 E	WM	5	SW NW
15 S	16 E	WM	5	SE NW
15 S	16 E	WM	5	NE SW
15 S	16 E	WM	5	NW SW
15 S	16 E	WM	5	SW SW
15 S	16 E	WM	5	SE SW
15 S	16 E	WM	5	NE SE
15 S	16 E	WM	5	NW SE
15 S	16 E	WM	5	SW SE

INDUSTRIAL USE INCLUDING FIRE PROTECTION AND DUST CONTROL				
Twp	Rng	Mer	Sec	Q-Q
15 S	16 E	WM	5	SE SE
15 S	16 E	WM	6	NE NE
15 S	16 E	WM	6	NW NE
15 S	16 E	WM	6	SW NE
15 S	16 E	WM	6	SE NE
15 S	16 E	WM	6	NE NW
15 S	16 E	WM	6	NW NW
15 S	16 E	WM	6	SW NW
15 S	16 E	WM	6	SE NW
15 S	16 E	WM	6	NE SW
15 S	16 E	WM	6	NW SW
15 S	16 E	WM	6	SW SW
15 S	16 E	WM	6	SE SW
15 S	16 E	WM	6	NE SE
15 S	16 E	WM	6	NW SE
15 S	16 E	WM	6	SW SE
15 S	16 E	WM	6	SE SE
15 S	16 E	WM	7	NE NE
15 S	16 E	WM	7	NW NE
15 S	16 E	WM	7	SW NE
15 S	16 E	WM	7	SE NE
15 S	16 E	WM	7	NE NW
15 S	16 E	WM	7	NW NW
15 S	16 E	WM	7	SW NW
15 S	16 E	WM	7	SE NW
15 S	16 E	WM	7	NE SW
15 S	16 E	WM	7	NW SW
15 S	16 E	WM	7	SW SW
15 S	16 E	WM	7	NE SE
15 S	16 E	WM	7	NW SE
15 S	16 E	WM	8	NW NE
15 S	16 E	WM	8	SW NE
15 S	16 E	WM	8	NE NW
15 S	16 E	WM	8	NW NW
15 S	16 E	WM	8	SW NW
15 S	16 E	WM	8	SE NW
15 S	16 E	WM	8	NE SW
15 S	16 E	WM	8	NW SW
15 S	16 E	WM	8	SE SW
15 S	16 E	WM	8	NE SE
15 S	16 E	WM	8	NW SE
15 S	16 E	WM	8	SW SE

Permit Amendment T-13446 Conditions:

The combined quantity of water diverted at the new additional point of appropriation (Lamonta Well 2), together with that diverted at the old points of appropriation (Well #1, Well #2, Well 33, Yancey Well 2, New Ochoco Heights Well, Juniper Well, and Stryker Park Well), shall not exceed the quantity of water lawfully available at the original point(s) of appropriation (Well #1, Well #2, Well 33, Yancey Well 2, New Ochoco Heights Well, Juniper Well, and Stryker Park Well).

Water use measurement conditions:

- a) Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
- b) The water user shall maintain the meters or measuring devices in good working order.
- c) The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer as the original points of appropriation.

Permit Amendment T-13026 Conditions:

The combined quantity of water diverted at the new points of appropriation (Yancey Well 2, New Ochoco Heights Well, Juniper Well, and Stryker Park Well), together with that diverted at the old points of appropriation (Clear Pine Well 1, 2, and 3), shall not exceed the quantity of water lawfully available at the original points of appropriation (Clear Pine Well 1, 2, and 3).

Water use measurement conditions:

- a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer as the original points of appropriation.

Extension of Time Conditions:**Checkpoint Condition**

The permit holder must submit a completed Progress Report Form to the Department by **October 1, 2024**.
A form will be enclosed with your Final Order.

- (a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;
- (b) The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.

Original Permit Conditions:

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the volume of water diverted each month, and shall submit a report which includes water-use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

The water user shall install and maintain adequate treatment facilities meeting current DEQ requirements to remove sediment before returning the water to the stream.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this right, then use of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

Use of water under authority of this permit may be regulated if analysis of data available after the permit is issued discloses that the appropriation will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife in effect as of the priority date of the right or as those quantities may be subsequently reduced.

Limited Water Level Decline/Interference Condition

To monitor the effect of water use from the well(s) authorized under this permit, the Department requires the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

Measurements must be made according to the following schedule:

Before Use of Water Takes Place**Initial and Annual Static Water Level Measurements**

The Department requires the permittee to report an initial water-level measurement in the month specified above once well construction is complete, and annually thereafter until use of water begins; and

After Use of Water has Begun**Seven Consecutive Annual Static Water Level Measurements**

Following the first year of water use, the user shall submit seven consecutive annual reports of static water level measurements. The first of these seven annual measurements will establish the reference level against which future annual measurements will be compared. Based on an analysis of the data collected, the Director may require the user to obtain and report additional annual static water-level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- (A) Identify each well with its associated measurement;
- (B) Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface;
- (C) Specify the method used to obtain each well measurement; and
- (D) Certify the accuracy of all measurements and calculations reported to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- (A) Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- (B) Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- (C) Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- (D) Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

STANDARD CONDITIONS

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water-level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

The original permit was issued June 19, 1996. Completion of construction and complete application of the water to the use was to be made on or before October 1, 1999. By Extension of Time Final Order dated November 8, 2019, the deadline for complete application of water to the use was extended to October 1, 2026. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Issued **MAR 30 2021**;



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M. BYLER, DIRECTOR
Oregon Water Resources Department

Permit Amendment Checklist

Transfer: T- 13446

Transfer Specialist:

Corey

Transfer Type: Permit Amendment

Applicant Name/Address/email: CITY OF PRINEVILLE ATTN: ERIC KLANN 387 NE 3RD STREET PRINEVILLE, OR 97754	Agent Name/Address/email: ADAM SUSSMAN 1600 SW WESTERN BLVD. SUITE 240 CORVALLIS, OR 97333	Rec Landowner Name/Address:
CWRE Name/Number:	Irr. District Name/Address:	Affected Gov'ts Name/Address: City Of Prineville
Commentor(s): Name/Address:	Current Landowner Name/Address (if different than applicant):	

Permit(s) Affected

Records Marked	Records Copied	App File No. or Decree Name	Permit No.	Superseding Permit No.
☐	☐	G-13238	G-18304	

Key Dates & Initial Actions

Rec'd: May 26, 2020	Proposed Action(s): ADDITIONAL POINT OF APPROPRIATION	
Fees Pd: 1570.00	WM District: 11	ODFW District:
Initial Notice: June 9, 2020	WM Review sent: Done:	ODFW Review sent: Done:
Acknowledgement Letter Sent: ☒ Date:		GW Review sent: Done:

Processing Dates & Actions

Deficiency Contact(s): A. Sussman

Newspaper: Central Oregonian

☐ not required

Date quote requested: 9/3/20

Request for news \$ sent: 1/4/21

News \$ received: 1/11/21

Request to publish sent to newspaper:

Affidavit of publication received: 2/8/21

Dates of publication: 1/24/21

2/2/21

Draft Mailed: _____

If yes, date rec'd okay from agent/applicant: _____

ODFW contact sheet sent; need? Yes ☐ or No ☐

☐ WM measurement sheet sent; need?

Yes ☐ or No ☐

Final Order

Draft Order & Superseding Permit Review (Optional) Reviewer: _____ Date: _____ Coordinator: _____ Date: _____ Signature Bin Date: _____	Final Order & Superseding Permit Review (Salem) Reviewer: _____ Date: 8/23/20 Coordinator: _____ Date: 8/28/20 Signature Bin Date: _____
Comments/Special Issues: _____	

Special Order Volume: Vol: _____, Pages _____

Final Order Signature Date: 3/30/2021

Notice of FO e-mailed to processors: _____

Application

PR CW

- ☐ ☒ The type of change is clearly indicated.
- ☐ ☒ The application is appropriately signed.
- ☐ ☒ Appropriate fees were paid. N/A ☐ If overpayment, Refund Request submitted _____
- ☐ ☒ Land use form matches affected tax lots and is signed by proper official. (from ALL affected Govt's) _____
- ☐ ☒ N/A Ditch company, district, and/or BOR, sent a copy of the application and map, if appropriate.
- ☐ ☒ All required attachments received.
- ☐ ☒ Check application file and WRIS for assignment(s) and/or extension(s). _____

Application Map

PR CW

- ☐ ☒ The map size and scale are accurate and appropriate per OAR 690-380-3100(1)(b)(c)&(d).
- ☐ ☒ All authorized and proposed POD's/POA's and POU are properly described on the map.
- ☐ ☒ The POD/POA location description(s) on the map match the PA application and permit descriptions.
- ☐ ☒ Map acres (to, from and rr, if applicable) match Table 2 on the PA application and as applicable, on the permit
- ☐ ☒ Have permit map(s).

Determining the "From" and "To" Lands (make working copy of application and permit(s))

PR CW

- ☐ ☒ Only the authorized POD's/POA's and/or POU's to be transferred are listed (Tables 1 & 2).
- ☐ ☒ PA application and permit tabulations (acreage) match. (Mark on appl. and permit copies and note corrections needed)
- ☐ ☒ ALL Mark on permit the acreage and amount of water being transferred.

Permit Ownership

- ☐ ☒ The applicant(s) is/are the holder(s) of the permit.
- ☐ ☒ All holders of the permit have signed the application or
- ☐ ☒ N/A If necessary, there is a notarized, signed statement of consent from permit holders other than applicant.
- ☐ ☒ N/A If necessary, the permit has been assigned to permit amendment applicant.

Evaluation Materials

- | | | | |
|--|--|---|---|
| ☒ Application complete | ☒ Permit | ☒ Land Use form | ☐ <u>N/A</u> Plat card |
| ☒ Amendment Map | ☒ Permit Map | ☒ Fees paid | ☒ N/A Well logs |

Reviews/comments/conditions received? ☐ ☒ Watermaster ☐ ☒ N/A ODFW ☐ ☐ N/A GW

N/A Headgate ☐ When in the judgment ☐ Prior to diverting ☐ Existing and maintain

N/A Measuring Devices ☐ When in the judgment ☐ Prior to diverting ☐ Existing and maintain

Type of device, if applicable: _____ totalizing flow meter: at new at existing and new

Injury: ☒ Yes ☐ No

Enlargement: ☐ Yes ☒ No

Conditions to avoid enlargement/injury –

ODFW conditions: N/A

GW Conditions: N/A

COURCHANE Corey A * WRD

From: MARTIN Duff A * WRD
Sent: Wednesday, March 03, 2021 6:08 AM
To: COURCHANE Corey A * WRD
Cc: BAUSTIAN Julie C * WRD
Subject: RE: PD for review

Hi Corey,

Transfer T-13446 has been reviewed by data, no issues, and is ready to be signed.

Thanks,

Duff Martin

Data Tech 2

725 Summer St NE Salem, OR 97301



OREGON
WATER
RESOURCES
DEPARTMENT

Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

From: BAUSTIAN Julie C * WRD <Julie.C.Baustian@oregon.gov>
Sent: Tuesday, February 16, 2021 11:08 AM
To: MARTIN Duff A * WRD <Duff.A.Martin@oregon.gov>
Subject: PD for review

Please see attached.

Julie Baustian
Water Right Support
725 Summer Street NE Ste A
Salem, Oregon 97301 | Phone 503-986-0815



OREGON
WATER
RESOURCES
DEPARTMENT

Integrity | Service | Technical Excellence | Teamwork | Forward-Looking

Transfer / Data Center ROUTE SLIP

(...in between PD Peer Review and PD issuance)

1. Transfer Caseworker:

- Attach PD and RR (if any) to the front of the Transfer file and give to Transfer Support

Transfer Number:	T-13446
Caseworker:	Corey C
Is a Living Certificate Involved? → If YES... list Living Certificate number(s) HERE: ☐ YES ☒ NO	
Date delivered to T-Support:	2/16/21

2. Transfer Support:

Date Received from Caseworker:	2/16/2021
☐ Update Transfer/Data Center Tracking Log (...file sent to Data Center)	
Date Delivered to Data Center:	2/16/2021

3. Data Center:

Date Received from T-Support:	
☐ WRIS entry and mapping in ARCGIS. Any discrepancies noted? ☐ YES ☐ NO → If YES... Data Center routes back to Caseworker for re-review. • Date file sent back to CW for re-review: _____ ☐ Modified OR ☐ Determined should not be modified • Date CW returns file to Data Center: _____ • Date WRIS entry & ARCGIS Mapping completed: _____	
Date Delivered to T-Support:	

4. Transfer Support:


Date Received from Data Center:	
☐ Update Transfer/Data Center Tracking Log (...file received back from Data Center)	
Date Delivered back to Caseworker:	

RECEIVED

SEP 13 2018

OWRD


Permit Amendment Map for Permit G-12541
in the Name of City of Prineville
Proposed Points of Appropriation and Authorized Place of Use
Crook County, Oregon
Township 14, 15 South, Range 15, 16 East (W.M.)




RECEIVED

SEP 13 2018

OWRD





**Permit Amendment Map
for Permit G-12541
in the Name of City of Prineville
Proposed Place of Use**

LEGEND

-  Authorized Point of Appropriation (POA)
-  Proposed Point of Appropriation (POA)
-  Existing Water Mainlines
-  Proposed Place of Use (POU)
-  Government Lot (GL)
- All Other Features
-  Primeville City Limit
-  Tax Lot
-  Major Road
-  Railroad
-  Watercourse
-  Waterbody

RECEIVED

SEP 13 2018


OWRD

DISCLAIMER

DISCLAIMER
This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.



Date August 21, 2018
 By: [Signature] GSI Water Solutions Inc.



**Permit Amendment Map
for Permit G-12541
In the Name of City of Prineville
Proposed Place of Use**

RECEIVED
SEP 13 2018
OWRD

LEGEND

- Authorized Point of Appropriation (POA)
- Proposed Point of Appropriation (POA)
- ~ Existing Water Mainlines
- ~ Proposed Place of Use (POU)
- Government Lot (GL)
- All Other Features
- Prineville City Limit
- Tax Lot
- Major Road
- Railroad
- ~ Watercourse
- Waterbody


DISCLAIMER
This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

Scale: 0 1,500 3,000 4,500
1 inch = 3,000 feet

North Arrow

GSI
Date: August 21, 2018
Data Sources: OWRD, OREGON CO, OREGON, BSR, Water Solutions, Inc.

**Permit Amendment Map for Permit G-12541
in the Name of City of Prineville**
Proposed Points of Appropriation and Authorized Place of Use
Crook County, Oregon
Township 14, 15 South, Range 15, 16 East (W.M.)



LEGEND

- | | | | |
|--|--|--|---------------------------|
| | Authorized Point of Appropriation (POA) | | All Other Features |
| | Proposed Point of Appropriation (POA) | | |
| | Authorized Place of Use (POU) | | |
| | Government Lot (GL) | | |

DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.


MAP NOTES

Date: August 21, 2018
Data Sources: BLM, ESRI, Crook Co., USGS, OGIC

RECEIVED

SEP 13 2018

OWRD



Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Applicant(s): City of Prineville, ATTN: Eric Klann

Mailing Address: 387 NE 3rd St.

City: Prineville

State: OR

Zip Code: 97754

Daytime Phone: 541-447-2357

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:	Proposed Land Use:
<u>14S</u>	<u>16E</u>	<u>31</u>	<u>SWSE</u>	<u>6701</u>	<u>MHDR</u>	☒ Diverted ☐ Conveyed ☐ Used	<u>Industrial</u>
_____	_____	_____	_____	_____	_____	☐ Diverted ☐ Conveyed ☐ Used	_____
_____	_____	_____	_____	_____	_____	☐ Diverted ☐ Conveyed ☐ Used	_____

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

City of Prineville Planning Department

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water ☐ Water Right Transfer ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License ☐ Allocation of Conserved Water ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 3.99 ☒ cubic feet per second ☐ gallons per minute ☐ acre-feet

Intended use of water: ☐ Irrigation ☐ Commercial ☒ Industrial ☐ Domestic for _____ household(s)
☐ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

The City of Prineville is requesting to add a point of appropriation (Lamonta 2 Well) to Permit G-18304.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

RECEIVED

APR 20 2020

OWRD

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s):

☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Regulated by water master plan

Name: Joshua Smith Title: Planning Director

Signature: *Joshua Smith* Phone: 541-447-2363 Date: 4/17/20

Government Entity: City of Prineville

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____

City or County: _____ Staff contact: _____


Signature: _____ Phone: _____ Date: _____

RECEIVED

APR 20 2020

OWRD

Permit Amendment in the Name of City of Prineville
Permit G-18304
Authorized and Proposed Points of Appropriation
Crook County Oregon
Township 14, 15 South, Range 15, 16 East (W.M.)



LEGEND

- | | | | |
|--|---|--|--------------------|
| | Authorized Point of Appropriation (POA) | | All Other Features |
| | Proposed Point of Appropriation (POA) | | Tax Lot |
| | Government Lot (GL) | | Major Road |
| | | | Watercourse |
| | | | Waterbody |

DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

MAP NOTES


Date: April 2, 2020

Data Sources: BLM, ESRI, Crook Co., USGS, OGIC

RECEIVED

APR 20 2020

OWRD



**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **134319**

INVOICE # _____

RECEIVED FROM: 651 Water Solutions, Inc.
BY: _____

APPLICATION	
PERMIT	
TRANSFER	<u>T-13446</u>

CASH: ☐ CHECK: # 23410 OTHER: (IDENTIFY) ☐

TOTAL REC'D \$ 60.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES 46118 \$
0207 OTHER: (IDENTIFY) Newspaper Notice \$ 60.00

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407	COPY & TAPE FEES	\$
0410	RESEARCH FEES	\$
0408	MISC REVENUE: (IDENTIFY) _____	\$
TC162	DEPOSIT LIAB. (IDENTIFY) _____	\$
0240	EXTENSION OF TIME	\$

WATER RIGHTS:

0201	SURFACE WATER	EXAM FEE \$	0202	RECORD FEE \$
0203	GROUND WATER	\$	0204	\$
0205	TRANSFER	\$		

WELL CONSTRUCTION

0218	WELL DRILL CONSTRUCTOR	EXAM FEE \$	0219	LICENSE FEE \$
	LANDOWNER'S PERMIT		0220	\$

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211	WELL CONST START FEE	\$	CARD #	
0210	MONITORING WELLS	\$	CARD #	

OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233	POWER LICENSE FEE (FW/WRD)	\$
0231	HYDRO LICENSE FEE (FW/WRD)	\$
	HYDRO APPLICATION	\$

TREASURY OTHER / RDX

FUND _____ TITLE _____
OBJ. CODE _____ VENDOR # _____
DESCRIPTION _____ \$ _____

RECEIPT: **134319**

DATED: 1-11-2021 BY: [Signature]

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal



6605 SE Lake Road, Portland, OR 97222
PO Box 22109 Portland, OR 97269-2169
Phone: 503-684-0360 Fax: 503-620-3433
E-mail: legals@commnewspapers.com

RECEIVED

FEB 08 2021

OWRD

AFFIDAVIT OF PUBLICATION

State of Oregon, County of Crook, SS I, Charlotte Allsop, being the first duly sworn, depose and say that I am the Accounting Manager of the Central Oregonian, a newspaper of general circulation, published at Prineville, in the aforesaid county and state, as defined by ORS 193.010 and 193.020, that

Ad#: 187045

Owner: Oregon Water Resources

Description: Notice of Permit Amendment T-13446

A copy of which is hereto annexed, was published in the entire issue of said newspaper for 2 week(s) in the following issue:

01/26/2021, 02/02/2021

Charlotte Allsop

Charlotte Allsop (Accounting Manager)

Subscribed and sworn to before me this
02/02/2021

Deseri Kim Cerruti

NOTARY PUBLIC FOR OREGON


Notice of Permit Amendment T 13446
T-13446 filed by City Of Prineville, Attn: Eric Klann, 387 NE 3rd St, Prineville, OR 97754, proposes an additional point of appropriation under Permit G-18304. The permit allows the use of 3.99 cubic feet per second from seven wells in Sects. 31 and 32, T14S, R16E, WM, and Sec. 5, T15S, R16E, WM for industrial use including fire protection and dust control in Sects. 25 and 36, T14S, R15E, WM, Sects. 28, 29, 30, 31, 32, 33, and 34, T14S, R16E, WM, Sects. 1, 2, 3, 10, 11, 12, and 14, T15S, R15E, WM, and Sects. 4, 5, 6, 7, and 8, T15S, R16E, WM. The applicant proposes an additional point of appropriation in Sec. 31, T14S, R16E, WM. The Water Resources Department has concluded that the proposed permit amendment appears to be consistent with the requirements of ORS 537.211. The last date of newspaper publication is February 2, 2021.
Published Jan. 26 & Feb 2, 2021.

PC0187045

Acct #: 140748

Attn: Julie Baustian

OREGON WATER RESOURCE DEPARTMENT
725 SUMMER STREET NE, STE A
SALEM, OR 97301



Notice of Permit Amendment T-13446

T-13446 filed by City Of Prineville, Attn: Eric Klann, 387 NE 3rd St, Prineville, OR 97754, proposes an additional point of appropriation under Permit G-18304. The permit allows the use of 3.99 cubic feet per second from seven wells in Sects. 31 and 32, T14S, R16E, WM, and Sec. 5, T15S, R16E, WM for industrial use including fire protection and dust control in Sects. 25 and 36, T14S, R15E, WM, Sects. 28, 29, 30, 31, 32, 33, and 34, T14S, R16E, WM, Sects. 1, 2, 3, 10, 11, 12, and 14, T15S, R15E, WM, and Sects. 4, 5, 6, 7, and 8, T15S, R16E, WM. The applicant proposes an additional point of appropriation in Sec. 31, T14S, R16E, WM. The Water Resources Department has concluded that the proposed permit amendment appears to be consistent with the requirements of ORS 537.211. The last date of newspaper publication is MM/DD/YEAR.



Oregon
Kate Brown, Governor

Water Resources Department
725 Summer St NE, Suite A
Salem, OR 97301
(503) 986-0900
Fax (503) 986-0904

January 4, 2021

CITY OF PRINEVILLE
ATTN: ERIC KLANN
387 NE 3RD ST
PRINEVILLE, OR 97754

SUBJECT: Permit Amendment Application T-13446

Your Permit Amendment application requires publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the permit is located. The Department will publish the notice in the Central Oregonian newspaper upon receiving your payment for the notice.

At this time you need to:

1. submit a check for **\$60.00** (to cover cost of publication of the notice), made out to the Oregon Water Resources Department.
2. write **"for T-13446 NOTICE"** on the front of your check, and
3. submit it with the tracking stub at the bottom of this letter.

Mail the check to 725 Summer St. NE, Suite A, Salem, OR 97301-1266, **no later than February 4, 2021.**

Upon receipt of your check, processing will continue on the permit amendment application. **If we do not receive payment for newspaper notice by February 4, 2021, a Final Order may be issued denying the application as incomplete.**

✂-----

Attached is a check for **\$60.00** Newspaper Notice for Permit Amendment T-13446

- made out to Oregon Water Resources Department (or WRD)
- "for **T-13446 NOTICE**" written on front of check

Mail to: Oregon Water Resources Department
725 Summer St. NE, Suite A
Salem, OR 97301-1266

Caseworker: cc

Please do not hesitate to contact me, at corey.a.courchane@oregon.gov or (503) 986-0825, if I may be of assistance.

Sincerely,

A handwritten signature in blue ink, appearing to read "Corey Courchane". The signature is fluid and cursive, with the first name "Corey" and last name "Courchane" clearly distinguishable.

Corey Courchane
Transfer Specialist
Transfer and Conservation Section

cc: T-13446
Jeremy T. Giffin, District 11 Watermaster *(via e-mail)*
Adam Sussman, Agent for the applicant *(via e-mail)*

COURCHANE Corey A * WRD

From: BAUSTIAN Julie C * WRD
Sent: Tuesday, December 15, 2020 10:40 AM
To: COURCHANE Corey A * WRD
Subject: 13446

Good morning,

Just got the quote back for this file. Total is \$60 for two weeks.

[Julie Baustian](#)

Water Right Support
725 Summer Street NE Ste A
Salem, Oregon 97301 | Phone 503-986-0815



[Integrity](#) | [Service](#) | [Technical Excellence](#) | [Teamwork](#) | [Forward-Looking](#)

COURCHANE Corey A * WRD

From: Zach Pike-Urlacher <zpikeurlacher@gsiws.com>
Sent: Friday, July 17, 2020 8:50 AM
To: COURCHANE Corey A * WRD
Cc: Adam Sussman; Bruce Brody-Heine; Eric Klann; Mike Kasberger
Subject: Changes to address deficiencies to permit amendment T-13446
Attachments: FINAL_permit_amendment_app_(addressing_deficiencies) 7-17-2020.pdf

Corey,

Attached is a revised application addressing the deficiencies to Permit Amendment Application T-13446. Note that the proposed POA location has been amended in Table 1 of the application. Acknowledgment of the City's understanding of potential injury to their own water right was sent via email by Eric Klann, City of Prineville Engineer and Public Works Director (original message forwarded below).

Please let me know if you have questions.

Take care,

Zach Pike-Urlacher

Water Resources Analyst

direct: 541.753.0933 | mobile: 360.739.2303

1600 SW Western Boulevard, Suite 240, Corvallis, OR 97333

GSI Water Solutions, Inc. | www.gsiws.com

pronouns: he, him

Please note: GSI is open for business, although most of us are working remotely. I'm available by phone or email, as always.

From: Eric Klann [<mailto:eklann@cityofprineville.com>]
Sent: Wednesday, July 15, 2020 10:00 AM
To: Corey.A.Courchane@oregon.gov
Cc: Adam Sussman <asussman@gsiws.com>; Mike Kasberger <mkasberger@cityofprineville.com>
Subject: Prineville Lamonta 2 well

Corey,

The City of Prineville is submitting this written acknowledgement confirming our understanding of the potential to injure our own water right (Lamonta Well 1) under Certificate 94818, by adding a point of appropriation (Lamonta Well 2) to Permit G-18304. We acknowledge this potential injury and wish to proceed with our application. GSI will be providing you the other information requested in your letter dated July 7, 2020. Please let me know if you need anything else.

Thanks!

Eric

Part 5 of 5 – Water Use Permit Information
PERMIT # G-18304

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Clear Pine Well 1	☒ Authorized ☐ Proposed	CROO 1521	14 S	16 E	31	NE NE	500	878 feet South and 1009 feet West from the NE Corner of Section 31
Clear Pine Well 2	☒ Authorized ☐ Proposed	CROO 1551	14 S	16 E	31	SW NE	700	1678 feet South and 2033 feet West from the NE Corner of Section 31
Clear Pine Well 3	☒ Authorized ☐ Proposed	CROO 1453	14 S	16 E	31	NE NW	200	1002 feet South and 3087 feet West from the NE Corner of Section 31
Yancey Well 2	☒ Authorized ☐ Proposed	CROO 54711	14 S	16 E	31	SW SE	6701	613 feet North and 1730 feet West from the SE Corner of Section 31
New Ochoco Heights Well	☒ Authorized ☐ Proposed		14 S	16 E	32	NW SW	300	1677 feet North and 680 feet East from the SW Corner of Section 32
Juniper Well	☒ Authorized ☐ Proposed		14 S	16 E	32	SE SW	10400	97 feet North and 2493 feet East from the SW Corner of Section 32
Stryker Park Well	☒ Authorized ☐ Proposed		15 S	16 E	5	NW NW	600	277 feet South and 812 feet East from the SW Corner of Section 32
Lamonta Well 2	☐ Authorized ☒ Proposed		14 S	16 E	31	NE NW	6701	765 feet South and 1240 feet East from the NW corner of Section 31

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|---|--|
| ☐ Place of Use (POU) | ☐ Point of Appropriation/Well (POA) |
| ☐ Point of Diversion (POD) | ☒ Additional Point of Appropriation (APOA) |
| ☐ Additional Point of Diversion (APOD) | ☐ Surface water POD to Ground Water POA (SW/GW) |

Will all of the proposed changes affect the entire water use permit?

- ☒ Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- ☐ No Complete all of Table 2 to describe the portion of the permit to be changed.

Revised

COURCHANE Corey A * WRD

From: Eric Klann <eklann@cityofprineville.com>
Sent: Wednesday, July 15, 2020 10:00 AM
To: COURCHANE Corey A * WRD
Cc: Adam Sussman (ASussman@gsiws.com); Mike Kasberger
Subject: Prineville Lamonta 2 well

Corey,

The City of Prineville is submitting this written acknowledgement confirming our understanding of the potential to injure our own water right (Lamonta Well 1) under Certificate 94818, by adding a point of appropriation (Lamonta Well 2) to Permit G-18304. We acknowledge this potential injury and wish to proceed with our application. GSI will be providing you the other information requested in your letter dated July 7, 2020. Please let me know if you need anything else.

Thanks!

Eric

Eric Klann | City Engineer / Public Works Director

387 NE 3rd St | Prineville, OR 97754
Tel: 541.447.2357 | Ext: 1127
Email: eklann@cityofprineville.com



[Where the Future Meets the Frontier](#)

cityofprineville.com



The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain confidential and/or privileged material. Messages and attachments sent to and from this address are from a public entity and may be subject to disclosure under Oregon public records law. If you received this in error, please contact the sender and destroy any copies of this information.



Oregon
Kate Brown, Governor

Water Resources Department
725 Summer St NE, Suite A
Salem, OR 97301
(503) 986-0900
Fax (503) 986-0904

July 7, 2020

City of Prineville
Attn: Eric Klann
387 NE 3rd St.
Prineville, OR 97754

REFERENCE: Permit Amendment Application T-13446

The Department has completed an initial review of your permit amendment application. There are some deficiencies that need to be resolved before we can continue processing your application:

1. Table 1 of the application identifies the location of proposed point of appropriation Lamonta Well 2 as being in the SW SE of Section 31, T14S, R16E, WM. However, the application map identifies the location as being within the NE NW of Section 31, T14S, R16E, WM. Please verify the location of Lamonta Well 2, and revise either Table 1 or the application map, and resubmit.
2. On June 19, 2020, the Department determined that the proposed Lamonta Well 2 will potentially injure another point of appropriation under Certificate 94818, which is also owned by the City of Prineville (see attached Groundwater Review). Pursuant to Oregon Administrative Rule 690-380-5040(4); An affidavit consenting to a proposed change in point of diversion under OAR 690-380-5030(1) shall be notarized and shall include statements that the affiant: consents to the injury resulting from the proposed change in point of diversion or appropriation. Please submit a notarized affidavit consenting to the potential injury from proposed Lamonta Well 2.

If the Department does not receive the above requested materials by August 7, 2020, a Final Order may be issued denying the application as deficient.

Please do not hesitate to contact me, at corey.a.courchane@oregon.gov or (503) 986-0825, if I may be of assistance.

Sincerely,

Corey Courchane
Transfer Specialist
Transfer and Conservation Section

cc: Jeremy Giffin, Watermaster, District 11
Adam Sussman, Agent

Groundwater Transfer Review Summary Form

Transfer/PA # T- 13446

GW Reviewer Aurora C Bouchier Date Review Completed: June 19, 2020

Summary of Same Source Review:

☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Injury Review:

☒ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Ground Water Review Form:

- ☐ Water Right Transfer
☒ Permit Amendment
☐ GR Modification
☐ Other

Application: T-13446

Applicant Name: City of Prineville

Proposed Changes: ☐ POA ☒ APOA ☐ SW→GW ☐ RA
☐ USE ☐ POU ☐ OTHER

Reviewer(s): Aurora C Bouchier

Date of Review: 6/19/2020

Date Reviewed by GW Mgr. and Returned to WRSD: JTI 6/26/2020

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- ☐ The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- ☐ Other _____


1. Basic description of the changes proposed in this transfer: The City of Prineville is proposing to add an APOA (CROO 54871, Lamonta Well 2) to Permit G-18304. Permit G-18304 authorizes a maximum rate of 3.99 cfs out of 7 wells, three of which have not yet been drilled. A recent transfer (T-13026, the most recent groundwater review dated 6/5/2019) added 4 PODs to the underlying water right (was Permit G-12541, became Permit G-18304 after the transfer was approved). In Permit G-18304, the original 3 wells have a rate restriction of 1.33 cfs, whereas the 4 added wells are authorized for the full maximum rate of 3.99 cfs. This current transfer (T-13446) does not specify a well specific rate for the proposed APOA (CROO 54871, Lamonta Well 2).

CROO 54871 is included in a recent limited license application (LL-1825), which proposed producing a maximum rate of 1200 gpm from CROO 54871, and proposed limiting the combined annual volume of water appropriated under Permits G-17577, G-18155 and LL-1825 to no more than the annual volume authorized and mitigated for under Permits G-17577 and G-18155. The groundwater review for LL-1825 identified well-to-well interference concerns with CROO 1540 (Lamonta Well 1) if CROO 54871 (Lamonta Well 2) was in fact pumped at 1200 gpm. CROO 1540 is authorized for a maximum rate of 0.51 cfs under Certificate 94818 for municipal uses (City of Prineville). If this current transfer (T-13446) and the limited license (LL-1825) are both approved, then the well-to-well interference concerns are even larger.

2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?
☒ Yes ☐ No Comments: _____
3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?
☐ Yes ☒ No _____
- b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): _____
4. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?
☒ Yes ☐ No Comments: _____
- b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?
☒ Yes ☐ No If yes, explain: Well-to-well interference modeling predicates that pumping at the maximum allowed rate of use (3.99 cfs) authorized by Permit G-18304 from CROO 54871, then the drawdown at nearby CROO 1540 (authorized under Certificate 94818 for municipal uses) could be between 200 feet to over 400 feet using published transmissivity values (Robinson and Price, 1963). Pumping water level measurement at CROO 1540 are approximately 200+ feet below land surface without interference due to pumping at CROO 54871. CROO 1540 is 256 feet deep. CROO 1540 cannot accommodate the predicted additional drawdown. Please note, this modeled well-to-well interference only accounts for the water authorized by Permit G-18304, it does not include the additional requested water use under limited license application LL-1825.
-
- Both water rights in question are owned by the City of Prineville. Careful water level monitoring and pumping rate adjustments may allow operation of both water rights.
-
5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?
☐ Yes ☒ No Comments: _____
- b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change? *
- Stream: _____ ☐ Minimal ☐ Significant
- Stream: _____ ☐ Minimal ☐ Significant
- Provide context for minimal/significant impact: _____
6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?
☐ Yes ☐ No Comments: NA
7. What conditions or other changes in the application are necessary to address any potential issues identified above: _____
8. Any additional comments: _____

References Used:

Robinson, J. W., and Price, D., 1963, Ground Water in the Prineville Area Crook County,
Oregon: U.S. Geological Survey Water-Supply Paper 1619-P.

Well Location Map

Well-to-Well Interference Modeling Results**Theis Time-Drawdown Worksheet**


v.3.00

Calculates Theis nonequilibrium drawdown and recovery at any arbitrary radial distance, r , from a pumping well for 3 different T values and radial distance, r , from a pumping well for 3 different T values and 2 different S values.


Written by Karl C. Wozniak September 1992. Last modified December 17, 2019

Input Data:	Var Name	Scenario 1	Scenario 2	Scenario 3	Units	
Total pumping time	t		365		d	
Radial distance from pumped well:	r		50		ft	Q conversions
Pumping rate	Q		3.99		cfs	1,790.71 gpm
Hydraulic conductivity	K	18	25	36	ft/day	3.99 cfs
Aquifer thickness	b		40		ft	239.40 cfm
Storativity	S 1		0.01			344,736.00 cfd
	S 2		0.001			7.91 af/d
Transmissivity Conversions	T f2pd	720	1000	1440	ft ² /day	Recalculate
	T ft2pm	0.5	0.69444444	1	ft ² /min	
	T_gpdft	5385.6	7480	10771.2	gpd/ft	

Use the Recalculate button if recalculation is set to manual



Watermaster Review Form: Water Right Transfer



Oregon Water Resources Department
725 Summer St NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

Transfer Application: T-13446

Review Due Date: 07/03/2020

Applicant Name: City of Prineville

Proposed Changes: ☐ POU ☐ POD ☒ POA ☐ USE ☐ OTHER

Reviewer(s): Giffin

Date of Review: 06/04/2020

1. Do you have evidence that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? ☐ Yes ☒ No If "Yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2. Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? ☐ Yes ☒ No Generally characterize the frequency of any regulation or explain why regulation has not occurred:
3. Have headgate notices been issued for the source that serves the transferred right(s)?
☐ Yes ☒ No ☐ Records not available.
4. In your estimation, after the proposed change, would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized? ☐ Yes ☒ No If "Yes", explain:
5. In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? ☐ Yes ☒ No If "Yes", describe how the rights would be affected and list the rights most affected:

6. Check here ☐ if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most:

☒ N/A

7. For POD changes and instream transfers, check here if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses:

☒ N/A

8. For instream transfers that propose protection of a reach beyond the mouth of the source stream:

☒ N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? ☐ Yes ☐ No

9. For POU changes: ☒ N/A Is it likely the original place of use would continue to receive water from the same source? ☐ Yes ☐ No If "Yes", explain:

10. For POU or USE changes: ☒ N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste?

☐ Yes ☐ No If "Yes", explain:

11. For POU changes that involve micro-irrigation: ☒ N/A

- a. Has the applicant made changes (absent a transfer) to convert to micro-irrigation within the current place of use boundary of the water right proposed for transfer, and previously demonstrated to the Department through monitoring and site inspections by the Watermaster that the proposed transfer will not result in injury or enlargement?

☐ Yes ☐ No If "Yes", explain:

- b. Has a temporary transfer of this nature been previously filed and approved on the same lands (or portions thereof) as those lands involved in this transfer?

☐ Yes ☒ No If "Yes", answer the following:

- i. Were there any problems with more acres being irrigated (or wetted) than were authorized under the temporary transfer? ☐ Yes ☐ No If "Yes", explain:

- ii. Did the designated areas that were to remain dry (or not wetted) under the temporary transfer actually remain dry? ☐ Yes ☐ No If "No", explain:

- iii. Did the applicant comply with and meet all of the conditions of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- iv. Do you have any other observations regarding the temporary transfer?

☐ Yes ☐ No If "Yes", describe:

- v. Did the applicant demonstrate to the Department through monitoring and site inspections by the Watermaster that neither injury nor enlargement occurred as a result of the temporary transfer? ☐ Yes ☐ No If "No", explain:

- c. To the best of your knowledge, if this transfer is approved, does it appear that:

- i. "Injury" will occur to other water rights that share the same source?

☐ Yes ☒ No If "Yes", explain:

- ii. "Enlargement" of the water right being transferred will occur?

☐ Yes ☒ No If "Yes", explain:

12. Are there other issues not identified through the above questions that should be considered in determining whether the change "can be effected without injury to other rights"?

☐ Yes ☒ No If "Yes", explain:

13. What alternatives may be available for addressing any issues identified above:

14. Do conditions need to be included in the transfer order to avoid enlargement of the right or injury to other rights? ☐ No ☒ Yes, as checked and provided below:

☐ For POU changes that involve micro-irrigation, provide the monitoring and reporting conditions necessary to prevent injury/enlargement:

☐ A Headgate should be required prior to diverting water.

☒ Measurement Devices for POD or POA: (if this condition is selected, also fill in the top sections of Page 4)

*a. Before water use may begin under this order, the water user shall install a **totalizing flow meter***, or, with prior approval of the Director, another suitable measuring device, ☒ at each point of diversion/appropriation (new and existing) **OR** at each new point of diversion/appropriation ☐ with the exception that water rights issued to the Bureau of Reclamation or an irrigation district (or similar entity) are not subject to this condition.*

b. The water user shall maintain the meters or measuring devices in good working order.

c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

☐ Reservoir water use measurement: (if this condition is selected, also fill in the top sections of Page 4)

*a. Before water use may begin under this order, the water user shall install **staff gages***, or, with prior approval of the Director, other suitable measuring devices, that measure the entire range and stage between empty and full in each reservoir. Staff gages shall be United States Geological Survey style.*

b. Before water use may begin under this order, if the reservoir is located in channel, weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, an adjustable outlet valve must be installed. The water user shall maintain such devices in good working order. A written waiver may be obtained, if in the judgment of the Director, the installation of weirs or other suitable measuring devices, or the adjustable outlet valve, will provide no public benefit.

* The following alternative device(s) should be substituted for the bold, underlined device in the above selected condition:

☐

Weir

☐

Submerged Orifice

☐

Parshall Flume

☐

Flow Restrictor

☐

Other: ____

Oregon Water Resources Department
Measurement Condition Information for the Applicant
(To be sent with the Draft Preliminary Determination or Final Order)

Transfer #: T- 13446

- ☒ In order to avoid enlargement of the right or injury to other rights, a totalizing flowmeter will be required to be installed prior to diversion of water, as a condition of this transfer:
- ☒ at each point of diversion/appropriation (new and existing) **OR**
- ☐ at each new point of diversion/appropriation.

For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:

Watermaster name: Jeremy Giffin

District: 11

Address: 231 Scalehouse Lp

City/State/Zip: Bend Or 97702

Phone: 541-306-6885

Email: Jeremy.t.giffin@oregon.gov

Note: If a device other than the one specified in the Preliminary Determination or Final Order is approved by the Watermaster, fill out and mail the form below to the Salem office.

Approval of an Alternate Measurement Device T-
(to be filled out after consultation with the applicant, or after a site visit)

On behalf of the Director, I authorize use of the following suitable **alternate measurement device**:

 Watermaster signature

 District

 Date

If this form is used for approval of an alternative measurement device, it must be mailed to:

Oregon Water Resources Department
 725 Summer Street NE, Suite A
 Salem, OR 97301-1266



Oregon

Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

June 3, 2020

CITY OF PRINEVILLE
ATTN: ERIC KLANN
387 NE 3RD STREET
PRINEVILLE, OR 97754

Reference: Application T- 13446

On May 26, 2020, we received your water right Transfer application. The application was accompanied by \$1570.00. Our receipt number 132615 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to our groundwater staff to determine whether the proposed well accesses the same source of water as the original well.

This application may require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

Except as provided under ORS 540.510(3) for municipalities, you may not use water from the new point of appropriation until a final order approving the application has been issued by the Department.

Refer to the following page for a chart showing the steps and expected timelines for the processing of your application.

If you have any questions, please contact the Transfer Section at (503) 986-0815.

Cc: Watermaster Dist. #11 (via email)
Ochoco Irrigation District
Adam Sussman, Agent
Crook County Planning
City of Prineville

Enclosure

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172
(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **132615**

INVOICE # _____

RECEIVED FROM: GSI Water Solutions, Inc.

APPLICATION	
PERMIT	
TRANSFER	<u>T-13446</u>

BY: _____

CASH: ☐ CHECK: # 22488 OTHER: (IDENTIFY) ☐ _____

TOTAL REC'D \$ 1,570.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407	COPIES	\$
_____	OTHER: (IDENTIFY)	\$

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS		
0407	COPY & TAPE FEES	\$
0410	RESEARCH FEES	\$
0408	MISC REVENUE: (IDENTIFY)	\$
TC162	DEPOSIT LIAB. (IDENTIFY)	\$
0240	EXTENSION OF TIME	\$
WATER RIGHTS:		
0201	SURFACE WATER	\$
0203	GROUND WATER	\$
0205	TRANSFER	\$ <u>1,570.00</u>
WELL CONSTRUCTION		
0218	WELL DRILL CONSTRUCTOR	\$
_____	LANDOWNER'S PERMIT	\$
_____	OTHER (IDENTIFY)	\$

0536 TREASURY 0437 WELL CONST. START FEE

0211	WELL CONST START FEE	\$	CARD #	
0210	MONITORING WELLS	\$	CARD #	
_____	OTHER (IDENTIFY)	\$		

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233	POWER LICENSE FEE (FW/WRD)	\$
0231	HYDRO LICENSE FEE (FW/WRD)	\$
_____	HYDRO APPLICATION	\$

TREASURY OTHER / RDX

FUND	TITLE	
OBJ. CODE	VENDOR #	
DESCRIPTION		\$

RECEIPT: **132615**

DATED: 5.26.2020 BY: [Signature]

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal



State of Oregon
Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900

Application for Permit Amendment

Part 1 of 5 – Minimum Requirements Checklist

This permit amendment application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

MAY 26 2020

OWRD

Check all items included with this application. (N/A = Not Applicable)

- ☒ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Application Map Checklist.
- ☒ Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator. If you have questions, call Customer Service at (503) 986-0801.
- ☒ Part 4 – Completed Applicant Information and Signature.
- ☒ Part 5 – Information about Permits to be Amended: **Number of permits to be amended: 1**
List the Permits here: G-18304 (See Attachment A)
Please include a separate Part 5 for each permit. (See instructions on page 6)
- ☒ Completed Permit Amendment Application Map (Does not have to be prepared by a Certified Water Right Examiner). **(See Attachment B)**
- ☐ ☒ N/A Request for Assignment Form and statutory fee. The request for assignment form has to be completed if the applicant is **not** the permit holder of record and needs to be assigned to the permit; **or** the landowner of the proposed place of use is **not** the permit holder of record and needs to be assigned to the permit (the Request for Assignment Form is available online at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>). Assignment is not needed if the applicant is the permit holder of record.
- ☐ ☒ N/A Affidavit(s) of Consent are required from all permit holder(s) of record if the permit is not assigned to the applicant **or** other permit holders of record that are not listed as applicants.
- ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone. **(See Attachment C)**
- ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation. **(See Attachment D)**
- ☐ ☒ N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500 feet from the surface water source and more than 1000 feet upstream or downstream from the point of diversion. (ORS 540.531(2) or (3)).

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

___ Application fee not enclosed/insufficient

___ Map not included or incomplete

___ Land Use Form not enclosed or incomplete

___ Additional signature(s) required

___ Part ___ is incomplete

Other/Explanation _____

Staff: _____ 503-986-0 _____

Date: ____ / ____ / ____

Part 2 of 5 – Permit Amendment Map Checklist

Your permit amendment application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

RECEIVED

MAY 26 2020

OWRD

- ☐ ☒ N/A If **more than three** permits are involved, separate maps for each permit.
- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- ☒ Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes separate hachuring for each water use permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the permit is being changed, a separate hachuring is needed for the portion of the permit left unchanged.
- ☐ ☒ N/A If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water use permit.
- ☒ ☐ N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Part 3 of 5 – Fee Worksheet

FEE WORKSHEET for PERMIT AMENDMENT			
1	Base Fee (includes one type of change to one permit for up to 1 cfs)	1	\$1,160
2	Types of change proposed: ☐ Place of Use ☒ Point of Diversion/Appropriation Number of above boxes checked = <u>1 (2a)</u> Subtract 1 from the number in line 2a = <u>0 (2b)</u> <i>If only one change, this will be 0</i> Multiply line 2b by \$930 and enter » » » » » » » » » » » » » » » »	2	0
3	Number of permits included in Permit Amendment <u>1 (3a)</u> Subtract 1 from the number in 3a: <u>0 (3b)</u> <i>If only one permit this will be 0</i> Multiply line 3b by \$520 and enter » » » » » » » » » » » » » » » »	3	0
4	Do you propose to add or change a well, or change from a surface water POD to a well? ☐ No: enter 0 » ☒ Yes: enter \$410 »	4	\$410
5	Do you propose to change the place of use? ☒ No: enter 0 on line 5 » ☐ Yes: enter the cfs for the portions of the permits to be amended (see example below*): _____ (5a) Subtract 1.0 from the number in 5a above: _____ (5b) If 5b is 0, enter 0 on line 5 » If 5b is greater than 0, round up to the nearest whole number: _____ (5c) and multiply 5c by \$350, then enter on line 5 » » » » » » » » » » » » » » » »	5	0
6	Add entries on lines 1 through 5 above » » » » » » » » » » Subtotal:	6	\$1,570
7	Is this permit amendment: ☐ necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? ☐ endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 » If no box is applicable, enter 0 on line 7 » » » » » » » » » » » » » » » »	7	0
8	Subtract line 7 from line 6 » » » » » » » » » » Permit Amendment Fee:	8	\$1,570

*Example for Line 5a calculation to transfer 45.0 acres of Primary Permit S-12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Permit S-87654 (1/80 cfs per acre) on the same land:

1. For irrigation calculate cfs for each permit involved as follows:
 - a. Divide total authorized cfs by total acres in the permit (*for S-12345, 1.25 cfs ÷ 100 ac*); then multiply by the number of acres to be changed to get the application cfs (*x 45 ac = 0.56 cfs*).
 - b. If the water right permit does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (*For S-87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs*)
2. Add cfs for the portions of permits on all the land included in the application; however **do not count cfs for supplemental permits on acreage for which you have already calculated the cfs fee for the primary permit on the same land**. The fee should be assessed only once for each “on the ground” acre included in the application. (*In this example, blank 5a would be only 0.56 cfs, since both permits serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0*).

13446 -

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME City of Prineville, ATTN: Eric Klann			PHONE NO. 541-447-2357	ADDITIONAL CONTACT NO.
ADDRESS 387 NE 3rd St.			FAX NO.	
CITY Prineville	STATE OR	ZIP 97754	E-MAIL	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME GSI Water Solutions, Inc. ATTN: Adam Sussman			PHONE NO. 541-257-9001	ADDITIONAL CONTACT NO.
ADDRESS 1600 Western Blvd., Suite 240			FAX NO.	
CITY Corvallis	STATE OR	ZIP 97333	E-MAIL asussman@gsiws.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Explain in your own words what you propose to accomplish with this permit amendment; and why:
The City of Prineville is requesting to add a point of appropriation (Lamonta Well 2) to Permit G-18304.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

☐ Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Is the applicant the permit holder of record? ☒ Yes ☐ No

If NO, include either:

- ☐ A completed assignment form (with required statutory assignment fee), assigning all or a portion of the permit to the applicant(s), **OR**
- ☐ An affidavit of consent from the permit holder(s) of record that gives permission for the applicant to amend the permit.

Has the Completion ("C") Date of the permit(s) in this application expired? ☐ Yes ☒ No

If YES, this application will not be accepted by the Department.

If NO, what are the completion dates of the permit(s)? **10/1/2026**

- If the permit completion date expires while the Permit Amendment Application is pending, the Department will not approve the Permit Amendment Application until an Extension of Time Application is approved for the permit.
- You may consider using the Reimbursement Authority process to expedite the processing of this Permit Amendment Application if the completion date of the permit expires within 6 months of the date of filing this application.

By my signature below, I confirm that I understand:

- Prior to Department approval of the permit amendment, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the permit is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: **The Central Oregonian.**



I (we) affirm that the information contained in this application is true and accurate.

Eric Klann
Applicant Signature

Eric Klann, Public Works Director
Print Name (and Title if applicable)

4/16/2020
Date

Applicant Signature

Print Name (and Title if applicable)

Date

RECEIVED

MAY 26 2020

OWRD

Check one of the following:

- ☒ The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- ☐ The permit holder(s) of record will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to the permit holder(s) of record.

Check the appropriate box, if applicable:

- ☒ Check here if any of the permits proposed for amendment are or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME Ochoco Irrigation District	ADDRESS 1001 NW Deer St.	
CITY Prineville	STATE OR	ZIP 97754

- ☐ Check here if water for any of the permits supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME N/A	ADDRESS	
CITY	STATE	ZIP

 To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME City of Prineville Planning Department	ADDRESS 387 NE Third St.	
CITY Prineville	STATE OR	ZIP 97754

ENTITY NAME Crook County Planning Department	ADDRESS 300 NE 3rd St.	
CITY Prineville	STATE OR	ZIP 97754

RECEIVED

MAY 26 2020

OWRD

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Use Permit # G-18304

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.										Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.									
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acre (if applicable)	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acre (if applicable)	POD(s) or POA(s) to be used (from Table 1)	Priority Date		
EXAMPLE																				
2	S	9	E 15 NE NW	100		15.0	POD #1 POD #2		POU/POD	2	S	9	E 15 NW NW	100	1	10.0	POD #5			
"	"	"	"	"	"	EXAMPLE	"		"	2	S	9	E 15 SW NW	200		5.0	POD #6			
									APOA	See Attachment A						Clear Pine Well 1, Clear Pine Well 2, Clear Pine Well 3, Yancey Well 2, New Ochoco Heights Well, Juniper Well, Stryker Park Well, Lamonta Well 2	1/6/1993			
TOTAL ACRES										TOTAL ACRES										

Additional remarks: The City of Prineville is proposing to add Lamonta Well 2 as a point of appropriation to Permit G-18304.

13446-

RECEIVED

MAY 26 2020

OWRD

Are there other water rights certificates, water use permits or ground water registrations associated with the "from" or "to" lands? ☐ Yes ☐ No -N/A Permit G-18304 is for industrial use, so "layered" water rights are not applicable.

If YES, list the other certificate, permit, or ground water registration numbers: _____

 If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- ☒ Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (**Tip:** You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx) (**Attachment D**)

AND/OR

- ☒ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right
New Ochoco Heights Well	No	N/A	300	12	0-300	0-76	220-240	10	Confined Alluvium	N/A
Juniper Well	No	N/A	250	10	0-300	0-147	225-250	32	Confined Alluvium	N/A
Stryker Park Well	No	N/A	250	10	0-300	0-147	225-250	32	Confined Alluvium	N/A

Best estimates for Stryker Park Well and Juniper Well are based on CROO 2097. Wells will be sealed to a minimum of 5' into confining clay, and as needed below 230' to prevent commingling.

RECEIVED

MAY 26 2020

OWRD

STATE OF OREGON

COUNTY OF CROOK

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

RECEIVED

MAY 26 2020

OWRD

CITY OF PRINEVILLE
ATTN: ERIC KLANN
387 NE 3RD ST
PRINEVILLE, OR 97754

This superseding permit is issued to correct a scrivener's error describing the place of use for Section 36, T14S, R15E, WM in Permit G-18274 approved by Special Order Volume 113, Page 983, and to describe an amendment for additional points of appropriation and a change in place of use proposed under Permit Amendment Application T-13026 and approved by Special Order Vol. 114, Page 141, entered January 8, 2020, and to describe an extension of time for complete application approved April 20, 2010, and an assignment approved January 5, 2011. This permit supersedes Permit G-18274.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-13238

SOURCE OF WATER: SEVEN WELLS IN OCHOCO CREEK BASIN

PURPOSE OR USE: INDUSTRIAL USE INCLUDING FIRE PROTECTION AND DUST CONTROL

VOLUME OF USE: 3.99 CUBIC FEET PER SECOND (CFS), BEING 1.33 CFS FROM WELL #1, YANCEY WELL 2, NEW OCHOCO HEIGHTS WELL, JUNIPER WELL, AND STRYKER PARK WELL, 1.33 CFS FROM WELL #2, YANCEY WELL 2, NEW OCHOCO HEIGHTS WELL, JUNIPER WELL, AND STRYKER PARK WELL, AND 1.33 CFS FROM WELL #3, YANCEY WELL 2, NEW OCHOCO HEIGHTS WELL, JUNIPER WELL, AND STRYKER PARK WELL

PERIOD OF ALLOWED USE: YEAR-ROUND

DATE OF PRIORITY: JANUARY 6, 1993

POINT OF DIVERSION LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
14 S	16 E	WM	31	NE NE	WELL #1 - 878 FEET SOUTH AND 1009 FEET WEST FROM THE NE CORNER OF SECTION 31

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
14 S	16 E	WM	31	SW NE	WELL #2 - 1678 FEET SOUTH AND 2033 FEET WEST FROM THE NE CORNER OF SECTION 31
14 S	16 E	WM	31	NE NW	WELL #3 - 1002 FEET SOUTH AND 3087 FEET WEST FROM THE NE CORNER OF SECTION 31
14 S	16 E	WM	31	SW SE	YANCEY WELL 2 - 613 FEET NORTH AND 1730 FEET WEST FROM THE SE CORNER OF SECTION 31
14 S	16 E	WM	32	NW SW	NEW OCHOCO HEIGHTS WELL - 1677 FEET NORTH AND 680 FEET EAST FROM THE SW CORNER OF SECTION 32
14 S	16 E	WM	32	SE SW	JUNIPER WELL - 97 FEET NORTH AND 2493 FEET EAST FROM THE SW CORNER OF SECTION 32
15 S	16 E	WM	5	NW NW	STRYKER PARK WELL - 277 FEET SOUTH AND 812 FEET EAST FROM THE SW CORNER OF SECTION 32

THE PLACE OF USE IS LOCATED AS FOLLOWS:

INDUSTRIAL USE INCLUDING FIRE PROTECTION AND DUST CONTROL				
Twp	Rng	Mer	Sec	Q-Q
14 S	15 E	WM	25	NE SW
14 S	15 E	WM	25	SE SW
14 S	15 E	WM	25	NW SE
14 S	15 E	WM	25	SW SE
14 S	15 E	WM	25	SE SE
14 S	15 E	WM	36	NE NE
14 S	15 E	WM	36	NW NE
14 S	15 E	WM	36	SW NE
14 S	15 E	WM	36	SE NE
14 S	15 E	WM	36	NE NW
14 S	15 E	WM	36	NE SW
14 S	15 E	WM	36	SE SW
14 S	15 E	WM	36	NE SE
14 S	15 E	WM	36	NW SE
14 S	15 E	WM	36	SW SE
14 S	15 E	WM	36	SE SE
14 S	16 E	WM	28	NW SW
14 S	16 E	WM	28	SW SW
14 S	16 E	WM	28	SE SW
14 S	16 E	WM	29	NE NE
14 S	16 E	WM	29	NW NE
14 S	16 E	WM	29	SW NE
14 S	16 E	WM	29	SE NE
14 S	16 E	WM	29	NE SW
14 S	16 E	WM	29	NW SW
14 S	16 E	WM	29	SW SW
14 S	16 E	WM	29	SE SW
14 S	16 E	WM	29	NE SE
14 S	16 E	WM	29	NW SE
14 S	16 E	WM	29	SW SE
14 S	16 E	WM	29	SE SE
14 S	16 E	WM	30	NW SW
14 S	16 E	WM	30	SW SW
14 S	16 E	WM	30	SE SW

RECEIVED

MAY 26 2020

OWRD

INDUSTRIAL USE INCLUDING FIRE
PROTECTION AND DUST CONTROL

Twp	Rng	Mer	Sec	Q-Q
14 S	16 E	WM	30	SE SE
14 S	16 E	WM	31	NE NE
14 S	16 E	WM	31	NW NE
14 S	16 E	WM	31	SW NE
14 S	16 E	WM	31	SE NE
14 S	16 E	WM	31	NE NW
14 S	16 E	WM	31	NW NW
14 S	16 E	WM	31	SW NW
14 S	16 E	WM	31	SE NW
14 S	16 E	WM	31	NE SW
14 S	16 E	WM	31	NW SW
14 S	16 E	WM	31	SW SW
14 S	16 E	WM	31	SE SW
14 S	16 E	WM	31	NE SE
14 S	16 E	WM	31	NW SE
14 S	16 E	WM	31	SW SE
14 S	16 E	WM	31	SE SE
14 S	16 E	WM	32	NE NE
14 S	16 E	WM	32	NW NE
14 S	16 E	WM	32	SW NE
14 S	16 E	WM	32	SE NE
14 S	16 E	WM	32	NE NW
14 S	16 E	WM	32	NW NW
14 S	16 E	WM	32	SW NW
14 S	16 E	WM	32	SE NW
14 S	16 E	WM	32	NE SW
14 S	16 E	WM	32	NW SW
14 S	16 E	WM	32	SW SW
14 S	16 E	WM	32	SE SW
14 S	16 E	WM	32	NE SE
14 S	16 E	WM	32	NW SE
14 S	16 E	WM	32	SW SE
14 S	16 E	WM	32	SE SE
14 S	16 E	WM	33	NW NE
14 S	16 E	WM	33	SW NE
14 S	16 E	WM	33	NE NW
14 S	16 E	WM	33	NW NW
14 S	16 E	WM	33	SW NW
14 S	16 E	WM	33	SE NW
14 S	16 E	WM	33	NE SW
14 S	16 E	WM	33	NW SW
14 S	16 E	WM	33	SW SW
14 S	16 E	WM	33	SE SW
14 S	16 E	WM	33	NE SE
14 S	16 E	WM	33	NW SE
14 S	16 E	WM	33	SW SE
14 S	16 E	WM	33	SE SE
14 S	16 E	WM	34	NW SW
15 S	15 E	WM	1	NE NE
15 S	15 E	WM	1	NW NE

RECEIVED

MAY 26 2020

OWRD

INDUSTRIAL USE INCLUDING FIRE PROTECTION AND DUST CONTROL				
Twp	Rng	Mer	Sec	Q-Q
15 S	15 E	WM	1	SW NE
15 S	15 E	WM	1	SE NE
15 S	15 E	WM	1	NE NW
15 S	15 E	WM	1	SE NW
15 S	15 E	WM	1	NE SW
15 S	15 E	WM	1	NW SW
15 S	15 E	WM	1	SW SW
15 S	15 E	WM	1	SE SW
15 S	15 E	WM	1	NE SE
15 S	15 E	WM	1	NW SE
15 S	15 E	WM	1	SW SE
15 S	15 E	WM	1	SE SE
15 S	15 E	WM	2	NE SW
15 S	15 E	WM	2	SW SW
15 S	15 E	WM	2	SE SW
15 S	15 E	WM	2	NE SE
15 S	15 E	WM	2	NW SE
15 S	15 E	WM	2	SW SE
15 S	15 E	WM	2	SE SE
15 S	15 E	WM	3	NE SW
15 S	15 E	WM	3	NW SW
15 S	15 E	WM	3	SW SW
15 S	15 E	WM	3	SE SW
15 S	15 E	WM	3	NE SE
15 S	15 E	WM	3	NW SE
15 S	15 E	WM	3	SW SE
15 S	15 E	WM	3	SE SE
15 S	15 E	WM	10	NE NE
15 S	15 E	WM	10	SW NE
15 S	15 E	WM	10	SE NE
15 S	15 E	WM	10	SE NW
15 S	15 E	WM	10	NE SW
15 S	15 E	WM	10	NE SE
15 S	15 E	WM	10	NW SE
15 S	15 E	WM	10	SE SE
15 S	15 E	WM	11	NE NE
15 S	15 E	WM	11	NW NE
15 S	15 E	WM	11	SW NE
15 S	15 E	WM	11	SE NE
15 S	15 E	WM	11	NE NW
15 S	15 E	WM	11	NW NW
15 S	15 E	WM	11	SW NW
15 S	15 E	WM	11	SE NW
15 S	15 E	WM	11	NE SW
15 S	15 E	WM	11	NW SW
15 S	15 E	WM	11	SW SW
15 S	15 E	WM	11	SE SW
15 S	15 E	WM	11	NE SE
15 S	15 E	WM	11	NW SE
15 S	15 E	WM	11	SW SE

RECEIVED

MAY 26 2020

OWRD

INDUSTRIAL USE INCLUDING FIRE
PROTECTION AND DUST CONTROL

RECEIVED

MAY 26 2020

OWRD

Twp	Rng	Mer	Sec	Q-Q
15 S	15 E	WM	11	SE SE
15 S	15 E	WM	12	NE NE
15 S	15 E	WM	12	NW NE
15 S	15 E	WM	12	SW NE
15 S	15 E	WM	12	SE NE
15 S	15 E	WM	12	NE NW
15 S	15 E	WM	12	NW NW
15 S	15 E	WM	12	SW NW
15 S	15 E	WM	12	SE NW
15 S	15 E	WM	12	NE SW
15 S	15 E	WM	12	NW SW
15 S	15 E	WM	12	SW SW
15 S	15 E	WM	12	SE SW
15 S	15 E	WM	12	NW SE
15 S	15 E	WM	12	SW SE
15 S	15 E	WM	14	NW NE
15 S	15 E	WM	14	SW NE
15 S	15 E	WM	14	NE NW
15 S	15 E	WM	14	SE NW
15 S	15 E	WM	14	NW SE
15 S	15 E	WM	14	SW SE
15 S	16 E	WM	4	NE NE
15 S	16 E	WM	4	NW NE
15 S	16 E	WM	4	SW NE
15 S	16 E	WM	4	SE NE
15 S	16 E	WM	4	NE NW
15 S	16 E	WM	4	NW NW
15 S	16 E	WM	4	SW NW
15 S	16 E	WM	4	SE NW
15 S	16 E	WM	4	NE SW
15 S	16 E	WM	4	NW SW
15 S	16 E	WM	4	SW SW
15 S	16 E	WM	4	SE SW
15 S	16 E	WM	5	NE NE
15 S	16 E	WM	5	NW NE
15 S	16 E	WM	5	SW NE
15 S	16 E	WM	5	SE NE
15 S	16 E	WM	5	NE NW
15 S	16 E	WM	5	NW NW
15 S	16 E	WM	5	SW NW
15 S	16 E	WM	5	SE NW
15 S	16 E	WM	5	NE SW
15 S	16 E	WM	5	NW SW
15 S	16 E	WM	5	SW SW
15 S	16 E	WM	5	SE SW
15 S	16 E	WM	5	NE SE
15 S	16 E	WM	5	NW SE
15 S	16 E	WM	5	SW SE
15 S	16 E	WM	5	SE SE
15 S	16 E	WM	6	NE NE

INDUSTRIAL USE INCLUDING FIRE PROTECTION AND DUST CONTROL				
Twp	Rng	Mer	Sec	Q-Q
15 S	16 E	WM	6	NW NE
15 S	16 E	WM	6	SW NE
15 S	16 E	WM	6	SE NE
15 S	16 E	WM	6	NE NW
15 S	16 E	WM	6	NW NW
15 S	16 E	WM	6	SW NW
15 S	16 E	WM	6	SE NW
15 S	16 E	WM	6	NE SW
15 S	16 E	WM	6	NW SW
15 S	16 E	WM	6	SW SW
15 S	16 E	WM	6	SE SW
15 S	16 E	WM	6	NE SE
15 S	16 E	WM	6	NW SE
15 S	16 E	WM	6	SW SE
15 S	16 E	WM	6	SE SE
15 S	16 E	WM	7	NE NE
15 S	16 E	WM	7	NW NE
15 S	16 E	WM	7	SW NE
15 S	16 E	WM	7	SE NE
15 S	16 E	WM	7	NE NW
15 S	16 E	WM	7	NW NW
15 S	16 E	WM	7	SW NW
15 S	16 E	WM	7	SE NW
15 S	16 E	WM	7	NE SW
15 S	16 E	WM	7	NW SW
15 S	16 E	WM	7	SW SW
15 S	16 E	WM	7	NE SE
15 S	16 E	WM	7	NW SE
15 S	16 E	WM	8	NW NE
15 S	16 E	WM	8	SW NE
15 S	16 E	WM	8	NE NW
15 S	16 E	WM	8	NW NW
15 S	16 E	WM	8	SW NW
15 S	16 E	WM	8	SE NW
15 S	16 E	WM	8	NE SW
15 S	16 E	WM	8	NW SW
15 S	16 E	WM	8	SE SW
15 S	16 E	WM	8	NE SE
15 S	16 E	WM	8	NW SE
15 S	16 E	WM	8	SW SE

RECEIVED

MAY 26 2020

OWRD

Permit Amendment T-13026 Conditions:

The combined quantity of water diverted at the new points of appropriation (Yancey Well 2, New Ochoco Heights Well, Juniper Well, and Stryker Park Well), together with that diverted at the old points of appropriation (Clear Pine Well 1, 2, and 3), shall not exceed the quantity of water lawfully available at the original points of appropriation (Clear Pine Well 1, 2, and 3).

Water use measurement conditions:

- a) Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation (new and existing).
- b) The water user shall maintain the meters or measuring devices in good working order.
- c) The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer as the original points of appropriation.

RECEIVED

MAY 26 2020

Original Permit Conditions:

Measurement, recording and reporting conditions:

OWRD

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the volume of water diverted each month, and shall submit a report which includes water-use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

The water user shall install and maintain adequate treatment facilities meeting current DEQ requirements to remove sediment before returning the water to the stream.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this right, then use of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

Use of water under authority of this permit may be regulated if analysis of data available after the permit is issued discloses that the appropriation will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife in effect as of the priority date of the right or as those quantities may be subsequently reduced.

13446 -

MAY 26 2020

OWRD

Limited Water Level Decline/Interference Condition

To monitor the effect of water use from the well(s) authorized under this permit, the Department requires the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

Measurements must be made according to the following schedule:

Before Use of Water Takes Place**Initial and Annual Static Water Level Measurements**

The Department requires the permittee to report an initial water-level measurement in the month specified above once well construction is complete, and annually thereafter until use of water begins; and

After Use of Water has Begun**Seven Consecutive Annual Static Water Level Measurements**

Following the first year of water use, the user shall submit seven consecutive annual reports of static water level measurements. The first of these seven annual measurements will establish the reference level against which future annual measurements will be compared. Based on an analysis of the data collected, the Director may require the user to obtain and report additional annual static water-level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board. Measurements and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- (A) Identify each well with its associated measurement;
- (B) Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface;
- (C) Specify the method used to obtain each well measurement; and
- (D) Certify the accuracy of all measurements and calculations reported to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if any of the following events occur:

- (A) Annual water-level measurements reveal an average water-level decline of three or more feet per year for five consecutive years; or
- (B) Annual water-level measurements reveal a water-level decline of 15 or more feet in fewer than five consecutive years; or
- (C) Annual water-level measurements reveal a water-level decline of 25 or more feet; or
- (D) Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of restricted use shall continue until the water level rises above the decline level which triggered the action or the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

STANDARD CONDITIONS

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water-level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

RECEIVED


MAY 26 2020

OWRD

13446 -

The original permit was issued June 19, 1996. Completion of construction and complete application of the water to the use was to be made on or before October 1, 1999. By Extension of Time Final Order dated April 20, 2010, the deadline for complete application of water to the use was extended to October 1, 2019. If beneficial use of permitted water has not been made before this date, the permittee may submit an application for extension of time, which may be approved based upon the merit of the application.

Issued JAN 08 2020 ;



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M. BYLER, DIRECTOR
Oregon Water Resources Department

RECEIVED

MAY 26 2020

OWRD

WASH DC (AP) - The U.S. Coast Guard today announced that it has received information that a small boat carrying 100 people is headed toward the Gulf of Mexico.

State Permit No.

SP*45656-119

CR00
155

Well Record

STATE WELL NO. 14/16-31G(2)
COUNTY Crook
APPLICATION NO.

OWNER: Hudspeth Pine Co. Inc.

MAILING
ADDRESS:

LOCATION OF WELL: Owner's No.

CITY AND
STATE:

1/4 1/4 Sec. T. N. S., R. E. W., W.M.


Bearing and distance from section or subdivision

corner

Altitude at well 2,940+

TYPE OF WELL: Drilled Date Constructed 1948

Depth drilled 400 Depth cased 315.5



Section

CASING RECORD:

8 inch

RECEIVED

MAY 26 2020

FINISH:

OWRD

AQUIFERS:

Sand from 150 to 170

Gravel from 284 to 295

WATER LEVEL:

50 feet below land surface on March 31, 1948

57.68 feet below land surface on April 15, 1954

PUMPING EQUIPMENT: Type Turbine H.P.
Capacity 525 G.P.M.

WELL TESTS:

Drawdown ft. after hours G.P.M.

Drawdown ft. after hours G.P.M.

USE OF WATER Industrial Temp. °F., 19

SOURCE OF INFORMATION USGS

DRILLER or DIGGER

ADDITIONAL DATA:

Log X Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

are to be filed with the
WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON
(Please type or print)
(Do not write above this line)

State Well No. 14516E-300

State Permit No.

(1) OWNER:

Name Hudspeth's Sawmill
Address McKay Rd
Prineville

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary ☒ Driven ☐
Cable ☐ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☒ Test Well ☐ Other ☐

CASING INSTALLED:

10" Diam. from 0 ft. to 180 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? ☒ Yes ☐ No
Type of perforator used Cutting torch
Size of perforations 1/8 in. by 8 in.
50 perforations from 175 ft. to 180 ft.
perforations from ft. to ft.
perforations from ft. to ft.

7) SCREENS:

Well screen installed? ☐ Yes ☒ No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? ☐ Yes ☐ No If yes, by whom?
d: gal./min. with ft. drawdown after hrs.
" " " " " "
" " " " " "
18 test 600 gal./min. with 75 ft. drawdown after 1 hrs.
Artesian flow g.p.m.
Temperature of water Depth artesian flow encountered ft.

9) CONSTRUCTION:

Well seal—Material used Cement
Well sealed from land surface to ft.
Diameter of well bore to bottom of seal 10 1/4 in.
Diameter of well bore below seal in.
Number of sacks of cement used in well seal sacks
Was cement grout placed?

Was a drive shoe used? ☒ Yes ☐ No Plugs Size: location ft.
Do any strata contain unusable water? ☐ Yes ☒ No
Depth of water? depth of strata
Method of sealing strata off
Was well gravel packed? ☐ Yes ☒ No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Creek Driller's well number 105
NE 1/4 SE 1/4 Section 30 T. 14S R. 16E W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 235 ft.
Static level ft. below land surface. Date
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 10
Depth drilled 254 ft. Depth of completed well 240 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Bark dust & Rocks	0	1/2	
Clay & Sand - Brown	1/2	6	
Sand & Gravel	6	30	
Sand - Dark Grey	30	32	
Sandy Clay - Dark Grey	32	60	
Clay - Grey	60	180	
Claystone - Green	180	230	
Fea Gravel	230	254	
Water Bearing			

RECEIVED

MAY 26 2020

OWRD

Work started 8-16-78 Completed 8-21-78
Date well drilling machine moved off of well 8-21-78

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

(Signed) Polay C. Eke Date 8-21-78
(Drilling Machine Operator)

Drilling Machine Operator's License No. 1075

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Rod's Well Drilling
(Person, firm or corporation) (Type or print)

Address PO Box 351 - Prineville

(Signed) Polay C. Eke
(Water Well Contractor)

Contractor's License No. 663 Date 8-21-78

State Well No. 14/16-31G(2)
County Crook
Application No. _____

Owner: Hudspeth Pine Co., Inc. Owner's No.

[illegible]

WELL I.D. LABEL#	L131541	
START CARD #	1041419	
ORIGINAL LOG #		

N FAIRMONT YANCY WELL #2

THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version:

13446 -

Map of Hole

STATE OF OREGON
WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301
(503)988-0900



LOCATION OF WELL

Latitude: 44.30683333 Datum: WGS84

Longitude: -120.85383333

Township/Range/Section/Quarter-Quarter Section:

WM 14S 16E 31 SWSE

Address of Well:

N FAIRMONT YANCY WELL #2

Well Label: 131541

Printed: February 6, 2019

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor



WELL I.D. LABEL#	L136752
START CARD #	1046329
ORIGINAL LOG #	

First Name _____ Last Name _____
 Company CITY OF PRINEVILLE
 Address 387 NE 3RD ST
 City PRINEVILLE State OR Zip 97754

☐ Alteration (complete 2a & 10) ☐ Abandonment (complete 5a)

	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
Casing:									
	Material		From		To	Amt		sacks/lbs	
Seal:									

☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger ☐ Cable Mud
☐ Reverse Rotary ☐ Other _____

PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Community
☐ Industrial/ Commercial ☐ Livestock ☐ Dewatering
☐ Thermal ☐ Injection ☒ Other MUNICIPAL

BORE HOLE			SEAL			sacks/
Dia	From	To	Material	From	To	Amt lbs
16	0	298	Cement	0	200	140 S
			Calculated			92.72
			Calculated			

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E
☐ Other

Backfill placed from _____ ft. to _____ ft. Material _____
Filter pack from 200 ft. to 298 ft. Material SAND Size 4/10

Explosives used: ☐ Yes Type _____ Amount _____

Proposed Amount	Actual Amount
-----------------	---------------

Casing	Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
		12		1	226	.250				
		12		291	298	.250				
										
										
										
										

Shoe ☐ Inside ☐ Outside ☐ Other ☐ Location of shoe(s)

Temp casing ☒ Yes Dia 16 From + ☒ 1 To 298

Perforations Method

Screens Type JOHNSON

Screens Type JOHNSON Material STAINLESS

[illegible]☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
---------------	----------	-----------------------	---------------

Field gals/min	Drawdown	Drawdown amp depth	Drawdown (ft)
400		200	1
600	165	200	72.8

Temperature 55 °F Lab analysis ☐ Yes By

Water quality concerns? ☐ Yes (describe below) TDS amount 325 ppm
From To Description Amount Units

County CROOK Twp 14.00 S N/S Range 16.00 E E/W WM
Sec 31 NE 1/4 of the NW 1/4 Tax Lot 1200

Tax Map Number _____ Lot _____

Lat ° ' " or 44.31746262 DMS or DD

Long " or -120.86207477 DMS or DD

☐ Street address of well ☒ Nearest address

NW LAMONTA

Date	SWL(psi)	+	SWL(ft)
11/1/80	100	+	100
11/2/80	100	+	100
11/3/80	100	+	100
11/4/80	100	+	100
11/5/80	100	+	100
11/6/80	100	+	100
11/7/80	100	+	100
11/8/80	100	+	100
11/9/80	100	+	100
11/10/80	100	+	100
11/11/80	100	+	100
11/12/80	100	+	100
11/13/80	100	+	100
11/14/80	100	+	100
11/15/80	100	+	100
11/16/80	100	+	100
11/17/80	100	+	100
11/18/80	100	+	100
11/19/80	100	+	100
11/20/80	100	+	100
11/21/80	100	+	100
11/22/80	100	+	100
11/23/80	100	+	100
11/24/80	100	+	100
11/25/80	100	+	100
11/26/80	100	+	100
11/27/80	100	+	100
11/28/80	100	+	100
11/29/80	100	+	100
11/30/80	100	+	100
12/1/80	100	+	100
12/2/80	100	+	100
12/3/80	100	+	100
12/4/80	100	+	100
12/5/80	100	+	100
12/6/80	100	+	100
12/7/80	100	+	100
12/8/80	100	+	100
12/9/80	100	+	100
12/10/80	100	+	100
12/11/80	100	+	100
12/12/80	100	+	100
12/13/80	100	+	100
12/14/80	100	+	100
12/15/80	100	+	100
12/16/80	100	+	100
12/17/80	100	+	100
12/18/80	100	+	100
12/19/80	100	+	100
12/20/80	100	+	100
12/21/80	100	+	100
12/22/80	100	+	100
12/23/80	100	+	100
12/24/80	100	+	100
12/25/80	100	+	100
12/26/80	100	+	100
12/27/80	100	+	100
12/28/80	100	+	100
12/29/80	100	+	100
12/30/80	100	+	100
12/31/80	100	+	100

Existing Well / Pre-Alteration			
Completed Well	3/4/2020		8

Flowing Artesian?	☐	Dry Hole?	☐
-------------------	--------------------------	-----------	--------------------------

Depth water was first found 222.00

SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)
----------	------	----	----------	----------	-----------

2/14/2020	222	290	400		8

Ground Elevation

Material	From	To
CLAY GRAVELS BROWN	0	37
SILT SAND GRAY	37	65
SILT SAND GRAY/CLAY BROWN	65	167
CLAY STICKY GRAY	167	222
GRAVELS SAND	222	249
SILT SAND CLAY GRAY	249	251
GRAVELS SAND GRAY	251	290
CLAYSTONE GREEN	290	298
RECEIVED		
MAY 26 2020		
OWRD		

Date Started 2/12/2020 Completed 3/4/2020

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number 1852 Date 3/28/2020

Signed JEB ABBAS (E-filed)

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1720 Date 4/9/2020

Signed JACK ABBAS (E-filed)

Contact Info (optional)

13446 -

Map of Hole

OWRD

STATE OF OREGON
WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301
(503)986-0900



LOCATION OF WELL

Latitude: 44.31746262 Datum: WGS84

Longitude: -120.86207477

Township/Range/Section/Quarter-Quarter Section:

WM14.00S16.00E31NENW

Address of Well:

NW LAMONTA

Well Label: 136752

Printed: March 28, 2020

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor





April 15, 2020

Kelly Starnes
Water Resources Department
725 Summer Street, NE, Suite A
Salem, OR 97301

RECEIVED

MAY 26 2020

OWRD

RE: Application for Permit Amendment, Permit G-18304 in the name of City of Prineville

Dear Kelly:

Enclosed please find the City of Prineville's Application for a Permit Amendment. The City is proposing to add a point of appropriation, Lamonta Well 2, to Permit G-18304. The City obtained land use review in April 2020 for the purposes of a limited license application for Lamonta Well 2. The land uses to be served by the proposed water use are allowed outright or are not regulated by the City of Prineville's or Crook County's comprehensive plans. The land use information forms for those reviews are provided in this application.

The required application fee of \$1,570 is also enclosed.

Sincerely,

A handwritten signature in black ink, appearing to read "Adam Sussman", followed by a horizontal line.

Adam Sussman

Cc: Eric Klann, City Engineer and Public Works Director

Enclosures: Application for Permit Amendment
Application fee in the amount of \$1,570

13446 -

Permit Amendment in the Name of City of Prineville

Permit G-18304


Authorized and Proposed Points of Appropriation
Crook County Oregon

Township 14, 15 South, Range 15, 16 East (W.M.)

RECEIVED

MAY 26 2020

OWRD



POA LOCATION DESCRIPTIONS

Clear Pine Well 1 - CROO 1521: Located 878 feet South and 1009 feet West from the NE Corner of Section 31, Township 14 South, Range 16 East (W.M.)
Clear Pine Well 2 - CROO 1551: Located 1678 feet South and 2033 feet West from the NE Corner of Section 31, Township 14 South, Range 16 East (W.M.)
Clear Pine Well 3 - CROO 1453: Located 1002 feet South and 3087 feet West from the NE Corner of Section 31, Township 14 South, Range 16 East (W.M.)
New Ochoco Heights Well: Located 1677 feet North and 680 feet East from the SW corner of Section 32, Township 14 South, Range 15 East (W.M.)
Yancey Well 2 - CROO 54711: Located 613 feet North and 1730 feet West from the SE corner of Section 31, Township 14 South, Range 16 East (W.M.)
Stryker Park Well: Located 277 feet South and 812 feet East from the SW corner of Section 32, Township 15 South, Range 16 East (W.M.)
Juniper Well: Located 97 feet North and 2493 feet East from the SW corner of Section 32, Township 14 South, Range 16 East (W.M.)
Lamonta Well 2: Located 765 feet South and 1240 feet East from the NW corner of Section 31, Township 14 South, Range 16 East (W.M.)

LEGEND

- | | | |
|---|---|--------------------|
| ⊙ | Authorized Point of Appropriation (POA) | All Other Features |
| ◐ | Proposed Point of Appropriation (POA) | ⊕ Tax Lot |
| □ | Government Lot (GL) | ⚡ Major Road |
| | | ~ Watercourse |
| | | 🌊 Waterbody |

DISCLAIMER


This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

MAP NOTES

Date: April 2, 2020

Data Sources: BLM, ESRI, Crook Co., USGS, OGIC

13446 -



Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Applicant(s): City of Prineville, ATTN: Eric Klann

Mailing Address: 387 NE 3rd St.

City: Prineville

State: OR

Zip Code: 97754

Daytime Phone: 541-447-2357

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
<u>14S</u>	<u>16E</u>	<u>31</u>	<u>SWSE</u>	<u>6701</u>	<u>MHDR</u>	☒ Diverted	☐ Conveyed	☐ Used	<u>Industrial</u>
_____	_____	_____	_____	_____	_____	☐ Diverted	☐ Conveyed	☐ Used	_____
_____	_____	_____	_____	_____	_____	☐ Diverted	☐ Conveyed	☐ Used	_____

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

City of Prineville Planning Department

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water ☐ Water Right Transfer ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License ☐ Allocation of Conserved Water ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 3.99 ☒ cubic feet per second ☐ gallons per minute ☐ acre-feet

Intended use of water: ☐ Irrigation ☐ Commercial ☒ Industrial ☐ Domestic for _____ household(s)
☐ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

The City of Prineville is requesting to add a point of appropriation (Lamonta 2 Well) to Permit G-18304.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

RECEIVED

MAY 26 2020

OWRD

MAY 26 2020

OWRD

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

☒ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s):

☐ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

Regulated by water master plan

Name: Joshua Smith Title: Planning Director
 Signature: *Joshua Smith* Phone: 541-447-2363 Date: 4/17/20
 Government Entity: City of Prineville

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____
 City or County: _____ Staff contact: _____
 Signature: _____ Phone: _____ Date: _____


Permit Amendment in the Name of City of Prineville

Permit G-18304

Authorized and Proposed Points of Appropriation

Crook County Oregon

Township 14, 15 South, Range 15, 16 East (W.M.)



LEGEND

- Authorized Point of Appropriation (POA)
- Proposed Point of Appropriation (POA)
- Government Lot (GL)
- All Other Features
- Tax Lot
- Major Road
- Watercourse
- Waterbody


DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.

MAP NOTES

Date: April 2, 2020
Data Sources: BLM, ESRI, Crook Co., USGS, OGIC

13446 -



Permit Amendment Application Checklist

Checked by Aula

Date 5/28/20

App # 6-13238

Permit # 6-18304

Permit Amendments are authorized for changes in POD/POA, APOD/APOA, or POU.

(If OK, check box to left; if not, fill in the blank)

- ☒ 1. Is the name of the Permit Amendment applicant the same as the Water Right Permit holder(s) of record?

If not, one of the following must be included with the application:

- ___ a) An affidavit of consent from all Permit holder(s) or the other Permit holders that have not signed the Permit Amendment application form, consenting to the proposed Permit Amendment application; **OR**,
___ b) A completed Request for Assignment form (and statutory fee) to move all (or portion) of the permit into the Permit Amendment applicant's name.

If not, what is missing? _____

- ☒ 2. Page 1 of application: Are all attachments that have been checked actually included?

If not, what is missing? _____

- ☒ 3. Are fees included and correct? Fee Paid: \$ 1570

If not, the correct fee would be: _____, so the amount missing is: _____

- ☒ 4. Part 4 of application: Have all the applicants listed at the top of the page signed at the bottom?

If not, whose signature is missing? _____

- ☒ 5. Are the Permit completion date(s) current?

If the Permit completion date has expired, we **CANNOT** accept the application.

10/1/2026

- ☒ 6. If all #1-#5 boxes on this checklist are checked (with no remaining deficiencies identified), accept the application. Put this check sheet in the transfer folder.

If #1, #2, #3, #4 or #5 on this checklist is deficient, the application **CANNOT** be accepted.

It should be returned and the **deficiencies listed in the "staff" section at the bottom of Application Page 1**, unless the applicant or agent can resolve the deficiencies within 2-3 days.

Part 5 of 5 – Water Use Permit Information
PERMIT # G-18304

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Clear Pine Well 1	☒ Authorized ☐ Proposed	CROO 1521	14 S	16 E	31	NE NE	500	878 feet South and 1009 feet West from the NE Corner of Section 31
Clear Pine Well 2	☒ Authorized ☐ Proposed	CROO 1551	14 S	16 E	31	SW NE	700	1678 feet South and 2033 feet West from the NE Corner of Section 31
Clear Pine Well 3	☒ Authorized ☐ Proposed	CROO 1453	14 S	16 E	31	NE NW	200	1002 feet South and 3087 feet West from the NE Corner of Section 31
Yancey Well 2	☒ Authorized ☐ Proposed	CROO 54711	14 S	16 E	31	SW SE	6701	613 feet North and 1730 feet West from the SE Corner of Section 31
New Ochoco Heights Well	☒ Authorized ☐ Proposed		14 S	16 E	32	NW SW	300	1677 feet North and 680 feet East from the SW Corner of Section 32
Juniper Well	☒ Authorized ☐ Proposed		14 S	16 E	32	SE SW	10400	97 feet North and 2493 feet East from the SW Corner of Section 32
Stryker Park Well	☒ Authorized ☐ Proposed		15 S	16 E	5	NW NW	600	277 feet South and 812 feet East from the SW Corner of Section 32
Lamonta Well 2	☐ Authorized ☒ Proposed		14 S	16 E	31	SW SE	6701	765 feet South and 1240 feet East from the NW corner of Section 31

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|---|--|
| ☐ Place of Use (POU) | ☐ Point of Appropriation/Well (POA) |
| ☐ Point of Diversion (POD) | ☒ Additional Point of Appropriation (APOA) |
| ☐ Additional Point of Diversion (APOD) | ☐ Surface water POD to Ground Water POA (SW/GW) |

Will all of the proposed changes affect the entire water use permit?

- ☒ Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- ☐ No Complete all of Table 2 to describe the portion of the permit to be changed.

For a change in place of use: -N/A

Does the permit holder of record own or control the land TO which the place of use is being moved?

☐ Yes ☐ No

If NO, the landowner of the land TO which the place of use is being **moved must be assigned to the permit as a permit holder of record** by submitting a completed Request for Assignment form and the required statutory fee for an assignment.


Is the proposed place of use contiguous to the authorized place of use? ☐ Yes ☐ No -N/A

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use **unless** the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

RECEIVED

MAY 26 2020

OWRD



**Permit Amendment
in the Name of City of Prineville
Permit G-18304**
Authorized Place of Use
Crook County, Oregon
Township 14, 15 South,
Range 15, 16 East (W.M.)


LEGEND

- ⊙ Authorized Point of Appropriation (POA)
- Proposed Point of Appropriation (POA)
- Existing Water Mainlines
- ▨ Authorized Place of Use
- Government Lot (GL)
- All Other Features**
- Tax Lot
- Major Road
- Railroad
- Watercourse
- Waterbody

RECEIVED
MAY 26 2020
OWRD

DISCLAIMER

This map was prepared for the purpose of identifying the location of a water right only and it is not intended to provide legal dimensions or location of property ownership lines.



Date: April 1, 2020
Data Sources: OWRD, Crook Co. GIS, OGIC, ESRI, Water Solutions, Inc.