

Permit Amendment

RA

Name Denise KrygerAddress 59315 Highway 78
Burns, OR 97720Change in POA, APOADate Filed 7-23-2020Initial notice date 8-11-2020

DPD issued date _____

PD issued date _____

PD notice date _____

Date of FO 2/10/2021 Vol 118 Page SS1-3

C-Date _____

COBU due date _____

COBU Received date _____

Certificate issued _____

DESCRIPTION OF WATER RIGHT(S)

Name of Stream WellsTrib. of Hot Springs SloughUse Commercial Uses County Harney

Quantity of water (CFS) _____ No. of Acres _____

Name of ditch _____

App# G-15732 Per # G-15301 Cert # — PR Date 3/29/2002

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

App# _____ Per # _____ Cert # _____ PR Date _____

Assignments: _____

Irrigation District _____

Agent John A. Short - johnshort@usa.com

CWRE _____

CC's list Harney County☐ - Oversized map - Location _____

FEES PAID

Date	Amount	Receipt #
7-23-2020	\$ 1,570.00	133109
7-13-2020	\$ 125.00	133021
8-28-2020	\$ 1,046.50	133343
1-4-2021	\$ 108.00	134205

FEES REFUNDED

Date	Amount	Receipt #



Oregon
Kate Brown, Governor

Water Resources Department
725 Summer St NE, Suite A
Salem, OR 97301
(503) 986-0900
Fax (503) 986-0904

February 10, 2021

DENISE KRYGER
59315 HWY 78
BURNS, OR 97720

REFERENCE: Permit Amendment Application T-13503

Enclosed is a copy of the order approving your Permit Amendment application.

Also enclosed is a superseding permit that incorporates the amendments approved by the final order contained herein. Please read this document and abide by the requirements.

If you have any questions related to the approval of this permit amendment, you may contact your caseworker, Tamera Smith, by telephone at (503) 986-0864 or by e-mail at Tamera.L.Smith@oregon.gov.

Sincerely,

Julie C. Baustian
Water Rights Services Support
Transfers and Conservation Section

cc: J R. Johnson, Watermaster Dist. # 10 (via email)
John A. Short, Agent
Harney County

Enclosure

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Permit Amendment	)	FINAL ORDER
T-13503, Harney County	)	APPROVING A CHANGE IN POINTS
	)	OF APPROPRIATION AND
	)	ADDITIONAL POINTS OF
	)	APPROPRIATION

Authority

Oregon Revised Statute (ORS) 537.211 establishes the process in which a water right permit holder may submit a request to change the point of appropriation and/or place of use authorized under an existing water right permit.

Applicant

DENISE KRYGER
59315 HWY 78
BURNS, OR 97720

Findings of Fact

1. On July 13, 2020, DENISE KRYGER filed an application to change the points of appropriation and for additional points of appropriation under Permit G-15301. The Department assigned the application number T-13503.
2. On February 5, 2016, the Department approved an extension of time for complete application of water to October 1, 2025.
3. Notice of the application for the permit amendment was published in the Department's weekly notice on August 11, 2020, pursuant to ORS 540.520(5). No comments were filed in response to the notice.

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 and OAR 690-01-0005 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

4. Permit Amendment Application T-13503 proposes to change the authorized points of appropriation as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
24 S	33 E	WM	34	NW SE	WELL 1P - 570 FEET SOUTH AND 300 FEET WEST FROM THE CENTER ¼ CORNER OF SECTION 34
24 S	33 E	WM	34	NW SE	WELL 2P - 570 FEET SOUTH FROM THE CENTER ¼ CORNER OF SECTION 34
24 S	33 E	WM	34	NE SW	WELL 3P - 590 FEET SOUTH AND 2660 FEET EAST FROM THE WEST 1/4 CORNER OF SECTION 34

2. Permit Amendment Application T-13503 proposes additional points of appropriation as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
24 S	33 E	WM	34	NE SW	WELL 4 - 620 FEET SOUTH AND 2060 FEET EAST FROM THE WEST ¼ CORNER OF SECTION 34
24 S	33 E	WM	34	NE SW	WELL 5 - 730 FEET SOUTH AND 2180 FEET EAST OF THE WEST ¼ CORNER OF SECTION 34

3. The approximate measured distances from the authorized wells are as follows:

NEW WELLS	Approximate measured distance from authorized wells in miles (mi.) or feet (ft.)		
	WELL 1A	WELL 2A	WELL 3A
WELL 1P	0.3 mi.	0.2 mi.	0.2 mi.
WELL 2P	0.3 mi.	0.2 mi.	0.3 mi.
WELL 3P	634.2 ft.	515.9 ft.	856.3 ft.
WELL 4	45.0 ft.	304.0 ft.	328.5 ft.
WELL 5	209.4 ft.	154.1 ft.	360.2 ft.

Permit Amendment Review Criteria

- The changes would not result in injury to other water rights.
- The changes do not enlarge the permit.
- The changes do not alter any other terms of the permit.

Conclusions of Law

The change in points of appropriation and additional points of appropriation proposed by Permit Amendment Application T-13503 are consistent with the requirements of ORS 537.211.

Now, therefore, it is ORDERED:

- The change in points of appropriation and additional points of appropriation proposed by Permit Amendment Application T-13503 are approved.

2. Permit G-18506, in the name of DENISE KRYGER, is issued to replace Permit G-15301, and incorporates the amendments approved by this order, and the extension of time. Permit G-15301, in the name of DENISE KRYGER, is no longer of any force or effect.
3. The quantity of water diverted at the new points of appropriation, (Well 1P, Well 2P, and Well 3P), shall not exceed the quantity of water lawfully available at the original points of appropriation, (Well 1A, Well 2A, and Well 3A).
4. The combined quantity of water diverted at the new additional points of appropriation, (Well 4 and Well 5), together with that diverted at the original points of appropriation (Well 1A, Well 2A, and Well 3A), shall not exceed the quantity of water lawfully available at the original points of appropriation (Well 1A, Well 2A, and Well 3A).
5. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation, (new and existing).
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
6. Water shall be acquired from the same aquifer as the original points of appropriation.
7. All other terms and conditions of Permit G-18506 remain the same.

Dated in Salem, Oregon on FEB 10 2021



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department

Mailing Date: FEB 11 2021

Oregon Water Resources Department
Measurement Condition Information for the Applicant
(to be sent with the Draft Preliminary Determination or Final Order)

Transfer #: T-13503

☒ In order to avoid enlargement of the right or injury to other rights, a totalizing flowmeter will be required to be installed **prior to diversion of water**, as a condition of this transfer:

- ☒ *at each point of diversion/appropriation (new and existing) or*
☐ *at each new point of diversion/appropriation.*

For additional information, or to obtain approval of a different type of measurement device, the applicant should contact the area Watermaster:

Watermaster name: JR Johnson

District: 10

Address: 450 N Buena Vista

City/State/Zip: Burns, OR 97720

Phone: 541 573 2764

Email: jr.johnson@ wrd.state.or.us

Note: If a device other than the one specified in the Preliminary Determination or Final Order is approved by the Watermaster, fill out and mail the form below to the Salem office.

Approval of an Alternate Measurement Device T-
(to be filled out after consultation with the applicant, or after a site visit)

On behalf of the Director, I authorize use of the following suitable **alternate measurement device**:

Watermaster signature

District

Date

If this form is used for approval of an alternative measurement device, it must be mailed to:

Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

STATE OF OREGON

COUNTY OF HARNEY

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

DENISE KRYGER
59315 HWY 78
BURNS, OREGON 97720

This superseding permit is issued to describe an amendment for a change in points of appropriation and additional points of appropriation proposed under Permit Amendment Application T-13503 and approved by Special Order Vol. 118, Page 5A, entered FEB 10 2021, and to describe an extension of time for complete application of water approved on February 5, 2016. This permit supersedes Permit G-15301.

The specific limits and conditions of the use are listed below:

APPLICATION FILE NUMBER: G-15732

SOURCE OF WATER: FIVE WELLS IN HOT SPRINGS SLOUGH

PURPOSE OR USE: COMMERCIAL USE

MAXIMUM RATE: 1.0 CUBIC FOOT PER SECOND (CFS), BEING 0.44 CFS FROM WELL 1P, WELL 4, AND WELL 5, AND 0.14 CFS EACH FROM WELL 2P, WELL 3P, WELL 4, AND WELL 5

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: MARCH 29, 2002

WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
24 S	33 E	WM	34	NW SE	WELL 1P - 570 FEET SOUTH AND 300 FEET WEST FROM THE CENTER ¼ CORNER OF SECTION 34
24 S	33 E	WM	34	NW SE	WELL 2P - 570 FEET SOUTH FROM THE CENTER ¼ CORNER OF SECTION 34
24 S	33 E	WM	34	NE SW	WELL 3P - 590 FEET SOUTH AND 2660 FEET EAST FROM THE WEST 1/4 CORNER OF SECTION 34
24 S	33 E	WM	34	NE SW	WELL 4 - 620 FEET SOUTH AND 2060 FEET EAST FROM THE WEST ¼ CORNER OF SECTION 34
24 S	33 E	WM	34	NE SW	WELL 5 - 730 FEET SOUTH AND 2180 FEET EAST OF THE WEST ¼ CORNER OF SECTION 34

THE PLACE OF USE IS LOCATED AS FOLLOWS:

COMMERCIAL USE				
Twp	Rng	Mer	Sec	Q-Q
24 S	33 E	WM	34	NE SW

Permit Amendment T-13503 Conditions:

The combined quantity of water diverted at the new points of appropriation, (Well 1P, Well 2P, and Well 3P), shall not exceed the quantity of water lawfully available at the original points of appropriation, (Well 1, Well 2, and Well 3).

The combined quantity of water diverted at the new additional points of appropriation, (Well 4 and Well 5), together with that diverted at Wells 1P, 2P, and 3P, shall not exceed the quantity of water lawfully available at the original points of appropriation, (Well 1, Well 2, and Well 3).

Water use measurement conditions:

- a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation, (new and existing).
- b. The water user shall maintain the meters or measuring devices in good working order.
- c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer as the original points of appropriation.

Extension of Time Conditions:**Checkpoint Condition**

The permit holder must submit a completed Progress Report Form to the Department by **October 1, 2019 and 2024.**

- (a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;
- (b) The Department shall provide notice of receipts of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.

Original Permit Conditions:

Measurement, recording and reporting conditions:

- A. The water user shall install a meter or other suitable measuring device as approved by the Director. The water user shall maintain the meter or measuring device in good working order.
- B. The water user shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the water user to keep and maintain a record of the amount (volume) of water used and may require the water user to report water use on a periodic schedule as established by the Director. In addition, the Director may require the water user to report general water use information, the periods of water use and the place and nature of use of water under the right. The Director may provide an opportunity for the water user to submit alternative reporting procedures for review and approval.

STANDARD CONDITIONS

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the wells shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit to the Water Resources Department the results of a pump test meeting the Department's standards for each point of appropriation (well), unless an exemption has been obtained in writing under OAR 690-217. The Director may require water-level or pump-test data every ten years thereafter.

Failure to comply with any of the provisions of this right may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the right.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.


The use may be restricted if the quality of downstream waters decreases to the point that those waters no longer meet existing state or federal water quality standards due to reduced flows.

The Director finds that the proposed uses of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

The original permit was issued December 20, 2002. Actual construction work was to begin on or before December 20, 2002, and be completed on or before October 1, 2007. By an Extension of Time issued February 5, 2016, the deadline for completing construction and application of water to beneficial use was extended to October 1, 2025.

Within one year after complete application of water to the proposed use the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Dated in Salem, Oregon on FEB 10 2021



Lisa J. Jaramillo, Transfer and Conservation Section Manager for
THOMAS M. BYLER, DIRECTOR
Oregon Water Resources Department

REAL ESTATE TRANSACTIONS: Pursuant to ORS 537.330, in any transaction for the conveyance of real estate that includes any portion of the lands described in this permit, the seller of the real estate shall, upon accepting an offer to purchase that real estate, also inform the purchaser in writing whether any permit, transfer approval order, or certificate evidencing the water right is available and that the seller will deliver any permit, transfer approval order or certificate to the purchaser at closing, if the permit, transfer approval order or certificate is available.

CULTURAL RESOURCES PROTECTION LAWS: Permittees involved in ground-disturbing activities should be aware of federal and state cultural resources protection laws. ORS 358.920 prohibits the excavation, injury, destruction or alteration of an archeological site or object, or removal of archeological objects from public and private lands without an archeological permit issued by the State Historic Preservation Office. 16 USC 470, Section 106, National Historic Preservation Act of 1966 requires a federal agency, prior to any undertaking to take into account the effect of the undertaking that is included on or eligible for inclusion in the National Register. For further information, contact the State Historic Preservation Office at 503-378-4168, extension 232.

G4V6AC

Permit Amendment Checklist

Transfer: T- 13503

Transfer Specialist: *RB*

Transfer Type: Permit Amendment

Applicant Name/Address/email: DENISE KRYGER 59315 HWY 78 BURNS, OR 97720 <i>no em</i>	Agent Name/Address/email: JOHN A. SHORT PO BOX 1830 BEND, OR 97709 <i>yes em</i>	Rec Landowner Name/Address:
CWRE Name/Number:	Irr. District Name/Address:	Affected Gov'ts Name/Address: County Of Harney
Commentor(s): Name/Address:	Current Landowner Name/Address (if different than applicant):	

Permit(s) Affected

Records Marked	Records Copied	App File No. or Decree Name	Permit No.	Superseding Permit No.
☐	☐	G-15732	G-15301	G-18506

Key Dates & Initial Actions

Rec'd: July 13, 2020	Proposed Action(s): POA, APOA	
Fees Pd: 1570.00	WM District: 10	ODFW District: <i>e</i>
Initial Notice: August 11, 2020	WM Review sent: Done: <i>✓ 626 w/ not exist.</i>	ODFW Review sent: <i>e</i> Done: <i>e</i>
Acknowledgement Letter Sent: ☒ Date: August 6, 2020		GW Review sent: Done: <i>10-2 626</i>

Processing Dates & Actions

Deficiency Contact(s): _____

Draft Mailed: _____

If yes, date rec'd okay from agent/applicant: _____

☐ ODFW contact sheet sent; need? Yes ☐ or No ☐

☐ WM measurement sheet sent; need?

Yes ☐ or No ☐

Before, Now
Newspaper: *< .25 mi. → 1/2 new well locations 1P+2P = > .25 mi. NP required.*
☒ not required
Date quote requested: _____
Request for news \$ sent: _____
News \$ received: *1-6-2021*
Request to publish sent to newspaper: _____
Affidavit of publication received: *✓ 1-25-21*
Dates of publication: *11/3 & 1/20/2021*

Final Order

Draft Order & Superseding Permit Review (Optional) Reviewer: _____ Date: _____ Coordinator: _____ Date: _____ Signature Bin Date: _____	Final Order & Superseding Permit Review (Salem) Reviewer: <i>Corey</i> Date: <i>10/12/20</i> Coordinator: <i>PKS</i> Date: <i>11/20/20</i> Signature Bin Date: _____
---	--

Comments/Special Issues: *land use: cond't use permit*
Commercial use - hot springs } *Does this require an for + condition?*
NO / PK

Special Order Volume: Vol: _____, Pages _____

Final Order Signature Date: _____

Notice of FO e-mailed to processors: _____

*1/2 Request / draft Notice
corrected FO / op w/ new 1P+2P measurements*

6HNGAC

1-6-15901

T-13503

Application

PR CW

- ☐ ☒ The type of change is clearly indicated.
- ☐ ☒ The application is appropriately signed.
- ☐ ☒ Appropriate fees were paid. N/A ☐ If overpayment, Refund Request submitted _____
- ☐ ☒ Land use form matches affected tax lots and is signed by proper official. (from ALL affected Govt's) _____
- ☐ ☒ N/A Ditch company, district, and/or BOR, sent a copy of the application and map, if appropriate.
- ☐ ☒ All required attachments received.
- ☐ ☐ Check application file and WRIS for assignment(s) and/or extension(s). NO yes 10/26

Application Map

PR CW

- ☐ ☒ The map size and scale are accurate and appropriate per OAR 690-380-3100(1)(b)(c)&(d).
- ☐ ☒ All authorized and proposed POD's/POA's and POU are properly described on the map.
- ☐ ☒ The POD/POA location description(s) on the map match the PA application and permit descriptions. mostly
- ☐ ☐ Map acres (to, from and rr, if applicable) match Table 2 on the PA application and as applicable, on the permit
- ☐ ☒ Have permit map(s).

Determining the "From" and "To" Lands (make working copy of application and permit(s))

PR CW

- ☐ ☐ Only the authorized POD's/POA's and/or POU's to be transferred are listed (Tables 1 & 2). mostly
- ☐ ☒ PA application and permit tabulations (acreage) match. (Mark on appl. and permit copies and note corrections needed)
- ☐ ☐ ALL Mark on permit the acreage and amount of water being transferred.

Permit Ownership

- ☐ ☒ The applicant(s) is/are the holder(s) of the permit.
- ☐ ☒ All holders of the permit have signed the application or
- ☐ ☐ N/A If necessary, there is a notarized, signed statement of consent from permit holders other than applicant.
- ☐ ☐ N/A If necessary, the permit has been assigned to permit amendment applicant.

Evaluation Materials

- ☐ Application complete ☐ Permit ☒ Land Use form ☐ N/A Plat card
- ☐ Amendment Map ☐ Permit Map ☒ Fees paid ☐ N/A Well logs

Reviews/comments/conditions received? ☐ ☒ Watermaster ☐ ☐ N/A ODFW ☐ ☒ N/A GW 626

N/A Headgate ☐ When in the judgment ☐ Prior to diverting ☐ Existing and maintain

N/A Measuring Devices ☐ When in the judgment ☐ Prior to diverting ☐ Existing and maintain

Type of device, if applicable: _____ totalizing flow meter: at new at existing and new

Injury: ☐ Yes ☒ No

Enlargement: ☐ Yes ☒ No

Conditions to avoid enlargement/injury -

ODFW conditions: X

GW Conditions: X

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **134265**

INVOICE # _____

RECEIVED FROM:

BY:

CASH:

CHECK: #

OTHER: (IDENTIFY)

APPLICATION

PERMIT

TRANSFER

TOTAL REC'D

\$ 108.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES

0207 OTHER: (IDENTIFY)

46118 Newspaper Notice

\$

\$ 108.00

0243 I/S Lease

0244 Muni Water Mgmt. Plan

0245 Cons. Water

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES

0410 RESEARCH FEES

0408 MISC REVENUE: (IDENTIFY)

TC162 DEPOSIT LIAB. (IDENTIFY)

0240 EXTENSION OF TIME

\$

\$

\$

\$

\$

WATER RIGHTS:

0201 SURFACE WATER

0203 GROUND WATER

0205 TRANSFER

EXAM FEE

\$

\$

\$

0202

0204

RECORD FEE

\$

\$

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR

LANDOWNER'S PERMIT

EXAM FEE

\$

0219

0220

LICENSE FEE

\$

\$

OTHER

(IDENTIFY)

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE

0210 MONITORING WELLS

\$

\$

CARD #

CARD #

OTHER

(IDENTIFY)

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD)

0231 HYDRO LICENSE FEE (FW/WRD)

HYDRO APPLICATION

\$

\$

\$

TREASURY

OTHER / RDX

FUND _____ TITLE _____

OBJ. CODE _____ VENDOR # _____

DESCRIPTION _____

\$

RECEIPT: **134265**

DATED: 1-4-2021

BY: [Signature]

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

PUBLIC NOTICE

Notice of Permit
Amendment T13503

T-13503 filed by Denise Kryger, 59315 Hwy. 78, Burns, OR 97720, proposes a change in points of appropriation and additional points of appropriation under Permit G-15301. The permit allows the use of 1.0 cubic foot per second from three wells in Sec. 34, T24S, R33E, WM for commercial use in Sec. 34, T24S, R33E, WM. The applicant proposes additional points of appropriation and to move the points of appropriation within Sec. 34, T24S, R33E, WM. The Water Resources Department has concluded that the proposed permit amendment appears to be consistent with the requirements of ORS 537.211. The last date of newspaper publication is 01/20/2021.

Publish Jan 13 and 20,
2021

BURNS TIMES-HERALD

355 N. Broadway, Burns, Oregon 97720

AFFIDAVIT OF PUBLICATION

STATE OF OREGON

(
(S.S.

County of Harney

I Brian Graham, being first and duly sworn, depose and say that I am the Advertising Manager of the Burns Times-Herald, a newspaper of general circulation, as defined by ORS 193.010 and 193.020, published at Burns, in the aforesaid County and State by the Burns Times-Herald that the

Public Notice: T-13503

a printed copy of which is hereto annexed, was published in the said newspaper for

2 successive and consecutive weeks in the following issues:


Dates of Publication: Jan 13 & 20, 2021

Signed

Brian Graham
By Brian Graham, Advertising Manager
The Burns Times-Herald

Subscribed and sworn before me this 20th day of January 2021.

Brenda Graham
Notary Public for Oregon



No. _____

STATE OF OREGON
for the
COUNTY OF HARNEY

Filed _____, 20

Clerk

Deputy

From the Office of _____

Attorney for _____

RECEIVED

JAN 25 2021

OWRD

DEC 03 2020

Salem, OR

Part 5 of 5 – Water Use Permit Information

Please use a separate Part 5 for each permit being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

Revised
PERMIT # G-15301 *see referenced 8-13-2020.*

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
(Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-____)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 1A	☒ Authorized ☐ Proposed		24	S	33	E	34	NE	SW	8900	2030' N, 1900' E of SW ¼ Cor S34
Well 2A	☒ Authorized ☐ Proposed		24	S	33	E	34	NE	SW	8900	1750' N, 2100' E of SW ¼ Cor S34
Well 3A	☒ Authorized ☐ Proposed		24	S	33	E	34	NE	SW	8900	1750' N, 1720' E of SW ¼ Cor S34
Well 1P	☐ Authorized ☒ Proposed	L-95128	24	S	33	E	34	NE	SW	8900	570' S, 300' W of Center ¼ Cor S34
Well 2P	☐ Authorized ☒ Proposed	HARN 1044	24	S	33	E	34	NE	SW	8900	570' S of Center ¼ Cor S34
Well 3P	☐ Authorized ☒ Proposed	L-109048	24	S	33	E	34	NE	SW	8900	660' S of Center ¼ Cor S34
Well 4	☐ Authorized ☒ Proposed	L-123039	24	S	33	E	34	NE	SW	8900	700' S, 580' W of Center ¼ Cor S34
Well 5	☐ Authorized ☒ Proposed	L-123037	24	S	33	E	34	NE	SW	8900	800' S, 460' W of Center ¼ Cor S34

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- ☐ Place of Use (POU)
 ☒ Point of Appropriation/Well (POA)
 ☐ Point of Diversion (POD)
 ☒ Additional Point of Appropriation (APOA)
 ☐ Additional Point of Diversion (APOD)
 ☐ Surface water POD to Ground Water POA (SW/GW)

Will all of the proposed changes affect the entire water use permit?

- ☒ Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.

- ☐ No Complete all of Table 2 to describe the portion of the permit to be changed.

For a change in place of use:

Does the permit holder of record own or control the land TO which the place of use is being moved?

☐ Yes ☐ No ☒ N/A

If NO, the landowner of the land TO which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

Is the proposed place of use contiguous to the authorized place of use? ☐ Yes ☐ No ☒ N/A

Part 5 of 5 – Water Use Permit Information

Please use a separate Part 5 for each permit being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

COPY

RECEIVED
JUL 13 2020

PERMIT # G-15301

OWRD

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 1A	☒ Authorized ☐ Proposed		24	S	33	E	34	NE	SW	8900	2030' N, 1900' E of SW ¼ Cor S34
Well 2A	☒ Authorized ☐ Proposed		24	S	33	E	34	NE	SW	8900	1750' N, 2100' E of SW ¼ Cor S34
Well 3A	☒ Authorized ☐ Proposed		24	S	33	E	34	NE	SW	8900	1750' N, 1720' E of SW ¼ Cor S34
Well 1P	☐ Authorized ☒ Proposed	L-95128	24	S	33	E	34	NE	SW	8900	490' S, 2350' E of SW ¼ Cor S34
Well 2P	☐ Authorized ☒ Proposed	HARN 1044	24	S	33	E	34	NE	SW	8900	500' S, 2660' E of W ¼ Cor S34
Well 3P	☐ Authorized ☒ Proposed	L-109048	24	S	33	E	34	NE	SW	8900	590' S, 2660' E of W ¼ Cor S34
Well 4	☐ Authorized ☒ Proposed	L-123039	24	S	33	E	34	NE	SW	8900	620' S, 2060' E of W ¼ Cor S34
Well 5	☐ Authorized ☒ Proposed	L-123037	24	S	33	E	34	NE	SW	8900	730' S, 2180' E of W ¼ Cor S34

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- ☐ Place of Use (POU)
 ☒ Point of Appropriation/Well (POA)
 ☐ Point of Diversion (POD)
 ☒ Additional Point of Appropriation (APOA)
 ☐ Additional Point of Diversion (APOD)
 ☐ Surface water POD to Ground Water POA (SW/GW)

Will all of the proposed changes affect the entire water use permit?

- ☒ Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
 ☐ No Complete all of Table 2 to describe the portion of the permit to be changed.

For a change in place of use:

Does the permit holder of record own or control the land TO which the place of use is being moved?

☐ Yes ☐ No ☒ N/A

If NO, the landowner of the land TO which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

Is the proposed place of use contiguous to the authorized place of use? ☐ Yes ☐ No ☒ N/A

1-13503

distance
see back of map.
revised
18+28
12/13
see reverse

STATE OF OREGON

COUNTY OF HARNEY

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

DENISE KRYGER
59315 HWY 78
BURNS, OREGON 97720

$\Delta PDA + PDA \times 2$
ENTIRETY OF RIGHT

(541) 493-2630

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-15732

SOURCE OF WATER: THREE WELLS IN HOT SPRINGS SLOUGH

PURPOSE OR USE: COMMERCIAL USE

MAXIMUM RATE: 1.00 CUBIC FOOT PER SECOND (CFS), BEING 0.44 CFS FROM WELL 1A AND 0.28 CFS EACH FROM WELL 2A AND WELL 3A =

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: MARCH 29, 2002

WELL LOCATION:

WELL 1 - NE $\frac{1}{4}$ SW $\frac{1}{4}$, SECTION 34, T24S, R33E, W.M.; 2030 FEET NORTH AND 1900 FEET EAST FROM SW CORNER, SECTION 34

WELL 2 - NE $\frac{1}{4}$ SW $\frac{1}{4}$, SECTION 34, T24S, R33E, W.M.; 1750 FEET NORTH AND 2100 FEET EAST FROM SW CORNER, SECTION 34

WELL 3 - NE $\frac{1}{4}$ SW $\frac{1}{4}$, SECTION 34, T24S, R33E, W.M.; 1750 FEET NORTH AND 1720 FEET EAST FROM SW CORNER, SECTION 34

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NE $\frac{1}{4}$ SW $\frac{1}{4}$
SECTION 34
TOWNSHIP 24 SOUTH, RANGE 33 EAST, W.M. ✓

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as

Application G-15732 Water Resources Department

PERMIT G-15301

Supervising Engineer #:

T. B. B. B.

[G-18506]

approved by the Director. The permittee shall maintain the meter or measuring device in good working order.

- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

STANDARD CONDITIONS

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

**Oregon Water Resources Department
Water Right Services Division**

Application for Extension of Time

In the Matter of the Application for an Extension of Time)
for Permit G-15301, Water Right Application G-15732,)
In the name of Denise Kryger) **FINAL ORDER**

Permit Information

Application:	G-15732
Permit:	G-15301
Basin:	12 – Malheur Lake / Watermaster District 10
Date of Priority:	March 29, 2002
Source of Water:	Three wells in Hot Springs Slough
Purpose of Use:	Commercial Use
Maximum Rate:	1.00 cubic foot per second (cfs), being 0.44 cfs from Well 1 and 0.28 cfs each from Well 2 and Well 3

This Extension of Time request is being processed in accordance with Oregon Revised Statute 537.630 and 539.010(5), and Oregon Administrative Rule Chapter 690, Division 315

Appeal Rights

This is a final order in other than a contested case. This order is subject to judicial review under ORS 183.484. A request for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either file for judicial review, or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

Application History

Permit G-15301 was issued by the Department on December 20, 2002. The permit called for complete application of water to beneficial use by October 1, 2007. On October 28, 2015, Denise Kryger submitted to the Department an Application for Extension of Time for Permit G-15301. In accordance with OAR 690-315-0050(2), on December 15, 2015, the Department issued a Proposed Final Order proposing to extend the time to fully apply water to beneficial use to October 1, 2025. The protest period closed January 29, 2016, in accordance with OAR 690-315-0060(1). No protest was filed.

FINDINGS OF FACT

The Department adopts and incorporates by reference the findings of fact in the Proposed Final Order dated December 15, 2015.

At time of issuance of the Proposed Final Order the Department concluded that, based on the factors demonstrated by the applicant, any comments received, and information within the file, the permit may be extended subject to the following conditions:

CONDITIONS

1. Checkpoint Condition

The permit holder must submit a completed Progress Report Form to the Department by **October 1, 2019 and 2024. A form is enclosed with this Final Order.**

- (a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;
- (b) The Department shall provide notice of receipt of progress reports in its weekly notice and shall allow a 30 day comment period for each report. The Department shall provide notice of its determination to anyone who submitted comments.

CONCLUSION OF LAW

The applicant has demonstrated good cause for the permit extension pursuant to ORS 537.630, 539.010(5) and OAR 690-315-0040(2).

ORDER

The extension of time for Application G-15732, Permit G-15301, therefore, is approved subject to conditions contained herein. The deadline for applying water to full beneficial use within the terms and conditions of the permit is extended from October 1, 2007 to October 1, 2025.

DATED: February 5, 2016



Dwight French
Water Right Services Division Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department

-
- If you have any questions about statements contained in this document, please contact the Permit Extension Specialist at (503) 986-0825.
 - If you have other questions about the Department or any of its programs, please contact our Water Resources Customer Service Group at (503) 986-0900
-

Mailing List for Extension FO Copies

FO Date: February 5, 2016

Copies Mailed

Application: G-15732

By: _____

Permit: G-15301

On: _____

Original mailed to permit holder

Denise Kryger
59315 Hwy 78
Burns, OR 97720

Copies sent to:

1. WRD - App. File G-15732/ Permit G-15301
2. Water Right Services, LLC
John Short
PO Box 1830
Bend, OR 97709

Fee paid as specified under ORS 536.050 to receive copy:

3. None

Receiving notification via e-mail - FO available in WRIS for review
(DONE BY EXTENSION SPECIALIST)

4. WRD - Watermaster District 10, JR Johnson

If Progress Reports are Included:

(DONE BY EXTENSION SPECIALIST)

Add record to Progress Report tracking sheet.xls Done: by _____ Date _____

CASEWORKER: CAC



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Watermaster Review Form: Water Right Transfer

Transfer Application: T-13503

Review Due Date: _____

Applicant Name: Kryger, Daniel & Denise

Proposed Changes: ☐ POU ☐ POD ☒ POA ☐ USE ☐ OTHER

Reviewer(s): JR Johnson

Date of Review: Aug. 6, 2020

1. Do you have evidence that the right has not been used in the last 5 years and that the presumption of forfeiture would not likely be rebuttable? ☐ Yes ☒ No If "yes", attach evidence (e.g. dated aerial photo showing pavement or building on the land for >5 yrs.)
2. Is there a history of regulation on the source that serves this (or these) right(s) that has involved the transferred right(s) and downstream water rights? ☐ Yes ☒ No
Generally characterize the frequency of any regulation or explain why regulation has not occurred: _____
3. Have headgate notices been issued for the source that serves the transferred right(s)?
☐ Yes ☒ No ☐ Records not available.
4. In your estimation, after the proposed change would distribution of water for the right(s) result in regulation of other water rights that would not have occurred if use under the original right(s) was/were maximized?
☐ Yes ☐ No If "Yes", explain: I don't know.
5. In your estimation, if the proposed change is approved, are there upstream water rights that would be affected? ☐ Yes ☐ No If "Yes", describe how the rights would be affected and list the rights most affected: I don't know.
6. Check here ☐ if it appears that downstream water rights benefit from return flows resulting from the current use of the transferred right(s)? If you check the box, generally characterize the locations where the return flows likely occur and list the water rights that benefit most: _____. ☒ N/A
7. For POD changes and instream transfers, check here ☐ if there are channel losses between the old and new PODs or within the proposed instream reach? If you check the box, describe and, if possible, estimate the losses: _____. ☒ N/A
8. For instream transfers that propose protection of a reach beyond the mouth of the source stream: ☒ N/A Would the quantity be measureable into the receiving stream consistent with OAR 690-077-0015(8)? ☐ Yes ☐ No
9. For POU changes: ☐ N/A Is it likely the original place of use would continue to receive water from the same source? ☒ Yes ☐ No If "Yes", explain:

10. For POU or USE changes: ☒ N/A In your best judgment, would use of the existing right at "full face value," result in the diversion of more water than can be used beneficially and without waste? ☐ Yes ☐ No If "Yes", explain: _____
11. Are there other issues not identified through the above questions that should be considered in determining whether the change "can be effected without injury to other rights"? ☒ Yes ☐ No If "Yes", explain: This permit lies within the Greater Harney Valley Area of Concern groundwater study.
12. What alternatives may be available for addressing any issues identified above: _____
13. Do conditions need to be included in the transfer order to avoid enlargement of the right or injury to other rights? ☐ No ☒ Yes, as checked below:
- ☐ A Headgate should be required prior to diverting water.
- ☒ Measurement Devices for POD or POA: (if this condition is selected, also fill in the top sections of page 3)
- a. *Before water use may begin under this order, the water user shall install a totalizing flow meter*, or, with prior approval of the Director, another suitable measuring device, ☒ at each point of diversion/appropriation (new and existing) or ☐ at each new point of diversion/appropriation.*
- b. *The water user shall maintain the meters or measuring devices in good working order.*
- c. *The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.*
- ☐ Reservoir water use measurement: (if this condition is selected, also fill in the top sections of page 3)
- a. *Before water use may begin under this order, the water user shall install staff gages*, or, with prior approval of the Director, other suitable measuring devices, that measure the entire range and stage between empty and full in each reservoir. Staff gages shall be United States Geological Survey style.*
- b. *Before water use may begin under this order, if the reservoir is located in channel, weirs or other suitable measuring devices must be installed upstream and downstream of the reservoir, and, an adjustable outlet valve must be installed. The water user shall maintain such devices in good working order. A written waiver may be obtained, if in the judgment of the Director, the installation of weirs or other suitable measuring devices, or the adjustable outlet valve, will provide no public benefit.*

*** The following alternative device(s) should be substituted for the bold, underlined device in the above selected condition:**

- | | |
|---|--|
| ☐ Weir | ☐ Submerged Orifice |
| ☐ Parshall Flume | ☐ Flow Restrictor |
| ☐ Other: _____ | |

SMITH Tamera L * WRD

From: Bryce Withers <brycewrs@gmail.com>
Sent: Thursday, December 03, 2020 8:28 AM
To: SMITH Tamera L * WRD
Subject: T-13503 KRYGER Revisions
Attachments: NEW_G_15301_Permit_Amendment_Map.pdf;
permit_amendment_app_KRYGER_REVISED_PG7.pdf

Follow Up Flag: Follow up
Flag Status: Flagged

Hi Tamera,

Attached is a revised Permit Amendment map and page 7 of the Application, showing revised well location distances in the map and table. All the wells are located in the NESW QQ.

Let me know if you have any questions or need any additional information.

Thank you!

--

Bryce Withers

Water Right Specialist
(541)408-1400 cell

Water Right Services, LLC
PO Box 1830
Bend, OR 97709
<https://oregonwater.us>

SMITH Tamera L * WRD

From: SMITH Tamera L * WRD
Sent: Saturday, November 28, 2020 1:31 PM
To: John Short
Subject: T-13503 Kryger application question
Attachments: T-13503 Application.pdf; T-13503 Map.pdf

Hi John,

Can you take a look at the maps and application for T-13503? Location for Wells 1P and 2P are listed as NE SW Q-Q in the application, but measurements and map are NW SE.

Can you please let me know if NE SW is the actual Q-Q?

Thank you, Tamera

SMITH Tamera L * WRD

From: Bryce Withers <brycewrs@gmail.com>
Sent: Thursday, December 03, 2020 8:28 AM
To: SMITH Tamera L * WRD
Subject: T-13503 KRYGER Revisions
Attachments: NEW_G_15301_Permit_Amendment_Map.pdf;
permit_amendment_app_KRYGER_REVISED_PG7.pdf

Follow Up Flag: Follow up
Flag Status: Flagged

Hi Tamera,

Attached is a revised Permit Amendment map and page 7 of the Application, showing revised well location distances in the map and table. All the wells are located in the NESW QQ.

Let me know if you have any questions or need any additional information.

Thank you!

--

Bryce Withers

Water Right Specialist
(541)408-1400 cell

Water Right Services, LLC
PO Box 1830
Bend, OR 97709
<https://oregonwater.us>

Please use a separate Part 5 for each permit being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

PERMIT # G-15301

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
(Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼ ¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 1A	☒ Authorized ☐ Proposed		24 S	33 E	34	NE SW	8900	2030' N, 1900' E of SW ¼ Cor S34
Well 2A	☒ Authorized ☐ Proposed		24 S	33 E	34	NE SW	8900	1750' N, 2100' E of SW ¼ Cor S34
Well 3A	☒ Authorized ☐ Proposed		24 S	33 E	34	NE SW	8900	1750' N, 1720' E of SW ¼ Cor S34
Well 1P	☐ Authorized ☒ Proposed	L-95128	24 S	33 E	34	NE SW	8900	570' S, 300' W of Center ¼ Cor S34
Well 2P	☐ Authorized ☒ Proposed	HARN 1044	24 S	33 E	34	NE SW	8900	570' S of Center ¼ Cor S34
Well 3P	☐ Authorized ☒ Proposed	L-109048	24 S	33 E	34	NE SW	8900	660' S of Center ¼ Cor S34
Well 4	☐ Authorized ☒ Proposed	L-123039	24 S	33 E	34	NE SW	8900	700' S, 580' W of Center ¼ Cor S34
Well 5	☐ Authorized ☒ Proposed	L-123037	24 S	33 E	34	NE SW	8900	800' S, 460' W of Center ¼ Cor S34

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- ☐ Place of Use (POU)
 ☒ Point of Appropriation/Well (POA)
- ☐ Point of Diversion (POD)
 ☒ Additional Point of Appropriation (APOA)
- ☐ Additional Point of Diversion (APOD)
 ☐ Surface water POD to Ground Water POA (SW/GW)

Will all of the proposed changes affect the entire water use permit?

- ☒ Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- ☐ No Complete all of Table 2 to describe the portion of the permit to be changed.

For a change in place of use:

Does the permit holder of record own or control the land TO which the place of use is being moved?

☐ Yes ☐ No ☒ N/A

If NO, the landowner of the land TO which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

Is the proposed place of use contiguous to the authorized place of use? ☐ Yes ☐ No ☒ N/A

Authorized "OFF" Well Locations:

Well #1A: 2030' N, 1900' E of SW 1/4 Cor Sec 34

Well #2A: 1750' N, 2100' E of SW 1/4 Cor Sec 34

Well #3A: 1750' N, 1720' E of SW 1/4 Cor Sec 34

**T24S R33E, WM,
HARNEY COUNTY, OR**

Received by OWRD

DEC 03 2020

Salem, OR



0 1,320 Feet

1" = 1320'

● Proposed "ON" Well

⊙ Authorized "OFF" Well

POU Commercial

Township

Section

Quarter Quarter

Tax Lot

Proposed "ON" Well Locations:


Well #1P (HARN 1043 / L-95128):
570' S, 300' W of Center 1/4 Cor Sec 34

Well #2P (HARN 1044):
570' S of Center 1/4 Cor Sec 34

Well #3P (HARN 51901 / L-109048):
660' S of Center 1/4 Cor Sec 34

Well #4 (HARN 52601 / L-123039):
700' S, 580' W of Center 1/4 Cor Sec 34

Well #5 (HARN 52548 / L-123037):
800' S, 460' W of Center 1/4 Cor Sec 34



**PERMIT AMENDMENT MAP
DENISE KRYGER**

This map is not intended
to provide legal dimensions
or locations of property
ownership lines.

WATER RIGHT SERVICES, LLC

PO BOX 1830, BEND, OR 97709

WWW.OREGONWATER.US CCB # 197121

johnshort@usa.com 541-389-2837

Groundwater Transfer Review Summary Form

Transfer/PA # T- 13503

GW Reviewer D. Boschmann Date Review Completed: 09/29/2020

Summary of Same Source Review:

☐ The proposed change in point of appropriation is not within the same aquifer as per OAR 690-380-2110(2).

Summary of Injury Review:

☐ The proposed transfer will result in another, existing water right not receiving previously available water to which it is legally entitled or result in significant interference with a surface water source as per 690-380-0100(3).

Summary of GW-SW Transfer Similarity Review:

☐ The proposed SW-GW transfer doesn't meet the definition of "similarly" as per OAR 690-380-2130.

This is only a summary. Documentation is attached and should be read thoroughly to understand the basis for determinations.



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1271
(503) 986-0900
www.wrd.state.or.us

Ground Water Review Form:

- ☐ Water Right Transfer
☒ Permit Amendment
☐ GR Modification
☐ Other

Application: T-13503

Applicant Name: Denise Kryger

Proposed Changes: ☒ POA ☒ APOA ☐ SW→GW ☒ RA
☐ USE ☐ POU ☐ OTHER

Reviewer(s): Darrick E. Boschmann

Date of Review: 09/29/2020

Date Reviewed by GW Mgr. and Returned to WRSD: JTI 10/2/20

The information provided in the application is insufficient to evaluate whether the proposed transfer may be approved because:

- ☐ The water well reports provided with the application do not correspond to the water rights affected by the transfer.
- ☐ The application does not include water well reports or a description of the well construction details sufficient to establish the ground water body developed or proposed to be developed.
- ☐ Other _____
-

1. Basic description of the changes proposed in this transfer: _____

This application is related to permit G-15301 which authorizes groundwater pumping from three wells (*POD 1 = HARN 1043; *POD 2 = HARN 1044**; POD 3 = no well log) in the Malheur Lake Basin for commercial use (hot spring resort) at a year round rate of 1.00 cfs, being 0.44 cfs from POD 1, and 0.28 cfs each from POD 2 and POD 3. The following changes are proposed:

1. Correct the record to reflect the accurate locations of POD 1 (HARN 1043) and POD 2 (HARN 1044).

2. Add 3 APOAs (HARN 51901; HARN 52601; HARN 52548)

*The application indicates that HARN 1043 and HARN 1044 are not currently the authorized wells and proposes to change the authorized PODs to these wells. However, the original groundwater review dated 4/19/2002 (G-15732) reviews these two wells as the proposed POD 1 and POD 2 at that time, and so Department records indicate these wells are already the currently authorized POD 1 and POD 2 under this permit. The well locations for these wells provided on application G-15732 and those provided on the current application are inconsistent – either the original well locations provided on application G-15732 were incorrect, or the well locations provided on the current application are incorrect, or there is some kind of mix-up about which well correlates to which well log at this site. The hand written metes and bounds included with the application map for G-15732 are not consistent with those in WRIS. Neither the metes and bounds provided on the G-15732 application map nor those in WRIS are consistent with the locations marked on the G-15732 application map relative to the tax lot boundaries. Those provided in the current application are closer to those marked on the original application map, and are assumed here to be the more accurate locations.

**HARN 1044 is an old (pre-1930) dug well and may not meet well construction standards. Route to WCC for review.

2. Will the proposed POA develop the same aquifer (source) as the existing authorized POA?

☒ Yes ☐ No Comments: Available data indicates a predominantly volcanic/tuffaceous sedimentary rock unit occurs beneath a predominantly basin fill sediment unit. Reports for the Malheur Lake Basin indicate groundwater occurs in both the basin fill and underlying rocks. The groundwater is likely hydraulically connected, making a single groundwater system occurring in different geologic units. Leonard (1970) found that near the edges of the valley there is likely good interconnection between individual water-bearing beds in the valley fill and those in the adjacent and underlying tertiary rocks.

In general, groundwater in the Harney Basin flows from several upland recharge areas to a common discharge area near Malheur and Harney Lakes, with some apparent discharge to the Malheur Basin through one or more areas along the eastern margin. While the rocks and sediments making up the aquifer system in the Harney Basin do constitute a single groundwater flow system, sub-watersheds within the basin contribute recharge to different parts of the system depending on groundwater flow-paths from recharge to discharge areas. In general, within these sub-watersheds water within the aquifer system is sourced from a common recharge area, and can therefore be considered a single source.

3. a) Is there more than one source developed under the right (e.g., basalt and alluvium)?
☐ Yes ☒ No _____
- b) If yes, estimate the portion of the right supplied by each of the sources and describe any limitations that will need to be placed on the proposed change (rate, duty, etc.): _____
4. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another ground water right**?
☐ Yes ☒ No Comments: The proposed wells are located in very close proximity to the currently authorized POD locations.
- b) If yes, would this proposed change, at its maximum allowed rate of use, likely result in another groundwater right not receiving the water to which it is legally entitled?
☐ Yes ☐ No If yes, explain: _____
5. a) Will this proposed change, at its maximum allowed rate of use, likely result in an increase in interference with **another surface water source**?
☐ Yes ☒ No Comments: There are no perennial surface water sources in the vicinity of the proposed or authorized wells.
- b) If yes, at its maximum allowed rate of use, what is the expected change in degree of interference with any **surface water sources** resulting from the proposed change?
Stream: _____ ☐ Minimal ☐ Significant
Stream: _____ ☐ Minimal ☐ Significant
Provide context for minimal/significant impact: _____
6. For SW-GW transfers, will the proposed change in point of diversion affect the surface water source similarly (as per OAR 690-380-2130) to the authorized point of diversion specified in the water use subject to transfer?
☐ Yes ☐ No Comments: _____
7. What conditions or other changes in the application are necessary to address any potential issues identified above: none.
8. Any additional comments: HARN 1044 is an old (pre-1930) dug well and may not meet well construction standards. Route to WCC for review.



STATE OF OREGON
WATER RESOURCES DEPARTMENT

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # 133343

INVOICE # _____

RECEIVED FROM:

BY:

CASH:

CHECK: #

OTHER: (IDENTIFY)

APPLICATION

PERMIT

TRANSFER

TOTAL REC'D

\$ 1,046.50

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES

0412 OTHER: (IDENTIFY)

0243 I/S Lease

0244 Muni Water Mgmt. Plan

0245 Cons. Water

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES

0410 RESEARCH FEES

0408 MISC REVENUE: (IDENTIFY)

TC162 DEPOSIT LIAB. (IDENTIFY)

0240 EXTENSION OF TIME

WATER RIGHTS:

0201 SURFACE WATER

0203 GROUND WATER

0205 TRANSFER

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR

LANDOWNER'S PERMIT

OTHER (IDENTIFY)

EXAM FEE

\$

\$

\$

EXAM FEE

\$

RECORD FEE

\$

\$

LICENSE FEE

\$

\$

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE

0210 MONITORING WELLS

OTHER (IDENTIFY)

CARD #

CARD #

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD)

0231 HYDRO LICENSE FEE (FW/WRD)

HYDRO APPLICATION

\$

\$

\$

TREASURY OTHER / RDX

FUND TITLE

OBJ. CODE VENDOR #

DESCRIPTION

\$

RECEIPT: 133343

DATED: 8-28-2000 BY: [Signature]

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal

RECEIVED

AUG 28 2020

OWRD

**REIMBURSEMENT AUTHORITY
APPLICANT'S AGREEMENT
Contract Number: R11-271-21**

This Agreement is between the **Oregon Water Resources Department**, hereafter OWRD, and Denise Kryger, hereafter Applicant, hereafter known together as the parties.


OWRD Information	Applicant's Information	Applicant's Representative
Contact: Kelly Starnes Title: Transfer Advisor Address: 725 Summer Street, NE, Suite A Salem, OR 97301-1266 Phone: 503 986-0886 Fax: 503 986-0901 Email: patrick.k.starnes@oregon.gov	Name: Denise Kryger Contact: Address: 59315 Highway 78 Burns, OR 97720 Phone: (206) 786-2038 Fax: Email:	Name: Water Right Services, LLC Contact: Bryce Withers Address: PO Box 1830 Bend, OR 97709 Phone: (541) 389-2837 Fax: Email: johnshort@usa.com

Purpose The purpose of this Agreement is to expedite the processing of the **Transfer Application**. (**Application Number: T-13503**)

1. **Authority.** The OWRD has been authorized pursuant to ORS 536.055 to enter into a voluntary agreement with any applicant, permittee or regulated entity (collectively Applicant) for expediting or enhancing a regulatory process. In making this agreement, OWRD shall require the applicant to pay the full cost of expedited process.
2. **Restrictions.** Applicant and OWRD agree that this Agreement shall not be construed to restrict in any way the decisions and actions by OWRD. OWRD shall be free to exercise independent judgment consistent with existing laws and regulations.
3. **Effective Date and Duration.** Unless otherwise terminated by non-deposit of funds by the Applicant, this Agreement shall become effective on the date on which both parties have signed the Agreement and the full deposit of the estimated cost of the proposed service.
4. **Consideration.**
 - a. Applicant shall pay OWRD in advance for actual costs incurred by OWRD. The estimated maximum reimbursement payable to OWRD under this Agreement is **\$1,046.50**. Applicant agrees to pay the full amount of **\$1,046.50** to OWRD prior to commencement of any work stated in this Agreement. This payment will be placed in an account administered by OWRD and drawn upon as costs are actually incurred. If the actual cost of performing the work is less than payments received, OWRD will refund the unspent balance. If the actual cost of processing exceeds the estimate, the Applicant can either elect to terminate this Agreement or amend the Agreement to reflect the increase in cost.
 - b. The costs stated in this Agreement do not include the statutory application processing and filing fees.
5. **Confidentiality.** Applicant agrees that any information provided to or acquired by OWRD under this Agreement will be subject to the Oregon Public Records Law and shall be considered public records.
6. **Indemnity.** Applicant shall defend, save, hold harmless, and indemnify the State of Oregon, OWRD, and their officers, employees, and agents from and against all claims, suits, actions, losses, damages, liabilities, costs and expenses of any nature resulting from or arising out of, or relating to the activities of Applicant or its representatives, officers, employees, contractors, or agents under this Agreement or with respect to the expedited service. The Applicant acknowledges that the Oregon Water Resources Department cannot and does not guarantee a favorable review under the subject regulatory process.


7. **Termination.** Applicant may request to terminate this agreement only in writing at anytime during the process. The Applicant agrees to pay for the work done by OWRD up until the time of the written termination request. OWRD, upon receiving such written termination request from the Applicant, will refund any unspent balance.
8. **Funds Authorized and Available.** By its execution of this Agreement, Applicants certify that sufficient funds are authorized and available to cover the expenditures contemplated by this Agreement.
9. **Duration of Estimate.** The Estimate of Time to completion is approximately 120 days once this Agreement has been fully executed and payment of the estimated cost deposited. If the Applicant's Agreement is not received by the Department within thirty (30) days of mailing the Agreement, the Applicant may need to re-apply for a new estimate.
10. **Completion Date.** OWRD, by the execution of this Agreement does not guarantee the completion date indicated in this Agreement. Completion date is only an estimate and may be affected by the Department's workload, issues arising from the processing of the requested services and Applicant's timely response to requests for additional information.
11. **Captions.** The captions or headings in this Agreement are for the convenience only and in no way define, limit, or describe the scope, or intent, of any provision of this Agreement.
12. **Amendment and Merger.** The terms of this Agreement shall not be waived, altered, modified, supplemented or amended in any manner whatsoever, except by written instrument signed by both parties. Such waiver, consent, modification or change, if made, shall be effective only in the specific instance and for the specific purpose given. There are no understandings, agreements or representations, oral or written, not specified herein regarding this Agreement.
13. **Signatures.** All parties, by the authorized representative's signature below, hereby acknowledge that they have read this Agreement, understand it and agree to be bound by its terms and conditions.


For Applicant:


Name/Title:


Date

For OWRD:


Dwight French – Administrator


Date

Mail signed Agreement to:

Stacy Phillips
Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, OR 97301-1266

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **133109**

INVOICE # _____

RECEIVED FROM: Crane Hot Springs LLC

BY: Denise P. Kryger

APPLICATION	
PERMIT	
TRANSFER	<u>T-13503</u>

CASH: ☐ CHECK: # 6369 OTHER: (IDENTIFY) ☐

TOTAL REC'D \$ 1,570.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES \$
OTHER: (IDENTIFY) \$

0243 I/S Lease _____ 0244 Muni Water Mgmt. Plan _____ 0245 Cons. Water _____

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES \$
0410 RESEARCH FEES \$
0408 MISC REVENUE: (IDENTIFY) \$
TC162 DEPOSIT LIAB. (IDENTIFY) \$
0240 EXTENSION OF TIME \$

WATER RIGHTS:

0201 SURFACE WATER EXAM FEE 0202 RECORD FEE \$
0203 GROUND WATER \$ 0204 \$

0205 TRANSFER \$ 1,570.00

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR EXAM FEE 0219 LICENSE FEE \$
LANDOWNER'S PERMIT 0220 \$

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE \$ CARD # _____
0210 MONITORING WELLS \$ CARD # _____

OTHER (IDENTIFY) _____

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FW/WRD) \$
0231 HYDRO LICENSE FEE (FW/WRD) \$
HYDRO APPLICATION \$

TREASURY OTHER / RDX

FUND _____ TITLE _____
OBJ. CODE _____ VENDOR # _____
DESCRIPTION \$

RECEIPT: **133109**

DATE: 7-23-2020 BY: [Signature]

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal



State of Oregon
Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900

Application for Permit Amendment

Part 1 of 5 – Minimum Requirements Checklist

This permit amendment application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section.

RECEIVED

JUL 13 2020

OWRD

Check all items included with this application. (N/A = Not Applicable)

- ☒ Part 1 – Completed Minimum Requirements Checklist.
- ☒ Part 2 – Completed Application Map Checklist.
- ☒ Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator. If you have questions, call Customer Service at (503) 986-0801.
- ☒ Part 4 – Completed Applicant Information and Signature.
- ☒ Part 5 – Information about Permits to be Amended: **Number of permits to be amended: One**
List the Permits here: G-15301
Please include a separate Part 5 for each permit. (See instructions on page 6)
- ☒ Completed Permit Amendment Application Map (Does not have to be prepared by a Certified Water Right Examiner).
- ☐ ☒ N/A Request for Assignment Form and statutory fee. The request for assignment form has to be completed if the applicant is **not** the permit holder of record and needs to be assigned to the permit; **or** the landowner of the proposed place of use is **not** the permit holder of record and needs to be assigned to the permit (the Request for Assignment Form is available online at <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>). Assignment is not needed if the applicant is the permit holder of record.
- ☐ ☒ N/A Affidavit(s) of Consent are required from all permit holder(s) of record if the permit is not assigned to the applicant **or** other permit holders of record that are not listed as applicants.
- ☒ ☐ N/A Oregon Water Resources Department's Land Use Information Form with approval and signature (or signed land use form receipt stub) from each local land use authority in which water is to be diverted, conveyed, and/or used. Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- ☒ ☐ N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.
- ☐ ☒ N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500 feet from the surface water source and more than 1000 feet upstream or downstream from the point of diversion. (ORS 540.531(2) or (3)).

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

☐ Application fee not enclosed/insufficient ☐ Map not included or incomplete

☐ Land Use Form not enclosed or incomplete

☐ Additional signature(s) required ☐ Part _____ is incomplete

Other/Explanation _____

Staff: _____ 503-986-0 _____

Date: ____/____/____

Part 2 of 5 – Permit Amendment Map Checklist

Your permit amendment application will be returned if any of the map requirements listed below are not met.

Please be sure that the map you submit includes all the items listed below and meets the requirements of OAR 690-380-3100, however, the map does not have to be prepared by a Certified Water Right Examiner. Check all boxes that apply.

RECEIVED

JUL 13 2020

OWRD

- ☐ ☒ N/A If **more than three** permits are involved, separate maps for each permit.
- ☒ Permanent quality printed with dark ink on good quality paper.
- ☒ The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- ☒ A north arrow, a legend, and scale.
- ☒ The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- ☒ Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- ☒ Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- ☒ Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- ☒ Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- ☒ Existing place of use that includes separate hachuring for each water use permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the permit is being changed, a separate hachuring is needed for the portion of the permit left unchanged.
- ☐ ☒ N/A If you are proposing a change in place of use, show the proposed place of use with hachuring that includes separate hachuring for each permit, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- ☒ Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water use permit.
- ☒ ☐ N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

Part 3 of 5 – Fee Worksheet

FEE WORKSHEET for PERMIT AMENDMENT			
1	Base Fee (includes one type of change to one permit for up to 1 cfs)	1	\$1,160
2	Types of change proposed: ☐ Place of Use ☒ Point of Diversion/Appropriation Number of above boxes checked = <u>1</u> (2a) Subtract 1 from the number in line 2a = <u>0</u> (2b) <i>If only one change, this will be 0</i> Multiply line 2b by \$930 and enter » » » » » » » » » » » » » » » »	2	0
3	Number of permits included in Permit Amendment <u>1</u> (3a) Subtract 1 from the number in 3a: <u>0</u> (3b) <i>If only one permit this will be 0</i> Multiply line 3b by \$520 and enter » » » » » » » » » » » » » » » »	3	0
4	Do you propose to add or change a well, or change from a surface water POD to a well? ☐ No: enter 0 » ☒ Yes: enter \$410 »	4	\$ 410
5	Do you propose to change the place of use? ☒ No: enter 0 on line 5 » ☐ Yes: enter the cfs for the portions of the permits to be amended (see example below*): _____ (5a) Subtract 1.0 from the number in 5a above: _____ (5b) If 5b is 0, enter 0 on line 5 » If 5b is greater than 0, round up to the nearest whole number: _____ (5c) and multiply 5c by \$350, then enter on line 5 » » » » » » » » » » » » » » » »	5	0
6	Add entries on lines 1 through 5 above » » » » » » » » » » Subtotal:	6	\$ 1,570
7	Is this permit amendment: ☐ necessary to complete a project funded by the Oregon Watershed Enhancement Board (OWEB) under ORS 541.932? ☐ endorsed in writing by ODFW as a change that will result in a net benefit to fish and wildlife habitat? If one or more boxes is checked, multiply line 6 by 0.5 and enter on line 7 » If no box is applicable, enter 0 on line 7» » » » » » » » » » » » » » » »	7	0
8	Subtract line 7 from line 6 » » » » » » » » » » Permit Amendment Fee:	8	\$ 1,570

*Example for Line 5a calculation to transfer 45.0 acres of Primary Permit S-12345 (total 1.25 cfs for 100 acres) and 45.0 acres of Supplemental Permit S-87654 (1/80 cfs per acre) on the same land:

1. For irrigation calculate cfs for each permit involved as follows:
 - a. Divide total authorized cfs by total acres in the permit (*for S-12345, 1.25 cfs ÷ 100 ac*); then multiply by the number of acres to be changed to get the application cfs (*x 45 ac = 0.56 cfs*).
 - b. If the water right permit does not list total cfs, but identifies the allowable use as 1/40 or 1/80 of a cfs per acre; multiply number of acres proposed for change by either 0.025 (1/40) or 0.0125 (1/80). (*For S-87654, 45.0 ac x 0.0125 cfs/ac = 0.56 cfs*)
2. Add cfs for the portions of permits on all the land included in the application; however **do not count cfs for supplemental permits on acreage for which you have already calculated the cfs fee for the primary permit on the same land**. The fee should be assessed only once for each “on the ground” acre included in the application. (*In this example, blank 5a would be only 0.56 cfs, since both permits serve the same 45.0 acres. Blank 5b would be 0 and Line 5 would then also become 0*).

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME Denise Kryger		PHONE NO. 206-786-2038	ADDITIONAL CONTACT NO.
ADDRESS 59315 Highway 78		FAX NO.	
CITY Burns	STATE OR	ZIP 97720	E-MAIL
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.			

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME John A. Short / Water Right Services, LLC		PHONE NO. 541-389-2837	ADDITIONAL CONTACT NO.
ADDRESS P.O. Box 1830		FAX NO.	
CITY Bend	STATE OR	ZIP 97709	E-MAIL johnshort@usa.com
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.			

Explain in your own words what you propose to accomplish with this permit amendment; and why:

Change locations of 3 authorized wells & Add two new wells.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

☐ Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Is the applicant the permit holder of record? ☒ Yes ☐ No

If NO, include either:

- ☐ A completed assignment form (with required statutory assignment fee), assigning all or a portion of the permit to the applicant(s), **OR**
- ☐ An affidavit of consent from the permit holder(s) of record that gives permission for the applicant to amend the permit.

Has the Completion ("C") Date of the permit(s) in this application expired? ☐ Yes ☒ No

If YES, this application will not be accepted by the Department.

If NO, what are the completion dates of the permit(s)? **October 01, 2025.**

- If the permit completion date expires while the Permit Amendment Application is pending, the Department will not approve the Permit Amendment Application until an Extension of Time Application is approved for the permit.
- You may consider using the Reimbursement Authority process to expedite the processing of this Permit Amendment Application if the completion date of the permit expires within 6 months of the date of filing this application.

By my signature below, I confirm that I understand:

- Prior to Department approval of the permit amendment, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the permit is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: **Burns Times-Herald.**



I (we) affirm that the information contained in this application is true and accurate.

Daniel R Kryger

Applicant Signature

Daniel R Kryger

Print Name (and Title if applicable)

7-10-2020

Date

owner

D. Kryger

Applicant Signature

Denise Kryger

Print Name (and Title if applicable)

7-10-20

Date

RECEIVED

JUL 13 2020

OWRD

Check one of the following:

- ☐ The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- ☒ The permit holder(s) of record will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to the permit holder(s) of record.

Check the appropriate box, if applicable:

- ☐ Check here if any of the permits proposed for amendment are or will be located within or served by an irrigation or other water district.

IRRIGATION DISTRICT NAME N/A	ADDRESS	
CITY	STATE	ZIP

- ☐ Check here if water for any of the permits supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME N/A	ADDRESS	
CITY	STATE	ZIP



To meet State Land Use Consistency Requirements, you must list all local governments (each county, city, municipal corporation, or tribal government) within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Harney County Planning Department	ADDRESS 360 N. Alvord	
CITY Burns	STATE OR	ZIP 97720

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

RECEIVED

JUL 13 2020

OWRD

Part 5 of 5 – Water Use Permit Information

Please use a separate Part 5 for each permit being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

RECEIVED
JUL 13 2020

PERMIT # G-15301

OWRD

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified in the permit, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized by the permit or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
Well 1A	☒ Authorized ☐ Proposed		24	S	33	E	34	NE	SW	8900	2030' N, 1900' E of SW ¼ Cor S34
Well 2A	☒ Authorized ☐ Proposed		24	S	33	E	34	NE	SW	8900	1750' N, 2100' E of SW ¼ Cor S34
Well 3A	☒ Authorized ☐ Proposed		24	S	33	E	34	NE	SW	8900	1750' N, 1720' E of SW ¼ Cor S34
Well 1P	☐ Authorized ☒ Proposed	L-95128	24	S	33	E	34	NE	SW	8900	490' S, 2350' E of W ¼ Cor S34
Well 2P	☐ Authorized ☒ Proposed	HARN 1044	24	S	33	E	34	NE	SW	8900	500' S, 2660' E of W ¼ Cor S34
Well 3P	☐ Authorized ☒ Proposed	L-109048	24	S	33	E	34	NE	SW	8900	590' S, 2660' E of W ¼ Cor S34
Well 4	☐ Authorized ☒ Proposed	L-123039	24	S	33	E	34	NE	SW	8900	620' S, 2060' E of W ¼ Cor S34
Well 5	☐ Authorized ☒ Proposed	L-123037	24	S	33	E	34	NE	SW	8900	730' S, 2180' E of W ¼ Cor S34

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|---|--|
| ☐ Place of Use (POU) | ☒ Point of Appropriation/Well (POA) |
| ☐ Point of Diversion (POD) | ☒ Additional Point of Appropriation (APOA) |
| ☐ Additional Point of Diversion (APOD) | ☐ Surface water POD to Ground Water POA (SW/GW) |

Will all of the proposed changes affect the entire water use permit?

- ☒ Yes Complete only the proposed ("to" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- ☐ No Complete all of Table 2 to describe the portion of the permit to be changed.

For a change in place of use:

Does the permit holder of record own or control the land TO which the place of use is being moved?

☐ Yes ☐ No ☒ N/A

If NO, the landowner of the land TO which the place of use is being moved must be assigned to the permit as a permit holder of record by submitting a completed Request for Assignment form and the required statutory fee for an assignment.

Is the proposed place of use contiguous to the authorized place of use? ☐ Yes ☐ No ☒ N/A

The permitted place of use can be moved only to lands that are contiguous to the authorized place of use **unless** the change to non-contiguous lands is in furtherance of mitigation or conservation efforts undertaken for the purposes of benefiting a species listed as sensitive, threatened, or endangered under ORS 496.171 to 496.192 or the federal Endangered Species Act of 1973 (16 U.S.C. 1531 to 1544), as determined by the listing agency. Contiguous land being either adjacent land or land separated from the land to which a permit is authorized by roads, utility corridors, irrigation ditches or publicly owned rights of way.

RECEIVED

JUL 13 2020

OWRD

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Use Permit # G-15301

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.										Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.									
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acre (if applicable)	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acre (if applicable)	POD(s) or POA(s) to be used (from Table 1)	Priority Date		
EXAMPLE																				
2	S	9	E 15 NE NW	100		15.0	POD #1 POD #2		POU/POD	2	S	9	E 15 NW NW	100	1	10.0	POD #5			
"	"	"	"	"	"	EXAMPLE	"		"	2	S	9	E 15 SW NW	200		5.0	POD #6			
									POA, APOA	24	S	33	E 34 NE SW	8900		N/A	Wells 1P,2P,3P, 4 & 5	2002		
TOTAL ACRES										TOTAL ACRES						N/A				

Additional remarks: **The permit does not indicate acres, but does indicate the POU location being the NE ¼ SW ¼ of Sec 34, T24S R33E, WM.**

RECEIVED

JUL 13 2020

OWRD

Are there other water rights certificates, water use permits or ground water registrations associated with the "from" or "to" lands? ☐ Yes ☒ No

If YES, list the other certificate, permit, or ground water registration numbers: N/A

 If the permit(s) are for irrigation or supplemental irrigation use, other water rights existing on the same land for irrigation that are subject to transfer must either change concurrently or be cancelled. Any change to a water right certificate or ground water registration must be filed separately in a water right transfer application or ground water registration modification application, respectively.

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- ☒ Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map. (Tip: You may search for well logs on the Department's web page at: http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx)

AND/OR

- ☐ Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well, OWRD Well ID Tag No. L-____	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well - specific rate (cfs or gpm). If less than full rate of water right

RECEIVED

JUL 13 2020

OWRD

Land Use Information Form



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.wrd.state.or.us

Applicant(s): Denise Kryger

Mailing Address: 59315 Highway 78

City: Burns

State: OR

Zip Code: 97720

Daytime Phone: _____

A. Land and Location

Please include the following information for all tax lots where water will be diverted (taken from its source), conveyed (transported), and/or used or developed. Applicants for municipal use, or irrigation uses within irrigation districts may substitute existing and proposed service-area boundaries for the tax-lot information requested below.

Township	Range	Section	¼ ¼	Tax Lot #	Plan Designation (e.g., Rural Residential/RR-5)	Water to be:			Proposed Land Use:
<u>24 S</u>	<u>33 E</u>	<u>34</u>	_____	<u>8900</u>	<u>EFRU-2</u>	☒ Diverted	☒ Conveyed	☒ Used	<u>IR</u>
_____	_____	_____	_____	_____	_____	☐ Diverted	☐ Conveyed	☐ Used	_____
_____	_____	_____	_____	_____	_____	☐ Diverted	☐ Conveyed	☐ Used	_____
_____	_____	_____	_____	_____	_____	☐ Diverted	☐ Conveyed	☐ Used	_____

List all counties and cities where water is proposed to be diverted, conveyed, and/or used or developed:

HARNEY COUNTY

RECEIVED
JUL 13 2020

B. Description of Proposed Use

Type of application to be filed with the Water Resources Department:

- ☐ Permit to Use or Store Water
 ☐ Water Right Transfer
 ☒ Permit Amendment or Ground Water Registration Modification
☐ Limited Water Use License
 ☐ Allocation of Conserved Water
 ☐ Exchange of Water

Source of water: ☐ Reservoir/Pond ☒ Ground Water ☐ Surface Water (name) _____

Estimated quantity of water needed: 1.0 ☒ cubic feet per second ☐ gallons per minute ☐ acre-feet

Intended use of water: ☐ Irrigation ☒ Commercial ☐ Industrial ☐ Domestic for _____ household(s)
☐ Municipal ☐ Quasi-Municipal ☐ Instream ☐ Other _____

Briefly describe:

Permit Amendment to change location of 3 authorized wells and add 2 new wells.

Note to applicant: If the Land Use Information Form cannot be completed while you wait, please have a local government representative sign the receipt at the bottom of the next page and include it with the application filed with the Water Resources Department.

See bottom of Page 3. →

For Local Government Use Only

The following section must be completed by a planning official from each county and city listed unless the project will be located entirely within the city limits. In that case, only the city planning agency must complete this form. This deals only with the local land-use plan. Do not include approval for activities such as building or grading permits.

Please check the appropriate box below and provide the requested information

- ☐ Land uses to be served by the proposed water uses (including proposed construction) are allowed outright or are not regulated by your comprehensive plan. Cite applicable ordinance section(s):
- ☒ Land uses to be served by the proposed water uses (including proposed construction) involve discretionary land-use approvals as listed in the table below. (Please attach documentation of applicable land-use approvals which have already been obtained. Record of Action/land-use decision and accompanying findings are sufficient.) **If approvals have been obtained but all appeal periods have not ended, check "Being pursued."**

Type of Land-Use Approval Needed (e.g., plan amendments, rezones, conditional-use permits, etc.)	Cite Most Significant, Applicable Plan Policies & Ordinance Section References	Land-Use Approval:	
Conditional Use Permit (Hot Springs - coal gravel)	Hezo 3.02013(F) → Labor approval under File No 18-16	☒ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued
		☐ Obtained ☐ Denied	☐ Being Pursued ☐ Not Being Pursued

Local governments are invited to express special land-use concerns or make recommendations to the Water Resources Department regarding this proposed use of water below, or on a separate sheet.

RECEIVED

JUL 13 2020

Name: Brandon McMullen Title: Planning Director

Signature: [Signature] Phone: 541-573-6655 Date: 3/12/2020

Government Entity: Harney County

OWRD

Note to local government representative: Please complete this form or sign the receipt below and return it to the applicant. If you sign the receipt, you will have 30 days from the Water Resources Department's notice date to return the completed Land Use Information Form or WRD may presume the land use associated with the proposed use of water is compatible with local comprehensive plans.

Receipt for Request for Land Use Information

Applicant name: _____

City or County: _____ Staff contact: _____

Signature: _____ Phone: _____ Date: _____



Authorized "OFF" Well Locations:

Well #1A: 2030' N, 1900' E of SW 1/4 Cor Sec 34

Well #2A: 1750' N, 2100' E of SW 1/4 Cor Sec 34

Well #3A: 1750' N, 1720' E of SW 1/4 Cor Sec 34

**T24S R33E, WM,
HARNEY COUNTY, OR**



RECEIVED
JUL 13 2020
OWRD

- Proposed "ON" Well
- ⊙ Authorized "OFF" Well
- POU Commercial
- Township
- Section
- Quarter Quarter
- Tax Lot

Proposed "ON" Well Locations:

Well #1P (HARN 1043 / L-95128):
490' S, 2350' E of W 1/4 Cor Sec 34

Well #2P (HARN 1044):
500' S, 2660' E of W 1/4 Cor Sec 34

Well #3P (HARN 51901 / L-109048):
590' S, 2660' E of W 1/4 Cor Sec 34

Well #4 (HARN 52601 / L-123039):
620' S, 2060' E of W 1/4 Cor Sec 34

Well #5 (HARN 52548 / L-123037):
730' S, 2180' E of W 1/4 Cor Sec 34



**PERMIT AMENDMENT MAP
DENISE KRYGER**

Ap. G-15732 Permit G-15301

Date: 2/25/2020

This map is not intended
to provide legal dimensions
or locations of property
ownership lines.

WATER RIGHT SERVICES, LLC
PO BOX 1830, BEND, OR 97709
WWW.OREGONWATER.US CCB # 197121
johnshort@usa.com 541-389-2837

WATER WELL REPORT
STATE OF OREGON

RECEIVED
HARN 1043 JUN 6 1984

State Well No. 245/33E-346

WATER RESOURCES DEPT
SALEM, OREGON

State Permit No. RECEIVED

JUL 18 2020

(1) OWNER:

Name J. Blackburn
Address _____
City BURNS State ORC

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air ☐ Driven ☐ Domestic ☐ Industrial ☐ Municipal ☐
Rotary Mud ☐ Dug ☐ Irrigation ☐ Test Well ☐ Other ☒
☒ Bored ☐ Thermal: Withdrawal ☐ Reinjection ☐

(4) PROPOSED USE (check):

(5) CASING INSTALLED:

Steel ☒ Plastic ☐
Threaded ☐ Welded ☒
8" Diam. from +3 ft. to -100 ft. Gauge 250
" Diam. from ft. to ft. Gauge

LINER INSTALLED: 10

" Diam. from ft. to ft. Gauge

(6) PERFORATIONS:

Perforated? ☐ Yes ☒ No

Type of perforator used

Size of perforations in. by in.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name

Type Model No.

Diam. Slot Size Set from ft. to ft.

Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? ☐ Yes ☒ No If yes, by whom?

gal./min. with ft. drawdown after hrs.

gal./min. with ft. drawdown after hrs.

gal./min. with ft. drawdown after hrs.

g.p.m.

Temperature of water 180° Depth artesian flow encountered ft.

ft.

(9) CONSTRUCTION:

Special standards: Yes ☐ No ☒

Well seal—Material used Cement

Well sealed from land surface to 20 ft.

Diameter of well bore to bottom of seal 12 in.

Diameter of well bore below seal 8 in.

Number of sacks of cement used in well seal 15 sacks

How was cement grout placed? pumped

ft.

ft.

ft.

ft.

ft.

ft.

ft.

ft.

ft.

ft.

ft.

ft.

ft.

(10) LOCATION OF WELL:

County HARNEY Driller's well number

N.W. 1/4 S.E. 1/4 Section 34 T. 245 R. 33 E. W.M.

Tax Lot # Lot Blk Subdivision

Address at well location: 25 mi. N. of Burns, 300'

N. of Hwy 78

(11) WATER LEVEL: Completed well.

Depth at which water was first found 21 ft.

Static level 3' ft. below land surface. Date 5/3/84

Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing 8"

Depth drilled 250 ft. Depth of completed well 250 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Soil	0	10	0
clay, yellow	10	15	0
clay, blue	15	20	0
Rock, black	20	22	15
clay, blue	22	50	20
Rock, broken	50	75	20
clay, blue	75	95	15
Rock, blue & grey	95	105	10
pumice, white with	105	165	6
green clay	165	190	6
clay, brown	190	192	5
Rock, hard	192	205	5
clay, blue w/ small gravel	205	215	5
clay, grey	215	218	4
Rock, hard	218	250	3
claystone, blue			

Work started 4/10 1984 Completed 5/3 1984

Date well drilling machine moved off of well 5/3 1984

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Harold Woodruff Date 5/15, 1984

(Drilling Machine Operator)

Drilling Machine Operator's License No. 1254

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name H.P. Woodruff Drilling

(Person, firm or corporation) (Type or print)

Address Box 1043 Burns, ORC 97720

[Signed] Harold Woodruff

(Water Well Contractor)

Contractor's License No. 1254 Date 5/15, 1984

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date of well completion.

SP*12658-690

For Official Use Only by The Oregon Water Resources Department:

Received Date:

County Well Log ID #

Well Identification Tag #

HARN 1043

L 95128

RECEIVED

AUG 11 2010

WATER RESOURCES DEPT
SALEM, OREGONAPPLICATION FOR WELL IDENTIFICATION TAGLANDOWNER INFORMATION

Name: DENNISE KRYGER

Mailing Address: 59315 Hwy 78

City: BURNS State: OREGON Zip: 97720

Return Well Tag to (if different than mailing address):

RECEIVED

JUL 13 2020

OWRD

WELL LOCATION INFORMATIONCounty: HARNEY Township: 24 North or South (circle one) Range: 33 East or West (circle one),

Section: 34 NW 1/4 SE 1/4 Tax Lot #:

Street Address of Well (if different than mailing address): CRYSTAL CRANE HOT SPRINGS
59315 Highway 78 BURNS, OREGON 97720WELL INFORMATION (Do Not Complete If Well Report is Attached)

Type of Well (i.e. domestic, irrigation, etc): Date Well Constructed:

Well Constructor/Company:

Well Depth (in feet): Diameter of Well Casing (in inches):

Landowner Who Had Well Constructed or Previous Owner at the Time Well was Constructed (if known):

Other Information:

Return to: Oregon Water Resources Department, Janet Halladey, 725 Summer St. NE, Suite A, Salem,
OR 97301-1271, (503) 986-0854 or fax to 503-986-0902

App for tag

STATE ENGINEER
Salem, Oregon

Well Record

STATE WELL NO. 24/33-34L(1)
COUNTY Harney
APPLICATION NO.

OWNER: Unknown

MAILING
ADDRESS:

LOCATION OF WELL: Owner's No.

CITY AND
STATE:

NE 1/4 SW 1/4 Sec. 34 T. 24 S. R. 33 W, W.M.

Bearing and distance from section or subdivision


corner

Altitude at well 4119 ft.

TYPE OF WELL: Date Constructed

Depth drilled 21 ft. Depth cased

CASING RECORD: 6 x 6 ft.



Section

RECEIVED

JUL 13 2020

FINISH:

OWRD

AQUIFERS:

WATER LEVEL: 19.7 to 18.8 ft.

PUMPING EQUIPMENT: Type H.P.
Capacity G.P.M.

WELL TESTS:

Drawdown ft. after hours G.P.M.

Drawdown ft. after hours G.P.M.

USE OF WATER None Temp. °F., 19.....

SOURCE OF INFORMATION Well "206, W.S.P. 841"

DRILLER or DIGGER

ADDITIONAL DATA:

Log Water Level Measurements Chemical Analysis X Aquifer Test

REMARKS:

STATE ENGINEER
Salem, Oregon

State Well No. 24/33-34L1

County Harney

Application No.

Chemical Analysis

OWNER Unknown OWNER'S NO.

ANALYST USGS Address

Date of Collection May 11, 1932

Point of Collection

	P.P.M.	E.P.M.
Silica (SiO ₂)		
Iron (Fe) Total		
Manganese (Mn)		
Calcium (Ca)	15.	RECEIVED
Magnesium (Mg)	5.2	JUL 13 2020
Sodium (Na)	3 429.	OWRD
Potassium (K)		
Bicarbonate (HCO ₃)	531.	
Carbonate (CO ₃)	16.	
Sulfate (SO ₄)	347.	
Chloride (Cl)	119.	
Fluoride (F)		
Nitrate (NO ₃)		
Boron (B)		
Dissolved Solids	1,193.	
Hardness as CaCO ₃	59.	
Specific Conductance (Micromhos at 25°C)		
pH		
Percent Sodium		
Sodium Absorption Ratio (S.A.R.)		
CLASS		

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

HARN 51901

1/17/2013

WELL I.D. LABEL# L109048

START CARD # 1018770

ORIGINAL LOG #

(1) LAND OWNER

Owner Well I.D.

First Name DAN Last Name KRYGER
Company CRYSTAL CRANE HOT SPRINGS
Address 59315 HWY 78
City CRANE State OR Zip 97732

(2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Conversion
☐ Alteration (complete 2a & 10) ☐ Abandonment (complete 5a)

(2a) PRE-ALTERATION

Dia + From To Gauge Stl Plstc Wld Thrd
Casing: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
Seal: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

(3) DRILL METHOD

☒ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger ☐ Cable Mud
☐ Reverse Rotary ☐ Other

(4) PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Community
☐ Industrial/ Commercial ☐ Livestock ☐ Dewatering
☒ Thermal ☐ Injection ☐ Other

(5) BORE HOLE CONSTRUCTION

Special Standard ☐ (Attach copy)Depth of Completed Well 403.00 ft.

BORE HOLE			SEAL			Amt	sacks/ lbs
Dia	From	To	Material	From	To		
12	0	20	Bentonite Chips	0	20	20	S
8	20	403					

How was seal placed: Method ☐ A ☐ B ☐ C ☐ D ☐ E☒ Other POURED & TAMPED

Backfill placed from _____ ft. to _____ ft. Material _____

Filter pack from _____ ft. to _____ ft. Material _____ Size _____

Explosives used: ☐ Yes Type _____ Amount _____

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount _____ Actual Amount _____

(6) CASING/LINER

Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd
☒ ☐ 8 ☒ 2 80 .250 ☒ ☐ ☐ ☐ ☐

Shoe ☐ Inside ☐ Outside ☐ Other Location of shoe(s) _____Temp casing ☐ Yes Dia _____ From _____ To _____

(7) PERFORATIONS/SCREENS

Perforations Method _____

Screens Type _____ Material _____

Perf/	Casing/	Screen	From		Sern/slot	Slot	# of	Tele/
Screen	Liner	Dia		To	width	length	slots	pipe size

(8) WELL TESTS: Minimum testing time is 1 hour

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
40		200	1

Temperature 150 °F Lab analysis ☐ Yes By _____Water quality concerns? ☐ Yes (describe below) TDS amount _____

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)

County HARNEY Twp 24.00 S N/S Range 33.00 E E/W WMSec 34 NE 1/4 of the SW 1/4 Tax Lot 8900

Tax Map Number _____ Lot _____

Lat _____ " or _____ DMS or DD

Long _____ " or _____ DMS or DD

☒ Street address of well ☐ Nearest address

59315 HWY 78
CRANE, OR. 97732

(10) STATIC WATER LEVEL

Date	SWL(psi)	+ SWL(ft)
Existing Well / Pre-Alteration		
Completed Well	1/11/2013	32
Flowing Artesian?		
Dry Hole?		

WATER BEARING ZONES

Depth water was first found 32.00

SWL Date From To Est Flow SWL(psi) + SWL(ft)

1/11/2013	32	397	40		32

(11) WELL LOG

Ground Elevation _____

Material	From	To
topsoil clay loam	0	1
clay brown	1	16
clay green	16	35
clay black	35	38
clay green	38	42
shale	42	50
clay green	50	71
sand cemented	71	75
clay grey	75	95
sandstone grey	95	110
sandstone green	110	170
shale grey	170	173
clay grey	173	180
shale brown	180	205
sandstone green	205	212
shale brown	212	215
claystone green	215	230
sandstone green	230	280
clay green	280	310

Date Started 1/8/2013 Complete 1/11/2013

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number _____ Date _____

Signed _____

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1424 Date 1/17/2013Signed TIMOTHY K RILEY (E-filed)

Contact Info (optional) _____

ORIGINAL - WATER RESOURCES DEPARTMENT

THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version:

[illegible]

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

HARN 52548

9/20/2016

WELL I.D. LABEL# L123037
START CARD # 1031798
ORIGINAL LOG #

(1) LAND OWNER

Owner Well I.D. _____
First Name DAN Last Name KRYGER
Company CRYSTAL CRANE HOT SPRINGS
Address 59315 HWY 78
City CRANE State OR Zip 97732

(2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Conversion
☐ Alteration (complete 2a & 10) ☐ Abandonment (complete 5a)

(2a) PRE-ALTERATION

Casing: Dia + From To Gauge Stl Plstc Wld Thrd
Material From To Amt sacks/lbs
Seal: _____

(3) DRILL METHOD

☐ Rotary Air ☐ Rotary Mud ☒ Cable ☐ Auger ☐ Cable Mud
☐ Reverse Rotary ☐ Other _____

(4) PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Community
☐ Industrial/ Commercial ☐ Livestock ☐ Dewatering
☒ Thermal ☐ Injection ☐ Other _____

(5) BORE HOLE CONSTRUCTION

Special Standard ☐ (Attach copy)Depth of Completed Well 260.00 ft.

BORE HOLE			SEAL			Amt	sacks/ lbs
Dia	From	To	Material	From	To		
14	0	60	Bentonite Chips	0	2	2	S
10	60	240	Calculated			1.36	
8	240	260	Cement	2	60	28	S
			Calculated			23.12	

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E☒ Other BENT CHIPS FROM SU

Backfill placed from _____ ft. to _____ ft. Material _____

Filter pack from _____ ft. to _____ ft. Material _____ Size _____

Explosives used: ☐ Yes Type _____ Amount _____

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount _____ Actual Amount _____

(6) CASING/LINER

Casing	Liner	Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
☒	☐	10	☒	1.5	68	.250	☒	☐	☒	☐

Shoe ☐ Inside ☐ Outside ☐ Other Location of shoe(s) _____Temp casing ☐ Yes Dia _____ From _____ To _____

(7) PERFORATIONS/SCREENS

Perforations Method _____

Screens Type _____ Material _____

Perf/	Casing/	Screen	Dia	From	To	Sern/slot	Slot	# of	Tele/
Screen	Liner	Dia	From	To	width	length	slots	pipe size	

(8) WELL TESTS: Minimum testing time is 1 hour

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
50		250	2

Temperature 140 °F Lab analysis ☐ Yes By _____Water quality concerns? ☐ Yes (describe below) TDS amount _____

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)

County HARNEY Twp 24.00 S N/S Range 33.00 E E/W WM
Sec 34 NE 1/4 of the SW 1/4 Tax Lot 8900
Tax Map Number _____ Lot _____
Lat _____ " or _____ DMS or DD
Long _____ " or _____ DMS or DD
☐ Street address of well ☒ Nearest address

SAME AS ABOVE

(10) STATIC WATER LEVEL

	Date	SWL(psi)	+	SWL(ft)
Existing Well / Pre-Alteration				
Completed Well	9/1/2016			32
Flowing Artesian? ☐ Dry Hole? ☐				

WATER BEARING ZONES

Depth water was first found 36.00

SWL Date	From	To	Est Flow	SWL(psi)	+	SWL(ft)
8/18/2016	35	36	5			36
8/19/2016	48	55	10			32
8/30/2016	70	260	50			32

(11) WELL LOG

Ground Elevation _____

Material	From	To
gravel	0	1
clay brown	1	9
clay blue	9	36
clay grey	36	41
clay with fine sand	41	48
gravel and sand	48	55
clay grey	55	70
cemented sand with some gravel	70	78
clay lt. blue hard fractured	78	98
clay red with cemented sand	98	112
clay blue with cemented sand	112	168
clay red fractured	168	187
sand cemented green	187	196
clay green fractured	196	225
clay grey with pumice, sticky	225	260

Date Started 8/17/2016 Completed 9/1/2016

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number _____ Date _____

Signed _____

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1899 Date 9/20/2016Signed SAM P KINGREY (E-filed)

Contact Info (optional) _____

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765 & OAR 690-205-0210)

HARN 52601

10/19/2016

WELL I.D. LABEL# L123039

START CARD # 1032168

ORIGINAL LOG #

(1) LAND OWNER

Owner Well I.D.

First Name DAN Last Name KRYGER
Company CRYSTAL CRANE HOT SPRINGS
Address 59315 HWY 78
City CRANE State OR Zip 97732

(2) TYPE OF WORK

☒ New Well ☐ Deepening ☐ Conversion

☐ Alteration (complete 2a & 10) ☐ Abandonment (complete 5a)

(2a) PRE-ALTERATION

Dia + From To Gauge Stl Plstc Wld Thrd
Casing: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
Material From To Amt sacks/lbs
Seal: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

(3) DRILL METHOD

☐ Rotary Air ☐ Rotary Mud ☒ Cable ☐ Auger ☐ Cable Mud
☐ Reverse Rotary ☐ Other

(4) PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Community

☐ Industrial/ Commercial ☐ Livestock ☐ Dewatering
☐ Thermal ☐ Injection ☐ Other

(5) BORE HOLE CONSTRUCTION

Special Standard ☐ (Attach copy)Depth of Completed Well 192.00 ft.

BORE HOLE			SEAL			Amt	sacks/ lbs
Dia	From	To	Material	From	To		
12	0	58	Cement	0	58	24	S
8	58	192				Calculated	19.34
						Calculated	

How was seal placed: Method ☐ A ☐ B ☒ C ☐ D ☐ E
☐ Other

Backfill placed from _____ ft. to _____ ft. Material _____

Filter pack from _____ ft. to _____ ft. Material _____ Size _____

Explosives used: ☐ Yes Type _____ Amount _____

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount

Actual Amount

(6) CASING/LINER

Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd
☒ ☐ 8 ☒ 2 82 .250 ☒ ☐ ☐ ☐ ☐

Shoe ☐ Inside ☐ Outside ☐ Other Location of shoe(s) _____Temp casing ☐ Yes Dia _____ From _____ To _____

(7) PERFORATIONS/SCREENS

Perforations Method Holt Star Perforator

Screens Type _____

Material _____

Perf/	Casing/	Screen	Perf/	Casing/	Screen	Perf/	Casing/	Screen	Perf/	Casing/	Screen
Screen	Liner	Dia	From	To	Sern/slot width	Slot length	# of slots	Tele/ pipe size	Screen	Liner	Dia
Perf	Casing	8	62	82	.375	1	480	8	Perf	Casing	8

(8) WELL TESTS: Minimum testing time is 1 hour

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)
40		150	2

Temperature 140 °F Lab analysis ☐ Yes By _____Water quality concerns? ☐ Yes (describe below) TDS amount

From	To	Description	Amount	Units

(9) LOCATION OF WELL (legal description)

County HARNEY Twp 24.00 S N/S Range 33.00 E E/W WMSec 34 NE 1/4 of the SW 1/4 Tax Lot 8900

Tax Map Number _____ Lot _____

Lat _____ " or 43.44065000 DMS or DDLong _____ " or -118.64150000 DMS or DD
☐ Street address of well ☒ Nearest address

SAME AS ABOVE

(10) STATIC WATER LEVEL

	Date	SWL (psi)	+	SWL (ft)
Existing Well / Pre-Alteration				
Completed Well	9/21/2016			28
Flowing Artesian?	☐			
Dry Hole?	☐			

WATER BEARING ZONES

Depth water was first found 32.00

SWL Date From To Est Flow SWL (psi) + SWL (ft)

9/17/2016	31	55	14		22
9/21/2016	68	131	40		28

(11) WELL LOG

Ground Elevation _____

Material	From	To
top soil	0	1
clay brown	1	13
clay green	13	25
clay blue	25	31
clay grey	31	68
gravel & sand with pumice	68	77
clay grey	77	113
clay green	113	121
clay red sticky	121	127
cobbles & gravel black	127	131
clay red	131	160
sandstone light brown	160	192

Date Started 9/13/2016Completed 9/21/2016

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

License Number _____ Date _____

Signed _____

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

License Number 1899 Date 10/19/2016Signed SAM P KINGREY (E-filed)

Contact Info (optional) _____

ORIGINAL - WATER RESOURCES DEPARTMENT

THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version:



Oregon

Kate Brown, Governor

Water Resources Department

North Mall Office Building

725 Summer St NE, Ste A

Salem, OR 97301

Phone: 503-986-0900

Fax: 503-986-0904

www.Oregon.gov/OWRD

August 5, 2020

DENISE KRYGER
59315 HWY 78
BURNS, OR 97720

Reference: Application T-13503

On July 13, 2020, we received your water right Transfer application. The application was accompanied by \$1570.00. Our receipt number 133109 is enclosed.

By copy of this letter, we are asking the Watermaster for a report regarding the potential for injury to existing water rights which may be caused by the requested change. A review form will also be sent to our groundwater staff to determine whether the proposed well accesses the same source of water as the original well.

This application may require publication of a notice for two consecutive weeks in a newspaper with general circulation in the area where the water right is located. If it is determined that newspaper notice will be required, the Department will prepare the notice and notify you of the cost. You will be responsible for submitting payment to the Department prior to publication of the notice.

Except as provided under ORS 540.510(3) for municipalities, you may not use water from the new point of appropriation until a final order approving the application has been issued by the Department.

Refer to the following page for a chart showing the steps and expected timelines for the processing of your application.

If you have any questions, please contact the Transfer Section at (503) 986-0815.

Cc: Watermaster Dist. #10 (via email)
John A. Short, Agent
Harney County

Enclosure

Crystal Crane Hot Springs

59315 Hwy 78
Burns OR 97720
541.493.2312

RECEIVED

JUL 23 2020

OWRD

7-19-20

ATTN. TAMARA SMITH

So sorry, I am not
sure how I missed the
request for the \$1,570.

Enclosed is the check

Sincerely,

Denise Kryger

John Short
Water Right Services

Permit Amendment Application Checklist

Checked by FB

Date 7-17-2020

App # 6-15732

Permit # 6-15301

Permit Amendments are authorized for changes in POD/POA, APOD/APOA, or POU.

(If OK, check box to left; if not, fill in the blank)

- ☒ 1. Is the name of the Permit Amendment applicant the same as the Water Right Permit holder(s) of record?

If not, one of the following must be included with the application:

- ___ a) An affidavit of consent from all Permit holder(s) or the other Permit holders that have not signed the Permit Amendment application form, consenting to the proposed Permit Amendment application; **OR**,
___ b) A completed Request for Assignment form (and statutory fee) to move all (or portion) of the permit into the Permit Amendment applicant's name.

If not, what is missing? _____

- ☒ 2. Page 1 of application: Are all attachments that have been checked actually included?

If not, what is missing? _____

- ☐ 3. Are fees included and correct? Fee Paid: 0

If not, the correct fee would be: _____, so the amount missing is: 1570

- ☒ 4. Part 4 of application: Have all the applicants listed at the top of the page signed at the bottom?

If not, whose signature is missing? _____

- ☐ 5. Are the Permit completion date(s) current? Extension 2025
If the Permit completion date has expired, we **CANNOT** accept the application.

- ☐ 6. If all #1-#5 boxes on this checklist are checked (with no remaining deficiencies identified), accept the application. Put this check sheet in the transfer folder.

If #1, #2, #3, #4 or #5 on this checklist is deficient, the application **CANNOT** be accepted.

It should be returned and the **deficiencies listed in the "staff" section at the bottom of Application Page 1**, unless the applicant or agent can resolve the deficiencies within 2-3 days.

**STATE OF OREGON
WATER RESOURCES DEPARTMENT**

725 Summer St. N.E. Ste. A
SALEM, OR 97301-4172

(503) 986-0900 / (503) 986-0904 (fax)

RECEIPT # **133021**

INVOICE # _____

RECEIVED FROM: Crane Hot Springs LLC
BY: Denise P. Kryder

APPLICATION	
PERMIT	
TRANSFER	<u>T-135D3</u>

CASH: ☐ CHECK: # 6363 OTHER: (IDENTIFY) ☐

TOTAL REC'D \$ 125.00

1083 TREASURY 4170 WRD MISC CASH ACCT

0407 COPIES <u>47124</u>	\$
0412 OTHER: (IDENTIFY) <u>R 11271-21 Reimbursement Authority</u>	\$ <u>125.00</u>
0243 I/S Lease _____	
0244 Muni Water Mgmt. Plan _____	
0245 Cons. Water _____	

4270 WRD OPERATING ACCT

MISCELLANEOUS

0407 COPY & TAPE FEES	\$
0410 RESEARCH FEES	\$
0408 MISC REVENUE: (IDENTIFY) _____	\$
TC162 DEPOSIT LIAB. (IDENTIFY) _____	\$
0240 EXTENSION OF TIME	\$

WATER RIGHTS:

0201 SURFACE WATER	EXAM FEE	0202	RECORD FEE
0203 GROUND WATER	\$	0204	\$
0205 TRANSFER	\$		

WELL CONSTRUCTION

0218 WELL DRILL CONSTRUCTOR	EXAM FEE	0219	LICENSE FEE
LANDOWNER'S PERMIT	\$	0220	\$

OTHER (IDENTIFY) _____

0536 TREASURY 0437 WELL CONST. START FEE

0211 WELL CONST START FEE	\$	CARD #	
0210 MONITORING WELLS	\$	CARD #	
OTHER (IDENTIFY) _____			

0607 TREASURY 0467 HYDRO ACTIVITY LIC NUMBER

0233 POWER LICENSE FEE (FWWRD)		\$
0231 HYDRO LICENSE FEE (FWWRD)		\$
HYDRO APPLICATION		\$

TREASURY OTHER / RDX

FUND _____	TITLE _____
OBJ. CODE _____	VENDOR # _____
DESCRIPTION _____	\$ _____

RECEIPT: **133021**

DATED: 7-13-2020

BY: [Signature]

Distribution - White Copy - Customer, Yellow Copy - Fiscal, Blue Copy - File, Buff Copy - Fiscal



OREGON WATER RESOURCES DEPARTMENT
TRANSFER REIMBURSEMENT AUTHORITY
ESTIMATE APPLICATION



ORS 536.055 authorizes the Oregon Water Resources Department to expedite or enhance regulatory processes voluntarily requested under the agreement.

Please contact Transfer Personnel before submitting this request; as the application fee is a non-refundable \$125.00 fee per request. Checks submitted for this application should be separate from Transfer fees.

The purpose of this application is to obtain estimates of the cost and time required to process a Transfer Application Request. There is a non-refundable application fee of \$125.00 per request.

<u>TYPE</u>	<u>FILE NUMBER</u>
Transfer Application	Transfer Number T-13503

	<u>Applicant Information</u>	<u>Applicant's Representative/Contact</u>
Name:	Denise Kryger	Water Right Services, LLC/ Bryce Withers
Address:	59315 Highway 78	PO Box 1830
	Burns, OR 97720	Bend, OR 97709
Phone:	206-786-2038	541-389-2837
Fax:		
E-Mail Address:		johnshort@usa.com

I understand the following:

- That upon receipt of my non-refundable application fee of **\$ 125.00**, OWRD will, within fourteen (14) days, notify me in writing of the estimate of costs and time frame for the expedited service.
- That this fee covers the reimbursement authority staff to evaluate and provide the estimate for processing of the request.
- That OWRD will, within fourteen (14) business days, notify me in writing of the estimates of costs and time frame for the expedited service.
- That upon receiving the estimate I may agree or decline to enter into a formal contract to pay the estimated cost in advance to initiate the expedited service.
- An incomplete or inaccurate application may delay the process and increase the cost to process my request.
- Expedited processing does not guarantee a favorable review of my request.
- Send completed Application and payment to:

**Oregon Water Resources Department
Transfer Reimbursement Authority Program
725 Summer St. NE, Suite A
Salem, OR 97301-1271**

RECEIVED

JUL 13 2020

OWRD

I certify that I am the (check one):

☐ Applicant ☒ Applicant's Representative ☐ Other (Please specify) _____

Name: Bryce Withers

Signature: BW

OWRD USE ONLY: Reimbursement Authority Number: R11-271-21