

**STATE OF OREGON**  
**WATER SUPPLY WELL REPORT**  
 (as required by ORS 537.765)

WELL ID. # L 93116

START CARD # 196376

Instructions for completing this report are on the last page of this form.

(1) **LAND OWNER** Well Number \_\_\_\_\_  
 Name Venell Farms Inc  
 Address 30792 Venell Pl.  
 City CORVALLIS State OREGON Zip 97333

(2) **TYPE OF WORK**  New Well  
 Deepening  Alteration (repair/recondition)  Abandonment  Conversion

(3) **DRILL METHOD**  
 Rotary Air  Rotary Mud  Cable  Auger  Cable Mud  
 Other \_\_\_\_\_

(4) **PROPOSED USE**  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Livestock  Other \_\_\_\_\_

(5) **BORE HOLE CONSTRUCTION** Special Construction:  Yes  No  
 Depth of Completed Well 28 ft.  
 Explosives used:  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

BORE HOLE			SEAL			
Diameter	From	To	Material	From	To	Sacks or Pounds
14	0	18	Bentonite	0	18	23
12	18	28				

How was seal placed: Method  A  B  C  D  E  
 Other Poured From Top 3/8 chunk 23-50lb Bags  
 Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
 Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) **CASING/LINER**

Casing/Liner	Diameter	From	To	Gauge	Material			
					Steel	Plastic	Welded	Threaded
Casing:	12	12	28	250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner:					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Drive Shoe used  Inside  Outside  None  
 Final location of shoe(s) 28'

(7) **PERFORATIONS/SCREENS**  
 Perforations Method Torch Cut  
 Screens Type \_\_\_\_\_ Material \_\_\_\_\_

From	To	Slot Size	Number	Diameter	Tele/pipe size	Casing	Liner
18	27	1/15	325	250		<input checked="" type="checkbox"/>	<input type="checkbox"/>

(8) **WELL TESTS: Minimum testing time is 1 hour**  
 Pump  Bailer  Air  Flowing Artesian

Yield gal/min	Drawdown	Drill stem at	Time
625	7		1

Temperature of water 56 Depth Artesian Flow Found \_\_\_\_\_  
 Was a water analysis done?  Yes By whom \_\_\_\_\_  
 Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other \_\_\_\_\_  
 Depth of strata: \_\_\_\_\_

(9) **LOCATION OF WELL (legal description)**  
 County Benton  
 Tax Lot 100 Lot \_\_\_\_\_  
 Township 13 N or S Range 4 E or W WM  
 Section 29 SE 1/4 NE 1/4

Lat \_\_\_\_\_ " or \_\_\_\_\_ (degrees or decimal)  
 Long \_\_\_\_\_ " or \_\_\_\_\_ (degrees or decimal)

Street Address of Well (or nearest address) End of Hurlbutt Rd

(10) **STATIC WATER LEVEL**  
8 ft. below land surface. Date 3-31-08  
 \_\_\_\_\_ ft. below land surface. Date \_\_\_\_\_  
 Artesian pressure \_\_\_\_\_ lb. per square inch Date \_\_\_\_\_

(11) **WATER BEARING ZONES**  
 Depth at which water was first found 13

From	To	Estimated Flow Rate	SWL
18	27	625	8

(12) **WELL LOG** Ground Elevation \_\_\_\_\_

Material	From	To	SWL
TOPSOIL	0	6	
BROWN CLAY + GRAVEL	6	13	
MED-LARGE GRAVEL	13	21	8
BROWN CLAY + GRAVEL	21	28	

**RECEIVED**  
**JUN 02 2008**  
**WATER RESOURCES DEPT**  
**SALEM, OREGON**

Date Started 3-25-08 Completed 3-31-08

(unbonded) **Water Well Constructor Certification**  
 I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number \_\_\_\_\_ Date \_\_\_\_\_  
 Signed \_\_\_\_\_

(bonded) **Water Well Constructor Certification**  
 I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 749 Date 9-4-08  
 Signed Gary J. Henry

**NOTICE TO WATER WELL CONTRACTOR**  
The original and first copy of this report are to be filed with the **STATE ENGINEER** within 30 days from the date of well completion.

**RECEIVED**  
**STATE ENGINEER**  
**SALEM OREGON**

**WATER WELL REPORT**  
**STATE OF OREGON**

*Bent* State Well No. 13/4W-19E  
*6182* State Permit No. \_\_\_\_\_

**(1) OWNER:**  
Name Gordon Kelso  
Address 701 Hy 99 W, Junction City, Oregon

**(2) TYPE OF WORK (check):**  
New Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 12.

**(3) TYPE OF WELL:** Rotary  Cable  Aug  Driven  Jetted  Bored   
**(4) PROPOSED USE (check):** Domestic  Industrial  Municipal  Irrigation  Test Well  Other

**(5) CASING INSTALLED:** Threaded  Welded   
6 " Diam. from 0 ft. to 23 ft. Gage 250  
" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_  
" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_

**(6) PERFORATIONS:** Perforated?  Yes  No.  
Type of perforator used torch  
Size of perforations 3/8 in. by 6 in.  
42 perforations from 22 ft. to 17.6 ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**(7) SCREENS:** Well screen installed?  Yes  No  
Manufacturer's Name \_\_\_\_\_  
Type \_\_\_\_\_ Model No. \_\_\_\_\_  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**(8) WATER LEVEL: Completed well.**  
Static level 9.3 ft. below land surface Date 6-23-68  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_

**(9) WELL TESTS:** Drawdown is amount water level is lowered below static level.  
Was a pump test made?  Yes  No If yes, by whom? Driller  
Flow: 350 gal./min. with 1 ft. drawdown after 1 hrs.  
Ballor test \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made?  Yes  No

**(10) CONSTRUCTION:**  
Well seal—Material used Bentonite  
Depth of seal 6 ft.  
Diameter of well bore to bottom of seal 9 in.  
Were any loose strata cemented off?  Yes  No Depth \_\_\_\_\_  
Was a drive shoe used?  Yes  No  
Did any strata contain unusable water?  Yes  No  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_  
Was well gravel packed?  Yes  No Size of gravel: \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**(11) LOCATION OF WELL:**  
County Benton Driller's well number \_\_\_\_\_  
1/4 \_\_\_\_\_ 1/4 Section 19 T. 138 R. 4W W.M. \_\_\_\_\_  
Bearing and distance from section or subdivision corner \_\_\_\_\_

**(12) WELL LOG:** Diameter of well below casing 0  
Depth drilled 23 ft. Depth of completed well 23 ft.  
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
<u>soil</u>	<u>0</u>	<u>7</u>	
<u>sand &amp; gravels w/clay</u>	<u>7</u>	<u>15</u>	
<u>sand &amp; large gravels</u>	<u>15</u>	<u>23</u>	<u>91.5"</u>

**RECEIVED**  
JUN 02 2008  
WATER RESOURCES DEPT  
SALEM, OREGON

Work started 5-23 19 68 Completed 5-23 19 68  
Date well drilling machine moved off of well 5-23 19 68

**Drilling Machine Operator's Certification:**  
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.  
[Signed] Carl Gateher Date June 7, 1968  
(Drilling Machine Operator)

Drilling Machine Operator's License No. 386

**Water Well Contractor's Certification:**  
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  
NAME Pitcher Pump & Drilling  
(Person, firm or corporation) \_\_\_\_\_ (Type or print) \_\_\_\_\_  
Address 255 W. 5th Junction City, Oregon  
[Signed] Carl Gateher  
(Water Well Contractor) \_\_\_\_\_  
Contractor's License No. 494 Date June 7, 19 68

RECEIVED

JUL 8 1968

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy of this report are to be filed with the  
**STATE ENGINEER OF OREGON**  
SALEM, OREGON (see type or print)  
within 30 days from the date of well completion.  
(Do not write above this line)

Bent  
6181

State Well No. 13/42-190  
State Permit No.

(1) OWNER: Name Gordon Kelso

Address 701 Hy 99 W, Junction City, Oregon

(2) TYPE OF WORK (check):  
New Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 11.

(3) TYPE OF WELL: Rotary  Driven   
Cable  Jetted   
Dug  Bored   
(4) PROPOSED USE (check): Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

(5) CASING INSTALLED: Threaded  Welded   
6" Diam. from 6" ft. to 22' ft. Gage 250  
" Diam. from ft. to ft. Gage  
" Diam. from ft. to ft. Gage

(6) PERFORATIONS: Perforated?  Yes  No.  
Type of perforator used torch  
Size of perforations 3/8 in. by 6 in.  
42 perforations from 21 ft. to 17 ft.  
perforations from ft. to ft.  
perforations from ft. to ft.  
perforations from ft. to ft.  
perforations from ft. to ft.

(7) SCREENS: Well screen installed?  Yes  No  
Manufacturer's Name  
Type Model No.  
Diam. Slot size Set from ft. to ft.  
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.  
Static level 11 ft. below land surface Date 5-18-68  
Artesian pressure lbs. per square inch Date

(9) WELL TESTS: Drawdown is amount water level is lowered below static level.  
Was a pump test made?  Yes  No If yes, by whom? driller  
Flow: 300 gal./min. with 6" ft. drawdown after 1 hrs.  
Bailer test gal./min. with ft. drawdown after hrs.  
Artesian flow g.p.m. Date  
Temperature of water Was a chemical analysis made?  Yes  No

(10) CONSTRUCTION: Well seal—Material used Bentonite  
Depth of seal 6 ft.  
Diameter of well bore to bottom of seal 9 in.  
Were any loose strata cemented off?  Yes  No Depth  
Was a drive shoe used?  Yes  No  
Did any strata contain unusable water?  Yes  No  
Type of water? depth of strata  
Method of sealing strata off  
Was well gravel packed?  Yes  No Size of gravel:  
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:  
County Benton Driller's well number  
1/4 Section 19 T. 138 R. 4W W.M.  
Bearing and distance from section or subdivision corner

(12) WELL LOG: Diameter of well below casing 0  
Depth drilled 22 ft. Depth of completed well 22 ft.  
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
soil	0	7	
sand & gravels (loose)	7	22'	11'

RECEIVED  
JUN 02 2008

WATER RESOURCES DEPT  
SALEM, OREGON  
Work started 5-18-68 19 Completed 5-18-68 19  
Date well drilling machine moved off of well 5-18-68 19

Drilling Machine Operator's Certification:  
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.  
[Signed] Carl Fitcher Date June 1, 1968  
(Drilling Machine Operator)

Drilling Machine Operator's License No. 386

Water Well Contractor's Certification:  
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  
NAME Pitcher Pump & Drilling Co.  
(Person, firm or corporation) (Type or print)  
Address 255 W. 5th, Junction City, Oregon  
[Signed] Carl Fitcher  
(Water Well Contractor)  
Contractor's License No. 494 Date June 1, 1968