TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON MAY 31 1968 Well No. 35/6w -21

(Please type or print) STATE ENGINEER

(Do not write above this STATE ENGINEER OREGONIMIT No.

(1) OWNER:	(11) LOCATION OF WELL:			
Name Bate Valuerana & Co	County . Osle hine Driller's well number			
Address Merlin, Oregon	JW & NE. & Section 2 T. 35s R. 6 W W.M.			
	Bearing and distance from section or subdivision	n corner .		
(2) TYPE OF WORK (check):				
New Well Deepening . Reconditioning . Abandon .				
If abandonment, describe material and procedure in Item 12.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well h	6		
Rotary Driven Domestic Industrial Municipal	~	A . A .		
Dug Bored Irrigation Test Well Other	Depth drilled tt. Depth of comple			
CASING INSTALLED: Threaded II Welded &	Formation: Describe color, texture, grain size and show thickness and nature of each stratus			
	with at least one entry for each change of formation. Report each change			
6 Diam from 6 ft to 99 ft Gage 1250	in position of Static Water Level as drilling pro			
" Diam. fromft, toft, Gage	MATERIAL	From To SWL		
" Diam. fromft, toft. Gage	Boulders & fine sivel	0 12		
PERFORATIONS: Perforated? Yes 19-10.		10 611		
Type of perforator used	Brown Clay	12 37		
Size of perforations in. by in.	72 01 1 11 14	C' 00		
perforations from ft. to ft.	Brown Clay of Atrancta	54 90		
perforations fromft. toft.	740011 11 0 11 14	00 110		
perforations fromft. toft.	Med-Hard Granto	90 110		
perforations fromft. toft.	Marit of the	110 204		
perforations from ft. to ft.	- DYLAZZINEN LOMIDANOMI	110 204		
	or the start	264 246		
(7) SCREENS: Well screen installed? ☐ Yes ☐ No	- Complain Morte	K07 K76		
Manufacturer's Name				
Type Model No				
Diam Slot size Set from ft. to ft.	DECEIVED	<u> </u>		
Diam. Slot size Set from ft. to ft.	LICOCIACIO			
(8) WATER LEVEL: Completed well.	0.0.000			
Similar level 3 4 ft. below land surface Date 5-13-68	JUN U 6 ZUU8			
Arcesian pressure Ibs. per square inch Date				
	WATER RESOURCES DEPT			
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	SALEM, OREGON			
Was a pump test made? ☐ Yes to No If yes, by whom?				
gal./min. with ft. drawdown after hrs.	Work started 3-2/ 1968 Complete	ed 5-22 1968		
	Date well drilling machine moved off of well	5-22 1968		
	Drilling Machine Operator's Certification:			
Bailer test 70 gal./min. with 200ft. drawdown after 1 hrs.	This well was constructed under my di	irect supervision. Mate-		
	rials used and information reported above knowledge and belief.	ve are true to my best		
Artesian flow g.p.m. Date		Date 5-24, 1968		
Temperature of water Was a chemical analysis made? Yes Was	(Drilling Machine Operator)	Date		
(10) CONSTRUCTION:	Drilling Machine Operator's License No.	359		
Well seal-Material used Cement	Dining Machine Operator's Intense No			
Depth of sealft.	Water Well Contractor's Certification:			
Diameter of well bore to bottom of seal in.	This well was drilled under my jurisdi			
Were any loose strata cemented off! Tes No Depth	true to the best of my knowledge and belief.			
Was a drive shoe used? ♥ Yes □ No	NAME CO. M. C. Guarday (Type og print)			
Did any strata contain unusable water? Yes No	730 N.F 500	. On Sheet Par Me		
Type of water? depth of strata	Address 50 70.C. Color	7		
Method of sealing strata off	Se me olla			
	[Signed] (Water Well Contractor)			
Was well gravel packed? [] Yes PNo Size of gravel:	417	5-51 48		
Gravel placed from ft. to ft.	Contractor's License No. Date	D 1900.		

ATER WELL REPORT STATE OF OREGON

RECEIVED

AUG201980

State Well No.	354/w-2/ac
State Permit No.	

WATER RESOURCES DEPT

SALEM, OREGON					
(1) OWNER:	(10) LOCATION OF WELL:				
Name MILLER REDWOOD CO.	County JOSEPHINE Driller's well:	number	•		
Address P. O. Box 840	34) 4 NE 4 Section 2/ T.353		W.M.		
City GRANTS PASS State ORE	Tex Lot # 200 Lot Bilk	Subdivision			
(2) TYPE OF WORK (check):	Address at well location: MERLIN-(TALICE	Rd.		
New Welk □ Deepening □ Reconditioning □ Abandon □	(14) WATER I EXTEN Completed	-n			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we	au.			
TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found Static level ft. below is		1 ft.		
Rouny Air L Driven Domestic Industrial Municipal	Static level ft. below land surface. Date 8 - 7 - 80 Artesian pressure lbs. per square inch. Date				
Rotary Mind [] Dag [] Irrigation [] Test Well [] Other [] Cable [] Bored [] Thermal: Withdrawal [] Rejujection []	400	91			
Cook D Duor C Interior Attended C Indifferent C	(12) WELL LOG: Diameter of well below	casing			
(5) CASING INSTALLED: Steel Plastic	Depth drilled ft. Depth of c Formation: Describe color, texture, grain size and stru				
Disame from O ft. to 140 ft. Gauge	thickness and nature of each stratum and aquifer penetrated, with at least one entry				
Diam. from	for each change of formation. Report each change in p and indicate principal water-bearing strate.	osition of Static V	Water Level		
LINER INSTALLED:	MATERIAL	From To	SWL		
	GRAY BOULD /W	7102	5472		
ft. toft. Gauge	GRAY CLAY	01 15	 -		
(6) PERFORATIONS: Perforated? (A Yes No	0211				
Type of perforations 4 in. by 14 in.	BRU CLAY W/				
Size of perforations 7 in. by 14 in. 10 perforations from 1.30 ft. to 1.40 ft.	MED GAVEZ	15'85'	40'		
perforations from ft. to ft.	BOULDERS W/				
L.	BRN. CLAY	85' 95'	401		
(7) SCREENS: Well screen installed? Yes No		ļ			
Manufacturer's Name	CLAY ORD W/	0=1 100	101		
Type Model No	COURSE SAND	951 130	80.		
Diam. Slot Size Set from ft. to ft.	BUK & WHT GRAWITE				
Description is assessed united in beneated	WI WHITE MED, HARD.	130 300	401		
WELL TESTS: below static level	TO THE WEST PHONE	1.20	70		
Was a pump test made? □ Yes No If yes, by whom?	RECEIVED				
Yield: gal/min. with ft. drawdown after hrs.					
	IUN 0.6.2008				
est 25 gal/min. with drill stem at 299 ft. 2 hrs.					
Sailer test gal/min. with ft. drawdown after hrs.	WATER RESOURCES DEPT				
Artesian flow g.p.m. Temperature of water 590 Depth artesian flow encountered	SALEM OREGON				
Temperature of water 37 Depart at season tow consonition	Work started / 30 19 80 Complete	d 8-7	1980		
(9) CONSTRUCTION: Special standards: Yes No #	Date well drilling machine moved off of well	8-/	1980		
Well sealed from land surface to	Drilling Machine Operator's Certification:				
Well sealed from land surface to	This well was constructed under my direct s and information reported above the to my b				
Diameter of well bore below seal	[Signed] Jugara Danis		31980		
Number of sacks of coment used in well seal	(Defiling Machine Operator)	451			
How was coment grout placed? YUMPED	Drilling Machine Operator's License No				
	Water Well Contractor's Certification:				
	This well was drilled under my jurisdiction and this report is true to				
Was pump installed? Type	the best of my knowledge and helief. Name DIFMANS WELL DRILLING CO.				
Was a drive shoe used? Yes No Piugs Size: location ft.	(Person, firm or corporation)	Состуры	r print)		
Did any strata contain unusable water?	Address ONS NOW WAS	PRHNIP			
Method of sealing strata off	[Signed] P. Agentia	mas			
Was well gravel packed? ☐ Yes. No Size of gravel:	Contractor's License No. 6. 43. Date		150		
Gravel placed from	COLLEGIZOU B LACGING TWO W A.L.A. LREG		, 1864.		