## WATER WELL REPORT STATE OF OREGON

## RECEIVED

JUN2 1983

(1) OWNER:	(10) LOCATION OF WELL:		
Name David Hass	County Deschates Driller's well n	umber	
Address 16789 Peterson Ridge - P. O. Box 246	NE 4 NE 4 Section 26 T. 153	R. 10E W.M.	
City Sisters State Of	Tax Lot # Lot Blk	Subdivision	
(2) TYPE OF WORK (check):	Address at well location:		
New Well	(11) WATER LEVEL Completed	.11	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we	<b>11.</b>	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 289	- 100 fb	
Rotary Air Driven Domestic Dindustrial Municipal		nd surface, Date 5/23/83	
Rotary Music Dug   Irrigation   Test Well   Other		square inch. Date	
Bored   Thermal: Withdrawal   Reinjection	(12) WELL LOG: Diameter of well below co		
(5) CASING INSTALLED: Steel  Plastic  Walded	Depth drilled 312 ft. Depth of co		
8 2 -10 .250	Formation: Describe color, texture, grain size and struc thickness and nature of each stratum and squifer penetr	ture of materials; and show ated, with at least one entry	
	for each change of formation. Report each change in po	cition of Static Water Level	
"Diam fromft. toft. Gauge	and indicate principal water-bearing strata.		
LINER INSTALLED:	MATERIAL	From To SWL	
6"Diam. from0	overburd ex	0 2	
(6) PERFORATIONS: Perforated? Tyes   No	coarse sandstone conglomerate	2 12	
Type of perforator used torch		12 16	
Size of perforations in. by 12 in.	grey hard rook	16 20	
	tan coarse sandstone	20 32	
	grey hard rook	32 114	
perforations from	red coarse sandstone	114 128	
perforations from	tan coarse sandstone	128 141	
(7) SCREENS: Well screen installed?   Yes I No	brown soft broken rock	141 146	
Manufacturer's Name	coarse sandatone conglomerate	146 148	
Type Model No.		158 186	
Diam. Slot SizeSet fromft. toft.		186 198	
Diam. Slot Size Set from ft. to		198 215	
(8) WELL TESTS:  Drawdown is amount water level is lowered below static level	srev broken rook	21.5 236	
below static level	brown coasse consloserate	236 289 275	
Was a pump test made?   Yes No If yes, by whom?	brows hard broken rock WB	289 312	
l: gal/min. with ft, drawdown after hrs.			
Air test gal/min. with drill stem at ft. hrs.			
Bailer test 7 gal/min. with 6 ft. drawdown after 1 hrs.			
Artesian flow g.p.m.			
perature of water Depth artesian flow encounteredft.	Work started 5/10 1983 Completed	5/23 183	
(9) CONSTRUCTION: Special standards: Yes   No 1	Date well drilling machine moved off of well	5/23 183	
Well seal Material used			
Well sealed from land surface toft.	Drilling Machine Operator's Certification:		
Diameter of well bore to bottom of seal	This well was constructed under my direct sugard information reported above are true to my ber		
Diameter of well bore below seal		Date5/27 , 19.83	
(Drilling Machine Operator)			
Number of sacks of coment used in well seal			
They was consent grout placent.	Water Well Contractor's Certification:		
To the second se	This well was drilled under my jurisdiction and this report is true to		
Was pump installed? 30. Type HP Depth ft.	the bost of my knowledge and belief.		
Was a drive shoe used?   Yes A No Plugs	Name Crawlord wall Milling Inc.		
id any strata contain unusable water?   Yes 2 No Piugs Size: location			
Type of Water? depth of strata	CHARLES SANTA MONTH MANTEN	1	
Method of seeling strata off DECEIVED [Signed]			
Was well gravel packed? ☐ Yes Y No Size of gravel:	Contractor's License No. 270 Date	5/27 <sub>19</sub> 83	
Gravel placed from	COULD BUILD BUILDS: INU. N. J		
MAK 0 6 2009	WATER DESCRIBED THE ADMINISTRA	WW10050 000	

SALEM, OREGON 97810 within 30 days from the date of well cor

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this reposition are to be filed with the are to be filed with the

WATER RESOURCES DEPARTMENT
SALEM, OREGON 97310
within 30 days from the date
of well completion.

STATE OF OREGON

(Please type or print)

State Well No.	155/1	1E-19ct
----------------	-------	---------

(Do not write above this line)

State	Well No.	5s	/-ع	7cl	J
State	Permit No.	***************************************			

(1) OWNER:	(10) LOCATION OF WELL:			
Name DON VETTERLEIN	County /) e 5 C4 4 T e S' Driller's well number			
Address 2/3 5. 4 A5h	N. 4 4 5 464 Section / 9 T. 15.5 R. 11 F W.M.			
PARTLAND OFFICE 97204	Bearing and distance from section or subdivision corner			
(2) TYPE OF WORK (check):	Desert Springs RANCH			
New Well 📕 Deepening 🛘 Reconditioning 🔂 Abandon 🖸	STAL RT. Redmend, Oregon			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 209 ft.			
Rotary Moriven Domestic Industrial Municipal Domestic	Static level 2 / 0 ft. below land surface. Date / 2 / 5-70			
☐ Bored ☐ Irrigation 🖟 Test Well ☐ Other ☐	Artesian pressure lbs. per square inch. Date			
(5) CASING INSTALLED: Threaded Welded D	(12) WELL LOG: Diameter of well below casing 10.  Depth drilled 250 ft. Depth of completed well 240 ft.  Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in			
(6) PERFORATIONS: Perforated? ☐ Yes ₹ No.	position of Static Water Level and indicate principal water-bearing strata.			
Type of perforator used	MATERIAL From To SWL			
Size of perforations in. by in.	CONJ. Gray 0 12			
perforations from ft. to ft.				
perforations from ft. to ft.	SAMOSTOME & Cong BA 52 101			
perforations from ft. to ft.	SANDSTONE 149 163			
(7) SCREENS: Well screen installed?   Yes No	13 MSALT 16 3 209 210			
Manufacturer's Name	WATELDERING BASALT 209 240			
Type Model No				
Diam ft. to ft.				
Diam. Slot size Set from ft. to ft.	DECEMBED.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level A 66 4 2	RECEIVED			
Wes a pump test made? M Yes   No If yes, by whom? 4 = A 7 e -	FEB 61980			
weld: 9/9 gal./min. with 7 ft. drawdown after 3 hrs.	WATER RESOURCES DEPT. MAR 0 6 2009			
" "	SALER ADECON			
" "				
Baller test gal./min. with ft. drawdown after hrs.	SALEM, GREGON			
esian flow g.p.m.				
Temperature of water - Depth artesian flow encountered ft.	Work started 9-14 1979 Completed 9-20 1979			
(9) CONSTRUCTION:	Date well drilling machine moved off of well 9-2/ 197?			
Well seal—Material used CemenT	Drilling Machine Operator's Certification:			
Well sealed from land surface to	This well was constructed under my direct supervision.  Materials used and information reported above are true to my			
Diameter of well bore to bottom of sealin.	best knowledge and belief.			
Diameter of well bore below seal	[Signed] 7 Jordan Occulon Date 7-5, 1980			
Number of sacks of cement used in well seal	Drilling Machine Operator's License No. 6.85			
	Water Well Contractor's Certification:			
	This well was drilled under my jurisdiction and this report is			
Was a drive shoe used? [] Yes No Plugs Size: location ft.	true to the best of my knowledge and belief.  Name DAU'S SCH Drilling INC.			
Did any strata contain unusable water?   Yes No  Type of water?  denth of strata	(Ferson, firm or corporation) (Type or print)  Address P. O. HON 315 P. Senon S. On P. J.			
Type of water? depth of strata				
Method of sealing strata off  Was well gravel packed?   Yes 2 No Size of gravel:	[Signed] 77 (Water Well Contractor)			
	Contractor's License No. 5 4 8 Date 7 5 198.0			
Gravel placed fromft. toft.	CONTRACTOR S LICCLISC IV. C. T. B. Date			