STATE	ENGINEER
Saler	n. Oregon



Well Record

STATE WELL NO. 6N/35-13M(2)
COUNTY Umatilla
APPLICATION NO. G- 1488

(4210)		APPLICATION NO. G- 1488	
OWNER: William Bork	MAILING ADDRESS: .	Rt. 1 Box 180	
LOCATION OF WELL: Owner's No	CITY AND STATE:	Walla Walla, Washington	
NW 1/4 SW 1/4 Sec. 13 T. 6 N. 35 XW	. W.M.		
Bearing and distance from section or subdivision	,		
corner 306' E. & 242' S. from W1 cor. sec. 1	.3		
		0	
	************	M(2)	
Altitude at well		1	
TYPE OF WELL: Drilled Date Constructed 192	9		
Depth drilled 3601 Depth cased 401	••••	Section 13	
CASING RECORD: 8 inch			_
o men			
HIAVOIT.			
FINISH:			
AQUIFERS:			_
WATER LEVEL:	and the second s		_
WIII 124 22 4 22.			
PIMPING EQUIPMENT: Type Cook tu	rbine	H.P. 7	_
PUMPING EQUIPMENT: Type Cook tu	Z.7.7777	LLE.	
WELL TESTS:			_
Drawdown ft. after			
Drawdown ft. after	hours	G.P.	M.
SOURCE OF INFORMATION _G_ 1360		°F, 19	
DRILLER or DIGGER ADDITIONAL DATA: Log			
REMARKS:			_

T 10786

RECEIVED

FEB 1 3 2009

RECEIVED

JUN 3 0 1998 STATE OF OREGON WELL I.D. # L WATER SUPPLY WELL REPORT (as required by ORS 537.765) (as required by ORS 537.765)

WATER RESOURCES DEPT, START CARD # W - 53 500

Instructions for completing this report are on the last page of this form.

SALEM. OREGON (1) OWNER: Well Number (9) LOCATION OF WELL by legal description: Name County Unatella Latitude Longitude 85698 GRECES O or S Range Or W. WM. City Milton FRECENTA SIMO ORF NW 1/4 NW 1/4 (2) TYPE OF WORK Tax Lot 505 Lot Block Subdivision New Well Deepening Alteration (repair/recondition) Abandonment

(3) DRILL METHOD: Street Address of Well (or nearest address) GRIGGS Roa Rotary Air Rotary Mud Cable (10) STATIC WATER LEVEL: Auger Other ft. below land surface. (4) PROPOSED USE: Artesian pressure lb. per square inch. Date (11) WATER BEARING ZONES: Domestic Community Industrial Irrigation Thermal ☐ Injection Livestock Other (5) BORE HOLE CONSTRUCTION: Depth at which water was first found Special Construction approval Yes M No Depth of Completed Well Explosives used Yes No Type Estimated Flow Rate SWL HOLE SEAL. 4/ 48 37 Beate Chies 0 156 34 41 (12) WELL LOG: How was seal placed: Method \square B **Ground Elevation** ☐ Other ft. Material Material Backfill placed from ft. to To SWL Gravel placed from fŁ Size of gravel fl. to (6) CASING/LINER: 41 + GRAVE Welled Threaded 40 Plactic Ø 126 149 37 靣 148 156 34 154 172 X X П RECEIVED Final location of shoc(s) (7) PERFORATIONS/SCREENS: FEB 1 3 2009 Method Perforations Screens Material Tale/alee WATER RESOURCES DEPT Não SALEM OREGON X (8) WELL TESTS: Minimum testing time is 1 hour Completed (unbonded) Water Well Constructor Certification: Flowing Pump Bailer Artesian I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge ☐ Air Drill stem at Time /hr. and belief. WWC Number Signed Depth Artesian Flow Found (bonded) Water Well Constructor Certification: Temperature of water Was a water analysis done? Yes By whom I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work Did any strata contain water not suitable for intended use? performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief Salty Muddy Odor Colored Other WWC Number Depth of strata:

THÍRD COPY-CUSTOMER

10/55

ORIGINAL & FIRST COPY-WATER RESOURCES DEPARTMENT SECOND COPY-CONSTRUCTOR