DOMESTIC WELL Well #1

File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

WATER WELL REPORT
STATE OF OREGON

State Well No. .....

State Permit No. G-870

(1) OWNER:

Name Victor Model

Address R. 2 Box 403

Salem Oregon

(2) LOCATION OF WELL:

County Deschutes Owner's number, if any—

SW ¼ SW ¼ Section 21 T. 35 R. 1E W.M.

Bearing and distance from section or subdivision corner

1500 ft. from S.W. Corner of Sec. 21 T35 R1E

(3) TYPE OF WORK (check):

New Well ☐ Deepening ☐ Reconditioning ☒ Abandon ☐

If abandonment, describe material and procedure in Item 11.

(4) PROPOSED USE (check):

Domestic ☒ Industrial ☐ Municipal ☐

Irrigation ☒ Test Well ☐ Other ☐

(5) TYPE OF WELL:

Rotary ☐ Driven ☐

Cable ☐ Jetted ☐

Dug ☐ Bored ☐

(6) CASING INSTALLED: Threaded ☒ Welded ☐

6" Diam. from ft. to ft. Gage

" Diam. from ft. to ft. Gage

" Diam. from ft. to ft. Gage

(7) PERFORATIONS: Perforated? ☐ Yes ☐ No

Type of perforator used

SIZE of perforations in. by in.

perforations from ft. to ft.

perforations from 60 ft. to 70 ft.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

(8) SCREENS: Well screen installed? ☐ Yes ☐ No

Manufacturer's Name

Type Model No.

Diam. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Was well gravel packed? ☐ Yes ☐ No Size of gravel:

Gravel placed from ft. to ft.

Was a surface seal provided? ☐ Yes ☐ No To what depth? ft.

Material used in seal—

Did any strata contain unusable water? ☐ Yes ☐ No

Type of water? Depth of strata

Method of sealing strata off

(10) WATER LEVELS:

Static level ft. below land surface Date

Artesian pressure lbs. per square inch Date

Log Accepted by:

[Signed] T 10357 (Owner) Date , 19

(11) WELL TESTS: Drawdown is amount water level is lowered below static level

Was a pump test made? ☐ Yes ☐ No If yes, by whom?

Yield: gal./min. with ft. drawdown after hrs.

" " " "

" " " "

Bailer test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m. Date

Temperature of water Was a chemical analysis made? ☐ Yes ☐ No

(12) WELL LOG: Diameter of well 6 inches.

Depth drilled 90 ft. Depth of completed well 57 ft.

Formation: *Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.*

MATERIAL	FROM	TO

Work started 19 , Completed 19

(13) PUMP:

Manufacturer's Name Universal

Type: Jet H.P.

Well Driller's Statement:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Unknown (Person, firm, or corporation) (Type or print)

Address

Driller's well number

[Signed] (Well Driller)

License No. Date , 19

(USE ADDITIONAL SHEETS IF NECESSARY)

FILED TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date of well completion.

WATER WELL REPORT

OUR IRRIGATION WELL #2
1st drilling

STATE OF OREGON
(Please type or print)
(Do not write above this line)

State Permit No. .....

(1) OWNER:

Name Duane Weeks
Address 3185 N. Holly, Canby, Oregon 97013

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐
If abandonment, describe material and procedure in Item 13.

(3) TYPE OF WELL:

Rotary ☒ Driven ☐
Cable ☐ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☒ Test Well ☐ Other ☐

(5) CASING INSTALLED:

Threaded ☐ Welded ☒
8" Diam. from 0 ft. to 477 ft. Gage .250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? ☐ Yes ☒ No.
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? ☐ Yes ☒ No If yes, by whom?
Yield: 200 gal./min. with total ft. drawdown after 4 hrs.
" " " "
" " " "
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used cement
Well sealed from land surface to 18 ft.
Diameter of well bore to bottom of seal 12 in.
Diameter of well bore below seal 8 in.
Number of sacks of cement used in well seal 12 sacks
How was cement grout placed? poured

T 10357

Was a drive shoe used? ☒ Yes ☐ No Plugs Size: location ft.
Did any strata contain unusable water? ☐ Yes ☒ No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? ☐ Yes ☒ No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Clackamas Driller's well number L-101-79
SW ¼ SW ¼ Section 21 T. 3S R. 1E W.M.
Bearing and distance from section or subdivision corner
tax lot 1400

(11) WATER LEVEL: Completed well.

Depth at which water was first found 98 ft.
Static level 60 ft. below land surface. Date 1-30-79
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 8"
Depth drilled 480 ft. Depth of completed well 480 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
topsoil	0	6	
sandy clay-brown	6	98	
gravel-med-sand-water	98	105	
blue clay	105	113	
sand-black-water	113	118	
clay-blue	118	267	
sand-black	267	277	
clay-blue	277	292	
clay-gray	292	450	
sand-black-water	450	480	

Work started 1-18 19 79 Completed 1-30 19 79
Date well drilling machine moved off of well 1-30 19 79

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] [signature] Date 2-6, 19 79
(Drilling Machine Operator)
Drilling Machine Operator's License No. 6[illegible]

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name S & M Drilling & Supply, Inc.
(Person, firm or corporation) (Type or print)
Address 399 S. Walnut, Canby, Oregon 97013

[Signed] [signature]
(Water Well Contractor)
Contractor's License No. 497 Date 2-6, 19 79

(USE ADDITIONAL SHEETS IF NECESSARY)

SP*45656-119

2nd Drilling

3S/1E-21dd

Recd.

(for official use only)

STATE OF OREGON

WATER WELL REPORT

(as required by ORS 537.765)

RECEIVED JUL 29 1985 WATER RESOURCES DEPT SALEM, OREGON

CLAC 09462

PLEASE TYPE or PRINT IN INK

(1) OWNER:

Name Duane Weeks

Address 3185 N. Holly

City Canby State OR. 97013

(2) TYPE OF WORK (check):

New Well ☐ Deepening ☐ Reconditioning ☒ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air ☒ Driven ☐

Rotary Mud ☐ Dug ☐

Cable ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐

Irrigation ☒ Thermal: Withdrawal ☐ Reinjection ☐

Other: Piezometric ☐ Grounding ☐ Test ☐

(5) CASING INSTALLED:

Steel Threaded ☐ Plastic Welded ☐

" Diam. from ft. to ft. Gauge

" Diam. from ft. to ft. Gauge

LINER INSTALLED:

Steel Threaded ☐ Plastic Welded ☐

" Diam. from ft. to ft. Gauge

(6) PERFORATIONS:

Perforated? ☒ Yes ☐ No

Size of perforations ¼ in. by 1½ in.

1200 perforations from 237 ft. to 277 ft.

perforations from ft. to ft.

perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name

Type Model No.

Diam. Slot Size Set from ft. to ft.

Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? ☐ Yes ☒ No If yes, by whom?

Yield: gal./min. with ft. drawdown after hrs.

Air test 95 gal./min. with drill stem at 260 ft. 2 hrs.

Bailer test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes ☐ No ☒

Well seal—Material used same as before

Well sealed from land surface to ft.

Diameter of well bore to bottom of seal in.

Diameter of well bore below seal in.

Amount of sealing material sacks ☐ pounds ☐

How was cement grout placed?

Was pump installed? Type HP Depth ft.

Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.

Did any strata contain unusable water? ☐ Yes ☐ No

Type of Water? depth of strata

Method of sealing strata off

Was well gravel packed? ☐ Yes ☒ No Size of gravel:

Gravel placed from ft. to ft.

(10) LOCATION OF WELL by legal description:

County Clackamas SE ¼ SE ¼ of Section 21 of

Township 3 S (Township is North or South), Range 1 E (Range is East or West), WM.

Tax Lot Lot Block Subdivision

MAILING ADDRESS OF WELL (or nearest address) same

(11) WATER LEVEL of COMPLETED WELL:

Depth at which water was first found ft.

Static level 126 ft. below land surface. Date

Artesian pressure — lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL

Date work started 7-15-85 /completed 7-17-85

Date well drilling machine moved off of well 7-18 1985

(unbonded) Water Well Constructor Certification (if applicable):

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Date , 19

(bonded) Water Well Constructor Certification:

Bond 9197179 (number) Issued by: Fidelity & Deposit Co. (Surety Company Name)

On behalf of Donnelly Drilling Co. (type or print name of Water Well Constructor)

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

(Signed) David Donelly (Water Well Constructor)

(Dated) 7-25-85

T 10857

NOTICE TO WATER WELL CONSTRUCTOR

The original and first copy of this report are to be filed with the WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

SP*46866-690