Were # 1 TO BE

State Permit No.

The original and first by CCOE 1972 of this report are to filed with the

TER WELL REPORT STATE OF OREGON

STATE ENGINEER, SALEM OF ECONOMISE NC NEERPlease type or print) 13723
within 30 days from the date.

(1) OWNER: (10) LOCATION OF WELL: County Klamath Driller's well number 14 Section 6 T. 40 R. 8E Bearing and distance from section or subdivision corner 1530ut (2) TYPE OF WORK (check): 220 rost from the worth west New Well Deepening [Reconditioning [Abandon 🛘 If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL; (4) PROPOSED USE (check): Depth at which water was first found Rotary Driven 📋 Domestic Industrial | Municipal | ft. below land surface. Date 7-//-72 Cable Jetted 🗆 Irrigation | Test Well | Other Bored | Artesian pressure ibs. per square inch. Date 5) CASING INSTALLED: Threaded | Welded | (12) WELL LOG: Diameter of well below casing . 6__ " Diam. from £/ ft to 19 ft Gage 1250 Depth drilled 300 ft. Depth of completed well Formation: Describe color, texture, grain size and structure of materials; "-Diam. from ... and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. 6) PERFORATIONS: Perforated? | Yes | No. Type of perforator used MATERIAL Size of perforations in. by Soll-Sandy- Stown perforations from perforations from 197 235 perforations from ... 235 261 (7) SCREENS: Well screen installed? Yes No 267 291 Can 3 Manufacturer's Name ... 300 Model No. Slot size Set from ... Slot size Set from ... (8) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes No If yes, by whom? gal./min. with ft. drawdown after bra. WATER RESCURCES DEP SALEN, OREGON test gal./min. with 276tt. drawdown after Artesian flow g.p.m. mperature of water Depth artesian flow encountered ... Work started 7-/0 19 72 Completed 7-Date well drilling machine moved off of well (9) CONSTRUCTION: Drilling Machine Operator's Certification: Well seal-Material used This well was constructed under my direct supervision. Materials used and information reported above are true to my Well sealed from land surface to .. best knowledge and belief. Diameter of well bore to bottom of seal Moore Date 1-14 1972 Diameter of well bore below seal ... (Drilling Machine Operator) Number of sacks of cement used in well seal . Drilling Machine Operator's License No. 37/2 Number of sacks of bentonite used in well seal Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is ___ lbs./100 gals. true to the best of my knowledge and belie Size: location Was a drive shoe used? Tes ZNo Plus Name Crater Well Did any strata contain unusable water?

Yes No Type of water? Method of sealing strata off Was well gravel packed? [] Yes PNo Size of gravel: Contractor's License No. 545 Date ±⊈to . Gravel placed from ... (USE ADDITIONAL SHEETS IF NECESSARY)

WELL 1

NOTICE TO WATER WELL CONTRACTOR WATER WELL BEPORGEIVE state engineer, salem, oregon 97310 within 30 days from the date The original and first copy KIAM STATE OF OREGON MAY 1 1973 State Well No. 405/8E-6 (Do not write above the MPEM. OREGON tate Permit No. ___ (1) OWNER: (10) LOCATION OF WELL: County Klamath Driller's well number 14 Section 6 T. 40 R. 8E Bearing and distance from section or subdivision corner \$5 5000 (2) TYPE OF WORK (check): 220' east from the NW property Deepering Abandon Abandon If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Rotary Driven 🔲 Domestic | Industrial | Municipal Static level 27 ft. below land surface. Date 4/-/7-73 Jetted 🔲 Cable Irrigation | Test Well | Other Bored | Artesian pressure lbs. per square inch. Date (5) CASING INSTALLED: Threaded | Welded (12) WELL LOG: Diameter of well below casing .. 8 " Diam. from ±/ ft. to 19 ft. Gage 1250 Depth drilled ft. Depth of completed well " Diam. from ft. to ft. Gage .. Formation: Describe color, texture, grain size and structure of materials; ft. to _____ ft. Gage ... " Diam. from ... and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. 6) PERFORATIONS: Perforated? | Yes | No. Type of perforator used MATERIAL Size of perforations in. by sandy - Grown ft ... perforations from ... perforations from _. (7) SCREENS: Well screen installed? | Yes | Z No 267 251 Manufacturer's Name Set from .. Diam. Stot size Set from .. RECEIVED Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? The Wes Whom? SEP 1 **6** 2009 ft. drawdown after gal./min. with hrs. MATER RESCURCES DEPT SAUEM, OFFICON gal./min. with 274/ft. drawdown after sian flow g.p.m. perature of water Depth artesian flow encountered .. 1973 Completed 3/-/> Date well drilling machine moved off of well (9) CONSTRUCTION: Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.

Materials used and information reported above are true to my best knowledge and belief.

[Signed]

Orilling Machine Operator) Well seal-Material used Well sealed from land surface to ... Diameter of well bore to bottom of seal Diameter of well bore below seal Number of sacks of cement used in well seal ... Drilling Machine Operator's License No. .. Number of sacks of bentonite used in well seal ... Brand name of bentonite ... Water Well Contractor's Certification: Number of pounds of bentonite per 100 cilions This well was drilled under my jurisdiction and this report is lbs./100 gals. true to the best of my knowledge and belie Was a drive shoe used? ☐ Yes ØNo Plugs Size: location ft.

(USE ADDITIONAL SHEETS IF NECESSARY)

Contractor's License No.

Did any strata contain unusable water? [] Yes Z No

Was well gravel packed? Tyes Price Size of gravel:

depth of strata

Type of water?

Gravel placed from ...

Method of sealing strata off

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

WATER WELL REPORT CEIVED
STATE OF OREGON JUN 2 81973 state w

81977 State Well No. 405 8E-6

STATE ENGINEER, SALEM, OREGON 97310 CLAW within 30 days from the date of well completion.

(Please type or prignt ATE ENGINEER (Do not write above this line ALEM OREGON Permit No.

(1) OWNER:	(10) LOCATION OF WELL:
Name Klamath River Acres	County Klamath Driller's well number
Address J. O. Box 52	% % Section 6 T. 40 R. XE W.M.
Keno, Oreson	Bearing and distance from section or subdivision corner /20' N
(2) TYPE OF WORK (check):	25 E from the SW subdivision
New Well Deepening □ Reconditioning □ Abandon □	Corner Sucresce
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 45 ft.
Rotary Driven Domestic Dindustrial Municipal D	
Cable Jetted Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded	(40)
"Diam from #1 ft. to 36 ft. Gage 1250	(12) WELL LOG: Diameter of well below casing
"Diam. from	Depth drilled 120 ft. Depth of completed well 55 ft.
" Diam, fromft, toft. Gage	Formation: Describe color, texture, grain size and structure of materials;
	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in
PERFORATIONS: Perforated? Yes E No.	position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	Soll-sundy-Grown 0 3
perforations from ft. to ft.	Clay with Coulders 3 6
perforations from ft. to ft.	alex crewn 6 18
perforations fromft. toft_	Clay with boulders 18 23
(7) SCREENS: Well screen installed? Ves CANO	afay - 610wn 23 28
Wen beteen matured. 1ea 2 10	[1/ay - Red 28 3/
Manufacturer's Name	1900- black 31 45
TypeModel No.	Cinders - 60001 45 49 15
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.	Lava-6/ack 49 63
Didnit	Lava-Groken 63 69 15
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Rinders - Ked 69 78 13 Dosalt - Eluc 78 120
_	6103016 - CIUC 18 120
Was a pump test made? Yes No If yes, by whom?	RECEIVAN
Yield: gal./min. with ft. drawdown after hrs.	I time to Thomas Williams
-V	CED 1 & 2000
" " " " " " " " " " " " " " " " " " "	T 1095/
sailEn test 90 gal./min. with 63 ft. drawdown after / hrs.	- WATER RESOURCES DEPT
Artesian flow g.p.m.	- CALFIA OFFICE
perature of water Depth artesian flow encountered ft.	Work started 6-22 1973 Completed 6-22 1973
(9) CONSTRUCTION:	Date well drilling machine moved off of well _ 6-22 1973
Well seal-Material used Cement	Drilling Machine Operator's Certification:
Well sealed from land surface to	This well was constructed under my direct supervision.
Diameter of well bore to bottom of seal in.	Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal	[Signed] Lely Rechine Operator) Date 6-25 1923
Number of sacks of cement used in well sealsacks	(Drilling Machine Operator)
Number of sacks of bentonite used in well sealsacks	Drilling Machine Operator's License No
Brand name of bentonite	Water Well Contractor's Certification:
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is
of water	true to the best of my knowledge and belief.
Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.	Name Chatter Well Drilling Time
Did any strata contain unusable water? \(\subseteq\ \text{Yes}\ \subseteq \text{No}	Address 23 Delta Water 5 ha Mesta
Type of water? depth of strata	Address / Addres
Method of sealing strata off	[Signed] Franks W. Milioer
Was well gravel packed? ☐ Yes ☑ No Size of gravel:	(Watef Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 53/5 Date 6-25, 1973
/*************************************	

NEW WELL # 3

Page 1 of 1

KLAM 56897

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

03-16-2009

WELL LABEL # L	91936
START CARD #	1006279

(1) LAND OWNER Owner Well I.D.	(9) LOCATION OF WELL (legal description)	_	
First Name Last Name	County Klamath Twp 40.00 S N/S Range 8.00 E E/W W	ИV	
Company KENO WATER COMPANY, INC.	Sec 6 SE 1/4 of the NW 1/4 Tax Lot 3300	141	
Address P.O. BOX 771	Tax Map Number Lot	_	
City KENO State OR Zip 97627	Lat Omega DMS or DI	5	
(2) TYPE OF WORK New Well Deepening Conversion	Long or DMS or DI)	
Alteration (repair/recondition) Abandonment	Street address of well • Nearest address	_	
(3) DRILL METHOD	NEXT TO 11589 FOLLEY LANE KENO, OREGON 97627		
Rotary Air Rotary Mud Cable Auger Cable Mud	(40) OTATION ATTENDED A TOUR		
Reverse Rotary Other	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)		
(4) PROPOSED USE Domestic Irrigation Community	Existing Well / Predeepening		
Industrial/Commercial Livestock Dewatering	Completed Well 02-20-2009 137		
Thermal Injection Other TEST HOLE	Flowing Artesian? Dry Hole?		
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy)	WATER BEARING ZONES Depth water was first found 197 SWL Date From To Est Flow SWL(psi) + SWL(fit)	-	
Depth of Completed Well 405.00 ft.	SWL Date From To Est Flow SWL(psi) + SWL(ft) 02-20-2009 197 310 18 137		
BORE HOLE SEAL sacks/	02-20-2009 310 355 20 137		
Dia From To Material From To Amt lbs	02-20-2009 355 405 150 137		
10 0 18 Bentonite Chips 0 18 12 S			
10 10 40	(11) WELL LOC		
	(11) WELL LOG Ground Elevation 4,150		
How was seal placed: Method A B C D E	Material From To Brown Clay & Boulders 0 5		
Other POURED	Black Lava Rock & Brown Clay 5 12		
Backfill placed fromft. toft. Material Filter pack fromft. toft. Material	Black Rock 12 18		
Explosives used: Yes Type Amount	Black & Brown Lava Rock & Brown Clay 18 197	l	
	Blk&Brown Lava Rock&Brown Clay & Red Cinders 197 310 Black Lava Rock & Gray Clay 310 355		
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	Black & Brown Lava Rock, Cinders & Brown Clay 355 405		
	RECEIVED		
	1 3 lbs 1/2 2 ls 0 4 lbs 0		
Shoe Inside Outside Other Location of shoe(s)	T 10954 SEP 16 2009		
	1 1 0 7 0 7 3E 1 0 2003		
Temp casing Yes Dia From To	WATER RESOURCES DE	P	
Perforations Method	SALEM, DRECON		
Screens Type Material	O/Mathin, O/Mathin,		
Perf/S Casing/ Screen Scrn/slot Slot # of Tele/	Data Started		
creen Liner Dia From To width length slots pipe size	Date Started 02-09-2009 Completed 02-20-2009	_	
	(unbonded) Water Well Constructor Certification		
	I certify that the work I performed on the construction, deepening, alteration, abandonment of this well is in compliance with Oregon water supply we		
	construction standards. Materials used and information reported above are true		
	the best of my knowledge and belief.		
(8) WELL TESTS: Minimum testing time is 1 hour	License Number1560 Date03-16-2009		
Pump Bailer • Air Flowing Artesian	Electronically Filed		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	Signed JAMES B PINKARD (E-filed)	-	
10 170 1	(bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or abandonm	ant	
	work performed on this well during the construction dates reported above. All we		
Temperature 64 °F Lab analysis Yes By	performed during this time is in compliance with Oregon water supply w	vell	
Water quality concerns? Yes (describe below)	construction standards. This report is true to the best of my knowledge and belief	•	
From To Description Amount Units	License Number		
	Signed STEPHEN R HUGHES (E-filed)		
	Contact Info (optional)	_	