CLAIM OF BENEFICIAL USE for Groundwater Permits claiming more than 0.1 cfs



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem, Oregon 97301-1266 (503) 986-0900 www.oregon.gov/OWRD

A fee of \$230 must accompany this form for <u>permits</u> with priority dates of July 9, 1987, or later.

JAN 1 0 2023 OWRD

SECTION 1 GENERAL INFORMATION

 File Information 	1.	File	Inform	nation	:
--------------------------------------	----	------	--------	--------	---

APPLICATION #	PERMIT # (IF APPLICABLE)	PERMIT AMENDMENT # (IF APPLICABLE)
G-18294	G-17913	T-NA

2a. Property Owner (current owner information): TL 06 3W 24A 1800 and 1900

APPLICANT/BUSINESS NAME		PHONE No.		Additional Contact No.
Robert W. Gabriel				
Address				
8474 Hazelgreen Rd NE				
CITY	STATE	ZIP	E-MAIL	
Silverton	OR	97381		

2b. Property Owner (current owner information): TL 06 3W 24A 2100

APPLICANT/BUSINESS NAME	PHONE No.		Additional Contact No.	
Robert W. Gabriel Trust / Robert W.	Gabriel Trustee			
Address				775000
8474 Hazelgreen Rd NE				
CITY	STATE	ZIP	E-MAIL	
Silverton	OR	97381		

If the current property owner is not the permit holder of record, it is recommended that an assignment be filed with the Department. *Each* permit holder of record must sign this form.

3. Permit holder of record (this may, or may not, be the current property owner):

PERMIT HOLDER OF RECORD				
Robert Gabriel / Robert W. Gabriel 1				
Address				
8474 Hazelgreen Rd NE	8474 Hazelgreen Rd NE			
Сіту	STATE	ZIP		
Silverton	OR	97381		

Additional Permit Holder of Record					
NA					
Address					
Сіту	STATE	ZIP			

4. Date of Site Inspection:

August 11, 2020
June 1, 2022
July 1, 2022
August 1, 2022
September 6, 2022
October 3, 2022

JAN 1 0 2023 OWRD

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	Association with the Project
Bob Gabriel	August 11, 2020,	Owner / operator
	October 3, 2022	
Bruce Gabriel	August 11, 2020,	Plant manager
	October 3, 2022	

6. County

		_
Marion		
IVIALION		

7. If any property described in the place of use of the permit is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD			
NA			
Address			
CITY	STATE	ZIP	

Add additional tables for owners of record as needed

SECTION 2 SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.



JAN 1 0 2023 OWRD

CWRE NAME		PHONE NO	ADDITIONAL CONTACT NO.
Doann Hamilton		(503) 632	2-5013 (503) 349-6946
Address			
18487 S. Valley Vista Road			
Сіту	STATE	ZIP	E-MAIL
Mulino	OR	97042	phgdmh@gmail.com

Permit Holder of Record Signature or Acknowledgement

<u>Each</u> permit holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I

request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
	Robert Caboul	Trustee	12/20/22

SECTION 3

CLAIM DESCRIPTION

1. Point of appropriation name or number:

POINT OF APPROPRIATION (POA) NAME OR NUMBER (CORRESPOND TO MAP)	WELL LOG ID # FOR ALL WORK PERFORMED ON THE WELL (IF APPLICABLE)	WELL TAG # (IF APPLICABLE)	
Well 1	MARI 58798	L-75483	
Well 2	MARI 17269	L-125719	
Well 3	MARI 68355	L-131128	

Attach each well log available for the well (include the log for the original well and any subsequent alterations, reconstructions, or deepenings)

2. Point of appropriation source, if indicated on permit:

	on source, it maicuted on permit.	
POA	Source	TRIBUTARY
NAME OR NUMBER	BASIN LOCATED WITHIN	
Well 1	Unnamed Stream Basin	Willamette River
Well 2	Unnamed Stream Basin	Willamette River
Well 3	Unnamed Stream Basin	Willamette River

3. Developed use(s), period of use, and rate for each use:

POA Name or Number	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER	ACTUAL RATE OR VOLUME USED
			WAS USED	(CFS, GPM, or AF)
Well 1			lancon dath and b	0.82 cfs
Well 2	Nursery	NA	January 1 through	0.45 cfs
Well 3			December 31	1.32 cfs
Total Quantity of V	Vater Used			2.59 cfs

RECEIVED

JAN 1 0 2023

WR

4. Provide a general narrative description of the distribution works. This description must trace the water system from **each** point of appropriation to the place of use:

Fresh potable water is pumped from Well 2 (MARI 17269) using a 15 Hp submersible pump to convey water north through 5 feet of above-ground 6-inch steel pipe before going underground. The water is conveyed to the west into a pump shed where the water is pressurized through a 1,000 gallon galvanized pressure tank and meter. The water is conveyed from the pump shed through a below-ground 4-inch PVC line to the west to supply a rental house on site with a garden and landscaping. This same line can also tee north from the pump house to connect to the 6-inch mainline to supply water to the irrigation system as a backup.

Another buried 4-inch PVC pipe from Well 2's pump shed heads south. One line tees east, and can connect with water from Wells 1 and 3 to supply the greenhouses as needed. The other tee continues south then turns west on the back side of the shipping area. This line tees to several faucets with garden hoses for irrigating staging areas, office, processing plant, maintenance, lunch room/wash area, and truck washing area. This same area and other staging areas to the west can be irrigated from hydrants off the 6-inch mainline at the west end when treated water is needed.

Fresh water is pumped from Well 1 (MARI 58798) using a 30 Hp submersible pump to convey water north through 5 feet of above-ground 6-inch steel pipe equipped with a meter before going underground. The fresh water from Well 1 continues north to the treatment shed by Well 3 (MARI 68355).

Fresh water is pumped from Well 3 (MARI 68355) using a 50 Hp submersible pump to convey water through approximately 25 feet of above-ground steel pipe equipped with a meter to the treatment shed.

Combined treated water from Well 1 and Well 3 is then conveyed through 6-inch buried PVC pipe down the center and tops of rows to be irrigated. From this 6-inch mainline, every 40 feet, a 2-inch buried PVC line extends to the top of each row, then connects to an above-ground 3-inch Sch 80 PVC line which extends the length of the row. Every twenty feet along this 3-inch PVC line, a section of ¾-inch flex tubing (approximately 3 feet long) extends up and connects to a section of ¾-inch Sch 80 PVC riser pipe (approximately 2 feet long) with an impact sprinkler on top. Approximately 144 sprinkler heads can be operated at one time.

By the Treatment Shed for Well 3 there are several retention ponds collecting runoff from drain tiles. The water is either aerated to evaporate the water off, or when needed, the water is pumped through a 4-inch mainline back to the south toward Well 1 to a hydrant. Four-inch portable aluminum mainlines with hydrants, for connection to portable 3-inch aluminum laterals with impact sprinklers can be used to irrigate the hay field to the south. When additional water is needed, fresh water from the wells can supply water to this same 4-inch mainline to irrigate the hay field.

Areas around the retention pond are also irrigated using same 4-inch line with hydrants to attach the 4-inch portable aluminum mainlines with hydrants for connection to portable 3-inch aluminum laterals with impact sprinklers.

Along the eastern edge of the property, a garden hose can be attached to the 3-inch lateral to supply water to drip lines to irrigate the hedges along the property border.

Reminder: The map associated with this claim must identify the location of the point(s) of diversion, Donation Land Claims (DLC), Government Lots (GLot), and Quarter-Quarters (QQ).

RECEIVED
JAN 1 0 2023

5. Variations:

Was the use developed differently from what was authorized by the permit, permit amendment final order, or extension final order? If yes, describe below.

YES

(e.g. "The permit allowed three points of appropriation. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

1. The place of use was revised to include reference to the DLC and or Government Lot and to show the place of use based on field verification:

Original authorized acreage in place of use:

6S	3W	WM	13	SW SE	0.3
6S	3W	WM	24	NE NE	0.6
6S	3W	WM	24	NW NE	<u>17.1</u>

Total: 18.0

Adjusted acreage in place of use:

						By Wells 1, 2, 3	By Well 2 only	Total:
65	3W	WM	13	SW SE	Lot 5	0.2		0.2
65	3W	WM	24	NE NE		0.3		0.3
65	3W	WM	24	NW NE		14.8	0.7	15.5

Total: 16.0

 The location of Well 3 (CLAC 68355) is more correctly placed at: 250 feet south and 1,210 feet east from the N 1/4 corner, Section 24.

6. Claim Summary:

POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
Well 1		0.82 cfs	200 to 350 gpm per dial on meter (0.445 to 0.78 cfs)			15.3
Well 2	0.45 cfs	0.45 cfs	Not measured	Nursey	18.0	16.0
Well 3		1.32 cfs	420 to 450 gpm per dial on meter (0.94 to 1.00 cfs)			15.3

RECEIVED

JAN 1 0 2023

SYSTEM DESCRIPTION

SECTION 4a of 4c

OWRD

Are there multiple POAs?

YES

If "YES" you will need to copy and complete a separate Section 4 for each POA.

POA Name or Number this section describes (only needed if there is more than one):

Well 1

A. Place of Use

1. Is the right for municipal use?

NO

If "YES" the table below may be deleted.

TWP	RNG	Mer	SEC	QQ	GLOT	DLC	USE	If Irrigation, # Primary Acres	IF IRRIGATION, # SUPPLEMENTAL ACRES
6S	3W	WM	13	SW SE	3	NA	Nursery	0.2	NA
6S	3W	WM	24	NE NE	NA	NA	Nursery	0.3	NA
6S	3W	WM	24	NW NE	NA	NA	Nursery	14.8	NA
Total Ad	Total Acres Irrigated						15.3	NA	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLot), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, GLot, and QQ.

B. Groundwater Source Information (Well)

1. Is the appropriation from a well?

YES

If "NO", items 2 through 4 relating to this section may be deleted.

2. Describe the access port (type and location) or other means to measure the water level in the well:

34-inch PVC tube through the vent/access port of the sanitary seal on the south side.

3. If well logs are not available, provide as much of the following information as possible:

CASING	CASING	TOTAL	COMPLETION	COMPLETION	WHO THE WELL	WELL DRILLED BY
DIAMETER	DEPTH	DEPTH	DATE OF	DATES OF	WAS DRILLED FOR	
			ORIGINAL WELL	ALTERATIONS		
See Well Log	MARI 58798					

4. In addition to the information requested in item "3" above, provide any other information which may help the Department locate any well logs associated with this appropriation.

See Well Log MARI 58798

C. Groundwater Source Information (Sump)

Is the appropriation from a dug well (sump)?

NO

RECEIVED

If "NO", items 2 through 4 relating to this section may be deleted.

Reminder: Construction standards for sumps can be found in OAR 690-210-0400.

JAN 1 0 2023

OWRD

D. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport <u>and</u> apply the water from the point of appropriation to the place of use.

YES

If "NO" items 2 through item 6 may be deleted.

2. Pump Information:

MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR	INTAKE SIZE	DISCHARGE
			SUBMERSIBLE)		SIZE
Franklin Electric	2366163700	Unknown	Submersible	6 inch	6 inch

3. Motor Information:

Manufacturer	Horsepower
Franklin Electric	30 Hp

4. Theoretical Pump Capacity:

Horsepower	OPERATING PSI	*IF A WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
30 Hp	70 psi	79.30 feet (from permit condition pump test)	0 feet	0.82 cfs

5. Provide pump calculations:

Q Pump =
$$\frac{(30 \text{ Hp}) \times (7.04 \text{ ft}^4/\text{sec Hp})}{(79.3 \text{ ft lift} + 177.8 \text{ ft pressure head})}$$
 = 0.82 cfs

6. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
Note: gpm reading on n	200 to 350 gpm (0.445 to 0.78 cfs)		

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES

If "NO" items 8 through item 13 may be deleted.

8. Mainline Information:

Mainline Size	LENGTH	TYPE OF PIPE	Buried or Above Ground
6 inch	5 feet	Steel	Above ground
6 inch	3,300 feet	PVC	Buried
4 inch	2,200 feet	PVC	Buried

JAN 1 0 2023 OWRD

9. Lateral or Handline Information:

LATERAL OR HANDLINE SIZE	LENGTH	Type of Pipe	Buried or Above Ground
2 inch along N end of south field	~ 1,100 feet	PVC schedule 40	Buried
3 inch – south field	~ 4,300 feet	PVC schedule 80	Above ground
¾ inch – south field	~ 750 feet	Flex tubing	Above ground
¾ inch – south field	~ 500 feet	PVC schedule 80	Above ground
In the field to the south and hedges along the road			
4 inch	~ 500 feet	Aluminum	Above ground
3 inch	~ 800 feet	Aluminum	Above ground
Garden hose ¾"	~ 2,000 feet	Polyurethane	Above ground

10. Sprinkler Information:

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
Rainbird LF 2400 green nozzle 7/64 inch (south field)	62 psi	2.7 gpm	244	144	0.87 cfs
Impact sprinklers for south field 1/8 inch	50 psi	3.2 gpm	20	20	0.14 cfs

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Drip Emitter Information:

SIZE	OPERATING PSI	EMITTER OUTPUT (GPM)	TOTAL NUMBER OF EMITTERS	MAXIMUM NUMBER USED	Total Emitter Output (cfs)
NA					

12. Drip Tape Information:

INCHES 12 inches	0.4 gpm /100 ft	127,135 feet	670 feet (along road)	(CFS) 0.006 cfs	
SPACING IN		OF TAPE	TAPE USED	OUTPUT	Information
DRIPPER	GPM PER 100 FEET	TOTAL LENGTH	MAXIMUM LENGTH OF	TOTAL TAPE	ADDITIONAL

13. Pivot Information:

Manufacturer	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)
NA				

E. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)?

NO

If "NO", item 2 and 3 relating to this section may be deleted.

RECEIVED JAN 1 0 2023

OWRD

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

NO

If "NO", items 2 through 4 relating to this section may be deleted.

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

RECEIVED

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

NO

JAN 1 0 2023

If "NO", items 2 through 4 relating to this section may be deleted.

OWRD

H. Additional notes or comments related to the system:

This well also supplies Certificate 95621, Certificate 92078 (T-12558), and Permit G-17999.

SECTION 4b of 4c SYSTEM DESCRIPTION

Are there multiple POAs?

YES

If "YES" you will need to copy and complete a separate Section 4 for each POA.

POA Name or Number this section describes (only needed if there is more than one):

Well 2

A. Place of Use

1. Is the right for municipal use?

NO

If "YES" the table below may be deleted.

TWP	RNG	Mer	SEC	QQ	GLOT	DLC	USE	IF IRRIGATION, # PRIMARY ACRES	IF IRRIGATION, # SUPPLEMENTAL ACRES
6S	3W	WM	13	SW SE	3	NA	Nursery	0.2	NA
6S	3W	WM	24	NE NE	NA	NA	Nursery	0.3	NA
6S	3W	WM	24	NW NE	NA	NA	Nursery	15.5	NA
Total A	Total Acres Irrigated						16.0	NA	

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLot), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, GLot, and QQ.

B. Groundwater Source Information (Well)

1. Is the appropriation from a well?

YES

If "NO", items 2 through 4 relating to this section may be deleted.

2. Describe the access port (type and location) or other means to measure the water level in the well:

½-inch PVC tube through the vent/access port of the sanitary seal on the north-west side.

3. If well logs are not available, provide as much of the following information as possible:

CASING	CASING	TOTAL	COMPLETION	COMPLETION	WHO THE WELL	WELL DRILLED BY
DIAMETER	DEPTH	D EPTH	DATE OF ORIGINAL WELL	DATES OF ALTERATIONS	WAS DRILLED FOR	
See Well Log N	MARI 17269					

4. In addition to the information requested in item "3" above, provide any other information which may help the Department locate any well logs associated with this appropriation.

See Well Log MARI 17269

C. Groundwater Source Information (Sump)

1. Is the appropriation from a dug well (sump)?

NO RECEIVED

If "NO", items 2 through 4 relating to this section may be deleted.

JAN 1 0 2023

Reminder: Construction standards for sumps can be found in OAR 690-210-0400.

OWRD

D. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport <u>and</u> apply the water from the point of appropriation to the place of use.

1. Is a pump used?

YES

If "NO" items 2 through item 6 may be deleted.

2. Pump Information:

Manufacturer	MODEL	SERIAL NUMBER	Type (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)	INTAKE SIZE	DISCHARGE SIZE
Unknown	Unknown	Unknown	Submersible	Unknown	4 inch

3. Motor Information:

Manufacturer	Horsepower
Unknown	15 Hp

4. Theoretical Pump Capacity:

Horsepower	OPERATING PSI	*IF A WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
15 Hp	68 psi	64.6 feet (Estimated from pump test results for Well 1, MARI 58798 – see Comments, Section H)	0 feet	0.45 cfs

5. Provide pump calculations:

6. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME	TOTAL PUMP OUTPUT
		OBSERVED	(IN CFS)
Not running during site	visit		

Reminder: For pump calculations use the reference information at the end of this document.

RECEIVED

7. Is the distribution system piped?

YES JAN 1 0 2023

If "NO" items 8 through item 13 may be deleted.

OWRD

8. Mainline Information:

MAINLINE SIZE	LENGTH	TYPE OF PIPE	Buried or Above Ground
6 inch	~ 5 feet	Steel	Above ground
6 inch	~ 3,000 feet	PVC	Buried
4 inch	~ 3,750 feet	PVC	Buried

9. Lateral or Handline Information:

LATERAL OR HANDLINE SIZE	LENGTH	TYPE OF PIPE	Buried or Above Ground
See Well 1			

10. Sprinkler Information:

Size	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
See Well 1					
Additional sprinklers for Well	2				
Around the house lawn and ga	arden				7532
Rainbird 2045PJ - blue			4		
Melnor Pulsator Sprinkler			2	1	x *
with Zinc 2 –way spikes	25 60	1.5 to 8.4		4	0.01 to 0.07 cfs
Naan Wisper Sprinkler Head	25-60 psi	gpm	2	4	
lock					
Oscillating Lawn sprinklers			1		
Garden Hoses 3/4"	40 psi	~ 9 gpm	10	5	0.1 cfs

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Drip Emitter Information:

SIZE	OPERATING	EMITTER	TOTAL NUMBER	Махімим	TOTAL EMITTER OUTPUT
	PSI	OUTPUT	OF EMITTERS	Number Used	(CFS)
		(GPM)			
NA					

12. Drip Tape Information:

DRIPPER SPACING	GPM PER	TOTAL LENGTH	MAXIMUM LENGTH OF	TOTAL TAPE OUTPUT	ADDITIONAL
IN INCHES	100 FEET	OF TAPE	TAPE USED	(CFS)	INFORMATION
See Well 1					

13. Pivot Information:

Manufacturer	MAXIMUM WETTED	OPERATING	TOTAL PIVOT	TOTAL PIVOT
	RADIUS	PSI	OUTPUT (GPM)	OUTPUT (CFS)
NA				

E. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)?

RECEIVED

JAN 1 0 2023

If "NO", item 2 and 3 relating to this section may be deleted.

JAN 1 0 ZUZ3

If "YES" is it a:

Storage Tank

YES

YES

Bulge in System / Reservoir

NO

Complete appropriate table(s), unused table may be deleted.

2. Storage Tank:

Steel – pressure tank	1,000 gallon	Above ground
(CONCRETE, FIBERGLASS, METAL, ETC.)	(IN GALLONS)	
Material	CAPACITY	Above Ground or Buried

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

NO

If "NO", items 2 through 4 relating to this section may be deleted.

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

NO

If "NO", items 2 through 4 relating to this section may be deleted.

H. Additional notes or comments related to the system:

Pump inside well 2 already existed when the property was purchased; no further information is known about the pump specifics.

The lift from source to pump used for the pump calculation for Well 2 was estimated using the pumping test data for Well 1, because the air test drill stem depth reported on the well log for Well 2 is not considered a reliable measurement of the actual pumping level. Wells 1 and 2 are of similar construction and capacity; therefore, the actual pumping drawdown of Well 2 is likely similar to the drawdown in Well 1. The lift was calculated as the drawdown reported in the pumping test for Well 1 (27.55 feet) plus the static water level reported in the well log for Well 2 (37 feet), for an estimated lift of 64.6 feet.

This well also supplies Certificate 95621, Certificate 92078 (T-12558), and Permit G-17999.

SECTION 4c of 4c SYSTEM DESCRIPTION

RECEIVED

JAN 1 0 2023

Are there multiple POAs?

YES

OWRD

If "YES" you will need to copy and complete a separate Section 4 for each POA.

POA Name or Number this section describes (only needed if there is more than one):

Well 3

A. Place of Use

1. Is the right for municipal use?

NO

If "YES" the table below may be deleted.

TWP	RNG	Mer	SEC	QQ	GLOT	DLC	USE	If Irrigation, # Primary Acres	If Irrigation, # Supplemental Acres
6S	3W	WM	13	SW SE	3	NA	Nursery	0.2	NA
6S	3W	WM	24	NE NE	NA	NA	Nursery	0.3	NA
65	3W	WM	24	NW NE	NA	NA	Nursery	14.8	NA
Total Ad	res Irrig	ated						15.3	NA

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (GLot), Quarter Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, GLot, and QQ.

B. Groundwater Source Information (Well)

1. Is the appropriation from a well?

YES

If "NO", items 2 through 4 relating to this section may be deleted.

2. Describe the access port (type and location) or other means to measure the water level in the well:

1-3/4 inch galvanized vent port through the sanitary seal on the south side.

3. If well logs are not available, provide as much of the following information as possible:

CASING	CASING	TOTAL	COMPLETION	COMPLETION	WHO THE WELL	WELL DRILLED BY
DIAMETER	D ЕРТН	D EPTH	DATE OF ORIGINAL WELL	Dates of Alterations	WAS DRILLED FOR	
See Well Log N	MARI 68355					

4. In addition to the information requested in item "3" above, provide any other information which may help the Department locate any well logs associated with this appropriation.

See Well Log MARI 68355

C. Groundwater Source Information (Sump)

1. Is the appropriation from a dug well (sump)?

NO RECEIVED

If "NO", items 2 through 4 relating to this section may be deleted.

JAN 1 0 2023

Reminder: Construction standards for sumps can be found in OAR 690-210-0400.

OWRD

D. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport <u>and</u> apply the water from the point of appropriation to the place of use.

1. Is a pump used?

YES

If "NO" items 2 through item 6 may be deleted.

2. Pump Information:

MANUFACTURER	Model	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR	INTAKE SIZE	DISCHARGE
			SUBMERSIBLE)		SIZE
Franklin	8STS550	Unknown	Submersible	8 inch	6 inch

3. Motor Information:

Franklin	50 Hp
MANUFACTURER	Horsepower

4. Theoretical Pump Capacity:

60 Hp	68 psi	94.75 feet (from pump test recorded on well log)	0 feet	1.32 cfs
Horsepower	OPERATING PSI	*If A WELL, THE WATER LEVEL DURING PUMPING	PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)

5. Provide pump calculations:

Q Pump =
$$\frac{(50 \text{ Hp}) \times (7.04 \text{ ft}^4/\text{sec Hp})}{(94.75 \text{ ft lift} + 172.7 \text{ ft pressure head})}$$
 = 1.32 cfs

6. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
Note: gpm reading on n	neter recorded August 1, 2	022	0.27 to 0.29 cfs
0.			(121 to 129.7 gpm)
Note: gpm reading on n	neter recorded September	6, 2022	0.24 to 0.25 cfs
0.			(108.1 to 114 gpm)
Note: gpm reading on meter recorded October 3, 2022			0.94 to 1.00 cfs
0.			(420 to 450 gpm)

Reminder: For pump calculations use the reference information at the end of this document.

7. Is the distribution system piped?

YES

RECEIVED

If "NO" items 8 through item 13 may be deleted.

JAN 1 0 2023

8. Mainline Information:

OWRD

MAINLINE SIZE	LENGTH	TYPE OF PIPE	BURIED OR ABOVE GROUND
6 inch	~ 25 feet	Steel	Above ground
6 inch	3,300 feet	PVC	Buried
4 inch	2,200 feet	PVC	Buried

9. Lateral or Handline Information:

LATERAL OR HANDLINE SIZE	LENGTH	Type of Pipe	Buried or Above Ground
See Well 1			

10. Sprinkler Information:

Size	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
See Well 1					

Reminder: For sprinkler output determination use the reference information at the end of this document.

11. Drip Emitter Information:

Size	OPERATING PSI	EMITTER OUTPUT (GPM)	TOTAL NUMBER OF EMITTERS	MAXIMUM NUMBER USED	TOTAL EMITTER OUTPUT (CFS)
NA					

12. Drip Tape Information:

DRIPPER	GPM PER	TOTAL	MAXIMUM	TOTAL TAPE	Additional Information
SPACING IN INCHES	100 FEET	LENGTH OF TAPE	LENGTH OF TAPE USED	OUTPUT (CFS)	
See Well 1					

13. Pivot Information:

Manufacturer	MAXIMUM WETTED RADIUS	OPERATING PSI	TOTAL PIVOT OUTPUT (GPM)	TOTAL PIVOT OUTPUT (CFS)
NA				

E. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)?

NO IAN 1 A 2020

If "NO", item 2 and 3 relating to this section may be deleted.

JAN 1 0 2023

F. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

OWRD

1. Does the system involve a gravity flow pipe?

NO

If "NO", items 2 through 4 relating to this section may be deleted.

G. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

NO

If "NO", items 2 through 4 relating to this section may be deleted.

H. Additional notes or comments related to the system:

This well also supplies Certificate 95621, Certificate 92078 (T-12558), and Permit G-17999

SECTION 5

CONDITIONS

All conditions contained in the permit, permit amendment, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits and extension final orders contain any or all of the following dates: the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit or permit extension order:

DATE FROM PERMIT	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
December 6, 2017		
December 6, 2022	April 11, 1991	Construction of Well 2 (MARI 17269) began.
NA	NA	NA
December 6, 2022	May 2022	Construction of the system was completed, all the permit conditions were met, and water was put to full use.
	December 6, 2017 December 6, 2022 NA	December 6, 2017 December 6, 2022 April 11, 1991 NA NA

^{*} MUST BE WITHIN PERIOD BETWEEN PERMIT, OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)?

NO

RECEIVED

If "NO", items a and b relating to this section may be deleted.

JAN 1 0 2023

3. Initial Water Level Measurements:

OWRD

a. Was the water user required to submit an initial static water level measurement? YES

If "NO", items b through d relating to this section may be deleted.

b. What month was the initial measurement to be taken in?

March

c. Was the measurement submitted to the Department?

YES

d. If the initial measurement was not submitted, provide that measurement now, if available:

DATE OF MEASUREMENT	MEASUREMENT MADE BY	Метнор	MEASUREMENT
NA			

4. Annual Static Water Level Measurements:

a. Was the water user required to submit annual static water level measurements?

YES

If "NO", items b through e relating to this section may be deleted.

b. Provide the month, or months, the static water level measurement(s) were to be made:

March

c. Were the static water level measurements taken in the month(s) required?

YES

d. If "YES", were those measurements submitted to the Department?

YES

e. If the annual measurements were not submitted, provide the measurements now:

DATE OF MEASUREMENT	MEASUREMENT MADE BY	METHOD	MEASUREMENT
NA			

5. Pump Test:

a. Did the permit require the submittal of a pump test?

YES

Ground water permits with priority dates on or after **December 20, 1988**, require the submittal of a pump test prior to issuance of a certificate. In some cases, the permit holder may qualify for a multiple well exemption or an unreasonable burden exemption.

For additional information regarding pump tests see:

RECEIVED

https://www.oregon.gov/OWRD/programs/GWWL/GW/Pages/PumpTestProgram.aspx

JAN 1 0 2023

If "NO", items b through e relating to this section may be deleted.

b. Has the pump test been previously submitted to the Department?

YES OWRD

Well 1 (MARI 58798) was approved under Certificate 92078

c. Is the pump test attached to this claim?

NO

d. Has the pump test been approved by the Department?

YES

e. Has a pump test exemption been approved by the Department?

YES: June 29, 2020

6. Measurement Conditions:

a. Does the permit, permit amendment, or any extension final order require the installation of a meter or approved measuring device?

If "NO", items b through f relating to this section may be deleted.

YES

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion or appropriation.

b. Has a meter been installed?

YES

c. Meter Information

POD/POA Name or #	MANUFACTURER	SERIAL#	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
Well 1	McCrometer	16-05310-06	Working	53,044,800 gallons (August 11, 2020)	Spring 2006
				71,850,900 gallons (October 3, 2022)	
Well 2	Netafim	19-80023969	Working	1,509,754 gallons (August 11, 2020)	June 2019
				7,247,334 gallons (October 3, 2022)	
Well 3	Netafim	196006078	Working	53,044,800 gallons (August 11, 2020)	Spring 2006
				89,439,080 gallons (October 3, 2022)	

If a meter has been installed, items d through f relating to this section may be deleted.

^{**} Claims will not be reviewed until a pump test or exemption has been approved by the Department

7. Recording and reporting conditions:

a. Is the water user required to report the water use to the Department?

YES

If "NO", item b relating to this section may be deleted.

b. Have the reports been submitted?

YES

If the reports have not been submitted, attach a copy of the reports if available.

8. Other conditions required by permit, permit amendment final order, or extension final order:

a. Were there special well construction standards?

NO

b. Was submittal of a ground water monitoring plan required?

NO

c. Was submittal of a water management and conservation plan required?

NO

d. Was a Well Identification Number (Well ID tag) assigned and attached

YES

to the well?

	WELL ID#	DATE ATTACHED TO WELL
Well 1	L-75483	March 2017
Well 2	L-125719	March 2005
Well 3	L-131128	December 2018

JAN 1 0 2023

OWRD

e. Other conditions?

YES

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

e1) Condition:

The wells with pumps shall be equipped with a minimum ¾ inch diameter, unobstructed, dedicated measuring tube pursuant to figure 200-5 in OAR 690-200. If a pump has been installed prior to the issuance of this permit, and if static water levels and pumping levels can be measured using an electrical tape, then the installation of the measuring tube can be delayed until such time that water levels cannot be measured or the pump is repaired or replaced.

Compliance:

Well 1 (MARI 17269) pump was installed prior to the issuance of this permit so no measuring tube has been installed. At this time, water levels can be read with an electrical tape.

Well 2 (MARI 58798) pump was installed prior to the issuance of this permit so no measuring tube has been installed. At this time, water levels can be read with an electrical tape.

Well 3 (MARI 68355) was installed with a measuring tube as specified in this condition.

e2) Condition:

Groundwater production shall be only from the alluvial groundwater reservoir.

Compliance:

Well 1 (MARI 17269) develops water from the alluvial aquifer within the depth interval of 110 to

141 feet within sand and gravels.

Well 2 (MARI 58798) develops water from the alluvial aquifer within the depth interval of 110 to 140 feet within sand and gravels.

Well 3 (MARI 68355) develops water from the alluvial aquifer within the depth intervals of 105 to 127 and 132 to 148 feet within sand and gravels.

It appears these wells obtain water from the alluvial aquifer; therefore, this condition has been met.

e3) Condition:

Prior to using water from any well listed on this permit, the permittee shall ensure that the well has been assigned an OWRD Well Identification Number (Well ID tag), which shall be permanently attached to the well.

Compliance:

Well 1 (MARI 17269) has well tag L-75483 on the well casing.

JAN **1 0** 2023

Well 2 (MARI 58798) has well tag L-125719 on the well casing.

OWRD

Well 3 (MARI 68355) has well tag L-131128 on the well casing.

e4) Condition:

If the riparian area is disturbed in the process of developing a point of diversion, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

Compliance:

Well 1 (MARI 17269) was drilled approximately 1,000 feet southwest from the nearest creek within a graveled area on the property; therefore, no riparian area was disturbed.

Well 2 (MARI 58798) was drilled approximately 600 feet southwest from the nearest creek within a graveled area on the property; therefore, no riparian area was disturbed.

Well 3 (MARI 68355) was drilled approximately 90 feet southwest from the nearest creek within a graveled area on the property; therefore, no riparian area was disturbed.

SECTION 6

ATTACHMENTS

JAN **1 0** 2023

OWRD

Provide a list of any additional documents you are attaching to this report:

ATTACHMENT NAME	DESCRIPTION
Claim of Beneficial Use Map	Claim of Beneficial Use Map
State Water Well Report – MARI 58798	Well log and driller's notes for MARI 58798 – Well 1
State Water Well Report - MARI 17269	Well log and driller's notes for MARI 17269 – Well 2
State Water Well Report – MARI 68355	Well log and driller's notes for MARI 68355 – Well 3
BLM Cadastral Map	BLM Cadastral Map T. 6S. R. 3W. showing DLC and Government
•	Lot locations

SECTION 7

CLAIM OF BENEFICIAL USE MAP

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1'' = 1320 feet, 1'' = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

The COBU map was prepared using tax assessor's map 06 3W 13 and 06 3W 24A, overlain by a 2014 aerial photo titled USDA-FSA-APFO NAIP County Mosaic and obtained on line from the Natural Resources Conservation Service, Image Metadata:

http://datagateway.nrcs.usda.gov/Catalog/ProductDescription/NAIPM.html

Map Checklist

Please be sure that the map you submit includes ALL the items listed below. (Reminder: Incomplete maps and/or claims may be returned.)

\boxtimes	Map on polyester film
\boxtimes	Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
\boxtimes	Township, Range, Section, Donation Land Claims, and Government Lots
\boxtimes	If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots Quarter-Quarters
	Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
\boxtimes	Locations of meters and/or measuring devices in relationship to point of diversion or appropriation
\boxtimes	Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
\boxtimes	Point(s) of diversion or appropriation (illustrated and coordinates)

\boxtimes	Tax lot boundaries and numbers	
	Source illustrated if surface water	
	Disclaimer ("This map is not intended to provide legal dimensions or localines")	
\boxtimes	Application and permit number or transfer number	JAN 1 0 2023
\boxtimes	North arrow	JAN 1 0 2023
\boxtimes	Legend	OWRD
\boxtimes	CWRF stamp and signature	

STATE OF OREGON WATER SUPPLY WELL REPORT

(as required by ORS 537.765)

Instructions for completing this report are on the last page of this form.	
(1) LAND OWNER Well Number 8	(9) LOCATION OF WELL (legal description) County MOVION Toward A 2000
Address 11383 RIVER ROLNE City Der Vous State OR Zip 900210	Tax Lot 2100 Lot Township 6 5 No Range 3 E or WWM
(2) TYPE OF WORK New Well Deepening Alteration (repair/recondition) Abandonment Conversion	Section O
(3) DRILL METHOD Rotary Air □ Rotary Mud □ Cable □ Auger □ Cable Mud □ Other □	Street Address of Well (or nearest address) 8295 River Rd. N.E. Solem. Ok
(4) PROPOSED USE ☐ Domestic ☐ Community ☐ Industrial ☐ Irrigation ☐ Thermal ☐ Injection ☐ Livestock ☐ Other ☐	(10) STATIC WATER LEVEL ft. below land surface. Date 3-/5-05 Date
(5) BORE HOLE CONSTRUCTION Special Construction: Yes No Depth of Completed Well ft. Explosives used: Yes No Type Amount	Artesian pressure lb. per square inch Date (11) WATER BEARING ZONES ; Depth at which water was first found ;
BORE HOLE Diameter From To Material From To Sacks or Pounds 3/8 Dent O 50 3/2 SOCHS	From To Estimated Flow Rate SWL, 500 t 41
How was seal placed: Method A B C D E Other Oth	(12) WELL LOG Ground Elevation Material From To SWL Top Soil I 3 41
Casing: Steel Plastic Welded Threaded Casing: Steel Plastic Welded Thr	Sity Brown Cemental Sand + Grave (22' 84' 41' Sand + Grave (22' 84' 41' Sand + Grave 84' 701' 41' Brown Sand + 84' 701' 41' Brown Sand + 84' 701' 41' RECEIVED MAR 1 8 2005
Drive Shoe used ☐ Inside ☒ Outside ☐ None Final location of shoc(s) ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	WATER RESOURCES DEPT JAN 1 0 2023
(7) PERFORATIONS/SCREENS Perforations Method Mills Vinife Screens Type Material	Date Started 03:09-2005 Completed 03:14-2005
From To Slot Number Diameter Tele/pipe Casing Liner size	(unbonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief. WWC Number 1733 Date 03-15-2005
(8) WELL TESTS: Minimum testing time is 1 hour ☐ Pump ☐ Bailer	Signed TROY & Beier
Yield gal/min Drawdown Drill stem at Time Stemperature of water	(bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
Was a water analysis done Yes By whom Too little Did any strata contain water not suitable for intended use \(\mathcal{V} \mathcal{V} \) Too little Depth of strata:	Signed Date D3-15-2005



Name

City

New Well

Other

☐ Domestic

☐ Thermal

K

14 8

Liner

From

110

500+

Was a water analysis done?

STATE OF OREGON

WATER WELL REPORT





(as required by ORS 537.765) (START CARD) # 2918 (1) OWNER: Well Number: (9) LOCATION OF WELL by legal description: BOLTMAN"S NURSERY INC. County Marion Latitude ____ Longitude P.O. Box 9098 Township 6S Nor S, Range 3W State 97305 Brooks, Oregon _____NW___1/4_NE___1/4 (2) TYPE OF WORK: __ Lot_____ Block ___ Tax Lot Subdivision ☐ Deepen ☐ Recondition Street Address of Well (or nearest address) 8375 River Rd. N.E. (3) DRILL METHOD (10) STATIC WATER LEVEL: X Rotary Air Rotary Mud Cable 37 Date _4/12/91 ____ ft. below land surface. (4) PROPOSED USE: Artesian pressure _____ lb. per square inch. Date ___ Community ☐ Industrial X Irrigation (11) WATER BEARING ZONES: ☐ Injection Other Depth at which water was first found _ (5) BORE HOLE CONSTRUCTION: From Estimated Flow Rate SWL Depth of Completed Well -Special Construction approval П Yes No 1000+ 37 76 15 141 Explosives used Y Type Amount 37 157 180 1000+ HOLE SEAL Amount Diameter From sacks or pounds Material From (12) WELL LOG: 19 1350 pounds Ground elevation 19 Dry Bentonite 180 Material From To SWL Topsoil 76 Brown Clay ☐ Other As Per 690-210-340 Black Sand Backfill placed from _____ ft. to ____ ft. Material Gravel placed from ____ ft. to _____ ft. Size of gravel 79 Muddy Black Sand and Gravel 94 (6) CASING/LINER: Cemented Brown Sand and Grave 94 106 Diameter From To Gauge Steel Plastic Welded Threaded Loose Brown Sand and Gravel 106 135 180 . 250 X X 135 145 Reddish Brown Sand and Gravel 145 157 Blue Clay 157 175 Black Sand 175 180 Black Sand and Gravel П П 180 Final location of shoe(s) (7) PERFORATIONS/SCREENS: Method Mills Knife 5/16" X 2 3/4" X Perforations ☐ Screens Material Slot Tele/pipe Number, Diameter Casing Liner To size WATER RESOURCE DEFI. 376 141 X LALEM OHEG IN 4/11/91 4/12/91 Date started. Completed . (unbonded) Water Well Constructor Certification: (8) WELL TESTS: Minimum testing time is 1 hour I certify that the work I performed on the construction, alteration, or Flowing Artesian abandonment of this well is in compliance with Oregon well construction ☐ Pump ☐ Bailer standards. Materials used and information reported above are true to my best Time knowledge and belief, Yield gal/min Drawdown Drill stem at WWC Number 753 180 1 hr. Signed (bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment Temperature of water Depth Artesian Flow Found work performed on this well during the construction dates reported above. all

Did any strata contain water not suitable for intended use?

Too little

☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other _

Yes By whom _

INCWC Number

work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and

WILLAMETTE DRILLING CO.

MARI 17269



Application for Well ID Number

RECEIVED

JAN 1 0 2023

Do not complete if the well already has a Well Identification Number.

OWRD


I. OWNER INFORMATION	
Current Owner Name (please print): Robert W. Gabriel Trust, Robert Gabriel Trustee	See Well Log MARI 17269
Mailing Address: 8474 Hazelgreen Rd NE	
City, State, Zip: Silverton, OR 97381	ECEIVED BY OWRD
Mail Well ID Tag to: SAME AS ABOVE In Care Of (C/O)	
Name & Address:	MAR 1 3 2017
City, State, Zip:	CALENAD
	SALEM, OR
II. WELL LOCATION INFORMATION (Please fill out as completely as possible)	
Township: 6S (North / South) Range: 3W (East / West) Section: 24	NW 1/4 of the NE 1/4
Tax Lot (usually last 3-5 numbers of Tax Map #): TL 06 2W 24A(1900) County	Marion
GPS Coordinates:	
Street Address of Well, City: 8375 River Rd NE, Salem, OR 97303	
If the property had a different street address in the past:	
III. GENERAL WELL INFORMATION (Please fill out as completely as possible, AND attaction of Well (domestic, irrigation, commercial, industrial, monitoring): Irrigation	ach copy of Well Log, if available)
Date Well Constructed (or property built): April 12, 1991 Total Well Depth: 180 fee	et Casing Diameter: 8 inch
D. W. J. M. J. L.	# (if known): MARI 17269
	" (II Kilowii).
Other Information:	
SUBMITTED BY (please print): Robort Gabriel	
PHONE: (503) 873-1800 EMAIL &/or FAX: (503) 873-	1300
Send application to: Oregon Water Resources Department 725 Summer St NE, Suite A, Salem, Oreg Applications are processed in the order they are received, and Well ID Numbers are mailed within 4-	on 97301; or fax to (503) 986-0902. 5 business days.
For Official Use Only by the Oregon Water Resources Depart	tment:
Received Date: Well Log Number:	Well Identification #:
3-13-17 MARI 17269	L-125719

MARI 68355

WESTERBERG I		
STATE OF OREGON PO BOX	(1228 WELL I.D. LABEL# L 131128	
STATE OF OREGON		
WATER SUPPLY WELL REPORT MOLALLA, (as required by ORS 537.765 & OAR 690-205-0210)	ORIGINAL LOG#	
A TANK		
(1) LAND OWNER Owner Well I.D.	MARI - 68355	
First Name Robert Last Name Gabriel	(9) LOCATION OF WELL (legal description)	
Company Address 8376 Hazelgreen Rd NE	County MARION Twp 6 S N/S Range 3 W E/W	WM
City Silverton State OR Zip 97381	Sec 24 NW 1/4 of the NE 1/4 Tax Lot 1900	
	Tax Map Number Lot	
(2) TYPE OF WORK New Well Deepening Conversion Alteration (complete 2a & 10) Abandonment(complete 5a)	Lat° r DMS or D	
(2a) PRE-ALTERATION	Long or DMS or D	D
Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address	
Casing:	8375 River Rd N, Keizer, OR 97303	
Material From To Amt sacks/lbs	35,574,74,74,74,74,74,74,74,74,74,74,74,74,7	
Seal:	(10) CTATIC WATER I EVEL	
(3) DRILL METHOD	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)	
Rotary Air Rotary Mud Cable Auger Cable Mud	Existing Well / Pre-Alteration	7
Reverse Rotary Other	Completed Well 12-13-2018 34' 9"]
(4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?	
Industrial/ Commercial Livestock Dewatering	WATER BEARING ZONES Depth water was first found	_
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)	_
	2001011 2002(2)	7
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)		1
Depth of Completed Well 154 ft.	12-13-2019 132 148 350 34' 9"	1
BORE HOLE SEAL sacks/ Dia From To Material From To Amt lbs		1
16 0 56 Bentonite 0 17 18 S	 	1
12 56 158 Calculated 15.9	¶ L	1
		_
Calculated 23	(11) WELL LOG Ground Elevation	
How was seal placed: Method A B XC D E	Material From To	-
XOther_Bentonite poured & probed	Soil 0 2	
Backfill placed from 154 ft. to 158 ft. Material Cement	Silt Brown 2 38	1
Filter pack from ft. to ft. Material Size	Clay Brown w/ Occasional Gravel 38 42	4
Explosives used: Yes Type Amount	Clay Blue	-
	Silt w/ Sand Grey 55 70 Sand & Gravel 70 90	-
(5a) ABANDONMENT USING UNHYDRATED BENTONITE Proposed Amount Pounds Actual Amount Pounds	Clay Brown w/ Gravel 90 97	1
Proposed Amount Pounds Actual Amount Pounds	Sand & Gravel Brown 97 116	1
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wid Thrd	Gravel Cemented Brown 116 127	1
	Blue Clay w/ Gravel 127 132]
(a) 12 X 20" 158 .250 (b) X	Gravel 132 148	
	Clay Grey w/ Gravel PECELVED 148 157	4
	Sand Grey 157 158	4
	1434 0 4 0 4 10	-
Shoe Inside X Outside Other Location of shoe(s) 158	JAN 2 1 2019	
	l R	ECEIV
Temp casing Yes Dia 16 From + X 1 To 56		
(7) PERFORATIONS/SCREENS	OWRD	N 102
Perforations Method Mills Knife		MA T O C
Screens Type Material Perf/S Casing/ Screen Scm/slot Slot # of Tele/	Date Started 11-09-2019 Completed 12-13-2018	_
creen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification	OWRE
Perf Casing 12 105 127 3/8" 3.5 396 12	I certify that the work I performed on the construction, deepening, alteration	, or
12 132 148 3/8" 3.5 288 12	abandonment of this well is in compliance with Oregon water supply water	
	construction standards. Materials used and information reported above are true	e to
	the best of my knowledge and belief.	
<u></u>	License Number 1358 Date 12-14-2019	-
(8) WELL TESTS: Minimum testing time is 1 hour	Signed V da FMM	
Pump	Signed Am Daniel	
Yield gal/min Drawdown Drill stem/Pump depth Dutation (hr)	(bonded) Water Well Constructor Certification	
700 60 125 6	I accept responsibility for the construction, deepening, alteration, or abandon	ment
	work performed on this well during the construction dates reported above. All	work
	performed during this time is in compliance with Oregon water supply	well
Temperature 54 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and beli	ef.
	License Number \$88 Date 01-04-2019	_
Water quality concerns? Yes (describe below) TDS amount 301 ppm From To Description Amount Units	At 11	-
	Signed Lower M. Holadel	_
	Contact Info (optional)	-

MARI 68355

WESTERBERG DRILLING INC. WELL I.D. LABEL# L 131128 PO BOX 1228 WATER SUPPLY WELL REPORT -START CARD # 215696 MOLALLA, OR 97038 continuation page ORIGINAL LOG# (2a) PRE-ALTERATION Water Quality Concerns Dia Gauge Stl Plste Wld Thrd Amount Units From From Description Material From (10) STATIC WATER LEVEL (5) BORE HOLE CONSTRUCTION SWL Date Est Flow 'SWL(psi) + SWL(ft) From **BORE HOLE** SEAL sacks/ From To Material From Amt lbs Calculated Calculated Calculated FILTER PACK (11) WELL LOG Material Size From To From To Material (6) CASING/LINER Gauge Stl Pistc Wld Thrd Casing Liner Dia From To OWRD (7) PERFORATIONS/SCREENS Perf/S Casing/Screen # of Tele/ Scm/slot Slot RECEIVED width length slots pipe size From JAN 2 4 2019 **OWRD** Comments/Remarks Cable tool rig used for perforating, development, & test pumping (8) WELL TESTS: Minimum testing time is 1 hour Drill stem/Pump depth Yield gal/min Drawdown Duration (hr)



JAN 1 0 2023 OWRD