

**CLAIM OF
BENEFICIAL USE
for Surface Water Permits
claiming 0.1 cfs or less**



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem, Oregon 97301-1266
(503) 986-0900
www.oregon.gov/OWRD

A fee of \$230 must accompany this form for permits
with priority dates of July 9, 1987, or later.

RECEIVED

FEB 27 2023

OWRD

SECTION 1

GENERAL INFORMATION

1. File Information:

APPLICATION # S-87480	PERMIT # (IF APPLICABLE) S-54661	PERMIT AMENDMENT # (IF APPLICABLE)
---------------------------------	--	------------------------------------

2. Property Owner (current owner information):

APPLICANT/BUSINESS NAME Ernie and Lu Ann Russell		PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS 40360 SE Cedar Creek Ln			
CITY Sandy	STATE OR	ZIP 97055	E-MAIL

If the current property owner is not the permit holder of record, it is recommended that an assignment be filed with the Department. ***Each** permit holder of record must sign this form.*

3. Permit holder of record (this may, or may not, be the current property owner):

PERMIT HOLDER OF RECORD Ernie and Lu Ann Russell			
ADDRESS 40200 SE Cedar Creek Ln			
CITY Sandy	STATE OR	ZIP 97055	

ADDITIONAL PERMIT HOLDER OF RECORD NA		
ADDRESS		
CITY	STATE	ZIP

4. Date of Site Inspection:

August 15, 2022
December 19, 2022
January 23, 2023

5. Person(s) interviewed and description of their association with the project:

NAME	DATE	ASSOCIATION WITH THE PROJECT
Lu Ann (Maggie) Russel	August 15, 2022 December 19, 2022 January 23, 2023	Owner and operator of the Airbnb

6. County

Clackamas County

7. If any property described in the place of use of the permit final order is excluded from this report, identify the owner of record for that property (ORS 537.230(5)):

OWNER OF RECORD NA		
ADDRESS		
CITY	STATE	ZIP

Add additional tables for owners of record as needed

RECEIVED

FEB 27 2023

OWRD

SECTION 2
SIGNATURES

CWRE Statement, Seal and Signature

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge.

Seal and Signature



CWRE NAME Doann Hamilton		PHONE NO. (503) 632-5016	ADDITIONAL CONTACT NO. (503) 349-6946
ADDRESS 18487 S. Valley Vista Road			
CITY Mulino	STATE OR	ZIP 97042	E-MAIL phgdmh@gmail.com

Permit Holder's of Record Signature or Acknowledgement

Each permit holder of record must sign this form in the space provided below.

The facts contained in this Claim of Beneficial Use are true and correct to the best of my knowledge. I request that the Department issue a water right certificate.

SIGNATURE	PRINT OR TYPE NAME	TITLE	DATE
<i>Doann H Russell</i>	LUANN H RUSSELL	OWNER OPERATOR	1/23/23

SECTION 3
CLAIM DESCRIPTION

RECEIVED

FEB 27 2023

OWRD

1. POD source and, if from surface water, the tributary:

POD NAME OR NUMBER	SOURCE	TRIBUTARY
POD	Cedar Creek	Sandy River

2. Developed use(s), period of use, and rate for each use:

POD NAME OR NUMBER	USES	IF IRRIGATION, LIST CROP TYPE	SEASON OR MONTHS WHEN WATER WAS USED	ACTUAL RATE OR VOLUME USED (CFS, GPM, OR AF)
POD	Human Consumption (indoor use only: cooking, drinking, and sanitation) for one household	NA	Year round	0.04 cfs
Total Quantity of Water Used				0.04 cfs

3. Provide a general narrative description of the distribution works. This description must trace the water system from each point of diversion to the place of use:

Water is pumped up from the creek using a 1/6 Hp submersible sump pump with an approved fishscreen attachment. The submersible pump is equipped with a 3/4 inch garden hose attachment connected to the 1 Hp centrifugal pump with a 5 gallon reserve tank inside a 3.5 ft x 4.5 ft x 4.0 ft pump house. From the pump house, a one-inch PCV line with a faucet attachment runs from the pump house up the hill through a meter before going under the house. At the front of the house the line ends at a faucet. A garden hose can then be attached to the faucet to fill a 2, 500 gallon above ground poly tank. Water is pumped from the poly tank using a 1/2 Hp submersible pump to convey water to the house as needed. The water is pressurized using a pressure tank before entering into the house.

It takes about 4 hours to fill the tank halfway and can last 6.5 to 7.0 weeks.

Note: Previous set up of this system consisted of a 1.5 Hp pump in the pump house with a 3-inch galvanized pipe extended into the creek. At the end of this 3-inch galvanized pipe was connected a 3.5-inch diameter, 8-inch-long, screwed-on attachment. This attachment, which consisted of a 4-inch-long screen with a check-ball at the end, served as the original fish screen (meeting both ODFW standards at the time, and qualifying for self-certification). After several severe storm and flooding events, this setup was ripped out of the pump house and pulled down stream. To avoid such a rigid setup which would be prone to damage from flood waters, the system was then re-designed with the Drummond sump pump attached to the flexible garden hose attached to a 1 Hp centrifugal pump inside the pump house. It is this Drummond sump pump on which ODFW helped the permit holder update the fishscreen to today's standards.

Reminder: The map associated with this claim must identify the location of the point(s) of diversion, Donation Land Claims (DLC), Government Lots (GLot), and Quarter-Quarters (QQ).

4. Variations:

Was the use developed differently from what was authorized by the permit, permit amendment final order, or extension final order? If yes, describe below. **YES**
(e.g. "The permit allowed three points of diversion. The water user only developed one of the points." or "The permit allowed 40.0 acres of irrigation. The water user only developed 10.0 acres.")

1. After field verifying, the POD is more correctly located at:
- 1,070 feet south and 445 feet east from the NW corner, Section 18.
2. The place of use was revised to include reference to the DLC:

Original authorized place of use:	2S	5E	Sec 18	NW NW
Revised place of use:	2S	5E	Sec 18	NW NW DLC 37

RECEIVED
FEB 27 2023
OWRD

5. Claim Summary:

POD / POA NAME OR #	MAXIMUM RATE AUTHORIZED	CALCULATED THEORETICAL RATE BASED ON SYSTEM	AMOUNT OF WATER MEASURED	USE	# OF ACRES ALLOWED	# OF ACRES DEVELOPED
POD	0.005 cfs	0.04 cfs	Not measured	Human consumption	NA	NA

SECTION 4

SYSTEM DESCRIPTION

Are there multiple PODs?

NO

If "YES" you will need to copy and complete a separate Section 4 for each POD.

POD Name or Number this section describes (only needed if there is more than one):

POD

RECEIVED

FEB 27 2023

OWRD

A. Place of Use

Attach Claim of Beneficial Use map.

Reminder: The map associated with this claim must identify Donation Land Claims (DLC), Government Lots (Gov Lot), Quarter-Quarters (QQ), and if for irrigation, the number of acres irrigated within each projected DLC, Gov Lot, and QQ.

B. Diversion and Delivery System Information

Provide the following information concerning the diversion and delivery system. Information provided must describe the equipment used to transport and apply the water from the point of diversion to the place of use.

1. Is a pump used?

YES

If "NO" items 2 through item 5 may be deleted.

2. Pump Information:

PUMP	MANUFACTURER	MODEL	SERIAL NUMBER	TYPE (CENTRIFUGAL, TURBINE OR SUBMERSIBLE)
In creek	Drummond	63319, 56361	Unknown	Submersible
In pump house	Drummond	63477	Unknown	Centrifugal
In poly tank	Grundfos	10S05	Unknown	Submersible

3. Theoretical Pump Capacity:

PUMP	HORSEPOWER	OPERATING PSI	LIFT FROM SOURCE TO PUMP *IF A WELL, THE WATER LEVEL DURING PUMPING	LIFT FROM PUMP TO PLACE OF USE	TOTAL PUMP OUTPUT (IN CFS)
In creek	1/6 Hp	10 psi	0 feet	Pump to pump house 5 feet	0.04 cfs
In pump house	1 Hp	50 psi	0 feet	Pump house to storage tank 25 feet	0.04 cfs
In poly tank	1/2 Hp	60 psi	6.5 feet up out of the tank	-10.0 to the pressure tank	0.02 cfs

4. Provide pump calculations:

In the creek	Q Pump = $\frac{(0.167 \text{ Hp}) \times (7.04 \text{ ft}^4/\text{sec Hp})}{(5 \text{ ft lift} + 25.4 \text{ ft pressure head})}$	= 0.04 cfs
In pump house	Q Pump = $\frac{(1 \text{ Hp}) \times (6.61 \text{ ft}^4/\text{sec Hp})}{(25 \text{ ft lift} + 127.0 \text{ ft pressure head})}$	= 0.04 cfs
In poly tank	Q Pump = $\frac{(0.5 \text{ Hp}) \times (7.04 \text{ ft}^4/\text{sec Hp})}{(-3.5 \text{ ft lift} + 152.4 \text{ ft pressure head})}$	= 0.02 cfs

RECEIVED
FEB 27 2023

OWRD

5. Measured Pump Capacity (using meter if meter was present and system was operating):

INITIAL METER READING	ENDING METER READING	DURATION OF TIME OBSERVED	TOTAL PUMP OUTPUT (IN CFS)
Not running during site visit			

Reminder: For pump calculations use the reference information at the end of this document.

6. Sprinkler Information:

SIZE	OPERATING PSI	SPRINKLER OUTPUT (GPM)	TOTAL NUMBER OF SPRINKLERS	MAXIMUM NUMBER USED	TOTAL SPRINKLER OUTPUT (CFS)
NA					

Reminder: For sprinkler output determination use the reference information at the end of this document.

7. Drip Emitter Information:

SIZE	OPERATING PSI	EMITTER OUTPUT (GPM)	TOTAL NUMBER OF EMITTERS	MAXIMUM NUMBER USED	TOTAL EMITTER OUTPUT (CFS)
NA					

8. Drip Tape Information:

DRIPPER SPACING IN INCHES	GPM PER 100 FEET	TOTAL LENGTH OF TAPE	MAXIMUM LENGTH OF TAPE USED	TOTAL TAPE OUTPUT (CFS)	ADDITIONAL INFORMATION
NA					

C. Storage

1. Does the distribution system include in-system storage (e.g. storage tank, bulge in system / reservoir)?

YES

RECEIVED
FEB 27 2023

If "NO", item 2 and 3 relating to this section may be deleted.

If "YES" is it a: Storage Tank
 Bulge in System / Reservoir

YES

OWRD

NO

Complete appropriate table(s), unused table may be deleted.

2. Storage Tank:

MATERIAL (CONCRETE, FIBERGLASS, METAL, ETC.)	CAPACITY (IN GALLONS)	ABOVE GROUND OR BURIED
Poly tank – holding tank	2,500 gallon	Above ground
Steel reserve tank on Centrifugal pump	5 gallon	Above ground
Fiberglass – pressure tank	85 gallon	Above ground

D. Gravity Flow Pipe

(THE DEPARTMENT TYPICALLY USES THE HAZEN-WILLIAM'S FORMULA FOR A GRAVITY FLOW PIPE SYSTEM)

1. Does the system involve a gravity flow pipe?

NO

E. Gravity Flow Canal or Ditch

(THE DEPARTMENT TYPICALLY USES MANNING'S FORMULA FOR CANALS AND DITCHES)

1. Is a gravity flow canal or ditch used to convey the water as part of the distribution system?

NO

If "NO", items 2 through 4 relating to this section may be deleted.

F. Additional notes or comments related to the system:

None

SECTION 5

CONDITIONS

All conditions contained in the permit, permit amendment, or any extension final order shall be addressed. Reports that do not address all performance related conditions will be returned.

1. Time Limits:

Permits and any extension final orders contain any or all of the following dates: the date when the actual construction work was to begin, the date when the construction was to be completed, and the date when the complete application of water to the proposed use was to be completed. These dates may be referred to as ABC dates. Describe how the water user has complied with each of the development timelines established in the permit or extension final order:

	DATE FROM PERMIT	DATE ACCOMPLISHED*	DESCRIPTION OF ACTIONS TAKEN BY WATER USER TO COMPLY WITH THE TIME LIMITS
ISSUANCE DATE	July 16, 2010		
BEGIN CONSTRUCTION (A)	NA	NA	NA
COMPLETE CONSTRUCTION (B)	July 16, 2015	July 30, 2010	Completed system with installation of fishscreen
COMPLETE APPLICATION OF WATER (C)	July 16, 2015	October 2013	Reported water use, completed all the permit conditions, and put water to full use.

* MUST BE WITHIN PERIOD BETWEEN PERMIT OR ANY EXTENSION FINAL ORDER ISSUANCE AND THE DATE TO COMPLETELY APPLY WATER

2. Is there an extension final order(s)?

NO

If "NO", items a and b relating to this section may be deleted.

RECEIVED

3. Measurement Conditions:

FEB 27 2023

a. Does the permit, permit amendment, or any extension final order require the installation of a meter or approved measuring device?

YES

OWRD

If "NO", items b through f relating to this section may be deleted.

Reminder: If a meter or approved measuring device was required, the COBU map must indicate the location of the device in relation to the point of diversion.

b. Has a meter been installed?

YES

c. Meter Information

POD NAME OR #	MANUFACTURER	SERIAL #	CONDITION (WORKING OR NOT)	CURRENT METER READING	DATE INSTALLED
POD	Sensus	66499766	Not Working	67751.8 gallons (August 15, 2022)	2006
	DLJ - Watermaster	20 060999	Working	175.9 gallons (January 23, 2023)	Replacement meter January 14, 2023

If a meter has been installed, items d through f relating to this section may be deleted.

4. Recording and reporting conditions:

a. Is the water user required to report the water use to the Department?

YES

If "NO", item b relating to this section may be deleted.

b. Have the reports been submitted?

YES

If the reports have not been submitted, attach a copy of the reports if available.

5. Fish Screening:

a. Are any points of diversion required to be screened to prevent fish from entering the point of diversion?

YES

If "NO", items b through e relating to this section may be deleted.

Reminder: If fish screening devices were required, the COBU map must indicate their location in relation to the point of diversion.

RECEIVED

FEB 27 2023

b. Has the fish screening been installed?

YES

c. When was the fish screening installed?

OWRD

DATE	BY WHOM
July 30, 2010	Lu Ann (Maggie) Russell (self-certified)
December 9, 2022	ODFW, Toby Schuyler

Reminder: If the permit or transfer final order was issued on or after February 1, 2011, the fish screen is required to be approved by the Oregon Department of Fish and Wildlife regardless of the rate of diversion.

d. If the diversion involves a pump and the total diversion rate of all rights at the point of diversion is less than 225 gpm (0.5 cfs):

- Has the self-certification form previously been submitted to the Department? NO

If not, go to <https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

complete and attach a copy of the 'ODFW Small Pump Screen Self Certification' form to this claim, and send a copy of it to the Oregon Department of Fish and Wildlife (ODFW).

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. The ODFW self-certification form needs to have been previously submitted or be attached to this form.

e. If the diversion does **not involve a pump** or the total diversion rate of all rights at the point of diversion is 225 gpm (0.5 cfs) or greater:

- Has the ODFW approval been previously submitted? NA

If not, contact and work with ODFW to ensure compliance. To demonstrate compliance, provide signed documentation from ODFW. A form is available at

<https://www.oregon.gov/OWRD/Forms/Pages/default.aspx>

Reminder: Failure to submit evidence of a timely installed fish screen may result in an unfavorable determination. In order to receive a favorable approval, the ODFW/WRD "Fish Screen Inspection" form needs to have been previously submitted or be attached to this form.

6. By-pass Devices:

a. Are any points of diversion required to have a by-pass device to prevent fish from entering the point of diversion?

YES

If "NO", items b and c relating to this section may be deleted.

Reminder: If by-pass devices were required, the COBU map must indicate their location in relation to the point of diversion.

b. Have by-pass devices been installed?

NO

DESCRIPTION (E.G. "ODFW HAS APPROVED THE BY-PASS DEVICE" OR "NO BY-PASS DEVICE IS NECESSARY BECAUSE THERE IS A DIRECT DIVERSION FROM THE STREAM VIA A PUMP ON RIVER LEFT STREAM BANK WITH FOOT VALVE DESCENDING DIRECTLY INTO NATURAL POOL.") IN ADDITION, YOU MAY ATTACH PHOTOS TO THIS CLAIM.	IF INSTALLED (DATE)	IF INSTALLED, BY WHOM
Per ODFW letter dated December 16, 2022 a by- pass devise is not required	NA	NA

c. Describe the diversion works as related to whether a by-pass device is installed or unnecessary:

(Provide a letter from ODFW indicating the device is approved or is unnecessary.)

RECEIVED

7. Other conditions required by permit, permit amendment final order, or extension final order:

FEB 27 2023

a. Was the water user required to restore the riparian area if it was disturbed? **YES**

b. Other conditions? **YES**

OWRD

If "YES" to any of the above, identify the condition and describe the water user's actions to comply with the condition(s):

a) Condition:

If the riparian area is disturbed in the process of developing a point of diversion, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR 635-415, shall be followed.

Compliance:

POD is located in a shallow pool just off the bank which is lined with boulders; therefore, no riparian area was disturbed.

b1) Condition:

The permittee shall install, maintain, and operate fish screening and by-pass devices consistent with Oregon Department of Fish and Wildlife (ODFW) standards. Fish screening is to prevent fish from entering the proposed diversion while by-pass devices provide adequate upstream and downstream passage for fish. The required screen and by-pass devices are to be in place and functional, and approved in writing by ODFW prior to diversion of any water. The permitted may submit evidence in writing that ODFW has determined screens and or/ by-pass devices are not necessary.

Compliance:

According to the permit holder, ODFW came out in July 2010 and assisted her with installing an approved fishscreen at that time; however no letter was produced documenting this transaction. That fish screen qualified for self-certification, and the permit holder has completed and signed the Small Pump Screen Self-Certification form (attached).

Since the original fish screen was installed, and the system was later modified, ODFW standards have been updated and therefore the screen was updated and approved

December 16, 2022.

See letter dated December 16, 2022 from ODFW stating: "This is a custom screen designed to fit a Drummon 1/6th hp submersible utility pump and meets National Marine Fisheries Service screening criterial up to a withdrawal rate of 32 gpm, or 0.07 cfs, ... A by-pass device is not required at this point of diversion as this is an end of pipe screen."

b2) Condition:

The permittee shall not construct, operate or maintain any dam or artificial obstruction to fish passage in the channel of the subject stream without providing a fishway to ensure adequate upstream and downstream passage for fish, unless the permittee has requested and been granted a fish passage waiver by the Oregon Fish and Wildlife Commission. The permittee is hereby directed to contact an Oregon Department of Fish and Wildlife Fish Passage Coordinator before beginning construction of any in-channel obstruction.

Compliance:

No dam or artificial obstruction has been created.

**SECTION 6
ATTACHMENTS**

Provide a list of any additional documents you are attaching to this report:

RECEIVED
FEB 27 2023
OWRD

ATTACHMENT NAME	DESCRIPTION
Claim of Beneficial Use Map	Claim of Beneficial Use Map
BLM Cadastral Map	BLM Cadastral Map T. 2S. R. 5E. showing DLC and Government Lot locations
Small Pump Screen Self-Certification dated: January 23, 2023	Letter stating a fish screen was previously attached to the pump by the client.
Letter from ODFW dated: December 16, 2022	Letter stating a fish screen meets current fish screening criterial up to 32 gpm or 0.07 cfs and no by-pass devise is required at the end of pipe screen.
Request for Assignment by Proof of Ownership	Assignment from Ernie and Lu Ann Russell to Lu Ann (Maggie) Russell
State of Oregon Certification of Vital Records	Death Certificate for Ernie Russell

**SECTION 7
CLAIM OF BENEFICIAL USE MAP**

The Claim of Beneficial Use Map must be submitted with this claim. Claims submitted without the Claim of Beneficial Use map will be returned. The map shall be submitted on poly film at a scale of 1" = 1320 feet, 1" = 400 feet, or the original full-size scale of the county assessor map for the location.

Provide a general description of the survey method used to prepare the map. Examples of possible methods include, but are not limited to, a traverse survey, GPS, or the use of aerial photos. If the basis of the survey is an aerial photo, provide the source, date, series and the aerial photo identification number.

**The COBU map was prepared using tax assessor's maps 2 5E 18 and 18BB, overlain by a 2014 aerial photo titled USDA-FSA-APFO NAIP County Mosaic and obtained on line from the Natural Resources Conservation Service, Image Metadata:
<http://datagateway.nrcs.usda.gov/Catalog/ProductDescription/NAIPM.html>**

Map Checklist

Please be sure that the map you submit includes ALL the items listed below.

(Reminder: Incomplete maps and/or claims may be returned.)

- ☒ Map on polyester film.
- ☒ Appropriate scale (1" = 400 feet, 1" = 1320 feet, or the original full-size scale of the county assessor map)
- ☒ Township, Range, Section, Donation Land Claims, and Government Lots
- ☐ If irrigation, number of acres irrigated within each projected Donation Land Claims, Government Lots, Quarter-Quarters
- ☒ Locations of fish screens and/or fish by-pass devices in relationship to point of diversion
- ☒ Locations of meters and/or measuring devices in relationship to point of diversion
- ☒ Conveyance structures illustrated (pumps, reservoirs, pipelines, ditches, etc.)
- ☒ Point(s) of diversion or appropriation (illustrated and coordinates)
- ☒ Tax lot boundaries and numbers
- ☒ Source illustrated if surface water
- ☒ Disclaimer ("This map is not intended to provide legal dimensions or locations of property ownership lines")
- ☒ Application and permit number or transfer number
- ☒ North arrow
- ☒ Legend
- ☒ CWRE stamp and signature

RECEIVED

FEB 27 2023

OWRD

60.00
 Francis Revenues
 20.74
 Cl 37. Not 8044
 Acres 379.59
 30.00
 10.78
 20.00
 39.71
 8.565 9.00 18

5
 38.52

38.94

38.27

36.99

36.74

38.76

77

RECEIVED
 FEB 27 2023
 OWRD



OREGON DEPARTMENT of FISH and WILDLIFE

FISH SCREENING PROGRAM

SMALL PUMP SCREEN SELF CERTIFICATION

RECEIVED

FEB 27 2023

OWRD

FOR PERMITS OR TRANSFERS ISSUED PRIOR TO FEBRUARY 1, 2011

As evidence of having met fish screen installation requirements, please provide the information requested below, sign the certification, and send copies to:

Oregon Water Resources Department, and
Water Rights Section,
725 Summer Street NE, Suite A,
Salem, OR 97301-1271

Pete Baki
Oregon Dept. Fish and Wildlife
4034 Fairview Industrial Drive SE
Salem, OR 97302

Water right permit/certificate number: S-54661 Amount of water diverted less than 2,000
gal/month


Stream: Cedar Creek Tributary to: Sandy River

Location (GPS if available): 45°24'3.76"N, 122°14'53.95"W

Screen Length: 4 inches Screen Diameter: 1 inch

Is pump screen self-cleaning: No

If screen is not a cylinder shape, please provide a diagram and measurements.



Certification:

I certify that my permit or transfer final order was issued prior to February 1, 2011.

I certify that my small pumped diversion of less than 225 gpm meets fish screening criteria, and that I will maintain it to comply with regulatory criteria. I also understand that should fish screening standards change, I may be required to modify my installation to meet applicable standards.

Applicant Signature: L. Ann H Russell Date: 1/23/23 WRD File #: _____

Printed Name and Address: L. ANN H RUSSELL

Phone: () _____ Fax: () _____



Oregon

Kate Brown., Governor

**Department of Fish and Wildlife
The Dalles Screen Shop**

3561 Klindt Drive
The Dalles, OR 97058
(541) 296-8026
FAX (541) 296-7889
odfw.com

RECEIVED

FEB 27 2023

OWRD

December 16, 2022



Maggie Russell
40360 Cedar Creek LN
Sandy, OR 97055

RE: Permit S-54661

To whom it may concern,


This letter is in regards to a replacement fish screen, to satisfy screening and passage requirements set forth by Oregon Water Resources Department for Permit S-54661. This permit allows water use from Cedar Creek, a tributary of the Sandy River near Sandy Oregon.

The water user has installed a custom passive screen at this point of diversion. This is a custom screen designed to fit a Drummon 1/6th hp submersible utility pump and meets National Marine Fisheries Service screening criteria up to a withdrawal rate of 32 gpm, or 0.07 cfs, while protecting all age classes of anadromous salmonids from entrapment and impingement. Fish screen was inspected on site by ODFW and concludes that this screen will meet current state and federal fish screening criteria set forth by National Marine Fisheries Service and will satisfy the screening requirements for Permit S-54661, effective the date it was installed December 9th, 2022. A by-pass device is not required at this point of diversion as this is an end of pipe screen.

This approval is contingent on the following: the screen is installed prior to any withdraw of water, the screen is installed so that the effective screen area is submerged during operation, and the screen is regularly inspected and maintained to ensure it remains in working order, including removing debris as necessary, and the screen is annually inspected when it is not in use.

If there are any questions regarding the approval of the screen for permit S-55154, please call me at 541-296-8026

Sincerely,

 12/16/2022

Toby Schuyler

3561 Klindt Dr

The Dalles, OR 97058

Fish Screens and Passage Coordinator